



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2012




VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

SOUTH CAROLINA COUNTIES AND PUBLIC HEALTH REGIONS



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2012



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

January, 2014

Contributors

Division of Biostatistics SC DHEC

Shae R. Sutton, Director

Biostatistics and Data Quality Branch

Daniela Nitcheva, Manager
Fushun Zhang, Statistician
Veena Seshadri, Statistician
Ying Yang, Statistician

Thomas Pinner, Statistical and Research Analyst

This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading.

More data are available on SCAN: <http://scangis.dhec.sc.gov/scan/>

Please forward any suggestions, comments or requests concerning this report to:

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, SC 29201

803-898-3649 phone 803-898-3661 fax

<http://www.scdhec.gov>

INTRODUCTION

This supplemental report contains mortality data for South Carolina events that occurred in 2012. The purpose of this report is to provide additional data not included in the SC Vital and Morbidity Statistics Report.

Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments, and reports of fetal deaths and abortions. Data are presented for South Carolina and its 46 counties. Live births, fetal deaths and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate transcript exchange.

In South Carolina fetal death and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Office of Vital Records. In 2004, South Carolina established the Web Birth system. This allows hospitals to file all birth certificate information via secured internet connection. Marriage and divorce certificates are transmitted to this office from the County Probate Court and Clerk of Court, respectively.

Population estimates for the intercensal years were provided by the National Center for Health Statistics.

This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading. More data are available on South Carolina Community Assessment Network (<http://scanqis.dhec.sc.gov/scan/>); our interactive data query website.

Requests for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.gov>

TABLE OF CONTENTS

Section A.	Summary of Vital Events.....	1
Section B.	Population	7
Section C.	Birth.....	11
	Fertility Patterns.....	16
	Gender Ratio.....	17
	Multiple Births.....	18
	Attendant at Birth.....	33
	Age of Mother.....	35
	Live Births to Unmarried Mothers.....	45
	Live Births by Birthweight.....	51
	Low Weight Live Births.....	58
Section D.	Teen Pregnancy.....	76
	Age 10-19.....	76
	Age 10-14.....	79
	Age 14-17.....	82
	Age 15-17.....	85
	Age 18-19.....	88
Section E.	Abortion.....	91
	By County of Residence.....	92
	By County of Occurrence.....	95
Section F.	Mortality.....	96
	Infant Mortality.....	97
	Neonatal Mortality.....	102
	Postneonatal Mortality.....	105
	Fetal Mortality.....	108
	Perinatal Mortality.....	112
	Causes of Maternal Death.....	113
Section G.	Death.....	115
	Leading Causes of Death.....	117
	Death by Age and Race.....	119
	Malignant Neoplasms by Site and Gender.....	123
	Accidental Deaths by Gender.....	124
	Death Rates by Race.....	125
	Deaths by Burial Disposition.....	129
	Deaths by Certifier.....	132
	Major Causes of Accidental Deaths.....	134
	Deaths Due to Suicide.....	136
	Deaths Due to Homicide.....	137
	Death Rates from Selected Causes by Race and Gender.....	138
Section H.	Marriages and Divorces.....	142
	Trends in Marriages and Devorces.....	142
	Marriages.....	143
	Divorces and Annulments.....	150

TABLE OF CONTENTS (continued)

Section J.	Technical Notes.....	155
	Registration of Vital Events.....	155
	Revision of Certificates.....	156
	Allocation of Events by Residence or Occurrence.....	157
	Definitions of Terms.....	158
	Interpretation of Data.....	160
	Implementation of the International Classification of Diseases (ICD).....	164
	Formulae.....	165
	Grams Weight Conversion Chart.....	166
	Symbols Used in Tables.....	166

Section K .	Appendix.....	
-------------	---------------	--

Figures

Figure B-1.	South Carolina Estimated Population by County, 2012.....	7
Figure C-1.	Live Birth Rates by County: South Carolina, 2012 (Residence Data).....	11
Figure C-2.	Live Birth Rates by Race of Mother: South Carolina, 1988-2012 (Residence Data).....	12
Figure C-3.	Multiple Births Rate by Race South Carolina, 1997-2012 (Residence Data).....	18
Figure C-4.	Percent of Live Births to Women Age 35 and Over by Race South Carolina, 2003-2012 (Residence Data).....	35
Figure C-5.	Mean Age of Mother at First Time Birth by Race South Carolina, 1997-2012 (Residence Data).....	36
Figure C-6.	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2012 (Residence Data).....	45
Figure C-7.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2012 (Residence Data).....	51
Figure C-8.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2012 (Residence Data).....	58
Figure E-1.	Abortion Rates by Race South Carolina, 2002-2012 (Residence Data).....	91
Figure F-1.	Three-Year Infant Mortality Rates by County: South Carolina, 2010-2012 (Residence Data).....	96
Figure F-2.	Infant Mortality Rates by Race: South Carolina, 1987-2012 (Residence Data).....	97
Figure F-3.	Percent of Infant Deaths by Age at Death: South Carolina, 2012 (Residence Data).....	98
Figure G-1.	Death Rates by County: South Carolina, 2012 (Residence Data).....	115
Figure G-2.	Death Rates by Race: South Carolina, 1988-2012(Residence Data).....	116

TABLE OF CONTENTS (continued)

Figures

Figure G-3.	Percent Distribution for the Ten Leading Causes of Death by Gender, South Carolina, 2012 (Residence Data).....	117
Figure H-1.	Marriage and Divorce Rates: South Carolina, 1987-2012 (Occurrence Data).....	142
Figure H-2.	Marriage Rates by Race: South Carolina, 1987-2012 (Occurrence Data).....	144
Figure H-3.	Divorce Rates by Race: South Carolina, 1987-2012 (Occurrence Data).....	151

TABLES

Vital Events

Table A-1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1992-2012 (Residence Data).....	3
Table A-2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1992-2012 (Residence Data).....	4
TableA- 3.	Live Births South Carolina and Each County, 2000-2012 (Residence Data).....	5
Table A-4.	Deaths South Carolina and Each County, 2000-2012 (Residence Data).....	6

Population

Table B-1.	Percent of Population by Age Group South Carolina, 2000 and 2010.....	8
Table B-2.	Population, Live Births, Deaths and Natural Increase South Carolina, 1990-2012 (Residence Data).....	9
Table B-3.	Estimated Population and Percents by Race South Carolina and Each County, 2012	10

Births

Table C-1.	Live Births and Birth Rates by Race of Mother South Carolina, 1988-2012 (Residence Data).....	12
Table C-2.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2012 (Residence Data).....	13
Table C-3.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2012 (Residence Data)	14
Table C-4.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2012 (Occurrence Data)	15
Table C-5.	Fertility Rates by Race South Carolina and Each County, 1997-2012 (Residence Data).....	16

TABLE OF CONTENTS (continued)

Births

Table C-6.	Population of Females Age 15-44 by Race South Carolina and Each County, 1997-2012(Residence Data).....	16
Table C-7.	Gender Ratio of Males per 100 Females South Carolina, 2007-2012 (Residence Data).....	17
Table C-8.	Number and Rates of Multiple Births by Race South Carolina, 1997-2012 (Residence Data).....	18
Table C-9.	Live Births by County of Occurrence by County of Residence South Carolina, 2012.....	19
Table C-10.	Live Births by Number of Prenatal Care Visits South Carolina and Each County, 2012 (Residence Data).....	21
Table C-10A.	Live Births by Number of Prenatal Care Visits and Race of Mother South Carolina and Each County, 2012 (Residence Data).....	22
Table C-11.	Live Births By Kotelchuck Index South Carolina and Each County, 2012 (Residence Data).....	25
Table C-11A.	Live Births By Kotelchuck Index and Race of Mother South Carolina and Each County, 2012 (Residence Data).....	26
Table C-12.	Live Births by Education of Mother South Carolina and Each County, 2012 (Residence Data).....	29
Table C-12A.	Live Births by Education and Race of Mother South Carolina and Each County, 2012 (Residence Data).....	30
Table C-13.	Live Births by Attendant by Place of Delivery South Carolina, 2012 (Occurrence Data).....	33
Table C-14.	Live Births by Place of Delivery South Carolina, 2002-2012 (Occurrence Data).....	33
Table C-15.	Live Births by Attendant South Carolina and Each County, 2012 (Occurrence Data).....	34
Table C-16.	Percent Distribution of Live Births by Age of Mother South Carolina, 2008-2012 (Residence Data).....	35
Table C-17.	Mean Age of Mother at First Time Birth by Race South Carolina, 1997-2012 (Residence Data).....	36
Table C-18.	Live Births by Age of Mother: South Carolina and Each County, 2012 (Residence Data).....	37
Table C-18A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	38
Table C-19.	Live Births to Mothers Less than 20 Years Old South Carolina and Each County, 2012 (Residence Data).....	41
Table C-19A.	Live Births to Mothers Less than 20 Years Old By Race of Mother South Carolina and Each County, 2012 (Residence Data).....	42

TABLE OF CONTENTS (continued)

Births

Table C-20	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2008-2012 (Residence Data).....	45
Table C-21	Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	46
Table C-22.	Live Births to Unmarried Mothers by Age Group South Carolina and Each County 2012 (Residence Data).....	47
Table C-22A.	Live Births to Unmarried Mothers by Age Group and Race of Mother South Carolina and Each County 2012 (Residence Data).....	48
Table C-23.	Live Births by Birthweight Groups by Race of Mother South Carolina, 2012 (Residence Data).....	51
Table C-24.	Live Births by Birthweight, Age and Race of Mother: South Carolina, 2012 (Residence Data).....	52
Table C-25.	Live Births by Birthweight and Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	53
Table C-26.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2012 (Residence Data).....	58
Table C-27.	Low Weight Live Births and Percent of Low Weight Live Births by Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	59
Table C-28.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2012 (Residence Data).....	60
Table C-28A.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2012 (Residence Data).....	61
Table C-29.	Very Low Weight Live Births and Percent of Very Low Weight Live Births by Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	64
Table C-30.	Live Births and Number of Births with Congenital Anomalies by Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	65
Table C-31.	Live Births by Gestational Age South Carolina and Each County, 2012 (Residence Data).....	66
Table C-31A.	Live Births by Gestational Age by Race of Mother South Carolina and Each County, 2012 (Residence Data).....	67
Table C-32.	Live Births to Mothers who Breastfed by Race South Carolina and Each County, 2012 (Residence Data).....	70
Table C-33.	Live Births to Mothers with Infectious Diseases South Carolina and Each County, 2012 (Residence Data).....	71
Table C-33A.	Live Births to Mothers with Infectious Diseases by Race of Mother South Carolina and Each County, 2012 (Residence Data).....	72
Table C-34.	Number of Mothers who received WIC Services during Pregnancy by Race of Mother: South Carolina and Each County, 2012 (Residence Data).....	75

TABLE OF CONTENTS (continued)

Teen Pregnancy

Table D-1.	Reported Teen Pregnancy for Females Age 10-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	76
Table D-1A.	Reported Teen Pregnancy for Females Age 10-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	77
Table D-2.	Reported Teen Pregnancy for Females Age 10-14 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	79
Table D-2A.	Reported Teen Pregnancy for Females Age 10-14 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	80
Table D-3.	Reported Teen Pregnancy for Females Age 14-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	82
Table D-3A.	Reported Teen Pregnancy for Females Age 14-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	83
Table D-4.	Reported Teen Pregnancy for Females Age 15-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	85
Table D-4A.	Reported Teen Pregnancy for Females Age 15-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	86
Table D-5.	Reported Teen Pregnancy for Females Age 18-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	88
Table D-5A.	Reported Teen Pregnancy for Females Age 18-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2012 (Residence Data).....	89

Abortions

Table E-1.	Abortions and Abortion Rates by Race: South Carolina, 2002-2012 (Residence Data).....	91
Table E-2.	Abortions by Age Group: South Carolina and Each County, 2012 (Residence Data).....	92
Table E-2A.	Abortions by Age Group and Race South Carolina and Each County, 2012 (Residence Data).....	93
Table E-3.	Abortions by Age Group and Race of Mother South Carolina and Selected Counties 2012 (Occurrence Data).....	95

Perinatal

Table F-1.	Infant Mortality and Infant Mortality Rates by race: South Carolina, 1987-2012 (Residence Data)	97
Table F-2.	Leading Causes of Infant Death by Age at Death: South Carolina, 2012 (Residence Data).....	98

TABLE OF CONTENTS (continued)

Perinatal

Table F-3.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	99
Table F-3A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	100
Table F-4.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	102
Table F-4A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	103
Table F-5.	Postneonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	105
Table F-5A.	Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2012, 2010-2012, 2007-2009 (Residence Data).....	106
Table F-6.	Fetal Mortality and Fetal Mortality Rates by Race of Mother South Carolina and Each County, 2012 (Residence Data).....	108
Table F-7.	Fetal Deaths by Age of Mother South Carolina and Each County, 2012 (Residence Data).....	109
Table F-7A.	Fetal Deaths by Age and Race of Mother South Carolina and Each County, 2012 (Residence Data).....	110
Table F-8.	Perinatal Mortality and Perinatal Mortality Rates by Race South Carolina and Each County, 2012 (Residence Data).....	112
Table F-9.	Causes of Maternal Death by Age Group of Mother South Carolina and Each County, 2012 (Residence Data).....	113
Table F-9A.	Causes of Maternal Death by Race and Age Group of Mother South Carolina and Each County, 2012 (Residence Data).....	114

Deaths

Table G-1.	Deaths and Death Rates by Race: South Carolina, 1988-2012 (Residence Data).....	116
Table G-2.	Mortality From Ten Leading Causes of Death by Race: South Carolina, 2012 (Residence Data).....	117
Table G-2A.	Mortality From Ten Leading Causes of Death by Race and Gender South Carolina, 2012 (Residence Data).....	118
Table G-3.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2012 (Residence Data).....	119
Table G-3A.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race and Gender: South Carolina, 2012 (Residence Data).....	120

TABLE OF CONTENTS (continued)

Deaths

Table G-4.	Percent Distribution of Deaths by Race and Age South Carolina, 1992, 2002 and 2012 (Residence Data).....	122
Table G-5.	Deaths from Major Cardiovascular Diseases South Carolina, 2012 (Residence Data).....	122
Table G-6.	Distribution of Malignant Neoplasms by Site and Gender South Carolina, 2012 (Residence Data).....	123
Table G-7.	Types of Accidental Deaths by Gender: South Carolina, 2012 (Residence Data).....	124
Table G-8.	Methods of Suicidal Deaths by Gender South Carolina, 2012 (Residence Data).....	124
Table G-9.	Methods of Homicidal Deaths by Gender South Carolina, 2012 (Residence Data).....	124
Table G-10.	Deaths and Death Rates by Race South Carolina and Each County, 2012 (Residence Data)	125
Table G-11.	Deaths and Death Rates by Race South Carolina and Each County, 2012 (Occurrence Data)	126
Table G-12.	Deaths by Race and Gender South Carolina and Each County, 2012 (Residence Data).....	127
Table G-13.	Deaths by Race and Gender South Carolina and Each County, 2012 (Occurrence Data).....	128
Table G-14.	Deaths by Burial Disposition South Carolina and Each County, 2012 (Occurrence Data).....	129
Table G-14A.	Deaths by Burial Disposition by Race South Carolina and Each County, 2012 (Occurrence Data).....	130
Table G-15.	Deaths by Certifier South Carolina and Each County, 2012 (Occurrence Data).....	132
Table G-15A.	Deaths by Certifier by Race South Carolina and Each County, 2012 (Occurrence Data).....	133
Table G-16.	Major Causes of Accidental Death South Carolina and Each County, 2012 (Residence Data).....	134
Table G-17.	Major Causes of Accidental Death South Carolina and Each County, 2012 (Occurrence Data).....	135
Table G-18.	Deaths Due to Suicide by Method South Carolina and Each County, 2012 (Residence Data).....	136
Table G-19.	Deaths Due to Homicide by Method South Carolina and Each County, 2012 (Residence Data).....	137
Table G-20.	Deaths and Death Rates from Selected Causes by Race and Gender South Carolina, 2012 (Residence Data).....	138

TABLE OF CONTENTS (continued)

Marriages, Divorces and Annulments

Table H-1.	Marriages by Race of Bride and Groom South Carolina, 2012 (Occurrence Data).....	143
Table H-2.	Marriages and Marriage Rates by Race South Carolina, 1987-2012 (Occurrence Data).....	144
Table H-3.	Marriages by Age of Bride and Age of Groom South Carolina, 2012 (Occurrence Data).....	145
Table H-4.	Marriages by Race, Residential Status and Age of Bride South Carolina, 2012 (Occurrence Data).....	146
Table H-5.	Marriages by Race, Residential Status and Age of Groom South Carolina, 2012 (Occurrence Data).....	147
Table H-6.	Marriages by County in Which License Was Issued by Residential Status South Carolina and Each County, 2012 (Occurrence Data).....	148
Table H-7.	Marriages by Residential Status and County of Marriage South Carolina, 2012 (Occurrence Data).....	149
Table H-8.	Divorces by Age Group and Race South Carolina, 2012 (Occurrence Data).....	150
Table H-9.	Divorces and Divorce Rates by Race South Carolina, 1987-2012 (Occurrence Data).....	151
Table H-10.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree South Carolina, 2012 (Occurrence Data).....	152
Table H-11.	Divorces by Plaintiff and Legal Grounds of Decree South Carolina and Each County, 2012 (Occurrence Data).....	153
Table H-12.	Divorces and Annulments by Number of Children Involved and Race South Carolina and Each County, 2012 (Occurrence Data).....	154


SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2012



DID YOU KNOW THAT IN 2012:

The Most Common First Names by Gender and Race for South Carolina

Male			Female		
All Races	White	Black & Other	All Races	White	Black & Other
William	William	Jayden	Emma	Emma	Madison
Mason	Mason	Elijah	Madison	Isabella	Serenity
James	James	Ayden	Olivia	Sophia	London
Elijah	Jackson	Christian	Isabella	Olivia	Nevaeh
Jayden	Jacob	Jeremiah	Ava	Ava	Aaliyah
Jacob	John	Cameron	Sophia	Elizabeth	Trinity
Jackson	Noah	Jordan	Elizabeth	Abigail	Taylor
Joshua	Michael	Joshua	Abigail	Madison	Mariah
Noah	Joseph	Aiden	Emily	Emily	Ava
Michael	Liam	Mason	Addison	Addison	Olivia
Aiden	Elijah	Tyler	Aubrey	Ella	Makayla
Ethan	Logan	Christopher	Chloe	Harper	Londyn
John	Ethan	Isaiah	Ella	Anna	Jada
Christopher	Joshua	Ethan	Harper	Chloe	Gabrielle
Joseph	Daniel	Kayden	Anna	Aubrey	Khloe

BIRTHS

The month with the most births: August (5,124)
Youngest Mother: 12 years old

Least Births: April (4,290)
Oldest Mother: 52 years old

DEATHS

The month with the most deaths: December (4,061) Least deaths: September (3,362)
The oldest person that died: 109 years old

MARRIAGES

The youngest bride: 14 years old The youngest groom: 16 years old
The oldest bride: 93 years old The oldest groom: 94 years old
The month with the most marriages: June (4082) Least marriages: January (1,318)

DIVORCES

The youngest bride to divorce: 18 years old The youngest groom to divorce: 18 years old
The oldest bride to divorce: 89 years old The oldest groom to divorce: 96 years old
The month with the most divorces: March (1,612) Least divorces: January (1,021)

Table A-1.
Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
South Carolina, 1992-2012
(Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1992	TOTAL	3,603,430	56,102 *	15.6	30,565 *	8.5	53,320 *	14.8	15,365 *	4.3
	WHITE	2,487,960	33,890	13.6	20,945	8.4	40,726	16.4	12,179	4.9
	BLACK/OTHER	1,115,480	22,206	19.9	9,617	8.6	12,592	11.3	3,103	2.8
1993	TOTAL	3,629,550	53,715 *	14.8	31,943 *	8.8	53,223 *	14.7	15,141 *	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907 *	14.2	32,223 *	8.8	51,564 *	14.1	15,802 *	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913 *	13.9	33,500 *	9.1	45,347	12.4	15,171 *	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105 *	13.8	34,035 *	9.2	43,439	11.7	15,319 *	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205 *	13.9	33,660 *	9.0	43,411 *	11.5	15,780 *	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833 *	14.0	34,781 *	9.1	42,380 *	11.0	15,083 *	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706 *	14.1	35,972 *	9.3	43,664 *	11.2	15,115 *	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964 *	13.9	38,816 *	9.2	41,592 *	10.4	15,196 *	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8
2001	TOTAL	4,063,010	55,748 *	13.7	36,576 *	9.0	40,128	9.9	14,657 *	3.6
	WHITE	2,788,650	35,731	12.8	25,781	9.2	30,112	10.8	11,372	4.1
	BLACK/OTHER	1,274,370	20,008	15.7	10,782	8.5	10,016	7.9	3,250	2.6
2002	TOTAL	4,107,180	54,453 *	13.3	37,679	9.2	38,207	9.3	13,956	3.4
	WHITE	2,803,950	35,152	12.5	26,740	9.5	28,303	10.1	10,712	3.8
	BLACK/OTHER	1,303,240	19,294	14.8	10,924	8.4	9,899	7.6	3,250	2.5
2003	TOTAL	4,147,150	55,461 *	13.4	37,920	9.1	37,186	9.0	13,609	3.3
	WHITE	2,823,650	36,001	12.7	27,043	9.6	27,845	9.9	10,535	3.7
	BLACK/OTHER	1,323,500	19,451	14.7	10,865	8.2	9,341	7.1	3,048	2.3
2004	TOTAL	4,198,070	56,543	13.5	37,152	8.8	35,942	8.6	13,839	3.3
	WHITE	2,886,440	36,872	12.8	26,353	9.1	27,224	9.4	10,734	3.7
	BLACK/OTHER	1,311,630	19,616	15.0	10,783	8.2	8,721	6.6	3,055	2.3
2005	TOTAL	4,255,080	57,538 *	13.5	38,585 *	9.1	35,357	8.3	12,948 *	3.0
	WHITE	2,929,360	37,367	12.8	27,755	9.5	26,829	9.2	9,980	3.4
	BLACK/OTHER	1,325,720	20,080	15.1	10,810	8.2	8,527	6.4	2,927	2.2
2006	TOTAL	4,321,250	62,191 *	14.4	38,723 *	9.0	34,253	7.9	13,164 *	3.0
	WHITE	2,979,810	39,950	13.4	27,662	9.3	25,875	8.7	10,055	3.4
	BLACK/OTHER	1,341,440	22,127	16.5	11,030	8.2	8,373	6.2	3,063	2.3
2007	TOTAL	4,407,709	62,933 *	14.3	39,418 *	8.9	34,859 *	7.9	13,233 *	3.0
	WHITE	3,047,237	40,641	13.3	28,233	9.3	26,524	8.7	10,176	3.3
	BLACK/OTHER	1,360,472	22,259	16.4	11,126	8.2	8,331	6.1	2,978	2.2
2008	TOTAL	4,479,800	63,077 *	14.1	40,197 *	9.0	33,293 *	7.4	12,836 *	2.9
	WHITE	3,104,369	40,713	13.1	29,015	9.3	25,359	8.2	9,815	3.2
	BLACK/OTHER	1,375,431	22,321	16.2	10,965	8.0	7,933	5.8	2,911	2.1
2009	TOTAL	4,561,242	60,682 *	13.3	40,242 *	8.8	33,483 *	7.3	13,695 *	3.0
	WHITE	3,166,512	39,348	12.4	29,080	9.2	25,451	8.0	10,134	3.2
	BLACK/OTHER	1,394,730	21,284	15.3	10,880	7.8	8,022	5.8	3,211	2.3
2010	TOTAL	4,625,364	58,325 *	12.6	41,489 *	9.0	34,333 *	7.4	14,466 *	3.1
	WHITE	3,198,579	37,927	11.9	30,187	9.4	25,937	8.1	10,628	3.3
	BLACK/OTHER	1,426,785	20,361	14.3	10,905	7.6	8,390	5.9	3,815	2.7
2011	TOTAL	4,679,230	57,338 *	12.3	41,949 *	9.0	35,132 *	7.5	15,081 *	3.2
	WHITE	3,234,809	37,406	11.6	30,709	9.5	26,872	8.3	11,169	3.5
	BLACK/OTHER	1,444,421	19,894	13.8	10,920	7.6	8,241	5.7	3,874	2.7
2012	TOTAL	4,723,723	57,100 *	12.1	42,879 *	9.1	34,977 *	7.4	14,994 *	3.2
	WHITE	3,266,812	37,092	11.4	31,580	9.7	26,868	8.8	10,934	3.4
	BLACK/OTHER	1,456,911	19,959	13.7	11,221	7.7	8,068	5.7	3,814	2.6

¹ ACTUAL CENSUS COUNTS FOR 1990, 2000; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table A-2.
Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
and Maternal Deaths with Rates by Race¹
South Carolina, 1992-2012
(Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1992	TOTAL	19,903 *	354.8	5,071	90.4	599	10.7	588	10.5	388	6.9	9	1.6
	WHITE	5,672	167.4	2,143	63.2	252	7.4	243	7.2	162	4.8	7	2.1
	BLACK/OTHER	14,229	640.8	2,928	131.9	347	15.6	345	15.5	226	10.2	2	0.9
1993	TOTAL	19,335	360.0	5,020	93.5	585	10.9	544	10.1	368	6.9	4	0.7
	WHITE	5,698	174.9	2,184	67.1	245	7.5	218	6.7	143	4.4	-	0
	BLACK/OTHER	13,637	645.3	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	19,134 *	368.6	4,760	91.7	561	10.7	486	9.4	336	6.5	5	1.0
	WHITE	5,972	187.2	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	13,160	658.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	19,060 *	374.4	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	6,360	199.8	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	12,699	666.0	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	19,059	372.9	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	6,470	200.3	2,262	70.0	198	6.1	179	5.5	111	3.4	3	1
	BLACK/OTHER	12,589	670.1	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	19,851	380.3	4,803	92.0	556 *	10.5	494	9.5	352	5.6	4	0.8
	WHITE	6,849	207.5	2,235	67.7	226	6.8	207	6.3	149	4.5	2	1
	BLACK/OTHER	13,002	677.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	20,891 *	388.1	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	7,502	220.2	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	13,388	677.6	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	21,379 *	390.8	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	7,716	222.5	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	13,662	683.0	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	22,278 *	398.1	5,412*	96.7	573 *	10.1	488	8.7	340	6.1	9	1.6
	WHITE	8,056	229.2	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	14,218	683.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4
2001	TOTAL	22,331	400.6	5,349	96.0	559	9.9	496	8.9	337	6.0	7	1.3
	WHITE	8,551	239.3	2,606	72.9	231	6.4	206	5.8	135	3.8	2	0.6
	BLACK/OTHER	13,780	688.7	2,743	137.1	328	16.1	290	14.5	202	10.1	5	2.5
2002	TOTAL	21,989 *	403.8	5,453	100.1	523 *	9.5	507 *	9.3	346 *	6.4	3	0.6
	WHITE	8,702	247.6	2,651	75.4	243	6.9	208	5.9	134	3.8	2	0.6
	BLACK/OTHER	13,285	688.6	2,802	145.2	279	14.3	298	15.4	211	10.9	1	0.5
2003	TOTAL	22,786 *	410.8	5,586	100.7	537	9.6	463	8.3	328	5.9	6	1.1
	WHITE	9,275	257.6	2,739	76.1	216	6.0	211	5.9	141	3.9	2	0.6
	BLACK/OTHER	13,508	694.5	2,846	146.3	320	16.2	252	13.0	187	9.6	4	2.1
2004	TOTAL	23,600 *	417.4	5,769	102.0	494	8.7	524	9.3	363	6.4	3	0.5
	WHITE	9,876	267.8	2,837	76.9	211	5.7	236	6.4	165	4.5	1	0.3
	BLACK/OTHER	13,702	698.5	2,924	149.1	281	14.1	288	14.7	198	10.1	2	1.0
2005	TOTAL	24,984 *	434.2	5,895 *	102.5	525 *	9.0	549 *	9.5	341 *	5.9	12	1.9
	WHITE	10,732	287.2	2,882	77.1	225	5.9	261	7.0	161	4.3	6	1.5
	BLACK/OTHER	14,212	707.8	2,991	149.0	294	14.4	286	14.2	179	8.9	6	2.7
2006	TOTAL	28,195 *	453.4	6,312 *	101.5	617 *	9.8	520 *	8.4	342	5.5	8	1.3
	WHITE	12,227	306.1	3,016	75.5	284	7.1	231	5.8	146	3.7	5	1.3
	BLACK/OTHER	15,933	720.1	3,284	148.4	330	14.7	288	13.0	195	8.8	3	1.4
2007	TOTAL	29,187 *	463.8	6,401	101.7	579	9.1	538	8.5	357	5.7	17	2.7
	WHITE	12,927	318.1	3,104	76.4	225	5.5	243	6.0	162	4.0	9	2.2
	BLACK/OTHER	16,247	729.9	3,287	147.7	352	15.6	295	13.3	195	8.8	7	3.1
2008	TOTAL	29,797 *	472.4	6,238 *	98.9	542 *	8.5	504 *	8.0	310 *	4.9	20	3.2
	WHITE	13,199	324.2	3,065	75.3	245	6.0	245	6.0	148	3.6	6	1.5
	BLACK/OTHER	16,586	743.1	3,167	141.9	295	13.0	258	11.6	161	7.2	13	5.8
2009	TOTAL	28,476 *	469.3	6,057 *	99.8	570 *	9.3	430	7.1	260 *	4.3	18	3.0
	WHITE	12,707	322.9	3,024	76.9	227	5.7	198	5.0	119	3.7	9	2.3
	BLACK/OTHER	15,756	740.3	3,029	142.3	341	15.8	232	10.9	141	6.6	8	3.8
2010	TOTAL	27,379 *	477.5	5,782 *	100.8	545 *	9.3	430	7.5	266 *	4.6	14	2.4
	WHITE	12,272	328.1	2,816	75.3	247	6.5	188	5.0	117	3.1	7	1.8
	BLACK/OTHER	15,098	758.9	2,963	148.9	298	14.4	220	11.1	149	7.5	5	2.5
2011	TOTAL	26,887	468.9	5,654 *	98.6	512	9.3	423	7.4	254	4.4	11	1.9
	WHITE	12,240	327.2	2,806	75.0	237	6.5	182	4.9	104	2.8	1	0.3
	BLACK/OTHER	14,647	736.3	2,846	143.1	275	13.3	241	12.1	150	7.5	10	4.9
2012	TOTAL	27,267	477.5	5,453 *	95.5	516	9.0	435	7.6	270	4.7	10	1.7
	WHITE	12,617	340.2	2,683	72.3	221	5.9	199	5.4	120	3.2	6	1.0
	BLACK/OTHER	14,650	734.0	2,768	138.7	294	14.5	236	11.8	150	7.5	4	0.7

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

² RATE PER 1,000 LIVE BIRTHS

³ RATE PER 10,000 LIVE BIRTHS

⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table A-3.
Live Births
South Carolina and Each County, 2000-2012
(Residence Data)


County of Residence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
South Carolina	55,964	55,748	54,453	55,461	56,543	57,538	62,191	62,933	63,077	60,682	58,325	57,338	57,100
Abbeville	336	371	322	331	304	269	329	282	287	272	251	278	253
Aiken	1,852	1,889	1,804	1,777	1,895	1,847	2,118	2,041	1,978	1,956	2,000	1,861	1,915
Allendale	174	181	182	162	150	147	138	142	149	109	126	118	95
Anderson	2,217	2,247	2,143	2,235	2,206	2,248	2,485	2,397	2,439	2,322	2,238	2,238	2,188
Bamberg	233	211	187	184	176	191	231	180	184	187	179	164	152
Barnwell	330	339	347	327	342	311	313	336	336	287	283	304	320
Beaufort	1,887	1,945	1,970	2,103	2,147	2,244	2,356	2,340	2,355	2,211	2,155	2,034	2,027
Berkeley	2,114	2,188	2,103	2,104	2,210	2,196	2,458	2,482	2,722	2,555	2,513	2,548	2,600
Calhoun	193	161	178	176	156	167	175	160	192	161	150	162	147
Charleston	4,586	4,575	4,536	4,655	4,764	4,798	5,094	5,192	5,191	5,031	4,845	4,753	4,685
Cherokee	784	692	716	710	639	672	678	740	711	707	698	710	676
Chester	514	434	455	416	421	427	477	466	463	422	388	410	442
Chesterfield	619	573	526	523	526	534	612	600	592	545	527	510	518
Clarendon	440	449	412	403	432	387	406	433	392	395	367	336	362
Colleton	589	608	496	508	499	543	599	588	543	519	471	460	454
Darlington	953	943	886	842	902	841	879	859	851	817	808	790	823
Dillon	519	476	519	483	479	447	480	527	496	460	460	422	437
Dorchester	1,228	1,231	1,254	1,339	1,469	1,565	1,785	1,915	1,878	1,850	1,851	1,758	1,833
Edgefield	288	278	274	254	252	248	242	242	259	250	166	157	205
Fairfield	342	319	286	304	306	309	287	275	264	250	237	258	213
Florence	1,866	1,906	1,844	1,964	1,842	1,952	1,942	2,045	1,937	1,896	1,788	1,831	1,832
Georgetown	770	806	701	746	704	704	726	731	722	686	606	604	588
Greenville	5,388	5,526	5,400	5,538	5,732	5,876	6,255	6,605	6,695	6,445	6,088	6,040	6,153
Greenwood	954	915	857	849	849	907	973	1013	996	951	928	892	890
Hampton	302	316	274	298	255	293	313	302	283	293	263	212	230
Horry	2,569	2,588	2,530	2,681	2,800	2,903	3,345	3,457	3,287	3,143	3,070	3,105	2,938
Jasper	284	339	300	301	320	375	365	438	390	375	333	341	308
Kershaw	729	694	688	698	703	763	844	840	857	770	753	708	732
Lancaster	830	804	778	763	800	759	935	932	985	905	874	866	911
Laurens	823	802	798	817	803	770	949	885	863	868	837	811	754
Lee	264	284	249	263	262	244	264	245	224	238	192	174	185
Lexington	2,999	2,940	3,024	3,168	3,108	3,170	3,379	3,386	3,459	3,510	3,400	3,255	3,232
McCormick	96	80	78	78	77	77	92	98	93	78	75	53	55
Marion	527	497	464	485	495	434	505	512	478	479	431	435	372
Marlboro	434	400	356	338	352	366	375	368	388	325	301	321	298
Newberry	497	523	473	461	512	516	555	532	534	521	455	443	410
Oconee	768	786	772	801	846	788	880	815	829	829	817	829	814
Orangeburg	1,310	1,263	1,214	1,259	1,270	1,354	1,384	1,412	1,385	1,335	1,239	1,193	1,085
Pickens	1,329	1,356	1,257	1,260	1,265	1,309	1,374	1,349	1,378	1,172	1,173	1,244	1,177
Richland	4,460	4,247	4,375	4,430	4,605	4,791	5,048	5,082	5,201	4,986	4,871	4,920	4,779
Saluda	257	267	234	213	253	259	285	291	260	259	249	252	262
Spartanburg	3,344	3,443	3,434	3,414	3,481	3,411	3,889	3,793	4,004	3,941	3,680	3,541	3,582
Sumter	1,744	1,609	1,570	1,652	1,626	1,656	1,717	1,688	1,694	1,596	1,534	1,512	1,540
Union	376	368	384	312	323	317	354	348	340	360	321	295	301
Williamsburg	543	540	468	453	515	451	439	492	459	404	372	358	344
York	2,301	2,339	2,334	2,378	2,457	2,701	2,860	3,076	3,053	3,011	2,955	2,821	2,983
Unknown	2	-	1	5	13	1	2	1	1	-	7	11	-

Table A-4.
Deaths
South Carolina and Each County, 2000-2012
(Residence Data)

County of Residence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
South Carolina	36,816	36,576	37,679	37,920	37,152	38,585	38,723	39,418	40,197	40,242	41,489	41,949	42,196
Abbeville	229	239	271	271	244	218	284	271	271	247	287	278	264
Aiken	1,305	1,426	1,409	1,438	1,390	1,389	1,406	1,453	1,555	1,421	1,504	1,576	1,607
Allendale	109	118	100	132	118	137	127	139	133	112	111	128	107
Anderson	1,693	1,744	1,766	1,833	1,822	1,865	1,791	1,931	1,848	1,860	1,974	1,924	2,017
Bamberg	209	154	177	159	156	194	169	187	188	178	201	197	170
Barnwell	222	249	251	255	225	249	219	229	247	252	230	244	256
Beaufort	914	969	1,051	1,041	1,026	1,055	1,076	1,063	1,174	1,182	1,231	1,295	1,294
Berkeley	877	957	988	961	937	1,039	993	1,038	1,021	1,072	1,151	1,111	1,224
Calhoun	157	155	165	171	168	163	160	133	172	157	180	159	156
Charleston	2,894	2,682	2,869	2,724	2,686	2,745	2,779	2,859	2,814	2,833	2,818	2,870	2,880
Cherokee	528	560	569	596	619	555	567	572	599	536	551	594	591
Chester	338	344	329	351	345	374	352	311	394	374	339	403	342
Chesterfield	422	377	442	420	438	472	730	471	488	485	464	463	491
Clarendon	329	332	339	342	337	345	336	332	388	339	386	372	351
Colleton	386	391	394	414	388	408	419	453	477	496	508	465	445
Darlington	738	716	720	746	696	732	739	709	770	727	787	784	766
Dillon	315	325	360	356	358	294	341	335	323	342	358	330	363
Dorchester	713	680	725	796	726	739	790	771	818	850	869	855	928
Edgefield	197	239	211	202	205	209	225	218	218	226	188	182	189
Fairfield	322	248	275	295	283	281	310	259	255	272	279	250	268
Florence	1,325	1,279	1,326	1,266	1,362	1,353	1,342	1,351	1,391	1,370	1,425	1,437	1,476
Georgetown	532	537	584	534	595	599	583	629	611	681	656	656	723
Greenville	3,346	3,365	3,353	3,335	3,148	3,398	3,387	3,559	3,620	3,530	3,634	3,744	3,825
Greenwood	700	658	680	690	660	700	689	700	706	687	697	659	667
Hampton	227	212	191	216	220	185	202	223	258	215	215	184	231
Horry	1,924	1,873	1,918	2,021	1,998	2,211	2,239	2,278	2,321	2,475	2,621	2,692	2,813
Jasper	142	147	184	164	173	181	194	173	221	172	225	189	202
Kershaw	518	517	492	512	512	505	531	532	568	632	584	556	637
Lancaster	619	572	583	568	571	552	573	636	687	685	693	793	727
Laurens	711	713	738	739	722	746	740	718	743	755	748	750	822
Lee	188	217	206	227	226	321	228	196	221	261	203	255	212
Lexington	1,692	1,720	1,732	1,840	1,791	1,830	1,885	1,942	1,912	1,981	2,203	2,181	2,140
McCormick	97	115	128	123	115	125	135	135	105	121	121	129	110
Marion	416	358	373	373	349	381	396	392	406	408	408	379	427
Marlboro	354	349	359	306	304	320	332	289	323	299	306	326	316
Newberry	355	411	424	421	386	450	379	401	406	408	434	438	406
Oconee	635	618	654	687	684	732	741	736	760	789	774	812	861
Orangeburg	932	924	969	975	948	947	1,076	1,023	987	1,032	1,090	966	974
Pickens	895	873	924	910	873	971	942	954	1,008	1,012	1,030	1,095	1,095
Richland	2,600	2,505	2,582	2,598	2,450	2,636	2,632	2,708	2,570	2,675	2,559	2,659	2,795
Saluda	201	188	215	216	193	209	174	193	208	176	198	210	215
Spartanburg	2,599	2,610	2,524	2,573	2,613	2,687	2,522	2,565	2,724	2,631	2,745	2,751	2,834
Sumter	945	906	924	942	927	984	991	972	932	942	1,001	1,018	1,000
Union	356	334	355	384	378	376	373	374	371	358	377	380	376
Williamsburg	360	383	415	424	392	367	420	426	401	363	396	393	412
York	1,236	1,285	1,435	1,370	1,386	1,476	1,504	1,578	1,583	1,622	1,712	1,802	1,865
Unknown	14	2	-	-	9	-	-	1	1	1	18	15	9

The State Fruit


“ The Peach ”




Officially adopted by the General Assembly in 1984

POPULATION

Figure B-1 South Carolina Census Population by County 2012



Population



Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

SUMMARY OF POPULATION

The estimated population of South Carolina for 2012 was 4,723,723; an increase of 44,493 from the 2011 estimated population of 4,679,230. The 2012 population showed an increase of 13.1 percent over the 2002 estimated population of 4,107,180.

2000 and 2010 CENSUS OF POPULATION

Population Density: In 2000, the population density (number of person per square mile of land area) of South Carolina was approximately 133.5. Based on the 2010 census count, the population density had increased to 153.9, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 2000, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 2000, there were 2,695,560 white and 1,185,216 black and other persons residing in South Carolina. The 2010 census count, modified by race, recorded a 13.9 percent increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten-year population change from 2000 to 2010, the 55-64 years age group showed the greatest percentage increase. Only one age groups, 35-44 showed a decrease in population from 2000 to 2010. The age distribution and the percent change in the number of residents from 2000 to 2010 are as follows:

**Table B-1.
Percent of Population by Age Group
South Carolina 2000 and 2010**

Age Groups	2000		2010		Percent Change 2000-2010
	Total	Percent	Total	Percent	
Total	4,012,012	100.0	4,625,364	100.0	15.3
0-4 Years	264,679	6.6	302,297	6.5	14.2
5-9 Years	285,243	7.1	295,853	6.4	3.7
10-14 Years	290,479	7.2	297,286	6.4	2.3
15-19 Years	295,377	7.4	328,989	7.1	11.4
20-24 Years	281,714	7.0	332,494	7.2	18.0
25-34 Years	560,831	14.0	592,056	12.8	5.6
35-44 Years	625,124	15.6	601,292	13.0	-3.8
45-54 Years	550,321	13.7	659,428	14.3	19.8
55-64 Years	372,911	9.3	583,795	12.6	56.6
65-74 Years	270,048	6.7	369,043	8.0	36.7
75 and Over	215,285	5.4	262,831	5.7	22.1

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina (1990-2012)
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase (Births minus Death)
		Number	Rate*	Number	Rate*	
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172
2002	4,107,180	54,453	13.3	37,679	9.2	16,774
2003	4,147,150	55,461	13.4	37,920	9.1	17,541
2004	4,198,070	56,543	13.5	37,152	8.8	19,391
2005	4,255,080	57,538	13.5	38,585	9.1	18,953
2006	4,321,250	62,191	14.4	38,723	9.0	23,468
2007	4,407,709	62,933	14.3	39,418	8.9	23,515
2008	4,479,800	63,077	14.1	40,197	9.0	22,880
2009	4,561,240	60,682	13.3	40,242	8.8	20,440
2010	4,625,364	58,325	12.6	41,489	9.0	16,836
2011	4,679,230	57,338	12.3	41,949	9.0	15,389
2012	4,723,723	57,100	12.1	42,879	9.1	14,221

* Rate per 1,000 population


Table B-3.
 Estimated Population and Percents by Race
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Total	Estimated					
		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
		Number	Percent	Number	Percent	Number	Percent
South Carolina	4,723,723	3,054,375	64.7	1,419,636	30.1	249,712	5.3
Abbeville	25,101	17,444	69.5	7,360	29.3	297	1.2
Aiken	162,812	111,298	68.4	43,170	26.5	8,344	5.1
Allendale	9,988	2,391	23.9	7,328	73.4	269	2.7
Anderson	189,355	149,451	78.9	33,927	17.9	5,977	3.2
Bamberg	15,763	5,649	35.8	9,806	62.2	308	2.0
Barnwell	22,212	11,585	52.2	10,162	45.8	465	2.1
Beaufort	168,049	113,022	67.3	35,194	20.9	19,833	11.8
Berkeley	189,781	123,810	65.2	54,514	28.7	11,457	6.0
Calhoun	14,910	7,949	53.3	6,479	43.5	482	3.2
Charleston	365,162	231,063	63.3	114,742	31.4	19,357	5.3
Cherokee	55,662	41,394	74.4	12,114	21.8	2,154	3.9
Chester	32,546	19,317	59.4	12,691	39.0	538	1.7
Chesterfield	46,103	28,778	62.4	15,612	33.9	1,713	3.7
Clarendon	34,357	16,169	47.1	17,208	50.1	980	2.9
Colleton	38,153	21,594	56.6	15,472	40.6	1,087	2.8
Darlington	68,139	38,033	55.8	28,875	42.4	1,231	1.8
Dillon	31,446	14,998	47.7	15,616	49.7	832	2.6
Dorchester	142,496	94,710	66.5	41,195	28.9	6,591	4.6
Edgefield	26,347	14,891	56.5	9,984	37.9	1,472	5.6
Fairfield	23,363	9,020	38.6	13,906	59.5	437	1.9
Florence	137,948	74,386	53.9	60,286	43.7	3,276	2.4
Georgetown	60,189	37,826	62.8	20,550	34.1	1,813	3.0
Greenville	467,605	329,748	70.5	98,228	21.0	39,629	8.5
Greenwood	69,756	42,690	61.2	23,081	33.1	3,985	5.7
Hampton	20,726	8,677	41.9	11,250	54.3	799	3.9
Horry	282,285	220,641	78.2	44,116	15.6	17,528	6.2
Jasper	25,833	10,094	39.1	12,038	46.6	3,701	14.3
Kershaw	62,343	43,430	69.7	16,369	26.3	2,544	4.1
Lancaster	79,089	55,779	70.5	19,555	24.7	3,755	4.7
Laurens	66,223	45,860	69.3	17,495	26.4	2,868	4.3
Lee	18,654	6,242	33.5	12,025	64.5	387	2.1
Lexington	270,406	209,057	77.3	45,957	17.0	15,392	5.7
McCormick	9,943	4,828	48.6	5,014	50.4	101	1.0
Marion	32,457	12,976	40.0	18,591	57.3	890	2.7
Marlboro	28,145	11,493	40.8	15,821	56.2	831	3.0
Newberry	37,576	22,813	60.7	11,922	31.7	2,841	7.6
Oconee	74,627	64,438	86.3	6,729	9.0	3,460	4.6
Orangeburg	91,476	31,140	34.0	58,486	63.9	1,850	2.0
Pickens	119,670	104,880	87.6	10,868	9.1	3,922	3.3
Richland	393,830	178,007	45.2	196,172	49.8	19,651	5.0
Saluda	19,893	11,650	58.6	5,300	26.6	2,943	14.8
Spartanburg	288,745	202,857	70.3	68,157	23.6	17,731	6.1
Sumter	108,052	51,095	47.3	53,089	49.1	3,868	3.6
Union	28,252	18,771	66.4	9,173	32.5	308	1.1
Williamsburg	33,620	10,636	31.6	22,288	66.3	696	2.1
York	234,635	171,795	73.2	51,721	22.0	11,119	4.7

Note: Races and Counties may not sum to total due to rounding

The State Bird


“ The Wren”



Officially adopted by the General Assembly in 1948

BIRTH

Figure C-1 Live Birth Rates* by County South Carolina, 2012 (Residence Data)



Live Birth Rates

- 5.5 - 7.8
- 7.9 - 10.9
- 11.0 - 12.4
- 12.5 - 14.4

Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

*Rates calculated per 1,000 population

Table C-1.
Live Births and Birth Rates¹ by Race of Mother
South Carolina, 1988-2012
(Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1988	55,090 *	15.7	33,100	13.8	21,986	19.6		
1989	57,239 *	16.3	34,153	14.2	23,076	20.6		
1990	58,461 *	16.8	35,491	14.7	22,963	21.4		
1991	57,517 *	16.2	34,560	14.1	22,949	20.8		
1992	56,102 *	15.6	33,890	13.6	22,206	19.9		
1993	53,715 *	14.8	32,571	13.0	21,134	18.9		
1994	51,907 *	14.2	31,899	12.6	19,996	17.7		
1995	50,913 *	13.9	31,830	12.5	19,068	16.9		
1996	51,105 *	13.8	32,309	12.6	18,788	16.6		
1997	52,205 *	13.9	33,011	12.8	19,192	16.4		
1998	53,883 *	14.0	34,065	12.9	19,757	16.6		
1999	54,706 *	14.1	34,683	12.9	20,004	16.6		
2000	55,964 *	13.9	35,146	12.8	20,803	16.5		
2001	55,748 *	13.7	35,731	12.7	20,008	15.7		
2002	54,453 *	13.3	32,150	11.9	19,072	14.8	3,188	29.2
2003	55,461 *	13.4	32,553	12.0	19,184	14.6	3,671	32.1
2004	56,543 *	13.5	32,743	11.8	19,443	15.0	4,332	33.2
2005	57,538 *	13.5	32,680	11.7	19,845	15.1	4,970	35.6
2006	62,191 *	14.4	34,388	12.1	21,910	16.6	5,863	38.8
2007	62,933 *	14.3	34,710	12.0	21,953	16.4	6,237	36.9
2008	63,077 *	14.1	34,711	11.8	22,094	16.3	6,229	33.9
2009	60,682	13.3	34,017	11.4	21,058	15.4	5,557	26.9
2010	58,325 *	12.6	33,136	11.1	20,118	14.5	5,034	21.4
2011	57,338 *	12.3	32,868	10.9	19,606	13.9	4,826	19.6
2012	57,100 *	12.1	32,768	10.7	19,634	13.8	4,649	18.6

*Includes unknown race

¹Rate per 1,000 population

Figure C-2
Live Birth Rates by Race of Mother
South Carolina, 1988-2012
(Residence Data)




Table C-2.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2012
(Residence Data)

Age of Mother	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother ¹								
All Ages	57,100 *	100.0	32,768	100.0	19,634	100.0	4,649	100.0
<15	65	0.1	15	0.0	45	0.2	5	0.1
15-19	5,532 *	9.7	2,562	7.8	2,525	12.9	442	9.5
20-24	16,146 *	28.3	8,061	24.6	6,892	35.1	1,187	25.5
25-29	16,129 *	28.2	9,705	29.6	5,038	25.7	1,372	29.5
30-34	12,769 *	22.4	8,335	25.4	3,359	17.1	1,056	22.7
35-39	5,306 *	9.3	3,372	10.3	1,445	7.4	484	10.4
40-44	1,115 *	2.0	688	2.1	324	1.7	101	2.2
45+	37	0.1	29	0.1	6	0.0	2	0.0
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Married Mother								
All Ages	29,718 *	100.0	22,276	100.0	5,134	100.0	2,283	100.0
<15	1	0.0	-	0	1	0.0	-	0
15-19	468	1.6	349	1.6	40	0.8	79	3.5
20-24	4,828 *	16.2	3,595	16.1	774	15.1	458	20.1
25-29	9,796 *	33.0	7,454	33.5	1,588	30.9	747	32.7
30-34	9,591 *	32.3	7,300	32.8	1,639	31.9	640	28.0
35-39	4,139 *	13.9	2,969	13.3	869	16.9	298	13.1
40-44	866 *	2.9	586	2.6	218	4.2	60	2.6
45+	28	0.1	22	0.1	5	0.1	1	0.0
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Unmarried Mother without Paternal Acknowledgment								
All Ages	11,815 *	100.0	3,500	100.0	7,564	100.0	741	100.0
<15	61	0.5	14	0.4	43	0.6	4	0.5
15-19	2,464 *	20.9	821	23.5	1,479	19.6	163	22.0
20-24	4,881 *	41.3	1,430	40.9	3,208	42.4	240	32.4
25-29	2,593 *	21.9	739	21.1	1,689	22.3	164	22.1
30-34	1,253 *	10.6	339	9.7	807	10.7	103	13.9
35-39	470 *	4.0	126	3.6	290	3.8	53	7.2
40-44	91	0.8	29	0.8	48	0.6	14	1.9
45+	2	0.0	2	0.1	-	0	-	0
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Unmarried Mother with Paternal Acknowledgment								
All Ages	15,470 *	100.0	6,957	100.0	6,889	100.0	1,616	100.0
<15	3	0.0	1	0.0	1	0.0	1	0.1
15-19	2,588 *	16.7	1,389	20.0	999	14.5	199	12.3
20-24	6,413 *	41.5	3,028	43.5	2,896	42.0	487	30.1
25-29	3,712 *	24.0	1,501	21.6	1,751	25.4	458	28.3
30-34	1,905 *	12.3	691	9.9	902	13.1	310	19.2
35-39	687 *	4.4	271	3.9	282	4.1	133	8.2
40-44	156	1.0	72	1.0	57	0.8	27	1.7
45+	6	0.0	4	0.1	1	0.0	1	0.1
Not Stated	1 *	0.0	-	0	-	0	-	0

* Includes unknown race

¹ Includes unknown marital status

Table C-3.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	57,100 *	12.1	32,768	10.7	19,634	13.8	4,649	18.6
Abbeville	253	10.1	162	9.3	87	11.8	4	13.5
Aiken	1,915 *	11.8	1,156	10.4	601	13.9	151	18.1
Allendale	95 *	9.5	15	6.3	77	10.5	2	7.4
Anderson	2,188 *	11.6	1,622	10.9	473	13.9	92	15.4
Bamberg	152	9.6	54	9.6	96	9.8	2	6.5
Barnwell	320	14.4	131	11.3	173	17.0	16	34.4
Beaufort	2,027 *	12.1	1,099	9.7	546	15.5	380	19.2
Berkeley	2,600 *	13.7	1,664	13.4	727	13.3	207	18.1
Calhoun	147	9.9	73	9.2	68	10.5	6	12.4
Charleston	4,685 *	12.8	2,610	11.3	1,663	14.5	409	21.1
Cherokee	676	12.1	452	10.9	196	16.2	28	13.0
Chester	442 *	13.6	231	12.0	203	16.0	7	13.0
Chesterfield	518	11.2	291	10.1	209	13.4	18	10.5
Clarendon	362	10.5	129	8.0	215	12.5	18	18.4
Colleton	454	11.9	213	9.9	213	13.8	28	25.8
Darlington	823	12.1	407	10.7	403	14.0	13	10.6
Dillon	437	13.9	167	11.1	252	16.1	18	21.6
Dorchester	1,833 *	12.9	1,189	12.6	527	12.8	113	17.1
Edgefield	205	7.8	85	5.7	109	10.9	11	7.5
Fairfield	213	9.1	63	7.0	144	10.4	6	13.7
Florence	1,832 *	13.3	817	11.0	957	15.9	57	17.4
Georgetown	588	9.8	274	7.2	291	14.2	23	12.7
Greenville	6,153 *	13.2	3,870	11.7	1,459	14.9	820	20.7
Greenwood	890	12.8	436	10.2	347	15.0	107	26.9
Hampton	230	11.1	81	9.3	141	12.5	8	10.0
Horry	2,938 *	10.4	1,957	8.9	648	14.7	330	18.8
Jasper	308	11.9	111	11.0	126	10.5	71	19.2
Kershaw	732	11.7	504	11.6	182	11.1	46	18.1
Lancaster	911	11.5	595	10.7	256	13.1	60	16.0
Laurens	754 *	11.4	467	10.2	223	12.7	63	22.0
Lee	185	9.9	53	8.5	131	10.9	1	2.6
Lexington	3,232 *	12.0	2,275	10.9	664	14.4	289	18.8
McCormick	55	5.5	19	3.9	36	7.2	-	0
Marion	372	11.5	95	7.3	266	14.3	11	12.4
Marlboro	298	10.6	120	10.4	175	11.1	3	3.6
Newberry	410	10.9	180	7.9	166	13.9	64	22.5
Oconee	814	10.9	680	10.6	78	11.6	56	16.2
Orangeburg	1,085 *	11.9	277	8.9	776	13.3	31	16.8
Pickens	1,177 *	9.8	1,008	9.6	104	9.6	62	15.8
Richland	4,779 *	12.1	1,742	9.8	2,739	14.0	291	14.8
Saluda	262	13.2	103	8.8	67	12.6	92	31.3
Spartanburg	3,582	12.4	2,334	11.5	917	13.5	331	18.7
Sumter	1,540 *	14.3	658	12.9	799	15.1	80	20.7
Union	301	10.7	192	10.2	107	11.7	2	6.5
Williamsburg	344	10.2	115	10.8	229	10.3	-	0
York	2,983 *	12.7	1,992	11.6	768	14.8	222	20.0
Unknown	-	0	-	0	-	0	-	0

* Includes unknown race

¹ Rates per 1,000 estimated population

Table C-4.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2012
(Occurrence Data)

County of Occurrence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	54,262 *	11.5	30,705	10.1	18,996	13.4	4,525	18.1
Abbeville	1	0.0	1	0.1	-	0	-	0
Aiken	1,147 *	7.0	493	4.4	533	12.3	117	14.0
Allendale	1	0.1	-	0	1	0.1	-	0
Anderson	1,928	10.2	1,410	9.4	466	13.7	52	8.7
Bamberg	-	0	-	0	-	0	-	0
Barnwell	4	0.2	3	0.3	1	0.1	-	0
Beaufort	2,262 *	13.5	1,111	9.8	707	20.1	443	22.3
Berkeley	11	0.1	9	0.1	2	0.0	-	0
Calhoun	-	0	-	0	-	0	-	0
Charleston	8,474 *	23.2	4,979	21.5	2,786	24.3	708	36.6
Cherokee	353	6.3	204	4.9	130	10.7	19	8.8
Chester	4	0.1	3	0.2	1	0.1	-	0
Chesterfield	171	3.7	71	2.5	94	6.0	6	3.5
Clarendon	610 *	17.8	218	13.5	307	17.8	84	85.7
Colleton	329	8.6	122	5.6	184	11.9	23	21.2
Darlington	597	8.8	262	6.9	324	11.2	11	8.9
Dillon	325	10.3	92	6.1	218	14.0	15	18.0
Dorchester	1,285 *	9.0	836	8.8	394	9.6	50	7.6
Edgefield	1	0.0	-	0	1	0.1	-	0
Fairfield	-	0	-	0	-	0	-	0
Florence	2,915	21.1	1,387	18.6	1,477	24.5	51	15.6
Georgetown	855 *	14.2	525	13.9	292	14.2	37	20.4
Greenville	8,037 *	17.2	5,400	16.4	1,697	17.3	935	23.6
Greenwood	1,491	21.4	741	17.4	569	24.7	181	45.4
Hampton	1	0.0	1	0.1	-	0	-	0
Horry	2,555 *	9.1	1,647	7.5	633	14.3	274	15.6
Jasper	-	0	-	0	-	0	-	0
Kershaw	310	5.0	203	4.7	94	5.7	13	5.1
Lancaster	751	9.5	409	7.3	323	16.5	19	5.1
Laurens	298	4.5	154	3.4	99	5.7	45	15.7
Lee	-	0	-	0	-	0	-	0
Lexington	3,622	13.4	2,472	11.8	1,016	22.1	134	8.7
McCormick	-	0	-	0	-	0	-	0
Marion	286	8.8	67	5.2	209	11.2	10	11.2
Marlboro	75	2.7	29	2.5	44	2.8	2	2.4
Newberry	314	8.4	91	4.0	138	11.6	85	29.9
Oconee	582	7.8	472	7.3	51	7.6	59	17.1
Orangeburg	1,104	12.1	262	8.4	799	13.7	43	23.2
Pickens	470	3.9	412	3.9	33	3.0	25	6.4
Richland	5,754 *	14.6	2,305	12.9	2,963	15.1	476	24.2
Saluda	1	0.1	-	0	-	0	1	0.3
Spartanburg	3,756 *	13.0	2,451	12.1	991	14.5	313	17.7
Sumter	1,333 *	12.3	521	10.2	717	13.5	91	23.5
Union	114	4.0	67	3.6	46	5.0	1	3.2
Williamsburg	2	0.1	-	0	2	0.1	-	0
York	2,133 *	9.1	1,275	7.4	654	12.6	202	18.2
Unknown	-	0	-	0	-	0	-	0

* Includes Unknown Race

¹ Rates per 1,000 estimated population

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of childbearing ages 15-44, a more specific rate is completed.

Table C-5.
Fertility Rates* by Race: South Carolina, 1997-2012
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1997	57.5	54.3	63.8	
1998	60.4	58.4	64.2	
1999	60.9	59.0	64.4	
2000	61.9	59.9	65.5	
2001	63.0	60.7	67.1	
2002	60.6	57.5	60.7	126.4
2003	62.7	59.4	61.6	149.1
2004	63.6	59.0	63.6	152.2
2005	64.3	58.7	64.5	164.9
2006	69.6	61.9	71.5	182.3
2007	70.0	62.1	71.6	184.0
2008	69.7	61.9	71.7	175.2
2009	66.4	60.4	67.6	138.6
2010	62.8	58.9	64.4	95.1
2011	61.8	58.5	62.8	89.0
2012	61.3	58.1	62.7	85.1

* Rate per 1,000 Population of Females Aged 15-44 Years

Table C-6.
Population of Females Age 15-44 by Race
South Carolina, 1997-2012
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1997	864,721	565,567	299,154	
1998	879,477	575,366	304,021	
1999	884,147	578,968	305,179	
2000	884,317	577,081	307,236	
2001	895,462	585,292	310,170	
2002	898,778	559,463	314,092	25,223
2003	884,115	547,896	311,603	24,616
2004	889,545	555,345	305,742	28,458
2005	894,523	556,866	307,514	30,143
2006	893,609	555,095	306,348	32,166
2007	899,262	558,565	306,803	33,894
2008	904,492	560,871	308,066	35,555
2009	914,438	562,875	311,467	40,096
2010	928,310	562,960	312,422	52,928
2011	928,427	561,959	312,218	54,250
2012	931,369	563,655	313,088	54,626

GENDER RATIO

Out of the total 57,100 live births occurring to South Carolina residents in 2012, male births numbered 29,021 and female births numbered 28,078 giving a ratio of 103.4 males per 100 females. Table C-7 shows the ratio of males to females for the past five years.

Table C-7.
Gender Ratio of Males per 100 Females
South Carolina, 2007-2012
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
2007	103.9	105.3	100.9	106.5
2008	103.9	104.7	101.9	106.5
2009	101.7	101.1	102.4	103.0
2010	103.4	105.0	100.7	103.4
2011	105.2	105.7	103.0	110.6
2012	103.4	105.0	101.3	101.2

MULTIPLE BIRTHS

During 2012, a total of 1,976 live births were multiple births. Of that numbers, 1,918 were twins (not sets), 80 were triplets (not sets). The 1,976 multiple births result in a ratio of 1 multiple birth per 29 live births.

Table C-8.
Number and Rates of Multiple Births by Race ¹
South Carolina, 1997-2012
(Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1997	1414	27.1	883	27.6	511	26.8		
1998	1593	29.6	1,006	30.6	563	28.7		
1999	1744	31.9	1,046	31.6	664	33.6		
2000	1687	30.1	1,046	31.6	587	28.6		
2001	1787	32.1	1,082	32.9	656	33.2		
2002	1703	31.3	1,025	31.9	619	32.5	59	18.5
2003	1857	33.5	1,118	34.3	661	34.5	76	20.7
2004	1900	33.6	1,187	36.3	636	32.7	61	14.1
2005	1833	31.9	1,060	32.4	642	32.4	114	22.9
2006	2080	33.4	1,163	33.8	793	36.2	115	19.6
2007	2149	34.1	1,229	35.4	768	35.0	150	24.0
2008	2123	33.7	1,230	35.4	757	34.3	134	21.5
2009	2162	35.6	1,267	37.2	749	35.6	144	25.9
2010	1932	33.1	1,105	33.3	718	35.7	104	20.7
2011	1995	34.8	1,213	36.9	700	35.7	82	17.0
2012	1976	34.6	1,184	36.1	690	35.1	101	21.7

¹ The number of live births in multiple deliveries per 1,000 live births

Figure C-3
Multiple Births Rate by Race
South Carolina, 1997-2012
(Residence Data)




Table C-9.
Live Births by County of Occurrence by County of Residence
South Carolina, 2012

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																							
	ABBEVILLE	AIKEN	ALLENDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETON	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE	GREENWOOD
Abbeville	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aiken	-	773	57	-	10	184	-	-	-	-	-	-	-	-	1	-	1	-	80	-	-	-	-	-
Allendale	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	28	-	-	1,606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20	2
Barnwell	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	-	8	-	1	1,803	1	-	1	-	-	-	-	23	1	-	-	-	-	-	-	-	-	1
Berkeley	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	-	7	-	1	10	2	86	2,216	5	4,491	2	2	1	3	138	5	1	1,107	-	1	3	132	9	-
Cherokee	-	-	-	-	-	-	-	-	-	-	334	1	-	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	138	-	-	2	-	-	-	-	-	-	-	-
Clarendon	-	-	-	1	-	-	-	2	1	-	-	-	-	257	-	-	-	-	-	-	-	22	3	-
Colleton	-	-	8	-	2	2	2	1	-	-	-	-	-	-	243	-	-	20	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-	1	123	-	-	352	1	-	-	-	-	14	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	258	-	-	-	-	-	-	-
Dorchester	-	-	-	-	1	-	-	356	1	171	-	-	-	1	41	-	1	684	-	-	1	2	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	-	1	-	-	-	-	-	3	1	-	76	30	-	449	115	2	1	-	1,749	16	-	-
Georgetown	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	-	8	399	-	-
Greenville	8	-	-	510	-	-	-	1	-	-	6	-	-	-	-	-	-	-	-	-	-	1	5,886	21
Greenwood	214	4	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26	1	-	-	8	855
Horry	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	4	-	-	-	7	32	1	1
Jasper	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	158	70	-	-	-	-	-	-	6	-	-	-	-
Laurens	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	5
Lexington	-	56	2	-	7	9	-	-	21	-	1	3	1	1	1	2	-	3	2	28	4	-	4	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75	49	-	-	2	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	1	-	-	-
Newberry	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	1	-
Oconee	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Orangeburg	-	4	11	1	110	44	1	3	77	1	-	-	-	2	4	1	-	10	-	-	1	-	-	-
Pickens	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
Richland	-	25	2	1	7	12	-	2	41	4	-	7	4	22	2	2	1	3	2	167	6	1	1	2
Spartanburg	1	-	-	6	-	1	-	-	-	-	308	6	-	-	-	-	-	-	-	-	-	-	177	2
Sumter	-	-	-	-	-	-	-	-	1	-	-	-	5	44	-	6	-	-	-	-	5	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
York	-	-	-	-	-	-	-	-	-	-	5	207	2	-	-	-	-	-	-	5	1	1	1	-
Out-of-State	1	1,044	5	5	3	62	134	6	-	13	18	50	91	1	1	1	5	2	92	1	8	1	19	2

Table C-9. (continued)
 Live Births by County of Occurrence by County of Residence
 South Carolina, 2012

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																							
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OCONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE	
Aiken	11	-	-	-	-	-	-	5	-	-	-	-	-	6	-	1	11	-	-	-	-	-	-	7
Anderson	-	-	-	-	-	1	-	1	-	-	-	-	127	-	74	1	-	3	-	-	-	-	-	64
Beaufort	146	-	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Charleston	13	57	13	-	-	2	-	5	-	2	3	1	2	73	1	12	-	4	4	-	24	1	35	
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	2	-	2	4	
Chesterfield	-	-	-	-	-	-	-	-	-	-	29	-	-	-	-	-	-	-	-	-	-	-	-	1
Clarendon	-	34	-	1	-	-	5	1	-	2	-	-	-	9	-	1	-	-	173	-	95	-	4	
Colleton	45	-	4	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	1	-	1	
Darlington	-	-	-	13	1	-	75	-	-	-	10	-	-	-	-	1	-	-	3	-	-	2	1	
Dillon	-	2	-	-	-	-	-	-	-	15	14	-	-	-	-	-	-	-	-	-	-	-	36	
Dorchester	2	-	-	-	-	-	-	1	-	-	-	-	-	23	-	-	-	1	1	-	-	-	-	
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Florence	-	65	1	5	-	-	42	-	-	118	56	-	-	3	-	2	-	-	22	-	146	-	12	
Georgetown	-	374	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	59	-	7	
Greenville	-	2	-	-	-	257	-	6	1	-	-	1	153	-	624	2	-	484	1	4	-	1	33	
Greenwood	-	-	-	-	-	182	-	3	38	-	-	21	-	-	2	-	115	5	-	2	-	-	5	
Hampton	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horry	-	2,362	-	-	-	-	-	1	-	13	-	-	-	-	-	-	-	-	1	-	4	1	127	
Kershaw	-	-	-	256	12	1	16	1	-	-	-	-	-	-	-	8	-	-	12	-	-	-	1	
Lancaster	-	-	-	15	456	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41	5	
Laurens	-	-	-	-	-	273	-	-	-	-	-	-	4	-	1	-	-	6	-	-	-	-	-	
Lexington	1	2	-	72	1	3	2	2,059	-	-	-	62	-	60	-	1,118	60	2	21	1	-	1	12	
Marion	-	15	1	-	-	-	-	-	-	220	-	-	-	-	-	-	-	-	-	-	-	-	1	
Marlboro	-	-	-	-	-	-	-	-	-	-	69	-	-	-	-	-	-	-	-	-	-	-	1	
Newberry	-	-	-	-	2	9	-	4	-	-	-	257	-	-	-	2	30	-	-	1	-	-	1	
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	508	-	48	-	-	2	-	-	-	-	4	
Orangeburg	1	-	1	-	-	-	-	7	-	1	-	-	-	819	-	1	-	-	-	-	1	1	3	
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	5	-	420	-	-	-	-	-	-	-	1	
Richland	2	2	-	334	18	1	13	1,123	-	-	3	61	1	86	1	3,606	19	3	96	-	6	22	17	
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spartanburg	-	-	-	1	-	21	-	1	1	-	-	1	4	-	3	-	2	2,992	-	174	-	3	54	
Sumter	1	-	-	31	-	-	32	1	-	-	-	-	-	2	-	6	-	-	1,202	-	6	-	2	
Union	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	3	-	106	-	1	-	
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
York	-	1	-	3	102	-	-	1	-	-	-	-	-	-	-	1	-	2	-	5	-	1,658	140	
Out-of-State	8	25	33	2	319	3	-	15	16	2	114	1	14	4	3	15	11	19	10	3	-	1,246	8	

Table C-10.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	57,100 *	583	2,352	1,280	16,293	27,050	9,367	175
Abbeville	253	1	9	4	52	137	50	-
Aiken	1,915 *	21	73	24	907	516	351	23
Allendale	95 *	1	10	4	32	40	7	1
Anderson	2,188 *	10	44	31	422	1,289	390	2
Bamberg	152	1	10	6	58	61	16	-
Barnwell	320	5	20	9	108	118	58	2
Beaufort	2,027 *	23	53	33	416	1,001	493	8
Berkeley	2,600 *	28	117	80	826	1,084	454	11
Calhoun	147	1	8	3	41	71	23	-
Charleston	4,685 *	41	153	102	1,621	2,060	698	10
Cherokee	676	7	26	11	161	342	129	-
Chester	442 *	6	18	12	208	179	15	4
Chesterfield	518	4	9	10	138	187	168	2
Clarendon	362	5	16	13	85	187	55	1
Colleton	454	8	10	9	109	234	84	-
Darlington	823	11	29	15	167	344	256	1
Dillon	437	12	20	7	62	127	208	1
Dorchester	1,833 *	17	53	40	400	924	397	2
Edgefield	205	2	11	3	86	67	34	2
Fairfield	213	2	11	8	63	97	28	4
Florence	1,832 *	34	70	57	448	844	379	-
Georgetown	588	3	28	9	210	262	76	-
Greenville	6,153 *	34	264	144	2,057	3,029	622	3
Greenwood	890	10	36	20	185	400	238	1
Hampton	230	1	9	3	57	107	52	1
Horry	2,938 *	69	148	63	673	1,079	900	6
Jasper	308	5	12	3	79	132	76	1
Kershaw	732	6	42	17	253	343	63	8
Lancaster	911	5	16	18	409	400	48	15
Laurens	754 *	10	38	26	215	348	116	1
Lee	185	2	11	3	45	79	45	-
Lexington	3,232 *	27	92	45	694	1,859	506	9
McCormick	55	-	1	1	28	22	3	-
Marion	372	9	26	7	99	155	76	-
Marlboro	298	2	12	8	70	105	101	-
Newberry	410	-	8	4	97	218	81	2
Oconee	814	5	24	15	247	439	84	-
Orangeburg	1,085 *	11	92	41	382	452	103	4
Pickens	1,177 *	6	44	20	282	503	321	1
Richland	4,779 *	54	231	98	1,247	2,561	561	27
Saluda	262	1	12	14	91	107	36	1
Spartanburg	3,582	14	138	83	808	2,046	491	2
Sumter	1,540 *	15	72	47	479	752	171	4
Union	301	2	11	9	86	150	42	1
Williamsburg	344	4	32	20	109	136	41	2
York	2,983 *	48	183	81	981	1,457	221	12
Unknown	-	-	-	-	-	-	-	-

* Includes unknown race

Table C-10A.
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	32,768	212	910	513	8,741	16,679	5,619	94
Abbeville	162	-	1	3	31	93	34	-
Aiken	1,156	6	26	11	568	308	219	18
Allendale	15	-	-	-	4	10	1	-
Anderson	1,622	8	30	18	297	979	289	1
Bamberg	54	-	2	2	19	22	9	-
Barnwell	131	2	2	2	50	43	30	2
Beaufort	1,099	5	21	8	158	632	271	4
Berkeley	1,664	12	66	37	509	748	285	7
Calhoun	73	-	2	2	19	35	15	-
Charleston	2,610	5	43	36	922	1,234	365	5
Cherokee	452	5	14	5	91	253	84	-
Chester	231	1	5	3	96	117	9	-
Chesterfield	291	1	4	3	80	105	97	1
Clarendon	129	-	2	2	27	79	19	-
Colleton	213	1	2	2	45	117	46	-
Darlington	407	4	9	6	76	177	134	1
Dillon	167	2	2	3	23	60	77	-
Dorchester	1,189	5	24	23	249	621	266	1
Edgefield	85	-	2	-	45	20	18	-
Fairfield	63	1	3	2	16	34	7	-
Florence	817	9	18	16	134	441	199	-
Georgetown	274	1	9	2	106	124	32	-
Greenville	3,870	17	133	61	1,257	2,004	398	-
Greenwood	436	4	5	8	63	219	136	1
Hampton	81	-	1	1	10	38	30	1
Horry	1,957	37	72	25	434	748	639	2
Jasper	111	-	1	-	21	48	41	-
Kershaw	504	3	25	12	175	240	44	5
Lancaster	595	1	13	9	230	295	41	6
Laurens	467	4	11	12	139	228	73	-
Lee	53	-	1	1	9	28	14	-
Lexington	2,275	13	43	23	448	1,374	366	8
McCormick	19	-	-	-	13	5	1	-
Marion	95	1	6	2	18	38	30	-
Marlboro	120	1	3	1	30	47	38	-
Newberry	180	-	1	2	37	107	32	1
Oconee	680	5	21	11	207	365	71	-
Orangeburg	277	3	9	6	89	136	31	3
Pickens	1,008	5	38	19	234	425	286	1
Richland	1,742	15	57	20	391	1,051	196	12
Saluda	103	-	1	2	29	55	15	1
Spartanburg	2,334	8	76	53	486	1,369	340	2
Sumter	658	2	18	18	191	345	82	2
Union	192	-	5	3	48	109	26	1
Williamsburg	115	-	4	6	31	59	15	-
York	1,992	25	79	32	586	1,094	168	8
Unknown	-	-	-	-	-	-	-	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	19,634	284	1,116	574	5,855	8,464	3,283	58
Abbeville	87	1	8	1	19	43	15	-
Aiken	601	11	33	8	256	175	116	2
Allendale	77	1	8	4	27	30	6	1
Anderson	473	2	10	11	97	259	93	1
Bamberg	96	1	8	4	37	39	7	-
Barnwell	173	3	18	7	51	69	25	-
Beaufort	546	12	16	9	107	217	182	3
Berkeley	727	10	35	29	231	273	146	3
Calhoun	68	1	4	1	19	35	8	-
Charleston	1,663	26	72	50	526	681	306	2
Cherokee	196	2	11	5	56	78	44	-
Chester	203	5	13	9	106	61	6	3
Chesterfield	209	3	5	5	51	75	69	1
Clarendon	215	5	13	9	54	99	34	1
Colleton	213	7	5	5	52	108	36	-
Darlington	403	7	19	7	90	162	118	-
Dillon	252	8	18	2	38	61	124	1
Dorchester	527	10	20	15	121	249	112	-
Edgefield	109	1	8	1	39	42	16	2
Fairfield	144	1	7	5	47	60	20	4
Florence	957	23	45	38	291	383	177	-
Georgetown	291	2	16	4	94	131	44	-
Greenville	1,459	8	77	55	509	646	163	1
Greenwood	347	5	28	9	90	129	86	-
Hampton	141	1	8	2	45	63	22	-
Horry	648	19	45	21	136	229	196	2
Jasper	126	3	4	2	35	55	26	1
Kershaw	182	3	16	5	66	74	15	3
Lancaster	256	1	-	5	150	92	3	5
Laurens	223	4	14	11	57	100	37	-
Lee	131	2	10	2	35	51	31	-
Lexington	664	7	36	11	151	347	111	1
McCormick	36	-	1	1	15	17	2	-
Marion	266	8	19	5	77	112	45	-
Marlboro	175	1	9	6	40	58	61	-
Newberry	166	-	2	1	33	87	43	-
Oconee	78	-	1	3	25	44	5	-
Orangeburg	776	8	79	34	277	309	68	1
Pickens	104	1	2	1	32	43	25	-
Richland	2,739	33	162	67	760	1,368	336	13
Saluda	67	-	5	1	24	23	14	-
Spartanburg	917	5	47	22	216	504	123	-
Sumter	799	13	51	27	259	367	80	2
Union	107	2	6	6	38	39	16	-
Williamsburg	229	4	28	14	78	77	26	2
York	768	14	74	34	298	300	45	3
Unknown	-	-	-	-	-	-	-	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	4,649	85	324	192	1,683	1,889	463	13
Abbeville	4	-	-	-	2	1	1	-
Aiken	151	4	13	5	79	32	16	2
Allendale	2	-	1	-	1	-	-	-
Anderson	92	-	4	2	28	51	7	-
Bamberg	2	-	-	-	2	-	-	-
Barnwell	16	-	-	-	7	6	3	-
Beaufort	380	6	16	16	151	151	40	-
Berkeley	207	6	16	14	85	62	23	1
Calhoun	6	-	2	-	3	1	-	-
Charleston	409	10	38	16	173	145	27	-
Cherokee	28	-	1	1	14	11	1	-
Chester	7	-	-	-	6	1	-	-
Chesterfield	18	-	-	2	7	7	2	-
Clarendon	18	-	1	2	4	9	2	-
Colleton	28	-	3	2	12	9	2	-
Darlington	13	-	1	2	1	5	4	-
Dillon	18	2	-	2	1	6	7	-
Dorchester	113	1	9	2	30	53	18	-
Edgefield	11	1	1	2	2	5	-	-
Fairfield	6	-	1	1	-	3	1	-
Florence	57	2	7	3	23	19	3	-
Georgetown	23	-	3	3	10	7	-	-
Greenville	820	9	54	28	290	376	61	2
Greenwood	107	1	3	3	32	52	16	-
Hampton	8	-	-	-	2	6	-	-
Horry	330	12	31	17	102	102	65	1
Jasper	71	2	7	1	23	29	9	-
Kershaw	46	-	1	-	12	29	4	-
Lancaster	60	3	3	4	29	13	4	4
Laurens	63	2	13	3	19	20	6	-
Lee	1	-	-	-	1	-	-	-
Lexington	289	7	13	10	94	136	29	-
McCormick	-	-	-	-	-	-	-	-
Marion	11	-	1	-	4	5	1	-
Marlboro	3	-	-	1	-	-	2	-
Newberry	64	-	5	1	27	24	6	1
Oconee	56	-	2	1	15	30	8	-
Orangeburg	31	-	4	1	15	7	4	-
Pickens	62	-	4	-	15	33	10	-
Richland	291	6	12	11	94	138	29	1
Saluda	92	1	6	11	38	29	7	-
Spartanburg	331	1	15	8	106	173	28	-
Sumter	80	-	3	2	27	39	9	-
Union	2	-	-	-	-	2	-	-
Williamsburg	-	-	-	-	-	-	-	-
York	222	9	30	15	97	62	8	1
Unknown	-	-	-	-	-	-	-	-

Table C-11.
Live Births By Kotelchuck Index
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	57,100 *	10,295	3,898	17,070	25,491	346
Abbeville	253	32	7	69	145	-
Aiken	1,915 *	296	206	612	690	111
Allendale	95 *	24	8	37	25	1
Anderson	2,188 *	278	85	645	1,177	3
Bamberg	152	35	32	45	40	-
Barnwell	320	57	28	87	141	7
Beaufort	2,027 *	379	86	522	1,029	11
Berkeley	2,600 *	487	324	676	1,092	21
Calhoun	147	22	18	42	65	-
Charleston	4,685 *	793	515	1,491	1,871	15
Cherokee	676	126	20	165	364	1
Chester	442 *	74	60	174	129	5
Chesterfield	518	84	32	117	282	3
Clarendon	362	75	23	98	164	2
Colleton	454	89	25	117	222	1
Darlington	823	151	31	141	498	2
Dillon	437	88	10	48	290	1
Dorchester	1,833 *	267	147	505	909	5
Edgefield	205	42	14	62	76	11
Fairfield	213	47	17	53	92	4
Florence	1,832 *	392	61	438	941	-
Georgetown	588	113	27	196	252	-
Greenville	6,153 *	1,024	472	2,379	2,270	8
Greenwood	890	137	25	215	512	1
Hampton	230	47	10	61	111	1
Horry	2,938 *	603	171	589	1,564	11
Jasper	308	69	11	73	153	2
Kershaw	732	125	73	269	256	9
Lancaster	911	83	144	469	200	15
Laurens	754 *	149	50	217	336	2
Lee	185	36	10	44	95	-
Lexington	3,232 *	469	106	1,011	1,631	15
McCormick	55	10	4	22	17	2
Marion	372	92	15	87	178	-
Marlboro	298	52	17	69	160	-
Newberry	410	64	15	113	216	2
Oconee	814	95	57	328	333	1
Orangeburg	1,085 *	270	165	296	348	6
Pickens	1,177 *	178	45	321	631	2
Richland	4,779 *	991	207	1,385	2,161	35
Saluda	262	78	15	66	101	2
Spartanburg	3,582	584	171	985	1,837	5
Sumter	1,540 *	338	119	446	631	6
Union	301	48	19	92	141	1
Williamsburg	344	107	23	75	137	2
York	2,983 *	695	178	1,118	978	14
Unknown						

* Include unknown race

Table C-11A.
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	32,768	4,223	2,279	10,965	15,102	199
Abbeville	162	15	5	50	92	-
Aiken	1,156	125	137	405	408	81
Allendale	15	-	2	7	6	-
Anderson	1,622	160	65	511	885	1
Bamberg	54	6	9	25	14	-
Barnwell	131	14	11	43	57	6
Beaufort	1,099	117	41	339	597	5
Berkeley	1,664	250	222	476	702	14
Calhoun	73	8	10	22	33	-
Charleston	2,610	256	346	954	1,047	7
Cherokee	452	69	12	117	253	1
Chester	231	24	31	103	73	-
Chesterfield	291	36	20	72	161	2
Clarendon	129	15	13	45	56	-
Colleton	213	21	13	62	116	1
Darlington	407	57	11	87	251	1
Dillon	167	21	2	25	119	-
Dorchester	1,189	136	91	366	593	3
Edgefield	85	8	9	34	31	3
Fairfield	63	9	5	21	28	-
Florence	817	117	16	214	470	-
Georgetown	274	31	18	124	101	-
Greenville	3,870	482	307	1,657	1,420	4
Greenwood	436	38	10	107	280	1
Hampton	81	6	3	16	55	1
Horry	1,957	321	110	441	1,080	5
Jasper	111	13	5	24	68	1
Kershaw	504	79	49	192	178	6
Lancaster	595	39	85	315	150	6
Laurens	467	65	32	151	218	1
Lee	53	6	4	16	27	-
Lexington	2,275	259	67	754	1,185	10
McCormick	19	2	3	8	4	2
Marion	95	23	1	20	51	-
Marlboro	120	15	8	34	63	-
Newberry	180	24	8	49	98	1
Oconee	680	74	51	274	280	1
Orangeburg	277	40	47	87	100	3
Pickens	1,008	143	43	274	547	1
Richland	1,742	244	64	618	802	14
Saluda	103	9	6	38	48	2
Spartanburg	2,334	349	109	660	1,213	3
Sumter	658	119	51	211	275	2
Union	192	22	11	61	97	1
Williamsburg	115	16	5	35	59	-
York	1,992	340	111	821	711	9
Unknown						

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	19,634	4,545	1,282	4,827	8,865	115
Abbeville	87	17	1	17	52	-
Aiken	601	127	44	156	248	26
Allendale	77	22	5	30	19	1
Anderson	473	95	19	101	256	2
Bamberg	96	28	22	20	26	-
Barnwell	173	43	14	38	77	1
Beaufort	546	115	23	92	311	5
Berkeley	727	163	75	148	335	6
Calhoun	68	12	7	18	31	-
Charleston	1,663	381	140	420	718	4
Cherokee	196	48	8	40	100	-
Chester	203	50	27	70	52	4
Chesterfield	209	42	11	40	115	1
Clarendon	215	56	8	46	103	2
Colleton	213	52	9	53	99	-
Darlington	403	90	20	53	239	1
Dillon	252	64	6	20	161	1
Dorchester	527	97	46	109	274	1
Edgefield	109	27	5	26	43	8
Fairfield	144	36	12	30	62	4
Florence	957	251	42	210	454	-
Georgetown	291	73	8	63	147	-
Greenville	1,459	297	116	446	598	2
Greenwood	347	73	13	76	185	-
Hampton	141	39	7	42	53	-
Horry	648	161	32	101	350	4
Jasper	126	29	1	32	63	1
Kershaw	182	40	22	56	61	3
Lancaster	256	28	48	137	38	5
Laurens	223	54	13	51	105	-
Lee	131	29	6	28	68	-
Lexington	664	126	26	176	334	2
McCormick	36	8	1	14	13	-
Marion	266	68	12	62	124	-
Marlboro	175	36	9	35	95	-
Newberry	166	20	3	44	99	-
Oconee	78	10	5	36	27	-
Orangeburg	776	219	112	202	241	2
Pickens	104	18	1	32	52	1
Richland	2,739	652	131	700	1,239	17
Saluda	67	18	5	15	29	-
Spartanburg	917	161	41	218	496	1
Sumter	799	192	61	213	329	4
Union	107	26	8	31	42	-
Williamsburg	229	91	18	40	78	2
York	768	261	39	240	224	4
Unknown						

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	4,649	1,515	334	1,264	1,514	22
Abbeville	4	-	1	2	1	-
Aiken	151	42	25	48	33	3
Allendale	2	1	1	-	-	-
Anderson	92	23	1	33	35	-
Bamberg	2	1	1	-	-	-
Barnwell	16	-	3	6	7	-
Beaufort	380	147	22	90	121	-
Berkeley	207	74	26	51	55	1
Calhoun	6	2	1	2	1	-
Charleston	409	156	29	117	106	1
Cherokee	28	9	-	8	11	-
Chester	7	-	2	1	4	-
Chesterfield	18	6	1	5	6	-
Clarendon	18	4	2	7	5	-
Colleton	28	16	3	2	7	-
Darlington	13	4	-	1	8	-
Dillon	18	3	2	3	10	-
Dorchester	113	33	10	29	41	-
Edgefield	11	7	-	2	2	-
Fairfield	6	2	-	2	2	-
Florence	57	24	3	13	17	-
Georgetown	23	9	1	9	4	-
Greenville	820	245	48	274	251	2
Greenwood	107	26	2	32	47	-
Hampton	8	2	-	3	3	-
Horry	330	119	29	47	134	1
Jasper	71	27	5	17	22	-
Kershaw	46	6	2	21	17	-
Lancaster	60	16	11	17	12	4
Laurens	63	30	5	15	13	-
Lee	1	1	-	-	-	-
Lexington	289	81	13	81	111	3
McCormick						
Marion	11	1	2	5	3	-
Marlboro	3	1	-	-	2	-
Newberry	64	20	4	20	19	1
Oconee	56	11	1	18	26	-
Orangeburg	31	11	5	7	7	1
Pickens	62	17	1	14	30	-
Richland	291	93	12	66	117	3
Saluda	92	51	4	13	24	-
Spartanburg	331	74	21	107	128	1
Sumter	80	26	7	20	27	-
Union	2	-	-	-	2	-
Williamsburg						
York	222	94	28	56	43	1
Unknown						

Table C-12.
Live Births by Education of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	57,100 *	1,634	8,767	13,495	14,537	4,479	9,047	3,987	952	202
Abbeville	253	1	43	90	68	17	25	4	5	-
Aiken	1,915 *	94	317	497	439	135	288	109	22	14
Allendale	95 *	1	21	30	26	8	8	-	-	1
Anderson	2,188 *	48	389	611	512	176	276	151	25	-
Bamberg	152	5	18	47	48	20	9	4	1	-
Barnwell	320	7	72	105	83	24	15	11	2	1
Beaufort	2,027 *	86	260	465	586	166	317	124	20	3
Berkeley	2,600 *	53	301	555	756	254	435	200	32	14
Calhoun	147	3	24	44	35	18	17	6	-	-
Charleston	4,685 *	161	519	754	1,023	271	1,242	481	218	16
Cherokee	676	8	178	203	173	39	54	19	1	1
Chester	442 *	8	97	147	110	36	31	8	1	4
Chesterfield	518	16	121	172	136	43	21	8	-	1
Clarendon	362	4	72	85	125	28	35	10	2	1
Colleton	454	20	108	142	105	39	29	8	3	-
Darlington	823	14	181	247	221	47	79	32	1	1
Dillon	437	18	120	142	92	18	30	12	1	4
Dorchester	1,833 *	28	208	387	477	197	344	156	23	13
Edgefield	205	5	35	62	59	18	20	4	1	1
Fairfield	213	-	39	75	71	7	13	6	1	1
Florence	1,832 *	29	286	468	526	157	247	93	23	3
Georgetown	588	19	81	159	176	47	67	34	5	-
Greenville	6,153 *	230	847	1,157	1,370	508	1,335	557	120	29
Greenwood	890	34	169	233	207	89	96	47	15	-
Hampton	230	1	49	68	71	10	20	9	2	-
Horry	2,938 *	116	457	730	758	284	413	129	35	16
Jasper	308	19	68	97	82	11	18	10	2	1
Kershaw	732	15	120	194	203	62	83	51	2	2
Lancaster	911	26	133	243	193	75	161	54	15	11
Laurens	754 *	38	153	243	183	45	58	23	9	2
Lee	185	2	40	63	53	11	11	4	-	1
Lexington	3,232 *	105	392	676	815	269	591	325	48	11
McCormick	55	-	11	20	13	7	3	1	-	-
Marion	372	7	94	121	100	21	15	12	2	-
Marlboro	298	5	92	93	61	18	21	7	1	-
Newberry	410	30	89	121	83	27	38	17	4	1
Oconee	814	13	157	262	177	54	82	60	8	1
Orangeburg	1,085 *	15	216	331	282	93	89	51	5	3
Pickens	1,177 *	29	220	280	298	91	154	86	18	1
Richland	4,779 *	86	551	880	1,350	321	893	497	185	16
Saluda	262	60	42	65	48	11	22	14	-	-
Spartanburg	3,582	92	647	955	890	251	506	203	37	1
Sumter	1,540 *	22	221	361	510	157	174	63	8	24
Union	301	2	67	99	79	23	22	7	2	-
Williamsburg	344	2	62	102	111	26	31	9	-	1
York	2,983 *	57	380	614	753	250	609	271	47	2
Unknown										

* Includes unknown race

Table C-12A.
Live Births by Education and Race of Mother
South Carolina and Each County, 2012
(Residence Data)
Non-Hispanic White

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	32,768	302	3,833	6,703	7,923	3,015	7,092	3,062	766	72
Abbeville	162	1	24	51	43	13	23	2	5	-
Aiken	1,156	42	157	268	278	86	225	80	17	3
Allendale	15	-	2	3	7	2	1	-	-	-
Anderson	1,622	25	254	426	386	148	239	127	17	-
Bamberg	54	1	5	20	17	7	3	-	1	-
Barnwell	131	1	27	39	33	14	7	9	1	-
Beaufort	1,099	2	74	186	347	111	248	110	19	2
Berkeley	1,664	4	170	332	480	159	324	156	30	9
Calhoun	73	1	13	12	12	14	15	6	-	-
Charleston	2,610	15	99	242	437	154	1,070	401	188	4
Cherokee	452	2	107	140	111	32	43	16	1	-
Chester	231	5	47	63	59	27	23	6	1	-
Chesterfield	291	9	57	94	77	33	14	6	-	1
Clarendon	129	2	23	20	37	17	20	8	2	-
Colleton	213	5	49	58	54	26	16	4	1	-
Darlington	407	7	79	111	94	35	58	23	-	-
Dillon	167	5	35	47	40	14	18	7	1	-
Dorchester	1,189	7	108	232	288	137	283	113	16	5
Edgefield	85	1	10	18	28	13	11	3	1	-
Fairfield	63	-	13	19	16	3	7	4	1	-
Florence	817	4	94	165	203	96	175	61	18	1
Georgetown	274	4	34	50	70	31	53	27	5	-
Greenville	3,870	22	368	606	827	356	1,110	461	101	19
Greenwood	436	1	54	102	103	57	71	36	12	-
Hampton	81	-	16	26	21	3	12	3	-	-
Horry	1,957	16	212	445	543	224	368	114	29	6
Jasper	111	2	18	33	30	7	11	8	2	-
Kershaw	504	6	70	134	129	46	72	43	2	2
Lancaster	595	8	69	138	128	61	129	45	12	5
Laurens	467	8	88	148	115	31	47	21	8	1
Lee	53	1	10	14	17	4	5	2	-	-
Lexington	2,275	15	209	456	598	207	483	263	40	4
McCormick	19	-	1	7	4	4	3	-	-	-
Marion	95	3	15	36	21	8	6	5	1	-
Marlboro	120	2	41	30	19	13	9	6	-	-
Newberry	180	2	21	53	39	16	33	13	3	-
Oconee	680	7	134	207	150	47	75	53	6	1
Orangeburg	277	-	51	68	58	49	34	12	3	2
Pickens	1,008	18	187	242	255	81	139	73	13	-
Richland	1,742	6	88	193	347	137	552	280	139	-
Saluda	103	1	10	26	25	7	21	13	-	-
Spartanburg	2,334	23	359	578	575	184	405	183	26	1
Sumter	658	6	59	125	227	88	99	41	8	5
Union	192	1	44	58	48	16	17	7	1	-
Williamsburg	115	1	19	23	33	16	18	5	-	-
York	1,992	10	209	359	494	181	497	206	35	1
Unknown										

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	19,634	170	3,678	5,770	5,992	1,301	1,652	847	153	71
Abbeville	87	-	17	38	25	3	2	2	-	-
Aiken	601	7	127	196	143	41	51	27	5	4
Allendale	77	1	18	26	18	6	7	-	-	1
Anderson	473	7	105	154	119	26	32	23	7	-
Bamberg	96	3	12	27	31	13	6	4	-	-
Barnwell	173	3	41	61	48	10	7	2	-	1
Beaufort	546	4	74	179	185	40	51	13	-	-
Berkeley	727	3	87	191	235	84	82	41	1	3
Calhoun	68	1	11	28	22	4	2	-	-	-
Charleston	1,663	12	321	451	539	108	139	62	25	6
Cherokee	196	-	60	56	59	6	11	3	-	1
Chester	203	2	50	81	51	7	7	2	-	3
Chesterfield	209	4	56	75	58	9	6	1	-	-
Clarendon	215	-	42	62	83	11	14	2	-	1
Colleton	213	3	52	78	48	13	13	4	2	-
Darlington	403	5	100	129	126	12	21	9	1	-
Dillon	252	6	77	93	52	4	12	4	-	4
Dorchester	527	4	77	137	159	51	48	40	7	4
Edgefield	109	-	21	42	30	5	9	1	-	1
Fairfield	144	-	24	53	54	4	6	2	-	1
Florence	957	9	181	291	312	60	67	32	4	1
Georgetown	291	4	43	103	105	16	13	7	-	-
Greenville	1,459	11	250	382	440	120	155	78	16	7
Greenwood	347	3	76	110	97	26	21	11	3	-
Hampton	141	1	31	41	47	7	6	6	2	-
Horry	648	7	134	218	181	50	37	15	5	1
Jasper	126	-	20	46	48	3	7	2	-	-
Kershaw	182	-	39	49	64	14	9	7	-	-
Lancaster	256	4	51	94	58	12	22	8	3	4
Laurens	223	3	49	83	61	14	10	2	1	-
Lee	131	1	30	49	35	7	6	2	-	1
Lexington	664	10	104	146	191	53	92	58	8	2
McCormick	36	-	10	13	9	3	-	1	-	-
Marion	266	1	76	82	79	12	9	7	-	-
Marlboro	175	3	49	62	42	5	12	1	1	-
Newberry	166	1	52	55	41	9	4	4	-	-
Oconee	78	1	13	32	14	7	5	5	1	-
Orangeburg	776	5	158	253	221	43	55	39	2	-
Pickens	104	-	17	21	32	10	10	11	3	-
Richland	2,739	21	392	628	941	178	317	210	43	9
Saluda	67	2	14	26	21	2	1	1	-	-
Spartanburg	917	4	182	287	276	57	90	15	6	-
Sumter	799	7	149	220	259	58	70	21	-	15
Union	107	1	22	41	30	7	5	-	1	-
Williamsburg	229	1	43	79	78	10	13	4	-	1
York	768	5	121	202	225	61	90	58	6	-
Unknown										

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	4,649	1,159	1,249	1,016	618	162	299	76	33	37
Abbeville	4	-	2	1	-	1	-	-	-	-
Aiken	151	43	33	33	17	8	12	-	-	5
Allendale	2	-	1	-	1	-	-	-	-	-
Anderson	92	16	30	31	7	2	4	1	1	-
Bamberg	2	1	1	-	-	-	-	-	-	-
Barnwell	16	3	4	5	2	-	1	-	1	-
Beaufort	380	80	112	100	53	15	18	1	1	-
Berkeley	207	46	43	32	41	11	29	3	1	1
Calhoun	6	1	-	4	1	-	-	-	-	-
Charleston	409	134	99	61	47	9	33	18	5	3
Cherokee	28	6	11	7	3	1	-	-	-	-
Chester	7	1	-	3	-	2	1	-	-	-
Chesterfield	18	3	8	3	1	1	1	1	-	-
Clarendon	18	2	7	3	5	-	1	-	-	-
Colleton	28	12	7	6	3	-	-	-	-	-
Darlington	13	2	2	7	1	-	-	-	-	1
Dillon	18	7	8	2	-	-	-	1	-	-
Dorchester	113	17	23	18	30	9	13	3	-	-
Edgefield	11	4	4	2	1	-	-	-	-	-
Fairfield	6	-	2	3	1	-	-	-	-	-
Florence	57	16	10	12	11	1	5	-	1	1
Georgetown	23	11	4	6	1	-	1	-	-	-
Greenville	820	197	229	169	102	32	69	18	3	1
Greenwood	107	30	39	21	7	6	4	-	-	-
Hampton	8	-	2	1	3	-	2	-	-	-
Horry	330	93	111	66	34	10	8	-	1	7
Jasper	71	17	30	18	4	1	-	-	-	1
Kershaw	46	9	11	11	10	2	2	1	-	-
Lancaster	60	14	13	11	7	2	10	1	-	2
Laurens	63	27	16	12	7	-	1	-	-	-
Lee	1	-	-	-	1	-	-	-	-	-
Lexington	289	79	79	72	26	9	15	4	-	5
McCormick										
Marion	11	3	3	3	-	1	-	-	1	-
Marlboro	3	-	2	1	-	-	-	-	-	-
Newberry	64	27	16	13	3	2	1	-	1	1
Oconee	56	5	10	23	13	-	2	2	1	-
Orangeburg	31	10	7	10	3	1	-	-	-	-
Pickens	62	11	15	16	11	-	5	2	2	-
Richland	291	59	69	59	61	5	23	7	3	5
Saluda	92	57	18	13	2	2	-	-	-	-
Spartanburg	331	65	106	90	39	10	11	5	5	-
Sumter	80	9	11	16	24	11	5	1	-	3
Union	2	-	1	-	1	-	-	-	-	-
Williamsburg										
York	222	42	50	52	34	8	22	7	6	1
Unknown										

ATTENDANT AT BIRTH

Of the 54,262 occurrent births, physicians attended 94.2 percent. The term “physician” includes osteopaths, residents, interns and externs. Midwives attended 5 percent of the total births, Other and unknown attendant accounted for 1 percent of the total births. The term “other” includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. Included in the “Unknown” category are Not specified or Not classifiable attendants.

Table C-13.
Live Births by Attendant by Place of Delivery
South Carolina, 2012
(Occurrence Data)

Place of Birth	Total Birth	M.D.	D.O.	Certified Nurse/Licensed Midwife	Other Attendant	Unknown
Hospital	53,325	50,222	1,145	1,823	91	44
Birthing Center	633	2	-	600	29	2
Clinic/Doctor's office	1	-	-	1	-	-
Home Birth	285	12	-	155	116	2
Other	18	1	-	1	16	-
Total	54,262	50,237	1,145	2,580	252	48

Table C-14.
Live Births by Place of Delivery
South Carolina, 2002-2012
(Occurrence Data)

Year	Total Birth	Hospital	Birthing Center	Clinic/Doctor's Office	Home Birth	Other
2002	52,162	51,901	20	4	186	49
2003	53,376	53,092	13	1	210	56
2004	54,240	53,979	9	2	231	18
2005	55,316	55,081	28	1	187	19
2006	59,571	59,195	103	1	244	28
2007	60,209	59,814	127	-	248	20
2008	60,404	59,929	218	1	241	15
2009	57,884	57,351	269	-	243	21
2010	55,599	54,903	420	-	259	17
2011	54,838	54,012	553	2	260	11
2012	54,262	53,325	633	1	285	18

Table C-15.
Live Births by Attendant
South Carolina and Each County, 2012
(Occurrence Data)

County of Occurrence	Total Births	Attendant					
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital		
South Carolina	54,262	51,367	15	1,823	757	252	48
Abbeville	1	-	-	-	1	-	-
Aiken	1,147	1,132	1	1	5	6	2
Allendale	1	1	-	-	-	-	-
Anderson	1,928	1,916	-	-	6	6	-
Bamberg	-	-	-	-	-	-	-
Barnwell	4	1	-	-	2	1	-
Beaufort	2,262	2,050	-	201	4	7	-
Berkeley	11	-	-	-	9	2	-
Calhoun	-	-	-	-	-	-	-
Charleston	8,474	7,912	1	315	213	26	7
Cherokee	353	254	1	91	1	2	4
Chester	4	-	-	-	2	2	-
Chesterfield	171	166	-	-	2	3	-
Clarendon	610	417	-	190	1	2	-
Colleton	329	329	-	-	-	-	-
Darlington	597	564	1	29	-	3	-
Dillon	325	323	-	-	-	2	-
Dorchester	1,285	1,243	-	32	5	-	5
Edgefield	1	-	-	-	1	-	-
Fairfield	-	-	-	-	-	-	-
Florence	2,915	2,898	1	-	2	6	8
Georgetown	855	745	1	106	-	2	1
Greenville	8,037	7,739	5	96	162	23	12
Greenwood	1,491	1,490	-	-	-	1	-
Hampton	1	-	-	-	-	1	-
Horry	2,555	2,425	-	117	5	8	-
Jasper	-	-	-	-	-	-	-
Kershaw	310	305	1	-	1	3	-
Lancaster	751	703	-	35	3	10	-
Laurens	298	293	-	-	2	3	-
Lee	-	-	-	-	-	-	-
Lexington	3,622	3,154	-	402	59	7	-
McCormick	-	-	-	-	-	-	-
Marion	286	284	-	-	-	2	-
Marlboro	75	75	-	-	-	-	-
Newberry	314	310	1	-	-	3	-
Oconee	582	545	-	-	3	34	-
Orangeburg	1,104	1,014	-	86	1	3	-
Pickens	470	451	-	-	13	5	1
Richland	5,754	5,723	2	-	7	18	4
Saluda	1	-	-	-	-	1	-
Spartanburg	3,756	3,656	-	2	84	14	-
Sumter	1,333	1,209	-	120	-	3	1
Union	114	112	-	-	-	1	1
Williamsburg	2	-	-	-	-	2	-
York	2,133	1,928	-	-	163	40	2
Unknown	-	-	-	-	-	-	-

AGE OF MOTHER

In 2012, there were 65 live births to resident mothers under 15 years of age and 37 births to resident mothers 45 years of age and over. As shown in Table C-16, women aged 15-44 years were responsible for 99.6 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and then remained unchanged. The median age for 2012 is 27. The youngest mother to give birth in 2012 was 12 years old and the oldest was 52 years old.

Table C-16.
Percent Distribution of Live Births by Age of Mother
South Carolina, 2008-2012
(Residence Data)

Age of Mother	2008	2009	2010	2011	2012
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.2	0.1	0.2	0.1	0.1
15-19 Years	13.2	12.6	11.7	10.5	9.7
20-24 Years	29.1	28.6	28.4	28.2	28.3
25-29 Years	28.0	28.1	28.1	28.6	28.2
30-34 Years	18.9	19.6	20.7	21.6	22.4
35-39 Years	8.9	9.0	8.9	9.0	9.3
40-44 Years	1.7	1.7	1.9	2.0	2.0
45 Years and Over	0.1	0.1	0.1	0.1	0.1

Figure C-4
Percent of Live Births to Women Age 35 and Over by Race
South Carolina, 2003-2012
(Residence Data)




Table C-17
 Mean Age of Mother at First Time Birth by Race
 South Carolina, 1997-2012
 (Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1997	23.2	24.4	21.1	
1998	23.2	24.4	21.1	
1999	23.3	24.5	21.1	
2000	23.3	24.6	21.3	
2001	23.5	24.8	21.4	
2002	23.6	24.8	21.5	22.6
2003	23.8	25.0	21.6	22.7
2004	23.6	24.9	21.6	22.3
2005	23.6	24.8	21.7	22.4
2006	23.5	24.8	21.7	22.4
2007	23.5	24.8	21.6	22.5
2008	23.6	24.8	21.7	22.7
2009	23.8	24.9	21.8	23.3
2010	23.9	24.9	22.1	23.4
2011	24.2	25.2	22.4	23.2
2012	24.3	25.3	22.6	23.3

Figure C-5
 Mean Age of Mother at First Time Birth by Race
 South Carolina, 1997-2012
 (Residence Data)




Table C-18.
Live Births by Age of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	57,100 *	65	5,532	16,146	16,129	12,769	5,306	1,115	37	1
Abbeville	253	-	29	98	57	51	18	-	-	-
Aiken	1,915 *	4	223	577	573	373	138	27	-	-
Allendale	95 *	-	18	29	26	16	3	3	-	-
Anderson	2,188 *	2	234	711	633	419	154	33	1	1
Bamberg	152	2	11	55	38	28	14	4	-	-
Barnwell	320	2	41	120	93	39	20	5	-	-
Beaufort	2,027 *	4	137	555	608	488	187	47	1	-
Berkeley	2,600 *	-	192	692	810	640	224	40	2	-
Calhoun	147	-	14	46	52	21	12	2	-	-
Charleston	4,685 *	7	256	983	1,281	1,423	615	116	4	-
Cherokee	676	-	111	241	166	110	40	7	1	-
Chester	442 *	-	62	178	92	74	32	4	-	-
Chesterfield	518	2	76	188	125	79	41	7	-	-
Clarendon	362	-	40	107	128	63	15	8	1	-
Colleton	454	-	73	169	121	62	24	5	-	-
Darlington	823	1	125	273	218	125	68	13	-	-
Dillon	437	2	70	160	114	68	16	7	-	-
Dorchester	1,833 *	2	130	457	549	460	197	37	1	-
Edgefield	205	-	20	67	55	43	15	4	1	-
Fairfield	213	-	29	77	57	33	15	2	-	-
Florence	1,832 *	2	216	544	524	360	162	24	-	-
Georgetown	588	-	65	194	149	107	65	8	-	-
Greenville	6,153 *	3	500	1,445	1,748	1,631	679	143	4	-
Greenwood	890	-	107	293	263	155	52	20	-	-
Hampton	230	-	34	82	56	43	13	2	-	-
Horry	2,938 *	3	267	800	858	644	302	61	3	-
Jasper	308	-	37	91	94	65	19	2	-	-
Kershaw	732	-	75	215	225	143	62	12	-	-
Lancaster	911	1	106	248	251	199	91	15	-	-
Laurens	754 *	1	107	254	200	116	64	12	-	-
Lee	185	3	30	62	41	38	9	2	-	-
Lexington	3,232 *	2	241	838	939	807	322	81	2	-
McCormick	55	-	7	19	16	7	4	2	-	-
Marion	372	-	58	149	94	49	19	3	-	-
Marlboro	298	2	52	109	84	27	17	6	1	-
Newberry	410	-	47	126	122	71	37	7	-	-
Oconee	814	4	104	257	218	154	68	7	2	-
Orangeburg	1,085 *	2	150	360	294	187	71	20	1	-
Pickens	1,177 *	3	126	376	311	246	92	22	1	-
Richland	4,779 *	6	376	1,212	1,372	1,186	504	119	4	-
Saluda	262	1	25	79	76	57	20	4	-	-
Spartanburg	3,582	-	404	1,093	1,013	715	301	52	4	-
Sumter	1,540 *	4	165	520	432	304	93	22	-	-
Union	301	-	40	120	79	41	18	3	-	-
Williamsburg	344	-	51	114	85	63	24	7	-	-
York	2,983 *	-	251	763	789	739	350	88	3	-
Unknown	-	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table C-18A.
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	32,768	15	2,562	8,061	9,705	8,335	3,372	688	29	1
Abbeville	162	-	15	64	35	32	16	-	-	-
Aiken	1,156	2	114	317	367	252	87	17	-	-
Allendale	15	-	1	4	4	5	1	-	-	-
Anderson	1,622	-	165	503	495	328	104	25	1	1
Bamberg	54	-	4	24	13	9	4	-	-	-
Barnwell	131	-	16	43	41	23	7	1	-	-
Beaufort	1,099	-	53	265	328	313	112	28	-	-
Berkeley	1,664	-	117	434	521	423	147	21	1	-
Calhoun	73	-	5	18	30	12	7	1	-	-
Charleston	2,610	-	62	305	681	1,023	453	82	4	-
Cherokee	452	-	67	158	116	76	30	4	1	-
Chester	231	-	30	86	51	46	17	1	-	-
Chesterfield	291	1	37	99	81	42	27	4	-	-
Clarendon	129	-	12	27	44	34	8	3	1	-
Colleton	213	-	30	78	64	30	8	3	-	-
Darlington	407	-	42	135	117	65	39	9	-	-
Dillon	167	-	26	54	50	29	7	1	-	-
Dorchester	1,189	-	67	278	380	316	127	20	1	-
Edgefield	85	-	3	23	28	21	8	1	1	-
Fairfield	63	-	6	22	18	14	2	1	-	-
Florence	817	-	62	197	270	202	72	14	-	-
Georgetown	274	-	25	71	70	66	38	4	-	-
Greenville	3,870	-	242	740	1,153	1,159	472	102	2	-
Greenwood	436	-	42	132	139	84	30	9	-	-
Hampton	81	-	7	24	28	16	5	1	-	-
Horry	1,957	2	155	481	581	469	217	49	3	-
Jasper	111	-	9	29	34	27	11	1	-	-
Kershaw	504	-	49	143	159	98	47	8	-	-
Lancaster	595	-	62	144	175	135	67	12	-	-
Laurens	467	-	64	148	135	72	38	10	-	-
Lee	53	2	7	12	15	12	5	-	-	-
Lexington	2,275	1	144	564	684	604	222	54	2	-
McCormick	19	-	1	5	6	4	3	-	-	-
Marion	95	-	13	35	22	17	7	1	-	-
Marlboro	120	1	20	45	31	12	7	4	-	-
Newberry	180	-	16	48	61	32	22	1	-	-
Oconee	680	2	83	222	184	132	51	4	2	-
Orangeburg	277	-	36	65	94	61	15	6	-	-
Pickens	1,008	3	111	326	273	202	77	15	1	-
Richland	1,742	-	48	243	568	596	230	54	3	-
Saluda	103	-	11	26	32	21	9	4	-	-
Spartanburg	2,334	-	240	681	668	494	207	40	4	-
Sumter	658	1	53	201	217	138	42	6	-	-
Union	192	-	26	71	49	28	15	3	-	-
Williamsburg	115	-	16	22	36	30	9	2	-	-
York	1,992	-	148	449	557	531	243	62	2	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	19,634	45	2,525	6,892	5,038	3,359	1,445	324	6	-
Abbeville	87	-	13	33	20	19	2	-	-	-
Aiken	601	2	88	218	159	87	42	5	-	-
Allendale	77	-	17	25	21	10	2	2	-	-
Anderson	473	2	62	182	110	72	40	5	-	-
Bamberg	96	2	7	31	25	18	9	4	-	-
Barnwell	173	2	24	74	46	13	11	3	-	-
Beaufort	546	3	53	182	162	91	43	11	1	-
Berkeley	727	-	58	211	221	156	67	14	-	-
Calhoun	68	-	9	24	22	7	5	1	-	-
Charleston	1,663	6	160	585	471	297	116	28	-	-
Cherokee	196	-	39	75	40	32	9	1	-	-
Chester	203	-	30	91	41	27	11	3	-	-
Chesterfield	209	1	37	88	38	31	12	2	-	-
Clarendon	215	-	26	71	82	25	7	4	-	-
Colleton	213	-	39	81	47	30	14	2	-	-
Darlington	403	1	83	134	96	56	29	4	-	-
Dillon	252	2	42	102	58	34	8	6	-	-
Dorchester	527	1	52	153	132	123	54	12	-	-
Edgefield	109	-	15	42	25	18	7	2	-	-
Fairfield	144	-	20	53	39	19	12	1	-	-
Florence	957	2	147	329	240	147	82	10	-	-
Georgetown	291	-	39	114	70	38	26	4	-	-
Greenville	1,459	2	173	499	376	264	119	25	1	-
Greenwood	347	-	46	136	94	51	14	6	-	-
Hampton	141	-	25	56	26	26	7	1	-	-
Horry	648	1	88	234	162	109	46	8	-	-
Jasper	126	-	17	49	36	20	4	-	-	-
Kershaw	182	-	22	63	49	35	9	4	-	-
Lancaster	256	1	37	92	61	46	17	2	-	-
Laurens	223	1	38	89	46	31	18	-	-	-
Lee	131	1	22	50	26	26	4	2	-	-
Lexington	664	1	66	194	170	148	67	18	-	-
McCormick	36	-	6	14	10	3	1	2	-	-
Marion	266	-	44	112	67	30	11	2	-	-
Marlboro	175	1	31	62	53	15	10	2	1	-
Newberry	166	-	25	69	43	20	7	2	-	-
Oconee	78	1	10	24	23	11	7	2	-	-
Orangeburg	776	2	114	282	189	119	55	14	1	-
Pickens	104	-	12	39	22	22	7	2	-	-
Richland	2,739	6	309	889	713	521	241	59	1	-
Saluda	67	1	8	25	18	13	2	-	-	-
Spartanburg	917	-	128	320	255	149	57	8	-	-
Sumter	799	3	107	292	189	145	47	16	-	-
Union	107	-	13	48	30	13	3	-	-	-
Williamsburg	229	-	35	92	49	33	15	5	-	-
York	768	-	89	264	166	159	69	20	1	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	4,649	5	442	1,187	1,372	1,056	484	101	2	-
Abbeville	4	-	1	1	2	-	-	-	-	-
Aiken	151	-	20	42	45	30	9	5	-	-
Allendale	2	-	-	-	-	1	-	1	-	-
Anderson	92	-	7	26	28	18	10	3	-	-
Bamberg	2	-	-	-	-	1	1	-	-	-
Barnwell	16	-	1	3	6	3	2	1	-	-
Beaufort	380	1	31	108	117	83	32	8	-	-
Berkeley	207	-	17	47	67	60	10	5	1	-
Calhoun	6	-	-	4	-	2	-	-	-	-
Charleston	409	1	34	93	129	102	46	4	-	-
Cherokee	28	-	5	8	10	2	1	2	-	-
Chester	7	-	2	1	-	-	4	-	-	-
Chesterfield	18	-	2	1	6	6	2	1	-	-
Clarendon	18	-	2	9	2	4	-	1	-	-
Colleton	28	-	4	10	10	2	2	-	-	-
Darlington	13	-	-	4	5	4	-	-	-	-
Dillon	18	-	2	4	6	5	1	-	-	-
Dorchester	113	1	10	25	35	21	16	5	-	-
Edgefield	11	-	2	2	2	4	-	1	-	-
Fairfield	6	-	3	2	-	-	1	-	-	-
Florence	57	-	7	18	14	10	8	-	-	-
Georgetown	23	-	1	9	9	3	1	-	-	-
Greenville	820	1	85	206	219	205	87	16	1	-
Greenwood	107	-	19	25	30	20	8	5	-	-
Hampton	8	-	2	2	2	1	1	-	-	-
Horry	330	-	24	85	114	65	38	4	-	-
Jasper	71	-	11	13	24	18	4	1	-	-
Kershaw	46	-	4	9	17	10	6	-	-	-
Lancaster	60	-	7	12	15	18	7	1	-	-
Laurens	63	-	5	16	19	13	8	2	-	-
Lee	1	-	1	-	-	-	-	-	-	-
Lexington	289	-	31	80	81	55	33	9	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	11	-	1	2	5	2	1	-	-	-
Marlboro	3	-	1	2	-	-	-	-	-	-
Newberry	64	-	6	9	18	19	8	4	-	-
Oconee	56	1	11	11	11	11	10	1	-	-
Orangeburg	31	-	-	13	10	7	1	-	-	-
Pickens	62	-	3	10	16	21	7	5	-	-
Richland	291	-	18	77	90	67	33	6	-	-
Saluda	92	-	6	28	26	23	9	-	-	-
Spartanburg	331	-	36	92	90	72	37	4	-	-
Sumter	80	-	5	27	26	19	3	-	-	-
Union	2	-	1	1	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	222	-	14	50	66	49	37	6	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-19.
Live Births to Mothers Less than 20 Years Old
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	5,597 *	65	170	426	899	1,595	2,442
Abbeville	29	-	3	1	4	10	11
Aiken	227 *	4	10	15	32	84	82
Allendale	18	-	1	2	1	11	3
Anderson	236	2	6	22	37	68	101
Bamberg	13	2	-	2	-	2	7
Barnwell	43	2	-	1	13	7	20
Beaufort	141	4	4	7	22	39	65
Berkeley	192	-	1	5	37	59	90
Calhoun	14	-	-	-	5	4	5
Charleston	263	7	6	15	37	66	132
Cherokee	111	-	3	15	16	29	48
Chester	62	-	2	6	8	17	29
Chesterfield	78	2	3	8	9	25	31
Clarendon	40	-	-	3	7	11	19
Colleton	73	-	2	10	10	19	32
Darlington	126	1	6	9	23	39	48
Dillon	72	2	1	4	21	19	25
Dorchester	132 *	2	3	5	27	42	53
Edgefield	20	-	2	1	5	4	8
Fairfield	29	-	-	1	4	7	17
Florence	218	2	10	15	21	62	108
Georgetown	65	-	-	5	10	25	25
Greenville	503	3	10	45	82	148	215
Greenwood	107	-	7	7	20	33	40
Hampton	34	-	1	3	8	9	13
Horry	270	3	10	24	53	69	111
Jasper	37	-	1	5	4	10	17
Kershaw	75	-	3	5	14	21	32
Lancaster	107	1	1	12	16	23	54
Laurens	108	1	4	4	16	37	46
Lee	33	3	2	4	3	5	16
Lexington	243	2	9	8	36	80	108
McCormick	7	-	-	1	1	2	3
Marion	58	-	3	7	14	14	20
Marlboro	54	2	1	3	7	22	19
Newberry	47	-	2	3	9	13	20
Oconee	108	4	6	3	15	29	51
Orangeburg	152	2	6	22	19	39	64
Pickens	129	3	3	11	21	30	61
Richland	382 *	6	14	28	66	104	164
Saluda	26	1	-	1	-	8	16
Spartanburg	404	-	8	35	81	103	177
Sumter	169	4	7	11	22	48	77
Union	40	-	2	6	2	10	20
Williamsburg	51	-	1	3	7	16	24
York	251	-	6	23	34	73	115
Unknown	-	-	-	-	-	-	-

* Includes unknown race

Table C-19A.
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	2,577	15	65	175	424	749	1,149
Abbeville	15	-	-	1	2	6	6
Aiken	116	2	6	6	15	43	44
Allendale	1	-	-	-	-	1	-
Anderson	165	-	3	15	30	44	73
Bamberg	4	-	-	1	-	-	3
Barnwell	16	-	-	-	4	3	9
Beaufort	53	-	3	2	8	14	26
Berkeley	117	-	-	5	20	37	55
Calhoun	5	-	-	-	3	1	1
Charleston	62	-	-	4	9	17	32
Cherokee	67	-	1	6	11	20	29
Chester	30	-	-	2	5	10	13
Chesterfield	38	1	3	2	5	9	18
Clarendon	12	-	-	1	3	3	5
Colleton	30	-	2	4	2	7	15
Darlington	42	-	-	1	8	14	19
Dillon	26	-	1	3	7	4	11
Dorchester	67	-	1	4	10	24	28
Edgefield	3	-	1	-	1	1	-
Fairfield	6	-	-	-	-	1	5
Florence	62	-	2	1	8	14	37
Georgetown	25	-	-	4	4	8	9
Greenville	242	-	4	16	42	69	111
Greenwood	42	-	1	3	9	13	16
Hampton	7	-	-	-	1	3	3
Horry	157	2	4	10	31	48	62
Jasper	9	-	-	1	1	2	5
Kershaw	49	-	2	3	10	15	19
Lancaster	62	-	-	6	12	13	31
Laurens	64	-	2	3	10	22	27
Lee	9	2	-	-	1	3	3
Lexington	145	1	5	6	22	50	61
McCormick	1	-	-	-	-	-	1
Marion	13	-	-	-	3	2	8
Marlboro	21	1	-	3	3	7	7
Newberry	16	-	1	-	2	6	7
Oconee	85	2	6	2	12	25	38
Orangeburg	36	-	1	6	4	11	14
Pickens	114	3	3	8	20	25	55
Richland	48	-	1	4	7	19	17
Saluda	11	-	-	1	-	2	8
Spartanburg	240	-	7	21	47	62	103
Sumter	54	1	2	4	6	15	26
Union	26	-	1	4	1	5	15
Williamsburg	16	-	-	-	1	5	10
York	148	-	2	12	24	46	64
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	2,570	45	94	205	394	721	1,111
Abbeville	13	-	3	-	2	4	4
Aiken	90	2	4	6	13	35	30
Allendale	17	-	1	2	1	10	3
Anderson	64	2	3	6	6	21	26
Bamberg	9	2	-	1	-	2	4
Barnwell	26	2	-	1	9	4	10
Beaufort	56	3	-	4	8	16	25
Berkeley	58	-	1	-	12	18	27
Calhoun	9	-	-	-	2	3	4
Charleston	166	6	6	7	19	40	88
Cherokee	39	-	2	6	5	8	18
Chester	30	-	2	4	3	7	14
Chesterfield	38	1	-	6	4	16	11
Clarendon	26	-	-	1	4	8	13
Colleton	39	-	-	6	7	12	14
Darlington	84	1	6	8	15	25	29
Dillon	44	2	-	1	13	15	13
Dorchester	53	1	1	1	15	12	23
Edgefield	15	-	1	1	3	2	8
Fairfield	20	-	-	-	4	4	12
Florence	149	2	7	13	13	46	68
Georgetown	39	-	-	1	5	17	16
Greenville	175	2	2	17	27	55	72
Greenwood	46	-	5	2	7	14	18
Hampton	25	-	1	2	7	6	9
Horry	89	1	6	11	14	17	40
Jasper	17	-	1	1	1	5	9
Kershaw	22	-	1	2	2	4	13
Lancaster	38	1	1	3	4	7	22
Laurens	39	1	2	1	5	13	17
Lee	23	1	2	4	2	2	12
Lexington	67	1	3	2	10	20	31
McCormick	6	-	-	1	1	2	2
Marion	44	-	3	7	10	12	12
Marlboro	32	1	1	-	4	15	11
Newberry	25	-	1	2	6	5	11
Oconee	11	1	-	1	2	1	6
Orangeburg	116	2	5	16	15	28	50
Pickens	12	-	-	3	1	4	4
Richland	315	6	12	23	55	81	138
Saluda	9	1	-	-	-	3	5
Spartanburg	128	-	1	11	26	30	60
Sumter	110	3	5	7	15	31	49
Union	13	-	1	2	1	5	4
Williamsburg	35	-	1	3	6	11	14
York	89	-	3	9	10	25	42
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	447	5	10	46	80	124	182
Abbeville	1	-	-	-	-	-	1
Aiken	20	-	-	3	4	5	8
Allendale	-	-	-	-	-	-	-
Anderson	7	-	-	1	1	3	2
Bamberg	-	-	-	-	-	-	-
Barnwell	1	-	-	-	-	-	1
Beaufort	32	1	1	1	6	9	14
Berkeley	17	-	-	-	5	4	8
Calhoun	-	-	-	-	-	-	-
Charleston	35	1	-	4	9	9	12
Cherokee	5	-	-	3	-	1	1
Chester	2	-	-	-	-	-	2
Chesterfield	2	-	-	-	-	-	2
Clarendon	2	-	-	1	-	-	1
Colleton	4	-	-	-	1	-	3
Darlington	-	-	-	-	-	-	-
Dillon	2	-	-	-	1	-	1
Dorchester	11	1	-	-	2	6	2
Edgefield	2	-	-	-	1	1	-
Fairfield	3	-	-	1	-	2	-
Florence	7	-	1	1	-	2	3
Georgetown	1	-	-	-	1	-	-
Greenville	86	1	4	12	13	24	32
Greenwood	19	-	1	2	4	6	6
Hampton	2	-	-	1	-	-	1
Horry	24	-	-	3	8	4	9
Jasper	11	-	-	3	2	3	3
Kershaw	4	-	-	-	2	2	-
Lancaster	7	-	-	3	-	3	1
Laurens	5	-	-	-	1	2	2
Lee	1	-	-	-	-	-	1
Lexington	31	-	1	-	4	10	16
McCormick	-	-	-	-	-	-	-
Marion	1	-	-	-	1	-	-
Marlboro	1	-	-	-	-	-	1
Newberry	6	-	-	1	1	2	2
Oconee	12	1	-	-	1	3	7
Orangeburg	-	-	-	-	-	-	-
Pickens	3	-	-	-	-	1	2
Richland	18	-	1	1	3	4	9
Saluda	6	-	-	-	-	3	3
Spartanburg	36	-	-	3	8	11	14
Sumter	5	-	-	-	1	2	2
Union	1	-	-	-	-	-	1
Williamsburg	-	-	-	-	-	-	-
York	14	-	1	2	-	2	9
Unknown	-	-	-	-	-	-	-

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2012, there were 27,285 live births to resident unmarried mothers in South Carolina, representing 47.8 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table C-20, females under age 20 accounted for 18.7 percent of all live births to unmarried mothers in 2012.

Table C-20.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2008-2012
(Residence Data)

Age of Mother	2008	2009	2010	2011	2012
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.3	0.3	0.4	0.3	0.2
15-19 Years	24.7	23.6	22.3	20.1	18.5
20-24 Years	39.9	40.2	40.2	41.1	41.4
25-29 Years	21.9	22.0	22.5	22.7	23.1
30 Years and Older	13.2	13.9	14.6	15.8	16.7

Figure C-6.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2012
(Residence Data)




Table C-21.
Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	27,285 *	47.8	10,457	31.9	14,453	73.6	2,357	50.7
Abbeville	142	56.1	64	39.5	76	87.4	2	50.0
Aiken	915 *	47.8	414	35.8	434	72.2	66	43.7
Allendale	77 *	81.1	7	46.7	68	88.3	1	50.0
Anderson	1,061	48.5	651	40.1	360	76.1	50	54.3
Bamberg	94	61.8	24	44.4	69	71.9	1	50.0
Barnwell	216	67.5	58	44.3	149	86.1	9	56.3
Beaufort	762 *	37.6	225	20.5	356	65.2	180	47.4
Berkeley	979	37.7	470	28.2	422	58.0	87	42.0
Calhoun	74	50.3	23	31.5	49	72.1	2	33.3
Charleston	1,924	41.1	494	18.9	1,230	74.0	200	48.9
Cherokee	402	59.5	218	48.2	167	85.2	17	60.7
Chester	295	66.7	112	48.5	179	88.2	4	57.1
Chesterfield	337	65.1	152	52.2	180	86.1	5	27.8
Clarendon	229	63.3	45	34.9	174	80.9	10	55.6
Colleton	298	65.6	102	47.9	176	82.6	20	71.4
Darlington	512	62.2	178	43.7	328	81.4	6	46.2
Dillon	312	71.4	84	50.3	220	87.3	8	44.4
Dorchester	734 *	40.0	342	28.8	342	64.9	49	43.4
Edgefield	128	62.4	33	38.8	90	82.6	5	45.5
Fairfield	152	71.4	35	55.6	112	77.8	5	83.3
Florence	1,057 *	57.7	288	35.3	731	76.4	37	64.9
Georgetown	353	60.0	101	36.9	235	80.8	17	73.9
Greenville	2,397 *	39.0	963	24.9	1,021	70.0	412	50.2
Greenwood	518	58.2	163	37.4	287	82.7	68	63.6
Hampton	146	63.5	32	39.5	109	77.3	5	62.5
Horry	1,493 *	50.8	800	40.9	493	76.1	198	60.0
Jasper	196	63.6	44	39.6	109	86.5	43	60.6
Kershaw	343	46.9	197	39.1	127	69.8	19	41.3
Lancaster	426	46.8	199	33.4	198	77.3	29	48.3
Laurens	430 *	57.0	206	44.1	188	84.3	35	55.6
Lee	134	72.4	20	37.7	113	86.3	1	100.0
Lexington	1,278 *	39.5	713	31.3	403	60.7	160	55.4
McCormick	41	74.5	8	42.1	33	91.7	-	0
Marion	280	75.3	42	44.2	232	87.2	6	54.5
Marlboro	226	75.8	73	60.8	150	85.7	3	100.0
Newberry	234	57.1	60	33.3	137	82.5	37	57.8
Oconee	346	42.5	267	39.3	54	69.2	25	44.6
Orangeburg	761	70.1	123	44.4	617	79.5	21	67.7
Pickens	478 *	40.6	389	38.6	64	61.5	24	38.7
Richland	2,354 *	49.3	335	19.2	1,861	67.9	154	52.9
Saluda	154	58.8	35	34.0	61	91.0	58	63.0
Spartanburg	1,582	44.2	768	32.9	677	73.8	137	41.4
Sumter	782 *	50.8	170	25.8	581	72.7	30	37.5
Union	197	65.4	103	53.6	92	86.0	2	100.0
Williamsburg	220	64.0	37	32.2	183	79.9	-	0
York	1,216 *	40.8	590	29.6	516	67.2	109	49.1
Unknown	-	0	-	0	-	0	-	0

* Includes unknown race

Table C-22.
 Live Births to Unmarried Mothers by Age Group
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	27,285 *	64	5,052	11,294	6,305	3,158	1,157	247	8	-
Abbeville	142	-	26	69	27	16	4	-	-	-
Aiken	915 *	4	198	398	195	81	30	9	-	-
Allendale	77 *	-	18	25	17	11	3	3	-	-
Anderson	1,061	2	217	486	203	115	33	5	-	-
Bamberg	94	2	10	40	23	13	4	2	-	-
Barnwell	216	2	38	98	61	12	5	-	-	-
Beaufort	762 *	3	116	291	193	108	37	14	-	-
Berkeley	979	-	167	388	243	127	44	9	1	-
Calhoun	74	-	13	31	19	6	4	1	-	-
Charleston	1,924	7	237	729	548	267	112	23	1	-
Cherokee	402	-	103	180	66	39	11	2	1	-
Chester	295	-	54	148	48	34	10	1	-	-
Chesterfield	337	2	72	149	68	31	11	4	-	-
Clarendon	229	-	37	87	74	24	6	1	-	-
Colleton	298	-	69	126	63	31	7	2	-	-
Darlington	512	1	116	213	106	49	25	2	-	-
Dillon	312	2	63	130	71	37	5	4	-	-
Dorchester	734 *	2	116	291	170	96	50	9	-	-
Edgefield	128	-	18	52	30	21	4	2	1	-
Fairfield	152	-	28	65	38	13	7	1	-	-
Florence	1,057 *	2	201	427	253	118	51	5	-	-
Georgetown	353	-	61	159	82	34	14	3	-	-
Greenville	2,397 *	3	447	956	562	295	110	24	-	-
Greenwood	518	-	100	233	115	50	16	4	-	-
Hampton	146	-	34	65	25	19	2	1	-	-
Horry	1,493 *	3	252	571	375	192	86	13	1	-
Jasper	196	-	33	67	52	33	10	1	-	-
Kershaw	343	-	68	142	72	40	16	5	-	-
Lancaster	426	1	102	169	87	53	13	1	-	-
Laurens	430 *	1	92	180	98	40	16	3	-	-
Lee	134	3	27	55	24	20	4	1	-	-
Lexington	1,278 *	2	221	543	291	139	64	17	1	-
McCormick	41	-	7	15	13	5	1	-	-	-
Marion	280	-	54	124	66	25	9	2	-	-
Marlboro	226	2	48	91	56	19	7	2	1	-
Newberry	234	-	46	101	46	30	10	1	-	-
Oconee	346	4	89	150	65	28	10	-	-	-
Orangeburg	761	2	146	311	179	84	32	7	-	-
Pickens	478 *	3	112	225	76	48	11	3	-	-
Richland	2,354 *	6	357	941	592	322	107	28	1	-
Saluda	154	1	19	56	38	30	8	2	-	-
Spartanburg	1,582	-	355	675	337	152	54	9	-	-
Sumter	782 *	4	152	329	170	97	26	4	-	-
Union	197	-	34	97	51	11	3	1	-	-
Williamsburg	220	-	48	94	45	22	9	2	-	-
York	1,216 *	-	231	522	272	121	56	14	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

*Includes unknown race

Table C-22A.
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	10,457	15	2,210	4,458	2,240	1,030	397	101	6	-
Abbeville	64	-	12	37	9	4	2	-	-	-
Aiken	414	2	96	185	81	34	12	4	-	-
Allendale	7	-	1	2	1	2	1	-	-	-
Anderson	651	-	151	305	116	63	14	2	-	-
Bamberg	24	-	3	12	5	4	-	-	-	-
Barnwell	58	-	13	27	16	2	-	-	-	-
Beaufort	225	-	39	86	55	32	7	6	-	-
Berkeley	470	-	95	203	105	47	17	3	-	-
Calhoun	23	-	4	10	4	2	2	1	-	-
Charleston	494	-	54	154	145	91	40	9	1	-
Cherokee	218	-	60	103	32	15	6	1	1	-
Chester	112	-	23	58	16	11	3	1	-	-
Chesterfield	152	1	34	67	35	9	4	2	-	-
Clarendon	45	-	11	15	11	6	2	-	-	-
Colleton	102	-	26	44	22	9	-	1	-	-
Darlington	178	-	33	85	37	14	8	1	-	-
Dillon	84	-	22	35	18	8	-	1	-	-
Dorchester	342	-	56	144	77	42	19	4	-	-
Edgefield	33	-	2	14	9	6	1	-	1	-
Fairfield	35	-	6	17	6	4	2	-	-	-
Florence	288	-	50	119	83	25	10	1	-	-
Georgetown	101	-	21	45	24	8	1	2	-	-
Greenville	963	-	202	400	217	98	37	9	-	-
Greenwood	163	-	37	87	21	12	5	1	-	-
Hampton	32	-	7	13	7	3	2	-	-	-
Horry	800	2	144	308	195	96	48	6	1	-
Jasper	44	-	8	13	12	6	5	-	-	-
Kershaw	197	-	44	87	34	19	9	4	-	-
Lancaster	199	-	58	79	39	16	6	1	-	-
Laurens	206	-	51	84	46	17	6	2	-	-
Lee	20	2	4	9	3	1	1	-	-	-
Lexington	713	1	129	325	157	58	29	13	1	-
McCormick	8	-	1	2	3	2	-	-	-	-
Marion	42	-	11	18	7	3	3	-	-	-
Marlboro	73	1	17	33	12	6	3	1	-	-
Newberry	60	-	15	32	7	6	-	-	-	-
Oconee	267	2	71	120	49	18	7	-	-	-
Orangeburg	123	-	34	37	34	12	3	3	-	-
Pickens	389	3	98	183	55	37	11	2	-	-
Richland	335	-	44	122	95	50	17	6	1	-
Saluda	35	-	9	12	6	4	2	2	-	-
Spartanburg	768	-	206	344	134	59	19	6	-	-
Sumter	170	1	43	67	37	15	6	1	-	-
Union	103	-	20	51	24	5	2	1	-	-
Williamsburg	37	-	13	10	9	5	-	-	-	-
York	590	-	132	255	130	44	25	4	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	14,453	44	2,478	6,104	3,440	1,709	572	105	1	-
Abbeville	76	-	13	31	18	12	2	-	-	-
Aiken	434	2	84	192	96	40	17	3	-	-
Allendale	68	-	17	23	15	9	2	2	-	-
Anderson	360	2	60	165	71	44	16	2	-	-
Bamberg	69	2	7	28	18	8	4	2	-	-
Barnwell	149	2	24	69	42	7	5	-	-	-
Beaufort	356	2	53	143	93	44	17	4	-	-
Berkeley	422	-	58	164	110	60	26	4	-	-
Calhoun	49	-	9	19	15	4	2	-	-	-
Charleston	1,230	6	158	526	344	140	45	11	-	-
Cherokee	167	-	39	71	29	23	5	-	-	-
Chester	179	-	29	89	32	23	6	-	-	-
Chesterfield	180	1	36	81	33	21	7	1	-	-
Clarendon	174	-	24	65	62	18	4	1	-	-
Colleton	176	-	39	74	34	22	6	1	-	-
Darlington	328	1	83	125	67	34	17	1	-	-
Dillon	220	2	41	92	51	26	5	3	-	-
Dorchester	342	1	51	130	80	50	27	3	-	-
Edgefield	90	-	15	37	20	14	3	1	-	-
Fairfield	112	-	19	47	32	9	4	1	-	-
Florence	731	2	145	294	162	85	39	4	-	-
Georgetown	235	-	39	106	52	24	13	1	-	-
Greenville	1,021	2	171	435	247	117	40	9	-	-
Greenwood	287	-	46	129	75	31	5	1	-	-
Hampton	109	-	25	50	17	16	-	1	-	-
Horry	493	1	87	202	113	66	18	6	-	-
Jasper	109	-	17	45	29	16	2	-	-	-
Kershaw	127	-	20	50	32	18	6	1	-	-
Lancaster	198	1	37	83	42	30	5	-	-	-
Laurens	188	1	38	85	41	18	5	-	-	-
Lee	113	1	22	46	21	19	3	1	-	-
Lexington	403	1	63	162	96	59	20	2	-	-
McCormick	33	-	6	13	10	3	1	-	-	-
Marion	232	-	42	106	56	21	5	2	-	-
Marlboro	150	1	30	56	44	13	4	1	1	-
Newberry	137	-	25	64	31	12	4	1	-	-
Oconee	54	1	10	24	12	5	2	-	-	-
Orangeburg	617	2	112	263	139	68	29	4	-	-
Pickens	64	-	12	36	10	6	-	-	-	-
Richland	1,861	6	300	764	454	240	80	17	-	-
Saluda	61	1	8	24	16	12	-	-	-	-
Spartanburg	677	-	125	285	174	67	24	2	-	-
Sumter	581	3	105	251	126	74	19	3	-	-
Union	92	-	13	45	27	6	1	-	-	-
Williamsburg	183	-	35	84	36	17	9	2	-	-
York	516	-	86	231	116	58	18	7	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,357	5	362	727	622	413	186	41	1	-
Abbeville	2	-	1	1	-	-	-	-	-	-
Aiken	66	-	17	21	18	7	1	2	-	-
Allendale	1	-	-	-	-	-	-	1	-	-
Anderson	50	-	6	16	16	8	3	1	-	-
Bamberg	1	-	-	-	-	1	-	-	-	-
Barnwell	9	-	1	2	3	3	-	-	-	-
Beaufort	180	1	24	62	45	31	13	4	-	-
Berkeley	87	-	14	21	28	20	1	2	1	-
Calhoun	2	-	-	2	-	-	-	-	-	-
Charleston	200	1	25	49	59	36	27	3	-	-
Cherokee	17	-	4	6	5	1	-	1	-	-
Chester	4	-	2	1	-	-	1	-	-	-
Chesterfield	5	-	2	1	-	1	-	1	-	-
Clarendon	10	-	2	7	1	-	-	-	-	-
Colleton	20	-	4	8	7	-	1	-	-	-
Darlington	6	-	-	3	2	1	-	-	-	-
Dillon	8	-	-	3	2	3	-	-	-	-
Dorchester	49	1	9	16	13	4	4	2	-	-
Edgefield	5	-	1	1	1	1	-	1	-	-
Fairfield	5	-	3	1	-	-	1	-	-	-
Florence	37	-	6	14	8	7	2	-	-	-
Georgetown	17	-	1	8	6	2	-	-	-	-
Greenville	412	1	74	121	98	79	33	6	-	-
Greenwood	68	-	17	17	19	7	6	2	-	-
Hampton	5	-	2	2	1	-	-	-	-	-
Horry	198	-	21	61	67	29	19	1	-	-
Jasper	43	-	8	9	11	11	3	1	-	-
Kershaw	19	-	4	5	6	3	1	-	-	-
Lancaster	29	-	7	7	6	7	2	-	-	-
Laurens	35	-	3	10	11	5	5	1	-	-
Lee	1	-	1	-	-	-	-	-	-	-
Lexington	160	-	29	56	36	22	15	2	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	6	-	1	-	3	1	1	-	-	-
Marlboro	3	-	1	2	-	-	-	-	-	-
Newberry	37	-	6	5	8	12	6	-	-	-
Oconee	25	1	8	6	4	5	1	-	-	-
Orangeburg	21	-	-	11	6	4	-	-	-	-
Pickens	24	-	2	5	11	5	-	1	-	-
Richland	154	-	12	53	43	31	10	5	-	-
Saluda	58	-	2	20	16	14	6	-	-	-
Spartanburg	137	-	24	46	29	26	11	1	-	-
Sumter	30	-	4	11	7	7	1	-	-	-
Union	2	-	1	1	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	109	-	13	36	26	19	12	3	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races, the highest percentage of births weighed between 3,000-3,499 grams. However, the median birthweight for non-hispanic whites was the greatest, followed by hispanic and non-hispanic black and other. Figure C-7 illustrates the birthweight distribution by race.

Table C-23.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2012
(Residence Data)

Weight Group	Total		Non-Hispanic White		Non-Hispanic Black & Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	57,100	100.0	32,768	100.0	19,634	100.0	4,649	100.0
Less Than 2,500 grams	5,453	9.5	2,430	7.4	2,742	14.0	279	6.0
Under 500 grams	104	0.2	31	0.1	72	0.4	15	0.3
500-999 grams	400	0.7	132	0.4	253	1.3	15	0.3
1,000-1,499 grams	519	0.9	223	0.7	266	1.4	30	0.6
1,500-1,999 grams	1,086	1.9	501	1.5	535	2.7	50	1.1
2,000-2,499 grams	3,344	5.9	1,543	4.7	1,616	8.2	184	4.0
2,500 or More grams	51,608	90.4	30,324	92.5	16,877	86.0	4,365	93.9
Unknown Weight	39	0.1	14	0.0	15	0.1	5	0.1

Figure C-7.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2012
(Residence Data)




Table C-24.
Live Births by Birthweight, Age and Race of Mother
South Carolina, 2012
(Residence Data)

Age and Race	Birthweight						
	Total Births	< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000 + Grams	Not Stated
South Carolina	57,100 *	104	919	4,430	51,551	57	39
Non-Hispanic White	32,768	31	355	2,044	30,285	39	14
Non-Hispanic Black/Other	19,634	72	519	2,151	16,863	14	15
Hispanic	4,649	-	45	234	4,361	4	5
Under 15 Years	65	-	3	6	56	-	-
Non-Hispanic White	15	-	1	1	13	-	-
Non-Hispanic Black/Other	45	-	2	4	39	-	-
Hispanic	5	-	-	1	4	-	-
15-19 Years	5,532 *	12	94	485	4,936	2	3
Non-Hispanic White	2,562	3	38	188	2,331	-	2
Non-Hispanic Black/Other	2,525	8	53	276	2,185	2	1
Hispanic	442	-	3	21	418	-	-
20-24 Years	16,146 *	38	265	1,342	14,477	13	11
Non-Hispanic White	8,061	11	88	538	7,414	8	2
Non-Hispanic Black/Other	6,892	27	163	751	5,942	5	4
Hispanic	1,187	-	14	53	1,117	-	3
25-34 Years	28,898 *	41	434	2,047	26,328	27	21
Non-Hispanic White	18,040	13	178	1,032	16,789	19	9
Non-Hispanic Black/Other	8,397	28	235	895	7,226	5	8
Hispanic	2,428	-	21	120	2,282	3	2
35-44 Years	6,421 *	13	123	545	5,722	14	4
Non-Hispanic White	4,060	4	50	282	3,712	11	1
Non-Hispanic Black/Other	1,769	9	66	223	1,467	2	2
Hispanic	585	-	7	39	538	1	-
45 and Over	37	-	-	5	31	1	-
Non-Hispanic White	29	-	-	3	25	1	-
Non-Hispanic Black/Other	6	-	-	2	4	-	-
Hispanic	2	-	-	-	2	-	-
Not Stated	1	-	-	-	1	-	-
Non-Hispanic White	1	-	-	-	1	-	-
Non-Hispanic Black/Other	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

Table C-25.
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000+ Grams	Unknown
South Carolina	57,100 *	104	919	4,430	51,551	57	39
Non-Hispanic White	32,768	31	355	2,044	30,285	39	14
Non-Hispanic Black/Other	19,634	72	519	2,151	16,863	14	15
Hispanic	4,649	-	45	234	4,361	4	5
Abbeville	253	1	5	21	226	-	-
Non-Hispanic White	162	-	2	8	152	-	-
Non-Hispanic Black/Other	87	1	3	13	70	-	-
Hispanic	4	-	-	-	4	-	-
Aiken	1,915 *	5	32	137	1,715	2	24
Non-Hispanic White	1,156	3	14	69	1,058	2	10
Non-Hispanic Black/Other	601	2	15	61	513	-	10
Hispanic	151	-	3	7	137	-	4
Allendale	95 *	1	-	8	86	-	-
Non-Hispanic White	15	-	-	1	14	-	-
Non-Hispanic Black/Other	77	1	-	7	69	-	-
Hispanic	2	-	-	-	2	-	-
Anderson	2,188 *	1	31	164	1,989	3	-
Non-Hispanic White	1,622	-	19	96	1,505	2	-
Non-Hispanic Black/Other	473	1	11	64	396	1	-
Hispanic	92	-	1	4	87	-	-
Bamberg	152	-	3	11	137	1	-
Non-Hispanic White	54	-	-	1	52	1	-
Non-Hispanic Black/Other	96	-	3	10	83	-	-
Hispanic	2	-	-	-	2	-	-
Barnwell	320	-	8	22	289	-	1
Non-Hispanic White	131	-	1	4	126	-	-
Non-Hispanic Black/Other	173	-	6	16	151	-	-
Hispanic	16	-	1	2	12	-	1
Beaufort	2,027 *	1	30	150	1,839	6	1
Non-Hispanic White	1,099	1	13	59	1,022	4	-
Non-Hispanic Black/Other	546	-	16	72	456	2	-
Hispanic	380	-	1	19	360	-	-
Berkeley	2,600 *	3	36	170	2,390	1	-
Non-Hispanic White	1,664	-	12	100	1,551	1	-
Non-Hispanic Black/Other	727	3	23	62	639	-	-
Hispanic	207	-	1	8	198	-	-
Calhoun	147	-	1	11	135	-	-
Non-Hispanic White	73	-	-	2	71	-	-
Non-Hispanic Black/Other	68	-	1	9	58	-	-
Hispanic	6	-	-	-	6	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Charleston	4,685 *	1	53	350	4,279	2	-
Non-Hispanic White	2,610	-	16	156	2,438	-	-
Non-Hispanic Black/Other	1,663	1	34	175	1,453	-	-
Hispanic	409	-	3	18	386	2	-
Cherokee	676	-	15	65	596	-	-
Non-Hispanic White	452	-	9	34	409	-	-
Non-Hispanic Black/Other	196	-	5	30	161	-	-
Hispanic	28	-	1	1	26	-	-
Chester	442 *	1	7	41	391	1	1
Non-Hispanic White	231	-	2	16	213	-	-
Non-Hispanic Black/Other	203	1	5	22	174	1	-
Hispanic	7	-	-	3	4	-	-
Chesterfield	518	1	6	46	465	-	-
Non-Hispanic White	291	-	3	26	262	-	-
Non-Hispanic Black/Other	209	1	3	19	186	-	-
Hispanic	18	-	-	1	17	-	-
Clarendon	362	2	10	22	326	1	1
Non-Hispanic White	129	-	1	4	124	-	-
Non-Hispanic Black/Other	215	2	9	17	185	1	1
Hispanic	18	-	-	1	17	-	-
Colleton	454	2	4	35	413	-	-
Non-Hispanic White	213	-	1	11	201	-	-
Non-Hispanic Black/Other	213	2	3	23	185	-	-
Hispanic	28	-	-	1	27	-	-
Darlington	823	-	16	95	711	1	-
Non-Hispanic White	407	-	7	34	365	1	-
Non-Hispanic Black/Other	403	-	9	61	333	-	-
Hispanic	13	-	-	-	13	-	-
Dillon	437	2	8	42	385	-	-
Non-Hispanic White	167	-	1	13	153	-	-
Non-Hispanic Black/Other	252	2	7	27	216	-	-
Hispanic	18	-	-	2	16	-	-
Dorchester	1,833 *	5	18	132	1,676	2	-
Non-Hispanic White	1,189	1	7	76	1,103	2	-
Non-Hispanic Black/Other	527	3	11	51	462	-	-
Hispanic	113	-	-	5	108	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Edgefield	205	-	1	14	188	-	2
Non-Hispanic White	85	-	-	6	77	-	2
Non-Hispanic Black/Other	109	-	1	8	100	-	-
Hispanic	11	-	-	-	11	-	-
Fairfield	213	2	10	12	189	-	-
Non-Hispanic White	63	-	1	5	57	-	-
Non-Hispanic Black/Other	144	2	9	7	126	-	-
Hispanic	6	-	-	-	6	-	-
Florence	1,832 *	8	49	181	1,593	1	-
Non-Hispanic White	817	-	8	68	740	1	-
Non-Hispanic Black/Other	957	8	38	106	805	-	-
Hispanic	57	-	3	7	47	-	-
Georgetown	588	1	14	46	527	-	-
Non-Hispanic White	274	-	5	15	254	-	-
Non-Hispanic Black/Other	291	1	9	31	250	-	-
Hispanic	23	-	-	-	23	-	-
Greenville	6,153 *	3	92	385	5,665	7	1
Non-Hispanic White	3,870	2	48	205	3,609	6	-
Non-Hispanic Black/Other	1,459	1	38	141	1,277	1	1
Hispanic	820	-	6	39	775	-	-
Greenwood	890	3	16	74	796	1	-
Non-Hispanic White	436	1	4	30	401	-	-
Non-Hispanic Black/Other	347	2	12	43	290	-	-
Hispanic	107	-	-	1	105	1	-
Hampton	230	2	3	18	207	-	-
Non-Hispanic White	81	-	1	3	77	-	-
Non-Hispanic Black/Other	141	2	1	15	123	-	-
Hispanic	8	-	1	-	7	-	-
Horry	2,938 *	5	37	228	2,665	2	1
Non-Hispanic White	1,957	3	14	144	1,794	2	-
Non-Hispanic Black/Other	648	2	17	69	560	-	-
Hispanic	330	-	6	15	309	-	-
Jasper	308	1	4	29	273	-	1
Non-Hispanic White	111	1	1	7	101	-	1
Non-Hispanic Black/Other	126	-	2	18	106	-	-
Hispanic	71	-	1	4	66	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Kershaw	732	-	22	60	650	-	-
Non-Hispanic White	504	-	11	40	453	-	-
Non-Hispanic Black/Other	182	-	9	16	157	-	-
Hispanic	46	-	2	4	40	-	-
Lancaster	911	5	14	74	818	-	-
Non-Hispanic White	595	4	6	33	552	-	-
Non-Hispanic Black/Other	256	1	8	35	212	-	-
Hispanic	60	-	-	6	54	-	-
Laurens	754 *	1	13	60	678	1	1
Non-Hispanic White	467	1	9	32	425	-	-
Non-Hispanic Black/Other	223	-	4	26	192	1	-
Hispanic	63	-	-	2	61	-	-
Lee	185	2	3	18	162	-	-
Non-Hispanic White	53	-	-	2	51	-	-
Non-Hispanic Black/Other	131	2	3	16	110	-	-
Hispanic	1	-	-	-	1	-	-
Lexington	3,232 *	5	39	225	2,961	2	-
Non-Hispanic White	2,275	1	27	141	2,104	2	-
Non-Hispanic Black/Other	664	4	10	70	580	-	-
Hispanic	289	-	2	14	273	-	-
McCormick	55	-	1	10	44	-	-
Non-Hispanic White	19	-	-	1	18	-	-
Non-Hispanic Black/Other	36	-	1	9	26	-	-
Hispanic	-	-	-	-	-	-	-
Marion	372	3	13	32	324	-	-
Non-Hispanic White	95	-	1	7	87	-	-
Non-Hispanic Black/Other	266	3	12	25	226	-	-
Hispanic	11	-	-	-	11	-	-
Marlboro	298	-	8	27	263	-	-
Non-Hispanic White	120	-	1	10	109	-	-
Non-Hispanic Black/Other	175	-	7	17	151	-	-
Hispanic	3	-	-	-	3	-	-
Newberry	410	1	7	44	357	1	-
Non-Hispanic White	180	-	2	14	163	1	-
Non-Hispanic Black/Other	166	1	5	26	134	-	-
Hispanic	64	-	-	4	60	-	-
Oconee	814	1	9	51	752	1	-
Non-Hispanic White	680	1	7	42	629	1	-
Non-Hispanic Black/Other	78	-	2	6	70	-	-
Hispanic	56	-	-	3	53	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Orangeburg	1,085 *	5	21	116	942	1	-
Non-Hispanic White	277	-	2	27	248	-	-
Non-Hispanic Black/Other	776	5	17	89	664	1	-
Hispanic	31	-	2	-	29	-	-
Pickens	1,177 *	4	13	80	1,078	2	-
Non-Hispanic White	1,008	2	11	62	931	2	-
Non-Hispanic Black/Other	104	2	1	17	84	-	-
Hispanic	62	-	1	1	60	-	-
Richland	4,779 *	14	93	423	4,242	6	1
Non-Hispanic White	1,742	3	20	84	1,630	5	-
Non-Hispanic Black/Other	2,739	11	70	318	2,339	1	-
Hispanic	291	-	3	21	267	-	-
Saluda	262	1	6	17	238	-	-
Non-Hispanic White	103	-	3	9	91	-	-
Non-Hispanic Black/Other	67	1	2	6	58	-	-
Hispanic	92	-	1	2	89	-	-
Spartanburg	3,582	-	54	278	3,246	3	1
Non-Hispanic White	2,334	-	27	163	2,143	1	-
Non-Hispanic Black/Other	917	-	23	95	796	2	1
Hispanic	331	-	4	20	307	-	-
Sumter	1,540 *	2	38	115	1,380	3	2
Non-Hispanic White	658	1	6	37	612	1	1
Non-Hispanic Black/Other	799	1	32	74	689	2	1
Hispanic	80	-	-	4	76	-	-
Union	301	-	6	24	271	-	-
Non-Hispanic White	192	-	-	16	176	-	-
Non-Hispanic Black/Other	107	-	6	8	93	-	-
Hispanic	2	-	-	-	2	-	-
Williamsburg	344	2	11	37	293	1	-
Non-Hispanic White	115	2	6	6	101	-	-
Non-Hispanic Black/Other	229	-	5	31	192	1	-
Hispanic	-	-	-	-	-	-	-
York	2,983 *	7	39	230	2,701	5	1
Non-Hispanic White	1,992	4	26	125	1,833	4	-
Non-Hispanic Black/Other	768	3	11	90	663	-	1
Hispanic	222	-	2	15	204	1	-
Unknown	-	-	-	-	-	-	-
Non-Hispanic White	-	-	-	-	-	-	-
Non-Hispanic Black/Other	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.5 percent of the 57,100 resident births in 2012. In relation to age of mother, low weight births were comparatively frequent among very young mothers. In year 2012, 10.7 percent of all lives births to mothers 15-19 were low weight. Only 8.9 percent of all live births to mothers 25-34 were low weight. Only 8.9 percent of all live births to mothers 25-34 were low weight. Only 8.9 percent of all live births to mothers 25-34 were low weight.

Figure C-8
Percent* of Live Births Less than 2,500 Grams by Age and Race of Mother
South Carolina, 2012
(Residence Data)




Table C-26.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2012
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 +
Total	13.8	10.7	10.2	8.7	10.6	13.5
Non-Hispanic White	13.3	8.9	7.9	6.8	8.3	10.3
Non-Hispanic Black & Other	13.3	13.3	13.7	13.8	16.8	33.3
Hispanic	20.0	5.4	5.6	5.8	7.9	0.0

* Percentages are based on total live births within each age group

Table C-27.
 Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	5,453 *	9.5	2,430	7.4	2,742	14.0	279	6.0
Abbeville	27	10.7	10	6.2	17	19.5	-	0
Aiken	174	9.1	86	7.4	78	13.0	10	6.6
Allendale	9	9.5	1	6.7	8	10.4	-	0
Anderson	196	9.0	115	7.1	76	16.1	5	5.4
Bamberg	14	9.2	1	1.9	13	13.5	-	0
Barnwell	30	9.4	5	3.8	22	12.7	3	18.8
Beaufort	181	8.9	73	6.6	88	16.1	20	5.3
Berkeley	209	8.0	112	6.7	88	12.1	9	4.3
Calhoun	12	8.2	2	2.7	10	14.7	-	0
Charleston	404 *	8.6	172	6.6	210	12.6	21	5.1
Cherokee	80	11.8	43	9.5	35	17.9	2	7.1
Chester	49	11.1	18	7.8	28	13.8	3	42.9
Chesterfield	53	10.2	29	10.0	23	11.0	1	5.6
Clarendon	34	9.4	5	3.9	28	13.0	1	5.6
Colleton	41	9.0	12	5.6	28	13.1	1	3.6
Darlington	111	13.5	41	10.1	70	17.4	-	0
Dillon	52	11.9	14	8.4	36	14.3	2	11.1
Dorchester	155 *	8.5	84	7.1	65	12.3	5	4.4
Edgefield	15	7.3	6	7.1	9	8.3	-	0
Fairfield	24	11.3	6	9.5	18	12.5	-	0
Florence	238	13.0	76	9.3	152	15.9	10	17.5
Georgetown	61	10.4	20	7.3	41	14.1	-	0
Greenville	480	7.8	255	6.6	180	12.3	45	5.5
Greenwood	93	10.4	35	8.0	57	16.4	1	0.9
Hampton	23	10.0	4	4.9	18	12.8	1	12.5
Horry	270	9.2	161	8.2	88	13.6	21	6.4
Jasper	34	11.0	9	8.1	20	15.9	5	7.0
Kershaw	82	11.2	51	10.1	25	13.7	6	13.0
Lancaster	93	10.2	43	7.2	44	17.2	6	10.0
Laurens	74	9.8	42	9.0	30	13.5	2	3.2
Lee	23	12.4	2	3.8	21	16.0	-	0
Lexington	269	8.3	169	7.4	84	12.7	16	5.5
McCormick	11	20.0	1	5.3	10	27.8	-	0
Marion	48	12.9	8	8.4	40	15.0	-	0
Marlboro	35	11.7	11	9.2	24	13.7	-	0
Newberry	52	12.7	16	8.9	32	19.3	4	6.3
Oconee	61	7.5	50	7.4	8	10.3	3	5.4
Orangeburg	142	13.1	29	10.5	111	14.3	2	6.5
Pickens	97	8.2	75	7.4	20	19.2	2	3.2
Richland	530	11.1	107	6.1	399	14.6	24	8.2
Saluda	24	9.2	12	11.7	9	13.4	3	3.3
Spartanburg	332	9.3	190	8.1	118	12.9	24	7.3
Sumter	155	10.1	44	6.7	107	13.4	4	5.0
Union	30	10.0	16	8.3	14	13.1	-	0
Williamsburg	50	14.5	14	12.2	36	15.7	-	0
York	276	9.3	155	7.8	104	13.5	17	7.7
Unknown	-	0	-	0	-	0	-	0

¹ Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28.
 Low Weight¹ Live Births by Age of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	5,453 *	9	591	1,645	1,371	1,151	550	131	5	-
Abbeville	27	-	5	15	1	6	-	-	-	-
Aiken	174	1	29	53	44	34	12	1	-	-
Allendale	9	-	3	2	-	2	1	1	-	-
Anderson	196	-	31	61	42	43	16	3	-	-
Bamberg	14	-	1	3	4	4	1	1	-	-
Barnwell	30	-	1	10	10	3	5	1	-	-
Beaufort	181	2	16	51	49	40	18	5	-	-
Berkeley	209	-	13	60	56	51	23	6	-	-
Calhoun	12	-	-	6	3	3	-	-	-	-
Charleston	404 *	1	28	100	97	115	53	8	2	-
Cherokee	80	-	11	25	24	12	7	1	-	-
Chester	49	-	7	16	10	5	8	3	-	-
Chesterfield	53	-	7	17	10	13	6	-	-	-
Clarendon	34	-	3	11	14	5	1	-	-	-
Colleton	41	-	4	13	14	8	1	1	-	-
Darlington	111	-	20	37	26	11	13	4	-	-
Dillon	52	1	5	17	14	12	2	1	-	-
Dorchester	155 *	-	14	37	45	33	22	4	-	-
Edgefield	15	-	1	5	8	1	-	-	-	-
Fairfield	24	-	3	10	7	3	1	-	-	-
Florence	238	-	29	71	63	55	15	5	-	-
Georgetown	61	-	7	21	10	12	10	1	-	-
Greenville	480	-	48	122	127	112	59	12	-	-
Greenwood	93	-	13	26	23	20	10	1	-	-
Hampton	23	-	3	7	6	6	1	-	-	-
Horry	270	1	25	91	63	58	27	5	-	-
Jasper	34	-	6	10	7	8	3	-	-	-
Kershaw	82	-	7	24	28	13	10	-	-	-
Lancaster	93	1	11	28	23	20	6	4	-	-
Laurens	74	-	13	22	17	10	10	2	-	-
Lee	23	-	5	9	6	3	-	-	-	-
Lexington	269	-	28	69	66	54	40	12	-	-
McCormick	11	-	-	4	4	3	-	-	-	-
Marion	48	-	7	18	12	9	2	-	-	-
Marlboro	35	1	10	14	3	3	2	1	1	-
Newberry	52	-	5	15	22	6	2	2	-	-
Oconee	61	-	8	23	11	12	7	-	-	-
Orangeburg	142	-	17	47	33	27	12	5	1	-
Pickens	97	-	10	34	25	18	6	4	-	-
Richland	530	1	46	151	149	113	54	16	-	-
Saluda	24	-	2	6	7	6	3	-	-	-
Spartanburg	332	-	42	117	72	65	29	6	1	-
Sumter	155	-	21	50	44	26	10	4	-	-
Union	30	-	4	14	5	6	1	-	-	-
Williamsburg	50	-	4	17	12	10	5	2	-	-
York	276	-	18	86	55	72	36	9	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹ Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28A.
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,430	2	229	637	639	584	274	62	3	-
Abbeville	10	-	2	6	1	1	-	-	-	-
Aiken	86	1	12	23	21	21	8	-	-	-
Allendale	1	-	-	-	-	1	-	-	-	-
Anderson	115	-	15	37	26	28	8	1	-	-
Bamberg	1	-	-	1	-	-	-	-	-	-
Barnwell	5	-	-	2	3	-	-	-	-	-
Beaufort	73	-	3	19	21	21	8	1	-	-
Berkeley	112	-	7	29	26	34	12	4	-	-
Calhoun	2	-	-	-	2	-	-	-	-	-
Charleston	172	-	5	27	34	72	27	5	2	-
Cherokee	43	-	4	14	15	4	5	1	-	-
Chester	18	-	3	7	4	2	2	-	-	-
Chesterfield	29	-	4	6	7	6	6	-	-	-
Clarendon	5	-	1	2	1	1	-	-	-	-
Colleton	12	-	1	5	4	2	-	-	-	-
Darlington	41	-	4	15	11	6	3	2	-	-
Dillon	14	-	2	3	4	5	-	-	-	-
Dorchester	84	-	4	23	26	19	9	3	-	-
Edgefield	6	-	-	1	4	1	-	-	-	-
Fairfield	6	-	1	2	1	2	-	-	-	-
Florence	76	-	4	15	24	25	6	2	-	-
Georgetown	20	-	1	6	3	4	5	1	-	-
Greenville	255	-	21	52	76	65	33	8	-	-
Greenwood	35	-	4	7	7	9	7	1	-	-
Hampton	4	-	1	-	2	1	-	-	-	-
Horry	161	-	12	46	45	38	17	3	-	-
Jasper	9	-	2	2	1	2	2	-	-	-
Kershaw	51	-	6	10	18	8	9	-	-	-
Lancaster	43	-	8	10	11	8	2	4	-	-
Laurens	42	-	7	11	7	7	8	2	-	-
Lee	2	-	1	-	1	-	-	-	-	-
Lexington	169	-	21	44	40	36	23	5	-	-
McCormick	1	-	-	-	1	-	-	-	-	-
Marion	8	-	2	4	1	-	1	-	-	-
Marlboro	11	1	6	2	-	1	1	-	-	-
Newberry	16	-	1	5	8	2	-	-	-	-
Oconee	50	-	6	17	11	10	6	-	-	-
Orangeburg	29	-	7	8	8	4	1	1	-	-
Pickens	75	-	8	25	22	14	4	2	-	-
Richland	107	-	3	16	32	29	19	8	-	-
Saluda	12	-	1	2	4	2	3	-	-	-
Spartanburg	190	-	22	67	40	39	17	4	1	-
Sumter	44	-	2	12	21	7	2	-	-	-
Union	16	-	3	8	3	2	-	-	-	-
Williamsburg	14	-	-	2	5	6	1	-	-	-
York	155	-	12	44	37	39	19	4	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,742	6	337	941	666	492	239	59	2	-
Abbeville	17	-	3	9	-	5	-	-	-	-
Aiken	78	-	16	28	18	11	4	1	-	-
Allendale	8	-	3	2	-	1	1	1	-	-
Anderson	76	-	16	22	14	14	8	2	-	-
Bamberg	13	-	1	2	4	4	1	1	-	-
Barnwell	22	-	1	8	6	3	4	-	-	-
Beaufort	88	1	9	28	22	16	9	3	-	-
Berkeley	88	-	5	31	27	15	9	1	-	-
Calhoun	10	-	-	6	1	3	-	-	-	-
Charleston	210	1	22	68	57	39	22	1	-	-
Cherokee	35	-	7	11	8	7	2	-	-	-
Chester	28	-	4	9	6	3	3	3	-	-
Chesterfield	23	-	3	11	2	7	-	-	-	-
Clarendon	28	-	2	8	13	4	1	-	-	-
Colleton	28	-	3	7	10	6	1	1	-	-
Darlington	70	-	16	22	15	5	10	2	-	-
Dillon	36	1	3	14	9	6	2	1	-	-
Dorchester	65	-	9	14	16	14	11	1	-	-
Edgefield	9	-	1	4	4	-	-	-	-	-
Fairfield	18	-	2	8	6	1	1	-	-	-
Florence	152	-	23	52	37	28	9	3	-	-
Georgetown	41	-	6	15	7	8	5	-	-	-
Greenville	180	-	22	63	41	30	20	4	-	-
Greenwood	57	-	9	19	15	11	3	-	-	-
Hampton	18	-	2	6	4	5	1	-	-	-
Horry	88	1	12	37	15	14	7	2	-	-
Jasper	20	-	3	7	5	4	1	-	-	-
Kershaw	25	-	1	10	9	4	1	-	-	-
Lancaster	44	1	3	16	12	8	4	-	-	-
Laurens	30	-	5	11	10	2	2	-	-	-
Lee	21	-	4	9	5	3	-	-	-	-
Lexington	84	-	6	20	21	16	16	5	-	-
McCormick	10	-	-	4	3	3	-	-	-	-
Marion	40	-	5	14	11	9	1	-	-	-
Marlboro	24	-	4	12	3	2	1	1	1	-
Newberry	32	-	4	10	12	3	2	1	-	-
Oconee	8	-	1	5	-	2	-	-	-	-
Orangeburg	111	-	10	38	25	22	11	4	1	-
Pickens	20	-	2	8	2	4	2	2	-	-
Richland	399	1	41	130	111	77	32	7	-	-
Saluda	9	-	1	4	2	2	-	-	-	-
Spartanburg	118	-	17	47	30	16	7	1	-	-
Sumter	107	-	19	35	22	19	8	4	-	-
Union	14	-	1	6	2	4	1	-	-	-
Williamsburg	36	-	4	15	7	4	4	2	-	-
York	104	-	6	36	17	28	12	5	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	279	1	24	67	66	75	37	9	-	-
Abbeville	-	-	-	-	-	-	-	-	-	-
Aiken	10	-	1	2	5	2	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	5	-	-	2	2	1	-	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-
Barnwell	3	-	-	-	1	-	1	1	-	-
Beaufort	20	1	4	4	6	3	1	1	-	-
Berkeley	9	-	1	-	3	2	2	1	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	21	-	1	5	6	4	4	1	-	-
Cherokee	2	-	-	-	1	1	-	-	-	-
Chester	3	-	-	-	-	-	3	-	-	-
Chesterfield	1	-	-	-	1	-	-	-	-	-
Clarendon	1	-	-	1	-	-	-	-	-	-
Colleton	1	-	-	1	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-
Dillon	2	-	-	-	1	1	-	-	-	-
Dorchester	5	-	-	-	3	-	2	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Florence	10	-	2	4	2	2	-	-	-	-
Georgetown	-	-	-	-	-	-	-	-	-	-
Greenville	45	-	5	7	10	17	6	-	-	-
Greenwood	1	-	-	-	1	-	-	-	-	-
Hampton	1	-	-	1	-	-	-	-	-	-
Horry	21	-	1	8	3	6	3	-	-	-
Jasper	5	-	1	1	1	2	-	-	-	-
Kershaw	6	-	-	4	1	1	-	-	-	-
Lancaster	6	-	-	2	-	4	-	-	-	-
Laurens	2	-	1	-	-	1	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	16	-	1	5	5	2	1	2	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-
Newberry	4	-	-	-	2	1	-	1	-	-
Oconee	3	-	1	1	-	-	1	-	-	-
Orangeburg	2	-	-	1	-	1	-	-	-	-
Pickens	2	-	-	1	1	-	-	-	-	-
Richland	24	-	2	5	6	7	3	1	-	-
Saluda	3	-	-	-	1	2	-	-	-	-
Spartanburg	24	-	3	3	2	10	5	1	-	-
Sumter	4	-	-	3	1	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	17	-	-	6	1	5	5	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-29.
 Very Low Weight¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,023 *	1.8	386	1.2	591	3.0	45	1.0
Abbeville	6	2.4	2	1.2	4	4.6	-	0
Aiken	37	1.9	17	1.5	17	2.8	3	2.0
Allendale	1	1.1	-	0	1	1.3	-	0
Anderson	32	1.5	19	1.2	12	2.5	1	1.1
Bamberg	3	2.0	-	0	3	3.1	-	0
Barnwell	8	2.5	1	0.8	6	3.5	1	6.3
Beaufort	31	1.5	14	1.3	16	2.9	1	0.3
Berkeley	39	1.5	12	0.7	26	3.6	1	0.5
Calhoun	1	0.7	-	0	1	1.5	-	0
Charleston	54	1.2	16	0.6	35	2.1	3	0.7
Cherokee	15	2.2	9	2.0	5	2.6	1	3.6
Chester	8	1.8	2	0.9	6	3.0	-	0
Chesterfield	7	1.4	3	1.0	4	1.9	-	0
Clarendon	12	3.3	1	0.8	11	5.1	-	0
Colleton	6	1.3	1	0.5	5	2.3	-	0
Darlington	16	1.9	7	1.7	9	2.2	-	0
Dillon	10	2.3	1	0.6	9	3.6	-	0
Dorchester	23 *	1.3	8	0.7	14	2.7	-	0
Edgefield	1	0.5	-	0	1	0.9	-	0
Fairfield	12	5.6	1	1.6	11	7.6	-	0
Florence	57	3.1	8	1.0	46	4.8	3	5.3
Georgetown	15	2.6	5	1.8	10	3.4	-	0
Greenville	95	1.5	50	1.3	39	2.7	6	0.7
Greenwood	19	2.1	5	1.1	14	4.0	-	0
Hampton	5	2.2	1	1.2	3	2.1	1	12.5
Horry	42	1.4	17	0.9	19	2.9	6	1.8
Jasper	5	1.6	2	1.8	2	1.6	1	1.4
Kershaw	22	3.0	11	2.2	9	4.9	2	4.3
Lancaster	19	2.1	10	1.7	9	3.5	-	0
Laurens	14	1.9	10	2.1	4	1.8	-	0
Lee	5	2.7	-	0	5	3.8	-	0
Lexington	44	1.4	28	1.2	14	2.1	2	0.7
McCormick	1	1.8	-	0	1	2.8	-	0
Marion	16	4.3	1	1.1	15	5.6	-	0
Marlboro	8	2.7	1	0.8	7	4.0	-	0
Newberry	8	2.0	2	1.1	6	3.6	-	0
Oconee	10	1.2	8	1.2	2	2.6	-	0
Orangeburg	26	2.4	2	0.7	22	2.8	2	6.5
Pickens	17	1.4	13	1.3	3	2.9	1	1.6
Richland	107	2.2	23	1.3	81	3.0	3	1.0
Saluda	7	2.7	3	2.9	3	4.5	1	1.1
Spartanburg	54	1.5	27	1.2	23	2.5	4	1.2
Sumter	40	2.6	7	1.1	33	4.1	-	0
Union	6	2.0	-	0	6	5.6	-	0
Williamsburg	13	3.8	8	7.0	5	2.2	-	0
York	46	1.5	30	1.5	14	1.8	2	0.9
Unknown	-	0	-	0	-	0	-	0

¹ Live birth weighing less than 1,500 grams

* Includes unknown race

Table C-30.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	57,100 *	177	32,768	103	19,634	63	4,649	11
Abbeville	253	1	162	-	87	1	4	-
Aiken	1,915 *	6	1,156	3	601	2	151	1
Allendale	95 *	1	15	1	77	-	2	-
Anderson	2,188 *	6	1,622	6	473	-	92	-
Bamberg	152	-	54	-	96	-	2	-
Barnwell	320	-	131	-	173	-	16	-
Beaufort	2,027 *	6	1,099	5	546	-	380	1
Berkeley	2,600 *	7	1,664	3	727	4	207	-
Calhoun	147	-	73	-	68	-	6	-
Charleston	4,685 *	17	2,610	7	1,663	8	409	2
Cherokee	676	1	452	1	196	-	28	-
Chester	442 *	4	231	1	203	3	7	-
Chesterfield	518	-	291	-	209	-	18	-
Clarendon	362	-	129	-	215	-	18	-
Colleton	454	3	213	3	213	-	28	-
Darlington	823	2	407	1	403	1	13	-
Dillon	437	-	167	-	252	-	18	-
Dorchester	1,833 *	3	1,189	2	527	1	113	-
Edgefield	205	1	85	-	109	1	11	-
Fairfield	213	1	63	-	144	1	6	-
Florence	1,832 *	3	817	-	957	3	57	-
Georgetown	588	6	274	3	291	3	23	-
Greenville	6,153 *	19	3,870	11	1,459	7	820	1
Greenwood	890	2	436	-	347	2	107	-
Hampton	230	1	81	1	141	-	8	-
Horry	2,938 *	8	1,957	5	648	1	330	2
Jasper	308	-	111	-	126	-	71	-
Kershaw	732	3	504	1	182	2	46	-
Lancaster	911	3	595	2	256	1	60	-
Laurens	754 *	3	467	2	223	1	63	-
Lee	185	-	53	-	131	-	1	-
Lexington	3,232 *	9	2,275	6	664	3	289	-
McCormick	55	-	19	-	36	-	-	-
Marion	372	4	95	1	266	3	11	-
Marlboro	298	3	120	2	175	1	3	-
Newberry	410	2	180	2	166	-	64	-
Oconee	814	5	680	5	78	-	56	-
Orangeburg	1,085 *	2	277	1	776	1	31	-
Pickens	1,177 *	6	1,008	6	104	-	62	-
Richland	4,779 *	11	1,742	6	2,739	3	291	2
Saluda	262	1	103	-	67	1	92	-
Spartanburg	3,582	11	2,334	6	917	5	331	-
Sumter	1,540 *	3	658	2	799	1	80	-
Union	301	-	192	-	107	-	2	-
Williamsburg	344	-	115	-	229	-	-	-
York	2,983 *	13	1,992	8	768	3	222	2
Unknown	-	-	-	-	-	-	-	-

* Includes unknown race

Table C-31.
Live Births by Gestational Age
South Carolina and Each County, 2012
(Residence Data)

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	57,100 *	1,134	2.0	6,425	11.3
Abbeville	253	6	2.4	28	11.1
Aiken	1,915 *	43	2.2	215	11.2
Allendale	95 *	2	2.1	11	11.6
Anderson	2,188 *	37	1.7	226	10.3
Bamberg	152	2	1.3	10	6.6
Barnwell	320	8	2.5	31	9.7
Beaufort	2,027 *	31	1.5	230	11.3
Berkeley	2,600 *	48	1.8	282	10.8
Calhoun	147	2	1.4	13	8.8
Charleston	4,685 *	63	1.3	479	10.2
Cherokee	676	16	2.4	97	14.3
Chester	442 *	12	2.7	60	13.6
Chesterfield	518	8	1.5	56	10.8
Clarendon	362	12	3.3	37	10.2
Colleton	454	5	1.1	45	9.9
Darlington	823	21	2.6	104	12.6
Dillon	437	11	2.5	59	13.5
Dorchester	1,833 *	28	1.5	201	11.0
Edgefield	205	-	0	20	9.8
Fairfield	213	13	6.1	30	14.1
Florence	1,832 *	60	3.3	234	12.8
Georgetown	588	13	2.2	60	10.2
Greenville	6,153 *	101	1.6	590	9.6
Greenwood	890	20	2.2	114	12.8
Hampton	230	4	1.7	21	9.1
Horry	2,938 *	45	1.5	366	12.5
Jasper	308	5	1.6	33	10.7
Kershaw	732	24	3.3	113	15.4
Lancaster	911	18	2.0	87	9.5
Laurens	754 *	17	2.3	91	12.1
Lee	185	6	3.2	23	12.4
Lexington	3,232 *	51	1.6	357	11.0
McCormick	55	2	3.6	10	18.2
Marion	372	18	4.8	61	16.4
Marlboro	298	9	3.0	32	10.7
Newberry	410	9	2.2	54	13.2
Oconee	814	9	1.1	88	10.8
Orangeburg	1,085 *	28	2.6	119	11.0
Pickens	1,177 *	22	1.9	122	10.4
Richland	4,779 *	119	2.5	630	13.2
Saluda	262	7	2.7	27	10.3
Spartanburg	3,582	60	1.7	389	10.9
Sumter	1,540 *	42	2.7	181	11.8
Union	301	5	1.7	37	12.3
Williamsburg	344	15	4.4	49	14.2
York	2,983 *	57	1.9	303	10.2
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

* Includes unknown race

Table C-31A.
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	32,768	465	1.4	3,272	10.0
Abbeville	162	2	1.2	12	7.4
Aiken	1,156	23	2.0	126	10.9
Allendale	15	1	6.7	2	13.3
Anderson	1,622	25	1.5	153	9.4
Bamberg	54	-	0	3	5.6
Barnwell	131	1	0.8	6	4.6
Beaufort	1,099	14	1.3	118	10.7
Berkeley	1,664	17	1.0	156	9.4
Calhoun	73	-	0	5	6.8
Charleston	2,610	20	0.8	226	8.7
Cherokee	452	7	1.5	60	13.3
Chester	231	5	2.2	25	10.8
Chesterfield	291	3	1.0	28	9.6
Clarendon	129	-	0	8	6.2
Colleton	213	-	0	18	8.5
Darlington	407	8	2.0	47	11.5
Dillon	167	2	1.2	21	12.6
Dorchester	1,189	11	0.9	128	10.8
Edgefield	85	-	0	8	9.4
Fairfield	63	2	3.2	6	9.5
Florence	817	12	1.5	87	10.6
Georgetown	274	4	1.5	27	9.9
Greenville	3,870	55	1.4	317	8.2
Greenwood	436	4	0.9	51	11.7
Hampton	81	-	0	6	7.4
Horry	1,957	20	1.0	219	11.2
Jasper	111	2	1.8	12	10.8
Kershaw	504	15	3.0	77	15.3
Lancaster	595	12	2.0	50	8.4
Laurens	467	13	2.8	59	12.6
Lee	53	-	0	3	5.7
Lexington	2,275	33	1.5	252	11.1
McCormick	19	-	0	2	10.5
Marion	95	-	0	12	12.6
Marlboro	120	2	1.7	8	6.7
Newberry	180	2	1.1	19	10.6
Oconee	680	8	1.2	76	11.2
Orangeburg	277	3	1.1	23	8.3
Pickens	1,008	18	1.8	96	9.5
Richland	1,742	32	1.8	185	10.6
Saluda	103	3	2.9	13	12.6
Spartanburg	2,334	32	1.4	243	10.4
Sumter	658	10	1.5	54	8.2
Union	192	-	0	20	10.4
Williamsburg	115	8	7.0	18	15.7
York	1,992	36	1.8	187	9.4
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	19,634	616	3.1	2,740	14.0
Abbeville	87	4	4.6	16	18.4
Aiken	601	15	2.5	77	12.8
Allendale	77	1	1.3	9	11.7
Anderson	473	10	2.1	65	13.7
Bamberg	96	2	2.1	7	7.3
Barnwell	173	6	3.5	21	12.1
Beaufort	546	17	3.1	82	15.0
Berkeley	727	30	4.1	104	14.3
Calhoun	68	2	2.9	8	11.8
Charleston	1,663	39	2.3	214	12.9
Cherokee	196	8	4.1	34	17.3
Chester	203	7	3.4	31	15.3
Chesterfield	209	5	2.4	27	12.9
Clarendon	215	12	5.6	29	13.5
Colleton	213	5	2.3	27	12.7
Darlington	403	13	3.2	56	13.9
Dillon	252	8	3.2	33	13.1
Dorchester	527	16	3.0	66	12.5
Edgefield	109	-	0	12	11.0
Fairfield	144	11	7.6	22	15.3
Florence	957	45	4.7	138	14.4
Georgetown	291	9	3.1	32	11.0
Greenville	1,459	38	2.6	208	14.3
Greenwood	347	16	4.6	61	17.6
Hampton	141	3	2.1	14	9.9
Horry	648	20	3.1	113	17.4
Jasper	126	2	1.6	15	11.9
Kershaw	182	8	4.4	29	15.9
Lancaster	256	6	2.3	31	12.1
Laurens	223	4	1.8	29	13.0
Lee	131	6	4.6	19	14.5
Lexington	664	16	2.4	81	12.2
McCormick	36	2	5.6	8	22.2
Marion	266	18	6.8	49	18.4
Marlboro	175	7	4.0	24	13.7
Newberry	166	7	4.2	27	16.3
Oconee	78	1	1.3	7	9.0
Orangeburg	776	23	3.0	94	12.1
Pickens	104	3	2.9	22	21.2
Richland	2,739	82	3.0	411	15.0
Saluda	67	3	4.5	7	10.4
Spartanburg	917	25	2.7	119	13.0
Sumter	799	32	4.0	119	14.9
Union	107	5	4.7	17	15.9
Williamsburg	229	7	3.1	31	13.5
York	768	17	2.2	95	12.4
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	4,649	52	1.1	409	8.8
Abbeville	4	-	0	-	0
Aiken	151	5	3.3	12	7.9
Allendale	2	-	0	-	0
Anderson	92	2	2.2	8	8.7
Bamberg	2	-	0	-	0
Barnwell	16	1	6.3	4	25.0
Beaufort	380	-	0	30	7.9
Berkeley	207	1	0.5	22	10.6
Calhoun	6	-	0	-	0
Charleston	409	4	1.0	38	9.3
Cherokee	28	1	3.6	3	10.7
Chester	7	-	0	4	57.1
Chesterfield	18	-	0	1	5.6
Clarendon	18	-	0	-	0
Colleton	28	-	0	-	0
Darlington	13	-	0	1	7.7
Dillon	18	1	5.6	5	27.8
Dorchester	113	-	0	6	5.3
Edgefield	11	-	0	-	0
Fairfield	6	-	0	2	33.3
Florence	57	3	5.3	9	15.8
Georgetown	23	-	0	1	4.3
Greenville	820	8	1.0	65	7.9
Greenwood	107	-	0	2	1.9
Hampton	8	1	12.5	1	12.5
Horry	330	5	1.5	32	9.7
Jasper	71	1	1.4	6	8.5
Kershaw	46	1	2.2	7	15.2
Lancaster	60	-	0	6	10.0
Laurens	63	-	0	3	4.8
Lee	1	-	0	1	100.0
Lexington	289	2	0.7	24	8.3
McCormick	-	-	0	-	0
Marion	11	-	0	-	0
Marlboro	3	-	0	-	0
Newberry	64	-	0	8	12.5
Oconee	56	-	0	5	8.9
Orangeburg	31	2	6.5	2	6.5
Pickens	62	1	1.6	4	6.5
Richland	291	5	1.7	34	11.7
Saluda	92	1	1.1	7	7.6
Spartanburg	331	3	0.9	27	8.2
Sumter	80	-	0	8	10.0
Union	2	-	0	-	0
Williamsburg	-	-	0	-	0
York	222	4	1.8	21	9.5
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-32.
Live Births To Mothers who Brestfed by Race
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	Brestfed	Births	Brestfed	Births	Brestfed	Births	Brestfed
South Carolina	57,100 *	38,916 *	32,768	24,439	19,634	10,585	4,649	3,866
Abbeville	253	150	162	114	87	32	4	4
Aiken	1,915 *	1,276 *	1,156	814	601	321	151	136
Allendale	95 *	31	15	7	77	22	2	2
Anderson	2,188 *	1,437 *	1,622	1,103	473	255	92	78
Bamberg	152	76	54	29	96	45	2	2
Barnwell	320	163	131	81	173	72	16	10
Beaufort	2,027 *	1,644 *	1,099	941	546	359	380	343
Berkeley	2,600 *	2,075 *	1,664	1,348	727	544	207	181
Calhoun	147	81	73	55	68	21	6	5
Charleston	4,685 *	3,787	2,610	2,351	1,663	1,082	409	354
Cherokee	676	332	452	240	196	72	28	20
Chester	442 *	227	231	152	203	68	7	7
Chesterfield	518	248	291	155	209	79	18	14
Clarendon	362	160	129	78	215	70	18	12
Colleton	454	228	213	132	213	75	28	21
Darlington	823	385	407	230	403	143	13	12
Dillon	437	133	167	63	252	62	18	8
Dorchester	1,833 *	1,492 *	1,189	1,024	527	367	113	98
Edgefield	205	93	85	48	109	36	11	9
Fairfield	213	116	63	39	144	71	6	6
Florence	1,832 *	1,062	817	588	957	430	57	44
Georgetown	588	337	274	194	291	124	23	19
Greenville	6,153 *	4,693 *	3,870	3,138	1,459	883	820	669
Greenwood	890	533	436	289	347	158	107	86
Hampton	230	128	81	46	141	74	8	8
Horry	2,938 *	2,234	1,957	1,550	648	409	330	275
Jasper	308	191	111	72	126	55	71	64
Kershaw	732	467	504	332	182	97	46	38
Lancaster	911	588	595	408	256	130	60	50
Laurens	754 *	382	467	265	223	86	63	31
Lee	185	76	53	30	131	46	1	-
Lexington	3,232 *	2,334 *	2,275	1,714	664	388	289	229
McCormick	55	22	19	12	36	10	-	-
Marion	372	135	95	45	266	81	11	9
Marlboro	298	113	120	50	175	61	3	2
Newberry	410	217	180	109	166	55	64	53
Oconee	814	535	680	444	78	43	56	48
Orangeburg	1,085 *	515	277	162	776	334	31	19
Pickens	1,177 *	862	1,008	739	104	72	62	51
Richland	4,779 *	3,392 *	1,742	1,443	2,739	1,701	291	244
Saluda	262	142	103	60	67	24	92	58
Spartanburg	3,582	2,413	2,334	1,620	917	508	331	285
Sumter	1,540 *	956 *	658	463	799	424	80	66
Union	301	147	192	96	107	50	2	1
Williamsburg	344	158	115	64	229	94	-	-
York	2,983 *	2,150 *	1,992	1,502	768	452	222	195
Unknown	-	-	-	-	-	-	-	-

* Includes unknown race

Table C-33.
Live Births to Mothers with Infectious Diseases
South Carolina and Each County, 2012
(Residence Data)

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	57,100 *	4,160	7.3	134	0.2
Abbeville	253	12	4.7	1	0.4
Aiken	1,915 *	328	17.1	-	0
Allendale	95 *	12	12.6	1	1.1
Anderson	2,188 *	82	3.7	3	0.1
Bamberg	152	18	11.8	-	0
Barnwell	320	61	19.1	2	0.6
Beaufort	2,027 *	21	1.0	3	0.1
Berkeley	2,600 *	228	8.8	10	0.4
Calhoun	147	14	9.5	-	0
Charleston	4,685 *	367	7.8	9	0.2
Cherokee	676	8	1.2	-	0
Chester	442 *	37	8.4	-	0
Chesterfield	518	32	6.2	1	0.2
Clarendon	362	35	9.7	-	0
Colleton	454	33	7.3	1	0.2
Darlington	823	60	7.3	2	0.2
Dillon	437	39	8.9	1	0.2
Dorchester	1,833 *	171	9.3	6	0.3
Edgefield	205	31	15.1	-	0
Fairfield	213	19	8.9	-	0
Florence	1,832 *	65	3.5	3	0.2
Georgetown	588	42	7.1	1	0.2
Greenville	6,153 *	432	7.0	29	0.5
Greenwood	890	46	5.2	5	0.6
Hampton	230	8	3.5	-	0
Horry	2,938 *	90	3.1	10	0.3
Jasper	308	9	2.9	-	0
Kershaw	732	43	5.9	-	0
Lancaster	911	44	4.8	-	0
Laurens	754 *	63	8.4	3	0.4
Lee	185	16	8.6	-	0
Lexington	3,232 *	251	7.8	2	0.1
McCormick	55	2	3.6	-	0
Marion	372	24	6.5	-	0
Marlboro	298	16	5.4	1	0.3
Newberry	410	43	10.5	1	0.2
Oconee	814	36	4.4	3	0.4
Orangeburg	1,085 *	111	10.2	1	0.1
Pickens	1,177 *	56	4.8	-	0
Richland	4,779 *	644	13.5	15	0.3
Saluda	262	23	8.8	-	0
Spartanburg	3,582	127	3.5	8	0.2
Sumter	1,540 *	115	7.5	-	0
Union	301	17	5.6	3	1.0
Williamsburg	344	26	7.6	-	0
York	2,983 *	203	6.8	9	0.3
Unknown	-	-	0	-	0

* Includes unknown race

Table C-33A.
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic White

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	32,768	1,547	4.7	82	0.3
Abbeville	162	3	1.9	1	0.6
Aiken	1,156	152	13.1	-	0
Allendale	15	-	0	-	0
Anderson	1,622	57	3.5	2	0.1
Bamberg	54	3	5.6	-	0
Barnwell	131	21	16.0	2	1.5
Beaufort	1,099	6	0.5	3	0.3
Berkeley	1,664	131	7.9	6	0.4
Calhoun	73	7	9.6	-	0
Charleston	2,610	139	5.3	2	0.1
Cherokee	452	4	0.9	-	0
Chester	231	11	4.8	-	0
Chesterfield	291	12	4.1	1	0.3
Clarendon	129	5	3.9	-	0
Colleton	213	7	3.3	-	0
Darlington	407	17	4.2	2	0.5
Dillon	167	6	3.6	-	0
Dorchester	1,189	83	7.0	4	0.3
Edgefield	85	6	7.1	-	0
Fairfield	63	4	6.3	-	0
Florence	817	17	2.1	1	0.1
Georgetown	274	3	1.1	-	0
Greenville	3,870	179	4.6	16	0.4
Greenwood	436	9	2.1	4	0.9
Hampton	81	1	1.2	-	0
Horry	1,957	47	2.4	9	0.5
Jasper	111	-	0	-	0
Kershaw	504	15	3.0	-	0
Lancaster	595	20	3.4	-	0
Laurens	467	27	5.8	3	0.6
Lee	53	3	5.7	-	0
Lexington	2,275	146	6.4	1	0.0
McCormick	19	-	0	-	0
Marion	95	3	3.2	-	0
Marlboro	120	5	4.2	1	0.8
Newberry	180	9	5.0	1	0.6
Oconee	680	26	3.8	3	0.4
Orangeburg	277	13	4.7	-	0
Pickens	1,008	43	4.3	-	0
Richland	1,742	119	6.8	5	0.3
Saluda	103	10	9.7	-	0
Spartanburg	2,334	65	2.8	6	0.3
Sumter	658	23	3.5	-	0
Union	192	7	3.6	3	1.6
Williamsburg	115	3	2.6	-	0
York	1,992	80	4.0	6	0.3
Unknown	-	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Non-Hispanic Black & Other

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	19,634	2,386	12.2	44	0.2
Abbeville	87	9	10.3	-	0
Aiken	601	134	22.3	-	0
Allendale	77	12	15.6	1	1.3
Anderson	473	23	4.9	1	0.2
Bamberg	96	15	15.6	-	0
Barnwell	173	38	22.0	-	0
Beaufort	546	14	2.6	-	0
Berkeley	727	85	11.7	4	0.6
Calhoun	68	7	10.3	-	0
Charleston	1,663	213	12.8	5	0.3
Cherokee	196	4	2.0	-	0
Chester	203	26	12.8	-	0
Chesterfield	209	20	9.6	-	0
Clarendon	215	26	12.1	-	0
Colleton	213	24	11.3	-	0
Darlington	403	42	10.4	-	0
Dillon	252	32	12.7	-	0
Dorchester	527	82	15.6	1	0.2
Edgefield	109	24	22.0	-	0
Fairfield	144	15	10.4	-	0
Florence	957	47	4.9	2	0.2
Georgetown	291	39	13.4	1	0.3
Greenville	1,459	215	14.7	11	0.8
Greenwood	347	34	9.8	1	0.3
Hampton	141	7	5.0	-	0
Horry	648	37	5.7	1	0.2
Jasper	126	7	5.6	-	0
Kershaw	182	24	13.2	-	0
Lancaster	256	22	8.6	-	0
Laurens	223	33	14.8	-	0
Lee	131	13	9.9	-	0
Lexington	664	85	12.8	1	0.2
McCormick	36	2	5.6	-	0
Marion	266	21	7.9	-	0
Marlboro	175	11	6.3	-	0
Newberry	166	33	19.9	-	0
Oconee	78	6	7.7	-	0
Orangeburg	776	98	12.6	1	0.1
Pickens	104	12	11.5	-	0
Richland	2,739	503	18.4	9	0.3
Saluda	67	9	13.4	-	0
Spartanburg	917	55	6.0	2	0.2
Sumter	799	88	11.0	-	0
Union	107	10	9.3	-	0
Williamsburg	229	23	10.0	-	0
York	768	107	13.9	3	0.4
Unknown	-	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Hispanic

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	4,649	223	4.8	7	0.2
Abbeville	4	-	0	-	0
Aiken	151	41	27.2	-	0
Allendale	2	-	0	-	0
Anderson	92	2	2.2	-	0
Bamberg	2	-	0	-	0
Barnwell	16	2	12.5	-	0
Beaufort	380	1	0.3	-	0
Berkeley	207	12	5.8	-	0
Calhoun	6	-	0	-	0
Charleston	409	15	3.7	2	0.5
Cherokee	28	-	0	-	0
Chester	7	-	0	-	0
Chesterfield	18	-	0	-	0
Clarendon	18	4	22.2	-	0
Colleton	28	2	7.1	1	3.6
Darlington	13	1	7.7	-	0
Dillon	18	1	5.6	1	5.6
Dorchester	113	6	5.3	1	0.9
Edgefield	11	1	9.1	-	0
Fairfield	6	-	0	-	0
Florence	57	1	1.8	-	0
Georgetown	23	-	0	-	0
Greenville	820	37	4.5	2	0.2
Greenwood	107	3	2.8	-	0
Hampton	8	-	0	-	0
Horry	330	6	1.8	-	0
Jasper	71	2	2.8	-	0
Kershaw	46	4	8.7	-	0
Lancaster	60	2	3.3	-	0
Laurens	63	3	4.8	-	0
Lee	1	-	0	-	0
Lexington	289	20	6.9	-	0
McCormick	-	-	0	-	0
Marion	11	-	0	-	0
Marlboro	3	-	0	-	0
Newberry	64	1	1.6	-	0
Oconee	56	4	7.1	-	0
Orangeburg	31	-	0	-	0
Pickens	62	1	1.6	-	0
Richland	291	20	6.9	-	0
Saluda	92	4	4.3	-	0
Spartanburg	331	7	2.1	-	0
Sumter	80	4	5.0	-	0
Union	2	-	0	-	0
Williamsburg	-	-	0	-	0
York	222	16	7.2	-	0
Unknown	-	-	0	-	0


Table C-34.
Number of Mothers who received WIC Services during Pregnancy by Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County Of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	WIC	Births	WIC	Births	WIC	Births	WIC
South Carolina	57,100 *	30,159	32,768	12,947	19,634	14,118	4,649	3,074
Abbeville	253	151	162	79	87	68	4	4
Aiken	1,915 *	922	1,156	442	601	395	151	82
Allendale	95 *	82	15	10	77	69	2	2
Anderson	2,188 *	1,195	1,622	791	473	346	92	58
Bamberg	152	119	54	31	96	86	2	2
Barnwell	320	222	131	73	173	139	16	10
Beaufort	2,027 *	1,078	1,099	399	546	407	380	272
Berkeley	2,600 *	1,231	1,664	627	727	476	207	127
Calhoun	147	96	73	35	68	56	6	5
Charleston	4,685 *	1,853	2,610	473	1,663	1,136	409	244
Cherokee	676	465	452	282	196	157	28	26
Chester	442 *	318	231	137	203	177	7	4
Chesterfield	518	369	291	186	209	173	18	10
Clarendon	362	252	129	58	215	180	18	14
Colleton	454	332	213	136	213	177	28	19
Darlington	823	571	407	232	403	330	13	9
Dillon	437	322	167	109	252	198	18	15
Dorchester	1,833 *	819	1,189	422	527	332	113	65
Edgefield	205	125	85	38	109	81	11	6
Fairfield	213	161	63	37	144	119	6	5
Florence	1,832 *	1,179	817	377	957	759	57	43
Georgetown	588	402	274	132	291	255	23	15
Greenville	6,153 *	2,719	3,870	1,160	1,459	985	820	572
Greenwood	890	530	436	203	347	247	107	80
Hampton	230	169	81	51	141	112	8	6
Horry	2,938 *	1,672	1,957	952	648	500	330	219
Jasper	308	206	111	50	126	100	71	56
Kershaw	732	401	504	236	182	129	46	36
Lancaster	911	490	595	245	256	209	60	36
Laurens	754 *	501	467	274	223	181	63	46
Lee	185	145	53	36	131	109	1	-
Lexington	3,232 *	1,345	2,275	760	664	391	289	191
McCormick	55	39	19	9	36	30	-	-
Marion	372	285	95	53	266	221	11	11
Marlboro	298	240	120	85	175	152	3	3
Newberry	410	246	180	65	166	129	64	52
Oconee	814	435	680	344	78	49	56	42
Orangeburg	1,085 *	817	277	145	776	648	31	24
Pickens	1,177 *	616	1,008	511	104	65	62	38
Richland	4,779 *	2,187	1,742	342	2,739	1,690	291	150
Saluda	262	180	103	44	67	59	92	77
Spartanburg	3,582	2,060	2,334	1,133	917	675	331	252
Sumter	1,540 *	984	658	336	799	600	80	46
Union	301	215	192	127	107	86	2	2
Williamsburg	344	253	115	54	229	199	-	-
York	2,983 *	1,160	1,992	626	768	436	222	98
Unknown	-	-	-	-	-	-	-	-

* Includes unknown race

The State Animal

“ The white-tailed Deer”



Officially adopted by the General Assembly in 1972

TEEN PREGNANCY

Table D-1.
 Reported Teen Pregnancy¹ for Females Age 10-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	300,189	6,871 *	22.9	5,597 *	18.6	5,116 *	91.4	54	9.6	1,220 *	4.1
Abbeville	1,620	37	22.8	29	17.9	26	89.7	-	0	8	4.9
Aiken	10,142	244 *	24.1	227 *	22.4	202 *	89.0	1	4.4	16 *	1.6
Allendale	555	20 *	36.0	18	32.4	18	100.0	-	0	2 *	3.6
Anderson	12,207	276	22.6	236	19.3	219	92.8	1	4.2	39	3.2
Bamberg	1,194	16	13.4	13	10.9	12	92.3	-	0	3	2.5
Barnwell	1,494	49	32.8	43	28.8	40	93.0	2	44.4	4	2.7
Beaufort	8,793	177	20.1	141	16.0	119	84.4	2	14.0	34	3.9
Berkeley	11,971	235	19.6	192	16.0	167	87.0	1	5.2	42	3.5
Calhoun	879	19	21.6	14	15.9	13	92.9	-	0	5	5.7
Charleston	20,130	359	17.8	263	13.1	244	92.8	4	15.0	92	4.6
Cherokee	3,752	122 *	32.5	111	29.6	103	92.8	-	0	11 *	2.9
Chester	1,959	72	36.8	62	31.6	54	87.1	-	0	10	5.1
Chesterfield	3,118	96 *	30.8	78	25.0	74	94.9	2	25.0	16 *	5.1
Clarendon	2,109	46	21.8	40	19.0	37	92.5	1	24.4	5	2.4
Colleton	2,489	83 *	33.3	73	29.3	69	94.5	1	13.5	9 *	3.6
Darlington	4,688	150	32.0	126	26.9	117	92.9	1	7.9	23	4.9
Dillon	2,184	86 *	39.4	72	33.0	65	90.3	3	40.0	11 *	5.0
Dorchester	10,220	173 *	16.9	132 *	12.9	118	89.4	-	0	41	4.0
Edgefield	1,557	25	16.1	20	12.8	18	90.0	-	0	5	3.2
Fairfield	1,445	35	24.2	29	20.1	28	96.6	1	33.3	5	3.5
Florence	9,035	247 *	27.3	218	24.1	203	93.1	-	0	29 *	3.2
Georgetown	3,381	79	23.4	65	19.2	61	93.8	1	15.2	13	3.8
Greenville	30,245	618	20.4	503	16.6	450	89.5	3	5.9	112	3.7
Greenwood	4,783	132	27.6	107	22.4	100	93.5	1	9.3	24	5.0
Hampton	1,365	39	28.6	34	24.9	34	100.0	-	0	5	3.7
Horry	15,271	351 *	23.0	270	17.7	255	94.4	5	18.2	76 *	5.0
Jasper	1,501	41	27.3	37	24.7	33	89.2	-	0	4	2.7
Kershaw	3,980	91	22.9	75	18.8	68	90.7	1	13.2	15	3.8
Lancaster	4,562	121	26.5	107	23.5	103	96.3	1	9.3	13	2.8
Laurens	4,243	121	28.5	108	25.5	93	86.1	-	0	13	3.1
Lee	1,113	37	33.2	33	29.6	30	90.9	-	0	4	3.6
Lexington	17,286	320 *	18.5	243	14.1	223	91.8	3	12.2	74 *	4.3
McCormick	378	7	18.5	7	18.5	7	100.0	-	0	-	0
Marion	2,064	65	31.5	58	28.1	54	93.1	-	0	7	3.4
Marlboro	1,634	62	37.9	54	33.0	50	92.6	-	0	8	4.9
Newberry	2,350	59	25.1	47	20.0	46	97.9	-	0	12	5.1
Oconee	4,090	122	29.8	108	26.4	93	86.1	-	0	14	3.4
Orangeburg	6,082	181	29.8	152	25.0	148	97.4	3	19.4	26	4.3
Pickens	8,654	156	18.0	129	14.9	115	89.1	2	15.3	25	2.9
Richland	27,607	547 *	19.8	382 *	13.8	363 *	95.0	6	15.5	159 *	5.8
Saluda	1,099	30	27.3	26	23.7	20	76.9	-	0	4	3.6
Spartanburg	19,363	493 *	25.5	404	20.9	355	87.9	5	12.2	84 *	4.3
Sumter	7,202	196	27.2	169	23.5	156	92.3	1	5.9	26	3.6
Union	1,709	47	27.5	40	23.4	34	85.0	-	0	7	4.1
Williamsburg	2,184	56	25.6	51	23.4	48	94.1	-	0	5	2.3
York	16,502	329 *	19.9	251	15.2	231	92.0	2	7.9	76 *	4.6
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

* Includes unknown race

Table D-1A.
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	189,868	3,609	19.0	2,988	15.7	2,557	85.6	17	5.7	604	3.2
Abbeville	1,078	20	18.6	16	14.8	13	81.3	-	0	4	3.7
Aiken	6,644	141	21.2	133	20.0	112	84.2	-	0	8	1.2
Allendale	85	1	11.8	1	11.8	1	100.0	-	0	-	0
Anderson	9,510	198	20.8	172	18.1	157	91.3	-	0	26	2.7
Bamberg	338	5	14.8	4	11.8	3	75.0	-	0	1	3.0
Barnwell	724	18	24.9	17	23.5	14	82.4	-	0	1	1.4
Beaufort	6,043	105	17.4	85	14.1	64	75.3	-	0	20	3.3
Berkeley	7,629	164	21.5	133	17.4	108	81.2	-	0	31	4.1
Calhoun	397	6	15.1	5	12.6	4	80.0	-	0	1	2.5
Charleston	12,129	132	10.9	93	7.7	76	81.7	2	21.1	37	3.1
Cherokee	2,715	79	29.1	72	26.5	64	88.9	-	0	7	2.6
Chester	1,018	39	38.3	32	31.4	25	78.1	-	0	7	6.9
Chesterfield	1,878	47	25.0	40	21.3	37	92.5	1	24.4	6	3.2
Clarendon	855	17	19.9	14	16.4	13	92.9	-	0	3	3.5
Colleton	1,266	36	28.4	31	24.5	27	87.1	1	31.3	4	3.2
Darlington	2,230	54	24.2	42	18.8	33	78.6	-	0	12	5.4
Dillon	866	34	39.3	28	32.3	22	78.6	2	66.7	4	4.6
Dorchester	6,691	95	14.2	75	11.2	63	84.0	-	0	20	3.0
Edgefield	892	6	6.7	5	5.6	3	60.0	-	0	1	1.1
Fairfield	415	9	21.7	9	21.7	9	100.0	-	0	-	0
Florence	4,413	81	18.4	68	15.4	55	80.9	-	0	13	2.9
Georgetown	1,846	36	19.5	26	14.1	22	84.6	-	0	10	5.4
Greenville	22,698	387	17.0	326	14.4	275	84.4	2	6.1	59	2.6
Greenwood	2,884	70	24.3	60	20.8	53	88.3	1	16.4	9	3.1
Hampton	504	8	15.9	8	15.9	8	100.0	-	0	-	0
Horry	11,769	234	19.9	177	15.0	164	92.7	3	16.7	54	4.6
Jasper	650	21	32.3	20	30.8	16	80.0	-	0	1	1.5
Kershaw	2,820	60	21.3	53	18.8	48	90.6	-	0	7	2.5
Lancaster	3,192	77	24.1	69	21.6	65	94.2	-	0	8	2.5
Laurens	3,023	74	24.5	69	22.8	54	78.3	-	0	5	1.7
Lee	287	11	38.3	10	34.8	7	70.0	-	0	1	3.5
Lexington	13,430	232	17.3	175	13.0	158	90.3	1	5.7	56	4.2
McCormick	106	1	9.4	1	9.4	1	100.0	-	0	-	0
Marion	687	15	21.8	14	20.4	12	85.7	-	0	1	1.5
Marlboro	578	25	43.3	21	36.3	18	85.7	-	0	4	6.9
Newberry	1,426	27	18.9	21	14.7	20	95.2	-	0	6	4.2
Oconee	3,602	110	30.5	97	26.9	82	84.5	-	0	13	3.6
Orangeburg	1,603	44	27.4	36	22.5	34	94.4	-	0	8	5.0
Pickens	7,807	139	17.8	117	15.0	103	88.0	2	16.8	20	2.6
Richland	11,863	102	8.6	62	5.2	52	83.9	-	0	40	3.4
Saluda	714	17	23.8	16	22.4	10	62.5	-	0	1	1.4
Spartanburg	13,826	321	23.2	276	20.0	230	83.3	2	7.2	43	3.1
Sumter	3,073	67	21.8	58	18.9	47	81.0	-	0	9	2.9
Union	1,058	32	30.2	27	25.5	21	77.8	-	0	5	4.7
Williamsburg	540	16	29.6	16	29.6	13	81.3	-	0	-	0
York	12,066	196	16.2	158	13.1	141	89.2	-	0	38	3.1
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-1A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	110,321	3,241	29.4	2,606	23.6	2,557	98.1	37	14.0	598	5.4
Abbeville	542	17	31.4	13	24.0	13	100.0	-	0	4	7.4
Aiken	3,498	101	28.9	93	26.6	89	95.7	1	10.6	7	2.0
Allendale	470	18	38.3	17	36.2	17	100.0	-	0	1	2.1
Anderson	2,697	78	28.9	64	23.7	62	96.9	1	15.4	13	4.8
Bamberg	856	11	12.9	9	10.5	9	100.0	-	0	2	2.3
Barnwell	770	31	40.3	26	33.8	26	100.0	2	71.4	3	3.9
Beaufort	2,750	72	26.2	56	20.4	55	98.2	2	34.5	14	5.1
Berkeley	4,342	71	16.4	59	13.6	59	100.0	1	16.7	11	2.5
Calhoun	482	13	27.0	9	18.7	9	100.0	-	0	4	8.3
Charleston	8,001	227	28.4	170	21.2	168	98.8	2	11.6	55	6.9
Cherokee	1,037	42	40.5	39	37.6	39	100.0	-	0	3	2.9
Chester	941	33	35.1	30	31.9	29	96.7	-	0	3	3.2
Chesterfield	1,240	47	37.9	38	30.6	37	97.4	1	25.6	8	6.5
Clarendon	1,254	29	23.1	26	20.7	24	92.3	1	37.0	2	1.6
Colleton	1,223	46	37.6	42	34.3	42	100.0	-	0	4	3.3
Darlington	2,458	96	39.1	84	34.2	84	100.0	1	11.8	11	4.5
Dillon	1,318	51	38.7	44	33.4	43	97.7	1	22.2	6	4.6
Dorchester	3,529	77	21.8	56	15.9	55	98.2	-	0	21	6.0
Edgefield	665	19	28.6	15	22.6	15	100.0	-	0	4	6.0
Fairfield	1,030	26	25.2	20	19.4	19	95.0	1	47.6	5	4.9
Florence	4,622	165	35.7	150	32.5	148	98.7	-	0	15	3.2
Georgetown	1,535	43	28.0	39	25.4	39	100.0	1	25.0	3	2.0
Greenville	7,547	231	30.6	177	23.5	175	98.9	1	5.6	53	7.0
Greenwood	1,899	62	32.6	47	24.7	47	100.0	-	0	15	7.9
Hampton	861	31	36.0	26	30.2	26	100.0	-	0	5	5.8
Horry	3,502	114	32.6	93	26.6	91	97.8	2	21.1	19	5.4
Jasper	851	20	23.5	17	20.0	17	100.0	-	0	3	3.5
Kershaw	1,160	31	26.7	22	19.0	20	90.9	1	43.5	8	6.9
Lancaster	1,370	44	32.1	38	27.7	38	100.0	1	25.6	5	3.6
Laurens	1,220	47	38.5	39	32.0	39	100.0	-	0	8	6.6
Lee	826	26	31.5	23	27.8	23	100.0	-	0	3	3.6
Lexington	3,856	87	22.6	68	17.6	65	95.6	2	28.6	17	4.4
McCormick	272	6	22.1	6	22.1	6	100.0	-	0	-	0
Marion	1,377	50	36.3	44	32.0	42	95.5	-	0	6	4.4
Marlboro	1,056	37	35.0	33	31.3	32	97.0	-	0	4	3.8
Newberry	924	32	34.6	26	28.1	26	100.0	-	0	6	6.5
Oconee	488	12	24.6	11	22.5	11	100.0	-	0	1	2.0
Orangeburg	4,479	137	30.6	116	25.9	114	98.3	3	25.2	18	4.0
Pickens	847	17	20.1	12	14.2	12	100.0	-	0	5	5.9
Richland	15,744	442	28.1	319	20.3	310	97.2	6	18.5	117	7.4
Saluda	385	13	33.8	10	26.0	10	100.0	-	0	3	7.8
Spartanburg	5,537	170	30.7	128	23.1	125	97.7	3	22.9	39	7.0
Sumter	4,129	129	31.2	111	26.9	109	98.2	1	8.9	17	4.1
Union	651	15	23.0	13	20.0	13	100.0	-	0	2	3.1
Williamsburg	1,644	40	24.3	35	21.3	35	100.0	-	0	5	3.0
York	4,436	131	29.5	93	21.0	90	96.8	2	21.1	36	8.1
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-2.
 Reported Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	148,707	111	0.7	65	0.4	64	98.5	-	0	46	0.3
Abbeville	785	-	0	-	0	-	0	-	0	-	0
Aiken	5,077	6	1.2	4	0.8	4	100.0	-	0	2	0.4
Allendale	258	-	0	-	0	-	0	-	0	-	0
Anderson	6,291	2	0.3	2	0.3	2	100.0	-	0	-	0
Bamberg	493	2	4.1	2	4.1	2	100.0	-	0	-	0
Barnwell	799	3	3.8	2	2.5	2	100.0	-	0	1	1.3
Beaufort	4,435	8	1.8	4	0.9	3	75.0	-	0	4	0.9
Berkeley	6,354	2	0.3	-	0	-	0	-	0	2	0.3
Calhoun	454	-	0	-	0	-	0	-	0	-	0
Charleston	9,672	10	1.0	7	0.7	7	100.0	-	0	3	0.3
Cherokee	1,896	1	0.5	-	0	-	0	-	0	1	0.5
Chester	996	-	0	-	0	-	0	-	0	-	0
Chesterfield	1,596	2	1.3	2	1.3	2	100.0	-	0	-	0
Clarendon	1,057	-	0	-	0	-	0	-	0	-	0
Colleton	1,281	1	0.8	-	0	-	0	-	0	1	0.8
Darlington	2,396	2	0.8	1	0.4	1	100.0	-	0	1	0.4
Dillon	1,141	2	1.8	2	1.8	2	100.0	-	0	-	0
Dorchester	5,331	3	0.6	2	0.4	2	100.0	-	0	1	0.2
Edgefield	785	1	1.3	-	0	-	0	-	0	1	1.3
Fairfield	709	-	0	-	0	-	0	-	0	-	0
Florence	4,640	3	0.6	2	0.4	2	100.0	-	0	1	0.2
Georgetown	1,732	-	0	-	0	-	0	-	0	-	0
Greenville	15,171	5	0.3	3	0.2	3	100.0	-	0	2	0.1
Greenwood	2,192	1	0.5	-	0	-	0	-	0	1	0.5
Hampton	700	1	1.4	-	0	-	0	-	0	1	1.4
Horry	7,667	6	0.8	3	0.4	3	100.0	-	0	3	0.4
Jasper	775	-	0	-	0	-	0	-	0	-	0
Kershaw	2,100	1	0.5	-	0	-	0	-	0	1	0.5
Lancaster	2,439	1	0.4	1	0.4	1	100.0	-	0	-	0
Laurens	2,047	2	1.0	1	0.5	1	100.0	-	0	1	0.5
Lee	618	3	4.9	3	4.9	3	100.0	-	0	-	0
Lexington	9,067	4	0.4	2	0.2	2	100.0	-	0	2	0.2
McCormick	196	-	0	-	0	-	0	-	0	-	0
Marion	1,021	-	0	-	0	-	0	-	0	-	0
Marlboro	810	2	2.5	2	2.5	2	100.0	-	0	-	0
Newberry	1,209	3	2.5	-	0	-	0	-	0	3	2.5
Oconee	2,081	4	1.9	4	1.9	4	100.0	-	0	-	0
Orangeburg	2,754	2	0.7	2	0.7	2	100.0	-	0	-	0
Pickens	3,370	3	0.9	3	0.9	3	100.0	-	0	-	0
Richland	12,188	9	0.7	6	0.5	6	100.0	-	0	3	0.2
Saluda	600	2	3.3	1	1.7	1	100.0	-	0	1	1.7
Spartanburg	9,488	3	0.3	-	0	-	0	-	0	3	0.3
Sumter	3,642	5	1.4	4	1.1	4	100.0	-	0	1	0.3
Union	888	-	0	-	0	-	0	-	0	-	0
Williamsburg	1,114	-	0	-	0	-	0	-	0	-	0
York	8,392	4	0.5	-	0	-	0	-	0	4	0.5
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

* Includes unknown race

Table D-2A.
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	94,820	36	0.4	19	0.2	19	100.0	-	0	17	0.2
Abbeville	506	-	0	-	0	-	0	-	0	-	0
Aiken	3,369	4	1.2	2	0.6	2	100.0	-	0	2	0.6
Allendale	41	-	0	-	0	-	0	-	0	-	0
Anderson	4,878	-	0	-	0	-	0	-	0	-	0
Bamberg	177	-	0	-	0	-	0	-	0	-	0
Barnwell	393	1	2.5	-	0	-	0	-	0	1	2.5
Beaufort	3,069	4	1.3	1	0.3	1	100.0	-	0	3	1.0
Berkeley	4,067	-	0	-	0	-	0	-	0	-	0
Calhoun	208	-	0	-	0	-	0	-	0	-	0
Charleston	5,761	-	0	-	0	-	0	-	0	-	0
Cherokee	1,383	-	0	-	0	-	0	-	0	-	0
Chester	527	-	0	-	0	-	0	-	0	-	0
Chesterfield	967	1	1.0	1	1.0	1	100.0	-	0	-	0
Clarendon	445	-	0	-	0	-	0	-	0	-	0
Colleton	668	-	0	-	0	-	0	-	0	-	0
Darlington	1,122	1	0.9	-	0	-	0	-	0	1	0.9
Dillon	452	-	0	-	0	-	0	-	0	-	0
Dorchester	3,545	2	0.6	1	0.3	1	100.0	-	0	1	0.3
Edgefield	448	-	0	-	0	-	0	-	0	-	0
Fairfield	209	-	0	-	0	-	0	-	0	-	0
Florence	2,324	-	0	-	0	-	0	-	0	-	0
Georgetown	969	-	0	-	0	-	0	-	0	-	0
Greenville	11,400	1	0.1	1	0.1	1	100.0	-	0	-	0
Greenwood	1,367	1	0.7	-	0	-	0	-	0	1	0.7
Hampton	268	-	0	-	0	-	0	-	0	-	0
Horry	5,955	5	0.8	2	0.3	2	100.0	-	0	3	0.5
Jasper	361	-	0	-	0	-	0	-	0	-	0
Kershaw	1,492	1	0.7	-	0	-	0	-	0	1	0.7
Lancaster	1,736	-	0	-	0	-	0	-	0	-	0
Laurens	1,449	-	0	-	0	-	0	-	0	-	0
Lee	170	2	11.8	2	11.8	2	100.0	-	0	-	0
Lexington	7,058	2	0.3	1	0.1	1	100.0	-	0	1	0.1
McCormick	54	-	0	-	0	-	0	-	0	-	0
Marion	373	-	0	-	0	-	0	-	0	-	0
Marlboro	295	1	3.4	1	3.4	1	100.0	-	0	-	0
Newberry	726	-	0	-	0	-	0	-	0	-	0
Oconee	1,853	3	1.6	3	1.6	3	100.0	-	0	-	0
Orangeburg	790	-	0	-	0	-	0	-	0	-	0
Pickens	3,044	3	1.0	3	1.0	3	100.0	-	0	-	0
Richland	4,869	1	0.2	-	0	-	0	-	0	1	0.2
Saluda	394	-	0	-	0	-	0	-	0	-	0
Spartanburg	6,938	1	0.1	-	0	-	0	-	0	1	0.1
Sumter	1,633	1	0.6	1	0.6	1	100.0	-	0	-	0
Union	552	-	0	-	0	-	0	-	0	-	0
Williamsburg	286	-	0	-	0	-	0	-	0	-	0
York	6,229	1	0.2	-	0	-	0	-	0	1	0.2
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-2A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	53,887	75	1.4	46	0.9	45	97.8	-	0	29	0.5
Abbeville	279	-	0	-	0	-	0	-	0	-	0
Aiken	1,708	2	1.2	2	1.2	2	100.0	-	0	-	0
Allendale	217	-	0	-	0	-	0	-	0	-	0
Anderson	1,413	2	1.4	2	1.4	2	100.0	-	0	-	0
Bamberg	316	2	6.3	2	6.3	2	100.0	-	0	-	0
Barnwell	406	2	4.9	2	4.9	2	100.0	-	0	-	0
Beaufort	1,366	4	2.9	3	2.2	2	66.7	-	0	1	0.7
Berkeley	2,287	2	0.9	-	0	-	0	-	0	2	0.9
Calhoun	246	-	0	-	0	-	0	-	0	-	0
Charleston	3,911	10	2.6	7	1.8	7	100.0	-	0	3	0.8
Cherokee	513	1	1.9	-	0	-	0	-	0	1	1.9
Chester	469	-	0	-	0	-	0	-	0	-	0
Chesterfield	629	1	1.6	1	1.6	1	100.0	-	0	-	0
Clarendon	612	-	0	-	0	-	0	-	0	-	0
Colleton	613	1	1.6	-	0	-	0	-	0	1	1.6
Darlington	1,274	1	0.8	1	0.8	1	100.0	-	0	-	0
Dillon	689	2	2.9	2	2.9	2	100.0	-	0	-	0
Dorchester	1,786	1	0.6	1	0.6	1	100.0	-	0	-	0
Edgefield	337	1	3.0	-	0	-	0	-	0	1	3.0
Fairfield	500	-	0	-	0	-	0	-	0	-	0
Florence	2,316	3	1.3	2	0.9	2	100.0	-	0	1	0.4
Georgetown	763	-	0	-	0	-	0	-	0	-	0
Greenville	3,771	4	1.1	2	0.5	2	100.0	-	0	2	0.5
Greenwood	825	-	0	-	0	-	0	-	0	-	0
Hampton	432	1	2.3	-	0	-	0	-	0	1	2.3
Horry	1,712	1	0.6	1	0.6	1	100.0	-	0	-	0
Jasper	414	-	0	-	0	-	0	-	0	-	0
Kershaw	608	-	0	-	0	-	0	-	0	-	0
Lancaster	703	1	1.4	1	1.4	1	100.0	-	0	-	0
Laurens	598	2	3.3	1	1.7	1	100.0	-	0	1	1.7
Lee	448	1	2.2	1	2.2	1	100.0	-	0	-	0
Lexington	2,009	2	1.0	1	0.5	1	100.0	-	0	1	0.5
McCormick	142	-	0	-	0	-	0	-	0	-	0
Marion	648	-	0	-	0	-	0	-	0	-	0
Marlboro	515	1	1.9	1	1.9	1	100.0	-	0	-	0
Newberry	483	3	6.2	-	0	-	0	-	0	3	6.2
Oconee	228	1	4.4	1	4.4	1	100.0	-	0	-	0
Orangeburg	1,964	2	1.0	2	1.0	2	100.0	-	0	-	0
Pickens	326	-	0	-	0	-	0	-	0	-	0
Richland	7,319	8	1.1	6	0.8	6	100.0	-	0	2	0.3
Saluda	206	2	9.7	1	4.9	1	100.0	-	0	1	4.9
Spartanburg	2,550	2	0.8	-	0	-	0	-	0	2	0.8
Sumter	2,009	4	2.0	3	1.5	3	100.0	-	0	1	0.5
Union	336	-	0	-	0	-	0	-	0	-	0
Williamsburg	828	-	0	-	0	-	0	-	0	-	0
York	2,163	3	1.4	-	0	-	0	-	0	3	1.4
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-3.
 Reported Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	120,630	1,964 *	16.3	1,544 *	12.8	1,491 *	96.6	11	7.1	409 *	3.4
Abbeville	660	12	18.2	8	12.1	8	100.0	-	0	4	6.1
Aiken	4,050	64	15.8	59	14.6	56	94.9	-	0	5	1.2
Allendale	230	5 *	21.7	4	17.4	4	100.0	-	0	1 *	4.3
Anderson	4,810	81	16.8	67	13.9	67	100.0	1	14.7	13	2.7
Bamberg	520	3	5.8	3	5.8	3	100.0	-	0	-	0
Barnwell	580	16	27.6	15	25.9	15	100.0	-	0	1	1.7
Beaufort	3,500	41	11.7	36	10.3	32	88.9	1	27.0	4	1.1
Berkeley	4,640	55	11.9	43	9.3	41	95.3	-	0	12	2.6
Calhoun	350	8	22.9	5	14.3	5	100.0	-	0	3	8.6
Charleston	8,210	91	11.1	63	7.7	57	90.5	1	15.6	27	3.3
Cherokee	1,490	39	26.2	34	22.8	33	97.1	-	0	5	3.4
Chester	780	21	26.9	16	20.5	16	100.0	-	0	5	6.4
Chesterfield	1,230	26	21.1	22	17.9	22	100.0	-	0	4	3.3
Clarendon	840	13	15.5	10	11.9	9	90.0	-	0	3	3.6
Colleton	980	25	25.5	22	22.4	22	100.0	-	0	3	3.1
Darlington	1,850	45	24.3	38	20.5	37	97.4	-	0	7	3.8
Dillon	850	34	40.0	28	32.9	27	96.4	1	34.5	5	5.9
Dorchester	4,000	51 *	12.8	37 *	9.3	34	91.9	-	0	14	3.5
Edgefield	620	9	14.5	8	12.9	8	100.0	-	0	1	1.6
Fairfield	580	9	15.5	5	8.6	5	100.0	-	0	4	6.9
Florence	3,570	58	16.2	48	13.4	48	100.0	-	0	10	2.8
Georgetown	1,340	22	16.4	15	11.2	14	93.3	-	0	7	5.2
Greenville	12,080	178	14.7	139	11.5	134	96.4	-	0	39	3.2
Greenwood	1,990	44	22.1	34	17.1	34	100.0	-	0	10	5.0
Hampton	540	15	27.8	12	22.2	12	100.0	-	0	3	5.6
Horry	6,100	121 *	19.8	90	14.8	87	96.7	3	32.3	28 *	4.6
Jasper	590	10	16.9	10	16.9	9	90.0	-	0	-	0
Kershaw	1,550	28	18.1	22	14.2	22	100.0	-	0	6	3.9
Lancaster	1,760	32	18.2	30	17.0	30	100.0	-	0	2	1.1
Laurens	1,730	30	17.3	25	14.5	23	92.0	-	0	5	2.9
Lee	420	15	35.7	12	28.6	11	91.7	-	0	3	7.1
Lexington	6,740	83	12.3	55	8.2	52	94.5	2	35.1	26	3.9
McCormick	150	2	13.3	2	13.3	2	100.0	-	0	-	0
Marion	830	29	34.9	24	28.9	23	95.8	-	0	5	6.0
Marlboro	660	15	22.7	12	18.2	12	100.0	-	0	3	4.5
Newberry	930	16	17.2	14	15.1	14	100.0	-	0	2	2.2
Oconee	1,620	32	19.8	27	16.7	25	92.6	-	0	5	3.1
Orangeburg	2,550	58	22.7	48	18.8	48	100.0	-	0	10	3.9
Pickens	3,840	44	11.5	37	9.6	35	94.6	1	26.3	6	1.6
Richland	11,690	159 *	13.6	113 *	9.7	110 *	97.3	-	0	46	3.9
Saluda	420	3	7.1	1	2.4	1	100.0	-	0	2	4.8
Spartanburg	7,820	147	18.8	124	15.9	118	95.2	1	8.0	22	2.8
Sumter	2,860	51	17.8	43	15.0	43	100.0	-	0	8	2.8
Union	670	13	19.4	10	14.9	10	100.0	-	0	3	4.5
Williamsburg	860	14	16.3	11	12.8	10	90.9	-	0	3	3.5
York	6,540	94 *	14.4	63	9.6	63	100.0	-	0	31 *	4.7
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

* Includes unknown race

Table D-3A.
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	75,990	1,001	13.2	808	10.6	761	94.2	5	6.2	188	2.5
Abbeville	440	5	11.4	3	6.8	3	100.0	-	0	2	4.5
Aiken	2,640	38	14.4	34	12.9	32	94.1	-	0	4	1.5
Allendale	30	-	0	-	0	-	0	-	0	-	0
Anderson	3,750	60	16.0	50	13.3	50	100.0	-	0	10	2.7
Bamberg	130	1	7.7	1	7.7	1	100.0	-	0	-	0
Barnwell	280	4	14.3	4	14.3	4	100.0	-	0	-	0
Beaufort	2,400	23	9.6	22	9.2	19	86.4	-	0	1	0.4
Berkeley	2,950	36	12.2	30	10.2	28	93.3	-	0	6	2.0
Calhoun	160	3	18.8	3	18.8	3	100.0	-	0	-	0
Charleston	4,970	34	6.8	25	5.0	19	76.0	-	0	9	1.8
Cherokee	1,080	23	21.3	21	19.4	20	95.2	-	0	2	1.9
Chester	400	10	25.0	7	17.5	7	100.0	-	0	3	7.5
Chesterfield	740	12	16.2	11	14.9	11	100.0	-	0	1	1.4
Clarendon	340	7	20.6	5	14.7	5	100.0	-	0	2	5.9
Colleton	490	9	18.4	8	16.3	8	100.0	-	0	1	2.0
Darlington	890	12	13.5	9	10.1	8	88.9	-	0	3	3.4
Dillon	340	14	41.2	12	35.3	11	91.7	1	76.9	1	2.9
Dorchester	2,600	25	9.6	18	6.9	16	88.9	-	0	7	2.7
Edgefield	360	3	8.3	3	8.3	3	100.0	-	0	-	0
Fairfield	170	1	5.9	1	5.9	1	100.0	-	0	-	0
Florence	1,720	18	10.5	13	7.6	13	100.0	-	0	5	2.9
Georgetown	720	14	19.4	9	12.5	8	88.9	-	0	5	6.9
Greenville	9,060	113	12.5	92	10.2	87	94.6	-	0	21	2.3
Greenwood	1,180	25	21.2	20	16.9	20	100.0	-	0	5	4.2
Hampton	200	2	10.0	2	10.0	2	100.0	-	0	-	0
Horry	4,680	78	16.7	55	11.8	52	94.5	2	35.1	21	4.5
Jasper	250	7	28.0	7	28.0	6	85.7	-	0	-	0
Kershaw	1,100	20	18.2	17	15.5	17	100.0	-	0	3	2.7
Lancaster	1,220	23	18.9	21	17.2	21	100.0	-	0	2	1.6
Laurens	1,230	17	13.8	16	13.0	14	87.5	-	0	1	0.8
Lee	100	4	40.0	3	30.0	2	66.7	-	0	1	10.0
Lexington	5,230	55	10.5	39	7.5	37	94.9	1	25.0	15	2.9
McCormick	40	-	0	-	0	-	0	-	0	-	0
Marion	260	4	15.4	4	15.4	3	75.0	-	0	-	0
Marlboro	230	8	34.8	7	30.4	7	100.0	-	0	1	4.3
Newberry	570	5	8.8	5	8.8	5	100.0	-	0	-	0
Oconee	1,420	28	19.7	23	16.2	21	91.3	-	0	5	3.5
Orangeburg	650	14	21.5	11	16.9	11	100.0	-	0	3	4.6
Pickens	3,470	39	11.2	33	9.5	31	93.9	1	29.4	5	1.4
Richland	5,170	26	5.0	16	3.1	14	87.5	-	0	10	1.9
Saluda	270	1	3.7	1	3.7	1	100.0	-	0	-	0
Spartanburg	5,520	98	17.8	86	15.6	80	93.0	-	0	12	2.2
Sumter	1,190	16	13.4	13	10.9	13	100.0	-	0	3	2.5
Union	410	9	22.0	6	14.6	6	100.0	-	0	3	7.3
Williamsburg	210	1	4.8	1	4.8	-	0	-	0	-	0
York	4,750	56	11.8	41	8.6	41	100.0	-	0	15	3.2
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-3A. (continued)
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	44,640	957	21.4	734	16.4	729	99.3	6	8.1	217	4.9
Abbeville	210	7	33.3	5	23.8	5	100.0	-	0	2	9.5
Aiken	1,420	26	18.3	25	17.6	24	96.0	-	0	1	0.7
Allendale	200	4	20.0	4	20.0	4	100.0	-	0	-	0
Anderson	1,050	21	20.0	17	16.2	17	100.0	1	55.6	3	2.9
Bamberg	390	2	5.1	2	5.1	2	100.0	-	0	-	0
Barnwell	300	12	40.0	11	36.7	11	100.0	-	0	1	3.3
Beaufort	1,100	18	16.4	14	12.7	13	92.9	1	66.7	3	2.7
Berkeley	1,690	19	11.2	13	7.7	13	100.0	-	0	6	3.6
Calhoun	190	5	26.3	2	10.5	2	100.0	-	0	3	15.8
Charleston	3,240	57	17.6	38	11.7	38	100.0	1	25.6	18	5.6
Cherokee	420	16	38.1	13	31.0	13	100.0	-	0	3	7.1
Chester	380	11	28.9	9	23.7	9	100.0	-	0	2	5.3
Chesterfield	490	14	28.6	11	22.4	11	100.0	-	0	3	6.1
Clarendon	510	6	11.8	5	9.8	4	80.0	-	0	1	2.0
Colleton	490	16	32.7	14	28.6	14	100.0	-	0	2	4.1
Darlington	970	33	34.0	29	29.9	29	100.0	-	0	4	4.1
Dillon	520	20	38.5	16	30.8	16	100.0	-	0	4	7.7
Dorchester	1,400	25	17.9	18	12.9	18	100.0	-	0	7	5.0
Edgefield	260	6	23.1	5	19.2	5	100.0	-	0	1	3.8
Fairfield	420	8	19.0	4	9.5	4	100.0	-	0	4	9.5
Florence	1,850	40	21.6	35	18.9	35	100.0	-	0	5	2.7
Georgetown	620	8	12.9	6	9.7	6	100.0	-	0	2	3.2
Greenville	3,020	65	21.5	47	15.6	47	100.0	-	0	18	6.0
Greenwood	810	19	23.5	14	17.3	14	100.0	-	0	5	6.2
Hampton	340	13	38.2	10	29.4	10	100.0	-	0	3	8.8
Horry	1,420	41	28.9	35	24.6	35	100.0	1	27.8	5	3.5
Jasper	350	3	8.6	3	8.6	3	100.0	-	0	-	0
Kershaw	450	8	17.8	5	11.1	5	100.0	-	0	3	6.7
Lancaster	540	9	16.7	9	16.7	9	100.0	-	0	-	0
Laurens	490	13	26.5	9	18.4	9	100.0	-	0	4	8.2
Lee	320	11	34.4	9	28.1	9	100.0	-	0	2	6.3
Lexington	1,510	28	18.5	16	10.6	15	93.8	1	58.8	11	7.3
McCormick	110	2	18.2	2	18.2	2	100.0	-	0	-	0
Marion	570	25	43.9	20	35.1	20	100.0	-	0	5	8.8
Marlboro	430	7	16.3	5	11.6	5	100.0	-	0	2	4.7
Newberry	360	11	30.6	9	25.0	9	100.0	-	0	2	5.6
Oconee	200	4	20.0	4	20.0	4	100.0	-	0	-	0
Orangeburg	1,900	44	23.2	37	19.5	37	100.0	-	0	7	3.7
Pickens	380	5	13.2	4	10.5	4	100.0	-	0	1	2.6
Richland	6,520	132	20.2	96	14.7	95	99.0	-	0	36	5.5
Saluda	150	2	13.3	-	0	-	0	-	0	2	13.3
Spartanburg	2,300	49	21.3	38	16.5	38	100.0	1	25.6	10	4.3
Sumter	1,670	35	21.0	30	18.0	30	100.0	-	0	5	3.0
Union	260	4	15.4	4	15.4	4	100.0	-	0	-	0
Williamsburg	660	13	19.7	10	15.2	10	100.0	-	0	3	4.5
York	1,800	37	20.6	22	12.2	22	100.0	-	0	15	8.3
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-4.
 Reported Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	90,890	1,882 *	20.7	1,495 *	16.4	1,443 *	96.5	11	7.3	376 *	4.1
Abbeville	500	12	24.0	8	16.0	8	100.0	-	0	4	8.0
Aiken	3,040	60	19.7	57	18.8	54	94.7	-	0	3	1.0
Allendale	180	5 *	27.8	4	22.2	4	100.0	-	0	1 *	5.6
Anderson	3,550	79	22.3	65	18.3	65	100.0	1	15.2	13	3.7
Bamberg	420	2	4.8	2	4.8	2	100.0	-	0	-	0
Barnwell	420	15	35.7	14	33.3	14	100.0	-	0	1	2.4
Beaufort	2,610	37	14.2	33	12.6	30	90.9	1	29.4	3	1.1
Berkeley	3,370	53	15.7	43	12.8	41	95.3	-	0	10	3.0
Calhoun	260	8	30.8	5	19.2	5	100.0	-	0	3	11.5
Charleston	6,270	83	13.2	58	9.3	52	89.7	1	16.9	24	3.8
Cherokee	1,110	38	34.2	34	30.6	33	97.1	-	0	4	3.6
Chester	580	21	36.2	16	27.6	16	100.0	-	0	5	8.6
Chesterfield	910	24	26.4	20	22.0	20	100.0	-	0	4	4.4
Clarendon	630	13	20.6	10	15.9	9	90.0	-	0	3	4.8
Colleton	720	24	33.3	22	30.6	22	100.0	-	0	2	2.8
Darlington	1,380	44	31.9	38	27.5	37	97.4	-	0	6	4.3
Dillon	630	32	50.8	26	41.3	25	96.2	1	37.0	5	7.9
Dorchester	2,930	48 *	16.4	35 *	11.9	32	91.4	-	0	13	4.4
Edgefield	460	8	17.4	8	17.4	8	100.0	-	0	-	0
Fairfield	440	9	20.5	5	11.4	5	100.0	-	0	4	9.1
Florence	2,640	55	20.8	46	17.4	46	100.0	-	0	9	3.4
Georgetown	990	22	22.2	15	15.2	14	93.3	-	0	7	7.1
Greenville	9,040	175	19.4	137	15.2	132	96.4	-	0	38	4.2
Greenwood	1,550	44	28.4	34	21.9	34	100.0	-	0	10	6.5
Hampton	400	14	35.0	12	30.0	12	100.0	-	0	2	5.0
Horry	4,560	117 *	25.7	87	19.1	84	96.6	3	33.3	27 *	5.9
Jasper	440	10	22.7	10	22.7	9	90.0	-	0	-	0
Kershaw	1,130	27	23.9	22	19.5	22	100.0	-	0	5	4.4
Lancaster	1,270	31	24.4	29	22.8	29	100.0	-	0	2	1.6
Laurens	1,320	28	21.2	24	18.2	22	91.7	-	0	4	3.0
Lee	300	12	40.0	9	30.0	8	88.9	-	0	3	10.0
Lexington	4,930	79	16.0	53	10.8	50	94.3	2	36.4	24	4.9
McCormick	110	2	18.2	2	18.2	2	100.0	-	0	-	0
Marion	630	29	46.0	24	38.1	23	95.8	-	0	5	7.9
Marlboro	490	14	28.6	11	22.4	11	100.0	-	0	3	6.1
Newberry	680	14	20.6	14	20.6	14	100.0	-	0	-	0
Oconee	1,210	29	24.0	24	19.8	22	91.7	-	0	5	4.1
Orangeburg	2,000	57	28.5	47	23.5	47	100.0	-	0	10	5.0
Pickens	3,170	42	13.2	35	11.0	33	94.3	1	27.8	6	1.9
Richland	9,250	151 *	16.3	108 *	11.7	105 *	97.2	-	0	43	4.6
Saluda	300	2	6.7	1	3.3	1	100.0	-	0	1	3.3
Spartanburg	5,930	145	24.5	124	20.9	118	95.2	1	8.0	20	3.4
Sumter	2,140	47	22.0	40	18.7	40	100.0	-	0	7	3.3
Union	490	13	26.5	10	20.4	10	100.0	-	0	3	6.1
Williamsburg	640	14	21.9	11	17.2	10	90.9	-	0	3	4.7
York	4,870	92 *	18.9	63	12.9	63	100.0	-	0	29 *	6.0
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

* Includes unknown race

Table D-4A.
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,030	975	17.1	792	13.9	745	94.1	5	6.3	178	3.1
Abbeville	340	5	14.7	3	8.8	3	100.0	-	0	2	5.9
Aiken	1,970	35	17.8	33	16.8	31	93.9	-	0	2	1.0
Allendale	30	-	0	-	0	-	0	-	0	-	0
Anderson	2,780	60	21.6	50	18.0	50	100.0	-	0	10	3.6
Bamberg	100	1	10.0	1	10.0	1	100.0	-	0	-	0
Barnwell	200	4	20.0	4	20.0	4	100.0	-	0	-	0
Beaufort	1,780	22	12.4	21	11.8	18	85.7	-	0	1	0.6
Berkeley	2,140	36	16.8	30	14.0	28	93.3	-	0	6	2.8
Calhoun	110	3	27.3	3	27.3	3	100.0	-	0	-	0
Charleston	3,820	34	8.9	25	6.5	19	76.0	-	0	9	2.4
Cherokee	800	23	28.8	21	26.3	20	95.2	-	0	2	2.5
Chester	290	10	34.5	7	24.1	7	100.0	-	0	3	10.3
Chesterfield	550	11	20.0	10	18.2	10	100.0	-	0	1	1.8
Clarendon	250	7	28.0	5	20.0	5	100.0	-	0	2	8.0
Colleton	360	9	25.0	8	22.2	8	100.0	-	0	1	2.8
Darlington	660	11	16.7	9	13.6	8	88.9	-	0	2	3.0
Dillon	250	14	56.0	12	48.0	11	91.7	1	76.9	1	4.0
Dorchester	1,890	23	12.2	17	9.0	15	88.2	-	0	6	3.2
Edgefield	270	3	11.1	3	11.1	3	100.0	-	0	-	0
Fairfield	120	1	8.3	1	8.3	1	100.0	-	0	-	0
Florence	1,250	18	14.4	13	10.4	13	100.0	-	0	5	4.0
Georgetown	530	14	26.4	9	17.0	8	88.9	-	0	5	9.4
Greenville	6,780	112	16.5	91	13.4	86	94.5	-	0	21	3.1
Greenwood	910	25	27.5	20	22.0	20	100.0	-	0	5	5.5
Hampton	140	2	14.3	2	14.3	2	100.0	-	0	-	0
Horry	3,490	75	21.5	53	15.2	50	94.3	2	36.4	20	5.7
Jasper	170	7	41.2	7	41.2	6	85.7	-	0	-	0
Kershaw	800	19	23.8	17	21.3	17	100.0	-	0	2	2.5
Lancaster	870	23	26.4	21	24.1	21	100.0	-	0	2	2.3
Laurens	940	17	18.1	16	17.0	14	87.5	-	0	1	1.1
Lee	70	2	28.6	1	14.3	-	0	-	0	1	14.3
Lexington	3,820	53	13.9	38	9.9	36	94.7	1	25.6	14	3.7
McCormick	30	-	0	-	0	-	0	-	0	-	0
Marion	190	4	21.1	4	21.1	3	75.0	-	0	-	0
Marlboro	170	7	41.2	6	35.3	6	100.0	-	0	1	5.9
Newberry	420	5	11.9	5	11.9	5	100.0	-	0	-	0
Oconee	1,050	26	24.8	21	20.0	19	90.5	-	0	5	4.8
Orangeburg	490	14	28.6	11	22.4	11	100.0	-	0	3	6.1
Pickens	2,860	37	12.9	31	10.8	29	93.5	1	31.3	5	1.7
Richland	4,200	25	6.0	16	3.8	14	87.5	-	0	9	2.1
Saluda	190	1	5.3	1	5.3	1	100.0	-	0	-	0
Spartanburg	4,130	97	23.5	86	20.8	80	93.0	-	0	11	2.7
Sumter	860	15	17.4	12	14.0	12	100.0	-	0	3	3.5
Union	300	9	30.0	6	20.0	6	100.0	-	0	3	10.0
Williamsburg	150	1	6.7	1	6.7	-	0	-	0	-	0
York	3,500	55	15.7	41	11.7	41	100.0	-	0	14	4.0
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-4A. (continued)
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	33,860	901	26.6	701	20.7	697	99.4	6	8.5	194	5.7
Abbeville	160	7	43.8	5	31.3	5	100.0	-	0	2	12.5
Aiken	1,070	25	23.4	24	22.4	23	95.8	-	0	1	0.9
Allendale	150	4	26.7	4	26.7	4	100.0	-	0	-	0
Anderson	770	19	24.7	15	19.5	15	100.0	1	62.5	3	3.9
Bamberg	320	1	3.1	1	3.1	1	100.0	-	0	-	0
Barnwell	220	11	50.0	10	45.5	10	100.0	-	0	1	4.5
Beaufort	830	15	18.1	12	14.5	12	100.0	1	76.9	2	2.4
Berkeley	1,230	17	13.8	13	10.6	13	100.0	-	0	4	3.3
Calhoun	140	5	35.7	2	14.3	2	100.0	-	0	3	21.4
Charleston	2,450	49	20.0	33	13.5	33	100.0	1	29.4	15	6.1
Cherokee	310	15	48.4	13	41.9	13	100.0	-	0	2	6.5
Chester	280	11	39.3	9	32.1	9	100.0	-	0	2	7.1
Chesterfield	370	13	35.1	10	27.0	10	100.0	-	0	3	8.1
Clarendon	390	6	15.4	5	12.8	4	80.0	-	0	1	2.6
Colleton	370	15	40.5	14	37.8	14	100.0	-	0	1	2.7
Darlington	710	33	46.5	29	40.8	29	100.0	-	0	4	5.6
Dillon	380	18	47.4	14	36.8	14	100.0	-	0	4	10.5
Dorchester	1,050	24	22.9	17	16.2	17	100.0	-	0	7	6.7
Edgefield	200	5	25.0	5	25.0	5	100.0	-	0	-	0
Fairfield	320	8	25.0	4	12.5	4	100.0	-	0	4	12.5
Florence	1,380	37	26.8	33	23.9	33	100.0	-	0	4	2.9
Georgetown	460	8	17.4	6	13.0	6	100.0	-	0	2	4.3
Greenville	2,270	63	27.8	46	20.3	46	100.0	-	0	17	7.5
Greenwood	640	19	29.7	14	21.9	14	100.0	-	0	5	7.8
Hampton	260	12	46.2	10	38.5	10	100.0	-	0	2	7.7
Horry	1,070	40	37.4	34	31.8	34	100.0	1	28.6	5	4.7
Jasper	260	3	11.5	3	11.5	3	100.0	-	0	-	0
Kershaw	330	8	24.2	5	15.2	5	100.0	-	0	3	9.1
Lancaster	400	8	20.0	8	20.0	8	100.0	-	0	-	0
Laurens	370	11	29.7	8	21.6	8	100.0	-	0	3	8.1
Lee	230	10	43.5	8	34.8	8	100.0	-	0	2	8.7
Lexington	1,110	26	23.4	15	13.5	14	93.3	1	62.5	10	9.0
McCormick	80	2	25.0	2	25.0	2	100.0	-	0	-	0
Marion	440	25	56.8	20	45.5	20	100.0	-	0	5	11.4
Marlboro	320	7	21.9	5	15.6	5	100.0	-	0	2	6.3
Newberry	260	9	34.6	9	34.6	9	100.0	-	0	-	0
Oconee	160	3	18.8	3	18.8	3	100.0	-	0	-	0
Orangeburg	1,510	43	28.5	36	23.8	36	100.0	-	0	7	4.6
Pickens	310	5	16.1	4	12.9	4	100.0	-	0	1	3.2
Richland	5,060	125	24.7	91	18.0	90	98.9	-	0	34	6.7
Saluda	110	1	9.1	-	0	-	0	-	0	1	9.1
Spartanburg	1,790	48	26.8	38	21.2	38	100.0	1	25.6	9	5.0
Sumter	1,270	32	25.2	28	22.0	28	100.0	-	0	4	3.1
Union	190	4	21.1	4	21.1	4	100.0	-	0	-	0
Williamsburg	490	13	26.5	10	20.4	10	100.0	-	0	3	6.1
York	1,360	36	26.5	22	16.2	22	100.0	-	0	14	10.3
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-5.
 Reported Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	60,590	4,878 *	80.5	4,037 *	66.6	3,609 *	89.4	43	10.5	798 *	13.2
Abbeville	330	25	75.8	21	63.6	18	85.7	-	0	4	12.1
Aiken	2,030	178 *	87.7	166 *	81.8	144 *	86.7	1	6.0	11 *	5.4
Allendale	120	15	125.0	14	116.7	14	100.0	-	0	1	8.3
Anderson	2,370	195	82.3	169	71.3	152	89.9	-	0	26	11.0
Bamberg	280	12	42.9	9	32.1	8	88.9	-	0	3	10.7
Barnwell	280	31	110.7	27	96.4	24	88.9	2	69.0	2	7.1
Beaufort	1,740	132	75.9	104	59.8	86	82.7	1	9.5	27	15.5
Berkeley	2,250	180	80.0	149	66.2	126	84.6	1	6.7	30	13.3
Calhoun	170	11	64.7	9	52.9	8	88.9	-	0	2	11.8
Charleston	4,180	266	63.6	198	47.4	185	93.4	3	14.9	65	15.6
Cherokee	740	83 *	112.2	77	104.1	70	90.9	-	0	6 *	8.1
Chester	390	51	130.8	46	117.9	38	82.6	-	0	5	12.8
Chesterfield	610	70 *	114.8	56	91.8	52	92.9	2	34.5	12 *	19.7
Clarendon	420	33	78.6	30	71.4	28	93.3	1	32.3	2	4.8
Colleton	480	58 *	120.8	51	106.3	47	92.2	1	19.2	6 *	12.5
Darlington	920	104	113.0	87	94.6	79	90.8	1	11.4	16	17.4
Dillon	420	52 *	123.8	44	104.8	38	86.4	2	43.5	6 *	14.3
Dorchester	1,960	122	62.2	95	48.5	84	88.4	-	0	27	13.8
Edgefield	310	16	51.6	12	38.7	10	83.3	-	0	4	12.9
Fairfield	290	26	89.7	24	82.8	23	95.8	1	40.0	1	3.4
Florence	1,760	189 *	107.4	170	96.6	155	91.2	-	0	19 *	10.8
Georgetown	660	57	86.4	50	75.8	47	94.0	1	19.6	6	9.1
Greenville	6,030	438	72.6	363	60.2	315	86.8	3	8.2	72	11.9
Greenwood	1,040	87	83.7	73	70.2	66	90.4	1	13.5	13	12.5
Hampton	270	24	88.9	22	81.5	22	100.0	-	0	2	7.4
Horry	3,040	228 *	75.0	180	59.2	168	93.3	2	11.0	46 *	15.1
Jasper	290	31	106.9	27	93.1	24	88.9	-	0	4	13.8
Kershaw	750	63	84.0	53	70.7	46	86.8	1	18.5	9	12.0
Lancaster	850	89	104.7	77	90.6	73	94.8	1	12.8	11	12.9
Laurens	880	91	103.4	83	94.3	70	84.3	-	0	8	9.1
Lee	200	22	110.0	21	105.0	19	90.5	-	0	1	5.0
Lexington	3,290	237 *	72.0	188	57.1	171	91.0	1	5.3	48 *	14.6
McCormick	70	5	71.4	5	71.4	5	100.0	-	0	-	0
Marion	420	36	85.7	34	81.0	31	91.2	-	0	2	4.8
Marlboro	330	46	139.4	41	124.2	37	90.2	-	0	5	15.2
Newberry	460	42	91.3	33	71.7	32	97.0	-	0	9	19.6
Oconee	800	89	111.3	80	100.0	67	83.8	-	0	9	11.3
Orangeburg	1,330	122	91.7	103	77.4	99	96.1	3	28.3	16	12.0
Pickens	2,110	111	52.6	91	43.1	79	86.8	1	10.9	19	9.0
Richland	6,170	387 *	62.7	268	43.4	252	94.0	6	21.9	113 *	18.3
Saluda	200	26	130.0	24	120.0	18	75.0	-	0	2	10.0
Spartanburg	3,950	345 *	87.3	280	70.9	237	84.6	4	14.1	61 *	15.4
Sumter	1,420	144	101.4	125	88.0	112	89.6	1	7.9	18	12.7
Union	330	34	103.0	30	90.9	24	80.0	-	0	4	12.1
Williamsburg	430	42	97.7	40	93.0	38	95.0	-	0	2	4.7
York	3,240	233 *	71.9	188	58.0	168	89.4	2	10.5	43 *	13.3
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

* Includes unknown race

Table D-5A.
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	38,020	2,598	68.3	2,177	57.3	1,793	82.4	12	5.5	409	10.8
Abbeville	230	15	65.2	13	56.5	10	76.9	-	0	2	8.7
Aiken	1,310	102	77.9	98	74.8	79	80.6	-	0	4	3.1
Allendale	20	1	50.0	1	50.0	1	100.0	-	0	-	0
Anderson	1,850	138	74.6	122	65.9	107	87.7	-	0	16	8.6
Bamberg	60	4	66.7	3	50.0	2	66.7	-	0	1	16.7
Barnwell	130	13	100.0	13	100.0	10	76.9	-	0	-	0
Beaufort	1,190	79	66.4	63	52.9	45	71.4	-	0	16	13.4
Berkeley	1,420	128	90.1	103	72.5	80	77.7	-	0	25	17.6
Calhoun	80	3	37.5	2	25.0	1	50.0	-	0	1	12.5
Charleston	2,550	98	38.4	68	26.7	57	83.8	2	28.6	28	11.0
Cherokee	530	56	105.7	51	96.2	44	86.3	-	0	5	9.4
Chester	200	29	145.0	25	125.0	18	72.0	-	0	4	20.0
Chesterfield	360	35	97.2	29	80.6	26	89.7	1	33.3	5	13.9
Clarendon	160	10	62.5	9	56.3	8	88.9	-	0	1	6.3
Colleton	240	27	112.5	23	95.8	19	82.6	1	41.7	3	12.5
Darlington	440	42	95.5	33	75.0	25	75.8	-	0	9	20.5
Dillon	170	20	117.6	16	94.1	11	68.8	1	58.8	3	17.6
Dorchester	1,260	70	55.6	57	45.2	47	82.5	-	0	13	10.3
Edgefield	180	3	16.7	2	11.1	-	0	-	0	1	5.6
Fairfield	80	8	100.0	8	100.0	8	100.0	-	0	-	0
Florence	840	63	75.0	55	65.5	42	76.4	-	0	8	9.5
Georgetown	350	22	62.9	17	48.6	14	82.4	-	0	5	14.3
Greenville	4,520	274	60.6	234	51.8	188	80.3	2	8.5	38	8.4
Greenwood	610	44	72.1	40	65.6	33	82.5	1	24.4	3	4.9
Hampton	90	6	66.7	6	66.7	6	100.0	-	0	-	0
Horry	2,330	154	66.1	122	52.4	112	91.8	1	8.1	31	13.3
Jasper	120	14	116.7	13	108.3	10	76.9	-	0	1	8.3
Kershaw	530	40	75.5	36	67.9	31	86.1	-	0	4	7.5
Lancaster	580	54	93.1	48	82.8	44	91.7	-	0	6	10.3
Laurens	630	57	90.5	53	84.1	40	75.5	-	0	4	6.3
Lee	50	7	140.0	7	140.0	5	71.4	-	0	-	0
Lexington	2,550	177	69.4	136	53.3	121	89.0	-	0	41	16.1
McCormick	20	1	50.0	1	50.0	1	100.0	-	0	-	0
Marion	130	11	84.6	10	76.9	9	90.0	-	0	1	7.7
Marlboro	110	17	154.5	14	127.3	11	78.6	-	0	3	27.3
Newberry	280	22	78.6	16	57.1	15	93.8	-	0	6	21.4
Oconee	700	81	115.7	73	104.3	60	82.2	-	0	8	11.4
Orangeburg	330	30	90.9	25	75.8	23	92.0	-	0	5	15.2
Pickens	1,910	99	51.8	83	43.5	71	85.5	1	11.9	15	7.9
Richland	2,800	76	27.1	46	16.4	38	82.6	-	0	30	10.7
Saluda	130	16	123.1	15	115.4	9	60.0	-	0	1	7.7
Spartanburg	2,760	223	80.8	190	68.8	150	78.9	2	10.4	31	11.2
Sumter	580	51	87.9	45	77.6	34	75.6	-	0	6	10.3
Union	200	23	115.0	21	105.0	15	71.4	-	0	2	10.0
Williamsburg	100	15	150.0	15	150.0	13	86.7	-	0	-	0
York	2,330	140	60.1	117	50.2	100	85.5	-	0	23	9.9
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

Table D-5A. (continued)
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	22,570	2,265	100.4	1,859	82.4	1,815	97.6	31	16.4	375	16.6
Abbeville	110	10	90.9	8	72.7	8	100.0	-	0	2	18.2
Aiken	720	74	102.8	67	93.1	64	95.5	1	14.7	6	8.3
Allendale	100	14	140.0	13	130.0	13	100.0	-	0	1	10.0
Anderson	510	57	111.8	47	92.2	45	95.7	-	0	10	19.6
Bamberg	220	8	36.4	6	27.3	6	100.0	-	0	2	9.1
Barnwell	150	18	120.0	14	93.3	14	100.0	2	125.0	2	13.3
Beaufort	550	53	96.4	41	74.5	41	100.0	1	23.8	11	20.0
Berkeley	820	52	63.4	46	56.1	46	100.0	1	21.3	5	6.1
Calhoun	90	8	88.9	7	77.8	7	100.0	-	0	1	11.1
Charleston	1,640	168	102.4	130	79.3	128	98.5	1	7.6	37	22.6
Cherokee	210	26	123.8	26	123.8	26	100.0	-	0	-	0
Chester	190	22	115.8	21	110.5	20	95.2	-	0	1	5.3
Chesterfield	240	33	137.5	27	112.5	26	96.3	1	35.7	5	20.8
Clarendon	260	23	88.5	21	80.8	20	95.2	1	45.5	1	3.8
Colleton	240	30	125.0	28	116.7	28	100.0	-	0	2	8.3
Darlington	470	62	131.9	54	114.9	54	100.0	1	18.2	7	14.9
Dillon	250	31	124.0	28	112.0	27	96.4	1	34.5	2	8.0
Dorchester	700	52	74.3	38	54.3	37	97.4	-	0	14	20.0
Edgefield	130	13	100.0	10	76.9	10	100.0	-	0	3	23.1
Fairfield	210	18	85.7	16	76.2	15	93.8	1	58.8	1	4.8
Florence	920	125	135.9	115	125.0	113	98.3	-	0	10	10.9
Georgetown	310	35	112.9	33	106.5	33	100.0	1	29.4	1	3.2
Greenville	1,510	164	108.6	129	85.4	127	98.4	1	7.7	34	22.5
Greenwood	430	43	100.0	33	76.7	33	100.0	-	0	10	23.3
Hampton	170	18	105.9	16	94.1	16	100.0	-	0	2	11.8
Horry	720	73	101.4	58	80.6	56	96.6	1	16.9	14	19.4
Jasper	170	17	100.0	14	82.4	14	100.0	-	0	3	17.6
Kershaw	220	23	104.5	17	77.3	15	88.2	1	55.6	5	22.7
Lancaster	270	35	129.6	29	107.4	29	100.0	1	33.3	5	18.5
Laurens	250	34	136.0	30	120.0	30	100.0	-	0	4	16.0
Lee	150	15	100.0	14	93.3	14	100.0	-	0	1	6.7
Lexington	740	59	79.7	52	70.3	50	96.2	1	18.9	6	8.1
McCormick	50	4	80.0	4	80.0	4	100.0	-	0	-	0
Marion	290	25	86.2	24	82.8	22	91.7	-	0	1	3.4
Marlboro	220	29	131.8	27	122.7	26	96.3	-	0	2	9.1
Newberry	180	20	111.1	17	94.4	17	100.0	-	0	3	16.7
Oconee	100	8	80.0	7	70.0	7	100.0	-	0	1	10.0
Orangeburg	1,010	92	91.1	78	77.2	76	97.4	3	37.0	11	10.9
Pickens	210	12	57.1	8	38.1	8	100.0	-	0	4	19.0
Richland	3,370	309	91.7	222	65.9	214	96.4	6	26.3	81	24.0
Saluda	70	10	142.9	9	128.6	9	100.0	-	0	1	14.3
Spartanburg	1,190	120	100.8	90	75.6	87	96.7	2	21.7	28	23.5
Sumter	850	93	109.4	80	94.1	78	97.5	1	12.3	12	14.1
Union	130	11	84.6	9	69.2	9	100.0	-	0	2	15.4
Williamsburg	330	27	81.8	25	75.8	25	100.0	-	0	2	6.1
York	910	92	101.1	71	78.0	68	95.8	2	27.4	19	20.9
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.


² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

The State Fish

“ The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTIONS

Table E-1.
 Abortions and Abortion Rates¹ by Race
 South Carolina, 2002-2012
 (Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
2002	10,947 *	201.0	5,507	156.7	5,268	273.0
2003	11,527 *	207.8	5,811	161.4	5,507	283.1
2004	10,534 *	186.3	5,462	148.1	4,904	250.0
2005	11,919 *	207.2	5,826	155.9	5,925	295.1
2006	13,116 *	210.9	6,209	155.4	6,665	301.2
2007	12,838 *	204.0	6,083	149.7	6,519	292.9
2008	10,917 *	173.1	5,230	128.5	5,395	241.7
2009	11,656 *	192.1	5,208	132.4	6,193	291.0
2010	11,441 *	196.2	5,225	137.8	6,062	297.7
2011	10,117 *	176.4	4,877	130.4	4,917	247.2
2012	9,741 *	170.6	4,523	121.9	4,983	249.7

¹ Rate per 1,000 live births

* Includes unknown race

Figure E-1.
 Abortion Rates by Race
 South Carolina, 2002-2012
 (Residence Data)




Table E-2.
 Abortions by Age Group: South Carolina and Each County, 2012
 (Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	9,741 *	46	60	103	213	338	460	3,211	2,530	1,509	1,109	162
Abbeville	31 *	-	-	1	3	3	1	13	3	3	2	2
Aiken	190 *	2	1	1	1	3	8	75	58	22	19	-
Allendale	14 *	-	-	1	-	-	1	6	4	1	1	-
Anderson	253 *	-	1	4	8	12	14	69	57	41	40	7
Bamberg	21 *	-	-	-	-	-	3	7	8	2	1	-
Barnwell	45 *	1	-	-	1	1	1	17	11	6	7	-
Beaufort	240 *	4	-	1	2	11	16	89	59	34	24	-
Berkeley	421 *	2	2	4	4	9	21	129	129	67	51	3
Calhoun	17	-	1	-	2	1	1	4	4	3	1	-
Charleston	1,041 *	3	5	6	13	22	43	343	324	168	114	-
Cherokee	77 *	1	-	2	2	2	4	25	22	9	6	4
Chester	79 *	-	1	1	3	-	5	23	26	8	6	6
Chesterfield	75 *	-	-	1	3	9	3	18	17	15	5	4
Clarendon	29 *	-	1	1	1	2	-	9	7	3	5	-
Colleton	73 *	1	-	-	2	2	4	23	21	15	5	-
Darlington	119 *	1	-	3	3	7	9	34	26	22	11	3
Dillon	67 *	-	2	1	2	1	5	19	14	11	9	3
Dorchester	337	1	3	1	9	12	15	103	81	53	58	1
Edgefield	27 *	1	-	-	-	3	1	5	14	2	1	-
Fairfield	43	-	1	2	1	1	-	15	12	8	3	-
Florence	273 *	1	3	2	4	4	15	83	80	48	28	5
Georgetown	94	-	1	4	2	2	4	28	26	16	11	-
Greenville	966 *	2	7	12	19	35	37	287	259	164	131	13
Greenwood	143 *	1	1	4	5	7	6	46	34	20	18	1
Hampton	28	1	-	1	1	-	2	9	5	6	3	-
Horry	594 *	3	3	11	13	19	27	216	131	95	63	13
Jasper	39 *	-	-	-	-	2	2	21	9	1	4	-
Kershaw	104 *	1	-	4	1	6	3	28	26	18	14	3
Lancaster	112 *	-	1	-	1	7	4	40	23	16	14	6
Laurens	106 *	1	2	1	1	3	5	36	31	15	10	1
Lee	37	-	-	1	2	1	-	11	15	5	2	-
Lexington	505 *	2	7	3	14	25	23	147	119	83	78	4
McCormick	10 *	-	-	-	-	-	-	5	4	-	1	-
Marion	60 *	-	-	-	5	-	2	18	13	9	7	6
Marlboro	53	-	-	-	3	2	3	12	17	14	2	-
Newberry	74 *	3	-	-	-	2	7	24	15	12	10	1
Oconee	87	-	1	2	2	6	3	33	20	15	5	-
Orangeburg	288 *	-	2	1	7	7	9	111	76	45	23	7
Pickens	147 *	-	1	1	4	9	10	63	28	15	13	3
Richland	1,386 *	3	4	13	26	41	72	485	369	210	140	23
Saluda	20 *	1	1	-	-	-	2	10	4	2	-	-
Spartanburg	535 *	3	1	5	14	31	30	180	123	75	63	10
Sumter	239 *	1	-	1	6	7	11	82	75	31	19	6
Union	39	-	-	1	2	2	2	8	11	5	7	1
Williamsburg	36	-	2	-	1	2	-	9	9	8	4	1
York	528 *	4	5	6	18	17	26	183	102	81	65	21
Unknown	39 *	2	-	-	2	-	-	10	9	7	5	4

* Includes unknown race

Table E-2A.
 Abortions by Age Group and Race: South Carolina and Each County, 2012
 White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	4,523	17	25	47	106	174	235	1,466	1,140	678	587	48
Abbeville	13	-	-	-	2	2	-	5	-	2	2	-
Aiken	65	2	-	1	1	-	4	23	19	5	10	-
Allendale	2	-	-	-	-	-	-	2	-	-	-	-
Anderson	161	-	1	3	6	9	7	46	33	24	28	4
Bamberg	3	-	-	-	-	-	1	1	-	1	-	-
Barnwell	9	1	-	-	-	-	-	4	3	1	-	-
Beaufort	130	3	-	-	1	5	11	36	33	23	18	-
Berkeley	224	-	1	1	4	8	17	69	60	36	27	1
Calhoun	4	-	-	-	-	1	-	-	2	-	1	-
Charleston	573	-	3	1	5	8	20	198	172	88	78	-
Cherokee	38	-	-	1	1	2	3	11	10	5	4	1
Chester	29	-	-	1	2	-	4	10	7	3	1	1
Chesterfield	34	-	-	-	1	3	2	10	11	3	1	3
Clarendon	8	-	1	1	-	1	-	4	1	-	-	-
Colleton	26	-	-	-	1	2	1	11	6	5	-	-
Darlington	46	1	-	-	2	3	6	15	10	6	2	1
Dillon	14	-	1	-	-	-	3	4	2	1	2	1
Dorchester	181	1	2	-	4	7	6	59	41	25	36	-
Edgefield	7	-	-	-	-	1	-	2	3	1	-	-
Fairfield	9	-	-	-	-	-	-	5	2	2	-	-
Florence	89	-	1	1	3	2	6	29	25	9	12	1
Georgetown	43	-	1	3	1	2	3	12	11	6	4	-
Greenville	549	-	3	5	13	18	20	152	145	103	86	4
Greenwood	50	1	-	2	3	2	1	14	13	6	7	1
Hampton	6	-	-	-	-	-	-	3	3	-	-	-
Horry	407	3	1	9	10	13	18	140	101	61	47	4
Jasper	15	-	-	-	-	-	1	7	5	-	2	-
Kershaw	53	1	-	2	-	2	2	17	12	8	7	2
Lancaster	51	-	1	-	1	4	2	18	8	8	6	3
Laurens	58	-	1	-	-	1	3	19	18	9	7	-
Lee	6	-	-	-	1	-	-	3	1	1	-	-
Lexington	338	1	4	2	8	21	20	100	71	54	55	2
McCormick	11	-	-	-	-	-	1	1	4	4	1	-
Marion	13	-	-	-	1	1	2	3	1	5	-	-
Marlboro	33	-	-	-	-	1	5	9	6	5	7	-
Newberry	69	-	1	2	2	5	3	24	14	13	5	-
Oconee	42	-	-	1	2	2	3	12	16	5	1	-
Orangeburg	115	-	1	1	3	7	8	45	22	13	12	3
Pickens	380	1	-	3	6	13	17	146	109	46	35	4
Richland	12	-	-	-	-	-	1	6	3	2	-	-
Saluda	269	1	-	2	9	16	15	82	65	43	35	1
Spartanburg	62	-	-	-	3	2	4	20	20	8	4	1
Sumter	17	-	-	1	2	1	1	2	5	1	4	-
Union	7	-	-	-	-	-	-	4	-	3	-	-
Williamsburg	243	1	2	4	8	9	14	81	45	32	38	9
York	9	-	-	-	-	-	-	2	2	2	2	1
Unknown	19	-	1	-	1	2	1	4	4	3	3	-

Table E-2A. (continued)
 Abortions by Age Group and Race: South Carolina and Each County, 2012
 Black & Other

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	4,983	29	34	54	106	157	218	1,668	1,335	802	498	82
Abbeville	14	-	-	1	1	1	1	6	2	1	-	1
Aiken	107	-	1	-	-	3	3	42	34	15	9	-
Allendale	10	-	-	-	-	-	1	4	3	1	1	-
Anderson	90	-	-	1	2	3	7	22	23	17	12	3
Bamberg	14	-	-	-	-	-	2	4	7	-	1	-
Barnwell	32	-	-	-	1	1	1	12	7	5	5	-
Beaufort	106	1	-	1	1	6	5	52	25	11	4	-
Berkeley	189	2	1	3	-	1	4	60	64	29	24	1
Calhoun	13	-	1	-	2	-	1	4	2	3	-	-
Charleston	466	3	2	5	8	14	23	145	150	80	36	-
Cherokee	38	1	-	1	1	-	-	14	12	4	2	3
Chester	49	-	1	-	1	-	1	13	19	5	4	5
Chesterfield	38	-	-	1	2	4	1	8	6	11	4	1
Clarendon	19	-	-	-	1	1	-	5	5	3	4	-
Colleton	46	1	-	-	1	-	2	12	15	10	5	-
Darlington	72	-	-	3	1	4	3	19	15	16	9	2
Dillon	51	-	1	1	2	-	2	15	12	10	7	1
Dorchester	156	-	1	1	5	5	9	44	40	28	22	1
Edgefield	19	1	-	-	-	2	1	3	10	1	1	-
Fairfield	34	-	1	2	1	1	-	10	10	6	3	-
Florence	182	1	2	1	1	2	8	53	55	39	16	4
Georgetown	51	-	-	1	1	-	1	16	15	10	7	-
Greenville	399	2	4	7	6	17	17	125	112	59	45	5
Greenwood	88	-	1	2	2	5	5	29	19	14	11	-
Hampton	22	1	-	1	1	-	2	6	2	6	3	-
Horry	158	-	1	1	3	6	8	66	24	31	14	4
Jasper	22	-	-	-	-	2	1	13	3	1	2	-
Kershaw	50	-	-	2	1	4	1	10	14	10	7	1
Lancaster	55	-	-	-	-	3	2	20	14	8	6	2
Laurens	47	1	1	1	1	2	2	16	13	6	3	1
Lee	31	-	-	1	1	1	-	8	14	4	2	-
Lexington	153	1	3	1	6	3	3	45	44	25	21	1
McCormick	8	-	-	-	-	-	-	4	4	-	-	-
Marion	47	-	-	-	5	-	1	17	9	4	6	5
Marlboro	40	-	-	-	2	1	1	9	16	9	2	-
Newberry	40	3	-	-	-	1	2	15	9	7	3	-
Oconee	18	-	-	-	-	1	-	9	6	2	-	-
Orangeburg	231	-	2	-	5	5	6	96	56	38	19	4
Pickens	30	-	-	-	1	2	2	17	6	1	1	-
Richland	980	2	4	10	20	27	54	333	255	159	102	14
Saluda	7	1	1	-	-	-	1	3	1	-	-	-
Spartanburg	253	2	1	3	5	14	14	92	56	32	27	7
Sumter	174	1	-	1	3	5	7	61	54	23	15	4
Union	22	-	-	-	-	1	1	6	6	4	3	1
Williamsburg	29	-	2	-	1	2	-	5	9	5	4	1
York	259	3	3	2	9	7	12	95	51	44	24	9
Unknown	24	2	-	-	2	-	-	5	7	5	2	1

Table E-3.
Abortions by Age Group and Race of Mother: South Carolina and Selected Counties, 2012
(Occurrence Data)

Total

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	6,084	21	40	63	181	236	282	1,924	1,623	953	761	-
CHARLESTON	2,171	4	12	19	47	60	97	705	621	351	255	-
GREENVILLE	2,045	10	15	23	73	98	85	568	524	345	304	-
RICHLAND	1,867	7	13	21	61	78	100	650	478	257	202	-
SPARTANBURG	1	-	-	-	-	-	-	1	-	-	-	-

White

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	3,348	9	21	30	105	142	157	1,052	861	516	455	-
CHARLESTON	1,227	1	7	9	25	33	59	408	344	186	155	-
GREENVILLE	1,343	5	10	12	50	64	55	373	329	231	214	-
RICHLAND	778	3	4	9	30	45	43	271	188	99	86	-


Black and Other

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	2,729	12	19	33	76	94	125	870	758	437	305	-
CHARLESTON	938	3	5	10	22	27	38	296	273	165	99	-
GREENVILLE	702	5	5	11	23	34	30	195	195	114	90	-
RICHLAND	1,089	4	9	12	31	33	57	379	290	158	116	-

NOTE: Counties not listed had no occurrences

The State Shell

“The Oliva Sayana”




Officially adopted by the General Assembly in 1984


PERINATAL

Figure F-1

Three-Year Infant Mortality Rates* by County South Carolina, 2010-2012 (Residence Data)



Infant Mortality Rates



Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

*Rates calculated per 1,000 population

Table F-1.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina, 1987-2012
 (Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1987	673	12.8	309	9.7	364	17.5
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2
2001	496	8.9	206	5.8	290	14.5
2002	507	9.3	208	5.9	298	15.4
2003	463	8.3	211	5.9	252	13.0
2004	524	9.3	236	6.4	288	14.7
2005	549	9.5	261	7.0	286	14.2
2006	520	8.4	231	5.8	288	13.0
2007	538	8.5	243	6.0	295	13.3
2008	504	8.0	242	5.9	241	10.8
2009	430	7.1	198	5.0	232	10.9
2010	430	7.4	188	5.0	220	10.8
2011	423	7.4	182	4.9	241	12.1
2012	435	7.6	199	5.4	236	11.8

¹ Rate per 1,000 Live Births

* Includes unknown race

Figure F-2
 Infant Mortality Rates by Race
 South Carolina, 1987-2012
 (Residence Data)




Table F-2.
 Leading Causes of Infant Death by Age at Death
 South Carolina, 2012
 (Residence Data)

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
TOTAL INFANT DEATHS	435	156	57	57	165
CONGENITAL MALFORMATIONS, ETC. (Q00-Q99)	72	25	11	14	22
DISORDERS RELATED TO SHORT GESTATION, ETC. (P07)	65	54	5	4	2
SUDDEN INFANT DEATH SYNDROME (R95)	41	1	-	5	35
ACCIDENTS (V01-X59,Y85-Y86)	33	-	-	1	32
NEWBORN AFF BY MATERNAL COMP OF PREG (P01)	22	19	3	-	-
NEWBORN AFF BY COMP OF PLACENTA, ETC. (P02)	21	21	-	-	-
DZ OF CIRULATORY SYSTEM (I00-I99)	18	6	8	4	-
RESPIRATORY DISTRESS OF NEWBORN (P22)	12	1	1	1	9
BACTERIAL SEPSIS OF NEWBORN (P36)	12	1	3	7	1
NECROTIZING ENTERCOLITIS OF NEWBORN (P77)	10	4	6	-	-
ALL OTHER CAUSES	129	24	20	21	64

Figure F-3
 Percent of Infant Deaths by Age at Death
 South Carolina, 2012
 (Residence Data)




Table F-3.
 Infant Mortality and Infant Mortality Rates¹
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	435	7.6	1,288 *	7.5	1,472 *	7.9
Abbeville	5	19.8	15	19.2	13	15.5
Aiken	16	8.4	37	6.4	43	7.2
Allendale	1	10.5	3	8.8	9	22.5
Anderson	17	7.8	51 *	7.7	53 *	7.4
Bamberg	2	13.2	7	14.1	2	3.6
Barnwell	3	9.4	7	7.7	5 *	5.2
Beaufort	10	4.9	28	4.5	35	5.1
Berkeley	21	8.1	54 *	7.0	59 *	7.6
Calhoun	-	0	2	4.4	5	9.7
Charleston	27	5.8	90 *	6.3	132 *	8.6
Cherokee	4	5.9	17	8.2	20	9.3
Chester	4	9.0	5	4.0	11	8.1
Chesterfield	4	7.7	20	12.9	23	13.2
Clarendon	5	13.8	9	8.5	7 *	5.7
Colleton	9	19.8	19 *	13.7	14	8.5
Darlington	10	12.2	30 *	12.4	26	10.3
Dillon	3	6.9	11	8.3	6	4.0
Dorchester	9	4.9	29	5.3	29	5.1
Edgefield	2	9.8	3	5.7	5	6.7
Fairfield	5	23.5	10	14.1	5	6.3
Florence	31	16.9	74 *	13.6	65	11.1
Georgetown	7	11.9	17	9.5	21	9.8
Greenville	32	5.2	108 *	5.9	139 *	7.0
Greenwood	10	11.2	24	8.9	31	10.5
Hampton	1	4.3	2	2.8	7	8.0
Horry	24	8.2	69	7.6	92	9.3
Jasper	2	6.5	6	6.1	10	8.3
Kershaw	3	4.1	12	5.5	14	5.7
Lancaster	8	8.8	24	9.1	17	6.0
Laurens	4	5.3	13	5.4	27	10.3
Lee	2	10.8	7	12.7	4	5.7
Lexington	26	8.0	65 *	6.6	68	6.6
McCormick	1	18.2	5	27.3	3	11.2
Marion	7	18.8	21 *	17.0	27 *	18.4
Marlboro	1	3.4	11	12.0	9	8.3
Newberry	3	7.3	7	5.4	10	6.3
Oconee	5	6.1	11	4.5	20 *	8.1
Orangeburg	12	11.1	43 *	12.2	57 *	13.8
Pickens	10	8.5	36	10.0	18	4.6
Richland	41	8.6	110 *	7.5	88 *	5.8
Saluda	3	11.5	9 *	11.8	10	12.3
Spartanburg	7	2.0	54	5.0	96 *	8.2
Sumter	10	6.5	34	7.4	37	7.4
Union	1	3.3	4	4.4	11	10.5
Williamsburg	7	20.3	16	14.9	22	16.2
York	20	6.7	58	6.6	67	7.3
Unknown	-	0	1	55.6	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)

White

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	199	5.4	569	5.1	683	5.7
Abbeville	3	18.1	7	13.8	4	7.3
Aiken	9	7.1	20	5.2	20	5.0
Allendale	-	0	-	0	-	0
Anderson	12	7.0	30	5.8	28	4.9
Bamberg	-	0	1	6.2	1	5.7
Barnwell	-	0	-	0	2	4.7
Beaufort	8	5.5	18	4.0	16	3.2
Berkeley	7	3.8	25	4.5	30	5.4
Calhoun	-	0	-	0	3	11.5
Charleston	14	4.7	36	4.0	51	5.5
Cherokee	3	6.3	13	8.4	12	7.7
Chester	2	8.5	2	3.0	5	7.1
Chesterfield	2	6.5	8	8.9	11	10.7
Clarendon	2	13.8	3	6.8	2	3.8
Colleton	1	4.2	5	6.8	4	4.6
Darlington	4	9.6	11	9.2	11	8.8
Dillon	-	0	2	3.7	4	6.3
Dorchester	3	2.3	12	3.1	15	3.8
Edgefield	1	10.6	1	4.1	-	0
Fairfield	-	0	3	13.6	2	8.6
Florence	4	4.6	20	7.6	19	6.9
Georgetown	1	3.4	3	3.2	6	5.2
Greenville	23	4.9	63	4.5	69	4.6
Greenwood	5	9.3	10	6.1	16	8.6
Hampton	1	11.6	1	3.5	1	2.9
Horry	17	7.5	42	5.8	68	8.6
Jasper	2	11.0	3	5.5	3	4.3
Kershaw	2	3.7	8	5.0	9	5.2
Lancaster	5	7.8	13	6.9	4	2.0
Laurens	4	7.6	7	4.2	20	11.1
Lee	-	0	1	6.8	-	0
Lexington	11	4.3	36	4.6	46	5.5
McCormick	-	0	-	0	1	12.3
Marion	-	0	4	10.3	5	10.2
Marlboro	-	0	2	5.9	3	7.3
Newberry	1	4.1	2	2.5	7	6.8
Oconee	4	5.4	9	4.0	17	7.6
Orangeburg	1	3.3	5	4.9	12	9.8
Pickens	9	8.4	29	8.9	18	5.1
Richland	13	6.5	26	4.2	19	2.9
Saluda	2	10.5	6	10.5	7	11.9
Spartanburg	3	1.1	33	4.2	54	6.3
Sumter	3	4.2	9	4.2	10	4.3
Union	1	5.2	3	5.1	7	10.5
Williamsburg	4	34.8	4	12.0	1	2.8
York	12	5.5	32	5.0	40	5.9
Unknown	-	0	1	62.5	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A. (continued)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)
 Black & Other

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	236	11.8	697	11.6	768	11.7
Abbeville	2	23.0	8	29.3	9	30.8
Aiken	7	11.0	17	9.0	23	11.9
Allendale	1	13.0	3	10.5	9	27.4
Anderson	5	10.5	19	13.1	24	16.0
Bamberg	2	20.8	6	18.0	1	2.7
Barnwell	3	17.1	7	14.4	2	3.8
Beaufort	2	3.6	10	5.9	19	10.0
Berkeley	14	18.9	27	12.9	28	12.6
Calhoun	-	0	2	9.6	2	8.0
Charleston	13	7.7	53	10.2	77	12.6
Cherokee	1	5.1	4	7.5	8	13.5
Chester	2	9.8	3	5.2	6	9.2
Chesterfield	2	9.4	12	18.4	12	16.9
Clarendon	3	13.8	6	9.6	4	5.7
Colleton	8	37.0	13	19.8	10	13.0
Darlington	6	14.8	16	13.0	15	11.8
Dillon	3	11.8	9	11.5	2	2.3
Dorchester	6	11.2	17	10.7	14	8.1
Edgefield	1	9.0	2	7.1	5	14.5
Fairfield	5	34.5	7	14.4	3	5.4
Florence	27	28.1	52	18.5	46	14.8
Georgetown	6	20.5	14	16.3	15	15.4
Greenville	9	6.1	43	9.8	69	14.7
Greenwood	5	14.2	14	13.2	15	13.6
Hampton	-	0	1	2.4	6	11.2
Horry	7	10.6	27	14.0	24	12.0
Jasper	-	0	3	6.9	7	14.0
Kershaw	1	5.4	4	6.7	5	6.8
Lancaster	3	11.2	11	14.1	13	15.0
Laurens	-	0	6	8.1	7	8.7
Lee	2	15.3	6	14.9	4	7.5
Lexington	15	22.2	26	13.1	22	11.1
McCormick	1	27.8	5	43.5	2	10.6
Marion	7	26.3	16	18.8	21	21.4
Marlboro	1	5.6	9	15.5	6	9.0
Newberry	2	11.8	5	9.6	3	5.4
Oconee	1	12.7	2	8.5	2	8.9
Orangeburg	11	14.1	36	14.4	40	13.7
Pickens	1	9.5	7	20.1	-	0
Richland	28	10.1	82	9.8	67	7.7
Saluda	1	14.1	2	10.4	3	13.4
Spartanburg	4	4.3	21	7.3	39	12.2
Sumter	7	8.6	25	10.3	27	10.3
Union	-	0	1	3.0	4	10.5
Williamsburg	3	13.1	12	16.2	21	21.2
York	8	10.0	26	11.0	27	11.6
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4.
 Neonatal Mortality and Neonatal Mortality Rates¹
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	270	4.7	790 *	4.6	927 *	5.0
Abbeville	4	15.8	12	15.3	7	8.3
Aiken	11	5.7	21	3.6	28	4.7
Allendale	1	10.5	3	8.8	3	7.5
Anderson	5	2.3	28 *	4.2	32 *	4.5
Bamberg	2	13.2	6	12.1	1	1.8
Barnwell	1	3.1	3	3.3	4 *	4.2
Beaufort	5	2.5	18	2.9	25	3.6
Berkeley	11	4.2	28 *	3.7	35 *	4.5
Calhoun	-	0	2	4.4	4	7.8
Charleston	17	3.6	50 *	3.5	87 *	5.6
Cherokee	3	4.4	10	4.8	10	4.6
Chester	2	4.5	3	2.4	6	4.4
Chesterfield	4	7.7	14	9.0	17	9.8
Clarendon	2	5.5	5	4.7	5 *	4.1
Colleton	5	11.0	13 *	9.4	7	4.2
Darlington	3	3.6	16 *	6.6	16	6.3
Dillon	2	4.6	7	5.3	3	2.0
Dorchester	8	4.4	17	3.1	21	3.7
Edgefield	1	4.9	2	3.8	5	6.7
Fairfield	4	18.8	7	9.9	4	5.1
Florence	19	10.4	46 *	8.4	40	6.8
Georgetown	4	6.8	12	6.7	14	6.5
Greenville	23	3.7	63 *	3.4	99 *	5.0
Greenwood	7	7.9	18	6.6	21	7.1
Hampton	-	0	1	1.4	6	6.8
Horry	16	5.4	41	4.5	67	6.8
Jasper	2	6.5	4	4.1	7	5.8
Kershaw	2	2.7	6	2.7	9	3.6
Lancaster	6	6.6	16	6.0	11	3.9
Laurens	2	2.7	9	3.7	15	5.7
Lee	1	5.4	4	7.3	3	4.2
Lexington	15	4.6	38 *	3.8	35	3.4
McCormick	-	0	4	21.9	2	7.4
Marion	7	18.8	17 *	13.7	19	12.9
Marlboro	1	3.4	11	12.0	6	5.6
Newberry	1	2.4	3	2.3	4	2.5
Oconee	3	3.7	6	2.4	14	5.7
Orangeburg	9	8.3	27 *	7.7	39 *	9.4
Pickens	7	5.9	25	7.0	13	3.3
Richland	26	5.4	72 *	4.9	48 *	3.1
Saluda	2	7.6	7 *	9.2	4	4.9
Spartanburg	4	1.1	27	2.5	60 *	5.1
Sumter	5	3.2	18	3.9	18	3.6
Union	-	0	1	1.1	5	4.8
Williamsburg	5	14.5	12	11.2	14	10.3
York	12	4.0	36	4.1	34	3.7
Unknown	-	0	1	55.6	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)
 White

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	120	3.2	333	3.0	427	3.5
Abbeville	2	12.0	5	9.8	2	3.6
Aiken	6	4.7	11	2.8	12	3.0
Allendale	-	0	-	0	-	0
Anderson	4	2.3	16	3.1	16	2.8
Bamberg	-	0	1	6.2	-	0
Barnwell	-	0	-	0	2	4.7
Beaufort	3	2.1	10	2.2	12	2.4
Berkeley	2	1.1	10	1.8	17	3.1
Calhoun	-	0	-	0	2	7.6
Charleston	9	3.0	21	2.3	33	3.6
Cherokee	2	4.2	7	4.5	4	2.6
Chester	1	4.2	1	1.5	3	4.3
Chesterfield	2	6.5	5	5.5	7	6.8
Clarendon	-	0	1	2.3	1	1.9
Colleton	-	0	3	4.1	3	3.4
Darlington	1	2.4	5	4.2	6	4.8
Dillon	-	0	1	1.9	2	3.2
Dorchester	2	1.5	6	1.6	11	2.8
Edgefield	-	0	-	0	-	0
Fairfield	-	0	2	9.1	2	8.6
Florence	2	2.3	11	4.2	10	3.6
Georgetown	-	0	2	2.1	4	3.4
Greenville	17	3.6	43	3.1	49	3.3
Greenwood	4	7.4	8	4.9	10	5.4
Hampton	-	0	-	0	-	0
Horry	15	6.6	30	4.2	51	6.5
Jasper	2	11.0	3	5.5	2	2.9
Kershaw	1	1.8	4	2.5	5	2.9
Lancaster	5	7.8	10	5.3	3	1.5
Laurens	2	3.8	4	2.4	11	6.1
Lee	-	0	-	0	-	0
Lexington	6	2.4	20	2.5	25	3.0
McCormick	-	0	-	0	-	0
Marion	-	0	1	2.6	2	4.1
Marlboro	-	0	2	5.9	3	7.3
Newberry	-	0	1	1.3	4	3.9
Oconee	2	2.7	4	1.8	13	5.8
Orangeburg	1	3.3	2	2.0	7	5.7
Pickens	6	5.6	19	5.9	13	3.7
Richland	8	4.0	18	2.9	13	2.0
Saluda	1	5.2	4	7.0	3	5.1
Spartanburg	1	0.4	13	1.6	32	3.8
Sumter	2	2.8	5	2.3	6	2.6
Union	-	0	1	1.7	3	4.5
Williamsburg	3	26.1	3	9.0	-	0
York	8	3.7	19	3.0	23	3.4
Unknown	-	0	1	62.5	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A. (continued)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)
 Black & Other

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	150	7.5	437	7.3	482	7.3
Abbeville	2	23.0	7	25.6	5	17.1
Aiken	5	7.9	10	5.3	16	8.3
Allendale	1	13.0	3	10.5	3	9.1
Anderson	1	2.1	10	6.9	15	10.0
Bamberg	2	20.8	5	15.0	1	2.7
Barnwell	1	5.7	3	6.2	1	1.9
Beaufort	2	3.6	8	4.7	13	6.8
Berkeley	9	12.2	16	7.6	17	7.7
Calhoun	-	0	2	9.6	2	8.0
Charleston	8	4.7	28	5.4	51	8.3
Cherokee	1	5.1	3	5.6	6	10.2
Chester	1	4.9	2	3.5	3	4.6
Chesterfield	2	9.4	9	13.8	10	14.1
Clarendon	2	9.2	4	6.4	3	4.3
Colleton	5	23.1	9	13.7	4	5.2
Darlington	2	4.9	8	6.5	10	7.9
Dillon	2	7.8	6	7.7	1	1.2
Dorchester	6	11.2	11	6.9	10	5.8
Edgefield	1	9.0	2	7.1	5	14.5
Fairfield	4	27.6	5	10.3	2	3.6
Florence	17	17.7	33	11.7	30	9.7
Georgetown	4	13.7	10	11.7	10	10.2
Greenville	6	4.0	19	4.3	49	10.4
Greenwood	3	8.5	10	9.4	11	10.0
Hampton	-	0	1	2.4	6	11.2
Horry	1	1.5	11	5.7	16	8.0
Jasper	-	0	1	2.3	5	10.0
Kershaw	1	5.4	2	3.3	4	5.4
Lancaster	1	3.7	6	7.7	8	9.2
Laurens	-	0	5	6.7	4	5.0
Lee	1	7.6	4	9.9	3	5.6
Lexington	9	13.3	16	8.1	10	5.1
McCormick	-	0	4	34.8	2	10.6
Marion	7	26.3	15	17.7	17	17.3
Marlboro	1	5.6	9	15.5	3	4.5
Newberry	1	5.9	2	3.8	-	0
Oconee	1	12.7	2	8.5	1	4.4
Orangeburg	8	10.3	23	9.2	27	9.3
Pickens	1	9.5	6	17.2	-	0
Richland	18	6.5	52	6.2	33	3.8
Saluda	1	14.1	2	10.4	1	4.5
Spartanburg	3	3.2	14	4.9	25	7.8
Sumter	3	3.7	13	5.3	12	4.6
Union	-	0	-	0	2	5.2
Williamsburg	2	8.7	9	12.2	14	14.1
York	4	5.0	17	7.2	11	4.7
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5.
 Postneonatal Mortality and Postneonatal Mortality Rates¹
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	165	2.9	498 *	2.9	545 *	2.9
Abbeville	1	4.0	3	3.8	6	7.1
Aiken	5	2.6	16	2.8	15	2.5
Allendale	-	0	-	0	6	15.0
Anderson	12	5.5	23	3.5	21	2.9
Bamberg	-	0	1	2.0	1	1.8
Barnwell	2	6.3	4	4.4	1	1.0
Beaufort	5	2.5	10	1.6	10	1.4
Berkeley	10	3.8	26	3.4	24	3.1
Calhoun	-	0	-	0	1	1.9
Charleston	10	2.1	40	2.8	45 *	2.9
Cherokee	1	1.5	7	3.4	10	4.6
Chester	2	4.5	2	1.6	5	3.7
Chesterfield	-	0	6	3.9	6	3.5
Clarendon	3	8.3	4	3.8	2	1.6
Colleton	4	8.8	6	4.3	7	4.2
Darlington	7	8.5	14	5.8	10	4.0
Dillon	1	2.3	4	3.0	3	2.0
Dorchester	1	0.5	12	2.2	8	1.4
Edgefield	1	4.9	1	1.9	-	0
Fairfield	1	4.7	3	4.2	1	1.3
Florence	12	6.6	28	5.1	25	4.3
Georgetown	3	5.1	5	2.8	7	3.3
Greenville	9	1.5	45 *	2.5	40	2.0
Greenwood	3	3.4	6	2.2	10	3.4
Hampton	1	4.3	1	1.4	1	1.1
Horry	8	2.7	28	3.1	25	2.5
Jasper	-	0	2	2.0	3	2.5
Kershaw	1	1.4	6	2.7	5	2.0
Lancaster	2	2.2	8	3.0	6	2.1
Laurens	2	2.7	4	1.7	12	4.6
Lee	1	5.4	3	5.4	1	1.4
Lexington	11	3.4	27 *	2.7	33	3.2
McCormick	1	18.2	1	5.5	1	3.7
Marion	-	0	4	3.2	8 *	5.4
Marlboro	-	0	-	0	3	2.8
Newberry	2	4.9	4	3.1	6	3.8
Oconee	2	2.5	5	2.0	6 *	2.4
Orangeburg	3	2.8	16	4.5	18	4.4
Pickens	3	2.5	11	3.1	5	1.3
Richland	15	3.1	38	2.6	40	2.6
Saluda	1	3.8	2	2.6	6	7.4
Spartanburg	3	0.8	27	2.5	36	3.1
Sumter	5	3.2	16	3.5	19	3.8
Union	1	3.3	3	3.3	6	5.7
Williamsburg	2	5.8	4	3.7	8	5.9
York	8	2.7	22	2.5	33	3.6
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A.
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)
 White

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	79	2.1	236	2.1	256	2.1
Abbeville	1	6.0	2	3.9	2	3.6
Aiken	3	2.4	9	2.3	8	2.0
Allendale	-	0	-	0	-	0
Anderson	8	4.7	14	2.7	12	2.1
Bamberg	-	0	-	0	1	5.7
Barnwell	-	0	-	0	-	0
Beaufort	5	3.4	8	1.8	4	0.8
Berkeley	5	2.7	15	2.7	13	2.3
Calhoun	-	0	-	0	1	3.8
Charleston	5	1.7	15	1.7	18	1.9
Cherokee	1	2.1	6	3.9	8	5.1
Chester	1	4.2	1	1.5	2	2.9
Chesterfield	-	0	3	3.3	4	3.9
Clarendon	2	13.8	2	4.6	1	1.9
Colleton	1	4.2	2	2.7	1	1.1
Darlington	3	7.2	6	5.0	5	4.0
Dillon	-	0	1	1.9	2	3.2
Dorchester	1	0.8	6	1.6	4	1.0
Edgefield	1	10.6	1	4.1	-	0
Fairfield	-	0	1	4.5	-	0
Florence	2	2.3	9	3.4	9	3.2
Georgetown	1	3.4	1	1.1	2	1.7
Greenville	6	1.3	20	1.4	20	1.3
Greenwood	1	1.9	2	1.2	6	3.2
Hampton	1	11.6	1	3.5	1	2.9
Horry	2	0.9	12	1.7	17	2.2
Jasper	-	0	-	0	1	1.4
Kershaw	1	1.8	4	2.5	4	2.3
Lancaster	-	0	3	1.6	1	0.5
Laurens	2	3.8	3	1.8	9	5.0
Lee	-	0	1	6.8	-	0
Lexington	5	2.0	16	2.0	21	2.5
McCormick	-	0	-	0	1	12.3
Marion	-	0	3	7.7	3	6.1
Marlboro	-	0	-	0	-	0
Newberry	1	4.1	1	1.3	3	2.9
Oconee	2	2.7	5	2.2	4	1.8
Orangeburg	-	0	3	2.9	5	4.1
Pickens	3	2.8	10	3.1	5	1.4
Richland	5	2.5	8	1.3	6	0.9
Saluda	1	5.2	2	3.5	4	6.8
Spartanburg	2	0.8	20	2.5	22	2.6
Sumter	1	1.4	4	1.9	4	1.7
Union	1	5.2	2	3.4	4	6.0
Williamsburg	1	8.7	1	3.0	1	2.8
York	4	1.8	13	2.0	17	2.5
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A. (continued)
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2012, 2010-2012, 2007-2009
 (Residence Data)
 Black & Other

County of Residence	2012		2010-2012		2007-2009	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	86	4.3	260	4.3	286	4.3
Abbeville	-	0	1	3.7	4	13.7
Aiken	2	3.2	7	3.7	7	3.6
Allendale	-	0	-	0	6	18.3
Anderson	4	8.4	9	6.2	9	6.0
Bamberg	-	0	1	3.0	-	0
Barnwell	2	11.4	4	8.2	1	1.9
Beaufort	-	0	2	1.2	6	3.1
Berkeley	5	6.8	11	5.2	11	5.0
Calhoun	-	0	-	0	-	0
Charleston	5	3.0	25	4.8	26	4.2
Cherokee	-	0	1	1.9	2	3.4
Chester	1	4.9	1	1.7	3	4.6
Chesterfield	-	0	3	4.6	2	2.8
Clarendon	1	4.6	2	3.2	1	1.4
Colleton	3	13.9	4	6.1	6	7.8
Darlington	4	9.9	8	6.5	5	3.9
Dillon	1	3.9	3	3.8	1	1.2
Dorchester	-	0	6	3.8	4	2.3
Edgefield	-	0	-	0	-	0
Fairfield	1	6.9	2	4.1	1	1.8
Florence	10	10.4	19	6.7	16	5.2
Georgetown	2	6.8	4	4.7	5	5.1
Greenville	3	2.0	24	5.4	20	4.3
Greenwood	2	5.7	4	3.8	4	3.6
Hampton	-	0	-	0	-	0
Horry	6	9.1	16	8.3	8	4.0
Jasper	-	0	2	4.6	2	4.0
Kershaw	-	0	2	3.3	1	1.4
Lancaster	2	7.5	5	6.4	5	5.8
Laurens	-	0	1	1.3	3	3.7
Lee	1	7.6	2	5.0	1	1.9
Lexington	6	8.9	10	5.1	12	6.1
McCormick	1	27.8	1	8.7	-	0
Marion	-	0	1	1.2	4	4.1
Marlboro	-	0	-	0	3	4.5
Newberry	1	5.9	3	5.7	3	5.4
Oconee	-	0	-	0	1	4.4
Orangeburg	3	3.9	13	5.2	13	4.5
Pickens	-	0	1	2.9	-	0
Richland	10	3.6	30	3.6	34	3.9
Saluda	-	0	-	0	2	8.9
Spartanburg	1	1.1	7	2.4	14	4.4
Sumter	4	4.9	12	4.9	15	5.7
Union	-	0	1	3.0	2	5.2
Williamsburg	1	4.4	3	4.1	7	7.1
York	4	5.0	9	3.8	16	6.9
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-6.
Fetal Mortality and Fetal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	516 *	9.0	221	5.9	294	14.5
Abbeville	2	7.8	1	6.0	1	11.4
Aiken	9	4.7	3	2.3	6	9.4
Allendale	-	0	-	0	-	0
Anderson	20	9.1	10	5.8	10	20.6
Bamberg	3	19.4	1	17.5	2	20.4
Barnwell	3	9.3	-	0	3	16.9
Beaufort	22	10.7	8	5.4	14	24.3
Berkeley	18	6.9	7	3.8	11	14.7
Calhoun	4	26.5	3	36.6	1	14.5
Charleston	41	8.7	18	6.0	23	13.4
Cherokee	10	14.6	7	14.4	3	15.0
Chester	2	4.5	-	0	2	9.7
Chesterfield	5	9.6	2	6.5	3	14.0
Clarendon	4	10.9	1	6.8	3	13.6
Colleton	6	13.0	4	16.5	2	9.2
Darlington	10	12.0	1	2.4	9	21.7
Dillon	8	18.0	2	10.9	6	23.0
Dorchester	9 *	4.9	5	3.9	3	5.5
Edgefield	-	0	-	0	-	0
Fairfield	3	13.9	-	0	3	20.3
Florence	20	10.8	6	6.9	14	14.3
Georgetown	7	11.8	1	3.4	6	20.1
Greenville	42	6.8	28	6.0	14	9.3
Greenwood	6	6.7	2	3.7	4	11.2
Hampton	2	8.6	-	0	2	13.7
Horry	34	11.4	25	10.9	9	13.5
Jasper	2	6.5	2	10.9	-	0
Kershaw	3	4.1	2	3.6	1	5.4
Lancaster	7	7.6	2	3.1	5	18.4
Laurens	7	9.2	3	5.6	4	17.5
Lee	-	0	-	0	-	0
Lexington	31	9.5	18	7.0	13	18.9
McCormick	-	0	-	0	-	0
Marion	5	13.3	3	27.5	2	7.5
Marlboro	3	10.0	1	8.2	2	11.2
Newberry	8	19.1	4	16.3	4	23.1
Oconee	3	3.7	2	2.7	1	12.5
Orangeburg	17	15.4	2	6.5	15	18.9
Pickens	8	6.8	8	7.4	-	0
Richland	62	12.8	9	4.5	53	18.7
Saluda	1	3.8	1	5.2	-	0
Spartanburg	20	5.6	9	3.4	11	11.7
Sumter	16	10.3	5	6.9	11	13.3
Union	2	6.6	2	10.2	-	0
Williamsburg	1	2.9	1	8.6	-	0
York	20	6.7	8	3.7	12	14.7
Unknown	10	1000.0	4	1000.0	6	1000.0

¹ Rate calculated per 1,000 deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

*Includes unknown race

Table F-7.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	516 *	54	392	65		5
Abbeville	2	-	2	-	-	-
Aiken	9	1	6	1	-	1
Allendale	-	-	-	-	-	-
Anderson	20	1	18	1	-	-
Bamberg	3	-	3	-	-	-
Barnwell	3	2	-	1	-	-
Beaufort	22	2	19	1	-	-
Berkeley	18	1	15	1	-	1
Calhoun	4	-	4	-	-	-
Charleston	41	4	32	5	-	-
Cherokee	10	-	9	1	-	-
Chester	2	-	2	-	-	-
Chesterfield	5	2	3	-	-	-
Clarendon	4	1	3	-	-	-
Colleton	6	1	5	-	-	-
Darlington	10	1	8	1	-	-
Dillon	8	3	4	1	-	-
Dorchester	9 *	-	7	2	-	-
Edgefield	-	-	-	-	-	-
Fairfield	3	1	2	-	-	-
Florence	20	-	20	-	-	-
Georgetown	7	1	5	1	-	-
Greenville	42	3	36	3	-	-
Greenwood	6	1	3	2	-	-
Hampton	2	-	2	-	-	-
Horry	34	5	22	5	-	2
Jasper	2	-	1	1	-	-
Kershaw	3	1	-	2	-	-
Lancaster	7	1	5	1	-	-
Laurens	7	-	6	-	-	1
Lee	-	-	-	-	-	-
Lexington	31	3	22	6	-	-
McCormick	-	-	-	-	-	-
Marion	5	-	5	-	-	-
Marlboro	3	-	3	-	-	-
Newberry	8	-	5	3	-	-
Oconee	3	-	3	-	-	-
Orangeburg	17	3	11	3	-	-
Pickens	8	2	5	1	-	-
Richland	62	6	46	10	-	-
Saluda	1	-	-	1	-	-
Spartanburg	20	5	13	2	-	-
Sumter	16	1	11	4	-	-
Union	2	-	1	1	-	-
Williamsburg	1	-	-	1	-	-
York	20	2	15	3	-	-
Unknown	10	-	10	-	-	-

* Includes unknown race

Table F-7A.
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2012
(Residence Data)
White

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	221	17	170	34		
Abbeville	1	-	1	-	-	-
Aiken	3	-	3	-	-	-
Allendale	-	-	-	-	-	-
Anderson	10	-	9	1	-	-
Bamberg	1	-	1	-	-	-
Barnwell	-	-	-	-	-	-
Beaufort	8	-	8	-	-	-
Berkeley	7	-	6	1	-	-
Calhoun	3	-	3	-	-	-
Charleston	18	2	13	3	-	-
Cherokee	7	-	6	1	-	-
Chester	-	-	-	-	-	-
Chesterfield	2	1	1	-	-	-
Clarendon	1	-	1	-	-	-
Colleton	4	1	3	-	-	-
Darlington	1	-	-	1	-	-
Dillon	2	2	-	-	-	-
Dorchester	5	-	3	2	-	-
Edgefield	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-
Florence	6	-	6	-	-	-
Georgetown	1	-	-	1	-	-
Greenville	28	2	25	1	-	-
Greenwood	2	1	1	-	-	-
Hampton	-	-	-	-	-	-
Horry	25	3	18	4	-	-
Jasper	2	-	1	1	-	-
Kershaw	2	-	-	2	-	-
Lancaster	2	-	2	-	-	-
Laurens	3	-	3	-	-	-
Lee	-	-	-	-	-	-
Lexington	18	1	13	4	-	-
McCormick	-	-	-	-	-	-
Marion	3	-	3	-	-	-
Marlboro	1	-	1	-	-	-
Newberry	4	-	3	1	-	-
Oconee	2	-	2	-	-	-
Orangeburg	2	-	2	-	-	-
Pickens	8	2	5	1	-	-
Richland	9	-	7	2	-	-
Saluda	1	-	-	1	-	-
Spartanburg	9	2	6	1	-	-
Sumter	5	-	4	1	-	-
Union	2	-	1	1	-	-
Williamsburg	1	-	-	1	-	-
York	8	-	5	3	-	-
Unknown	4	-	4	-	-	-

Table F-7A. (continued)
 Fetal Deaths by Age and Race of Mother
 South Carolina and Each County, 2012
 (Residence Data)
 Black & Other

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<15	15-19	20-24	45+	Unknown
South Carolina	294	37	221	31		5
Abbeville	1	-	1	-	-	-
Aiken	6	1	3	1	-	1
Allendale	-	-	-	-	-	-
Anderson	10	1	9	-	-	-
Bamberg	2	-	2	-	-	-
Barnwell	3	2	-	1	-	-
Beaufort	14	2	11	1	-	-
Berkeley	11	1	9	-	-	1
Calhoun	1	-	1	-	-	-
Charleston	23	2	19	2	-	-
Cherokee	3	-	3	-	-	-
Chester	2	-	2	-	-	-
Chesterfield	3	1	2	-	-	-
Clarendon	3	1	2	-	-	-
Colleton	2	-	2	-	-	-
Darlington	9	1	8	-	-	-
Dillon	6	1	4	1	-	-
Dorchester	3	-	3	-	-	-
Edgefield	-	-	-	-	-	-
Fairfield	3	1	2	-	-	-
Florence	14	-	14	-	-	-
Georgetown	6	1	5	-	-	-
Greenville	14	1	11	2	-	-
Greenwood	4	-	2	2	-	-
Hampton	2	-	2	-	-	-
Horry	9	2	4	1	-	2
Jasper	-	-	-	-	-	-
Kershaw	1	1	-	-	-	-
Lancaster	5	1	3	1	-	-
Laurens	4	-	3	-	-	1
Lee	-	-	-	-	-	-
Lexington	13	2	9	2	-	-
McCormick	-	-	-	-	-	-
Marion	2	-	2	-	-	-
Marlboro	2	-	2	-	-	-
Newberry	4	-	2	2	-	-
Oconee	1	-	1	-	-	-
Orangeburg	15	3	9	3	-	-
Pickens	-	-	-	-	-	-
Richland	53	6	39	8	-	-
Saluda	-	-	-	-	-	-
Spartanburg	11	3	7	1	-	-
Sumter	11	1	7	3	-	-
Union	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-
York	12	2	10	-	-	-
Unknown	6	-	6	-	-	-

Table F-8.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	786 *	13.6	341	9.1	444	21.9
Abbeville	6	23.5	3	18.0	3	34.1
Aiken	20	10.4	9	7.0	11	17.2
Allendale	1	10.5	-	0	1	13.0
Anderson	25	11.3	14	8.1	11	22.6
Bamberg	5	32.3	1	17.5	4	40.8
Barnwell	4	12.4	-	0	4	22.5
Beaufort	27	13.2	11	7.5	16	27.8
Berkeley	29	11.1	9	4.8	20	26.7
Calhoun	4	26.5	3	36.6	1	14.5
Charleston	58	12.3	27	9.0	31	18.1
Cherokee	13	19.0	9	18.5	4	20.0
Chester	4	9.0	1	4.2	3	14.5
Chesterfield	9	17.2	4	13.0	5	23.3
Clarendon	6	16.4	1	6.8	5	22.7
Colleton	11	23.9	4	16.5	7	32.1
Darlington	13	15.6	2	4.8	11	26.6
Dillon	10	22.5	2	10.9	8	30.7
Dorchester	17 *	9.2	7	5.4	9	16.6
Edgefield	1	4.9	-	0	1	9.0
Fairfield	7	32.4	-	0	7	47.3
Florence	39	21.1	8	9.1	31	31.8
Georgetown	11	18.5	1	3.4	10	33.4
Greenville	65	10.5	45	9.6	20	13.3
Greenwood	13	14.5	6	11.1	7	19.6
Hampton	2	8.6	-	0	2	13.7
Horry	50	16.8	40	17.4	10	15.0
Jasper	4	12.9	4	21.9	-	0
Kershaw	5	6.8	3	5.5	2	10.8
Lancaster	13	14.2	7	10.8	6	22.1
Laurens	9	11.8	5	9.4	4	17.5
Lee	1	5.4	-	0	1	7.6
Lexington	46	14.1	24	9.3	22	31.9
McCormick	-	0	-	0	-	0
Marion	12	31.8	3	27.5	9	33.6
Marlboro	4	13.3	1	8.2	3	16.8
Newberry	9	21.5	4	16.3	5	28.9
Oconee	6	7.3	4	5.4	2	25.0
Orangeburg	26	23.6	3	9.8	23	29.0
Pickens	15	12.7	14	13.0	1	9.5
Richland	88	18.2	17	8.5	71	25.1
Saluda	3	11.4	2	10.4	1	14.1
Spartanburg	24	6.7	10	3.8	14	14.9
Sumter	21	13.5	7	9.6	14	16.9
Union	2	6.6	2	10.2	-	0
Williamsburg	6	17.4	4	34.5	2	8.7
York	32	10.7	16	7.3	16	19.6
Unknown	10	1000.0	4	1000.0	6	1000.0

¹ Rate per 1,000 deliveries

* Includes unknown race

Table F-9
 Causes of Maternal Death¹ by Age Group of Mother
 South Carolina, 2012
 (Residence Data)

Cause of Death	Age Group								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Maternal causes (A34,O00-O95,O98-O99)	10	-	-	4	2	-	3	1	-
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	-	-	-	1	-	-
1. Ectopic Pregnancy (O00)	1	-	-	-	-	-	1	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (A34,O10-O92)	8	-	-	4	2	-	1	1	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	1	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20,O44-O46,O67,O72)	-	-	-	-	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (A34,O85-O92)	3	-	-	2	-	-	-	1	-
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87,O89-O92)	3	-	-	2	-	-	-	1	-
4. All Other Direct Obstetric Causes (O10, O12,O21-O43, O47-O66, O68-O71, O73-O75)	4	-	-	1	2	-	1	-	-
III. Obstetric Death of Unspecified Cause (O95)	1	-	-	-	-	-	1	-	-
IV. Indirect Obstetric Deaths (O98-O99)	-	-	-	-	-	-	-	-	-
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	5	-	-	1	-	3	-	1	-
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	5	-	-	1	-	3	-	1	-
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-

¹Classified and Coded According to ICD-10

Table F-9A
 Causes of Maternal Death¹ by Race and Age Group of Mother
 South Carolina, 2012
 (Residence Data)

Cause of Death	White									Black and Other								
	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 +
		Years	Years	Years	Years	Years	Years	Years	Years		Years	Years	Years	Years	Years	Years	Years	Years
Maternal causes (A34, O00-O95, O98-O99)	6	-	-	2	1	-	2	1	-	4	-	-	2	1	-	1	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1. Ectopic Pregnancy (O00)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (A34, O10-O92)	5	-	-	2	1	-	1	1	-	3	-	-	2	1	-	-	-	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67,O72)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (A34, O85-O92)	2	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87, O89-O92)	2	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	2	-	-	-	1	-	1	-	-	2	-	-	1	1	-	-	-	-
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
IV. Indirect Obstetric Deaths (O98-O99)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	3	-	-	-	-	3	-	-	-	2	-	-	1	-	-	-	1	-
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	3	-	-	-	-	3	-	-	-	2	-	-	1	-	-	-	1	-
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Classified and Coded According to ICD-10

The State Flower

“The Yellow Jasmine”



Officially adopted by the General Assembly in 1924

DEATH

Figure G-1 Death Rates* by County South Carolina, 2012 (Residence Data)




Table G-1.
Deaths and Death Rates¹ by Race
South Carolina, 1988-2012
(Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1988	29,397 *	8.4	19,951	8.3	9,443	8.4
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621 *	8.5	20,192	8.4	9,427	8.8
1991	29,851 *	8.4	20,364	8.3	9,482	8.6
1992	30,565 *	8.5	20,945	8.4	9,617	8.6
1993	31,943 *	8.8	21,939	8.7	10,002	8.9
1994	32,223 *	8.8	22,295	8.8	9,927	8.8
1995	33,500 *	9.1	23,342	9.2	10,152	9.0
1996	34,035 *	9.2	23,585	9.2	10,448	9.2
1997	33,659 *	9.0	23,362	9.0	10,276	8.8
1998	34,781 *	9.1	24,428	9.2	10,333	8.7
1999	35,972 *	9.3	25,432	9.5	10,523	8.8
2000	36,816 *	9.2	26,013	9.5	10,785	8.5
2001	36,576 *	9.2	25,781	9.2	10,782	8.5
2002	37,679 *	9.2	26,740	9.5	10,924	8.4
2003	37,920 *	9.1	27,043	9.6	10,865	8.2
2004	37,152 *	8.8	26,353	9.1	10,783	8.2
2005	38,585 *	9.1	27,755	9.5	10,810	8.2
2006	38,723 *	9.0	27,662	9.3	11,030	8.2
2007	39,418 *	8.9	28,233	9.3	11,126	8.2
2008	40,197 *	9.0	29,015	9.3	10,965	8.0
2009	40,242 *	8.8	29,080	9.2	10,880	7.8
2010	41,489 *	9.0	30,187	9.4	10,905	7.6
2011	41,949 *	9.0	30,709	9.5	10,920	7.6
2012	42,879 *	9.1	31,580	9.7	11,221	7.7

¹ Rates per 1,000 population

* Includes unknown race

Figure G-2
Death Rates by Race
South Carolina, 1988-2012
(Residence Data)




Table G-2.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2012
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	42,879 *	100.0	31,580	100.0	11,221	100.0
Ten Leading Causes, All Ages	31,142 *	72.6	22,977	72.8	8,117	72.3
Malignant Neoplasms (C00-C97)	9,668 *	22.5	7,134	22.6	2,522	22.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	9,277 *	21.6	6,764	21.4	2,495	22.2
Chronic Lower Respiratory Disease (J40-J47)	2,446 *	5.7	2,103	6.7	339	3.0
Cerebrovascular Disease (I60-I69)	2,331 *	5.4	1,632	5.2	695	6.2
Accidents (V01-X59,Y85-Y86)	2,284 *	5.3	1,729	5.5	553	4.9
Alzheimers (G30)	1,627 *	3.8	1,375	4.4	248	2.2
Diabetes Mellitus (E10-E14)	1,186 *	2.8	679	2.2	505	4.5
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	851 *	2.0	502	1.6	348	3.1
Septicemia (A40-A41)	749 *	1.7	496	1.6	252	2.2
Pneumonia And Influenza (J09-J18)	723 *	1.7	563	1.8	160	1.4
All Other Causes	11,737 *	27.4	8,603	27.2	3,104	27.7

* Includes unknown race

Figure G-3.
Percent Distribution for the
Ten Leading Causes of Death by Gender
South Carolina, 2012
(Residence Data)




Table G-2A.
Mortality from Ten Leading Causes of Death by Race and Gender
South Carolina, 2012
(Residence Data)

MALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	21,606 *	100.0	15,770	100.0	5,792	100.0
Ten Leading Causes, All Ages	16,266 *	75.3	12,045	76.4	4,198	72.5
Malignant Neoplasms (C00-C97)	5,230 *	24.2	3,839	24.3	1,386	23.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	5,033 *	23.3	3,728	23.6	1,295	22.4
Accidents (V01-X59,Y85-Y86)	1,447 *	6.7	1050	6.7	396	6.8
Chronic Lower Respiratory Disease (J40-J47)	1,185 *	5.5	978	6.2	205	3.5
Cerebrovascular Disease (I60-I69)	1011 *	4.7	654	4.1	355	6.1
Diabetes Mellitus (E10-E14)	591 *	2.7	375	2.4	215	3.7
Suicide (X60-X84,Y87.0)	507	2.3	459	2.9	48	0.8
Alzheimers (G30)	487 *	2.3	406	2.6	80	1.4
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N	409 *	1.9	260	1.6	148	2.6
Chronic Liver Disease And Cirrhosis (K70,K73-K74)	366	1.7	296	1.9	70	1.2
All Other Causes	5,340 *	24.7	3,725	23.6	1,594	27.5

FEMALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	21,271 *	100.0	15,810	100.0	5,427	100.0
Ten Leading Causes, All Ages	15,083 *	70.9	11,208	70.9	3,851	71.0
Malignant Neoplasms (C00-C97)	4,438 *	20.9	3,295	20.8	1,136	20.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,244 *	20.0	3,036	19.2	1,200	22.1
Cerebrovascular Disease (I60-I69)	1,320 *	6.2	978	6.2	340	6.3
Chronic Lower Respiratory Disease (J40-J47)	1261 *	5.9	1125	7.1	134	2.5
Alzheimers (G30)	1140 *	5.4	969	6.1	168	3.1
Accidents (V01-X59,Y85-Y86)	837 *	3.9	679	4.3	157	2.9
Diabetes Mellitus (E10-E14)	595 *	2.8	304	1.9	290	5.3
Septicemia (A40-A41)	442	2.1	242	1.5	200	3.7
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	430	2.0	285	1.8	145	2.7
Pneumonia And Influenza (J09-J18)	376	1.8	295	1.9	81	1.5
All Other Causes	6,188 *	29.1	4,602	29.1	1,576	29.0

* Includes unknown race

Table G-3.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2012
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	435	100.0	199	100.0	236	100.0
Congenital Malformations, Etc. (Q00-Q99)	72	16.6	39	19.6	33	14.0
Disorders Related To Short Gestation, Etc. (P07)	65	14.9	25	12.6	40	16.9
Accidents (V01-X59,Y85-Y86)	41	9.4	25	12.6	16	6.8
Sudden Infant Death Syndrome (R95)	33	7.6	11	5.5	22	9.3
Newborn Aff By Maternal Comp Of Preg (P01)	22	5.1	3	1.5	19	8.1
All Other Causes	202	46.4	96	48.2	106	44.9
1 - 4 Years						
All Causes	59	100.0	31	100.0	28	100.0
Accidents (V01-X59,Y85-Y86)	21	35.6	11	35.5	10	35.7
Malignant Neoplasms (C00-C97)	5	8.5	4	12.9	1	3.6
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	5	8.5	0	0.0	5	17.9
Cerebrovascular Disease (I60-I69)	3	5.1	2	6.5	1	3.6
All Other Causes	25	42.4	14	45.2	11	39.3
5 - 14 Years						
All Causes	84 *	100.0	42	100.0	41	100.0
Accidents (V01-X59,Y85-Y86)	25	29.8	15	35.7	10	24.4
Homicide (X85-Y09,Y87.1)	7	8.3	2	4.8	5	12.2
Malignant Neoplasms (C00-C97)	6	7.1	2	4.8	4	9.8
Suicide (X60-X84,Y87.0)	6	7.1	5	11.9	1	2.4
Chronic Lower Respiratory Disease (J40-J47)	5	6.0	1	2.4	4	9.8
All Other Causes	35 *	41.7	17	40.5	17	41.5
15 - 24 Years						
All Causes	513 *	100.0	318	100.0	194	100.0
Accidents (V01-X59,Y85-Y86)	241 *	47.0	178	56.0	62	32.0
Homicide (X85-Y09,Y87.1)	89	17.3	21	6.6	68	35.1
Suicide (X60-X84,Y87.0)	69	13.5	57	17.9	12	6.2
Malignant Neoplasms (C00-C97)	18	3.5	10	3.1	8	4.1
Disease Of Heart (I00-I09,I11,I13,I20-I51)	15	2.9	10	3.1	5	2.6
All Other Causes	81	15.8	42	13.2	39	20.1
25 - 44 Years						
All Causes	2,082 *	100.0	1,277	100.0	800	100.0
Accidents (V01-X59,Y85-Y86)	563 *	27.0	418	32.7	144	18.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	328 *	15.8	172	13.5	155	19.4
Malignant Neoplasms (C00-C97)	247	11.9	152	11.9	95	11.9
Suicide (X60-X84,Y87.0)	196	9.4	170	13.3	26	3.3
Homicide (X85-Y09,Y87.1)	166 *	8.0	44	3.4	121	15.1
All Other Causes	582 *	28.0	321	25.1	259	32.4
45 - 64 Years						
All Causes	9,810 *	100.0	6,451	100.0	3,334	100.0
Malignant Neoplasms (C00-C97)	2,910 *	29.7	1,986	30.8	915	27.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,219 *	22.6	1,413	21.9	802	24.1
Accidents (V01-X59,Y85-Y86)	724	7.4	520	8.1	204	6.1
Chronic Lower Respiratory Disease (J40-J47)	421 *	4.3	332	5.1	88	2.6
Cerebrovascular Disease (I60-I69)	372 *	3.8	178	2.8	193	5.8
All Other Causes	3,164 *	32.3	2,022	31.3	1,132	34.0
65 - 74 Years						
All Causes	8,403 *	100.0	6,082	100.0	2,307	100.0
Malignant Neoplasms (C00-C97)	2,802	33.3	2,099	34.5	703	30.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,744 *	20.8	1,227	20.2	514	22.3
Chronic Lower Respiratory Disease (J40-J47)	685 *	8.2	579	9.5	105	4.6
Cerebrovascular Disease (I60-I69)	421 *	5.0	265	4.4	155	6.7
Diabetes Mellitus (E10-E14)	304	3.6	164	2.7	140	6.1
All Other Causes	2,447 *	29.1	1,748	28.7	690	29.9
75 Years & Over						
All Causes	21,492 *	100.0	17,179	100.0	4,281	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,956 *	23.1	3,935	22.9	1,011	23.6
Malignant Neoplasms (C00-C97)	3,679 *	17.1	2,880	16.8	796	18.6
Alzheimers (G30)	1,511 *	7.0	1,283	7.5	224	5.2
Cerebrovascular Disease (I60-I69)	1,487 *	6.9	1,165	6.8	320	7.5
Chronic Lower Respiratory Disease (J40-J47)	1,297 *	6.0	1,170	6.8	125	2.9
All Other Causes	8,562 *	39.8	6,746	39.3	1,805	42.2

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2012
(Residence Data)

Males

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	243	100.0	119	100.0	124	100.0
Disorders Related To Short Gestation, Etc. (P07)	39	16.0	16	13.4	23	18.5
Congenital Malformations, Etc. (Q00-Q99)	39	16.0	25	21.0	14	11.3
Accidents (V01-X59,Y85-Y86)	26	10.7	15	12.6	11	8.9
Sudden Infant Death Syndrome (R95)	19	7.8	8	6.7	11	8.9
Newborn Aff By Maternal Comp Of Preg (P01)	14	5.8	2	1.7	12	9.7
Newborn Aff By Comp Of Placenta, Etc. (P02)	14	5.8	6	5.0	8	6.5
All Other Causes	92	37.9	47	39.5	45	36.3
1 - 4 Years						
All Causes	34	100.0	18	100.0	16	100.0
Accidents (V01-X59,Y85-Y86)	13	38.2	7	38.9	6	37.5
Malignant Neoplasms (C00-C97)	2	5.9	2	11.1	0	0.0
Cerebrovascular Disease (I60-I69)	2	5.9	1	5.6	1	6.3
Chronic Lower Respiratory Disease (J40-J47)	2	5.9	0	0.0	2	12.5
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	2	5.9	0	0.0	2	12.5
All Other Causes	13	38.2	8	44.4	5	31.3
5 - 14 Years						
All Causes	47	100.0	27	100.0	20	100.0
Accidents (V01-X59,Y85-Y86)	15	31.9	8	29.6	7	35.0
Suicide (X60-X84,Y87.0)	5	10.6	5	18.5	0	0.0
Malignant Neoplasms (C00-C97)	4	8.5	2	7.4	2	10.0
Homicide (X85-Y09,Y87.1)	4	8.5	1	3.7	3	15.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2	4.3	1	3.7	1	5.0
Chronic Lower Respiratory Disease (J40-J47)	2	4.3	0	0.0	2	10.0
All Other Causes	15	31.9	10	37.0	5	25.0
15 - 24 Years						
All Causes	368 *	100.0	227	100.0	140	100.0
Accidents (V01-X59,Y85-Y86)	176 *	47.8	130	57.3	45	32.1
Homicide (X85-Y09,Y87.1)	78	21.2	17	7.5	61	43.6
Suicide (X60-X84,Y87.0)	52	14.1	45	19.8	7	5.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	10	2.7	6	2.6	4	2.9
Malignant Neoplasms (C00-C97)	8	2.2	4	1.8	4	2.9
All Other Causes	44	12.0	25	11.0	19	13.6
25 - 44 Years						
All Causes	1353 *	100.0	818	100.0	532	100.0
Accidents (V01-X59,Y85-Y86)	402	29.7	287	35.1	115	21.6
Disease Of Heart (I00-I09,I11,I13,I20-I51)	221 *	16.3	117	14.3	103	19.4
Suicide (X60-X84,Y87.0)	156	11.5	134	16.4	22	4.1
Homicide (X85-Y09,Y87.1)	130 *	9.6	28	3.4	101	19.0
Malignant Neoplasms (C00-C97)	114	8.4	68	8.3	46	8.6
All Other Causes	330 *	24.4	184	22.5	145	27.3
45 - 64 Years						
All Causes	5,860 *	100.0	3,846	100.0	1,999	100.0
Malignant Neoplasms (C00-C97)	1,616 *	27.6	1,096	28.5	516	25.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,484 *	25.3	973	25.3	508	25.4
Accidents (V01-X59,Y85-Y86)	485	8.3	333	8.7	152	7.6
Cerebrovascular Disease (I60-I69)	215	3.7	98	2.5	117	5.9
Chronic Liver Disease And Cirrhosis (K70,K73-K74)	214	3.7	164	4.3	50	2.5
All Other Causes	1,846 *	31.5	1,182	30.7	656	32.8
65 - 74 Years						
All Causes	4,764 *	100.0	3,469	100.0	1,287	100.0
Malignant Neoplasms (C00-C97)	1,591	33.4	1,178	34.0	413	32.1
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,085 *	22.8	793	22.9	291	22.6
Chronic Lower Respiratory Disease (J40-J47)	355 *	7.5	286	8.2	68	5.3
Cerebrovascular Disease (I60-I69)	230	4.8	134	3.9	96	7.5
Diabetes Mellitus (E10-E14)	170	3.6	104	3.0	66	5.1
All Other Causes	1,333 *	28.0	974	28.1	353	27.4
75 Years & Over						
All Causes	8,936 *	100.0	7,245	100.0	1,674	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,223 *	24.9	1,834	25.3	384	22.9
Malignant Neoplasms (C00-C97)	1,894 *	21.2	1,488	20.5	405	24.2
Chronic Lower Respiratory Disease (J40-J47)	608 *	6.8	536	7.4	71	4.2
Cerebrovascular Disease (I60-I69)	538 *	6.0	410	5.7	126	7.5
Alzheimers (G30)	437 *	4.9	366	5.1	70	4.2
All Other Causes	3,236 *	36.2	2,611	36.0	618	36.9

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2012
(Residence Data)
Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	190	100.0	80	100.0	110	100.0
Congenital Malformations, Etc. (Q00-Q99)	32	16.8	14	17.5	18	16.4
Disorders Related To Short Gestation, Etc. (P07)	26	13.7	9	11.3	17	15.5
Accidents (V01-X59,Y85-Y86)	15	7.9	10	12.5	5	4.5
Sudden Infant Death Syndrome (R95)	14	7.4	3	3.8	11	10.0
Respiratory Distress Of Newborn (P22)	8	4.2	2	2.5	6	5.5
All Other Causes	95	50.0	42	52.5	53	48.2
1 - 4 Years						
All Causes	25	100.0	13	100.0	12	100.0
Accidents (V01-X59,Y85-Y86)	8	32.0	4	30.8	4	33.3
Malignant Neoplasms (C00-C97)	3	12.0	2	15.4	1	8.3
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	3	12.0	0	0.0	3	25.0
Anemia (D50-D64)	1	4.0	0	0.0	1	8.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1	4.0	1	7.7	0	0.0
Cerebrovascular Disease (I60-I69)	1	4.0	1	7.7	0	0.0
Homicide (X85-Y09,Y87.1)	1	4.0	0	0.0	1	8.3
All Other Causes	7	28.0	5	38.5	2	16.7
5 - 14 Years						
All Causes	37 *	100.0	15	100.0	21	100.0
Accidents (V01-X59,Y85-Y86)	10	27.0	7	46.7	3	14.3
Cerebrovascular Disease (I60-I69)	3	8.1	0	0.0	3	14.3
Chronic Lower Respiratory Disease (J40-J47)	3	8.1	1	6.7	2	9.5
Homicide (X85-Y09,Y87.1)	3	8.1	1	6.7	2	9.5
All Other Causes	18 *	48.6	6	40.0	11	52.4
15 - 24 Years						
All Causes	145	100.0	91	100.0	54	100.0
Accidents (V01-X59,Y85-Y86)	65	44.8	48	52.7	17	31.5
Suicide (X60-X84,Y87.0)	17	11.7	12	13.2	5	9.3
Homicide (X85-Y09,Y87.1)	11	7.6	4	4.4	7	13.0
Malignant Neoplasms (C00-C97)	10	6.9	6	6.6	4	7.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	5	3.4	4	4.4	1	1.9
Pregnancy , Childbirth And The Puerperium (O00-O99)	5	3.4	2	2.2	3	5.6
All Other Causes	32	22.1	15	16.5	17	31.5
25 - 44 Years						
All Causes	729 *	100.0	459	100.0	268	100.0
Accidents (V01-X59,Y85-Y86)	161 *	22.1	131	28.5	29	10.8
Malignant Neoplasms (C00-C97)	133	18.2	84	18.3	49	18.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	107	14.7	55	12.0	52	19.4
Suicide (X60-X84,Y87.0)	40	5.5	36	7.8	4	1.5
Homicide (X85-Y09,Y87.1)	36	4.9	16	3.5	20	7.5
All Other Causes	252 *	34.6	137	29.8	114	42.5
45 - 64 Years						
All Causes	3,950 *	100.0	2,605	100.0	1,335	100.0
Malignant Neoplasms (C00-C97)	1,294 *	32.8	890	34.2	399	29.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	735 *	18.6	440	16.9	294	22.0
Accidents (V01-X59,Y85-Y86)	239	6.1	187	7.2	52	3.9
Chronic Lower Respiratory Disease (J40-J47)	223 *	5.6	186	7.1	36	2.7
Diabetes Mellitus (E10-E14)	163	4.1	85	3.3	78	5.8
All Other Causes	1,296 *	32.8	817	31.4	476	35.7
65 - 74 Years						
All Causes	3,639 *	100.0	2,613	100.0	1,020	100.0
Malignant Neoplasms (C00-C97)	1,211	33.3	921	35.2	290	28.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	659 *	18.1	434	16.6	223	21.9
Chronic Lower Respiratory Disease (J40-J47)	330	9.1	293	11.2	37	3.6
Cerebrovascular Disease (I60-I69)	191 *	5.2	131	5.0	59	5.8
Diabetes Mellitus (E10-E14)	134	3.7	60	2.3	74	7.3
All Other Causes	1,114 *	30.6	774	29.6	337	33.0
75 Years & Over						
All Causes	12,556 *	100.0	9,934	100.0	2,607	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,733 *	21.8	2,101	21.1	627	24.1
Malignant Neoplasms (C00-C97)	1,785 *	14.2	1,392	14.0	391	15.0
Alzheimers (G30)	1,074 *	8.6	917	9.2	154	5.9
Cerebrovascular Disease (I60-I69)	949	7.6	755	7.6	194	7.4
Chronic Lower Respiratory Disease (J40-J47)	689 *	5.5	634	6.4	54	2.1
All Other Causes	5,326 *	42.4	4,135	41.6	1,187	45.5

Table G-4.
Percent Distribution of Deaths by Race and Age
South Carolina, 1992,2002 and 2012
(Residence Data)

Age at Death	Total			White			Black & Other		
	1992	2002	2012	1992	2002	2012	1992	2002	2012
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	1.9	1.3	1.0	1.2	0.8	0.6	3.6	2.7	2.1
01-04	0.4	0.2	0.1	0.2	0.1	0.1	0.7	0.4	0.2
05-09	0.2	0.1	0.1	0.2	0.1	0.1	0.4	0.2	0.2
10-14	0.3	0.2	0.1	0.2	0.2	0.1	0.3	0.3	0.2
15-19	0.8	0.7	0.4	0.7	0.6	0.4	1.0	1.0	0.5
20-24	1.1	0.9	0.8	0.9	0.7	0.6	1.7	1.3	1.2
25-34	3.2	2.1	1.9	2.5	1.6	1.5	4.7	3.3	2.8
35-44	4.9	4.5	3.0	3.7	3.8	2.5	7.7	6.2	4.3
45-54	7.1	8.4	8.1	6.4	6.7	7.1	8.7	12.6	10.8
55-64	13.5	12.4	14.8	13.2	11.6	13.3	14.3	14.3	18.9
65-74	24.1	18.9	19.6	24.7	19.2	19.3	23.0	18.0	20.6
75 and Over	42.4	50.2	50.1	46.2	54.5	54.4	34.0	39.6	38.2

Table G-5.
Deaths from Major Cardiovascular Diseases
South Carolina, 2012
(Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00 - I78)	12,406	28.9
Disease of the Heart (I00 - I09, I11, I13, I20 - I51)	9,277	21.6
Essential Hypertension & Hypertensive Renal Disease (I10, I12)	406	0.9
Cerebrovascular Disease (I60-I69)	2,331	5.4
Atherosclerosis (I70)	58	0.1
Other Diseases of Circulatory System (I71 - I78)	334	0.8

Table G-6.
 Distribution of Malignant Neoplasms by Site and Gender
 South Carolina, 2012
 (Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	9,668	100.0	5,160	100.0	4,350	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	151	1.6	115	2.2	29	0.7
Digestive Organs (C15-C26)	2,303	23.8	1357	26.3	962	22.1
Respiratory and Intrathoracic Organs (C30-C39)	2,866	29.6	1,751	33.9	1,115	25.6
Breast (C50)	668	6.9	8	0.2	715	16.4
Female Genital Organs (C51-C58)	489	5.1	.		462	10.6
Vulva and Vagina (C51-C52)	(26)	(5.3)	.		16	(5.6)
Cervix Uteri (C53)	(65)	(13.3)	.		64	(14.1)
Corpus Uteri and Uterus, part unspecified (C54-C55)	(152)	(31.1)	.		152	(32.9)
Ovary (C56)	(233)	(47.6)	.		217	(50.4)
Other Female Genital Organs (C57, C58)	(13)	(2.7)	.		13	(2.8)
Male Genital Organs (C60-C63)	487	5.0	465	9.0	.	
Prostate (C61)	(481)	(98.8)	(481)	(103.4)	.	
Testis (C62)	(4)	(0.8)	(4)	(0.9)	.	
Penis and Other Male Genital Organs (C60, C63)	(2)	(0.4)	(2)	(0.4)	.	
Urinary Tract (C64-C68)	489	5.1	331	6.4	158	3.6
Leukemia (C91-C95)	345	3.6	204	4.0	141	3.2
Lymphatic & Hematopoietic Tissues (C96)	0	0.0	0	0.0	0	0.0

Table G-7.
Types of Accidental Deaths by Gender
South Carolina, 2012
(Residence Data)

	Total (V01-X59,Y85- Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
Total	2284	873	512	339	79	78	26	377
Male	1447	644	284	163	48	64	24	220
Female	837	229	228	176	31	14	2	157

Table G-8.
Methods of Suicidal Deaths by Gender
South Carolina, 2012
(Residence Data)

	All Suicides (X60- X84,Y87.0)	Poisoning (X60-X68)	Hanging, Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	Residual
Total	665	88	121	5	430	5	3	13
Male	507	45	92	1	355	2	3	9
Female	158	43	29	4	75	3	0	4

Table G-9.
Methods of Homicidal Deaths by Gender
South Carolina, 2012
(Residence Data)

	All Homicides (X85- Y09,Y87.1)	Fight, Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersion (Y21)	Firearms (X93-X95)	Cuting & Piercing (X99)	Residual
Total	377	1	0	2	2	278	37	57
Male	291	1	0	0	1	225	25	39
Female	86	0	0	2	1	53	12	18

Table G-10.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	42,879 *	9.1	31,580	9.7	11,221	7.7
Abbeville	264	10.5	204	11.5	60	8.1
Aiken	1,607 *	9.9	1,263	10.7	342	7.7
Allendale	107 *	10.7	28	10.8	78	10.6
Anderson	2,017 *	10.7	1,735	11.2	281	8.1
Bamberg	170 *	10.8	72	12.3	95	9.6
Barnwell	256	11.5	141	11.8	115	11.2
Beaufort	1,294 *	7.7	1,047	8.0	245	6.6
Berkeley	1,224 *	6.4	889	6.7	331	5.9
Calhoun	156 *	10.5	78	9.4	77	11.7
Charleston	2,880 *	7.9	1,942	7.8	923	7.8
Cherokee	591 *	10.6	484	11.2	106	8.5
Chester	342	10.5	221	11.2	121	9.5
Chesterfield	491	10.7	334	11.1	157	9.9
Clarendon	351	10.2	194	11.5	157	9.0
Colleton	445 *	11.7	263	11.7	180	11.5
Darlington	766 *	11.2	488	12.5	275	9.4
Dillon	363 *	11.5	208	13.4	154	9.7
Dorchester	928 *	6.5	687	6.9	239	5.7
Edgefield	189	7.2	110	6.8	79	7.8
Fairfield	268 *	11.5	117	12.5	149	10.6
Florence	1,476 *	10.7	926	12.0	546	8.9
Georgetown	723 *	12.0	530	13.5	189	9.1
Greenville	3,825 *	8.2	3,196	8.8	628	6.1
Greenwood	667 *	9.6	475	10.3	191	8.1
Hampton	231 *	11.1	129	13.9	101	8.8
Horry	2,813	10.0	2,504	10.6	309	6.7
Jasper	202 *	7.8	109	8.1	92	7.4
Kershaw	637	10.2	468	10.3	169	10.1
Lancaster	727	9.2	563	9.5	164	8.2
Laurens	822	12.4	638	13.2	184	10.3
Lee	212 *	11.4	92	14.1	119	9.8
Lexington	2,140 *	7.9	1,899	8.5	236	4.9
McCormick	110	11.1	71	14.5	39	7.7
Marion	427 *	13.2	215	15.8	211	11.2
Marlboro	316	11.2	166	13.7	150	9.3
Newberry	406	10.8	289	11.6	117	9.3
Oconee	861	11.5	797	11.8	64	9.1
Orangeburg	974 *	10.6	423	13.1	550	9.3
Pickens	1,095 *	9.2	1,016	9.4	78	7.0
Richland	2,795 *	7.1	1,586	8.2	1,204	6.0
Saluda	215 *	10.8	147	10.5	67	11.4
Spartanburg	2,834 *	9.8	2,306	10.5	524	7.5
Sumter	1,000	9.3	557	10.3	443	8.2
Union	376	13.3	284	15.0	92	9.9
Williamsburg	412 *	12.3	148	13.3	259	11.5
York	1,865 *	7.9	1,534	8.5	329	6.2
Unknown	9	0.0	7	0.0	2	0.0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-11.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	42,196 *	8.9	31,141	9.5	10,983	7.5
Abbeville	120	4.8	90	5.1	30	4.0
Aiken	1,285	7.9	991	8.4	294	6.6
Allendale	77	7.7	23	8.9	54	7.3
Anderson	2,032 *	10.7	1,744	11.3	286	8.2
Bamberg	94	6.0	46	7.9	48	4.8
Barnwell	176 *	7.9	95	8.0	79	7.7
Beaufort	1,164 *	6.9	941	7.2	222	6.0
Berkeley	618	3.3	448	3.4	170	3.0
Calhoun	90	6.0	56	6.7	34	5.1
Charleston	4,327 *	11.8	2,944	11.9	1,363	11.6
Cherokee	410	7.4	340	7.9	70	5.6
Chester	213 *	6.5	142	7.2	70	5.5
Chesterfield	325	7.0	230	7.6	95	6.0
Clarendon	238	6.9	134	7.9	104	6.0
Colleton	425 *	11.1	263	11.7	161	10.3
Darlington	523 *	7.7	332	8.5	187	6.4
Dillon	251 *	8.0	152	9.8	98	6.2
Dorchester	638 *	4.5	481	4.8	154	3.6
Edgefield	142	5.4	91	5.6	51	5.0
Fairfield	180	7.7	90	9.6	90	6.4
Florence	2,320 *	16.8	1,346	17.5	968	15.8
Georgetown	893 *	14.8	700	17.8	190	9.1
Greenville	4,465 *	9.5	3,748	10.3	716	7.0
Greenwood	870 *	12.5	620	13.5	249	10.5
Hampton	168 *	8.1	96	10.4	71	6.2
Horry	2,678	9.5	2,359	10.0	319	6.9
Jasper	195 *	7.5	132	9.8	62	5.0
Kershaw	531	8.5	395	8.7	136	8.1
Lancaster	534	6.8	411	7.0	123	6.2
Laurens	637	9.6	502	10.4	135	7.5
Lee	103	5.5	53	8.1	50	4.1
Lexington	2,052 *	7.6	1,763	7.9	284	5.9
McCormick	69	6.9	38	7.8	31	6.1
Marion	281 *	8.7	158	11.6	122	6.5
Marlboro	188	6.7	102	8.4	86	5.4
Newberry	333	8.9	241	9.7	92	7.3
Oconee	797	10.7	738	10.9	59	8.4
Orangeburg	991 *	10.8	420	13.0	570	9.6
Pickens	715 *	6.0	667	6.1	47	4.2
Richland	3,621 *	9.2	2,155	11.2	1,459	7.3
Saluda	127	6.4	92	6.6	35	6.0
Spartanburg	3,094 *	10.7	2,522	11.5	566	8.1
Sumter	949	8.8	524	9.7	425	7.9
Union	287	10.2	220	11.6	67	7.2
Williamsburg	216 *	6.4	85	7.6	130	5.8
York	1,754 *	7.5	1,421	7.8	331	6.2
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-12.
Deaths by Race and Gender
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	42,879 *	21,606 *	21,271 *	31,580	15,770	15,810	11,221	5,792	5,427
Abbeville	264	133	131	204	101	103	60	32	28
Aiken	1,607 *	832 *	774	1,263	646	617	342	184	157
Allendale	107 *	55 *	52	28	13	15	78	41	37
Anderson	2,017 *	1,084	933 *	1,735	932	803	281	152	129
Bamberg	170 *	74 *	96 *	72	36	36	95	37	58
Barnwell	256	118	138	141	57	84	115	61	54
Beaufort	1,294 *	699 *	595 *	1,047	554	493	245	144	101
Berkeley	1,224 *	647 *	577 *	889	476	413	331	168	163
Calhoun	156 *	78 *	78	78	39	39	77	38	39
Charleston	2,880 *	1,405 *	1,475 *	1,942	917	1,025	923	478	445
Cherokee	591 *	307	284 *	484	250	234	106	57	49
Chester	342	183	159	221	113	108	121	70	51
Chesterfield	491	241	250	334	163	171	157	78	79
Clarendon	351	190	161	194	109	85	157	81	76
Colleton	445 *	252 *	193	263	144	119	180	106	74
Darlington	766 *	391 *	375 *	488	251	237	275	138	137
Dillon	363 *	197	166 *	208	113	95	154	84	70
Dorchester	928 *	460 *	468 *	687	328	359	239	131	108
Edgefield	189	88	101	110	52	58	79	36	43
Fairfield	268 *	150 *	118	117	64	53	149	84	65
Florence	1,476 *	726	750 *	926	446	480	546	280	266
Georgetown	723 *	385 *	338	530	280	250	189	101	88
Greenville	3,825 *	1,840 *	1,985	3,196	1,534	1,662	628	305	323
Greenwood	667 *	302 *	365	475	204	271	191	97	94
Hampton	231 *	111 *	120	129	60	69	101	50	51
Horry	2,813	1,491	1,322	2,504	1,330	1,174	309	161	148
Jasper	202 *	100 *	102	109	54	55	92	45	47
Kershaw	637	320	317	468	227	241	169	93	76
Lancaster	727	368	359	563	283	280	164	85	79
Laurens	822	397	425	638	316	322	184	81	103
Lee	212 *	109	103 *	92	52	40	119	57	62
Lexington	2,140 *	1,052 *	1,088 *	1,899	935	964	236	116	120
McCormick	110	62	48	71	44	27	39	18	21
Marion	427 *	226 *	200	215	116	99	211	109	101
Marlboro	316	156	160	166	85	81	150	71	79
Newberry	406	191	215	289	137	152	117	54	63
Oconee	861	468	393	797	431	366	64	37	27
Orangeburg	974 *	501	473 *	423	211	212	550	290	260
Pickens	1,095 *	527 *	568	1,016	488	528	78	38	40
Richland	2,795 *	1,367 *	1,428 *	1,586	753	833	1,204	611	593
Saluda	215 *	112 *	103	147	76	71	67	35	32
Spartanburg	2,834 *	1,388 *	1,446 *	2,306	1,105	1,201	524	281	243
Sumter	1,000	500	500	557	272	285	443	228	215
Union	376	167	209	284	126	158	92	41	51
Williamsburg	412 *	204 *	208 *	148	66	82	259	137	122
York	1,865 *	946	919 *	1,534	776	758	329	170	159
Unknown	9	6	3	7	5	2	2	1	1

* Includes unknown race

Table G-13.
Deaths by Race and Gender
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	42,196 *	21,267 *	20,928 *	31,141	15,575	15,566	10,983	5,655	5,327
Abbeville	120	62	58	90	45	45	30	17	13
Aiken	1,285	647	638	991	499	492	294	148	146
Allendale	77	40	37	23	11	12	54	29	25
Anderson	2,032 *	1,098 *	934 *	1,744	943	801	286	154	132
Bamberg	94	38	56	46	21	25	48	17	31
Barnwell	176 *	95	81 *	95	48	47	79	47	32
Beaufort	1,164 *	605	559 *	941	484	457	222	121	101
Berkeley	618	306	312	448	229	219	170	77	93
Calhoun	90	42	48	56	28	28	34	14	20
Charleston	4,327 *	2,222 *	2,105 *	2,944	1,489	1,455	1,363	720	643
Cherokee	410	204	206	340	170	170	70	34	36
Chester	213 *	115 *	98	142	76	66	70	38	32
Chesterfield	325	158	167	230	115	115	95	43	52
Clarendon	238	126	112	134	75	59	104	51	53
Colleton	425 *	264 *	161	263	157	106	161	106	55
Darlington	523 *	263 *	260 *	332	171	161	187	90	97
Dillon	251 *	137	114 *	152	85	67	98	52	46
Dorchester	638 *	295 *	343 *	481	214	267	154	79	75
Edgefield	142	65	77	91	44	47	51	21	30
Fairfield	180	109	71	90	55	35	90	54	36
Florence	2,320 *	1,154	1,166 *	1,346	653	693	968	501	467
Georgetown	893 *	480 *	413	700	378	322	190	99	91
Greenville	4,465 *	2,175 *	2,290	3,748	1,822	1,926	716	352	364
Greenwood	870 *	401 *	469	620	278	342	249	122	127
Hampton	168 *	83 *	85	96	44	52	71	38	33
Horry	2,678	1,424	1,254	2,359	1,254	1,105	319	170	149
Jasper	195 *	104 *	91	132	71	61	62	32	30
Kershaw	531	260	271	395	191	204	136	69	67
Lancaster	534	264	270	411	197	214	123	67	56
Laurens	637	296	341	502	235	267	135	61	74
Lee	103	58	45	53	31	22	50	27	23
Lexington	2,052 *	985 *	1,067 *	1,763	847	916	284	137	147
McCormick	69	34	35	38	24	14	31	10	21
Marion	281 *	150 *	130	158	85	73	122	64	57
Marlboro	188	91	97	102	52	50	86	39	47
Newberry	333	150	183	241	107	134	92	43	49
Oconee	797	420	377	738	386	352	59	34	25
Orangeburg	991 *	487	504 *	420	203	217	570	284	286
Pickens	715 *	330 *	385	667	307	360	47	22	25
Richland	3,621 *	1,873 *	1,748 *	2,155	1,103	1,052	1,459	765	694
Saluda	127	64	63	92	44	48	35	20	15
Spartanburg	3,094 *	1,511 *	1,583 *	2,522	1,207	1,315	566	302	264
Sumter	949	465	484	524	252	272	425	213	212
Union	287	127	160	220	95	125	67	32	35
Williamsburg	216 *	108	108 *	85	42	43	130	66	64
York	1,754 *	882	872 *	1,421	708	713	331	174	157
Unknown	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table G-14.
Deaths by Burial Disposition
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	42,196 *	25,835	14,229	777	829	444
Abbeville	120	86	32	1	1	-
Aiken	1,285	786	463	8	12	15
Allendale	77	69	8	-	-	-
Anderson	2,032 *	1,308	575	17	115	13
Bamberg	94	75	18	-	1	-
Barnwell	176 *	139	34	-	-	3
Beaufort	1,164 *	445	676	26	11	6
Berkeley	618	347	225	18	15	13
Calhoun	90	69	19	1	-	1
Charleston	4,327 *	2,314	1,731	141	77	52
Cherokee	410	290	101	6	7	4
Chester	213 *	151	57	2	1	2
Chesterfield	325	257	65	1	-	-
Clarendon	238	172	60	3	2	1
Colleton	425 *	296	104	4	8	12
Darlington	523 *	404	105	2	9	1
Dillon	251 *	202	33	4	8	-
Dorchester	638 *	312	287	14	18	7
Edgefield	142	111	26	2	1	2
Fairfield	180	137	39	1	-	-
Florence	2,320 *	1,784	451	31	39	12
Georgetown	893 *	411	411	46	11	13
Greenville	4,465 *	2,559	1,633	95	116	55
Greenwood	870 *	613	221	-	18	18
Hampton	168 *	139	27	-	-	1
Horry	2,678	963	1,427	200	66	19
Jasper	195 *	113	79	3	-	-
Kershaw	531	365	153	5	2	6
Lancaster	534	381	139	5	7	2
Laurens	637	430	176	7	16	4
Lee	103	69	32	-	-	1
Lexington	2,052 *	1,218	723	30	41	39
McCormick	69	41	28	-	-	-
Marion	281 *	209	60	1	5	2
Marlboro	188	147	37	1	1	1
Newberry	333	251	69	3	6	3
Oconee	797	447	311	3	30	6
Orangeburg	991 *	749	208	8	15	9
Pickens	715 *	452	216	7	26	14
Richland	3,621 *	2,305	1,174	33	49	53
Saluda	127	106	19	-	1	1
Spartanburg	3,094 *	2,005	962	27	60	34
Sumter	949	699	239	3	4	1
Union	287	232	46	1	3	3
Williamsburg	216 *	189	26	1	-	-
York	1,754 *	988	704	16	27	15
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A.
Deaths by Burial Disposition and Race
South Carolina and Each County, 2012
(Occurrence Data)

White

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	31,141	16,658	12,565	711	781	401
Abbeville	90	61	28	-	1	-
Aiken	991	546	412	8	10	15
Allendale	23	17	6	-	-	-
Anderson	1,744	1,081	520	16	113	11
Bamberg	46	32	14	-	-	-
Barnwell	95	66	27	-	-	2
Beaufort	941	253	649	22	11	6
Berkeley	448	203	201	16	15	13
Calhoun	56	37	17	1	-	1
Charleston	2,944	1,205	1,489	131	70	47
Cherokee	340	233	88	6	7	4
Chester	142	90	47	2	1	2
Chesterfield	230	174	53	1	-	-
Clarendon	134	78	51	2	2	1
Colleton	263	148	96	3	8	8
Darlington	332	236	85	1	9	1
Dillon	152	114	28	2	8	-
Dorchester	481	188	255	13	18	7
Edgefield	91	69	17	2	1	2
Fairfield	90	55	34	1	-	-
Florence	1,346	913	366	22	35	10
Georgetown	700	234	398	43	11	13
Greenville	3,748	2,016	1,471	90	115	53
Greenwood	620	403	185	-	17	15
Hampton	96	73	22	-	-	1
Horry	2,359	705	1,375	194	65	18
Jasper	132	59	71	2	-	-
Kershaw	395	253	133	3	2	4
Lancaster	411	283	114	5	7	2
Laurens	502	315	159	6	16	4
Lee	53	28	24	-	-	1
Lexington	1,763	1,000	660	30	39	34
McCormick	38	16	22	-	-	-
Marion	158	105	46	1	5	1
Marlboro	102	72	28	1	-	1
Newberry	241	166	63	3	6	3
Oconee	738	403	297	3	29	6
Orangeburg	420	266	130	7	8	9
Pickens	667	412	210	7	25	13
Richland	2,155	1,123	925	23	41	41
Saluda	92	76	14	-	1	1
Spartanburg	2,522	1,562	845	25	55	33
Sumter	524	340	180	2	2	-
Union	220	170	42	1	3	3
Williamsburg	85	68	17	-	-	-
York	1,421	711	651	16	25	15
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A. (continued)
Deaths by Burial Disposition and Race
South Carolina and Each County, 2012
(Occurrence Data)
Black & Other

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	10,983	9,130	1,643	66	48	42
Abbeville	30	25	4	1	-	-
Aiken	294	240	51	-	2	-
Allendale	54	52	2	-	-	-
Anderson	286	225	55	1	2	2
Bamberg	48	43	4	-	1	-
Barnwell	79	71	7	-	-	1
Beaufort	222	192	26	4	-	-
Berkeley	170	144	24	2	-	-
Calhoun	34	32	2	-	-	-
Charleston	1,363	1,096	237	10	7	4
Cherokee	70	57	13	-	-	-
Chester	70	60	10	-	-	-
Chesterfield	95	83	12	-	-	-
Clarendon	104	94	9	1	-	-
Colleton	161	147	8	1	-	4
Darlington	187	165	19	1	-	-
Dillon	98	88	5	2	-	-
Dorchester	154	123	30	1	-	-
Edgefield	51	42	9	-	-	-
Fairfield	90	82	5	-	-	-
Florence	968	865	85	9	4	2
Georgetown	190	175	12	3	-	-
Greenville	716	543	161	5	1	2
Greenwood	249	209	36	-	1	3
Hampton	71	65	5	-	-	-
Horry	319	258	52	6	1	1
Jasper	62	53	8	1	-	-
Kershaw	136	112	20	2	-	2
Lancaster	123	98	25	-	-	-
Laurens	135	115	17	1	-	-
Lee	50	41	8	-	-	-
Lexington	284	215	61	-	2	5
McCormick	31	25	6	-	-	-
Marion	122	104	14	-	-	1
Marlboro	86	75	9	-	1	-
Newberry	92	85	6	-	-	-
Oconee	59	44	14	-	1	-
Orangeburg	570	482	78	1	7	-
Pickens	47	39	6	-	1	1
Richland	1,459	1,177	247	10	8	12
Saluda	35	30	5	-	-	-
Spartanburg	566	441	113	2	5	1
Sumter	425	359	59	1	2	1
Union	67	62	4	-	-	-
Williamsburg	130	120	9	1	-	-
York	331	277	51	-	2	-
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-15.
Deaths by Certifier ¹
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	Total	Coroner	Physician	Medical Examiner
South Carolina	42,196 *	8,707	32,951	538
Abbeville	120	95	25	-
Aiken	1,285	177	1,108	-
Allendale	77	17	60	-
Anderson	2,032 *	363	1,668	1
Bamberg	94	73	21	-
Barnwell	176 *	97	79	-
Beaufort	1,164 *	132	1,032	-
Berkeley	618	529	89	-
Calhoun	90	65	25	-
Charleston	4,327 *	534	3,793	-
Cherokee	410	152	258	-
Chester	213 *	87	126	-
Chesterfield	325	157	168	-
Clarendon	238	110	128	-
Colleton	425 *	234	191	-
Darlington	523 *	316	207	-
Dillon	251 *	92	159	-
Dorchester	638 *	182	456	-
Edgefield	142	39	103	-
Fairfield	180	46	134	-
Florence	2,320 *	250	2,070	-
Georgetown	893 *	111	782	-
Greenville	4,465 *	68	3,874	523
Greenwood	870 *	75	795	-
Hampton	168 *	45	123	-
Horry	2,678	648	2,026	4
Jasper	195 *	59	136	-
Kershaw	531	152	379	-
Lancaster	534	278	256	-
Laurens	637	181	455	1
Lee	103	67	36	-
Lexington	2,052 *	349	1,703	-
McCormick	69	37	32	-
Marion	281 *	92	189	-
Marlboro	188	134	54	-
Newberry	333	93	240	-
Oconee	797	175	622	-
Orangeburg	991 *	331	660	-
Pickens	715 *	187	526	2
Richland	3,621 *	560	3,060	1
Saluda	127	28	99	-
Spartanburg	3,094 *	445	2,643	6
Sumter	949	265	684	-
Union	287	90	197	-
Williamsburg	216 *	137	79	-
York	1,754 *	353	1,401	-
Unknown	-	-	-	-

¹ Person certifying the original death certificate

* Includes unknown race

Table G-15A.
Deaths by Certifier ¹ and Race
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	White				Black & Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	31,141	5,881	24,835	425	10,983	2,811	8,060	112
Abbeville	90	72	18	-	30	23	7	-
Aiken	991	122	869	-	294	55	239	-
Allendale	23	4	19	-	54	13	41	-
Anderson	1,744	296	1,447	1	286	66	220	-
Bamberg	46	35	11	-	48	38	10	-
Barnwell	95	50	45	-	79	47	32	-
Beaufort	941	96	845	-	222	36	186	-
Berkeley	448	394	54	-	170	135	35	-
Calhoun	56	39	17	-	34	26	8	-
Charleston	2,944	313	2,631	-	1,363	219	1,144	-
Cherokee	340	119	221	-	70	33	37	-
Chester	142	50	92	-	70	37	33	-
Chesterfield	230	119	111	-	95	38	57	-
Clarendon	134	77	57	-	104	33	71	-
Colleton	263	143	120	-	161	90	71	-
Darlington	332	208	124	-	187	105	82	-
Dillon	152	44	108	-	98	47	51	-
Dorchester	481	130	351	-	154	52	102	-
Edgefield	91	25	66	-	51	14	37	-
Fairfield	90	22	68	-	90	24	66	-
Florence	1,346	159	1,187	-	968	91	877	-
Georgetown	700	81	619	-	190	29	161	-
Greenville	3,748	63	3,269	416	716	5	605	106
Greenwood	620	43	577	-	249	32	217	-
Hampton	96	22	74	-	71	23	48	-
Horry	2,359	542	1,815	2	319	106	211	2
Jasper	132	39	93	-	62	19	43	-
Kershaw	395	108	287	-	136	44	92	-
Lancaster	411	217	194	-	123	61	62	-
Laurens	502	137	364	1	135	44	91	-
Lee	53	29	24	-	50	38	12	-
Lexington	1,763	282	1,481	-	284	66	218	-
McCormick	38	22	16	-	31	15	16	-
Marion	158	48	110	-	122	44	78	-
Marlboro	102	71	31	-	86	63	23	-
Newberry	241	58	183	-	92	35	57	-
Oconee	738	161	577	-	59	14	45	-
Orangeburg	420	129	291	-	570	201	369	-
Pickens	667	173	493	1	47	13	33	1
Richland	2,155	289	1,865	1	1,459	271	1,188	-
Saluda	92	16	76	-	35	12	23	-
Spartanburg	2,522	337	2,182	3	566	107	456	3
Sumter	524	117	407	-	425	148	277	-
Union	220	60	160	-	67	30	37	-
Williamsburg	85	53	32	-	130	83	47	-
York	1,421	267	1,154	-	331	86	245	-
Unknown	-	-	-	-	-	-	-	-

¹ Person certifying the original death certificate

Table G-16.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total (V01-X59, Y85- Y86)	Transportation (V01-V99, Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
South Carolina	2,284	873	512	339	79	78	26	377
Abbeville	12	2	4	4	-	-	-	2
Aiken	69	18	26	10	2	3	-	10
Allendale	3	1	-	-	1	-	-	1
Anderson	122	51	30	10	2	2	2	25
Bamberg	11	6	2	-	2	1	-	-
Barnwell	9	6	2	-	-	-	-	1
Beaufort	70	28	12	10	-	1	-	19
Berkeley	84	37	21	2	4	3	1	16
Calhoun	4	3	-	-	1	-	-	-
Charleston	137	51	34	29	1	5	-	17
Cherokee	31	8	12	2	3	-	-	6
Chester	18	5	2	3	-	2	1	5
Chesterfield	31	15	4	3	2	2	1	4
Clarendon	25	12	3	3	-	3	-	4
Colleton	34	13	6	2	-	2	-	11
Darlington	40	15	7	5	5	3	1	4
Dillon	15	11	-	1	1	-	-	2
Dorchester	48	15	17	5	1	1	3	6
Edgefield	7	3	-	-	1	-	-	3
Fairfield	12	5	3	1	-	-	-	3
Florence	58	28	9	3	4	2	-	12
Georgetown	36	16	5	8	1	1	-	5
Greenville	247	72	64	56	3	11	1	40
Greenwood	33	15	6	6	-	1	-	5
Hampton	13	5	2	2	1	-	-	3
Horry	137	50	29	19	5	6	5	23
Jasper	17	11	1	3	-	2	-	-
Kershaw	27	11	8	2	1	1	1	3
Lancaster	36	10	8	12	3	-	-	3
Laurens	42	19	7	4	3	-	-	9
Lee	10	3	-	2	1	-	-	4
Lexington	136	54	32	11	4	4	3	28
McCormick	10	3	-	1	3	1	-	2
Marion	25	12	3	2	1	-	1	6
Marlboro	8	-	2	1	1	-	1	3
Newberry	16	12	-	1	-	-	-	3
Oconee	68	24	20	8	4	4	1	7
Orangeburg	47	20	6	4	4	2	-	11
Pickens	75	24	23	14	-	2	1	11
Richland	149	52	35	29	4	6	2	21
Saluda	13	7	-	3	-	2	-	1
Spartanburg	128	57	32	20	4	-	1	14
Sumter	34	18	6	4	1	1	-	4
Union	12	2	4	1	2	-	-	3
Williamsburg	20	12	-	2	-	1	-	5
York	105	31	25	31	3	3	-	12
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-17.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2012
(Occurrence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
South Carolina	2,295	904	522	316	67	89	29	368
Abbeville	9	3	3	2	-	1	-	-
Aiken	52	15	21	5	2	2	-	7
Allendale	5	3	-	-	1	-	-	1
Anderson	123	48	32	11	2	4	3	23
Bamberg	5	1	2	-	2	-	-	-
Barnwell	6	4	2	-	-	-	-	-
Beaufort	54	22	10	2	-	4	-	16
Berkeley	50	24	14	-	4	2	1	5
Calhoun	7	5	-	-	1	-	1	-
Charleston	203	76	42	43	1	7	-	34
Cherokee	28	10	9	-	2	1	-	6
Chester	9	4	1	-	-	-	1	3
Chesterfield	22	7	4	1	2	4	1	3
Clarendon	22	11	3	2	-	3	-	3
Colleton	31	13	6	2	-	3	-	7
Darlington	26	11	5	1	3	1	1	4
Dillon	15	12	-	-	1	1	-	1
Dorchester	44	14	18	1	1	1	3	6
Edgefield	7	4	-	-	1	-	-	2
Fairfield	14	7	3	-	-	2	-	2
Florence	85	37	8	10	3	1	-	26
Georgetown	24	10	6	2	-	1	-	5
Greenville	310	107	63	74	3	10	1	52
Greenwood	34	11	6	9	-	1	-	7
Hampton	11	6	2	1	-	-	-	2
Horry	159	60	35	22	5	9	6	22
Jasper	26	18	1	5	-	1	-	1
Kershaw	27	14	8	1	-	1	-	3
Lancaster	17	6	6	2	2	-	-	1
Laurens	34	17	9	2	3	-	-	3
Lee	4	3	-	-	1	-	-	-
Lexington	110	39	33	7	3	5	1	22
McCormick	6	2	-	-	3	1	-	-
Marion	22	9	3	2	1	1	1	5
Marlboro	7	3	1	-	1	-	1	1
Newberry	15	12	-	-	-	-	-	3
Oconee	67	24	22	7	3	5	1	5
Orangeburg	53	22	9	4	3	3	-	12
Pickens	46	12	20	5	-	1	2	6
Richland	202	86	39	36	3	5	4	29
Saluda	7	3	-	2	-	1	-	1
Spartanburg	138	58	34	24	4	-	1	17
Sumter	31	15	6	3	1	1	-	5
Union	12	1	5	-	2	-	-	4
Williamsburg	17	11	3	1	-	1	-	1
York	99	24	28	27	3	5	-	12
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-18.
Deaths Due to Suicide by Method ¹
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total (X60-X84,Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	665	430	121	88	26
Abbeville	6	6	-	-	-
Aiken	32	21	4	6	1
Allendale	-	-	-	-	-
Anderson	28	23	4	1	-
Bamberg	-	-	-	-	-
Barnwell	1	-	-	1	-
Beaufort	25	18	3	4	-
Berkeley	26	15	5	5	1
Calhoun	2	1	-	-	1
Charleston	42	20	10	9	3
Cherokee	12	10	1	-	1
Chester	3	2	1	-	-
Chesterfield	7	5	1	1	-
Clarendon	5	5	-	-	-
Colleton	4	4	-	-	-
Darlington	3	3	-	-	-
Dillon	3	3	-	-	-
Dorchester	19	9	7	2	1
Edgefield	1	-	1	-	-
Fairfield	3	2	-	-	1
Florence	14	13	1	-	-
Georgetown	6	5	-	-	1
Greenville	70	41	15	11	3
Greenwood	8	8	-	-	-
Hampton	4	3	1	-	-
Horry	44	29	5	4	6
Jasper	3	-	3	-	-
Kershaw	17	8	6	3	-
Lancaster	9	7	-	2	-
Laurens	9	5	2	2	-
Lee	3	1	1	-	1
Lexington	49	34	12	3	-
McCormick	-	-	-	-	-
Marion	4	3	1	-	-
Marlboro	3	2	-	1	-
Newberry	5	3	2	-	-
Oconee	13	11	1	1	-
Orangeburg	15	12	3	-	-
Pickens	29	15	4	9	1
Richland	43	26	8	7	2
Saluda	2	1	-	1	-
Spartanburg	43	25	9	8	1
Sumter	14	9	4	1	-
Union	6	4	2	-	-
Williamsburg	3	2	1	-	-
York	26	16	3	6	1
Unknown					

¹ Classified and Coded According to ICD-10

Table G-19.
Deaths Due to Homicide by Method ¹
South Carolina and Each County, 2012
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X93-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	377	278	37	62
Abbeville	1	-	-	-
Aiken	13	12	-	1
Allendale	2	1	1	-
Anderson	20	12	3	5
Bamberg	-	-	-	-
Barnwell	3	2	-	1
Beaufort	13	9	2	2
Berkeley	9	7	1	1
Calhoun	-	-	-	-
Charleston	41	35	3	3
Cherokee	3	2	-	1
Chester	2	2	-	-
Chesterfield	3	2	-	1
Clarendon	1	1	-	-
Colleton	2	2	-	-
Darlington	11	7	1	3
Dillon	7	5	1	1
Dorchester	7	4	-	3
Edgefield	1	-	1	-
Fairfield	3	3	-	-
Florence	4	3	-	1
Georgetown	4	4	-	-
Greenville	24	14	5	5
Greenwood	7	5	-	2
Hampton	2	2	-	-
Horry	22	15	2	5
Jasper	5	5	-	-
Kershaw	5	3	-	2
Lancaster	15	12	2	1
Laurens	8	6	1	1
Lee	-	-	-	-
Lexington	16	11	2	3
McCormick	-	-	-	-
Marion	8	5	2	1
Marlboro	3	3	-	-
Newberry	1	-	1	-
Oconee	5	2	1	2
Orangeburg	18	15	1	2
Pickens	6	5	1	-
Richland	25	21	1	3
Saluda	1	1	-	-
Spartanburg	23	18	1	4
Sumter	13	10	-	3
Union	2	1	1	-
Williamsburg	3	2	-	1
York	13	8	3	2
Unknown				0

¹ Classified and Coded

1

1

0

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2012
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	42,876 *	15,770	15,807	5,792	5,427
SALMONELLE INFECTIONS (A01-A02)	1	-	-	-	1
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	119	40	58	8	13
TUBERCULOSIS (A16-A19)	6	2	-	2	2
RESPIRATORY TUBERCULOSIS (A16)	5	2	-	2	1
OTHER TUBERCULOSIS (A17-A19)	1	-	-	-	1
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	1	-	-	-
SEPTICEMIA (A40-A41)	749 *	211	285	107	145
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	133 *	66	35	22	9
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	149	25	1	86	37
MALARIA (B50-B54)	1	-	1	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	79	23	30	18	8
MALIGNANT NEOPLASMS (C00-C97)	9,668 *	3,839	3,295	1,386	1,136
OF LIP,ORAL CAVITY & PHARYIX (C00-C14)	151	74	33	34	10
OF ESOPHAGUS (C15)	245	138	28	60	19
OF STOMACH (C16)	183	72	35	47	29
OF COLON,RECTUM & ANUS (C18-C21)	819 *	290	282	136	108
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	332	173	70	56	33
OF PANCREAS (C25)	614 *	223	215	84	91
OF LARYNX (C32)	71	35	8	26	2
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,851 *	1,252	975	403	217
OF SKIN (C43)	129	79	46	2	2
OF BREAST (C50)	668 *	4	453	2	208
OF CERVIX UTERI (C53)	65	-	42	-	23
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	152 *	-	94	-	57
OF OVARY (C56)	233	-	185	-	48
OF PROSTATE (C61)	481	293	-	188	-
OF KIDNEY & RENAL PELVIS (C64-C65)	229	122	60	33	14
OF BLADDER (C67)	247	147	56	23	21
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	232	117	74	22	19
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	890 *	395	287	108	98
HODGKIN'S DISEASE (C81)	12	5	2	3	2
NON-HODGKIN'S LYMPHOMA (C82-C85)	290 *	145	100	22	22
LEUKEMIA (C91-C95)	345 *	165	118	38	23
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	243	80	67	45	51
OTHER & UNSPECIFIED MALIGNNEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	1,076	425	352	162	137
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	207 *	93	75	12	26
ANEMIAS (D50-D64)	104	24	36	16	28
DIABETES MELLITUS (E10-E14)	1,186 *	375	304	215	290
NUTRITIONAL DEFICIENCIES (E40-E64)	73	23	28	11	11
MALNUTRITION (E40-E46)	66	21	24	11	10
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	7	2	4	-	1
MENINGITIS (G00-G03)	8	3	3	1	1
PARKISON'S DISEASE (G20-G21)	347 *	174	146	18	8
ALZHEIMER'S DISEASE (G30)	1,627 *	406	969	80	168
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	12,406 *	4,623	4,275	1,786	1,700
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	9,277 *	3,728	3,036	1,295	1,200
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	41 *	7	21	3	9
HYPERTENSIVE HEART DISEASE (I11)	388	105	114	75	94
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	67	15	24	12	16
ISCHEMIC HEART DISEASE (I20-I25)	5,166 *	2,362	1,537	679	582
ACUTE MYOCARDIAL INFARCTION (I21-I22)	2,179 *	971	596	323	288
OTHER ACUTE HEART DISEASE (I24)	274	121	57	52	44
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	2,713 *	1,270	884	304	250
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	394 *	166	118	61	48
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,319 *	1,104	766	243	202
OTHER HEART DISEASE (I26-I51)	3,615 *	1,239	1,340	526	499
ACUTE & SUBACUTE ENDOCARDITIS (I33)	16	7	6	1	2
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	17	3	7	3	4
HEART FAILURE (I50)	1,045 *	353	407	139	144
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	2,537 *	876	920	383	349

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2012
(Residence Data)

Cause of Death	Death				
	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	406	85	139	77	105
CEREBROVASCULAR DISEASE (I60-I69)	2,331 *	654	978	355	340
ATHEROSCLEROSIS (I70)	58	17	24	9	8
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	334	139	98	50	47
AORTIC ANEURYSM & DISSECTION (I71)	166	85	47	20	14
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	168	54	51	30	33
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	60	16	20	15	9
INFLUENZA & PNEUMONIA (J10-J18)	723	268	295	79	81
INFLUENZA (J10-J11)	31	8	16	3	4
PNEUMONIA (J12-J18)	692	260	279	76	77
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	7	3	4	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	5	1	4	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	2	2	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	2,446 *	978	1,125	205	134
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	5	-	4	1	-
EMPHYSEMA (J43)	123 *	57	52	10	3
ASTHMA (J45-J46)	80 *	13	29	23	14
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	2,238 *	908	1,040	171	117
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	16	15	-	1	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	257 *	108	86	34	28
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	644	253	248	56	87
PEPTIC ULCER (K25-K28)	39	16	14	5	4
DISEASE OF APPENDIX (K35-K38)	5	1	-	4	-
HERNIA (K40-K46)	32	15	12	4	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	567	296	171	70	30
ALCOHOLIC LIVER DISEASE (K70)	267	160	56	39	12
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	300	136	115	31	18
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	60	22	23	3	12
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	851 *	260	242	148	200
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	11	3	5	1	2
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	6	-	4	-	2
RENAL FAILURE (N17-N19)	834 *	257	233	147	196
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	7	3	2	-	2
HYPERPLASIA OF PROSTATE (N40)	4	3	-	1	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	2	-	-	-	2
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00-O99)	15	-	9	-	6
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	1	-	-
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	14	-	8	-	6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	210 *	47	36	70	56
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	129 *	47	28	23	30
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	912 *	236	443	96	127
ALL OTHER DISEASE (RESIDUAL) **	5,608 *	1,618	2,610	558	809
ACCIDENT (V01-X59,Y85-Y86)	2,284 *	1,050	679	396	157
TRANSPORT ACCIDENTS (V01-V99,Y85)	873 *	427	159	217	69
MOTOR VEHICLE ACCIDENT*	843 *	410	154	209	69
OTHER & TRANSPORT ACCIDENT*	24	15	2	7	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	6	2	3	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,411 *	623	520	179	88
ACCIDENTAL FALLS (W00-W19)	339	146	154	17	22
ACCIDENTAL DISEASCHARGE OF FIREARMS (W32-W34)	26	18	1	6	1
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	78 *	38	12	25	2
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	79	29	21	19	10
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	512	237	206	47	22
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	377	155	126	65	31
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	665	459	143	48	15
INTENTIONAL SELF-HARM BY DISEASCHARGE OF FIREARM (X72-X74)	430	324	72	31	3
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	235	135	71	17	12
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	377 *	94	47	196	39
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	278 *	59	28	165	25
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	99	35	19	31	14
LEGAL INTERVENTION (Y35,Y89.0)	3	1	-	2	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	34	13	13	5	3
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	5	2	1	2	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	29	11	12	3	3
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	1	1	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	54 *	19	16	5	12

** See APPENDIX for ICD-10 codes

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2012
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ALL CAUSES	9.1	10.3	6.7
SALMONELLE INFECTIONS (A01-A02)	0.0	0	0.1
SHIGELLOSIS & AMEBIASIS (A03,A06)	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2.5	3.2	1.3
TUBERCULOSIS (A16-A19)	0.1	0.1	0.2
RESPIRATORY TUBERCULOSIS (A16)	0.1	0.1	0.2
OTHER TUBERCULOSIS (A17-A19)	0.0	0	0.1
WHOOPING COUGH (A37)	0	0	0
SCARLET FEVER AND ERYSIPELAS (A38, A46)	0	0	0
MENINGOCOCCAL INFECTION (A39)	0.0	0.0	0
SEPTICEMIA (A40-A41)	15.9	16.2	15.1
SYPHILIS (A50-A53)	0	0	0
ACUTE POLIOMELITIS (A80)	0	0	0
ARTHROPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	2.8	3.3	1.9
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3.2	0.9	7.4
MALARIA (B50-B54)	0.0	0.0	0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	1.7	1.7	1.6
MALIGNANT NEOPLASMS (C00-C97)	204.7	233.6	151.1
OF LIP,ORAL CAVITY & PHARYIX (C00-C14)	3.2	3.5	2.6
OF ESOPHAGUS (C15)	5.2	5.4	4.7
OF STOMACH (C16)	3.9	3.5	4.6
OF COLON,RECTUM & ANUS (C18-C21)	17.3	18.7	14.6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7.0	8.0	5.3
OF PANCREAS (C25)	13.0	14.3	10.5
OF LARYNX (C32)	1.5	1.4	1.7
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	60.4	72.9	37.1
OF SKIN (C43)	2.7	4.1	0.2
OF BREAST (C50)	14.1	15.0	12.6
OF CERVIX UTERI (C53)	1.4	1.4	1.4
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3.2	3.1	3.4
OF OVARY (C56)	4.9	6.1	2.9
OF PROSTATE (C61)	10.2	9.6	11.3
OF KIDNEY & RENAL PELVIS (C64-C65)	4.8	6.0	2.8
OF BLADDER (C67)	5.2	6.6	2.6
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4.9	6.3	2.5
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	18.8	22.3	12.3
HODGKIN'S DISEASE (C81)	0.3	0.2	0.3
NON-HODGKIN'S LYMPHOMA (C82-C85)	6.1	8.0	2.6
LEUKEMIA (C91-C95)	7.3	9.3	3.7
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5.1	4.8	5.8
OTHER & UNSPECIFIED MALIGNNEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	0	0	0
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	22.8	25.4	17.9
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.4	5.5	2.3
ANEMIAS (D50-D64)	2.2	2.0	2.6
DIABETES MELLITUS (E10-E14)	25.1	22.2	30.3
NUTRITIONAL DEFICIENCIES (E40-E64)	1.5	1.7	1.3
MALNUTRITION (E40-E46)	1.4	1.5	1.3
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.1	0.2	0.1
MENINGITIS (G00-G03)	0.2	0.2	0.1
PARKISON'S DISEASE (G20-G21)	7.3	10.5	1.6
ALZHEIMER'S DISEASE (G30)	34.4	45.0	14.9
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	262.6	291.3	208.8
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	196.4	221.5	149.5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	0.9	0.9	0.7
HYPERTENSIVE HEART DISEASE (I11)	8.2	7.2	10.1
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1.4	1.3	1.7
ISCHEMIC HEART DISEASE (I20-I25)	109.4	127.7	75.5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	46.1	51.3	36.6
OTHER ACUTE HEART DISEASE (I24)	5.8	5.8	5.8
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	57.4	70.5	33.2
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	8.3	9.3	6.5
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	49.1	61.2	26.7
OTHER HEART DISEASE (I26-I51)	76.5	84.4	61.4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.3	0.4	0.2
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.4	0.3	0.4
HEART FAILURE (I50)	22.1	24.9	17.0
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	53.7	58.8	43.8

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2012
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8.6	7.3	10.9
CEREBROVASCULAR DISEASE (I60-I69)	49.3	53.4	41.6
ATHEROSCLEROSIS (I70)	1.2	1.3	1.0
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	7.1	7.8	5.8
AORTIC ANEURYSM & DISSECTION (I71)	3.5	4.3	2.0
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3.6	3.4	3.8
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1.3	1.2	1.4
INFLUENZA & PNEUMONIA (J10-J18)	15.3	18.4	9.6
INFLUENZA (J10-J11)	0.7	0.8	0.4
PNEUMONIA (J12-J18)	14.6	17.6	9.2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.1	0.2	0
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.1	0.2	0
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0.0	0.1	0
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	51.8	68.9	20.3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.1	0.1	0.1
EMPHYSEMA (J43)	2.6	3.6	0.8
ASTHMA (J45-J46)	1.7	1.4	2.2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	47.4	63.8	17.3
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	0.3	0.5	0.1
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	5.4	6.4	3.7
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	13.6	16.4	8.6
PEPTIC ULCER (K25-K28)	0.8	1.0	0.5
DISEASE OF APPENDIX (K35-K38)	0.1	0.0	0.2
HERNIA (K40-K46)	0.7	0.9	0.3
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	12.0	15.3	6.0
ALCOHOLIC LIVER DISEASE (K70)	5.7	7.1	3.1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6.4	8.2	2.9
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1.3	1.5	0.9
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	18.0	16.4	20.8
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.2	0.3	0.2
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	0.1	0.1	0.1
RENAL FAILURE (N17-N19)	17.7	16.0	20.5
OTHER DISORDERS OF KIDNEY (N25,N27)	0	0	0
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	0.1	0.2	0.1
HYPERPLASIA OF PROSTATE (N40)	0.1	0.1	0.1
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	0.0	0	0.1
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00-O99)	0.3	0.3	0.4
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0.0	0.0	0
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	0.3	0.3	0.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4.4	2.7	7.5
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2.7	2.5	3.2
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	19.3	22.2	13.4
ALL OTHER DISEASE (RESIDUAL) **	118.7	138.4	81.9
ACCIDENT (V01-X59,Y85-Y86)	48.4	56.6	33.1
TRANSPORT ACCIDENTS (V01-V99,Y85)	18.5	19.2	17.1
MOTOR VEHICLE ACCIDENT*	17.8	18.5	16.7
OTHER & TRANSPORT ACCIDENT*	0.5	0.6	0.4
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	0.1	0.2	0.1
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	29.9	37.4	16.0
ACCIDENTAL FALLS (W00-W19)	7.2	9.8	2.3
ACCIDENTAL DISEASERELEASE OF FIREARMS (W32-W34)	0.6	0.6	0.4
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1.7	1.6	1.6
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1.7	1.6	1.7
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	10.8	14.5	4.1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8.0	9.2	5.8
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	14.1	19.7	3.8
INTENTIONAL SELF-HARM BY DISEASERELEASE OF FIREARM (X72-X74)	9.1	13.0	2.0
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	5.0	6.7	1.7
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8.0	4.6	14.1
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5.9	2.8	11.4
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2.1	1.8	2.7
LEGAL INTERVENTION (Y35,Y89.0)	0.1	0.0	0.1
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	0.7	0.9	0.5
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	0.1	0.1	0.1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	0.6	0.8	0.4
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0.0	0.0	0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1.1	1.1	1.0


¹ Rate per 1,000 population for all causes; Rate per 100,000 population for individual category

* Includes unknown race

** See APPENDIX for ICD-10 codes

The State Tree

“The Sabal Palmetto”




Officially adopted by the General Assembly in 1939

MARRIAGE / DIVORCE

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1987-2012, marriages in South Carolina have shown steady decrease, as seen in Figure H-1.

Figure H-1.
Marriage and Divorce Rates
South Carolina, 1987-2012
(Occurrence Data)



MARRIAGES

For the calendar year 2012, there were 2223 interracial marriages in South Carolina, with 1,160 of these being between whites and blacks. Of these 1,160, 73% involved black males and white females. Table H-1 shows a cross-classification of marriages by race of bride and race of groom for South Carolina. Figure H-2 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table H-1.
Marriages by Race of Bride and Groom
South Carolina, 2012
(Occurrence Data)

Race of Bride	Total	Race of Groom		
		White	Black and Other	Unknown
Total	34,977	26,868	8,068	41
White	27,218	26,002	1,206	10
Black and Other	7,708	847	6,858	3
Unknown	51	19	4	28

As displayed in Table H-3, there were 1948 persons under the age of twenty who married in South Carolina in 2012. Therefore, teenagers represent 2.8 percent of all persons who married in this state in 2012. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table H-7, for 26,251 marriages (75%), both the bride and groom were residents of South Carolina.

Table H-2.
 Marriages and Marriage Rates¹ by Race
 South Carolina, 1987-2012
 (Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1987	53,396	15.6	39,916	17.0	13,480	12.5
1988	54,615	15.5	40,839	17.0	13,775	12.3
1989	54,693 *	15.5	41,704	17.4	12,985	11.6
1990	55,754 *	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320 *	14.8	40,726	16.4	12,592	11.3
1993	53,223 *	14.7	40,655	16.2	11,558	11.2
1994	51,564 *	14.1	38,750	15.3	12,808	11.3
1995	45,347 *	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411 *	11.5	32,290	12.5	11,121	9.5
1998	42,380 *	11.0	31,372	11.9	11,007	9.2
1999	43,664 *	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8
2001	40,128	9.9	30,112	10.8	10,016	7.9
2002	38,207 *	9.3	28,303	10.1	9,899	7.6
2003	37,186	8.9	27,845	9.8	9,341	7.0
2004	35,942 *	8.6	27,244	9.4	8,721	6.6
2005	35,357 *	8.3	26,829	9.2	8,527	6.4
2006	34,253 *	7.9	25,875	8.7	8,373	6.2
2007	34,859 *	7.9	26,524	8.7	8,331	6.1
2008	33,293 *	7.4	25,359	8.2	7,933	5.8
2009	33,483 *	7.3	25,451	8.0	8,022	5.8
2010	34,333 *	7.4	25,937	8.1	8,390	5.9
2011	35,132 *	7.5	26,872	8.3	8,241	5.7
2012	34,977	7.4	26,868	8.8	8,068	5.7

¹ Rate per 1,000 Population

* Includes unknown race

Figure H-2.
 Marriage Rates by Race
 South Carolina, 1987-2012
 (Occurrence Data)




Table H-3.
Marriages by Age of Bride and Age of Groom
South Carolina, 2012
(Occurrence Data)

Age of Bride	Total	Age of Groom														
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unknown
Total	34,977	-	572	5,720	7,973	5,992	3,958	3,115	2,467	1,872	1,330	878	554	273	273	-
< 15	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1,374	-	371	832	132	20	11	4	2	1	1	-	-	-	-	-
20-24	7,659	-	178	4,009	2,574	599	170	72	28	15	6	5	2	1	-	-
25-29	8,170	-	14	665	4,042	2,307	757	235	83	44	12	4	6	1	-	-
30-34	5,396	-	3	142	889	2,204	1,261	576	217	72	22	3	5	2	-	-
35-39	3,482	-	3	41	237	593	1,123	834	405	166	45	26	4	2	3	-
40-44	2,982	-	1	22	73	199	472	964	689	323	150	61	16	7	5	-
45-49	2,197	-	-	7	20	51	131	305	697	543	272	112	43	9	7	-
50-54	1,591	-	-	1	5	15	26	95	264	505	398	186	79	10	7	-
55-59	923	-	-	-	1	2	6	24	63	150	310	215	94	35	23	-
60-64	589	-	-	-	-	2	1	5	18	41	87	198	144	63	30	-
65-69	337	-	1	-	-	-	-	1	1	8	25	51	126	78	46	-
70-74	167	-	-	-	-	-	-	-	-	4	1	11	28	49	74	-
75+	108	-	-	-	-	-	-	-	-	-	1	6	7	16	78	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table H-4.
Marriages by Race, Residential Status and Age of Bride
South Carolina, 2012
(Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	27,364 *	100.0	20,825	100.0	6,504	100.0
Under 15	1	0.0	1	0.0	-	0
15-19	1,212 *	4.4	1,097	5.3	112	1.7
20-24	6,553 *	23.9	5,480	26.3	1,066	16.4
25-29	6,278 *	22.9	4,790	23.0	1,484	22.8
30-34	4,036 *	14.7	2,855	13.7	1,176	18.1
35-39	2,575 *	9.4	1,773	8.5	795	12.2
40-44	2,245 *	8.2	1,577	7.6	665	10.2
45-49	1,642 *	6.0	1,137	5.5	502	7.7
50-54	1,196	4.4	858	4.1	338	5.2
55-59	704 *	2.6	515	2.5	188	2.9
60-64	440 *	1.6	349	1.7	90	1.4
65-69	264 *	1.0	207	1.0	56	0.9
70-74	133	0.5	113	0.5	20	0.3
75 +	85	0.3	73	0.4	12	0.2
Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7,613 *	100.0	6,393	100.0	1,204	100.0
Under 15	1	0.0	1	0.0	-	0
15-19	162	2.1	148	2.3	14	1.2
20-24	1,106 *	14.5	974	15.2	130	10.8
25-29	1,892 *	24.9	1,645	25.7	241	20.0
30-34	1,360 *	17.9	1,121	17.5	237	19.7
35-39	907	11.9	747	11.7	160	13.3
40-44	737 *	9.7	579	9.1	156	13.0
45-49	555	7.3	452	7.1	103	8.6
50-54	395 *	5.2	320	5.0	74	6.1
55-59	219 *	2.9	178	2.8	40	3.3
60-64	149 *	2.0	122	1.9	26	2.2
65-69	73	1.0	61	1.0	12	1.0
70-74	34 *	0.4	25	0.4	8	0.7
75 +	23	0.3	20	0.3	3	0.2

* Includes unknown race

Table H-5.
 Marriages by Race, Residential Status and Age of Groom
 South Carolina, 2012
 (Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	27,064 *	100.0	20,286	100.0	6749	100.0
Under 15	-	0	-	0	0	0
15-19	499	1.8	423	2.1	76	1.1
20-24	4,864 *	18.0	4,009	19.8	850	12.6
25-29	6,216 *	23.0	4,812	23.7	1398	20.7
30-34	4,492 *	16.6	3,257	16.1	1229	18.2
35-39	2,955 *	10.9	2,069	10.2	884	13.1
40-44	2,314 *	8.6	1,610	7.9	702	10.4
45-49	1,831 *	6.8	1,287	6.3	541	8.0
50-54	1,409 *	5.2	973	4.8	435	6.4
55-59	1,002 *	3.7	713	3.5	287	4.3
60-64	629 *	2.3	449	2.2	179	2.7
65-69	421	1.6	337	1.7	84	1.2
70-74	214 *	0.8	171	0.8	42	0.6
75 +	218	0.8	176	0.9	42	0.6
Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7913 *	100.0	6582	100.0	1319	100.0
Under 15	0	0	0	0	0	0
15-19	73	0.9	67	1.0	6	0.5
20-24	856 *	10.8	746	11.3	109	8.3
25-29	1757 *	22.2	1526	23.2	230	17.4
30-34	1500 *	19.0	1265	19.2	233	17.7
35-39	1003 *	12.7	804	12.2	198	15.0
40-44	801 *	10.1	626	9.5	173	13.1
45-49	636	8.0	527	8.0	109	8.3
50-54	463	5.9	378	5.7	85	6.4
55-59	328 *	4.1	254	3.9	72	5.5
60-64	249 *	3.1	181	2.7	67	5.1
65-69	133 *	1.7	111	1.7	21	1.6
70-74	59	0.7	50	0.8	9	0.7
75 +	55 *	0.7	47	0.7	7	0.5

* Includes unknown race

Table H-6
 Marriages by County in Which License Was Issued by Residential Status
 South Carolina and Each County, 2012
 (Occurrence Data)

	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	34,977	27,364	78.2	7,613	21.8	27,064	77.4	7,913	22.6
Abbeville	124	107	86.3	17	13.7	107	86.3	17	13.7
Aiken	1,296	909	70.1	387	29.9	905	69.8	391	30.2
Allendale	39	33	84.6	6	15.4	31	79.5	8	20.5
Anderson	1,073	990	92.3	83	7.7	962	89.7	111	10.3
Bamberg	35	34	97.1	1	2.9	32	91.4	3	8.6
Barnwell	122	116	95.1	6	4.9	116	95.1	6	4.9
Beaufort	1,690	945	55.9	745	44.1	967	57.2	723	42.8
Berkeley	1,352	1,242	91.9	110	8.1	1,282	94.8	70	5.2
Calhoun	66	61	92.4	5	7.6	61	92.4	5	7.6
Charleston	4,177	2,845	68.1	1,332	31.9	2,829	67.7	1,348	32.3
Cherokee	416	315	75.7	101	24.3	317	76.2	99	23.8
Chester	188	174	92.6	14	7.4	175	93.1	13	6.9
Chesterfield	326	247	75.8	79	24.2	245	75.2	81	24.8
Clarendon	143	137	95.8	6	4.2	136	95.1	7	4.9
Colleton	287	241	84.0	46	16.0	244	85.0	43	15.0
Darlington	317	303	95.6	14	4.4	302	95.3	15	4.7
Dillon	480	193	40.2	287	59.8	180	37.5	300	62.5
Dorchester	718	678	94.4	40	5.6	654	91.1	64	8.9
Edgefield	155	139	89.7	16	10.3	140	90.3	15	9.7
Fairfield	109	102	93.6	7	6.4	102	93.6	7	6.4
Florence	942	884	93.8	58	6.2	870	92.4	72	7.6
Georgetown	730	401	54.9	329	45.1	401	54.9	329	45.1
Greenville	3,673	3,412	92.9	261	7.1	3,336	90.8	337	9.2
Greenwood	445	431	96.9	14	3.1	421	94.6	24	5.4
Hampton	106	97	91.5	9	8.5	94	88.7	12	11.3
Horry	3,562	1,572	44.1	1,990	55.9	1,558	43.7	2,004	56.3
Jasper	229	127	55.5	102	44.5	128	55.9	101	44.1
Kershaw	417	395	94.7	22	5.3	396	95.0	21	5.0
Lancaster	449	344	76.6	105	23.4	345	76.8	104	23.2
Laurens	297	291	98.0	6	2.0	287	96.6	10	3.4
Lee	104	96	92.3	8	7.7	96	92.3	8	7.7
Lexington	1,513	1,456	96.2	57	3.8	1,436	94.9	77	5.1
McCormick	35	18	51.4	17	48.6	18	51.4	17	48.6
Marion	189	162	85.7	27	14.3	160	84.7	29	15.3
Marlboro	167	109	65.3	58	34.7	108	64.7	59	35.3
Newberry	199	193	97.0	6	3.0	191	96.0	8	4.0
Oconee	578	449	77.7	129	22.3	439	76.0	139	24.0
Orangeburg	370	353	95.4	17	4.6	347	93.8	23	6.2
Pickens	737	678	92.0	59	8.0	672	91.2	65	8.8
Richland	2,281	2,096	91.9	185	8.1	2,057	90.2	224	9.8
Saluda	96	91	94.8	5	5.2	90	93.8	6	6.3
Spartanburg	1,871	1,767	94.4	104	5.6	1,721	92.0	150	8.0
Sumter	718	667	92.9	51	7.1	675	94.0	43	6.0
Union	144	141	97.9	3	2.1	141	97.9	3	2.1
Williamsburg	154	144	93.5	10	6.5	144	93.5	10	6.5
York	1,858	1,179	63.5	679	36.5	1,146	61.7	712	38.3
Unknown	-	-	0	-	0	-	0	-	0

Table H-7
 Marriages by Residential Status and County of Marriage
 South Carolina, 2012
 (Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Bride Only Resident	Groom Only Resident	Bride & Groom Non-Resident
South Carolina	34,977	26,251	1,113	813	6,800
Abbeville	129	111	4	4	10
Aiken	1,177	809	52	46	270
Allendale	46	37	2	1	6
Anderson	1,077	987	32	13	45
Bamberg	50	44	2	2	2
Barnwell	108	101	1	1	5
Beaufort	1,834	969	60	79	726
Berkeley	1,117	976	34	65	42
Calhoun	74	69	1	1	3
Charleston	5,227	3,371	154	137	1,565
Cherokee	344	284	6	7	47
Chester	187	174	5	2	6
Chesterfield	299	228	11	11	49
Clarendon	157	146	3	4	4
Colleton	282	230	6	6	40
Darlington	341	316	8	5	12
Dillon	445	184	19	10	232
Dorchester	630	563	19	7	41
Edgefield	110	84	7	7	12
Fairfield	123	114	1	3	5
Florence	729	689	15	8	17
Georgetown	678	440	20	13	205
Greenville	3,253	2,902	109	40	202
Greenwood	406	378	13	6	9
Hampton	127	108	4	5	10
Horry	4,518	1,997	120	88	2,313
Jasper	227	129	4	4	90
Kershaw	295	274	5	4	12
Lancaster	385	308	15	15	47
Laurens	300	286	8	3	3
Lee	121	114	1	1	5
Lexington	1,506	1,385	47	27	47
McCormick	41	24	-	2	15
Marion	189	173	2	3	11
Marlboro	116	87	7	6	16
Newberry	222	211	3	2	6
Oconee	567	437	18	8	104
Orangeburg	431	403	10	3	15
Pickens	814	720	31	16	47
Richland	2,009	1,740	88	45	136
Saluda	134	127	2	1	4
Spartanburg	1,747	1,605	68	23	51
Sumter	691	626	16	24	25
Union	141	136	3	1	1
Williamsburg	182	166	4	5	7
York	1,391	989	73	49	280
Unknown	-	-	-	-	-

DIVORCES AND ANNULMENTS

Table H-8 shows that out of the total 29,988 persons in 2012 who were granted divorces, 26 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. Figure H-3 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 81 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table H-11 shows divorces by legal grounds of decree. As shown in Table H-12, there were 11,595 children involved in divorces and annulments in 2012.

Table H-8.
Divorces by Age Group and Race
South Carolina, 2012
(Occurrence Data)

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	14,994	10,934	3,814	14,994	11,072	3,678
15-19	5	4	1	19	17	2
20-24	414	355	53	763	669	86
25-29	1,476	1,158	297	1,863	1,479	355
30-34	2,056	1,505	519	2,257	1,654	566
35-39	2,271	1,629	605	2,390	1,750	612
40-44	2,445	1,759	653	2,445	1,726	677
45-49	2,187	1,547	614	1,994	1,448	523
50-54	1,649	1,235	388	1,369	1,017	330
55-59	1,074	745	313	833	594	228
60-64	601	441	153	412	303	102
65-69	307	225	77	213	164	44
70-74	156	131	23	76	57	17
75+	95	74	20	35	28	7
Unknown	258	126	98	325	166	129

* Includes unknown races

Table H-9.
Divorces and Divorce Rates¹ by Race
South Carolina, 1987-2012
(Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1987	13,835	4.0	11,229	4.8	2,606	2.4
1988	14,672	4.2	11,824	4.9	2,848	2.5
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802 *	4.3	12,404	4.9	3,394	3.0
1995	15,171 *	4.1	11,824	4.7	3,346	3.0
1996	15,319 *	4.1	11,829	4.6	3,434	3.0
1997	15,780 *	4.2	12,226	4.7	3,483	3.0
1998	15,083 *	3.9	11,653	4.4	3,358	2.8
1999	15,115 *	3.9	11,647	4.3	3,380	2.8
2000	15,196 *	3.8	11,608	4.2	3,519	2.8
2001	14,657 *	3.6	11,372	4.1	3,250	2.5
2002	13,956	3.4	10,712	3.8	3,244	2.5
2003	13,609 *	3.2	10,535	3.7	3,048	2.3
2004	13,839	3.3	10,734	3.7	3,055	2.3
2005	12,948 *	3.0	9,980	3.4	2,927	2.2
2006	13,164 *	3.0	10,055	3.3	3,063	2.3
2007	13,233 *	3.0	10,176	3.3	2,978	2.2
2008	12,836 *	2.9	9,815	3.2	2,911	2.1
2009	13,965 *	3.0	10,134	3.2	3,211	2.3
2010	14,466 *	3.1	10,628	3.3	3,815	2.7
2011	15,081 *	3.2	11,169	3.5	3,874	2.7
2012	14,994 *	3.2	10,934	3.4	3,814	2.6

¹ Rate per 1,000 population

* Includes unknown race

Figure H-3.
Divorce Rates by Race
South Carolina, 1987-2012




Table H-10.
Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
South Carolina, 2012
(Occurrence Data)

Duration of Marriage	Legal Ground for Decree								
	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
Total	5	93	144	21	995	12327	85	1230	37
Under 1 Year	0	4	5	2	13	37	14	7	6
1 - 4 Years	1	38	47	9	186	2543	27	308	11
1 Year	0	10	7	2	42	372	11	43	5
2 Years	0	13	14	1	41	657	8	72	1
3 Years	1	10	18	5	42	750	3	95	3
4 Years	0	5	8	1	61	764	5	98	2
5 - 9 Years	1	18	36	2	261	3190	16	332	5
5 Years	0	6	11	0	61	732	3	86	1
6 Years	0	7	9	0	51	717	3	91	2
7 Years	1	2	5	0	53	635	4	60	1
8 Years	0	2	5	0	49	574	2	46	0
9 Years	0	1	6	2	47	532	4	49	1
10 - 14 Years	1	16	22	2	179	2409	16	252	5
15 - 19 Years	1	8	19	2	137	1596	6	140	5
20 - 24 Years	0	2	4	3	95	1099	3	90	2
25 - 29 Years	0	1	3	0	62	621	2	40	2
30 & Over	1	6	5	1	56	641	1	27	0
Unknown	0	0	3	0	6	191	0	34	1

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-11
Divorces by Plaintiff and Legal Grounds of Decree*
South Carolina and Each County, 2012
(Occurrence Data)

	Legal Ground for Decree								
	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
South Carolina	5	93	144	21	995	12,327	85	1230	37
Abbeville	-	1	1	-	4	45	-	12	-
Aiken	-	6	5	-	34	510	5	8	4
Allendale	-	-	-	-	-	3	-	1	-
Anderson	-	4	9	4	81	644	1	2	5
Bamberg	-	-	-	-	-	33	-	-	-
Barnwell	-	-	1	-	6	57	-	17	1
Beaufort	-	3	2	-	22	428	1	33	-
Berkeley	1	2	8	-	61	676	2	13	3
Calhoun	-	-	1	-	4	41	-	1	-
Charleston	1	2	11	3	65	1,154	2	67	2
Cherokee	-	3	4	1	18	177	-	2	0
Chester	-	-	2	-	7	109	5	3	2
Chesterfield	-	2	1	1	5	112	-	9	0
Clarendon	-	-	-	-	6	86	1	12	0
Colleton	-	2	1	-	3	120	3	57	0
Darlington	-	2	1	1	20	201	1	2	2
Dillon	-	-	1	-	6	85	-	0	0
Dorchester	-	3	4	1	26	342	1	59	3
Edgefield	-	-	1	-	3	51	-	1	-
Fairfield	1	1	-	-	3	82	-	3	-
Florence	-	-	4	-	27	294	-	5	1
Georgetown	-	3	2	-	13	148	-	26	-
Greenville	-	13	17	-	111	1,176	1	11	1
Greenwood	-	3	1	-	22	139	2	19	-
Hampton	-	-	-	-	3	58	-	2	-
Horry	-	1	5	1	36	635	13	137	-
Jasper	-	-	-	-	3	46	-	21	-
Kershaw	-	3	4	-	12	186	2	11	0
Lancaster	-	2	6	-	12	272	-	0	0
Laurens	-	-	4	-	14	138	-	13	0
Lee	-	1	-	-	-	37	-	1	0
Lexington	1	2	2	1	55	637	1	146	1
McCormick	-	-	-	-	1	9	-	2	0
Marion	-	1	2	-	6	73	1	9	1
Marlboro	-	-	-	-	2	46	-	1	1
Newberry	-	2	1	-	12	108	-	4	0
Oconee	-	3	7	1	36	261	1	2	-
Orangeburg	-	2	1	1	12	246	-	23	-
Pickens	-	6	7	1	31	306	5	54	2
Richland	1	4	5	3	61	939	4	210	2
Saluda	-	-	-	-	-	47	-	-	-
Spartanburg	-	11	14	1	71	656	24	140	3
Sumter	-	1	3	1	23	357	1	5	-
Union	-	1	-	-	4	54	-	1	-
Williamsburg	-	-	1	-	3	62	1	16	1
York	-	3	5	-	51	433	7	68	2
Unknown	-	-	-	-	-	8	-	1	-

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-12.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2012
(Occurrence Data)

County of Decree	Total	Divorces and Annulments				Children Involved		
		Race of Husband		Race of Wife		under age 18		
		White	Black & Other	White	Black & Other	Total	White	Black & Other
South Carolina	14,994	10,934	3,814	11,072	3,678	11,595	8,840	2,606
Abbeville	63	48	15	48	15	41	33	8
Aiken	573	454	115	457	111	456	365	85
Allendale	4	1	3	2	2	1	1	-
Anderson	754	650	104	663	91	587	510	77
Bamberg	33	13	19	14	19	25	8	17
Barnwell	82	50	32	54	26	59	46	13
Beaufort	494	365	127	373	118	401	311	88
Berkeley	766	576	190	586	180	659	484	175
Calhoun	47	35	12	35	12	32	26	6
Charleston	1,312	901	393	899	400	931	645	283
Cherokee	208	185	23	186	21	170	157	11
Chester	128	99	28	101	26	114	94	19
Chesterfield	131	85	44	87	42	124	93	31
Clarendon	105	62	43	64	41	93	57	36
Colleton	186	117	60	120	60	140	79	56
Darlington	231	156	75	160	71	156	107	49
Dillon	93	57	36	58	34	65	46	18
Dorchester	440	337	94	344	86	382	302	73
Edgefield	56	39	17	41	15	46	36	10
Fairfield	90	41	45	43	42	53	24	27
Florence	332	240	92	237	94	264	184	80
Georgetown	194	133	56	132	56	146	108	36
Greenville	1,336	1,051	246	1,067	230	1,025	872	128
Greenwood	188	143	43	147	39	159	139	20
Hampton	63	33	30	34	29	41	26	15
Horry	831	686	128	709	106	545	484	56
Jasper	70	34	34	34	34	55	36	19
Kershaw	218	163	49	168	46	199	164	32
Lancaster	294	243	46	244	46	282	242	37
Laurens	170	147	23	148	22	125	116	9
Lee	40	18	22	20	20	39	16	23
Lexington	847	714	108	714	111	689	594	82
McCormick	12	7	5	7	5	5	4	1
Marion	94	47	47	47	46	77	42	31
Marlboro	50	26	24	25	25	34	12	22
Newberry	127	100	27	101	26	85	73	12
Oconee	312	284	22	287	17	251	236	12
Orangeburg	285	113	170	114	170	164	64	97
Pickens	416	389	22	384	26	354	326	25
Richland	1,231	577	617	593	603	956	476	451
Saluda	47	39	8	37	10	36	25	11
Spartanburg	922	713	189	721	177	691	576	101
Sumter	394	219	157	219	155	289	176	108
Union	61	43	18	44	16	46	35	9
Williamsburg	84	39	42	42	42	66	32	34
York	571	455	112	455	113	433	354	73
Unknown	9	7	2	7	2	4	4	-

TECHNICAL NOTES

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event certificates and reports can be submitted to the County Registrar located in the county where the event occurred or submitted electronically depending on the event. There are now electronic systems in place for registration of both births and deaths. The systems allow source document providers (delivering facilities, funeral directors, physicians, coroners, etc.) to enter information regarding the vital event into a web-based electronic system called the Vital Records and Statistics Integrated Information System (VRSIIS). Paper reports that are filed in the county of occurrence are then sent by county vital records staff to the Registration Branch within the Division of Biostatistics (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form, which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth certificate, death certificate, report of fetal death and report of induced termination of pregnancy based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System, which is widely used in many obstetric offices.

The certificate of birth was revised again in January 2004 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). This revision accompanied the implementation of a web-based electronic birth registration system (WebBirth). Substantial changes were made to the medical portion of the certificate, including removal of 'other' check/box items and the addition of section names. Several items were added to address data collection needs and to facilitate the linkage of data sets. Another change was the implementation of standardized worksheets to improve the completeness and quality of birth data.

The certificate of death was revised in January 2005 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). The form increased in size from letter size to legal size to accommodate additional items and an expanded check box format for decedent's education, race and Hispanic origin. This revision accompanied the implementation of a web-based electronic death registration system (WebDeath). This was the first electronic death registration system in SC. In previous years, all death certificates were filed using only paper forms.

These revisions to the vital records forms and systems were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATIONS OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated in the place in South Carolina where the person normally resided regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated of the county of residence of the decedent. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated in the place of South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

2012 BIRTH AND DEATH ALLOCATIONS FOR S.C. RESIDENTS AND OCCURRENCES

	BIRTHS			DEATHS		
	Total	White	Black & Other	Total	White	Black & Other
Occurring in S.C.	54,262 *	34,981	19,245	42,196 *	31,141	10,983
Residents	53,672 *	34,557	19,080	41,122 *	30,258	10,797
Non-Residents	590 *	424	165	1,074 *	883	186
Residents of S.C.	57,100 *	37,092	19,959	42,879 *	31,580	11,221
In State	53,672 *	34,557	19,080	41,122 *	30,258	10,797
Out-of-State	3,428 *	2,535	879	1,757 *	1,322	424

* Includes Unknown Races

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a live born infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth, which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth, which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth, which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "unmarried" category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD A34, O00-O95, O98-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is assigned to codes O96-O97.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age or a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death classified and coded according to the International Classification of Diseases (ICD).

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". In 2011 blacks make up 93 percent of the black and other population of South Carolina.

MULTIPLE RACES: Beginning with the 2000 Census, population information released by the U.S. Census Bureau contained a 'multiple' race category. In order to provide rates by single race category for vital events, the National Center for Health Statistics (NCHS) developed a 'bridging' methodology that would regroup the populations of the 'multiple' race category into standard single race categories. Beginning with 2002, these 'bridged' estimated population data were available for South Carolina. For 2000 and 2001, 'bridged' population data were not available at the time of publication. For these years, the staff of Budget and Control Board and the staff of the Division of Biostatistics and Health GIS, Public Health Statistics and Information Services, SCDHEC jointly developed methodologies that would regroup the population of the 'multiple' race category into standard single race categories.

Beginning with the new 2004 birth certificate multiple races can be checked for the race of both mother and father. Similarly, on the new 2005 death certificate multiple races can be checked for the race of the decedent. A methodology was developed that would regroup the 'multiple race' into standard single race categories. This methodology was developed by NCHS and the bridged race data are returned to the Division of Biostatistics, Public Health Statistics and Information Services for use in statistical analysis.

HISPANIC ORIGIN: Hispanic origin is reported separately from race. Thus a person with Hispanic origin can be of any race. The US Census Bureau began providing population estimates for Hispanics in 2002 which allowed birthrates to be calculated for this group.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the unmarried category. In 2012 there were 15,470 paternity acknowledgments representing 27.1 percent of the total resident live births and 56.7 percent of all live births to unmarried women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death, which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth

Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes thus far.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Ninth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: Only a person authorized by law, usually a physician or a coroner, can make the medical certification of death. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, the antecedent causes giving rise to the immediate cause and other significant conditions contributing to the death may also be entered by the medical certifier. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology

used by NCHS to rank the causes of infant death has also been adopted for this report. This change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.


POPULATION DATA: South Carolina population estimates were available from the National Center for Health Statistics (NCHS) for the state as a whole and for each county by age, race, and gender. In order to provide rates for vital records data by single race category, NCHS developed a 'bridging' methodology, which regrouped the population of the Census, designated 'multiple race' categories into single race categories. The 2000 Census was the first nationwide implementation of revised standards requiring federal agencies to offer individuals the opportunity to select one or more races. NCHS population estimates by age and gender category are consistent with corresponding population data provided to the Office of Research and Statistics, South Carolina Budget and Control Board by the US Census Bureau for the state as a whole and for each county. For age groups of 14-17, 15-17, and 18-19 years, it is assumed that the population within the five-year age groups of 10-14 and 15-19 is distributed uniformly throughout these age intervals.


KOTELCHUCK INDEX: The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data - when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. The expected number of visits is based on the American College of Obstetricians and Gynecologists prenatal care standards for uncomplicated pregnancies and is adjusted for the gestational age when care began and for the gestational age at delivery.


A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck Index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index, or the sum of the Adequate and Adequate Plus categories. (See the graph on the next page.)


The Kotelchuck Index does not measure the quality of prenatal care. It also depends on the accuracy of the patient or health care provider's recall of the timing of the first visit and the number of subsequent visits. The Kotelchuck Index uses recommendations for low-risk pregnancies, and may not measure the adequacy of care for high-risk women. The Kotelchuck Index is preferable to other indices because it includes a category for women who receive more than the recommended amount of care (adequate plus, or intensive utilization).


The Summary of Adequacy of Kotelchuck Index¹



 **Inadequate** - Prenatal care begun after 4th month, or less than 50% of recommended visits. Includes no prenatal care received.

 **Intermediate** - Prenatal care begun by 4th month, and 50% - 79% of recommended visits.

 **Adequate** - Prenatal care begun by 4th month, and 80% - 109% of recommended visits.

 **Adequate Plus** - Prenatal care begun by 4th month, and 110% or more of recommended visits.

¹ Adapted from Kotelchuck M., "An Evaluation of the Kessner Adequacy of Prenatal Care Index and a Proposed Adequacy of Prenatal Care Utilization Index", American Journal of Public Health, 1994, 84(9): 1414-20.

IMPLEMENTATION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) 10TH REVISION

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the “Old pneumonia, influenza, and maternal conditions” and “Error and accidents in medical care” coding rules have been eliminated)
- modified the tabulations lists (e.g., the US’ ICD-10 113-cause list replaces the US’ ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:

ICD-10 Web page at: www.cdc.gov/nchs/icd/icd10.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

FORMULAE

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= $\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	= $\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	= $\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	= $\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
General Fertility Rate	= $\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Birth Rate of Unmarried Mothers	= $\frac{\text{Annual number of unmarried mothers}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	= $\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	= $\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	= $\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	= $\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	= $\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	= $\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	= $\frac{\text{Annual number of fetal deaths} + \text{Annual number of neonatal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	= $\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Grams Weight Conversion Chart

500 grams or less	=	1 lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.5	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APPENDIX

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01-A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07-A09
#	Tuberculosis..... A16-A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17-A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40-A41
10#	Syphilis..... A50-A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83-A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15-B19
15#	Human immunodeficiency virus (HIV) disease..... B20-B24
16#	Malaria..... B50-B54
17	Other and unspecified infectious and parasitic diseases and their sequelae A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85. 0-A85. 1, A85. 8, A86-B04, B06-B09, B25-B49, B55-B99
#	Malignant neoplasms..... C00-C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00-C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18-C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33-C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54-C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64-C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70-C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81-C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82-C85
37	Leukemia..... C91-C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00-D48
42#	Anemias..... D50-D64
43#	Diabetes mellitus..... E10-E14
#	Nutritional deficiencies..... E40-E64
44	Malnutrition..... E40-E46
45	Other nutritional deficiencies..... E50-E64
46#	Meningitis..... G00, G03
47#	Parkinson's disease..... G20-G21
48#	Alzheimer's disease..... G30
#	Major cardiovascular diseases..... I00-I78
	Diseases of heart..... I00-I09, I11, I13, I20-I51
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00-I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20-I25
52	Acute myocardial infarction..... I21-I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1-I25. 9
	Other heart diseases..... I26-I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30-I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26-I28, I34-I38, I42-I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60-I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71-I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72-I78
65	Other disorders of circulatory system..... I80-I99
#	Influenza and pneumonia..... J10-J18
66	Influenza..... J10-J11
67	Pneumonia..... J12-J18
	Other acute lower respiratory infections..... J20-J22
68#	Acute bronchitis and bronchiolitis..... J20-J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40-J47
70	Bronchitis, chronic and unspecified..... J40-J42
71	Emphysema..... J43
72	Asthma..... J45-J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60-J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00-J06, J30-J39, J67, J70-J98
77#	Peptic ulcer..... K25-K28
78#	Diseases of appendix..... K35-K38
79#	Hernia..... K40-K46
#	Chronic liver disease and cirrhosis..... K70, K73-K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73-K74
82#	Cholelithiasis and other disorders of gallbladder..... K80-K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00-N07, N17-N19, N25-N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00-N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified..... N02-N03, N05-N07, N26
85	Renal failure..... N17-N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10-N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70-N76
#	Pregnancy, childbirth and the puerperium..... 000-099
90	Pregnancy with abortive outcome..... 000-007
91	Other complications of pregnancy, childbirth and the puerperium..... 010-099
92#	Certain conditions originating in the perinatal period..... P00-P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified..... R00-R99
95	All other diseases (Residual)..... D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13. 0-N13. 5, N13. 7-N13. 9, N14, N15. 0, N15. 8-N15. 9, N20-N23, N28-N39, N41-N64, N80-N98
#	Accidents..... V01-X59, Y85-Y86
	Transport accidents..... V01-V99, Y85
96	Motor vehicle accidents..... V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05- V06, V09. 1, V09. 3- V09. 9, V10- V11, V15- V18, V19. 3, V19. 8- V19. 9, V80. 0- V80. 2, V80. 6- V80. 9, V81. 2- V81. 9, V82. 2- V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae V90- V99, Y85
	Nontransport accidents..... W00- X59, Y86
99	Falls..... W00- W19
100	Accidental discharge of firearms..... W32- W34
101	Accidental drowning and submersion..... W65- W74
102	Accidental exposure to smoke, fire and flames..... X00- X09
103	Accidental poisoning and exposure to noxious substances..... X40- X49
104	Other and unspecified nontransport accidents and their sequelae W20- W31, W35- W64, W75- W99, X10- X39, X50- X59, Y86
#	Intentional self-harm (suicide)..... X60- X84, Y87. 0
105	Intentional self-harm (suicide) by discharge of firearms..... X72- X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae X60- X71, X75- X84, Y87. 0
#	Assault (homicide)..... X85- Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93- X95
108	Assault (homicide) by other and unspecified means and their sequelae.... X85- X92, X96- Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10- Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22- Y24
111	Other and unspecified events of undetermined intent and their sequelae Y10- Y21, Y25- Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40- Y84, Y88

Estimated comparability ratios for 113 selected causes of death

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
001	Salmonella infections	30	37	0.8108	0.0644	7.9	0.6846	0.9370
002	Shigellosis and amebiasis
003	Certain other intestinal infections
004	Tuberculosis	653	764	0.8547	0.0172	2	0.8209	0.8885
005	Respiratory tuberculosis	518	572	0.9056	0.0201	2.2	0.8662	0.9450
006	Other tuberculosis	135	192	0.7031	0.0407	5.8	0.6233	0.7830
007	Whooping cough
008	Scarlet fever and erysipelas
009	Meningococcal infection	221	222	0.9955	0.0149	1.5	0.9663	1.0247
010	Septicemia	21,258	17,791	1.1949	0.0042	0.3	1.1867	1.2030
011	Syphilis	21	33	0.6364	0.1184	18.6	0.4043	0.8685
012	Acute poliomyelitis
013	Arthropod-borne viral encephalitis
014	Measles
015	Viral hepatitis	1,123	1,346	0.8343	0.0120	1.4	0.8109	0.8578
016	Human immunodeficiency virus (HIV) disease	25,089	23,586	1.0637	0.0018	0.2	1.0601	1.0673
017	Malaria
018	Other and unspecified infectious and parasitic diseases and their sequelae	2,865	2,607	1.0990	0.0154	1.4	1.0688	1.1291
019	Malignant neoplasms	464,688	461,544	1.0068	0.0002	0.0	1.0064	1.0072
020	Malignant neoplasms of lip, oral cavity and pharynx	5,927	6,172	0.9603	0.0040	0.4	0.9525	0.9681
021	Malignant neoplasm of esophagus	9,596	9,630	0.9965	0.0020	0.2	0.9926	1.0003
022	Malignant neoplasm of stomach	11,480	11,408	1.0063	0.0019	0.2	1.0025	1.0101
023	Malignant neoplasms of colon, rectum and anus	48,583	48,619	0.9993	0.0009	0.1	0.9975	1.0010
024	Malignant neoplasms of liver and intrahepatic bile ducts	9,732	10,102	0.9634	0.0023	0.2	0.9588	0.9679
025	Malignant neoplasm of pancreas	24,313	24,361	0.9980	0.0009	0.1	0.9963	0.9997
026	Malignant neoplasm of larynx	3,209	3,194	1.0047	0.0053	0.5	0.9943	1.0150
027	Malignant neoplasms of trachea, bronchus and lung	131,750	133,936	0.9837	0.0005	0.1	0.9827	0.9846
028	Malignant melanoma of skin	5,941	6,139	0.9677	0.0032	0.3	0.9614	0.9741
029	Malignant neoplasm of breast	38,102	37,891	1.0056	0.0010	0.1	1.0036	1.0075
030	Malignant neoplasm of cervix uteri	3,753	3,802	0.9871	0.0034	0.3	0.9805	0.9938
031	Malignant neoplasms of corpus uteri and uterus, part unspecified	5,318	5,183	1.0260	0.0040	0.4	1.0182	1.0339
032	Malignant neoplasm of ovary	11,292	11,344	0.9954	0.0016	0.2	0.9923	0.9985
033	Malignant neoplasm of prostate	30,672	30,267	1.0134	0.0015	0.1	1.0105	1.0162
034	Malignant neoplasms of kidney and renal pelvis	9,521	9,521	1.0000	0.0022	0.2	0.9957	1.0043
035	Malignant neoplasm of bladder	9,563	9,594	0.9968	0.0026	0.3	0.9916	1.0019
036	Malignant neoplasms of meninges, brain and other parts of central nervous system	10,039	10,359	0.9691	0.0025	0.3	0.9642	0.9740
037	Malignant neoplasms of lymphoid, hematopoietic and related tissue	44,715	44,530	1.0042	0.0012	0.1	1.0019	1.0064
038	Hodgkin's disease	1,021	1,036	0.9855	0.0089	0.9	0.9680	1.0030
039	Non-Hodgkin's lymphoma	17,924	18,326	0.9781	0.0018	0.2	0.9745	0.9817
040	Leukemia	16,600	16,405	1.0119	0.0019	0.2	1.0083	1.0155
041	Multiple myeloma and immunoproliferative neoplasms	9,099	8,763	1.0383	0.0030	0.3	1.0324	1.0443
042	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue
043	All other and unspecified malignant neoplasms	51,182	45,492	1.1251	0.0021	0.2	1.1210	1.1292
044	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	9,263	5,532	1.6744	0.0164	1.0	1.6422	1.7067
045	Anemias	3,059	3,200	0.9559	0.0077	0.8	0.9409	0.9710
046	Diabetes mellitus	48,636	48,242	1.0082	0.0011	0.1	1.0060	1.0103
047	Nutritional deficiencies	3,215	2,763	1.1636	0.0165	1.4	1.1312	1.1960
048	Malnutrition	2,607	2,665	0.9782	0.0151	1.5	0.9487	1.0078
049	Other nutritional deficiencies	608	98	6.2041	0.5961	9.6	5.0358	7.3724
050	Meningitis	592	584	1.0137	0.0136	1.3	0.9871	1.0403
051	Parkinson's disease	10,404	10,392	1.0012	0.0028	0.3	0.9956	1.0067
052	Alzheimer's disease	29,707	19,121	1.5536	0.0071	0.5	1.5398	1.5675
053	Major cardiovascular diseases	796,919	798,435	0.9981	0.0002	0.0	0.9977	0.9985
054	Diseases of heart	615,564	624,405	0.9858	0.0002	0.0	0.9854	0.9863
055	Acute rheumatic fever and chronic rheumatic heart diseases	2,446	2,980	0.8208	0.0089	1.1	0.8034	0.8382
056	Hypertensive heart disease	17,322	21,577	0.8028	0.0028	0.3	0.7973	0.8083
057	Hypertensive heart and renal disease	2,170	2,027	1.0705	0.0160	1.5	1.0392	1.1019
058	Ischemic heart diseases	466,459	466,935	0.9990	0.0002	0.0	0.9985	0.9994
059	Acute myocardial infarction	178,125	180,169	0.9887	0.0003	0.0	0.9880	0.9893
060	Other acute ischemic heart diseases	2,667	2,638	1.0110	0.0117	1.2	0.9880	1.0340
061	Other forms of chronic ischemic heart disease	285,667	284,128	1.0054	0.0004	0.0	1.0046	1.0062

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
062	Atherosclerotic cardiovascular disease, so described.	64,354	61,362	1.0488	0.0016	0.2	1.0456	1.0519
063	All other forms of chronic ischemic heart disease	221,313	222,766	0.9935	0.0004	0.0	0.9927	0.9942
064	Other heart diseases	127,167	130,886	0.9716	0.0010	0.1	0.9696	0.9736
065	Acute and subacute endocarditis.	552	554	0.9964	0.0137	1.4	0.9695	1.0233
066	Diseases of pericardium and acute myocarditis	489	475	1.0295	0.0160	1.6	0.9981	1.0608
067	Heart failure.	44,297	42,554	1.0410	0.0013	0.1	1.0384	1.0435
068	All other forms of heart disease	81,829	87,303	0.9373	0.0014	0.2	0.9345	0.9401
069	Essential (primary) hypertension and hypertensive renal disease.	11,958	10,684	1.1192	0.0050	0.4	1.1094	1.1291
070	Cerebrovascular diseases.	137,264	129,640	1.0588	0.0008	0.1	1.0572	1.0604
071	Atherosclerosis	13,894	14,417	0.9637	0.0025	0.3	0.9588	0.9686
072	Other diseases of circulatory system	18,239	19,289	0.9456	0.0021	0.2	0.9414	0.9498
073	Aortic aneurysm and dissection.	12,216	12,201	1.0012	0.0010	0.1	0.9992	1.0032
074	Other diseases of arteries, arterioles and capillaries.	6,023	7,088	0.8497	0.0053	0.6	0.8394	0.8601
075	Other disorders of circulatory system	2,984	2,899	1.0293	0.0172	1.7	0.9956	1.0631
076	Influenza and pneumonia	50,526	72,371	0.6982	0.0018	0.3	0.6947	0.7016
077	Influenza	572	567	1.0088	0.0073	0.7	0.9945	1.0231
078	Pneumonia	49,954	71,804	0.6957	0.0018	0.3	0.6922	0.6992
079	Other acute lower respiratory infections	346	355	0.9746	0.0392	4.0	0.8978	1.0515
080	Acute bronchitis and bronchiolitis	265	355	0.7465	0.0264	3.5	0.6947	0.7983
081	Unspecified acute lower respiratory infection.
082	Chronic lower respiratory diseases	94,326	90,022	1.0478	0.0009	0.1	1.0460	1.0496
083	Bronchitis, chronic and unspecified	913	2,320	0.3935	0.0107	2.7	0.3726	0.4145
084	Emphysema	14,369	14,774	0.9726	0.0031	0.3	0.9666	0.9786
085	Asthma	4,217	4,718	0.8938	0.0061	0.7	0.8819	0.9057
086	Other chronic lower respiratory diseases	74,827	68,210	1.0970	0.0014	0.1	1.0943	1.0998
087	Pneumoconioses and chemical effects	860	845	1.0178	0.0099	1.0	0.9983	1.0372
088	Pneumonitis due to solids and liquids	10,183	9,104	1.1185	0.0048	0.4	1.1092	1.1279
089	Other diseases of respiratory system	16,656	14,269	1.1673	0.0052	0.4	1.1572	1.1774
090	Peptic ulcer	3,574	3,686	0.9696	0.0045	0.5	0.9608	0.9784
091	Diseases of appendix	209	202	1.0347	0.0242	2.3	0.9873	1.0820
092	Hernia	658	633	1.0395	0.0154	1.5	1.0094	1.0696
093	Chronic liver disease and cirrhosis.	21,688	20,920	1.0367	0.0027	0.3	1.0314	1.0420
094	Alcoholic liver disease.	10,147	9,965	1.0183	0.0050	0.5	1.0085	1.0281
095	Other chronic liver disease and cirrhosis	11,541	10,955	1.0535	0.0041	0.4	1.0454	1.0615
096	Cholelithiasis and other disorders of gallbladder	1,725	1,803	0.9567	0.0060	0.6	0.9450	0.9685
097	Nephritis, nephrotic syndrome and nephrosis.	24,939	20,242	1.2320	0.0044	0.4	1.2234	1.2407
098	Acute and rapidly progressive nephritic and nephrotic syndrome.	161	249	0.6466	0.0342	5.3	0.5796	0.7136
099	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified	468	1,213	0.3858	0.0144	3.7	0.3575	0.4141
100	Renal failure	24,290	18,758	1.2949	0.0050	0.4	1.2852	1.3047
101	Other disorders of kidney	20	22	0.9091	0.0867	9.5	0.7392	1.0790
102	Infections of kidney.	731	726	1.0069	0.0144	1.4	0.9786	1.0352
103	Hyperplasia of prostate.	326	327	0.9969	0.0159	1.6	0.9658	1.0280
104	Inflammatory diseases of female pelvic organs.	63	64	0.9844	0.0410	4.2	0.9040	1.0648
105	Pregnancy, childbirth and the puerperium.
106	Pregnancy with abortive outcome
107	Other complications of pregnancy, childbirth and the puerperium.
108	Certain conditions originating in the perinatal period	10,184	9,555	1.0658	0.0033	0.3	1.0593	1.0724
109	Congenital malformations, deformations and chromosomal abnormalities	5,950	7,025	0.8470	0.0055	0.6	0.8362	0.8577
110	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.	16,940	17,732	0.9553	0.0034	0.4	0.9487	0.9620
111	All other diseases (Residual)	109,853	122,107	0.8996	0.0015	0.2	0.8968	0.9025
112	Accidents (unintentional injuries)	31,084	30,163	1.0305	0.0014	0.1	1.0278	1.0333
113	Transport accidents	17,547	17,586	0.9978	0.0006	0.1	0.9966	0.9990
114	Motor vehicle accidents	14,539	17,051	0.8527	0.0027	0.3	0.8473	0.8581
115	Other land transport accidents
116	Water, air and space, and other and unspecified transport accidents and their sequelae.	351	347	1.0115	0.0209	2.1	0.9706	1.0525
117	Nontransport accidents	13,537	12,577	1.0763	0.0035	0.3	1.0696	1.0831
118	Falls.	5,173	6,152	0.8409	0.0049	0.6	0.8313	0.8505
119	Accidental discharge of firearms	493	466	1.0579	0.0127	1.2	1.0331	1.0828
120	Accidental drowning and submersion.	283	284	0.9965	0.0127	1.3	0.9716	1.0213
121	Accidental exposure to smoke, fire and flames.	493	506	0.9743	0.0089	0.9	0.9568	0.9918
122	Accidental poisoning and exposure to noxious substances
123	Other and unspecified nontransport accidents and their sequelae.	6,698	4,721	1.4188	0.0123	0.9	1.3947	1.4428

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
124	Intentional self-harm (suicide)	18,352	18,422	0.9962	0.0005	0.0	0.9952	0.9972
125	Intentional self-harm (suicide) by discharge of firearms	14,157	14,183	0.9982	0.0007	0.1	0.9968	0.9996
126	Intentional self-harm (suicide) by other and unspecified means and their sequelae	4,195	4,239	0.9896	0.0023	0.2	0.9850	0.9942
127	Assault (homicide)	12,287	12,308	0.9983	0.0006	0.1	0.9972	0.9994
128	Assault (homicide) by discharge of firearms	8,718	8,745	0.9969	0.0008	0.1	0.9953	0.9985
	Assault (homicide) by other and unspecified means and their sequelae	3,569	3,563	1.0017	0.0024	0.2	0.9969	1.0064
129	Legal intervention
130	Legal intervention
131	Events of undetermined intent
132	Discharge of firearms, undetermined intent
133	Other and unspecified events of undetermined intent and their sequelae
134	Operations of war and their sequelae
135	Complications of medical and surgical care

* Figure does not meet standards of reliability or precision; see Technical notes.

0.0 Quantity more than zero but less than 0.05.

¹Based on the Ninth and Tenth Revision categories shown in table B.

²ICD-10 is *International Classification of Diseases, Tenth Revision*, and ICD-9 is *International Classification of Diseases, Ninth Revision*.

**STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH**

139 -

BIRTH NUMBER

CHILD	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH (24HR)	3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)
	5. FACILITY NAME (If not institution, give street and number)		6. CITY, TOWN, OR LOCATION OF BIRTH		7. COUNTY OF BIRTH
MOTHER	8a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)			8b. DATE OF BIRTH (Mo/Day/Yr)	
	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)			8d. BIRTHPLACE (State, Territory, or Foreign Country)	
	9a. RESIDENCE OF MOTHER - STATE	9b. COUNTY	9c. CITY, TOWN, OR LOCATION		
	9d. STREET AND NUMBER	9e. APT. NO.	9f. ZIP CODE	9g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No	
FATHER	10a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		10b. DATE OF BIRTH (Mo/Day/Yr)	10c. BIRTHPLACE (State, Territory, or Foreign Country)	
CERTIFIER	11. CERTIFIER'S NAME TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> HOSPITAL ADMIN. <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (Specify) _____		12. DATE CERTIFIED ____/____/____ MM / DD / YYYY	13. DATE FILED BY REGISTRAR ____/____/____ MM / DD / YYYY	
INFORMATION FOR ADMINISTRATIVE USE					
MOTHER	14. MOTHER'S MAILING ADDRESS <input type="checkbox"/> Same as residence, or: State: _____ Street & Number: _____		City, Town, or Location: _____ Apartment No.: _____		Zip Code: _____
	15. MOTHER MARRIED? (At birth, conception, or any time between) <input type="checkbox"/> Yes <input type="checkbox"/> No IF NO, HAS PATERNITY ACKNOWLEDGMENT BEEN SIGNED IN THE HOSPITAL? <input type="checkbox"/> Yes <input type="checkbox"/> No		16. SOCIAL SECURITY NUMBER REQUESTED FOR CHILD? <input type="checkbox"/> Yes <input type="checkbox"/> No	17. FACILITY ID. (NPI)	
	18. MOTHER'S SOCIAL SECURITY NUMBER: _____		19. FATHER'S SOCIAL SECURITY NUMBER: _____		
INFORMATION FOR MEDICAL AND HEALTH PURPOSES ONLY					
MOTHER	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) <input type="checkbox"/> No, not Spanish/Hispanic/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latina (Specify) _____		22. MOTHER'S RACE (Check one or more races to indicate what the mother considers herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
FATHER	23. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		24. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) <input type="checkbox"/> No, not Spanish/Hispanic/Latino <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino (Specify) _____		25. FATHER'S RACE (Check one or more races to indicate what the father considers himself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
	26. PLACE WHERE BIRTH OCCURRED (Check one) <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding birthing center <input type="checkbox"/> Home birth: Planned to deliver at home? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Clinic/Doctor's office <input type="checkbox"/> Other (Specify) _____		27. ATTENDANT'S NAME, TITLE, AND NPI NAME _____ NPI _____ TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> Other (Specify) _____		28. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____

STATE
OFFICE
USE ONLY

MOTHER	29a. DATE OF FIRST PRENATAL CARE VISIT MM / DD / YYYY <input type="checkbox"/> No Prenatal Care		29b. DATE OF LAST PRENATAL CARE VISIT MM / DD / YYYY		30. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY _____ (If none, enter "0".)		
	31. MOTHER'S HEIGHT _____ (feet/inches)		32. MOTHER'S PREPREGNANCY WEIGHT _____ (pounds)		33. MOTHER'S WEIGHT AT DELIVERY _____ (pounds)		
34. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? <input type="checkbox"/> Yes <input type="checkbox"/> No		35. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child) _____		36. NUMBER OF OTHER PREGNANCY OUTCOMES (Spontaneous or induced losses or ectopic pregnancies) Number _____ <input type="checkbox"/> None		37. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0". Average number of cigarettes or packs of cigarettes smoked per day. Number of cigarettes Number of packs Three months before pregnancy _____ OR _____ First three months of pregnancy _____ OR _____ Second three months of pregnancy _____ OR _____ Last three months of pregnancy _____ OR _____	
38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY: <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____		35a. Now Living Number _____ <input type="checkbox"/> None		35b. Now Dead Number _____ <input type="checkbox"/> None		38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY: <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____	
35c. DATE OF LAST LIVE BIRTH MM / YYYY		36a. DATE OF LAST OTHER PREGNANCY OUTCOME MM / YYYY		39. DATE LAST NORMAL MENSES BEGAN MM / DD / YYYY		40. MOTHER'S MEDICAL RECORD NUMBER	
MEDICAL AND HEALTH INFORMATION	41. RISK FACTORS IN THIS PREGNANCY (Check all that apply) Diabetes <input type="checkbox"/> Prepregnancy (Diagnosis prior to this pregnancy) <input type="checkbox"/> Gestational (Diagnosis in this pregnancy) Hypertension <input type="checkbox"/> Prepregnancy (Chronic) <input type="checkbox"/> Gestational (PIH, preeclampsia, eclampsia) <input type="checkbox"/> Previous preterm birth <input type="checkbox"/> Other previous poor pregnancy outcome (Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth) <input type="checkbox"/> Vaginal bleeding during this pregnancy prior to the onset of labor <input type="checkbox"/> Pregnancy resulted from infertility treatment <input type="checkbox"/> Mother had a previous cesarean delivery If yes, how many _____ <input type="checkbox"/> None of the above		44. ONSET OF LABOR (Check all that apply) <input type="checkbox"/> Premature Rupture of the Membranes (prolonged, ≥12 hrs.) <input type="checkbox"/> Precipitous Labor (<3 hrs.) <input type="checkbox"/> Prolonged Labor (≥ 20 hrs.) <input type="checkbox"/> None of the above		46. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No B. Was delivery with vacuum extraction attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No C. Fetal presentation at birth <input type="checkbox"/> Cephalic <input type="checkbox"/> Breech <input type="checkbox"/> Other D. Final route and method of delivery (Check one) <input type="checkbox"/> Vaginal/Spontaneous <input type="checkbox"/> Vaginal/Forceps <input type="checkbox"/> Vaginal/Vacuum <input type="checkbox"/> Cesarean If Cesarean, was a trial of labor attempted? <input type="checkbox"/> Yes <input type="checkbox"/> No		
	42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) <input type="checkbox"/> Gonorrhea <input type="checkbox"/> Syphilis <input type="checkbox"/> Herpes Simplex Virus (HSV) <input type="checkbox"/> Chlamydia <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> None of the above		45. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) <input type="checkbox"/> Induction of labor <input type="checkbox"/> Augmentation of labor <input type="checkbox"/> Non-vertex presentation <input type="checkbox"/> Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery <input type="checkbox"/> Antibiotics received by the mother during labor <input type="checkbox"/> Clinical chorioamnionitis diagnosed during labor or maternal temperature ≥ 38°C (100.4°F) <input type="checkbox"/> Moderate/heavy meconium staining of the amniotic fluid <input type="checkbox"/> Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery <input type="checkbox"/> Epidural or spinal anesthesia during labor <input type="checkbox"/> None of the above		47. MATERNAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) <input type="checkbox"/> Maternal transfusion <input type="checkbox"/> Third or fourth degree perineal laceration <input type="checkbox"/> Ruptured uterus <input type="checkbox"/> Unplanned hysterectomy <input type="checkbox"/> Admission to intensive care unit <input type="checkbox"/> Unplanned operating room procedure following delivery <input type="checkbox"/> None of the above		
	43. OBSTETRIC PROCEDURES (Check all that apply) <input type="checkbox"/> Cervical cerclage <input type="checkbox"/> Tocolysis External cephalic version: <input type="checkbox"/> Successful <input type="checkbox"/> Failed <input type="checkbox"/> None of the above						
	NEWBORN INFORMATION						
NEWBORN	48. NEWBORN MEDICAL RECORD NUMBER:		54. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Assisted ventilation required immediately following delivery <input type="checkbox"/> Assisted ventilation required for more than six hours <input type="checkbox"/> NICU admission <input type="checkbox"/> Newborn given surfactant replacement therapy <input type="checkbox"/> Antibiotics received by the newborn for suspected neonatal sepsis <input type="checkbox"/> Seizure or serious neurologic dysfunction <input type="checkbox"/> Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) <input type="checkbox"/> None of the above		55. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Anencephaly <input type="checkbox"/> Meningocele/Spina bifida <input type="checkbox"/> Cyanotic congenital heart disease <input type="checkbox"/> Congenital diaphragmatic hernia <input type="checkbox"/> Omphalocele <input type="checkbox"/> Gastroschisis <input type="checkbox"/> Limb reduction defect (excluding congenital amputation and dwarfing syndromes) <input type="checkbox"/> Cleft Lip with or without Cleft Palate <input type="checkbox"/> Cleft Palate alone <input type="checkbox"/> Down Syndrome <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Suspected chromosomal disorder <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Hypospadias <input type="checkbox"/> None of the anomalies listed above		
	49. BIRTHWEIGHT (grams preferred, specify unit) _____ <input type="checkbox"/> grams <input type="checkbox"/> lb/oz						
	50. OBSTETRIC ESTIMATE OF GESTATION: _____ (completed weeks)						
	51. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 6, Score at 10 minutes: _____						
	52. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____						
	53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____						
56. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____		57. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		58. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No			
59. WHAT PROPHYLACTIC USED IN EYES? (Specify) _____		TIME USED _____		(24-hour clock)			

CERTIFICATE OF DEATH

NAME OF DECEDENT
For use by physician or institution

1. DECEDENT'S LEGAL NAME (Include AKAs, if any) (First, Middle, Last)				2. SEX	3. SOCIAL SECURITY NUMBER
4a. AGE-Last Birthday (Years)	4b. UNDER 1 YEAR Months Days	4c. UNDER 1 DAY Hours Minutes	5. DATE OF BIRTH (MM/DD/YYYY)	6. BIRTHPLACE (City and State or Foreign Country)	
7a. RESIDENCE-STATE		7b. COUNTY		7c. CITY OR TOWN	
7d. STREET AND NUMBER			7e. APT. NO.	7f. ZIP CODE	7g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No
8. EVER IN US ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No		9. MARITAL STATUS AT TIME OF DEATH <input type="checkbox"/> Married <input type="checkbox"/> Married, but separated <input type="checkbox"/> Widowed <input type="checkbox"/> Divorced <input type="checkbox"/> Never Married <input type="checkbox"/> Unknown		10. SURVIVING SPOUSE'S NAME (If wife, give name prior to first marriage)	
11. FATHER'S NAME (First, Middle, Last)			12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)		
13a. INFORMANT'S NAME		13b. RELATIONSHIP TO DECEDENT		13c. MAILING ADDRESS (Street and Number, City, State, Zip Code)	
14. PLACE OF DEATH (Check only one: see instructions)					
IF DEATH OCCURRED IN A HOSPITAL: <input type="checkbox"/> Inpatient <input type="checkbox"/> Emergency Room/Outpatient <input type="checkbox"/> Dead on Arrival			IF DEATH OCCURRED SOMEWHERE OTHER THAN A HOSPITAL: <input type="checkbox"/> Hospice facility <input type="checkbox"/> Nursing home/Long term care facility <input type="checkbox"/> Decedent's home <input type="checkbox"/> Other (Specify) _____		
15. FACILITY NAME (If not institution, give street and number)			16. CITY OR TOWN, STATE AND ZIP CODE		17. COUNTY OF DEATH
18. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Donation <input type="checkbox"/> Entombment <input type="checkbox"/> Removal from state <input type="checkbox"/> Other (Specify) _____		19. PLACE OF DISPOSITION (Name of cemetery, crematory, other place)			
20. LOCATION-CITY, TOWN, AND STATE			21. NAME AND ADDRESS OF FUNERAL FACILITY		
22. SIGNATURE OF FUNERAL SERVICE LICENSEE OR OTHER AGENT			23. LICENSE NUMBER (Of Licensee)		
23a. EMBALMER (Signature)		23b. EMBALMER LICENSE NUMBER		23c. LICENSE NUMBER (Of Facility)	
ITEMS 24-28 MUST BE COMPLETED BY PERSON WHO PRONOUNCES OR CERTIFIES DEATH			24. DATE PRONOUNCED DEAD (MM/DD/YYYY)		25. TIME PRONOUNCED DEAD
26. SIGNATURE OF PERSON PRONOUNCING DEATH (Only when applicable)			27. LICENSE NUMBER		28. DATE SIGNED (MM/DD/YYYY)
29. ACTUAL OR PRESUMED DATE OF DEATH (Spell Month)		30. ACTUAL OR PRESUMED TIME OF DEATH		31. WAS CORONER OR MEDICAL EXAMINER CONTACTED? <input type="checkbox"/> Yes <input type="checkbox"/> No	
32. PART I. Enter the <u>chain of events</u> -diseases, injuries, or complications-that directly caused the death. DO NOT enter terminal events such as cardiac arrest, respiratory arrest, or ventricular fibrillation without showing the etiology. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional lines if necessary. IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. _____ Due to (or as a consequence of): _____ Sequentially list conditions, if any, leading to the cause listed on line a. Enter the UNDERLYING CAUSE (disease or injury that initiated the events resulting in death) LAST b. _____ Due to (or as a consequence of): _____ c. _____ Due to (or as a consequence of): _____ d. _____					Approximate interval: Onset to death
PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I.				33. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No	
35. DID TOBACCO USE CONTRIBUTE TO DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> Probably <input type="checkbox"/> No <input type="checkbox"/> Unknown			36. IF FEMALE: <input type="checkbox"/> Not pregnant within past year <input type="checkbox"/> Pregnant at time of death <input type="checkbox"/> Not pregnant, but pregnant within 42 days of death <input type="checkbox"/> Not pregnant, but pregnant 43 days to one year before death <input type="checkbox"/> Unknown if pregnant within the past year		37. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Homicide <input type="checkbox"/> Accident <input type="checkbox"/> Pending investigation <input type="checkbox"/> Suicide <input type="checkbox"/> Could not be determined
38. DATE OF INJURY (Spell Month)		39. TIME OF INJURY	40. PLACE OF INJURY (e.g., Decedent's home, construction site, restaurant, wooded area)		41. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No
42. LOCATION OF INJURY: State: _____ City or Town: _____ County: _____			Street & Numbers: _____ Apartment Number: _____ Zip Code: _____		
43. DESCRIBE HOW INJURY OCCURRED:			44. IF TRANSPORTATION INJURY, SPECIFY: <input type="checkbox"/> Driver/Operator <input type="checkbox"/> Pedestrian <input type="checkbox"/> Passenger <input type="checkbox"/> Other (Specify) _____		
45. CERTIFIER (Check only one) <input type="checkbox"/> Certifying physician-To the best of my knowledge, death occurred due to the cause(s) and manner stated. <input type="checkbox"/> Pronouncing and Certifying physician-To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner stated. <input type="checkbox"/> Coroner/Medical Examiner-On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner stated. Signature of certifier: _____					
46. NAME, ADDRESS, AND ZIP CODE OF PERSON COMPLETING CAUSE OF DEATH (Item 32)				46a. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER	
47. TITLE OF CERTIFIER		48. LICENSE NUMBER	49. DATE CERTIFIED (MM/DD/YYYY)	50. FOR REGISTRAR ONLY-DATE FILED (MM/DD/YYYY)	
51. DECEDENT'S EDUCATION-Check the box that best describes the highest degree or level of school completed at the time of death. <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th-12th grade; no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEd, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		52. DECEDENT OF HISPANIC ORIGIN?-Check the box that best describes whether the decedent is Spanish/Hispanic/Latino/Latina. Check the "No" box if decedent is not Spanish/Hispanic/Latino/Latina. <input type="checkbox"/> No, not Spanish/Hispanic/Latino/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano/Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino/Latina (Specify) _____		53. DECEDENT'S RACE-(Check one or more races to indicate what the decedent considered himself or herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____	
54. DECEDENT'S USUAL OCCUPATION (Indicate type of work done during most of working life. DO NOT USE THE TERM "RETIRED.")					
55. KIND OF BUSINESS/INDUSTRY					

BRTP NO.



REPORT OF INDUCED TERMINATION OF PREGNANCY

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (if not clinic or hospital, give address)		2. CITY, TOWN OR LOCATION OF PREGNANCY TERMINATION		3. COUNTY OF PREGNANCY TERMINATION	
4. PATIENT IDENTIFICATION NUMBER (Do Not Enter Patient's Name)		5. AGE LAST BIRTHDAY	6. MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO		7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN OR LOCATION		8d. INSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO	8e. ZIP CODE
9. OF HISPANIC ORIGIN? (Spanish, Puerto Rican, Cuban, Mexican, Dominican, etc.) <input type="checkbox"/> Yes <input type="checkbox"/> No		10. RACE (Specify) _____ American Indian or Alaska Native White Black Other (Specify) _____		11. EDUCATION (Specify grade completed) Elementary/Secondary (0-12) _____ College (1-4 or 5+) _____	
12. DATE LAST MENSTRUATION (Month, Day, Year)		15. PREVIOUS PREGNANCIES (Complete each section)			
13. DATE OF CONCEPTION (Month, Day, Year)		LIVE BIRTHS		OTHER TERMINATIONS	
14. CLINICAL ESTIMATE OF GESTATION (Weeks)		15a. Now Living Number _____ <input type="checkbox"/> None	15b. Now Dead Number _____ <input type="checkbox"/> None	15c. Spontaneous Number _____ <input type="checkbox"/> None	15d. Induced (Do not include this termination) Number _____ <input type="checkbox"/> None
16. TERMINATION PROCEDURES					
16a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES		16b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1		Suction Curettage		1	
2		Sharp Curettage		2	
3		Dilation and Evacuation (D & E)		3	
4		Intra-Uterine Saline Instillation		4	
5		Intra-Uterine Prostaglandin Instillation		5	
6		Hysterotomy/Hysterectomy		6	
7		Medical (Nonsurgical), Specify Medication(s) _____		7	
8		Other (Specify) _____		8	
		None		0	
17-18. CONSENT REQUIREMENTS (Pursuant to Chapter 41, Title 44, of the Code of Laws of South Carolina, 1976, as amended)					
17a. WAS INFORMED WRITTEN CONSENT OBTAINED FROM THE PATIENT? <input type="checkbox"/> Yes <input type="checkbox"/> No		17c. IF PATIENT HAS BEEN COURT ADJUDGED MENTALLY INCOMPETENT, INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> SPOUSE 2 <input type="checkbox"/> PARENT 3 <input type="checkbox"/> LEGAL GUARDIAN 4 <input type="checkbox"/> NONE OF THE ABOVE			
17b. IF NO, INFORMED WRITTEN CONSENT WAS NOT OBTAINED DUE TO: (check one) 1 <input type="checkbox"/> MEDICAL EMERGENCY 2 <input type="checkbox"/> INCEST 3 <input type="checkbox"/> NOT CAPABLE/MENTALLY INCOMPETENT 4 <input type="checkbox"/> NONE OF THE ABOVE					
18a. IF PATIENT IS UNDER 17 YEARS OF AGE, ADDITIONAL INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> PARENT 2 <input type="checkbox"/> LEGAL GUARDIAN 3 <input type="checkbox"/> GRANDPARENT 4 <input type="checkbox"/> PERSON IN LOCO PARENTIS 5 <input type="checkbox"/> NONE OF THE ABOVE		18b. IF PATIENT IS UNDER 17 YEARS OF AGE AND ADDITIONAL INFORMED WRITTEN CONSENT WAS NOT OBTAINED, CHECK REASON BELOW: (check one) 1 <input type="checkbox"/> EMANCIPATED MINOR 2 <input type="checkbox"/> COURT ORDER 3 <input type="checkbox"/> MEDICAL EMERGENCY 4 <input type="checkbox"/> INCEST 5 <input type="checkbox"/> NONE OF THE ABOVE			
19. NAME OF PERSON COMPLETING FORM (Type/Print)			TITLE		
20. DATE REPORT COMPLETED (Month, Day, Year)			FOR STATE OFFICE USE ONLY 21. DATE REPORT RECEIVED		

SAMPLE

1

2

3

8a.

8b.

8c.

ITEM 17 MUST → BE COMPLETED FOR EACH PATIENT, REGARDLESS OF AGE.

ITEM 18 MUST → BE COMPLETED FOR EACH PATIENT UNDER 17 YEARS OF AGE.

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (If not institution, give street and number)																																							
2. CITY, TOWN, OR LOCATION OF DELIVERY		3. COUNTY OF DELIVERY		4. DATE OF DELIVERY (Month, Day, Year)	5. SEX OF FETUS																																		
6a. MOTHER'S NAME First Middle Last			6b. MAIDEN SURNAME		7. DATE OF BIRTH (Month, Day, Year)																																		
8a. RESIDENCE-STATE		8b. COUNTY	8c. CITY, TOWN, OR LOCATION		8d. STREET AND NUMBER																																		
9. FATHER'S NAME First Middle Last		10. DATE OF BIRTH (Month, Day, Year)																																					
11. OF HISPANIC ORIGIN?		12. RACE — American Indian, Black, White, etc. (Specify below)		13. EDUCATION (Specify only highest grade completed)		14. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year)																																	
11a. MOTHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		11b. FATHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		12a. MOTHER		12b. FATHER		13. ELEMENTARY/SECONDARY (0-12)		13. COLLEGE (1-4 or 5+)		14a. MOTHER		14b. BUSINESS/INDUSTRY																									
15. PREGNANCY HISTORY (Complete each section)					16. MOTHER MARRIED? (At delivery, conception, or any time between) (Yes or no)					17. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)																													
15a. Now Living (Specify date of last termination)					15b. Now Dead (Specify date of last termination)					15c. DATE OF LAST TERMINATION (Month, Day, Year)					18. MO. SIGNATURE (First, Middle, Last, etc.)					19. PRE. VISITS - Total Number (Specify clinic, health department, etc.)					20. CLINICAL ESTIMATE OF GESTATION (Weeks)					21. DATE OF LAST NORMAL MENSES BEGAN (Month, Day, Year)					22. IF (Specify)				

SAMPLE

23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		27. CONGENITAL ANOMALIES OF FETUS (Check all that apply)	
Anemia (Hct. < 30/Hgb. < 10) 01 <input type="checkbox"/>		Febrile (>100 °F. or 39 °C.) 01 <input type="checkbox"/>		Anencephalus 01 <input type="checkbox"/>	
Cardiac disease 02 <input type="checkbox"/>		Meconium, moderate/heavy 02 <input type="checkbox"/>		Spina bifida/Meningocele 02 <input type="checkbox"/>	
Acute or chronic lung disease 03 <input type="checkbox"/>		Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/>		Hydrocephalus 03 <input type="checkbox"/>	
Diabetes 04 <input type="checkbox"/>		Abruptio placenta 04 <input type="checkbox"/>		Microcephalus 04 <input type="checkbox"/>	
Genital herpes 05 <input type="checkbox"/>		Placenta previa 05 <input type="checkbox"/>		Other central nervous system anomalies (Specify) 05 <input type="checkbox"/>	
Hydramnios/Oligohydramnios 06 <input type="checkbox"/>		Other excessive bleeding 06 <input type="checkbox"/>		Heart malformations (Specify) 06 <input type="checkbox"/>	
Hemoglobinopathy 07 <input type="checkbox"/>		Seizures during labor 07 <input type="checkbox"/>		Other circulatory anomalies (Specify) 07 <input type="checkbox"/>	
Hypertension, chronic 08 <input type="checkbox"/>		Precipitous labor (< 3 hours) 08 <input type="checkbox"/>		Respiratory anomalies (Specify) 08 <input type="checkbox"/>	
Hypertension, pregnancy-associated 09 <input type="checkbox"/>		Prolonged labor (> 20 hours) 09 <input type="checkbox"/>		Rectal atresia/stenosis 09 <input type="checkbox"/>	
Eclampsia 10 <input type="checkbox"/>		Dysfunctional labor 10 <input type="checkbox"/>		Tracheo esophageal fistula/Esoophageal atresia 10 <input type="checkbox"/>	
Incompetent cervix 11 <input type="checkbox"/>		Breech/Malpresentation 11 <input type="checkbox"/>		Omphalocele/Gastroschisis 11 <input type="checkbox"/>	
Previous infant 4000+ grams 12 <input type="checkbox"/>		Cephalopelvic disproportion 12 <input type="checkbox"/>		Other gastrointestinal anomalies (Specify) 12 <input type="checkbox"/>	
Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/>		Cord prolapse 13 <input type="checkbox"/>		Malformed genitalia 13 <input type="checkbox"/>	
Renal disease 14 <input type="checkbox"/>		Anesthetic complications 14 <input type="checkbox"/>		Renal agenesis 14 <input type="checkbox"/>	
Rh sensitization 15 <input type="checkbox"/>		Fetal distress 15 <input type="checkbox"/>		Other urogenital anomalies (Specify) 15 <input type="checkbox"/>	
Uterine bleeding 16 <input type="checkbox"/>		None 16 <input type="checkbox"/>		Cleft lip/palate 16 <input type="checkbox"/>	
None 17 <input type="checkbox"/>		Other (Specify) 17 <input type="checkbox"/>		Polydactyly/Syndactyly/Adactyly 17 <input type="checkbox"/>	
23b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		26. METHOD OF DELIVERY (Check all that apply)		Club foot 18 <input type="checkbox"/>	
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>		Vaginal 01 <input type="checkbox"/>		Diaphragmatic hernia 19 <input type="checkbox"/>	
Average number cigarettes per day _____		Vaginal birth after previous C-section 02 <input type="checkbox"/>		Other musculoskeletal/integumental anomalies (Specify) 20 <input type="checkbox"/>	
Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/>		Primary C-section 03 <input type="checkbox"/>		Down's syndrome 21 <input type="checkbox"/>	
Average number drinks per week _____		Repeat C-section 04 <input type="checkbox"/>		Other chromosomal anomalies (Specify) 22 <input type="checkbox"/>	
Weight gained during pregnancy _____ lbs.		Forceps 05 <input type="checkbox"/>		None 23 <input type="checkbox"/>	
24. OBSTETRIC PROCEDURES (Check all that apply)		Vacuum 06 <input type="checkbox"/>		Other (Specify) 23 <input type="checkbox"/>	
Amniocentesis 01 <input type="checkbox"/>		Hysterotomy/Hysterectomy 07 <input type="checkbox"/>			
Electronic fetal monitoring 02 <input type="checkbox"/>					
Induction of labor 03 <input type="checkbox"/>					
Stimulation of labor 04 <input type="checkbox"/>					
Tocolysis 05 <input type="checkbox"/>					
Ultrasound 06 <input type="checkbox"/>					
None 07 <input type="checkbox"/>					
Other (Specify) 07 <input type="checkbox"/>					

28. Enter only one cause per line for a, b, and c.	
PART I. Fetal or maternal condition directly causing fetal death.	
IMMEDIATE CAUSE	
a. DUE TO (OR AS A CONSEQUENCE OF):	
b. DUE TO (OR AS A CONSEQUENCE OF):	
c. DUE TO (OR AS A CONSEQUENCE OF):	
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.	
29. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY UNKNOWN (Specify)	
30. AUTOPSY (Specify Yes or No)	

31. ATTENDANT'S NAME AND TITLE (Type/Print)		32. NAME AND TITLE OF PERSON COMPLETING REPORT (Type/Print)	
Name _____		Name _____	
<input type="checkbox"/> M.D. <input type="checkbox"/> C.N.M.		Title _____	
<input type="checkbox"/> Other (Specify) _____			
33. DATE REPORT COMPLETED		34. DATE RECEIVED BY HEALTH DEPARTMENT	

LICENSE AND CERTIFICATE FOR MARRIAGE
STATE OF SOUTH CAROLINA

_____ LICENSE NUMBER			_____ COUNTY		
GROOM-NAME (1)	(FIRST)	(MIDDLE)	(LAST)	BIRTHDATE (MONTH, DAY, YEAR) (2a)	AGE (2b)
BIRTHPLACE (State of foreign country) (3)		RACE (4)	RESIDENCE (Street and Number) (5a)		
CITY, TOWN OR LOCATION (5b)		COUNTY (5c)	STATE (5d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE-NAME (7)			BIRTHDATE (MONTH, DAY, YEAR) (8a)		
BIRTHPLACE (State of foreign country) (9)		RACE (10)	RESIDENCE (Street and Number) (11a)		
CITY, TOWN OR LOCATION (11b)		COUNTY (11c)	STATE (11d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this court at _____ M., on the _____ day of _____, _____. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. _____.

_____ Signature of Issuing Officer	_____ Title of Issuing Officer
GROOM-Signature (14)	BRIDE-Signature (15)
I certify that the above named persons were married on (16)	Place of Marriage (17)
(MONTH) (DAY) (YEAR)	(CITY) (COUNTY) SOUTH CAROLINA
OFFICIANT-Signature (18a)	OFFICIANT-Title (18b)
OFFICIANT-Mailing Address (18c)	

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
DIVISION OF VITAL RECORDS
Columbia, South Carolina**

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

ADDRESS	1 HUSBAND-NAME (first) (middle) (last)			2 DATE OF BIRTH		3 STATE OF BIRTH
	4 RESIDENCE (state) (county) (city)			5 NUMBER OF THIS MARRIAGE		6 RACE (specify)
	7 WIFE-MAIDEN NAME (first) (middle) (last)			8 DATE OF BIRTH		9 STATE OF BIRTH
	10 RESIDENCE (state) (county) (city)			11 NUMBER OF THIS MARRIAGE		12 RACE (specify)
ATTORNEY FOR PLAINTIFF	13 PLACE OF THIS MARRIAGE (state) (county)			14 DATE OF MARRIAGE (month) (day) (year)		15 NUMBER OF CHILDREN UNDER 18
	16 PLAINTIFF (specify)	17 DECREE GRANTED TO (specify)		18 WAS DIVORCE CONTESTED (specify yes or no)		19 LEGAL GROUNDS
	20 DATE DECREE SIGNED (month) (day) (year)			21 TYPE OF DECREE absolute divorce or annulment (specify)		
	22a MAIDEN NAME RESUMED BY DECREE <input type="checkbox"/> Yes <input type="checkbox"/> No			22b SUPPLEMENTAL ORDER (if any) (month-day-year)		
	23 COUNTY			24 DOCKET NUMBER		
25 I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year						

26 HUSBAND - SOCIAL SECURITY #

27 WIFE - SOCIAL SECURITY #

D H E C



PROMOTE PROTECT PROSPER

Division of Biostatistics

Office of Public Health Statistics and Information Services

South Carolina Department of Health and Environmental Control

2600 Bull Street

Columbia, South Carolina 29201