

South Carolina's HIV/AIDS and AIDS Cases and Rates

State, County, and
Public Health Region
Report
2020 Data



**HIV/AIDS Cases and Rates, AIDS Cases and Rates
By Year of Diagnosis, Gender, Race, Risk Group, and Age
By County and Public Health Region, Updated for 2020 Data**

County/Region	Page	County/Region	Page
South Carolina	P. 1		
Abbeville	P. 3	Horry	P. 53
Aiken	P. 5	Jasper	P. 55
Allendale	P. 7	Kershaw	P. 57
Anderson	P. 9	Lancaster	P. 59
Bamberg	P. 11	Laurens	P. 61
Barnwell	P. 13	Lee	P. 63
Beaufort	P. 15	Lexington	P. 65
Berkeley	P. 17	McCormick	P. 67
Calhoun	P. 19	Marion	P. 69
Charleston	P. 20	Marlboro	P. 71
Cherokee	P. 23	Newberry	P. 73
Chester	P. 25	Oconee	P. 75
Chesterfield	P. 27	Orangeburg	P. 77
Clarendon	P. 29	Pickens	P. 79
Colleton	P. 31	Richland	P. 81
Darlington	P. 33	Saluda	P. 83
Dillon	P. 35	Spartanburg	P. 85
Dorchester	P. 37	Sumter	P. 87
Edgefield	P. 39	Union	P. 89
Fairfield	P. 41	Williamsburg	P. 91
Florence	P. 43	York	P. 93
Georgetown	P. 45	Lowcountry Public Health Region	P. 95
Greenville	P. 47	Midlands Public Health Region	P. 97
Greenwood	P. 49	Pee Dee Public Health Region	P. 99
Hampton	P. 51	Upstate Public Health Region	P. 101
Technical Notes (!!! Important: See Notice Regarding Prevalence Data !!!)			P. 103

South Carolina HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	2,275	16.4	2,197	15.3	2,250	15.1	2,251	14.5	19,337	370.6
Gender										
Male	1,731	25.6	1,725	24.8	1,770	24.5	1,788	23.9	13,959	553.2
Female	544	7.6	472	6.4	480	6.3	463	5.8	5,378	199.5
Race										
Black	1,608	41.0	1,481	36.9	1,439	35.0	1,368	32.7	12,434	883.1
White	441	5.0	498	5.4	487	5.1	540	5.4	4,655	138.5
Hispanic	113	16.4	96	12.5	173	20.9	157	17.1	1,068	333.7
Other	111	43.6	113	39.3	139	42.8	125	33.9	1,086	847.9
Race/Gender										
Black Male	1,200	65.3	1,140	60.5	1,112	57.8	1,075	54.9	8,518	1,299.0
Black Female	408	19.7	341	16.0	327	15.0	293	13.1	3,916	520.6
White Male	359	8.1	409	9.0	389	8.3	439	9.0	3,775	230.3
White Female	82	1.8	89	1.9	98	2.0	101	2.0	880	51.0
Hispanic Male	93	24.3	78	18.6	150	33.9	136	27.9	852	507.3
Hispanic Female	20	6.6	18	5.2	23	5.9	21	4.8	216	142.0
Risk Group - Total										
Male sex w/Male	1,192	.	1,203	.	1,218	.	1,181	.	8,669	.
Injecton Drug Use	72	.	55	.	65	.	52	.	1,170	.
MSM and Inj Drug Use	52	.	50	.	22	.	31	.	543	.
Hemophilic	0	.	0	.	0	.	0	.	17	.
Heterosexual	425	.	346	.	294	.	167	.	4,381	.
Transfusion	0	.	0	.	0	.	0	.	9	.
Perinatal Transmission	7	.	7	.	7	.	.	.	256	.
Other/Undetermined	527	.	536	.	644	.	817	.	4,292	.
Risk Group - Black										
Male sex w/Male	794	.	807	.	780	.	734	.	4,998	.
Injecton Drug Use	40	.	22	.	24	.	14	.	734	.
MSM and Inj Drug Use	28	.	16	.	.	.	6	.	241	.
Hemophilic	0	.	0	.	0	.	0	.	.	.
Heterosexual	345	.	256	.	206	.	100	.	3,324	.
Transfusion	0	.	0	.	0	.	0	.	6	.
Perinatal Transmission	.	.	5	.	5	.	.	.	194	.
Other/Undetermined	398	.	375	.	420	.	513	.	2,933	.
Risk Group - White										
Male sex w/Male	288	.	290	.	280	.	282	.	2,724	.
Injecton Drug Use	26	.	24	.	30	.	35	.	299	.
MSM and Inj Drug Use	21	.	29	.	12	.	24	.	247	.
Hemophilic	0	.	0	.	0	.	0	.	13	.
Heterosexual	42	.	51	.	47	.	30	.	579	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	24	.
Other/Undetermined	62	.	103	.	118	.	168	.	767	.
Age Group										
Less than 13	10	0.4	12	0.6	8	0.3	.	0.2	90	11.3
13-19	157	11.9	131	10.1	101	7.6	112	8.3	92	20.1
20-29	776	40.5	867	43.5	886	43.2	879	42.8	1,962	287.7
30-39	470	26.8	419	23.8	475	25.7	538	27.6	3,713	558.6
40-49	490	25.7	385	20.6	354	19.3	333	17.9	3,700	595.8
50-59	274	14.5	284	14.4	298	14.7	250	12.4	5,617	831.6
60 and Up	98	3.5	99	3.2	128	3.7	135	3.5	4,163	314.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

South Carolina AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	1,745	12.5	1,307	9.1	1,145	7.7	1,006	6.5	10,054	192.7
Gender										
Male	1,257	18.6	950	13.6	829	11.4	746	10.0	7,191	285.0
Female	488	6.8	357	4.8	316	4.2	260	3.3	2,863	106.3
Race										
Black	1,263	32.2	925	23.1	779	18.9	669	16.0	6,678	474.3
White	311	3.4	249	2.6	222	2.3	203	2.1	2,209	65.7
Hispanic	79	11.4	64	8.4	81	9.8	77	8.4	555	173.4
Other	92	36.1	69	24.0	62	19.1	55	14.9	603	470.8
Race/Gender										
Black Male	875	47.6	654	34.8	543	28.2	490	25.1	4,515	688.6
Black Female	388	18.7	271	12.8	236	10.8	179	8.0	2,163	287.5
White Male	256	5.8	197	4.4	164	3.5	152	3.1	1,803	110.0
White Female	55	1.2	52	1.1	58	1.2	51	1.0	406	23.5
Hispanic Male	66	17.3	48	11.4	69	15.6	66	13.5	451	268.5
Hispanic Female	13	4.3	16	4.6	12	3.1	11	2.5	104	68.4
Risk Group - Total										
Male sex w/Male	745	.	569	.	477	.	441	.	4,231	.
Injecton Drug Use	103	.	72	.	58	.	51	.	760	.
MSM and Inj Drug Use	48	.	27	.	22	.	28	.	324	.
Hemophilic	0	.	0	.	15	.
Heterosexual	448	.	307	.	249	.	165	.	2,653	.
Transfusion	0	.	0	.	0	.	0	.	6	.
Perinatal Transmission	13	.	.	.	7	.	5	.	101	.
Other/Undetermined	387	.	327	.	332	.	316	.	1,964	.
Risk Group - Black										
Male sex w/Male	477	.	382	.	308	.	293	.	2,473	.
Injecton Drug Use	71	.	38	.	28	.	26	.	493	.
MSM and Inj Drug Use	25	.	15	.	9	.	12	.	168	.
Hemophilic	0	.	0	.	.	.
Heterosexual	373	.	249	.	206	.	119	.	2,076	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	9	.	.	.	6	.	5	.	80	.
Other/Undetermined	307	.	236	.	222	.	214	.	1,380	.
Risk Group - White										
Male sex w/Male	200	.	137	.	106	.	85	.	1,312	.
Injecton Drug Use	21	.	21	.	26	.	21	.	169	.
MSM and Inj Drug Use	15	.	10	.	9	.	13	.	125	.
Hemophilic	0	.	0	.	0	.	0	.	11	.
Heterosexual	37	.	23	.	23	.	20	.	291	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	.	.	0	.	8	.
Other/Undetermined	36	.	58	.	57	.	64	.	291	.
Age Group										
Less than 13	7	0.3	.	0.0	.	0.1	0	0.0	9	1.1
13-19	50	3.7	30	2.3	16	1.2	11	0.8	14	3.1
20-29	320	16.7	315	15.7	245	12.0	236	11.6	482	70.7
30-39	437	25.0	279	15.8	267	14.5	260	13.3	1,460	219.7
40-49	509	26.7	347	18.5	293	16.0	215	11.6	2,064	332.3
50-59	309	16.4	239	12.1	224	11.1	175	8.7	3,471	513.9
60 and Up	113	4.1	96	3.1	97	2.9	109	2.9	2,554	193.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Abbeville HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	6.6	10	13.3	.	4.1	5	6.8	50	204.9
Gender										
Male	.	10.9	7	19.3	.	5.5	.	8.5	37	314.2
Female	.	2.5	.	7.8	.	2.6	.	5.3	13	103.0
Race										
Black	5	23.1	.	18.6	.	9.5	5	24.4	37	551.9
White	0	0.0	.	7.7	0	0.0	0	0.0	11	64.4
Hispanic	0	0.0	.	110.0	.	95.8	0	0.0	0	0.0
Other	0	0.0	.	194.9	0	0.0	0	0.0	.	1,098.9
Race/Gender										
Black Male	.	40.0	.	29.7	.	10.0	.	31.2	26	832.0
Black Female	.	8.6	.	8.8	.	8.9	.	18.4	11	307.3
White Male	0	0.0	.	7.8	0	0.0	0	0.0	9	107.8
White Female	0	0.0	.	7.6	0	0.0	0	0.0	.	22.9
Hispanic Male	0	0.0	.	204.1	.	181.2	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	6	24	.
Injecton Drug Use	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	13	.
Risk Group - Black										
Male sex w/Male	17	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	10	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	0	.	6	.
Injecton Drug Use	0	.	.	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	13.2	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	11.4	7	79.0	.	22.4	.	44.8	12	407.8
30-39	.	12.2	.	13.0	0	0.0	0	0.0	8	319.8
40-49	.	19.7	0	0.0	0	0.0	0	0.0	8	291.1
50-59	0	0.0	.	18.5	0	0.0	0	0.0	13	391.7
60 and Up	0	0.0	0	0.0	.	4.8	.	4.5	9	120.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Abbeville AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	6.6	.	4.0	.	5.4	.	5.4	27	110.7
Gender										
Male	5	13.6	.	8.3	.	8.3	.	2.9	22	186.8
Female	0	0.0	0	0.0	.	2.6	.	7.9	5	39.6
Race										
Black	5	23.1	.	9.4	.	18.9	.	19.5	20	298.3
White	0	0.0	0	0.0	0	0.0	0	0.0	5	29.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	.	194.9	0	0.0	0	0.0	.	1,098.9
Race/Gender										
Black Male	5	50.1	.	19.8	.	30.1	.	10.5	16	512.1
Black Female	0	0.0	0	0.0	.	8.9	.	27.5	.	111.8
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	48.0
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	11.4
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	13	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	.	.	6	.
Risk Group - Black										
Male sex w/Male	11	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	11.3	.	22.4	.	11.2	.	102.0
30-39	.	12.2	.	13.0	0	0.0	.	26.7	6	239.8
40-49	.	29.6	.	10.5	.	22.3	0	0.0	.	109.1
50-59	.	8.8	0	0.0	0	0.0	0	0.0	8	241.0
60 and Up	0	0.0	0	0.0	0	0.0	.	4.5	7	93.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Aiken HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	47	9.9	63	12.8	61	12.2	62	12.1	446	258.0
Gender										
Male	35	15.2	47	19.7	45	18.6	49	19.8	307	369.3
Female	12	4.8	16	6.3	16	6.2	13	4.8	139	154.9
Race										
Black	23	19.1	41	33.1	47	36.9	35	26.7	267	604.0
White	18	5.5	16	4.7	12	3.5	21	6.2	141	122.5
Hispanic	.	13.5	.	7.8	.	7.0	.	9.9	19	181.6
Other	.	46.6	.	42.4	0	0.0	0	0.0	12	384.0
Race/Gender										
Black Male	17	30.5	28	48.4	33	55.6	27	44.6	165	807.7
Black Female	6	9.4	13	19.7	14	20.6	8	11.4	102	429.0
White Male	14	8.8	13	7.9	10	6.1	17	10.2	113	202.8
White Female	.	2.4	.	1.8	.	1.1	.	2.3	28	47.2
Hispanic Male	.	24.8	.	14.3	.	13.1	.	18.4	14	252.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	5	101.6
Risk Group - Total										
Male sex w/Male	28	.	31	.	30	.	26	.	191	.
Injecton Drug Use	25	.
MSM and Inj Drug Use	0	.	0	15	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	8	.	15	.	7	.	.	.	106	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	16	.	21	.	26	.	104	.
Risk Group - Black										
Male sex w/Male	13	.	20	.	22	.	17	.	101	.
Injecton Drug Use	0	.	0	.	.	.	0	.	13	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	12	77	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	9	.	19	.	16	.	66	.
Risk Group - White										
Male sex w/Male	12	.	8	.	6	.	8	.	74	.
Injecton Drug Use	0	.	.	.	9	.
MSM and Inj Drug Use	0	.	0	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	.	.	.	7	.	26	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	6	13.6	.	4.7	.	9.2	.	6.8	.	20.6
20-29	13	21.7	33	52.3	30	48.0	27	44.0	58	281.4
30-39	9	16.2	6	10.5	11	18.4	13	20.6	78	365.8
40-49	10	15.4	11	17.7	5	8.5	7	11.9	70	355.0
50-59	7	10.0	10	13.9	7	9.8	.	5.7	136	592.0
60 and Up	.	1.9	.	0.9	.	3.1	8	5.7	101	211.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Aiken AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	37	7.8	31	6.3	20	4.0	24	4.7	224	129.6
Gender										
Male	27	11.7	24	10.1	14	5.7	16	6.5	155	186.5
Female	10	4.1	7	2.8	6	2.3	8	3.0	69	76.9
Race										
Black	18	15.0	17	13.8	16	12.5	15	11.4	133	300.9
White	13	4.0	13	3.9	.	1.2	7	2.1	73	63.5
Hispanic	.	13.5	.	3.9	0	0.0	.	3.3	8	76.5
Other	.	46.6	0	0.0	0	0.0	0	0.0	7	224.0
Race/Gender										
Black Male	14	25.1	13	22.4	11	18.5	10	16.5	84	411.2
Black Female	.	6.3	.	6.1	5	7.4	5	7.2	49	206.0
White Male	10	6.3	10	6.2	.	1.9	5	3.0	59	105.9
White Female	.	1.8	.	1.8	.	0.6	.	1.1	14	23.5
Hispanic Male	.	24.8	.	7.2	0	0.0	.	6.2	6	108.4
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	40.7
Risk Group - Total										
Male sex w/Male	18	.	12	.	9	.	7	.	95	.
Injecton Drug Use	17	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	8	.	9	61	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	9	.	8	.	9	.	40	.
Risk Group - Black										
Male sex w/Male	8	.	.	.	7	.	.	.	44	.
Injecton Drug Use	.	.	0	.	0	.	.	.	10	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	7	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	.	7	.	7	.	28	.
Risk Group - White										
Male sex w/Male	8	.	7	43	.
Injecton Drug Use	5	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	.	.	13	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	6.8	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	11.7	5	7.9	.	6.4	10	16.3	18	87.3
30-39	10	17.9	.	3.5	.	6.7	.	4.7	25	117.3
40-49	10	15.4	11	17.7	6	10.1	.	3.4	34	172.4
50-59	.	5.7	11	15.2	5	7.0	5	7.3	87	378.7
60 and Up	.	2.9	.	1.8	.	0.8	.	2.9	60	125.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Allendale HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	8	26.0	6	20.4	.	14.5	7	27.0	45	540.1
Gender										
Male	5	30.5	6	37.7	.	27.4	7	51.9	30	699.9
Female	.	20.9	0	0.0	0	0.0	0	0.0	15	370.8
Race										
Black	8	35.8	6	27.9	.	19.9	6	31.7	40	655.1
White	0	0.0	0	0.0	0	0.0	0	0.0	.	160.6
Hispanic	0	0.0	0	0.0	0	0.0	.	109.7	.	740.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	5	42.9	6	53.2	.	38.6	6	62.8	26	848.5
Black Female	.	28.1	0	0.0	0	0.0	0	0.0	14	460.2
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	192.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	120.8
Hispanic Male	0	0.0	0	0.0	0	0.0	.	195.7	.	1,470.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	5	.	.	.	5	.	17	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	13	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	11	.
Risk Group - Black										
Male sex w/Male	.	.	5	16	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	11	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	0	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	69.7	.	42.1	0	0.0	.	48.8	0	0.0
20-29	.	22.8	.	47.1	.	25.4	.	82.4	6	517.2
30-39	.	76.9	.	27.2	.	29.4	.	31.7	5	507.7
40-49	.	23.9	.	48.2	.	56.5	0	0.0	13	1,380.1
50-59	0	0.0	0	0.0	0	0.0	0	0.0	7	655.4
60 and Up	.	16.4	0	0.0	0	0.0	.	27.7	14	584.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Allendale AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	10	32.5	.	13.5	.	10.9	.	7.7	29	348.2
Gender										
Male	5	30.5	.	12.5	.	6.8	.	7.4	20	466.6
Female	5	34.8	.	14.6	.	15.6	.	8.0	9	222.5
Race										
Black	10	44.7	.	18.6	.	15.0	.	5.3	27	442.2
White	0	0.0	0	0.0	0	0.0	.	17.2	.	53.6
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	370.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	5	42.9	.	17.7	.	9.7	.	10.5	19	620.1
Black Female	5	46.6	.	19.6	.	20.6	0	0.0	8	263.0
White Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
White Female	0	0.0	0	0.0	0	0.0	.	39.3	.	120.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	735.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	0	.	0	.	.	.	12	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	6	.
Risk Group - Black										
Male sex w/Male	.	.	0	.	0	.	.	.	12	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	6	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	0	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	34.9	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	22.8	0	0.0	0	0.0	0	0.0	.	258.6
30-39	.	25.6	0	0.0	0	0.0	.	31.7	.	304.6
40-49	.	71.6	.	72.3	.	56.5	0	0.0	7	743.1
50-59	.	67.7	0	0.0	.	26.7	0	0.0	7	655.4
60 and Up	.	16.4	.	15.0	0	0.0	.	13.9	9	376.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Anderson HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	40	7.2	55	9.6	45	7.6	57	9.4	384	187.9
Gender										
Male	32	11.9	43	15.5	36	12.7	45	15.4	283	287.7
Female	8	2.8	12	4.1	9	3.0	12	3.9	101	95.3
Race										
Black	25	26.7	24	25.0	31	31.6	25	24.8	189	554.4
White	15	3.4	29	6.4	10	2.2	28	5.9	159	100.0
Hispanic	0	0.0	.	5.3	.	9.2	.	4.2	18	217.0
Other	0	0.0	.	14.6	0	0.0	.	35.6	17	573.8
Race/Gender										
Black Male	20	45.8	19	42.1	25	54.5	19	40.2	138	864.4
Black Female	5	10.1	5	9.8	6	11.6	6	11.2	51	281.3
White Male	12	5.6	23	10.6	7	3.1	22	9.6	117	152.2
White Female	.	1.3	6	2.5	.	1.2	6	2.4	42	51.2
Hispanic Male	0	0.0	.	10.1	.	18.3	.	8.3	14	335.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	97.0
Risk Group - Total										
Male sex w/Male	22	.	35	.	28	.	31	.	186	.
Injecton Drug Use	0	.	5	.	25	.
MSM and Inj Drug Use	0	.	.	.	21	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	8	.	7	.	.	.	83	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	5	.
Other/Undetermined	6	.	10	.	9	.	18	.	64	.
Risk Group - Black										
Male sex w/Male	11	.	17	.	18	.	15	.	87	.
Injecton Drug Use	0	.	0	.	0	.	.	.	11	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	5	.	6	.	0	.	48	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	6	.	.	.	6	.	9	.	32	.
Risk Group - White										
Male sex w/Male	11	.	17	.	7	.	13	.	79	.
Injecton Drug Use	0	.	.	.	12	.
MSM and Inj Drug Use	0	.	.	.	12	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	7	.	.	.	8	.	26	.
Age Group										
Less than 13	0	0.0	.	1.1	.	1.0	0	0.0	.	3.1
13-19	6	11.4	.	7.6	0	0.0	0	0.0	.	11.0
20-29	10	15.4	22	32.3	18	25.1	24	32.5	37	149.2
30-39	14	20.1	10	14.9	.	5.8	12	16.5	63	254.8
40-49	7	8.8	10	12.9	13	17.2	9	12.0	68	272.7
50-59	.	3.9	6	7.4	8	9.7	9	10.9	128	465.7
60 and Up	0	0.0	.	1.5	.	0.7	.	2.0	85	164.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Anderson AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	19	3.4	24	4.2	24	4.1	34	5.6	215	105.2
Gender										
Male	14	5.2	17	6.2	18	6.4	23	7.9	160	162.7
Female	5	1.8	7	2.3	6	2.0	11	3.5	55	51.9
Race										
Black	12	12.9	10	10.5	17	17.4	19	18.8	107	313.8
White	7	1.5	11	2.4	6	1.3	15	3.2	90	56.7
Hispanic	0	0.0	.	5.3	.	4.6	0	0.0	9	108.6
Other	0	0.0	.	29.3	0	0.0	0	0.0	9	303.7
Race/Gender										
Black Male	9	20.6	5	11.1	14	30.5	13	27.5	73	457.3
Black Female	.	6.1	5	9.8	.	5.7	6	11.2	34	187.6
White Male	5	2.3	10	4.6	.	1.3	10	4.4	72	93.7
White Female	.	0.9	.	0.4	.	1.2	5	2.1	18	21.9
Hispanic Male	0	0.0	.	10.1	.	9.1	0	0.0	7	167.9
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	48.5
Risk Group - Total										
Male sex w/Male	9	.	11	.	11	.	11	.	100	.
Injecton Drug Use	0	19	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	16	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	6	.	.	.	5	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	6	.	13	.	31	.
Risk Group - Black										
Male sex w/Male	7	.	7	.	40	.
Injecton Drug Use	0	.	0	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	5	32	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	5	.	17	.
Risk Group - White										
Male sex w/Male	5	.	8	50	.
Injecton Drug Use	0	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	.	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	8	.	12	.
Age Group										
Less than 13	0	0.0	0	0.0	.	1.0	0	0.0	.	3.1
13-19	.	1.9	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	4.6	6	8.8	9	12.5	.	4.1	7	28.2
30-39	.	5.7	.	5.9	.	4.4	9	12.4	28	113.2
40-49	8	10.1	9	11.6	7	9.2	9	12.0	42	168.4
50-59	.	3.9	.	2.4	.	3.6	9	10.9	82	298.3
60 and Up	0	0.0	.	2.3	.	0.7	.	2.6	55	106.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Bamberg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	8	17.1	15	32.3	15	34.3	5	11.9	95	683.2
Gender										
Male	5	22.4	12	54.1	11	52.4	5	24.8	62	936.5
Female	.	12.1	.	12.4	.	17.6	0	0.0	33	452.9
Race										
Black	7	24.2	14	49.2	13	49.0	.	15.7	81	969.4
White	0	0.0	.	5.9	.	6.4	0	0.0	5	98.5
Hispanic	.	130.6	0	0.0	0	0.0	0	0.0	.	937.5
Other	0	0.0	0	0.0	.	259.7	.	245.1	6	4,000.0
Race/Gender										
Black Male	.	30.0	11	82.9	10	80.6	.	33.8	52	1,349.6
Black Female	.	19.3	.	19.8	.	21.1	0	0.0	29	644.2
White Male	0	0.0	.	12.1	0	0.0	0	0.0	.	119.2
White Female	0	0.0	0	0.0	.	12.7	0	0.0	.	78.0
Hispanic Male	.	246.3	0	0.0	0	0.0	0	0.0	.	1,648.4
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	9	.	7	.	.	.	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	37	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	16	.
Risk Group - Black										
Male sex w/Male	.	.	8	.	7	.	.	.	27	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	31	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	14	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	.	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	56.2
13-19	.	17.9	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	31.2	6	91.5	7	115.6	.	69.4	9	475.0
30-39	.	22.0	.	92.4	.	24.8	.	25.1	20	1,464.1
40-49	0	0.0	.	37.0	.	41.9	0	0.0	17	1,199.8
50-59	.	46.2	.	30.6	.	48.8	0	0.0	19	1,023.1
60 and Up	.	9.2	.	8.7	.	16.7	0	0.0	29	683.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Bamberg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	10	21.3	.	8.6	7	16.1	6	14.2	52	373.9
Gender										
Male	10	44.9	.	9.0	5	23.9	.	19.8	33	498.5
Female	0	0.0	.	8.3	.	8.8	.	9.1	19	260.8
Race										
Black	8	27.7	.	14.1	7	26.3	6	23.5	45	538.6
White	.	11.8	0	0.0	0	0.0	0	0.0	.	59.1
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	312.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	2,000.0
Race/Gender										
Black Male	8	60.1	.	15.1	5	40.4	.	33.8	28	726.7
Black Female	0	0.0	.	13.2	.	14.1	.	14.7	17	377.6
White Male	.	23.9	0	0.0	0	0.0	0	0.0	.	79.5
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	38.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	549.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	15	.
Injecton Drug Use	0	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	0	.	7	.
Risk Group - Black										
Male sex w/Male	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	20	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	0	.	6	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	17.9	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	15.6	.	15.3	0	0.0	.	34.7	.	52.8
30-39	.	66.1	.	23.1	.	98.9	.	25.1	8	585.6
40-49	0	0.0	0	0.0	.	21.0	.	22.7	9	635.1
50-59	.	61.5	.	15.3	.	16.3	.	17.6	15	807.7
60 and Up	.	9.2	.	8.7	.	8.4	.	7.9	19	447.6

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Barnwell HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	22.2	13	19.6	11	17.1	8	12.8	119	572.0
Gender										
Male	13	40.2	10	31.7	9	29.2	5	16.6	76	762.9
Female	.	5.7	.	8.7	.	5.9	.	9.1	43	396.6
Race										
Black	13	43.2	12	40.7	9	31.4	7	25.2	107	1,168.5
White	.	5.6	.	2.9	.	3.0	.	3.1	9	83.7
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	346.6
Other	0	0.0	0	0.0	.	123.6	0	0.0	.	310.5
Race/Gender										
Black Male	11	78.8	9	66.6	7	53.1	.	31.1	68	1,605.3
Black Female	.	12.4	.	18.8	.	12.9	.	20.1	39	792.6
White Male	.	11.6	.	5.9	.	6.2	.	6.4	5	95.2
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	72.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	607.9
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	9	.	.	.	7	.	.	.	36	.
Injecton Drug Use	0	.	.	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	0	.	0	.	45	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	.	.	.	5	.	28	.
Risk Group - Black										
Male sex w/Male	7	.	.	.	5	.	.	.	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	0	.	0	.	42	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	.	.	.	5	.	28	.
Risk Group - White										
Male sex w/Male	.	.	0	5	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	14.5	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	88.9	5	63.7	5	62.8	6	77.8	12	474.3
30-39	.	12.9	0	0.0	.	28.9	0	0.0	11	503.3
40-49	5	54.2	.	48.0	.	26.6	.	14.0	18	749.7
50-59	.	10.1	.	30.4	.	10.7	.	11.7	44	1,602.9
60 and Up	0	0.0	.	6.8	.	6.5	0	0.0	34	613.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Barnwell AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	22.2	8	12.1	5	7.7	5	7.9	75	360.5
Gender										
Male	14	43.2	5	15.8	.	9.7	.	13.3	49	491.9
Female	.	2.9	.	8.7	.	5.9	.	3.1	26	239.8
Race										
Black	14	46.5	7	23.8	5	17.4	.	14.4	67	731.7
White	.	2.9	.	2.9	0	0.0	.	3.1	6	55.8
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	346.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	13	93.1	.	29.6	.	22.8	.	23.3	44	1,038.7
Black Female	.	6.2	.	18.8	.	12.9	.	6.7	23	467.4
White Male	.	5.7	.	5.9	0	0.0	.	6.4	.	57.1
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	54.6
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	607.9
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	8	.	.	.	0	.	.	.	20	.
Injecton Drug Use	0	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	0	.	0	.	29	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.
Risk Group - Black										
Male sex w/Male	7	.	.	.	0	.	.	.	17	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	0	.	0	.	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.
Risk Group - White										
Male sex w/Male	0
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	14.5	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	25.4	.	38.2	0	0.0	.	26.0	.	39.5
30-39	.	38.6	.	13.5	0	0.0	.	30.3	6	274.5
40-49	8	86.7	.	24.0	.	39.9	0	0.0	12	499.8
50-59	.	10.1	.	20.2	.	21.5	.	11.7	29	1,056.4
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	27	487.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Beaufort HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	62	12.9	42	8.1	53	9.7	52	9.0	427	218.2
Gender										
Male	43	18.0	33	13.0	41	15.2	44	15.6	299	313.3
Female	19	7.8	9	3.4	12	4.3	8	2.8	128	127.7
Race										
Black	34	36.0	21	21.2	26	25.3	17	16.5	206	600.6
White	17	5.3	12	3.4	12	3.2	15	3.7	127	93.4
Hispanic	6	10.9	7	11.8	11	17.9	10	15.6	59	270.4
Other	5	67.9	.	23.2	.	30.9	6	57.9	30	839.9
Race/Gender										
Black Male	21	47.5	18	38.7	17	35.1	14	28.9	131	815.0
Black Female	13	25.9	.	5.7	9	16.6	.	5.5	75	411.4
White Male	14	8.7	10	5.8	10	5.4	11	5.6	100	150.7
White Female	.	1.9	.	1.1	.	1.1	.	2.0	27	38.8
Hispanic Male	5	16.5	5	15.6	11	34.1	10	29.8	47	414.0
Hispanic Female	.	4.0	.	7.3	0	0.0	0	0.0	12	114.7
Risk Group - Total										
Male sex w/Male	31	.	25	.	28	.	32	.	178	.
Injecton Drug Use	.	.	0	.	0	.	.	.	22	.
MSM and Inj Drug Use	0	0	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	12	.	13	.	12	.	.	.	115	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	8	.
Other/Undetermined	17	.	.	.	12	.	15	.	94	.
Risk Group - Black										
Male sex w/Male	15	.	15	.	15	.	9	.	71	.
Injecton Drug Use	.	.	0	.	0	.	0	.	16	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	10	.	5	.	8	.	.	.	67	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	0	.	.	.	6	.	45	.
Risk Group - White										
Male sex w/Male	12	.	8	.	9	.	9	.	75	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	20	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	20	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	15.8
13-19	6	15.2	0	0.0	.	9.4	.	6.7	.	13.2
20-29	19	28.2	20	29.0	15	21.3	14	20.5	33	146.1
30-39	9	17.3	9	16.0	14	24.0	18	30.6	98	491.2
40-49	15	28.6	7	12.9	7	12.8	.	7.0	80	420.6
50-59	5	8.8	.	6.5	8	12.3	9	13.3	120	522.1
60 and Up	8	5.8	.	1.3	5	2.8	.	2.0	90	127.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Beaufort AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	54	11.2	22	4.3	21	3.9	19	3.3	215	109.9
Gender										
Male	34	14.3	17	6.7	16	5.9	17	6.1	149	156.1
Female	20	8.1	5	1.9	5	1.8	.	0.7	66	65.9
Race										
Black	29	30.7	16	16.2	12	11.7	6	5.8	107	312.0
White	17	5.3	.	1.1	.	0.6	.	0.8	58	42.7
Hispanic	7	12.7	.	3.3	6	9.8	7	10.9	34	155.9
Other	.	13.5	0	0.0	.	10.3	.	28.9	16	447.9
Race/Gender										
Black Male	13	29.4	13	27.9	7	14.4	5	10.3	64	398.2
Black Female	16	31.8	.	5.7	5	9.2	.	1.9	43	235.8
White Male	15	9.4	.	1.8	.	1.1	.	1.0	47	70.8
White Female	.	1.2	.	0.6	0	0.0	.	0.4	11	15.8
Hispanic Male	6	19.8	.	3.1	6	18.6	7	20.9	27	237.8
Hispanic Female	.	4.0	.	3.6	0	0.0	0	0.0	7	66.9
Risk Group - Total										
Male sex w/Male	21	.	11	.	11	.	13	.	85	.
Injecton Drug Use	0	.	.	.	15	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	6	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	15	.	8	.	7	.	.	.	66	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	16	40	.
Risk Group - Black										
Male sex w/Male	8	.	8	.	6	.	.	.	33	.
Injecton Drug Use	0	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	11	.	5	.	6	.	.	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.	.	.	0	.	.	.	20	.
Risk Group - White										
Male sex w/Male	12	34	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	.	0	.	.	.	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	4.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	8	11.9	9	13.1	.	5.7	5	7.3	11	48.7
30-39	14	26.8	.	5.3	6	10.2	7	11.9	39	195.5
40-49	19	36.2	.	1.9	5	9.1	.	1.8	45	236.6
50-59	6	10.6	7	11.4	.	6.2	.	3.0	72	313.2
60 and Up	7	5.2	.	1.3	.	1.1	.	2.0	47	66.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Berkeley HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	64	12.0	59	10.1	68	10.8	80	11.7	636	269.5
Gender										
Male	48	17.9	44	15.2	58	18.5	66	19.5	478	408.4
Female	16	5.9	15	5.2	10	3.2	14	4.1	158	132.9
Race										
Black	41	29.6	42	28.5	31	19.6	37	21.7	315	532.0
White	13	3.7	12	3.2	27	6.6	23	5.2	165	109.0
Hispanic	.	10.2	.	5.7	.	10.0	10	20.8	46	271.8
Other	7	42.2	.	15.4	6	27.2	10	41.1	110	1,300.4
Race/Gender										
Black Male	30	45.2	29	41.3	29	38.6	31	38.3	224	798.3
Black Female	11	15.2	13	16.8	.	2.4	6	6.7	91	292.1
White Male	10	5.6	11	5.7	22	10.6	19	8.6	140	183.9
White Female	.	1.8	.	0.6	5	2.4	.	1.9	25	33.2
Hispanic Male	.	12.5	.	5.2	.	14.2	9	36.0	37	422.7
Hispanic Female	.	7.6	.	6.2	.	5.3	.	4.3	9	110.1
Risk Group - Total										
Male sex w/Male	35	.	35	.	46	.	50	.	321	.
Injecton Drug Use	0	.	35	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	20	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	10	.	11	.	12	.	144	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	8	.
Other/Undetermined	15	.	12	.	10	.	14	.	108	.
Risk Group - Black										
Male sex w/Male	23	.	23	.	22	.	23	.	140	.
Injecton Drug Use	.	.	0	.	0	.	0	.	13	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	9	.	6	.	5	.	86	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	10	.	.	.	7	.	65	.
Risk Group - White										
Male sex w/Male	7	.	8	.	18	.	15	.	105	.
Injecton Drug Use	0	0	.	13	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	15	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	21	.
Age Group										
Less than 13	.	1.0	0	0.0	0	0.0	0	0.0	.	10.0
13-19	.	5.6	5	9.2	.	3.4	.	3.2	0	0.0
20-29	24	28.9	28	31.7	33	35.8	39	40.9	86	266.6
30-39	14	19.0	11	13.8	7	7.9	20	20.2	136	396.0
40-49	15	19.8	6	7.7	10	12.4	11	12.8	104	353.8
50-59	5	7.2	5	6.5	12	14.4	7	8.0	178	605.7
60 and Up	.	2.4	.	4.0	.	3.4	.	0.8	128	263.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Berkeley AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	42	7.8	23	4.0	26	4.1	33	4.8	313	132.7
Gender										
Male	32	12.0	16	5.5	22	7.0	28	8.3	253	216.2
Female	10	3.7	7	2.4	.	1.2	5	1.4	60	50.5
Race										
Black	22	15.8	14	9.5	19	12.0	17	10.0	155	261.7
White	10	2.9	.	0.8	.	0.8	7	1.5	80	52.8
Hispanic	.	13.6	.	5.7	.	5.0	.	8.4	22	130.0
Other	6	36.2	.	20.6	.	9.0	5	20.6	56	662.0
Race/Gender										
Black Male	16	24.1	10	14.2	16	21.3	14	17.3	121	431.2
Black Female	6	8.3	.	5.2	.	3.6	.	3.3	34	109.1
White Male	7	4.0	.	1.0	.	1.4	7	3.2	70	92.0
White Female	.	1.8	.	0.6	0	0.0	0	0.0	10	13.3
Hispanic Male	.	25.1	.	5.2	.	9.5	.	12.0	20	228.5
Hispanic Female	0	0.0	.	6.2	0	0.0	.	4.3	.	24.4
Risk Group - Total										
Male sex w/Male	19	.	13	.	16	.	17	.	144	.
Injecton Drug Use	25	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	12	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	10	.	5	.	6	.	7	.	74	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0
Other/Undetermined	7	5	.	57	.
Risk Group - Black										
Male sex w/Male	10	.	7	.	11	.	7	.	61	.
Injecton Drug Use	0	.	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	5	.	.	.	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0
Other/Undetermined	5	36	.
Risk Group - White										
Male sex w/Male	5	48	.
Injecton Drug Use	0	.	.	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	9	.
Age Group										
Less than 13	.	1.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	1.9	0	0.0	.	1.8	.	3.2	0	0.0
20-29	7	8.5	8	9.0	6	6.5	10	10.5	17	52.7
30-39	14	19.0	7	8.8	.	4.5	14	14.2	56	163.0
40-49	10	13.2	.	3.9	5	6.3	6	7.0	61	207.5
50-59	8	11.4	.	5.2	9	10.8	.	1.1	98	333.4
60 and Up	.	1.2	.	1.0	.	0.9	0	0.0	81	166.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Calhoun HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	9	20.0	7	15.6	5	11.3	7	16.1	38	261.1
Gender										
Male	7	32.2	6	27.5	.	18.7	5	23.9	28	399.1
Female	.	8.6	.	4.4	.	4.4	.	8.8	10	132.7
Race										
Black	8	41.0	5	26.4	.	21.8	.	17.1	25	424.4
White	.	4.2	.	8.3	0	0.0	.	16.7	10	125.6
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	.	308.7	0	0.0	.	2,381.0
Race/Gender										
Black Male	6	66.9	.	45.7	.	35.6	.	25.2	17	641.7
Black Female	.	19.0	.	9.8	.	10.0	.	10.3	8	246.7
White Male	.	8.4	.	16.5	0	0.0	.	25.2	9	225.5
White Female	0	0.0	0	0.0	0	0.0	.	8.4	.	25.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	21	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	0	.	0	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.
Risk Group - Black										
Male sex w/Male	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	.	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	25.1	0	0.0	0	0.0	.	30.9	0	0.0
20-29	.	60.8	.	61.6	.	62.2	.	42.7	7	443.1
30-39	.	21.3	.	65.2	0	0.0	.	44.6	.	132.3
40-49	.	15.7	0	0.0	.	19.0	.	20.1	6	373.6
50-59	.	40.4	0	0.0	.	14.5	.	15.2	13	598.5
60 and Up	0	0.0	.	8.3	0	0.0	0	0.0	10	213.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Calhoun AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	9	20.0	.	2.2	.	6.8	.	4.6	24	164.9
Gender										
Male	8	36.9	.	4.6	.	9.4	.	9.6	17	242.3
Female	.	4.3	0	0.0	.	4.4	0	0.0	7	92.8
Race										
Black	7	35.9	.	5.3	.	5.4	.	11.3	17	288.5
White	.	8.4	0	0.0	0	0.0	0	0.0	5	62.8
Hispanic	0	0.0	0	0.0	.	62.5	0	0.0	0	0.0
Other	0	0.0	0	0.0	.	308.7	0	0.0	.	1,587.3
Race/Gender										
Black Male	6	66.9	.	11.4	0	0.0	.	25.2	10	377.5
Black Female	.	9.5	0	0.0	.	10.0	0	0.0	7	215.9
White Male	.	16.8	0	0.0	0	0.0	0	0.0	5	125.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	.	115.1	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	0	11	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined
Risk Group - Black										
Male sex w/Male	.	.	0	.	0	.	.	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	40.6	0	0.0	.	20.7	.	21.3	.	63.3
30-39	.	63.9	0	0.0	0	0.0	0	0.0	.	66.2
40-49	.	15.7	0	0.0	.	38.2	0	0.0	5	311.3
50-59	.	40.4	0	0.0	0	0.0	.	15.2	9	414.4
60 and Up	0	0.0	.	8.3	0	0.0	0	0.0	8	170.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Charleston HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	264	24.9	265	23.7	245	20.7	213	17.3	1,842	440.7
Gender										
Male	204	39.6	220	40.6	182	31.7	171	28.6	1,388	687.6
Female	60	10.9	45	7.8	63	10.3	42	6.6	454	210.1
Race										
Black	155	48.4	165	50.7	134	40.6	97	29.7	927	856.1
White	49	7.4	55	7.7	49	6.4	63	7.7	502	181.1
Hispanic	15	28.5	10	17.2	19	31.7	22	33.9	110	491.2
Other	45	221.2	34	151.1	42	167.8	30	105.2	301	3,017.2
Race/Gender										
Black Male	116	78.7	135	90.0	94	61.7	73	48.4	652	1,303.1
Black Female	39	22.6	30	17.1	40	22.6	24	13.6	275	472.2
White Male	44	13.4	49	14.1	39	10.3	54	13.5	435	321.3
White Female	5	1.4	6	1.7	10	2.5	9	2.2	67	47.2
Hispanic Male	14	46.4	9	27.6	15	46.5	19	55.3	92	778.6
Hispanic Female	.	4.5	.	4.0	.	14.4	.	9.8	18	170.2
Risk Group - Total										
Male sex w/Male	146	.	167	.	132	.	127	.	897	.
Injecton Drug Use	.	.	5	.	6	.	.	.	94	.
MSM and Inj Drug Use	12	64	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	42	.	40	.	53	.	34	.	368	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	40	.
Other/Undetermined	61	.	47	.	48	.	42	.	378	.
Risk Group - Black										
Male sex w/Male	83	.	101	.	68	.	52	.	375	.
Injecton Drug Use	53	.
MSM and Inj Drug Use	0	.	0	.	18	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.	25	.	35	.	19	.	237	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	28	.
Other/Undetermined	42	.	34	.	27	.	23	.	215	.
Risk Group - White										
Male sex w/Male	35	.	39	.	30	.	40	.	333	.
Injecton Drug Use	0	17	.
MSM and Inj Drug Use	7	31	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	6	.	43	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0
Other/Undetermined	6	.	9	.	8	.	10	.	75	.
Age Group										
Less than 13	.	1.8	.	1.8	.	1.7	.	1.1	27	45.5
13-19	14	15.7	20	23.0	11	12.1	8	8.5	8	25.2
20-29	100	53.0	119	62.5	98	52.5	79	44.3	182	307.8
30-39	53	36.7	47	29.9	56	31.2	55	28.3	375	565.3
40-49	48	35.2	40	29.0	31	22.2	28	19.1	307	615.0
50-59	36	25.7	24	15.8	28	17.8	25	16.2	493	954.0
60 and Up	10	5.1	12	5.3	18	7.0	16	5.5	450	450.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Charleston AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	202	19.0	138	12.3	115	9.7	82	6.6	890	213.0
Gender										
Male	146	28.4	107	19.7	81	14.1	55	9.2	658	325.9
Female	56	10.2	31	5.4	34	5.5	27	4.2	232	107.4
Race										
Black	129	40.3	82	25.2	67	20.2	43	13.2	454	419.3
White	29	4.3	30	4.2	25	3.2	17	2.1	211	76.1
Hispanic	7	13.3	6	10.3	5	8.4	6	9.2	48	214.3
Other	37	181.9	20	88.9	18	71.8	16	56.1	177	1,774.3
Race/Gender										
Black Male	88	59.6	59	39.4	44	28.8	29	19.3	319	637.6
Black Female	41	23.7	23	13.1	23	13.0	14	7.9	135	231.9
White Male	25	7.6	26	7.5	19	5.1	10	2.5	183	135.2
White Female	.	1.2	.	1.1	6	1.5	7	1.7	28	19.7
Hispanic Male	7	23.2	6	18.4	.	9.4	5	14.5	38	321.6
Hispanic Female	0	0.0	0	0.0	.	7.3	.	3.3	10	94.5
Risk Group - Total										
Male sex w/Male	95	.	69	.	53	.	38	.	409	.
Injecton Drug Use	11	.	8	.	5	.	6	.	57	.
MSM and Inj Drug Use	7	42	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	47	.	34	.	31	.	26	.	212	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	8	.
Other/Undetermined	39	.	23	.	22	.	11	.	161	.
Risk Group - Black										
Male sex w/Male	55	.	41	.	29	.	22	.	182	.
Injecton Drug Use	9	32	.
MSM and Inj Drug Use	0	.	14	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	33	.	25	.	21	.	14	.	138	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.
Other/Undetermined	30	.	13	.	13	.	.	.	84	.
Risk Group - White										
Male sex w/Male	22	.	17	.	13	.	7	.	143	.
Injecton Drug Use	0	7	.
MSM and Inj Drug Use	17	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	6	.	5	.	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	8	25	.
Age Group										
Less than 13	.	1.2	.	0.6	0	0.0	0	0.0	.	3.4
13-19	6	6.7	7	8.0	.	3.3	0	0.0	.	3.2
20-29	40	21.2	41	21.6	29	15.5	18	10.1	52	87.9
30-39	42	29.2	33	21.0	27	15.1	23	11.8	120	181.0
40-49	56	41.0	34	24.6	20	14.3	19	13.0	161	322.5
50-59	40	28.6	16	10.6	20	12.8	13	8.4	280	541.9
60 and Up	16	8.0	6	2.6	16	6.2	9	3.1	274	274.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Cherokee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	12.1	13	7.8	12	7.0	18	10.5	111	193.7
Gender										
Male	14	17.4	11	13.5	7	8.5	15	17.9	80	285.9
Female	6	7.0	.	2.3	5	5.7	.	3.4	31	105.7
Race										
Black	16	46.5	8	22.9	7	19.6	14	38.9	71	590.5
White	.	2.4	5	4.1	5	4.0	.	3.2	32	76.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	6	216.3
Other	.	73.7	0	0.0	0	0.0	0	0.0	.	344.2
Race/Gender										
Black Male	10	63.3	7	43.8	.	24.3	12	72.3	48	862.8
Black Female	6	32.2	.	5.3	.	15.5	.	10.3	23	356.0
White Male	.	5.0	.	6.6	.	4.8	.	4.8	25	121.3
White Female	0	0.0	.	1.5	.	3.2	.	1.5	7	32.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	5	329.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	79.6
Risk Group - Total										
Male sex w/Male	8	.	7	.	5	.	8	.	47	.
Injecton Drug Use	0	.	0
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	9	.	34	.
Risk Group - Black										
Male sex w/Male	5	7	.	27	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	7	.	27	.
Risk Group - White										
Male sex w/Male	17	.
Injecton Drug Use	0	.	0
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	.	12.3	0	0.0
20-29	6	29.2	.	13.8	6	26.3	8	35.6	14	190.3
30-39	.	9.5	.	5.2	.	5.2	.	5.1	25	366.3
40-49	9	38.3	.	17.2	.	17.8	.	18.6	23	325.8
50-59	.	8.8	5	21.8	.	4.3	.	8.6	32	409.8
60 and Up	.	3.1	0	0.0	0	0.0	.	2.5	17	124.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Cherokee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	9.7	11	6.6	9	5.3	6	3.5	50	87.2
Gender										
Male	12	14.9	9	11.1	6	7.3	5	5.9	36	128.7
Female	.	4.7	.	2.3	.	3.4	.	1.1	14	47.7
Race										
Black	13	37.7	8	22.9	5	14.0	.	5.6	32	266.1
White	.	2.4	.	2.4	.	3.2	.	3.2	13	31.0
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	144.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	172.2
Race/Gender										
Black Male	9	57.0	6	37.5	.	18.3	.	6.1	21	377.5
Black Female	.	21.5	.	10.6	.	10.3	.	5.2	11	170.3
White Male	.	5.0	.	5.0	.	4.8	.	6.5	11	53.4
White Female	0	0.0	0	0.0	.	1.5	0	0.0	.	9.4
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	197.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	79.6
Risk Group - Total										
Male sex w/Male	5	.	5	.	.	.	0	.	16	.
Injecton Drug Use	0	.	0	0	.
MSM and Inj Drug Use	.	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	7	16	.
Risk Group - Black										
Male sex w/Male	0	.	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	7	12	.
Risk Group - White										
Male sex w/Male	0	.	7	.
Injecton Drug Use	0	.	0	0	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	4.8	.	9.1	.	13.2	0	0.0	.	40.8
30-39	.	9.5	0	0.0	.	10.5	.	10.0	7	102.5
40-49	8	34.0	.	17.2	.	13.4	.	9.4	12	170.0
50-59	.	17.6	5	21.8	.	4.3	0	0.0	17	217.7
60 and Up	.	3.1	0	0.0	0	0.0	.	5.0	11	80.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Chester HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	13.2	9	9.2	20	20.7	11	11.3	95	294.7
Gender										
Male	10	21.0	8	16.9	16	34.1	10	21.5	73	470.6
Female	.	5.9	.	2.0	.	8.0	.	2.0	22	131.6
Race										
Black	11	29.4	7	19.0	15	41.4	7	19.4	61	506.6
White	.	1.7	.	3.4	.	5.2	.	6.9	30	157.1
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	137.9
Other	.	120.9	0	0.0	.	206.6	0	0.0	.	810.8
Race/Gender										
Black Male	9	51.5	6	34.9	13	76.0	6	35.5	46	821.6
Black Female	.	10.0	.	5.1	.	10.5	.	5.2	15	232.8
White Male	.	3.5	.	7.0	.	7.0	.	14.3	25	267.7
White Female	0	0.0	0	0.0	.	3.4	0	0.0	5	51.3
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	312.5
Risk Group - Total										
Male sex w/Male	.	.	6	.	8	.	9	.	48	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	10	.	.	.	25	.
Risk Group - Black										
Male sex w/Male	.	.	5	.	6	.	6	.	27	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	.	.	19	.
Risk Group - White										
Male sex w/Male	20	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	11.9	0	0.0	0	0.0	0	0.0
20-29	.	26.3	.	34.1	10	84.2	8	68.6	8	208.3
30-39	6	53.4	.	9.6	.	28.5	.	9.2	21	571.0
40-49	.	21.0	.	7.5	.	16.7	.	17.7	15	406.2
50-59	.	6.8	.	6.8	.	21.0	0	0.0	30	651.2
60 and Up	0	0.0	.	4.4	.	8.4	0	0.0	21	247.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Chester AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	9	9.1	8	8.3	.	4.2	8	8.3	42	130.4
Gender										
Male	9	18.9	7	14.9	.	8.6	7	15.1	32	206.3
Female	0	0.0	.	2.0	0	0.0	.	2.0	10	59.8
Race										
Black	7	18.7	5	13.6	.	8.3	.	11.0	30	249.2
White	.	1.7	.	5.2	0	0.0	.	5.3	11	57.6
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	.	120.9	0	0.0	.	103.3	.	95.0	.	270.3
Race/Gender										
Black Male	7	40.0	.	23.3	.	17.5	.	23.7	22	392.9
Black Female	0	0.0	.	5.1	0	0.0	0	0.0	8	124.2
White Male	.	3.5	.	10.6	0	0.0	.	10.8	9	96.4
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	20.5
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	18	.
Injecton Drug Use	.	.	0	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.
Risk Group - Black										
Male sex w/Male	11	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	7	.
Risk Group - White										
Male sex w/Male	0	.	.	.	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	8.8	.	8.6	0	0.0	.	34.3	.	52.1
30-39	.	26.6	.	9.6	.	19.0	.	9.2	6	163.1
40-49	.	14.0	.	22.3	0	0.0	.	8.9	.	81.3
50-59	.	20.4	.	13.6	.	7.0	.	7.3	19	412.4
60 and Up	0	0.0	.	4.4	.	4.2	.	4.0	12	141.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Chesterfield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	8.8	16	11.6	14	10.1	13	9.5	115	252.1
Gender										
Male	6	9.1	11	16.3	9	13.4	11	16.5	80	360.6
Female	6	8.6	5	7.0	5	7.0	.	2.9	35	149.5
Race										
Black	6	13.3	14	30.7	8	17.4	5	10.9	78	510.6
White	5	5.9	0	0.0	.	2.4	7	8.4	27	97.7
Hispanic	.	20.2	.	19.0	.	50.7	.	16.1	5	234.9
Other	0	0.0	.	65.2	.	58.7	0	0.0	5	878.7
Race/Gender										
Black Male	.	19.0	9	42.2	.	18.6	.	14.0	50	698.7
Black Female	.	8.3	5	20.7	.	16.4	.	8.3	28	344.7
White Male	.	2.4	0	0.0	.	2.4	7	17.3	20	148.8
White Female	.	9.1	0	0.0	.	2.3	0	0.0	7	49.3
Hispanic Male	.	31.6	.	30.3	.	81.0	.	26.0	5	375.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	10	.	5	.	6	.	40	.
Injecton Drug Use	0	.	0	.	0	.	.	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	5	.	.	.	5	.	0	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	.	.	6	.	30	.
Risk Group - Black										
Male sex w/Male	.	.	9	23	.
Injecton Drug Use	0	.	0	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	22	.
Risk Group - White										
Male sex w/Male	.	.	0	14	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	.	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	7.3	.	7.7	.	8.0	0	0.0	.	25.9
20-29	.	25.4	6	36.5	5	29.5	.	5.9	6	108.2
30-39	.	6.2	.	18.8	.	6.6	.	27.1	24	480.9
40-49	.	9.9	.	10.1	.	21.8	.	11.8	26	469.4
50-59	.	15.5	.	19.9	.	9.9	5	25.0	38	571.9
60 and Up	.	3.6	0	0.0	.	3.1	.	2.9	20	167.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Chesterfield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	6	4.4	9	6.5	8	5.8	7	5.1	66	144.8
Gender										
Male	.	3.1	6	8.9	7	10.5	6	9.0	49	220.9
Female	.	5.7	.	4.2	.	1.4	.	1.4	17	72.6
Race										
Black	5	11.0	7	15.4	.	8.7	.	6.6	46	301.1
White	.	1.2	0	0.0	.	1.2	.	3.6	12	43.5
Hispanic	0	0.0	.	38.0	.	33.8	.	16.1	5	234.9
Other	0	0.0	0	0.0	.	58.7	0	0.0	.	527.2
Race/Gender										
Black Male	.	4.7	.	18.8	.	14.0	.	9.4	29	405.2
Black Female	.	16.5	.	12.4	.	4.1	.	4.1	17	209.3
White Male	.	2.4	0	0.0	.	2.4	.	7.4	12	89.3
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	.	60.6	.	54.0	.	26.0	5	375.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	24	.
Injecton Drug Use	0	.	0	5	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	17	.
Risk Group - Black										
Male sex w/Male	13	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	13	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	.	.	9	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	12.2	.	5.9	0	0.0	.	18.0
30-39	.	18.4	.	6.3	.	19.9	.	13.5	10	200.4
40-49	.	5.0	.	15.2	.	5.5	0	0.0	20	361.1
50-59	.	5.2	.	14.9	.	9.9	.	20.0	27	406.3
60 and Up	.	3.6	0	0.0	.	3.1	.	2.9	8	66.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Clarendon HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	19	18.5	26	25.3	18	17.7	20	19.8	174	520.7
Gender										
Male	11	21.7	19	37.5	11	22.0	12	24.3	112	689.2
Female	8	15.4	7	13.4	7	13.5	8	15.5	62	361.2
Race										
Black	18	35.2	24	47.9	17	34.9	10	21.1	139	892.1
White	0	0.0	0	0.0	0	0.0	6	12.2	18	109.9
Hispanic	.	36.4	.	66.4	.	31.6	0	0.0	9	831.1
Other	0	0.0	0	0.0	0	0.0	.	87.7	5	1,322.8
Race/Gender										
Black Male	10	40.4	17	70.2	11	46.6	8	35.2	90	1,211.8
Black Female	8	30.3	7	27.0	6	23.8	.	8.1	49	600.9
White Male	0	0.0	0	0.0	0	0.0	.	12.3	11	135.7
White Female	0	0.0	0	0.0	0	0.0	.	12.2	7	84.7
Hispanic Male	.	65.3	.	120.6	0	0.0	0	0.0	8	1,465.2
Hispanic Female	0	0.0	0	0.0	.	67.7	0	0.0	.	186.2
Risk Group - Total										
Male sex w/Male	.	.	13	.	5	.	.	.	51	.
Injecton Drug Use	.	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	5	.	.	.	0	.	51	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	10	.	8	.	9	.	16	.	53	.
Risk Group - Black										
Male sex w/Male	.	.	12	.	5	.	.	.	40	.
Injecton Drug Use	.	.	0	.	0	.	0	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	5	.	.	.	0	.	43	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	7	.	9	.	8	.	41	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	.	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	5	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	19.9	.	32.7	0	0.0	0	0.0	0	0.0
20-29	.	29.8	12	87.2	.	30.0	.	24.2	10	250.4
30-39	.	29.7	.	9.8	.	38.3	.	28.7	24	692.0
40-49	.	31.1	6	49.5	.	36.5	.	28.3	30	855.9
50-59	5	33.2	.	19.8	6	40.9	5	36.7	62	1,388.3
60 and Up	.	4.0	.	3.6	0	0.0	6	18.6	48	435.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Clarendon AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	17	16.6	13	12.7	8	7.8	16	15.8	103	308.2
Gender										
Male	11	21.7	10	19.8	6	12.0	10	20.2	70	430.8
Female	6	11.6	.	5.7	.	3.9	6	11.7	33	192.3
Race										
Black	16	31.2	12	23.9	7	14.3	10	21.1	85	545.5
White	.	2.1	0	0.0	0	0.0	.	8.1	10	61.1
Hispanic	0	0.0	.	33.2	0	0.0	0	0.0	5	461.7
Other	0	0.0	0	0.0	.	98.6	.	175.5	.	793.7
Race/Gender										
Black Male	10	40.4	9	37.2	5	21.2	6	26.4	55	740.5
Black Female	6	22.8	.	11.6	.	7.9	.	16.2	30	368.0
White Male	.	4.2	0	0.0	0	0.0	.	8.1	7	86.4
White Female	0	0.0	0	0.0	0	0.0	.	8.1	.	36.3
Hispanic Male	0	0.0	.	60.3	0	0.0	0	0.0	5	915.8
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	31	.
Injecton Drug Use	.	.	0	.	0	.	.	.	9	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0
Other/Undetermined	6	.	5	.	.	.	8	.	25	.
Risk Group - Black										
Male sex w/Male	24	.
Injecton Drug Use	.	.	0	.	0	.	.	.	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	29	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0
Other/Undetermined	5	5	.	21	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.9	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	29.8	.	29.0	0	0.0	.	16.2	.	100.1
30-39	.	29.7	.	29.3	.	19.1	.	19.1	8	230.7
40-49	6	46.6	.	16.5	.	27.4	.	9.5	17	485.0
50-59	.	13.3	.	13.2	.	20.5	.	22.0	41	918.1
60 and Up	.	4.0	.	7.3	0	0.0	8	24.8	33	299.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Colleton HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	17.2	13	11.4	21	18.6	19	16.8	183	488.3
Gender										
Male	9	16.1	10	18.4	17	31.2	15	27.7	122	679.4
Female	11	18.0	.	5.1	.	6.8	.	6.8	61	312.4
Race										
Black	14	30.3	9	20.4	13	30.0	12	28.5	108	777.3
White	.	3.1	.	3.1	.	6.2	.	3.1	42	193.8
Hispanic	.	62.4	.	30.0	.	27.2	0	0.0	.	288.0
Other	.	139.0	.	69.7	.	199.9	5	313.8	28	5,313.1
Race/Gender										
Black Male	.	18.9	6	29.7	11	55.2	11	56.9	70	1,103.6
Black Female	10	39.8	.	12.4	.	8.6	.	4.4	38	503.1
White Male	.	6.3	.	6.3	.	9.5	.	6.3	30	281.6
White Female	0	0.0	0	0.0	.	3.1	0	0.0	12	108.9
Hispanic Male	.	52.6	.	54.1	0	0.0	0	0.0	.	283.3
Hispanic Female	.	76.7	0	0.0	.	57.8	0	0.0	.	292.8
Risk Group - Total										
Male sex w/Male	7	.	8	.	13	.	11	.	83	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	6	.	5	.	52	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	35	.
Risk Group - Black										
Male sex w/Male	.	.	6	.	8	.	8	.	42	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	35	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	21	.
Risk Group - White										
Male sex w/Male	24	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	32.7
13-19	.	8.9	.	9.9	.	20.5	0	0.0	0	0.0
20-29	11	83.4	5	38.3	8	60.5	6	45.0	17	387.0
30-39	.	23.5	5	41.1	5	41.4	6	48.7	44	1,066.9
40-49	.	24.9	.	6.9	.	22.7	6	48.1	26	635.6
50-59	.	5.8	.	5.9	.	18.3	0	0.0	51	983.8
60 and Up	0	0.0	0	0.0	0	0.0	.	3.2	43	410.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Colleton AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	12.9	10	8.8	15	13.2	5	4.4	86	229.5
Gender										
Male	9	16.1	6	11.0	10	18.4	.	5.5	60	334.1
Female	6	9.9	.	6.7	5	8.5	.	3.4	26	133.2
Race										
Black	10	21.6	6	13.5	11	25.4	5	11.9	47	338.3
White	.	4.5	.	1.5	0	0.0	0	0.0	20	92.3
Hispanic	.	31.1	0	0.0	.	27.2	0	0.0	.	71.9
Other	.	69.5	.	209.1	.	199.9	0	0.0	18	3,415.6
Race/Gender										
Black Male	6	28.4	.	9.9	7	35.1	.	15.5	32	504.5
Black Female	.	16.0	.	16.6	.	17.2	.	8.8	15	198.7
White Male	.	6.3	.	3.2	0	0.0	0	0.0	16	150.3
White Female	.	3.0	0	0.0	0	0.0	0	0.0	.	36.3
Hispanic Male	.	52.6	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	.	57.8	0	0.0	.	146.4
Risk Group - Total										
Male sex w/Male	5	.	.	.	6	.	.	.	39	.
Injecton Drug Use	.	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	7	.	.	.	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	14	.
Risk Group - Black										
Male sex w/Male	16	.
Injecton Drug Use	.	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	6	.	.	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	.	.	7	.
Risk Group - White										
Male sex w/Male	0	.	0	.	14	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	8.9	0	0.0	.	10.2	0	0.0	0	0.0
20-29	.	22.8	.	15.3	.	30.3	.	15.0	.	91.1
30-39	.	31.4	.	32.9	.	24.9	.	8.1	15	363.8
40-49	5	31.1	.	14.0	5	37.8	0	0.0	13	317.8
50-59	.	5.8	0	0.0	.	6.1	.	6.4	26	501.5
60 and Up	.	3.9	.	7.0	.	3.3	.	3.2	28	267.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Darlington HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	47	23.1	41	20.1	36	17.8	38	19.0	297	446.6
Gender										
Male	32	33.2	30	31.1	30	31.5	28	29.7	202	644.8
Female	15	14.0	11	10.2	6	5.6	10	9.5	95	270.1
Race										
Black	43	50.5	33	39.1	25	29.7	27	32.2	239	854.9
White	.	2.6	6	5.3	9	8.0	7	6.4	47	129.1
Hispanic	.	29.8	.	51.8	.	24.6	.	22.8	7	455.7
Other	0	0.0	0	0.0	.	56.1	.	113.1	.	487.9
Race/Gender										
Black Male	30	77.0	24	62.5	23	60.1	19	50.1	156	1,229.0
Black Female	13	28.2	9	19.5	.	4.4	8	17.4	83	543.8
White Male	.	3.6	.	7.3	5	9.2	5	9.5	37	211.0
White Female	.	1.8	.	3.4	.	6.9	.	3.5	10	53.0
Hispanic Male	0	0.0	.	98.0	.	47.3	.	44.2	5	641.9
Hispanic Female	.	66.0	0	0.0	0	0.0	0	0.0	.	264.2
Risk Group - Total										
Male sex w/Male	13	.	11	.	14	.	16	.	103	.
Injecton Drug Use	0	0	.	21	.
MSM and Inj Drug Use	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	17	.	9	.	5	.	.	.	98	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	16	.	18	.	16	.	21	.	64	.
Risk Group - Black										
Male sex w/Male	12	.	8	.	9	.	13	.	76	.
Injecton Drug Use	0	0	.	16	.
MSM and Inj Drug Use	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	7	86	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	15	.	16	.	12	.	13	.	53	.
Risk Group - White										
Male sex w/Male	24	.
Injecton Drug Use	0	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	5	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	9.7
13-19	6	29.4	.	5.2	.	5.4	.	22.1	.	33.8
20-29	11	47.5	15	61.3	10	39.5	12	47.5	23	273.1
30-39	11	45.0	8	34.7	8	37.1	8	37.2	46	633.1
40-49	13	46.4	9	33.7	7	27.6	.	16.5	74	932.7
50-59	5	16.5	8	26.6	5	17.6	7	26.2	84	958.9
60 and Up	.	2.3	0	0.0	5	9.9	.	5.6	67	374.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Darlington AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	32	15.7	18	8.8	23	11.3	19	9.5	154	231.6
Gender										
Male	22	22.9	17	17.7	10	10.5	15	16.0	105	335.2
Female	10	9.4	.	0.9	13	12.2	.	3.7	49	139.3
Race										
Black	26	30.6	14	16.6	15	17.8	16	19.0	120	429.2
White	5	4.4	.	2.6	6	5.4	.	2.8	27	74.1
Hispanic	0	0.0	.	25.9	.	24.6	0	0.0	5	325.5
Other	.	74.7	0	0.0	.	56.1	0	0.0	.	325.2
Race/Gender										
Black Male	17	43.7	13	33.9	5	13.1	13	34.2	75	590.9
Black Female	9	19.5	.	2.2	10	21.8	.	6.5	45	294.8
White Male	.	7.3	.	5.5	.	5.5	.	3.7	24	136.8
White Female	.	1.8	0	0.0	.	5.2	.	1.8	.	16.0
Hispanic Male	0	0.0	.	49.0	.	47.3	0	0.0	.	513.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	132.1
Risk Group - Total										
Male sex w/Male	10	.	7	.	.	.	6	.	46	.
Injecton Drug Use	.	.	0	14	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	13	.	5	.	12	.	.	.	56	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	6	.	8	.	9	.	31	.
Risk Group - Black										
Male sex w/Male	7	6	.	31	.
Injecton Drug Use	.	.	0	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	5	.	10	.	.	.	51	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	5	.	.	.	6	.	24	.
Risk Group - White										
Male sex w/Male	0	.	13	.
Injecton Drug Use	.	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	.	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.8	0	0.0	0	0.0	.	5.5	0	0.0
20-29	.	17.3	6	24.5	.	4.0	.	11.9	5	59.4
30-39	7	28.6	.	17.3	.	18.5	.	18.6	11	151.4
40-49	12	42.9	7	26.2	10	39.5	.	16.5	43	542.0
50-59	6	19.8	.	3.3	.	14.1	.	15.0	53	605.0
60 and Up	.	2.3	0	0.0	.	7.9	.	5.6	42	234.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Dillon HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	16.9	14	15.0	18	19.4	24	26.3	156	513.7
Gender										
Male	16	36.0	13	29.4	15	34.1	21	48.6	119	834.6
Female	0	0.0	.	2.0	.	6.2	.	6.3	37	229.7
Race										
Black	13	29.6	12	27.3	17	38.5	18	41.1	124	854.9
White	.	2.2	.	2.2	.	2.3	.	9.6	19	136.2
Hispanic	.	36.7	0	0.0	0	0.0	.	38.2	6	679.5
Other	.	36.4	.	37.1	0	0.0	.	33.0	7	682.9
Race/Gender										
Black Male	13	64.9	11	54.2	14	67.9	16	78.2	93	1,380.8
Black Female	0	0.0	.	4.2	.	12.8	.	8.6	31	399.0
White Male	.	4.6	.	4.6	.	4.8	.	15.0	17	256.4
White Female	0	0.0	0	0.0	0	0.0	.	4.5	.	27.3
Hispanic Male	.	66.1	0	0.0	0	0.0	.	79.9	5	1,216.6
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	211.9
Risk Group - Total										
Male sex w/Male	6	.	10	.	9	.	15	.	59	.
Injecton Drug Use	.	.	0	.	.	.	0	.	12	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	37	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	.	.	7	.	9	.	45	.
Risk Group - Black										
Male sex w/Male	5	.	8	.	8	.	12	.	44	.
Injecton Drug Use	.	.	0	.	.	.	0	.	11	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	31	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	7	.	6	.	35	.
Risk Group - White										
Male sex w/Male	12	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	11.3	.	11.4	.	11.2	.	33.6
20-29	.	25.5	8	67.3	.	25.4	13	113.5	15	400.6
30-39	7	62.0	.	17.8	.	27.5	.	37.8	25	704.2
40-49	.	23.9	.	17.3	6	54.9	.	28.2	32	907.1
50-59	.	22.9	0	0.0	.	31.9	.	8.5	46	1,205.8
60 and Up	0	0.0	.	5.2	.	4.8	.	9.2	37	503.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Dillon AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	15	15.8	6	6.4	8	8.6	8	8.8	88	289.7
Gender										
Male	13	29.2	.	9.0	5	11.3	7	16.2	67	469.9
Female	.	4.0	.	4.1	.	6.2	.	2.1	21	130.4
Race										
Black	12	27.3	6	13.6	6	13.6	5	11.4	69	475.8
White	.	4.4	0	0.0	.	2.3	.	2.4	10	71.6
Hispanic	.	36.7	0	0.0	.	40.7	.	38.2	.	453.0
Other	0	0.0	0	0.0	0	0.0	.	33.0	5	487.9
Race/Gender										
Black Male	10	49.9	.	19.7	.	19.4	5	24.4	53	786.9
Black Female	.	8.4	.	8.5	.	8.5	0	0.0	16	205.9
White Male	.	9.2	0	0.0	.	4.8	0	0.0	9	135.7
White Female	0	0.0	0	0.0	0	0.0	.	4.5	.	13.6
Hispanic Male	.	66.1	0	0.0	0	0.0	.	79.9	.	730.0
Hispanic Female	0	0.0	0	0.0	.	81.7	0	0.0	.	211.9
Risk Group - Total										
Male sex w/Male	7	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	19	.
Risk Group - Black										
Male sex w/Male	6	24	.
Injecton Drug Use	0	.	0	.	0	.	0	.	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	12	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	0	.	5	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	17.1	.	16.8	.	8.5	.	8.7	.	80.1
30-39	5	44.3	.	8.9	.	9.1	.	9.5	10	281.7
40-49	.	23.9	.	17.3	.	18.3	.	37.6	17	481.9
50-59	5	38.1	.	7.6	.	8.0	.	8.5	32	838.8
60 and Up	0	0.0	0	0.0	.	14.4	.	4.6	26	353.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Dorchester HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	46	11.3	41	9.4	50	10.8	61	12.4	488	294.5
Gender										
Male	33	16.6	33	15.5	43	19.1	50	21.0	330	408.8
Female	13	6.2	8	3.6	7	3.0	11	4.4	158	185.9
Race										
Black	33	30.7	19	16.6	23	19.0	30	23.4	279	640.9
White	7	2.5	13	4.5	13	4.3	19	5.9	122	114.1
Hispanic	.	11.7	.	9.7	.	4.2	.	10.6	30	299.9
Other	.	38.9	7	57.9	13	95.6	9	59.5	57	1,077.3
Race/Gender										
Black Male	27	52.6	15	27.4	22	38.3	24	39.7	177	858.2
Black Female	6	10.7	.	6.7	.	1.5	6	8.9	102	445.2
White Male	.	3.0	10	7.0	10	6.7	16	10.2	98	186.5
White Female	.	2.2	.	2.1	.	2.0	.	1.9	24	44.1
Hispanic Male	.	11.4	.	18.8	.	8.4	.	21.1	20	397.0
Hispanic Female	.	11.9	0	0.0	0	0.0	0	0.0	10	201.3
Risk Group - Total										
Male sex w/Male	23	.	25	.	34	.	35	.	227	.
Injecton Drug Use	0	0	.	27	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	16	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	5	.	7	.	12	.	125	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.	0	.	17	.
Other/Undetermined	12	.	10	.	7	.	13	.	75	.
Risk Group - Black										
Male sex w/Male	21	.	12	.	17	.	16	.	127	.
Injecton Drug Use	0	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	5	.	76	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	13	.
Other/Undetermined	5	9	.	45	.
Risk Group - White										
Male sex w/Male	.	.	7	.	7	.	12	.	68	.
Injecton Drug Use	0	.	0	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	21	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	13	.
Age Group										
Less than 13	.	1.3	0	0.0	.	1.2	0	0.0	6	21.5
13-19	.	7.2	.	4.6	.	4.5	5	10.9	.	19.5
20-29	15	28.3	20	34.9	18	29.6	23	37.6	55	269.3
30-39	8	14.3	10	16.9	13	20.2	19	27.2	127	528.4
40-49	11	17.6	5	7.8	5	8.0	8	12.7	79	371.6
50-59	6	11.3	.	1.7	8	12.5	.	6.1	112	511.3
60 and Up	.	3.1	.	4.1	.	3.5	.	2.0	106	304.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Dorchester AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	23	5.6	34	7.8	26	5.6	28	5.7	251	151.5
Gender										
Male	20	10.1	26	12.2	20	8.9	19	8.0	164	203.2
Female	.	1.4	8	3.6	6	2.5	9	3.6	87	102.3
Race										
Black	14	13.1	23	20.0	11	9.1	15	11.8	146	335.4
White	.	1.4	7	2.4	8	2.6	6	1.9	54	50.5
Hispanic	.	17.5	.	9.7	.	4.2	.	3.5	17	170.0
Other	.	19.5	.	16.5	6	44.1	6	39.7	34	642.6
Race/Gender										
Black Male	12	23.4	18	32.9	10	17.4	11	18.2	88	426.7
Black Female	.	3.5	5	8.4	.	1.5	.	5.9	58	253.1
White Male	.	3.0	5	3.5	5	3.3	.	2.5	42	79.9
White Female	0	0.0	.	1.3	.	2.0	.	1.2	12	22.1
Hispanic Male	.	34.3	.	18.8	.	8.4	.	7.0	12	238.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	5	100.7
Risk Group - Total										
Male sex w/Male	13	.	13	.	16	.	9	.	107	.
Injecton Drug Use	0	.	0	.	.	.	0	.	16	.
MSM and Inj Drug Use	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	10	.	.	.	10	.	77	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	8	.
Other/Undetermined	5	.	9	.	.	.	7	.	35	.
Risk Group - Black										
Male sex w/Male	9	.	10	.	7	.	.	.	60	.
Injecton Drug Use	0	.	0	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	7	44	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	7	.
Other/Undetermined	0	.	6	.	24	.
Risk Group - White										
Male sex w/Male	29	.
Injecton Drug Use	0	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	12	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Age Group										
Less than 13	.	1.3	0	0.0	.	1.2	0	0.0	.	3.6
13-19	.	4.7	.	2.3	.	2.2	0	0.0	.	6.5
20-29	6	11.3	13	22.7	5	8.3	7	11.4	21	102.9
30-39	.	5.4	.	6.8	8	12.4	7	10.0	55	228.9
40-49	7	11.2	10	15.7	8	12.8	8	12.7	43	202.2
50-59	.	7.6	.	6.7	.	1.5	.	4.6	68	310.4
60 and Up	0	0.0	.	2.8	.	2.3	.	3.0	62	178.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Edgefield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	7	8.8	9	11.3	15	18.8	11	13.5	148	545.7
Gender										
Male	6	14.0	9	21.0	11	25.6	8	18.4	125	869.7
Female	.	2.8	0	0.0	.	10.9	.	7.9	23	180.4
Race										
Black	7	23.3	7	23.9	9	31.2	.	14.0	101	1,082.4
White	0	0.0	.	2.2	.	2.2	.	8.5	26	164.3
Hispanic	0	0.0	.	22.4	.	85.5	.	19.9	15	881.9
Other	0	0.0	0	0.0	.	151.8	0	0.0	.	1,487.0
Race/Gender										
Black Male	6	36.1	7	43.7	6	38.3	.	26.1	82	1,654.5
Black Female	.	7.5	0	0.0	.	22.9	0	0.0	19	434.3
White Male	0	0.0	.	4.3	.	4.3	.	8.4	23	286.0
White Female	0	0.0	0	0.0	0	0.0	.	8.7	.	38.6
Hispanic Male	0	0.0	.	29.2	.	113.1	.	27.1	15	1,218.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	.	.	.	44	.
Injecton Drug Use	0	.	0	26	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	5	.	5	.	46	.
Risk Group - Black										
Male sex w/Male	5	.	.	.	31	.
Injecton Drug Use	0	.	0	.	.	.	0	.	15	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	19	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	31	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	.	.	10	.
Injecton Drug Use	0	.	0	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	20.2	.	39.6	.	28.9	6	176.3
30-39	.	27.7	.	37.4	.	37.8	.	18.3	27	747.7
40-49	.	8.3	.	8.8	.	28.4	.	29.3	32	954.0
50-59	.	24.9	.	8.0	.	32.7	.	17.1	35	901.6
60 and Up	0	0.0	.	5.7	0	0.0	.	4.6	48	635.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Edgefield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	8	10.1	.	2.5	6	7.6	.	5.0	61	225.0
Gender										
Male	7	16.4	.	4.6	6	14.0	.	4.6	51	354.9
Female	.	2.8	0	0.0	0	0.0	.	5.3	10	78.4
Race										
Black	6	20.0	.	6.8	.	13.9	.	7.0	44	471.6
White	0	0.0	0	0.0	.	4.4	.	4.3	12	75.9
Hispanic	.	54.1	0	0.0	0	0.0	0	0.0	.	176.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	743.5
Race/Gender										
Black Male	5	30.0	.	12.4	.	25.5	.	13.1	37	746.6
Black Female	.	7.5	0	0.0	0	0.0	0	0.0	7	160.1
White Male	0	0.0	0	0.0	.	8.6	0	0.0	9	112.0
White Female	0	0.0	0	0.0	0	0.0	.	8.7	.	38.6
Hispanic Male	.	72.6	0	0.0	0	0.0	0	0.0	.	243.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	0	17	.
Injecton Drug Use	.	.	0	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	13	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	0	.	.	.	15	.
Risk Group - Black										
Male sex w/Male	.	.	0	11	.
Injecton Drug Use	0	.	0	.	.	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	.	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	0	.	0	.	11	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.	0	.	5	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	9.9	0	0.0	.	19.8	.	9.7	.	29.4
30-39	.	27.7	.	9.4	0	0.0	.	18.3	11	304.6
40-49	.	16.5	.	8.8	0	0.0	0	0.0	11	328.0
50-59	.	16.6	0	0.0	.	32.7	.	8.5	18	463.7
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	20	264.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Fairfield HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	28.3	17	24.5	15	22.1	9	13.4	102	462.4
Gender										
Male	16	47.3	13	39.2	10	30.8	5	15.6	65	615.0
Female	.	10.8	.	11.0	5	14.1	.	11.4	37	322.0
Race										
Black	16	38.6	16	38.9	6	15.1	9	23.4	82	649.7
White	.	14.3	.	3.7	8	30.4	0	0.0	15	173.5
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	378.1
Other	0	0.0	0	0.0	.	180.5	0	0.0	.	1,158.3
Race/Gender										
Black Male	13	67.0	13	67.8	.	21.6	5	27.9	55	935.3
Black Female	.	13.6	.	13.8	.	9.5	.	19.5	27	400.4
White Male	.	22.0	0	0.0	5	38.9	0	0.0	6	141.0
White Female	.	7.0	.	7.4	.	22.2	0	0.0	9	204.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	337.8
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	429.2
Risk Group - Total										
Male sex w/Male	11	.	8	.	5	.	.	.	28	.
Injecton Drug Use	0	.	0	.	.	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	7	38	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	6	.	22	.
Risk Group - Black										
Male sex w/Male	9	.	8	23	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	6	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	18	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	0	.	.	.
Injecton Drug Use	0	.	0	.	.	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	15.1	.	16.9	0	0.0	.	19.5	0	0.0
20-29	9	115.5	8	102.5	.	25.4	.	26.5	8	324.3
30-39	.	26.0	.	42.5	.	29.4	.	44.4	23	1,029.5
40-49	.	19.9	.	33.0	.	48.8	.	13.4	25	1,028.4
50-59	.	25.7	.	16.9	5	44.4	.	19.5	31	924.2
60 and Up	.	18.9	0	0.0	.	10.6	0	0.0	15	211.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Fairfield AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	18.4	12	17.3	7	10.3	5	7.5	55	249.4
Gender										
Male	10	29.6	11	33.1	.	12.3	.	3.1	35	331.2
Female	.	8.1	.	2.8	.	8.5	.	11.4	20	174.0
Race										
Black	12	28.9	11	26.8	.	5.1	.	10.5	46	364.4
White	.	3.6	.	3.7	.	15.2	.	3.9	7	81.0
Hispanic	0	0.0	0	0.0	.	70.8	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	772.2
Race/Gender										
Black Male	9	46.4	10	52.1	.	5.4	.	5.6	31	527.2
Black Female	.	13.6	.	4.6	.	4.7	.	14.6	15	222.4
White Male	.	7.4	.	7.6	.	15.6	0	0.0	.	47.0
White Female	0	0.0	0	0.0	.	14.9	.	7.6	5	113.9
Hispanic Male	0	0.0	0	0.0	.	129.6	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	7	.	.	.	0	.	11	.
Injecton Drug Use	0	.	0	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	21	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	12	.
Risk Group - Black										
Male sex w/Male	.	.	6	.	0	.	0	.	10	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	20	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	.	.	10	.
Risk Group - White										
Male sex w/Male	0	0	.	0	.
Injecton Drug Use	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophilic	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	16.9	0	0.0	0	0.0	0	0.0
20-29	.	51.4	.	51.3	0	0.0	.	13.2	.	121.7
30-39	.	13.0	.	14.2	.	44.1	.	14.9	8	358.1
40-49	.	39.9	.	44.0	.	24.4	.	13.4	18	740.4
50-59	.	8.6	.	8.5	.	8.9	.	19.5	19	566.5
60 and Up	.	18.9	.	5.7	.	5.3	0	0.0	7	98.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Florence HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	115	28.2	70	16.8	101	24.3	86	20.8	866	629.4
Gender										
Male	75	39.1	45	23.1	68	35.0	62	32.1	555	864.4
Female	40	18.5	25	11.3	33	14.9	24	10.9	311	423.8
Race										
Black	98	57.9	55	31.4	81	45.4	73	40.6	683	1,135.9
White	12	5.4	.	1.8	9	4.1	7	3.3	105	148.5
Hispanic	0	0.0	.	10.0	.	9.4	0	0.0	11	275.1
Other	5	79.0	9	120.7	9	117.2	.	48.1	63	2,301.8
Race/Gender										
Black Male	64	83.7	32	40.7	53	66.4	52	64.5	424	1,575.2
Black Female	34	36.6	23	23.9	28	28.4	21	21.1	259	779.8
White Male	8	7.4	.	2.8	8	7.6	6	5.8	81	238.7
White Female	.	3.4	.	0.9	.	0.9	.	0.9	24	65.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	7	343.4
Hispanic Female	0	0.0	.	20.9	.	18.8	0	0.0	.	203.9
Risk Group - Total										
Male sex w/Male	41	.	27	.	40	.	35	.	303	.
Injecton Drug Use	42	.
MSM and Inj Drug Use	0	.	0	.	12	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	33	.	16	.	10	.	.	.	262	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	8	.
Other/Undetermined	37	.	24	.	49	.	47	.	239	.
Risk Group - Black										
Male sex w/Male	33	.	21	.	33	.	32	.	229	.
Injecton Drug Use	0	.	.	.	31	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	32	.	15	.	9	.	.	.	220	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	7	.
Other/Undetermined	31	.	17	.	39	.	38	.	189	.
Risk Group - White										
Male sex w/Male	6	.	.	.	6	.	.	.	53	.
Injecton Drug Use	.	.	0	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	25	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	4.4
13-19	10	25.6	.	10.6	7	18.5	.	7.9	5	39.9
20-29	34	63.5	21	37.6	34	61.4	32	60.1	86	491.3
30-39	32	61.9	13	25.2	27	52.8	16	31.6	146	864.8
40-49	22	39.6	13	23.9	15	28.9	14	27.4	188	1,110.7
50-59	12	21.3	15	26.5	12	21.6	14	26.2	254	1,437.8
60 and Up	5	6.3	.	4.6	6	6.5	7	7.2	186	557.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Florence AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	81	19.8	62	15.0	56	13.4	39	9.5	474	344.5
Gender										
Male	55	28.6	44	22.6	37	19.0	23	11.9	307	478.2
Female	26	12.0	18	8.1	19	8.6	16	7.3	167	227.6
Race										
Black	68	40.2	51	29.2	48	27.0	36	20.0	382	635.3
White	10	4.4	.	1.8	.	1.9	.	0.9	52	73.5
Hispanic	0	0.0	.	10.0	0	0.0	0	0.0	5	125.1
Other	.	47.4	6	80.5	.	52.0	.	12.0	35	1,278.8
Race/Gender										
Black Male	46	60.2	35	44.4	31	38.8	22	27.3	234	869.3
Black Female	22	23.7	16	16.6	17	17.3	14	14.1	148	445.6
White Male	8	7.4	.	2.8	.	1.9	.	1.0	42	123.8
White Female	.	1.8	.	0.9	.	1.8	.	0.9	10	27.2
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	196.2
Hispanic Female	0	0.0	.	20.9	0	0.0	0	0.0	.	51.0
Risk Group - Total										
Male sex w/Male	26	.	21	.	16	.	9	.	157	.
Injecton Drug Use	.	.	5	.	.	.	0	.	30	.
MSM and Inj Drug Use	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	27	.	13	.	14	.	8	.	178	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	26	.	19	.	25	.	22	.	99	.
Risk Group - Black										
Male sex w/Male	21	.	19	.	14	.	9	.	118	.
Injecton Drug Use	0	.	0	.	23	.
MSM and Inj Drug Use	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.	12	.	13	.	8	.	154	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	20	.	15	.	21	.	19	.	81	.
Risk Group - White										
Male sex w/Male	5	.	0	.	.	.	0	.	28	.
Injecton Drug Use	0	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	2.5	.	5.3	.	2.6	0	0.0	0	0.0
20-29	16	29.9	15	26.8	10	18.0	6	11.2	21	119.9
30-39	24	46.5	11	21.3	15	29.4	9	17.8	67	396.9
40-49	20	36.1	18	33.0	18	34.8	12	23.5	109	643.9
50-59	16	28.4	11	19.5	8	14.4	6	11.2	160	905.7
60 and Up	.	5.1	5	5.8	.	4.3	6	6.1	117	350.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Georgetown HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	32	17.7	21	11.6	25	13.5	22	11.7	241	380.4
Gender										
Male	25	28.9	15	17.4	18	20.6	15	16.8	158	528.1
Female	7	7.4	6	6.3	7	7.3	7	7.0	83	248.3
Race										
Black	20	32.9	13	21.8	16	27.2	11	19.1	150	784.7
White	10	8.8	6	5.3	5	4.2	.	2.4	64	153.7
Hispanic	0	0.0	.	17.9	.	35.0	5	82.5	9	434.9
Other	.	148.1	.	65.2	.	126.1	.	186.0	18	3,358.2
Race/Gender										
Black Male	16	57.6	8	29.3	13	48.6	10	38.4	100	1,157.0
Black Female	.	12.1	5	15.4	.	9.4	.	3.2	50	477.5
White Male	8	14.6	5	9.0	.	5.3	0	0.0	45	226.7
White Female	.	3.4	.	1.7	.	3.3	.	4.6	19	87.2
Hispanic Male	0	0.0	.	31.2	.	30.0	.	114.6	5	420.9
Hispanic Female	0	0.0	0	0.0	.	41.8	.	38.8	.	454.1
Risk Group - Total										
Male sex w/Male	17	.	12	.	12	.	7	.	89	.
Injecton Drug Use	.	.	0	.	.	.	0	.	14	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.	5	74	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	5	.	.	.	8	.	14	.	53	.
Risk Group - Black										
Male sex w/Male	11	.	7	.	8	.	.	.	53	.
Injecton Drug Use	.	.	0	.	.	.	0	.	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	0	.	51	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	7	.	31	.
Risk Group - White										
Male sex w/Male	5	0	.	29	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	0	17	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	26.3
13-19	.	12.9	0	0.0	0	0.0	.	14.2	.	22.0
20-29	5	28.7	10	56.8	9	49.3	5	27.3	12	195.0
30-39	8	42.4	5	28.1	8	46.0	6	35.1	46	798.7
40-49	11	48.2	.	9.5	.	14.9	5	25.6	49	770.9
50-59	.	14.3	.	15.0	.	7.7	.	3.9	68	788.3
60 and Up	.	4.0	0	0.0	.	4.7	.	4.3	63	259.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Georgetown AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	22	12.2	15	8.3	16	8.7	16	8.5	128	202.1
Gender										
Male	18	20.8	9	10.5	10	11.4	14	15.7	87	290.8
Female	.	4.3	6	6.3	6	6.2	.	2.0	41	122.7
Race										
Black	16	26.3	10	16.7	9	15.3	10	17.4	83	434.3
White	5	4.4	.	2.6	6	5.1	.	1.7	29	69.6
Hispanic	.	17.6	.	35.9	0	0.0	.	49.5	5	241.7
Other	0	0.0	0	0.0	.	63.0	.	62.0	11	2,052.3
Race/Gender										
Black Male	13	46.9	5	18.3	6	22.4	10	38.4	58	671.1
Black Female	.	9.1	5	15.4	.	9.4	0	0.0	25	238.7
White Male	5	9.1	.	5.4	.	7.0	.	1.7	21	105.8
White Female	0	0.0	0	0.0	.	3.3	.	1.5	8	36.7
Hispanic Male	0	0.0	.	31.2	0	0.0	.	57.3	.	252.6
Hispanic Female	.	41.7	.	42.1	0	0.0	.	38.8	.	227.0
Risk Group - Total										
Male sex w/Male	9	.	5	.	5	.	8	.	45	.
Injecton Drug Use	.	.	0	.	.	.	0	.	11	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	6	.	6	.	.	.	43	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	5	6	.	21	.
Risk Group - Black										
Male sex w/Male	5	7	.	30	.
Injecton Drug Use	.	.	0	.	.	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	5	.	.	.	0	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	12	.
Risk Group - White										
Male sex w/Male	12	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	.	.
Other/Undetermined	0	.	0	.	.	.	0	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	.	22.0
20-29	.	17.3	7	39.7	.	21.9	.	10.9	.	65.0
30-39	.	21.1	.	22.4	.	11.4	.	23.4	21	364.7
40-49	8	35.0	.	4.7	5	24.8	.	20.5	21	330.4
50-59	6	21.5	.	7.5	.	7.7	.	15.5	36	417.3
60 and Up	.	2.0	.	1.8	.	4.7	.	2.9	45	185.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Greenville HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	176	12.9	192	13.5	190	12.7	199	12.7	1,743	327.4
Gender										
Male	138	20.8	165	23.9	153	21.0	167	21.9	1,350	523.4
Female	38	5.4	27	3.7	37	4.8	32	4.0	393	143.1
Race										
Black	116	46.4	119	45.2	105	37.7	120	41.4	1,013	1,032.9
White	40	4.2	54	5.4	43	4.1	36	3.3	509	139.4
Hispanic	18	16.2	16	13.0	37	27.5	30	20.0	167	319.3
Other	.	5.9	.	8.3	.	9.8	9	18.5	49	288.9
Race/Gender										
Black Male	88	74.8	96	77.2	85	64.9	99	72.7	731	1,590.9
Black Female	28	21.2	23	16.5	20	13.6	21	13.6	282	541.0
White Male	34	7.3	53	10.9	36	7.2	30	5.7	441	249.2
White Female	6	1.2	.	0.2	7	1.3	6	1.1	68	36.2
Hispanic Male	14	23.1	14	21.5	27	38.4	27	34.9	134	496.7
Hispanic Female	.	7.9	.	3.5	10	15.6	.	4.2	33	130.5
Risk Group - Total										
Male sex w/Male	99	.	118	.	112	.	123	.	955	.
Injecton Drug Use	12	88	.
MSM and Inj Drug Use	6	.	12	.	.	.	0	.	69	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	20	.	13	.	20	.	11	.	286	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	0	.	12	.
Other/Undetermined	39	.	42	.	52	.	64	.	329	.
Risk Group - Black										
Male sex w/Male	60	.	76	.	66	.	68	.	499	.
Injecton Drug Use	8	0	.	56	.
MSM and Inj Drug Use	0	.	31	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	9	.	11	.	8	.	210	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	0	.	10	.
Other/Undetermined	30	.	29	.	25	.	44	.	207	.
Risk Group - White										
Male sex w/Male	29	.	35	.	30	.	25	.	341	.
Injecton Drug Use	.	.	0	22	.
MSM and Inj Drug Use	.	.	8	.	.	.	0	.	33	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	49	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	.	.	0	.	0	.	.	.
Other/Undetermined	.	.	9	.	7	.	8	.	59	.
Age Group										
Less than 13	0	0.0	.	1.7	.	0.4	.	0.4	5	5.7
13-19	7	5.5	11	8.5	5	3.7	13	9.4	11	23.5
20-29	59	32.3	70	36.1	80	39.4	65	30.8	185	261.5
30-39	38	20.5	37	19.7	50	25.2	51	24.0	394	541.5
40-49	47	24.0	33	16.7	28	14.3	37	18.7	360	540.9
50-59	18	9.9	23	11.9	19	9.5	22	10.9	513	755.5
60 and Up	7	2.9	14	5.1	7	2.2	10	2.9	275	227.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Greenville AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	127	9.4	102	7.2	97	6.5	91	5.8	886	166.4
Gender										
Male	93	14.0	73	10.6	78	10.8	79	10.3	672	260.5
Female	34	4.8	29	4.0	19	2.4	12	1.4	214	78.0
Race										
Black	84	33.7	68	25.9	49	17.6	65	22.4	537	547.6
White	27	2.8	22	2.2	24	2.3	13	1.2	241	66.0
Hispanic	13	11.7	10	8.1	22	16.4	12	8.0	85	162.6
Other	.	8.8	.	5.5	.	4.8	.	2.1	23	135.6
Race/Gender										
Black Male	60	51.0	47	37.8	35	26.7	54	39.6	375	816.2
Black Female	24	18.2	21	15.1	14	9.6	11	7.2	162	310.8
White Male	23	4.8	17	3.5	24	4.7	12	2.3	208	117.5
White Female	.	0.8	5	1.0	0	0.0	.	0.2	33	17.5
Hispanic Male	9	14.9	7	10.7	17	24.2	12	15.5	70	259.4
Hispanic Female	.	7.9	.	5.2	5	7.8	0	0.0	15	59.3
Risk Group - Total										
Male sex w/Male	65	.	44	.	45	.	48	.	446	.
Injecton Drug Use	10	.	8	.	.	.	5	.	54	.
MSM and Inj Drug Use	.	.	5	39	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	22	.	14	.	12	.	9	.	170	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	6	.
Other/Undetermined	26	.	31	.	34	.	25	.	168	.
Risk Group - Black										
Male sex w/Male	35	.	31	.	24	.	34	.	240	.
Injecton Drug Use	6	32	.
MSM and Inj Drug Use	0	.	.	.	20	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	18	.	11	.	9	.	8	.	132	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	5	.
Other/Undetermined	21	.	20	.	14	.	20	.	108	.
Risk Group - White										
Male sex w/Male	22	.	10	.	15	.	6	.	159	.
Injecton Drug Use	0	.	.	.	14	.
MSM and Inj Drug Use	0	16	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	7	25	.
Age Group										
Less than 13	0	0.0	0	0.0	.	0.4	0	0.0	.	1.1
13-19	.	3.1	0	0.0	.	0.8	.	2.9	.	6.4
20-29	18	9.9	18	9.2	20	9.8	24	11.4	44	62.2
30-39	36	19.4	20	10.7	23	11.6	23	10.9	142	195.1
40-49	40	20.4	31	15.7	27	13.8	17	8.6	204	306.5
50-59	18	9.9	22	11.4	18	8.9	17	8.4	318	468.4
60 and Up	11	4.4	11	4.0	7	2.2	6	1.8	174	144.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Greenwood HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	7.7	31	14.9	27	12.9	30	14.1	277	389.7
Gender										
Male	15	15.3	22	22.4	19	19.4	21	21.2	206	620.7
Female	.	0.9	9	8.1	8	7.2	9	7.9	71	187.4
Race										
Black	12	18.3	18	27.0	20	29.5	18	26.3	193	843.9
White	.	1.5	9	7.0	.	3.2	8	6.3	57	134.2
Hispanic	.	8.6	.	33.3	.	15.8	.	14.9	17	366.2
Other	.	35.9	0	0.0	0	0.0	0	0.0	6	544.9
Race/Gender										
Black Male	11	37.3	13	43.5	15	49.6	14	45.9	143	1,402.4
Black Female	.	2.8	5	13.5	5	13.3	.	10.6	50	394.6
White Male	.	3.3	6	9.9	.	3.3	.	6.6	42	209.0
White Female	0	0.0	.	4.5	.	3.0	.	5.9	15	67.1
Hispanic Male	.	15.7	.	46.2	.	14.9	.	28.6	13	535.4
Hispanic Female	0	0.0	.	18.2	.	16.9	0	0.0	.	180.6
Risk Group - Total										
Male sex w/Male	12	.	16	.	18	.	14	.	139	.
Injecton Drug Use	21	.
MSM and Inj Drug Use	0	.	.	.	14	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	5	50	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	8	.	.	.	10	.	50	.
Risk Group - Black										
Male sex w/Male	9	.	7	.	15	.	10	.	99	.
Injecton Drug Use	0	.	.	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	42	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	7	.	.	.	6	.	31	.
Risk Group - White										
Male sex w/Male	.	.	6	29	.
Injecton Drug Use	.	.	0	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	11	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.7	.	15.1	0	0.0	.	20.4	.	30.6
20-29	7	24.8	11	38.8	12	43.1	9	32.5	30	327.9
30-39	.	11.8	9	37.0	8	32.8	5	20.0	50	592.2
40-49	.	7.2	5	18.6	.	11.7	.	12.2	52	646.3
50-59	.	7.5	.	7.3	.	14.5	5	18.3	87	953.4
60 and Up	0	0.0	.	2.1	0	0.0	.	7.5	56	307.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Greenwood AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	18	8.6	18	8.6	12	5.7	17	8.0	145	204.1
Gender										
Male	16	16.3	15	15.3	7	7.2	14	14.1	112	337.5
Female	.	1.8	.	2.8	5	4.5	.	2.6	33	87.1
Race										
Black	16	24.3	12	17.9	10	14.7	12	17.5	109	476.6
White	.	1.5	.	3.2	.	0.8	.	2.3	23	54.1
Hispanic	0	0.0	.	16.6	.	7.9	.	14.9	8	172.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	363.3
Race/Gender										
Black Male	14	47.5	9	30.1	6	19.9	10	32.8	83	814.0
Black Female	.	5.5	.	8.1	.	10.7	.	5.3	26	205.2
White Male	.	3.3	.	6.6	0	0.0	.	3.3	18	89.5
White Female	0	0.0	0	0.0	.	1.5	.	1.5	5	22.3
Hispanic Male	0	0.0	.	30.8	.	14.9	.	28.6	7	288.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	45.2
Risk Group - Total										
Male sex w/Male	11	.	10	.	6	.	8	.	74	.
Injecton Drug Use	.	.	0	.	0	.	.	.	10	.
MSM and Inj Drug Use	0	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	.	.	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	.	.	5	.	25	.
Risk Group - Black										
Male sex w/Male	10	.	.	.	5	.	5	.	51	.
Injecton Drug Use	0	.	0	.	0	.	.	.	6	.
MSM and Inj Drug Use	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	.	.	5	.	20	.
Risk Group - White										
Male sex w/Male	0	.	.	.	16	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	9.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	17.7	6	21.1	.	10.8	.	14.4	6	65.6
30-39	.	15.7	.	12.3	5	20.5	.	16.1	21	248.7
40-49	.	7.2	7	26.1	.	3.9	.	12.2	27	335.5
50-59	.	14.9	.	7.3	.	7.3	.	11.0	59	646.6
60 and Up	.	2.3	0	0.0	.	2.0	.	5.6	32	175.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Hampton HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	11	17.5	12	19.5	20	33.6	10	17.7	145	803.2
Gender										
Male	9	27.9	10	31.6	16	52.4	6	21.1	103	1,184.8
Female	.	6.5	.	6.7	.	13.8	.	14.2	42	448.7
Race										
Black	8	23.4	7	21.2	13	40.7	9	29.9	116	1,220.2
White	.	7.6	.	11.7	.	12.2	0	0.0	15	192.9
Hispanic	.	45.2	.	84.0	.	83.2	0	0.0	7	1,198.7
Other	0	0.0	0	0.0	.	367.0	.	176.7	7	3,684.2
Race/Gender										
Black Male	6	35.4	6	36.2	9	56.1	6	40.9	78	1,761.5
Black Female	.	11.7	.	6.2	.	25.2	.	19.5	38	748.3
White Male	.	15.0	.	15.3	.	24.0	0	0.0	14	364.1
White Female	0	0.0	.	7.9	0	0.0	0	0.0	.	25.4
Hispanic Male	.	61.1	.	114.7	.	114.7	0	0.0	7	2,167.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	5	.	5	.	10	.	.	.	56	.
Injecton Drug Use	0	.	0	.	.	.	0	.	10	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	45	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	5	.	6	.	31	.
Risk Group - Black										
Male sex w/Male	5	42	.
Injecton Drug Use	0	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	39	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	6	.	26	.
Risk Group - White										
Male sex w/Male	0	0	.	10	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	36.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	37.5	.	26.0	7	92.1	.	56.7	9	422.7
30-39	.	37.1	.	24.6	5	64.9	.	28.5	22	1,063.4
40-49	.	22.8	5	61.1	5	65.9	.	29.5	36	1,717.5
50-59	.	22.7	.	34.3	.	36.6	.	13.2	47	1,964.9
60 and Up	.	8.1	0	0.0	0	0.0	.	6.7	30	600.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Hampton AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	13	20.7	9	14.6	7	11.8	9	15.8	69	382.3
Gender										
Male	9	27.9	7	22.1	6	19.6	.	14.1	51	586.6
Female	.	13.0	.	6.7	.	3.4	5	17.7	18	192.3
Race										
Black	11	32.3	6	18.3	6	18.8	8	26.6	58	610.2
White	.	3.9	.	7.8	0	0.0	0	0.0	6	77.2
Hispanic	0	0.0	.	42.0	0	0.0	0	0.0	.	342.4
Other	.	222.2	0	0.0	.	183.5	.	176.7	.	1,578.9
Race/Gender										
Black Male	7	41.4	5	30.1	5	31.1	.	27.3	41	926.0
Black Female	.	23.3	.	6.2	.	6.3	.	26.0	17	334.7
White Male	.	7.5	.	7.7	0	0.0	0	0.0	6	156.1
White Female	0	0.0	.	7.9	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	.	57.3	0	0.0	0	0.0	.	619.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	6	29	.
Injecton Drug Use	.	.	0	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	6	.	24	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	10	.
Risk Group - Black										
Male sex w/Male	24	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	5	.	21	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	50.1	.	26.0	.	26.3	.	28.4	.	140.9
30-39	.	37.1	.	37.0	.	13.0	.	14.3	10	483.3
40-49	.	45.7	.	12.2	.	39.6	.	44.2	16	763.4
50-59	.	22.7	.	34.3	0	0.0	.	26.3	23	961.5
60 and Up	0	0.0	0	0.0	.	7.0	.	6.7	17	340.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Horry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	92	11.3	102	11.7	169	17.5	159	15.0	1,252	342.5
Gender										
Male	75	18.9	73	17.3	134	28.7	128	25.0	915	521.1
Female	17	4.1	29	6.5	35	7.0	31	5.6	337	177.5
Race										
Black	38	33.6	37	30.6	70	53.1	59	42.2	494	1,043.4
White	43	6.7	57	8.4	76	10.0	75	8.9	605	210.2
Hispanic	7	14.9	.	5.6	14	24.1	14	21.6	90	400.1
Other	.	29.5	5	31.6	8	43.5	8	36.6	58	745.4
Race/Gender										
Black Male	32	60.0	28	49.1	50	80.2	49	74.1	327	1,459.2
Black Female	6	10.0	9	14.1	20	28.8	10	13.5	167	669.8
White Male	34	11.0	40	12.1	61	16.7	59	14.7	473	342.9
White Female	9	2.8	17	4.8	15	3.9	16	3.6	132	88.1
Hispanic Male	7	25.9	.	3.4	14	45.1	11	32.3	73	620.2
Hispanic Female	0	0.0	.	8.4	0	0.0	.	9.7	17	158.5
Risk Group - Total										
Male sex w/Male	50	.	48	.	91	.	75	.	580	.
Injecton Drug Use	8	.	8	.	7	.	.	.	95	.
MSM and Inj Drug Use	.	.	5	36	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	17	.	20	.	20	.	9	.	259	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	.	.	0	.	17	.
Other/Undetermined	12	.	21	.	47	.	68	.	265	.
Risk Group - Black										
Male sex w/Male	18	.	17	.	35	.	29	.	173	.
Injecton Drug Use	35	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	11	.	5	.	14	.	.	.	143	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	9	.
Other/Undetermined	5	.	13	.	18	.	26	.	129	.
Risk Group - White										
Male sex w/Male	25	.	28	.	42	.	36	.	342	.
Injecton Drug Use	5	.	5	49	.
MSM and Inj Drug Use	.	.	5	26	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	13	.	6	.	.	.	84	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	6	.	22	.	32	.	101	.
Age Group										
Less than 13	.	0.9	0	0.0	.	0.8	0	0.0	11	24.6
13-19	8	12.3	.	1.5	6	8.3	5	6.4	5	18.9
20-29	21	19.8	32	28.6	50	44.0	50	43.8	113	298.8
30-39	26	26.3	33	32.3	41	37.5	36	30.8	215	538.5
40-49	26	24.4	23	21.2	31	27.4	33	27.5	267	656.2
50-59	6	5.4	12	9.9	29	21.5	21	14.3	387	767.7
60 and Up	.	2.0	.	0.4	11	3.7	14	4.0	254	202.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Horry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	88	10.9	69	7.9	69	7.2	73	6.8	626	171.3
Gender										
Male	68	17.2	53	12.5	51	10.9	53	10.3	461	262.6
Female	20	4.8	16	3.6	18	3.6	20	3.6	165	86.9
Race										
Black	41	36.3	33	27.3	34	25.9	30	21.5	270	570.2
White	33	5.2	31	4.5	30	4.0	28	3.3	278	96.6
Hispanic	9	19.1	.	1.9	.	6.9	11	16.9	50	222.3
Other	5	36.9	.	25.3	.	5.4	.	18.3	28	359.8
Race/Gender										
Black Male	30	56.2	26	45.5	21	33.7	20	30.3	181	807.6
Black Female	11	18.5	7	11.0	13	18.7	10	13.5	89	357.0
White Male	26	8.4	25	7.6	25	6.8	20	5.0	218	158.0
White Female	7	2.1	6	1.8	5	1.3	8	1.9	60	40.0
Hispanic Male	9	33.2	0	0.0	.	12.9	10	29.4	44	373.8
Hispanic Female	0	0.0	.	4.2	0	0.0	.	3.2	6	56.0
Risk Group - Total										
Male sex w/Male	39	.	31	.	28	.	30	.	274	.
Injecton Drug Use	8	58	.
MSM and Inj Drug Use	20	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	22	.	16	.	14	.	11	.	152	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0
Other/Undetermined	15	.	15	.	22	.	23	.	118	.
Risk Group - Black										
Male sex w/Male	14	.	12	.	10	.	11	.	83	.
Injecton Drug Use	5	.	.	.	0	.	.	.	23	.
MSM and Inj Drug Use	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	15	.	9	.	11	.	6	.	93	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0
Other/Undetermined	7	.	11	.	12	.	9	.	65	.
Risk Group - White										
Male sex w/Male	17	.	18	.	15	.	12	.	155	.
Injecton Drug Use	27	.
MSM and Inj Drug Use	0	.	.	.	16	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	43	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	0	.
Other/Undetermined	6	.	.	.	9	.	9	.	37	.
Age Group										
Less than 13	.	0.9	0	0.0	0	0.0	0	0.0	.	4.5
13-19	.	1.5	0	0.0	0	0.0	.	1.3	.	7.6
20-29	15	14.1	10	8.9	12	10.6	16	14.0	20	52.9
30-39	28	28.3	19	18.6	18	16.5	14	12.0	73	182.8
40-49	25	23.5	22	20.2	16	14.1	24	20.0	154	378.4
50-59	10	9.0	17	14.1	18	13.3	13	8.8	227	450.2
60 and Up	8	4.0	.	0.4	5	1.8	5	1.4	148	117.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Jasper HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	6	8.3	9	11.3	15	17.7	11	12.1	109	345.1
Gender										
Male	5	13.0	9	21.9	10	23.2	6	13.2	75	472.5
Female	.	2.9	0	0.0	5	12.0	5	11.1	34	216.4
Race										
Black	5	14.9	6	16.8	13	35.9	8	21.8	73	589.4
White	.	3.5	.	6.3	0	0.0	.	7.5	18	125.1
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	10	226.8
Other	0	0.0	.	123.2	.	207.2	0	0.0	8	1,975.3
Race/Gender										
Black Male	5	29.4	6	33.8	10	55.6	.	16.6	48	790.2
Black Female	0	0.0	0	0.0	.	16.5	5	26.8	25	396.0
White Male	0	0.0	.	12.2	0	0.0	.	15.1	16	225.9
White Female	.	7.4	0	0.0	0	0.0	0	0.0	.	27.4
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	7	276.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	159.7
Risk Group - Total										
Male sex w/Male	.	.	6	.	7	.	.	.	40	.
Injecton Drug Use	.	.	0	.	0	.	0	.	7	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	32	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	.	.	23	.
Risk Group - Black										
Male sex w/Male	7	.	.	.	24	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	22	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	20	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0	.	.	.	10	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	.	7.7	0	0.0	.	45.8
13-19	0	0.0	.	15.1	.	30.8	0	0.0	.	44.9
20-29	.	35.8	.	16.6	6	50.2	.	32.1	13	300.5
30-39	0	0.0	0	0.0	.	19.1	0	0.0	21	579.5
40-49	.	19.6	.	38.5	.	39.9	5	49.4	14	412.2
50-59	0	0.0	.	9.1	0	0.0	0	0.0	34	811.8
60 and Up	0	0.0	.	6.2	0	0.0	.	7.8	24	253.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Jasper AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	6	8.3	9	11.3	.	4.7	6	6.6	48	151.9
Gender										
Male	5	13.0	7	17.1	.	9.2	.	8.8	35	220.6
Female	.	2.9	.	5.2	0	0.0	.	4.4	13	82.7
Race										
Black	6	17.8	5	14.1	.	8.3	5	13.6	35	282.6
White	0	0.0	.	9.4	0	0.0	.	2.5	.	27.8
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	5	113.4
Other	0	0.0	.	123.2	.	103.6	0	0.0	.	987.7
Race/Gender										
Black Male	5	29.4	.	16.8	.	16.6	.	16.6	24	395.1
Black Female	.	6.1	.	11.2	0	0.0	.	10.8	11	174.2
White Male	0	0.0	.	18.4	0	0.0	.	5.1	.	56.4
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	158.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	53.2
Risk Group - Total										
Male sex w/Male	18	.
Injecton Drug Use	0	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.
Risk Group - Black										
Male sex w/Male	.	.	0	11	.
Injecton Drug Use	0	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.
Risk Group - White										
Male sex w/Male	0	.	.	.	0
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	26.8	.	8.3	0	0.0	.	8.0	.	46.2
30-39	.	10.1	0	0.0	.	9.6	0	0.0	8	220.8
40-49	.	9.8	.	19.3	.	10.0	.	9.9	.	29.5
50-59	0	0.0	5	45.9	.	16.7	.	16.3	24	573.1
60 and Up	.	8.1	.	6.2	0	0.0	.	7.8	13	137.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Kershaw HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	17	9.2	28	14.9	25	13.0	19	9.6	213	315.7
Gender										
Male	13	14.5	18	19.7	23	24.6	15	15.6	142	437.0
Female	.	4.2	10	10.3	.	2.0	.	3.9	71	203.0
Race										
Black	14	29.9	21	44.2	20	41.3	15	30.4	156	932.3
White	.	2.3	6	4.6	.	2.2	.	1.4	44	94.7
Hispanic	0	0.0	0	0.0	.	12.2	.	20.8	5	144.8
Other	0	0.0	.	50.9	.	45.0	0	0.0	8	975.6
Race/Gender										
Black Male	11	50.3	13	58.5	20	88.0	11	47.6	98	1,254.7
Black Female	.	12.1	8	31.7	0	0.0	.	15.2	58	650.1
White Male	.	3.2	.	6.3	.	3.1	.	3.0	34	150.5
White Female	.	1.5	.	3.0	.	1.4	0	0.0	10	41.9
Hispanic Male	0	0.0	0	0.0	.	23.0	.	41.3	.	233.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	57.5
Risk Group - Total										
Male sex w/Male	12	.	12	.	17	.	12	.	88	.
Injecton Drug Use	0	.	.	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	57	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	11	.	8	.	6	.	58	.
Risk Group - Black										
Male sex w/Male	10	.	8	.	14	.	8	.	56	.
Injecton Drug Use	0	.	.	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	9	.	6	.	6	.	48	.
Risk Group - White										
Male sex w/Male	26	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	11.7	0	0.0	.	11.2	.	33.4
20-29	11	54.0	11	51.9	11	50.8	9	40.9	23	313.1
30-39	.	9.4	.	13.8	9	39.6	.	12.5	31	378.3
40-49	.	7.6	6	24.1	.	8.4	.	8.3	36	436.8
50-59	.	7.3	.	10.6	.	7.0	.	3.6	59	646.9
60 and Up	0	0.0	.	7.0	.	2.1	.	3.9	62	350.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Kershaw AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	8.7	19	10.1	16	8.3	5	2.5	117	173.4
Gender										
Male	13	14.5	12	13.2	15	16.1	.	3.1	79	243.2
Female	.	3.2	7	7.3	.	1.0	.	2.0	38	108.6
Race										
Black	11	23.5	14	29.5	12	24.8	.	8.1	85	508.0
White	.	3.1	.	2.3	.	1.5	.	0.8	24	51.7
Hispanic	0	0.0	.	25.6	.	12.2	0	0.0	.	57.9
Other	.	60.5	0	0.0	.	45.0	0	0.0	6	731.7
Race/Gender										
Black Male	8	36.5	9	40.5	11	48.4	.	8.7	51	653.0
Black Female	.	12.1	5	19.8	.	3.9	.	7.6	34	381.0
White Male	.	6.4	.	3.1	.	3.1	.	1.5	22	97.4
White Female	0	0.0	.	1.5	0	0.0	0	0.0	.	8.4
Hispanic Male	0	0.0	.	23.3	.	23.0	0	0.0	.	58.3
Hispanic Female	0	0.0	.	28.5	0	0.0	0	0.0	.	57.5
Risk Group - Total										
Male sex w/Male	9	.	8	.	10	.	.	.	50	.
Injecton Drug Use	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	7	36	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	0	.	24	.
Risk Group - Black										
Male sex w/Male	5	.	5	.	6	.	.	.	30	.
Injecton Drug Use	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	6	32	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	0	.	18	.
Risk Group - White										
Male sex w/Male	17	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	11.4	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	5.0	.	18.9	.	18.5	.	9.1	7	95.3
30-39	6	27.9	.	4.6	8	35.2	.	8.4	14	170.8
40-49	6	22.9	7	28.1	.	16.7	.	4.1	22	267.0
50-59	.	3.6	.	10.6	0	0.0	0	0.0	38	416.7
60 and Up	0	0.0	.	9.4	0	0.0	0	0.0	36	203.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lancaster HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	22	9.5	17	7.0	19	7.0	26	8.8	244	241.8
Gender										
Male	13	11.3	12	10.1	15	11.4	16	11.2	167	341.3
Female	9	7.7	5	4.1	.	2.9	10	6.6	77	148.1
Race										
Black	19	33.3	7	12.4	14	23.4	20	31.6	146	681.1
White	.	1.2	9	5.3	.	1.5	.	0.4	66	92.7
Hispanic	0	0.0	0	0.0	.	7.2	.	23.2	16	260.0
Other	.	44.7	.	35.9	.	23.4	0	0.0	14	653.0
Race/Gender										
Black Male	12	42.5	.	14.3	10	34.4	12	38.9	96	925.2
Black Female	7	24.3	.	10.6	.	13.1	8	24.5	50	452.0
White Male	0	0.0	7	8.4	.	3.3	.	1.0	47	136.5
White Female	.	2.4	.	2.3	0	0.0	0	0.0	19	51.7
Hispanic Male	0	0.0	0	0.0	.	13.8	.	22.9	12	383.1
Hispanic Female	0	0.0	0	0.0	0	0.0	.	23.5	.	132.4
Risk Group - Total										
Male sex w/Male	9	.	6	.	11	.	9	.	103	.
Injecton Drug Use	0	.	0	.	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	51	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	9	.	7	.	15	.	68	.
Risk Group - Black										
Male sex w/Male	8	.	.	.	6	.	7	.	48	.
Injecton Drug Use	0	.	0	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	37	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	.	.	7	.	12	.	47	.
Risk Group - White										
Male sex w/Male	0	41	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	.	0	.	0	.	13	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	6.4
13-19	.	4.8	.	5.2	.	4.8	.	4.5	.	13.2
20-29	9	33.2	5	18.0	8	27.2	9	29.4	25	243.4
30-39	.	6.4	.	9.7	6	17.5	5	13.2	53	409.1
40-49	5	15.1	.	6.1	.	2.9	7	18.2	47	355.7
50-59	.	9.6	5	15.4	.	2.9	.	5.4	68	533.6
60 and Up	.	4.0	.	1.7	.	2.9	.	2.4	49	171.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lancaster AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	16	6.9	23	9.5	10	3.7	15	5.1	135	133.8
Gender										
Male	8	6.9	13	10.9	6	4.6	9	6.3	84	171.7
Female	8	6.8	10	8.1	.	2.9	6	4.0	51	98.1
Race										
Black	15	26.3	14	24.8	8	13.4	12	18.9	79	368.5
White	.	0.7	7	4.1	.	1.1	0	0.0	39	54.8
Hispanic	0	0.0	.	8.5	0	0.0	.	11.7	10	162.6
Other	0	0.0	.	35.9	0	0.0	.	17.3	7	326.5
Race/Gender										
Black Male	8	28.3	9	32.1	5	17.2	7	22.8	47	453.0
Black Female	7	24.3	5	17.6	.	9.8	5	15.3	32	289.3
White Male	0	0.0	.	3.6	.	1.1	0	0.0	25	72.6
White Female	.	1.2	.	4.5	.	1.0	0	0.0	14	38.1
Hispanic Male	0	0.0	0	0.0	0	0.0	.	11.4	7	223.5
Hispanic Female	0	0.0	.	18.0	0	0.0	.	11.8	.	99.3
Risk Group - Total										
Male sex w/Male	.	.	6	.	.	.	6	.	49	.
Injecton Drug Use	0	.	0	.	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	7	36	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	11	.	9	.	6	.	7	.	37	.
Risk Group - Black										
Male sex w/Male	.	.	5	.	.	.	5	.	21	.
Injecton Drug Use	0	.	.	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	11	.	5	.	5	.	5	.	25	.
Risk Group - White										
Male sex w/Male	0	0	.	23	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	0	.	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	.	7.4	5	18.0	.	3.4	.	9.8	5	48.7
30-39	.	9.7	5	16.2	.	11.7	5	13.2	24	185.2
40-49	6	18.0	5	15.1	.	2.9	.	7.8	27	204.4
50-59	.	12.8	7	21.6	.	2.9	.	8.0	48	376.6
60 and Up	.	2.0	.	1.7	.	4.2	.	1.2	31	108.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Laurens HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	17	8.4	25	12.5	25	12.4	25	12.3	197	290.2
Gender										
Male	16	16.2	20	20.7	16	16.5	19	19.5	138	422.0
Female	.	1.0	5	4.8	9	8.7	6	5.7	59	167.8
Race										
Black	11	21.1	20	38.7	20	38.6	16	31.1	134	781.0
White	.	2.1	5	3.6	.	2.9	6	4.3	46	99.4
Hispanic	.	12.0	0	0.0	.	10.8	0	0.0	12	317.6
Other	.	161.6	0	0.0	0	0.0	.	52.9	.	447.0
Race/Gender										
Black Male	10	41.1	15	61.6	13	53.6	11	45.8	88	1,100.3
Black Female	.	3.6	5	18.4	7	25.5	5	18.3	46	502.3
White Male	.	4.3	5	7.5	.	3.0	5	7.5	35	156.0
White Female	0	0.0	0	0.0	.	2.9	.	1.4	11	46.2
Hispanic Male	.	22.1	0	0.0	.	20.1	0	0.0	10	502.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	111.9
Risk Group - Total										
Male sex w/Male	15	.	15	.	11	.	13	.	96	.
Injecton Drug Use	0	.	0	.	.	.	0	.	13	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	38	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	7	.	10	.	12	.	43	.
Risk Group - Black										
Male sex w/Male	9	.	13	.	9	.	9	.	64	.
Injecton Drug Use	0	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	34	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.	7	.	29	.
Risk Group - White										
Male sex w/Male	21	.
Injecton Drug Use	0	.	0	.	.	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	11	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	21.8	0	0.0	.	5.6	.	16.9
20-29	7	27.9	7	27.6	10	38.4	9	34.9	12	140.8
30-39	.	16.8	5	23.1	.	18.3	5	21.6	39	489.5
40-49	.	14.0	.	15.1	7	28.1	8	33.6	42	536.5
50-59	.	3.4	.	6.8	.	10.3	.	3.5	56	598.8
60 and Up	.	2.3	.	6.6	.	2.1	.	1.9	47	265.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Laurens AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	23	11.3	17	8.6	11	5.5	12	5.9	105	154.7
Gender										
Male	16	16.2	10	10.3	7	7.3	9	9.2	72	220.1
Female	7	6.7	7	6.8	.	3.9	.	2.9	33	93.8
Race										
Black	15	28.8	12	23.2	8	15.5	9	17.5	71	413.8
White	7	5.0	.	2.9	.	1.4	.	2.2	22	47.5
Hispanic	.	12.0	0	0.0	.	10.8	0	0.0	9	238.2
Other	0	0.0	.	68.9	0	0.0	0	0.0	.	447.0
Race/Gender										
Black Male	9	37.0	6	24.6	6	24.8	7	29.2	46	575.2
Black Female	6	21.7	6	22.0	.	7.3	.	7.3	25	272.9
White Male	6	8.7	.	4.5	0	0.0	.	3.0	16	71.3
White Female	.	1.4	.	1.4	.	2.9	.	1.4	6	25.2
Hispanic Male	.	22.1	0	0.0	.	20.1	0	0.0	7	351.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	111.9
Risk Group - Total										
Male sex w/Male	13	.	9	.	.	.	7	.	48	.
Injecton Drug Use	0	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	0	.	26	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	5	.	21	.
Risk Group - Black										
Male sex w/Male	6	.	6	.	.	.	7	.	29	.
Injecton Drug Use	0	.	.	.	0	.	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	0	.	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	14	.
Risk Group - White										
Male sex w/Male	6	.	.	.	0	.	0	.	11	.
Injecton Drug Use	0	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	16.3	0	0.0	0	0.0	0	0.0
20-29	.	16.0	.	7.9	.	3.9	.	11.7	.	23.4
30-39	7	29.5	.	18.5	.	13.8	.	8.6	16	200.8
40-49	8	27.8	5	18.8	.	16.1	5	21.0	21	268.2
50-59	.	6.8	.	6.8	.	10.3	.	3.5	35	374.2
60 and Up	.	4.6	.	2.2	0	0.0	.	1.9	31	175.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	20	34.5	19	34.3	17	32.1	5	9.9	121	724.5
Gender										
Male	14	46.4	15	52.0	7	25.9	.	15.5	81	953.2
Female	6	21.6	.	15.1	10	38.7	.	4.1	40	487.6
Race										
Black	19	51.9	16	45.5	16	47.6	5	15.5	109	1,028.8
White	.	5.2	0	0.0	.	5.7	0	0.0	5	90.4
Hispanic	0	0.0	.	86.2	0	0.0	0	0.0	.	691.2
Other	0	0.0	.	249.4	0	0.0	0	0.0	.	2,112.7
Race/Gender										
Black Male	13	69.4	12	66.0	7	41.0	.	24.3	72	1,331.1
Black Female	6	33.7	.	23.5	9	54.5	.	6.3	37	713.6
White Male	.	9.9	0	0.0	0	0.0	0	0.0	5	180.7
White Female	0	0.0	0	0.0	.	11.7	0	0.0	0	0.0
Hispanic Male	0	0.0	.	146.2	0	0.0	0	0.0	.	816.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	529.1
Risk Group - Total										
Male sex w/Male	10	.	10	44	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	5	.	5	.	0	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	.	.	8	.	.	.	34	.
Risk Group - Black										
Male sex w/Male	9	.	8	39	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	5	.	5	.	0	.	37	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	.	.	7	.	.	.	31	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	37.4	.	43.5	.	22.4	0	0.0	0	0.0
20-29	7	83.5	9	109.2	.	52.1	.	27.2	11	453.2
30-39	.	56.1	.	15.1	.	47.3	.	32.5	17	842.1
40-49	.	37.6	5	73.4	.	50.7	0	0.0	22	1,132.2
50-59	.	22.8	.	11.9	6	78.0	.	14.9	45	2,092.1
60 and Up	.	17.9	.	8.0	0	0.0	0	0.0	26	569.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	14	24.2	15	27.1	8	15.2	.	5.9	76	455.1
Gender										
Male	6	19.9	10	34.7	5	18.5	.	11.7	54	635.5
Female	8	28.8	5	18.8	.	11.7	0	0.0	22	268.2
Race										
Black	14	38.3	14	39.8	8	23.8	.	9.2	69	651.3
White	0	0.0	0	0.0	0	0.0	0	0.0	.	72.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	460.8
Other	0	0.0	.	249.4	0	0.0	0	0.0	.	704.2
Race/Gender										
Black Male	6	32.0	9	49.5	5	29.3	.	18.3	48	887.4
Black Female	8	44.9	5	29.5	.	18.2	0	0.0	21	405.0
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	144.5
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	816.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	8	28	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	5	.	.	.	0	.	30	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	16	.
Risk Group - Black										
Male sex w/Male	.	.	7	25	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	.	5	.	.	.	0	.	27	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	15	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	18.7	.	43.5	0	0.0	0	0.0	0	0.0
20-29	.	35.8	8	97.1	.	39.2	.	27.2	6	247.2
30-39	.	56.1	.	45.3	.	15.7	0	0.0	8	396.2
40-49	.	37.6	.	14.6	.	50.7	.	17.4	15	772.0
50-59	.	22.8	.	11.9	.	13.0	0	0.0	27	1,255.2
60 and Up	.	8.9	0	0.0	0	0.0	0	0.0	20	437.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lexington HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	104	13.2	94	11.4	113	13.2	100	11.1	843	277.3
Gender										
Male	82	21.5	79	19.7	92	22.0	86	19.7	618	418.1
Female	22	5.5	15	3.5	21	4.7	14	3.1	225	144.1
Race										
Black	52	44.8	40	32.3	55	41.7	62	43.9	428	879.7
White	34	5.5	43	6.8	41	6.3	23	3.4	300	132.1
Hispanic	13	31.7	7	14.9	12	23.8	10	17.6	78	401.7
Other	5	32.0	.	22.0	5	23.0	.	11.8	34	384.6
Race/Gender										
Black Male	39	71.6	32	55.0	42	67.9	52	78.5	288	1,262.3
Black Female	13	21.1	8	12.2	13	18.6	10	13.3	140	541.8
White Male	30	10.1	36	11.7	35	11.0	21	6.4	239	216.7
White Female	.	1.3	7	2.2	6	1.8	.	0.6	61	52.3
Hispanic Male	9	38.7	7	26.7	10	36.4	9	29.7	63	610.9
Hispanic Female	.	22.4	0	0.0	.	8.7	.	3.7	15	164.8
Risk Group - Total										
Male sex w/Male	63	.	61	.	55	.	57	.	408	.
Injecton Drug Use	46	.
MSM and Inj Drug Use	18	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	13	.	10	.	15	.	.	.	170	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	10	.
Other/Undetermined	25	.	20	.	38	.	34	.	189	.
Risk Group - Black										
Male sex w/Male	31	.	27	.	28	.	36	.	182	.
Injecton Drug Use	0	.	0	.	0	.	.	.	21	.
MSM and Inj Drug Use	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	6	.	5	.	9	.	.	.	112	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	9	.
Other/Undetermined	14	.	7	.	17	.	22	.	95	.
Risk Group - White										
Male sex w/Male	24	.	28	.	19	.	14	.	179	.
Injecton Drug Use	20	.
MSM and Inj Drug Use	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	5	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	9	.	16	.	.	.	50	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	8.3
13-19	9	12.2	6	8.1	8	10.5	.	5.1	.	3.7
20-29	47	46.9	29	27.5	43	39.8	41	37.6	82	226.5
30-39	17	16.3	18	16.8	17	15.2	28	23.3	156	377.6
40-49	14	12.1	20	17.3	28	24.2	17	14.6	185	476.2
50-59	14	12.7	15	12.7	12	9.9	9	7.4	239	581.0
60 and Up	.	2.1	6	3.7	5	2.8	.	0.4	176	248.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lexington AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	55	7.0	62	7.6	65	7.6	43	4.8	455	149.7
Gender										
Male	41	10.7	43	10.7	50	12.0	35	8.0	340	230.0
Female	14	3.5	19	4.5	15	3.4	8	1.8	115	73.7
Race										
Black	33	28.5	26	21.0	36	27.3	23	16.3	244	501.5
White	13	2.1	25	4.0	19	2.9	13	2.0	149	65.7
Hispanic	6	14.6	5	10.6	7	13.9	.	7.0	45	231.8
Other	.	19.3	6	33.0	.	13.8	.	11.8	16	181.0
Race/Gender										
Black Male	25	45.9	15	25.7	26	42.0	17	25.7	171	749.4
Black Female	8	13.0	11	16.7	10	14.3	6	7.9	73	282.5
White Male	10	3.4	19	6.2	16	5.1	12	3.6	121	109.7
White Female	.	1.0	6	1.9	.	0.9	.	0.3	28	24.0
Hispanic Male	.	12.9	.	15.3	5	18.2	.	13.2	36	349.1
Hispanic Female	.	16.8	.	4.7	.	8.7	0	0.0	9	98.9
Risk Group - Total										
Male sex w/Male	27	.	32	.	26	.	25	.	210	.
Injecton Drug Use	0	29	.
MSM and Inj Drug Use	0	.	.	.	11	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	11	.	13	.	15	.	.	.	103	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	15	.	14	.	20	.	12	.	95	.
Risk Group - Black										
Male sex w/Male	15	.	11	.	15	.	11	.	104	.
Injecton Drug Use	0	0	.	17	.
MSM and Inj Drug Use	0	.	.	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	7	.	8	.	9	.	.	.	67	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	9	.	5	.	10	.	8	.	44	.
Risk Group - White										
Male sex w/Male	8	.	15	.	9	.	10	.	87	.
Injecton Drug Use	0	9	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	6	.	6	.	.	.	23	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	2.1
13-19	.	2.8	.	2.8	.	1.3	0	0.0	.	3.7
20-29	13	13.0	14	13.3	14	13.0	11	10.1	26	71.8
30-39	14	13.4	13	12.2	9	8.0	12	10.0	73	176.8
40-49	9	7.8	13	11.2	27	23.4	10	8.6	91	234.2
50-59	15	13.6	12	10.1	11	9.0	9	7.4	150	364.7
60 and Up	.	1.4	8	5.0	.	1.7	.	0.4	113	159.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

McCormick HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	.	6.6	.	10.1	.	13.9	.	10.6	30	318.1
Gender										
Male	.	12.1	.	12.3	.	25.5	.	19.7	26	512.7
Female	0	0.0	.	7.5	0	0.0	0	0.0	.	91.7
Race										
Black	.	13.5	.	13.6	.	21.9	.	15.7	24	576.6
White	0	0.0	.	6.9	0	0.0	0	0.0	.	59.4
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	.	500.0	0	0.0	.	2,531.7
Race/Gender										
Black Male	.	24.5	.	12.1	.	39.3	.	28.5	20	865.0
Black Female	0	0.0	.	15.4	0	0.0	0	0.0	.	216.3
White Male	0	0.0	.	12.9	0	0.0	0	0.0	.	113.7
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	19	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	.	.	5	.
Risk Group - Black										
Male sex w/Male	14	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	75.8	.	75.2	.	223.7
20-29	0	0.0	0	0.0	.	72.1	.	38.6	.	358.8
30-39	0	0.0	.	31.6	0	0.0	0	0.0	.	229.9
40-49	.	51.9	.	28.4	0	0.0	.	35.5	.	436.7
50-59	0	0.0	.	21.9	.	23.2	0	0.0	11	852.1
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	9	205.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

McCormick AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	0	0.0	.	10.1	.	3.4	.	3.5	19	201.5
Gender										
Male	0	0.0	.	12.3	0	0.0	.	6.6	16	315.5
Female	0	0.0	.	7.5	.	7.6	0	0.0	.	68.9
Race										
Black	0	0.0	.	20.4	.	7.3	.	7.9	16	384.5
White	0	0.0	0	0.0	0	0.0	0	0.0	.	39.6
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	.	1,265.8
Race/Gender										
Black Male	0	0.0	.	24.3	0	0.0	.	14.2	13	562.3
Black Female	0	0.0	.	15.4	.	16.5	0	0.0	.	162.1
White Male	0	0.0	0	0.0	0	0.0	0	0.0	.	75.8
White Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	0	.	.	.	0	.	0	.	11	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Risk Group - Black										
Male sex w/Male	0	.	.	.	0	.	0	.	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	0	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
30-39	0	0.0	.	31.6	.	34.2	0	0.0	.	229.9
40-49	0	0.0	.	28.4	0	0.0	0	0.0	.	218.4
50-59	0	0.0	.	21.9	0	0.0	.	25.5	7	542.2
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	8	182.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Marion HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	27	27.2	6	6.3	13	13.8	17	18.5	184	610.2
Gender										
Male	17	37.2	.	4.5	10	23.0	13	30.8	114	821.3
Female	10	18.7	.	7.7	.	5.8	.	8.0	70	430.1
Race										
Black	24	43.5	5	9.2	8	14.9	15	28.6	142	824.5
White	.	7.5	0	0.0	.	5.4	.	2.9	21	181.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	6	625.0
Other	0	0.0	.	83.8	.	250.5	0	0.0	15	3,856.1
Race/Gender										
Black Male	14	57.4	.	8.4	6	25.2	12	51.7	89	1,170.0
Black Female	10	32.3	.	9.9	.	6.7	.	10.2	53	551.2
White Male	.	15.7	0	0.0	.	11.2	.	5.9	15	271.7
White Female	0	0.0	0	0.0	0	0.0	0	0.0	6	98.9
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	530.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	761.4
Risk Group - Total										
Male sex w/Male	11	.	.	.	8	.	9	.	60	.
Injecton Drug Use	.	.	0	.	0	.	0	.	14	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	0	.	61	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	7	.	43	.
Risk Group - Black										
Male sex w/Male	9	.	.	.	5	.	9	.	49	.
Injecton Drug Use	.	.	0	.	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	7	0	.	45	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	6	.	36	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	0	.	9	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	.	5.7	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	10.3	0	0.0	0	0.0	0	0.0	.	38.1
20-29	10	85.0	.	17.3	6	51.8	8	72.5	13	364.0
30-39	.	34.5	0	0.0	.	28.7	.	40.6	30	919.4
40-49	8	62.8	.	25.7	.	9.0	.	9.5	41	1,167.4
50-59	.	13.3	0	0.0	.	15.4	.	25.1	56	1,444.7
60 and Up	.	4.7	.	4.3	.	4.1	.	3.9	43	501.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Marion AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	27	27.2	10	10.3	11	11.7	.	2.2	111	368.1
Gender										
Male	12	26.2	5	11.2	10	23.0	.	2.4	61	439.5
Female	15	27.9	5	9.6	.	2.0	.	2.0	50	307.2
Race										
Black	26	47.1	9	16.6	9	16.7	.	3.9	86	499.3
White	.	2.5	0	0.0	.	2.6	0	0.0	8	69.1
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	5	520.9
Other	0	0.0	.	83.8	.	83.5	0	0.0	12	3,084.8
Race/Gender										
Black Male	11	45.1	5	20.9	8	33.6	.	4.3	46	604.7
Black Female	15	48.5	.	13.2	.	3.3	.	3.4	40	416.0
White Male	.	5.3	0	0.0	.	5.6	0	0.0	6	108.7
White Female	0	0.0	0	0.0	0	0.0	0	0.0	.	33.0
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	.	530.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	507.7
Risk Group - Total										
Male sex w/Male	6	.	.	.	8	.	.	.	26	.
Injecton Drug Use	0	.	0	.	12	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	0	.	46	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	22	.
Risk Group - Black										
Male sex w/Male	5	.	.	.	6	.	.	.	20	.
Injecton Drug Use	0	.	0	.	8	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	0	.	35	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	19	.
Risk Group - White										
Male sex w/Male	.	.	0	.	.	.	0	.	.	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	0	.
Age Group										
Less than 13	.	5.7	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	20.7	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	42.5	.	8.7	.	26.0	0	0.0	.	84.0
30-39	6	51.9	0	0.0	.	38.3	.	20.4	14	429.0
40-49	11	86.4	5	42.9	.	27.2	0	0.0	31	882.6
50-59	.	6.7	.	21.3	0	0.0	0	0.0	35	903.0
60 and Up	.	4.7	.	4.3	.	4.1	0	0.0	28	326.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Marlboro HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	17	19.7	12	14.3	17	20.9	11	14.1	128	500.4
Gender										
Male	12	26.4	10	22.3	14	32.7	10	24.6	93	704.4
Female	5	12.3	.	5.1	.	7.8	.	2.6	35	282.8
Race										
Black	15	33.7	11	25.5	7	16.7	10	24.9	92	696.7
White	.	2.8	.	3.0	5	15.4	.	3.2	25	245.9
Hispanic	.	50.7	0	0.0	.	149.4	0	0.0	5	603.1
Other	0	0.0	0	0.0	.	23.8	0	0.0	5	363.1
Race/Gender										
Black Male	11	46.1	9	39.1	6	27.1	9	42.5	65	943.9
Black Female	.	19.3	.	9.9	.	5.1	.	5.3	27	427.4
White Male	0	0.0	.	5.7	.	24.4	.	6.5	19	378.3
White Female	.	5.7	0	0.0	.	6.2	0	0.0	6	116.6
Hispanic Male	.	64.9	0	0.0	.	187.7	0	0.0	5	791.1
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	9	5	.	41	.
Injecton Drug Use	0	.	9	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	35	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	11	.	6	.	38	.
Risk Group - Black										
Male sex w/Male	8	5	.	27	.
Injecton Drug Use	0	.	.	.	0	.	0	.	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	28	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	.	26	.
Risk Group - White										
Male sex w/Male	0	.	0	.	.	.	0	.	11	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	25.5	0	0.0	.	30.8	.	33.3	.	51.5
20-29	8	67.3	5	43.8	.	18.0	.	28.6	10	294.4
30-39	.	16.3	0	0.0	7	62.3	.	38.7	26	774.7
40-49	.	32.2	5	42.8	.	19.0	0	0.0	15	480.9
50-59	.	8.4	.	8.4	.	34.5	.	18.6	43	1,244.5
60 and Up	0	0.0	.	5.6	0	0.0	0	0.0	33	496.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Marlboro AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	7	8.1	11	13.1	13	16.0	.	2.5	63	246.3
Gender										
Male	5	11.0	9	20.1	8	18.7	0	0.0	44	333.3
Female	.	5.0	.	5.1	5	13.0	.	5.4	19	153.5
Race										
Black	7	15.7	10	23.2	9	21.6	.	5.0	43	325.7
White	0	0.0	0	0.0	.	9.2	0	0.0	16	157.3
Hispanic	0	0.0	.	38.8	0	0.0	0	0.0	.	120.7
Other	0	0.0	0	0.0	.	23.8	0	0.0	.	217.9
Race/Gender										
Black Male	5	20.9	8	34.8	8	36.1	0	0.0	29	421.2
Black Female	.	9.7	.	9.9	.	5.1	.	10.5	14	221.5
White Male	0	0.0	0	0.0	0	0.0	0	0.0	12	238.9
White Female	0	0.0	0	0.0	.	18.6	0	0.0	.	77.7
Hispanic Male	0	0.0	.	48.1	0	0.0	0	0.0	.	158.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	0	.	16	.
Injecton Drug Use	0	.	0	.	.	.	0	.	5	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	23	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	16	.
Risk Group - Black										
Male sex w/Male	0	.	9	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	12	.
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	7	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	.	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	.	15.4	0	0.0	0	0.0
20-29	.	16.8	.	17.5	.	27.1	.	9.6	.	58.9
30-39	.	8.1	.	25.0	5	44.4	0	0.0	11	327.8
40-49	.	24.1	.	17.2	.	19.0	0	0.0	9	288.5
50-59	.	8.4	.	8.4	.	8.6	.	9.4	25	723.6
60 and Up	0	0.0	.	16.8	.	5.4	0	0.0	16	240.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Newberry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	11	9.7	16	14.2	8	6.9	17	14.7	124	322.5
Gender										
Male	9	16.2	12	21.8	6	10.7	16	28.4	90	478.1
Female	.	3.4	.	6.9	.	3.4	.	1.7	34	173.4
Race										
Black	6	17.1	15	42.8	6	16.9	12	34.2	85	733.2
White	.	4.4	.	1.4	.	2.9	5	7.2	22	94.2
Hispanic	.	21.5	0	0.0	0	0.0	0	0.0	10	322.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	1,492.6
Race/Gender										
Black Male	5	29.9	11	65.3	.	23.4	11	65.2	62	1,108.9
Black Female	.	5.4	.	22.0	.	10.9	.	5.5	23	383.2
White Male	.	6.1	.	3.0	.	5.9	5	14.6	16	140.4
White Female	.	2.9	0	0.0	0	0.0	0	0.0	6	50.2
Hispanic Male	.	36.6	0	0.0	0	0.0	0	0.0	9	560.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	67.1
Risk Group - Total										
Male sex w/Male	6	.	7	.	.	.	12	.	58	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	25	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	34	.
Risk Group - Black										
Male sex w/Male	.	.	6	.	.	.	10	.	42	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	17	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	.	.	.	0	.	23	.
Risk Group - White										
Male sex w/Male	11	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	18.5	.	9.6	0	0.0	.	9.4	0	0.0
20-29	.	14.1	.	27.9	.	20.8	7	48.3	10	210.1
30-39	5	37.7	5	40.7	.	16.6	.	24.8	23	563.9
40-49	.	13.2	0	0.0	.	14.7	.	22.8	22	503.4
50-59	0	0.0	.	24.8	.	6.3	.	12.9	44	859.9
60 and Up	0	0.0	.	7.3	0	0.0	.	3.2	25	233.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Newberry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	11	9.7	11	9.8	7	6.2	10	8.7	70	182.1
Gender										
Male	7	12.5	8	14.5	6	10.7	9	16.0	48	255.0
Female	.	6.8	.	5.2	.	1.8	.	1.7	22	112.2
Race										
Black	7	19.9	10	28.6	5	14.1	6	17.2	45	388.2
White	.	2.9	0	0.0	.	1.4	.	5.7	13	55.7
Hispanic	.	10.7	.	11.9	.	11.7	0	0.0	6	193.7
Other	.	142.2	0	0.0	0	0.0	0	0.0	6	1,492.6
Race/Gender										
Black Male	5	29.9	7	41.6	.	23.4	5	29.6	31	554.5
Black Female	.	10.8	.	16.5	.	5.4	.	5.5	14	233.3
White Male	.	3.0	0	0.0	.	3.0	.	11.8	9	79.0
White Female	.	2.9	0	0.0	0	0.0	0	0.0	.	33.4
Hispanic Male	.	18.3	.	22.3	.	22.3	0	0.0	6	373.3
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	.	.	6	.	.	.	5	.	30	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	.	.	0	.	0
Hemophiliac	0	.	.	.	0	.	0	.	0	.
Heterosexual	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	20	.
Risk Group - Black										
Male sex w/Male	0	.	5	20	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	.	.	0	.	0	.	0	.
Heterosexual	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	5	13	.
Risk Group - White										
Male sex w/Male	0	.	0	6	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	.	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	9.6	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	14.0	0	0.0	0	0.0	.	63.0
30-39	5	37.7	.	24.4	.	8.3	.	16.5	9	220.7
40-49	5	33.0	0	0.0	.	22.1	.	22.8	10	228.8
50-59	.	6.3	.	18.6	.	18.8	.	19.3	32	625.4
60 and Up	0	0.0	.	7.3	0	0.0	.	6.4	16	149.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Oconee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	5	2.3	14	6.3	20	8.7	24	10.1	116	145.0
Gender										
Male	5	4.6	8	7.2	17	15.1	21	17.9	93	236.5
Female	0	0.0	6	5.3	.	2.5	.	2.5	23	56.5
Race										
Black	0	0.0	.	11.0	12	65.0	5	26.6	28	442.5
White	5	2.6	8	4.2	7	3.5	14	6.9	67	98.5
Hispanic	0	0.0	.	37.4	0	0.0	.	29.0	12	259.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	509.6
Race/Gender										
Black Male	0	0.0	.	11.3	9	100.7	.	43.9	19	617.4
Black Female	0	0.0	.	10.8	.	31.5	.	10.3	9	276.9
White Male	5	5.3	5	5.3	7	7.3	12	12.1	57	170.9
White Female	0	0.0	.	3.1	0	0.0	.	2.0	10	28.8
Hispanic Male	0	0.0	.	34.7	0	0.0	.	54.5	8	325.2
Hispanic Female	0	0.0	.	40.6	0	0.0	0	0.0	.	184.3
Risk Group - Total										
Male sex w/Male	5	.	5	.	11	.	15	.	66	.
Injecton Drug Use	0	.	0	.	0	.	.	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	6	.	9	.	6	.	21	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	5	.	.	.	13	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	7	.	.	.	5	.
Risk Group - White										
Male sex w/Male	5	.	.	.	6	.	8	.	44	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	.	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	5	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	11.3	.	16.8	.	16.2	.	16.1
20-29	0	0.0	.	15.3	9	33.9	8	29.5	13	145.1
30-39	.	12.2	.	12.8	.	8.5	5	20.2	24	284.4
40-49	.	3.5	.	3.6	.	3.7	5	18.8	19	215.6
50-59	.	3.1	.	12.1	.	6.1	.	6.2	40	366.5
60 and Up	0	0.0	0	0.0	.	4.4	.	1.3	19	73.5

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Oconee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	6	2.8	6	2.6	7	3.1	9	3.7	47	58.7
Gender										
Male	5	4.6	.	2.8	.	1.8	8	6.8	36	91.5
Female	.	0.9	.	2.6	5	4.3	.	0.9	11	27.1
Race										
Black	.	11.4	.	5.5	.	21.7	.	10.7	13	205.5
White	.	2.1	.	1.5	.	1.5	6	3.0	30	44.1
Hispanic	0	0.0	.	9.4	0	0.0	.	7.3	.	43.2
Other	0	0.0	.	41.9	0	0.0	0	0.0	.	203.8
Race/Gender										
Black Male	.	23.8	0	0.0	0	0.0	.	21.9	9	292.5
Black Female	0	0.0	.	10.8	.	42.0	0	0.0	.	123.1
White Male	.	3.2	.	2.1	.	2.1	5	5.1	24	71.9
White Female	.	1.0	.	1.0	.	1.0	.	1.0	6	17.3
Hispanic Male	0	0.0	0	0.0	0	0.0	.	13.6	.	40.7
Hispanic Female	0	0.0	.	20.2	0	0.0	0	0.0	.	46.1
Risk Group - Total										
Male sex w/Male	0	.	6	.	28	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	.	.	5
Risk Group - Black										
Male sex w/Male	.	.	0	.	0	.	.	.	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Risk Group - White										
Male sex w/Male	0	.	.	.	20	.
Injecton Drug Use	.	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	.	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	.	11.3	0	0.0	0	0.0	.	16.1
20-29	.	4.1	0	0.0	.	3.7	.	7.4	.	44.7
30-39	.	4.1	0	0.0	.	8.5	.	12.2	6	71.1
40-49	.	10.6	.	3.6	.	7.5	.	7.6	6	68.1
50-59	.	3.1	.	6.1	.	6.1	.	6.2	21	192.5
60 and Up	0	0.0	.	1.5	0	0.0	0	0.0	9	34.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Orangeburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	89	32.5	80	29.4	60	22.7	79	30.6	531	622.2
Gender										
Male	73	56.9	58	45.3	51	41.3	61	50.6	388	974.8
Female	16	11.0	22	15.2	9	6.4	18	13.1	143	314.1
Race										
Black	85	49.7	71	41.8	53	32.1	61	38.0	455	856.7
White	.	2.1	.	3.2	.	4.5	6	6.9	42	146.1
Hispanic	.	40.0	.	17.7	.	17.6	.	48.6	11	530.6
Other	0	0.0	5	114.4	.	44.8	7	161.2	21	1,482.0
Race/Gender										
Black Male	69	88.2	51	65.5	44	58.3	48	65.5	329	1,361.9
Black Female	16	17.3	20	21.8	9	10.0	13	14.9	126	435.2
White Male	.	4.4	.	2.2	.	9.2	.	9.6	33	237.4
White Female	0	0.0	.	4.2	0	0.0	.	4.4	9	60.6
Hispanic Male	.	73.0	.	32.7	.	33.8	.	61.3	10	925.1
Hispanic Female	0	0.0	0	0.0	0	0.0	.	34.4	.	100.8
Risk Group - Total										
Male sex w/Male	55	.	40	.	44	.	47	.	257	.
Injecton Drug Use	.	.	0	.	0	.	.	.	26	.
MSM and Inj Drug Use	0	.	.	.	10	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	21	.	26	.	10	.	13	.	153	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	7	.
Other/Undetermined	8	.	12	.	6	.	17	.	78	.
Risk Group - Black										
Male sex w/Male	52	.	34	.	37	.	38	.	219	.
Injecton Drug Use	.	.	0	.	0	.	.	.	23	.
MSM and Inj Drug Use	0	.	.	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	21	.	24	.	10	.	8	.	134	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	7	.
Other/Undetermined	7	.	11	.	6	.	13	.	65	.
Risk Group - White										
Male sex w/Male	.	.	0	22	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	.	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	8	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	22.8
13-19	12	42.1	5	19.4	.	8.1	5	20.5	.	37.1
20-29	44	112.0	36	91.0	28	76.1	40	117.6	85	779.1
30-39	11	38.0	11	38.5	11	39.1	18	64.4	102	1,094.0
40-49	9	25.9	12	37.4	12	42.0	7	26.1	92	1,044.8
50-59	9	23.8	13	34.1	.	8.1	5	14.4	142	1,257.2
60 and Up	.	6.8	.	4.7	.	5.9	.	5.7	104	437.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Orangeburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	56	20.4	45	16.5	28	10.6	33	12.8	288	337.5
Gender										
Male	37	28.8	32	25.0	20	16.2	24	19.9	198	497.4
Female	19	13.0	13	9.0	8	5.7	9	6.5	90	197.7
Race										
Black	53	31.0	42	24.8	26	15.7	26	16.2	246	463.2
White	.	3.2	.	2.2	0	0.0	.	3.4	19	66.1
Hispanic	0	0.0	0	0.0	.	17.6	.	16.2	8	385.9
Other	0	0.0	.	22.9	.	22.4	.	69.1	15	1,058.5
Race/Gender										
Black Male	35	44.8	30	38.5	18	23.9	20	27.3	167	691.4
Black Female	18	19.4	12	13.1	8	8.9	6	6.8	79	272.8
White Male	.	4.4	.	2.2	0	0.0	.	4.7	16	115.1
White Female	.	2.1	.	2.1	0	0.0	.	2.2	.	20.2
Hispanic Male	0	0.0	0	0.0	.	33.8	0	0.0	7	647.6
Hispanic Female	0	0.0	0	0.0	0	0.0	.	34.4	.	100.8
Risk Group - Total										
Male sex w/Male	26	.	18	.	12	.	19	.	124	.
Injecton Drug Use	.	.	0	.	0	.	.	.	15	.
MSM and Inj Drug Use	0	.	.	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	19	.	17	.	13	.	7	.	102	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	9	.	.	.	5	.	38	.
Risk Group - Black										
Male sex w/Male	25	.	17	.	10	.	17	.	106	.
Injecton Drug Use	.	.	0	.	0	.	.	.	14	.
MSM and Inj Drug Use	0	.	.	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	18	.	16	.	13	.	5	.	89	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	6	.	8	30	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	.	.	9	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	14.1	.	7.7	0	0.0	.	4.1	.	12.3
20-29	16	40.7	12	30.4	.	5.4	8	23.5	15	137.5
30-39	11	38.0	9	31.6	5	17.7	10	35.8	51	547.0
40-49	13	37.3	12	37.4	10	35.0	7	26.1	52	590.5
50-59	6	15.8	6	15.7	7	19.0	.	11.6	103	911.9
60 and Up	6	10.2	.	6.4	.	5.9	.	4.3	66	277.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Pickens HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	17	4.7	25	6.9	17	4.6	38	10.0	197	153.9
Gender										
Male	12	6.7	21	11.7	14	7.6	32	16.9	149	234.3
Female	5	2.8	.	2.2	.	1.7	6	3.2	48	74.6
Race										
Black	.	7.9	12	46.9	7	26.4	14	49.7	62	651.1
White	15	4.8	10	3.2	9	2.9	21	6.4	117	106.2
Hispanic	0	0.0	.	8.3	.	7.6	.	13.3	15	280.6
Other	0	0.0	.	13.4	0	0.0	.	11.2	.	101.8
Race/Gender										
Black Male	.	8.0	9	71.9	6	46.2	11	80.2	44	953.8
Black Female	.	7.7	.	22.9	.	7.4	.	20.8	18	366.6
White Male	11	7.0	9	5.7	7	4.4	18	11.1	90	165.2
White Female	.	2.5	.	0.7	.	1.2	.	1.8	27	48.5
Hispanic Male	0	0.0	.	15.0	.	13.6	.	24.3	13	450.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	81.4
Risk Group - Total										
Male sex w/Male	11	.	17	.	12	.	26	.	108	.
Injecton Drug Use	19	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	6	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	.	.	30	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	31	.
Risk Group - Black										
Male sex w/Male	.	.	9	.	6	.	10	.	28	.
Injecton Drug Use	0	.	.	.	0	.	0	.	6	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	.	.	0	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	13	.
Risk Group - White										
Male sex w/Male	10	.	8	.	5	.	14	.	68	.
Injecton Drug Use	13	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	0	.	.	.	16	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	15	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	2.4	.	4.8	.	2.4	.	2.3	.	13.9
20-29	.	4.6	11	16.3	7	10.1	15	21.0	19	79.6
30-39	.	7.8	5	13.1	.	5.2	9	22.1	42	303.3
40-49	7	15.3	.	9.2	.	7.3	8	19.4	37	271.0
50-59	.	4.5	.	6.5	.	6.3	.	8.6	62	396.9
60 and Up	.	1.4	0	0.0	.	1.2	.	1.1	35	117.6

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Pickens AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	12	3.4	14	3.9	15	4.1	15	4.0	103	80.5
Gender										
Male	7	4.0	10	5.6	11	5.9	13	6.9	73	114.8
Female	5	2.8	.	2.2	.	2.2	.	1.1	30	46.6
Race										
Black	.	4.0	8	31.2	6	22.7	6	21.3	26	273.0
White	10	3.2	.	1.0	9	2.9	8	2.4	69	62.6
Hispanic	0	0.0	.	16.5	0	0.0	.	6.6	7	131.0
Other	.	15.0	.	13.4	0	0.0	0	0.0	.	33.9
Race/Gender										
Black Male	0	0.0	5	39.9	5	38.5	5	36.4	18	390.2
Black Female	.	7.7	.	22.9	.	7.4	.	6.9	8	162.9
White Male	7	4.5	.	1.3	6	3.7	7	4.3	49	90.0
White Female	.	1.9	.	0.7	.	1.9	.	0.6	20	36.0
Hispanic Male	0	0.0	.	29.8	0	0.0	.	12.1	6	207.7
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	40.7
Risk Group - Total										
Male sex w/Male	5	.	6	.	8	.	8	.	50	.
Injecton Drug Use	14	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	0	.	0	.	19	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	6	.	15	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	5	.	.	.	10	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0
Risk Group - White										
Male sex w/Male	5	36	.
Injecton Drug Use	10	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	0	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	0	9	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	5.9	5	7.3	.	4.2	.	4.2
30-39	.	10.3	6	15.7	.	5.2	.	9.8	12	86.7
40-49	6	13.1	.	6.9	.	9.7	.	9.7	25	183.2
50-59	.	2.2	.	2.2	.	8.5	.	4.3	39	249.6
60 and Up	.	1.4	0	0.0	0	0.0	.	2.3	26	87.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Richland HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	404	35.3	382	32.0	366	29.8	330	26.4	3,226	769.8
Gender										
Male	331	59.6	307	52.9	303	50.8	274	45.5	2,373	1,177.3
Female	73	12.3	75	12.2	63	10.0	56	8.7	853	392.3
Race										
Black	320	60.4	323	57.6	277	47.3	263	43.1	2,593	1,259.0
White	56	10.6	35	6.5	46	8.6	48	9.1	424	242.2
Hispanic	16	30.0	7	11.7	24	38.2	8	12.0	118	510.8
Other	11	33.3	14	37.8	17	41.1	10	22.6	82	549.2
Race/Gender										
Black Male	259	104.0	259	98.7	230	84.0	221	78.2	1,852	1,949.3
Black Female	61	21.7	64	21.5	47	15.1	42	12.9	741	667.8
White Male	49	18.7	28	10.5	36	13.4	41	15.6	360	413.5
White Female	7	2.6	7	2.6	10	3.7	7	2.6	64	72.7
Hispanic Male	13	44.9	6	18.6	23	70.1	5	14.4	94	781.4
Hispanic Female	.	12.3	.	3.6	.	3.3	.	9.4	24	216.8
Risk Group - Total										
Male sex w/Male	231	.	228	.	215	.	181	.	1,494	.
Injecton Drug Use	11	.	6	.	15	.	10	.	203	.
MSM and Inj Drug Use	9	95	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	61	.	40	.	33	.	26	.	656	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	37	.
Other/Undetermined	90	.	103	.	99	.	111	.	735	.
Risk Group - Black										
Male sex w/Male	172	.	195	.	171	.	157	.	1,150	.
Injecton Drug Use	7	.	5	.	7	.	.	.	165	.
MSM and Inj Drug Use	8	0	.	61	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	56	.	36	.	27	.	20	.	586	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	34	.
Other/Undetermined	76	.	85	.	71	.	83	.	593	.
Risk Group - White										
Male sex w/Male	43	.	21	.	19	.	18	.	249	.
Injecton Drug Use	.	.	0	.	7	.	6	.	21	.
MSM and Inj Drug Use	28	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	33	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	7	.	9	.	17	.	20	.	91	.
Age Group										
Less than 13	.	1.1	.	0.6	0	0.0	.	0.6	8	12.5
13-19	28	22.1	25	19.6	16	12.3	22	16.8	18	41.6
20-29	148	70.6	165	72.9	173	72.4	155	65.2	358	455.8
30-39	84	53.5	75	47.1	77	47.3	81	48.6	644	1,143.5
40-49	84	55.7	60	39.9	43	29.7	34	23.3	619	1,269.4
50-59	46	32.2	41	27.5	42	28.3	27	18.7	890	1,859.8
60 and Up	12	7.2	15	7.8	15	7.0	10	4.3	689	854.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Richland AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	352	30.7	217	18.2	217	17.7	156	12.5	1,729	412.6
Gender										
Male	263	47.3	160	27.6	160	26.8	122	20.2	1,257	623.6
Female	89	15.1	57	9.2	57	9.0	34	5.3	472	217.0
Race										
Black	283	53.4	194	34.7	172	29.4	132	21.7	1,419	688.9
White	46	8.7	13	2.4	22	4.1	14	2.6	201	114.8
Hispanic	10	18.7	5	8.4	12	19.1	7	10.5	65	281.4
Other	13	39.5	5	13.5	10	24.2	.	6.7	42	281.3
Race/Gender										
Black Male	205	82.3	145	55.2	124	45.3	105	37.2	1,001	1,053.6
Black Female	78	27.7	49	16.4	48	15.4	27	8.3	418	376.8
White Male	39	15.0	9	3.4	15	5.6	13	5.0	174	199.9
White Female	7	2.6	.	1.4	7	2.6	.	0.3	27	30.7
Hispanic Male	7	24.2	.	12.4	12	36.6	.	8.6	49	407.3
Hispanic Female	.	12.3	.	3.6	0	0.0	.	12.4	16	144.5
Risk Group - Total										
Male sex w/Male	160	.	103	.	96	.	76	.	756	.
Injecton Drug Use	27	.	17	.	14	.	6	.	141	.
MSM and Inj Drug Use	12	.	0	.	6	.	5	.	71	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	76	.	42	.	34	.	24	.	391	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	15	.
Other/Undetermined	76	.	54	.	66	.	45	.	349	.
Risk Group - Black										
Male sex w/Male	119	.	93	.	76	.	67	.	582	.
Injecton Drug Use	23	.	16	.	10	.	.	.	118	.
MSM and Inj Drug Use	.	.	0	.	5	.	.	.	51	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	70	.	37	.	31	.	20	.	356	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	15	.
Other/Undetermined	66	.	47	.	49	.	39	.	293	.
Risk Group - White										
Male sex w/Male	32	.	7	.	11	.	6	.	128	.
Injecton Drug Use	.	.	0	8	.
MSM and Inj Drug Use	.	.	0	.	0	.	.	.	17	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	18	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	5	.	.	.	8	.	.	.	28	.
Age Group										
Less than 13	.	0.6	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	4.0	5	4.0	.	3.1	.	0.8	.	6.9
20-29	81	38.7	52	23.0	61	25.5	43	18.2	92	117.2
30-39	96	61.1	59	37.0	50	30.7	37	22.2	269	477.6
40-49	95	62.9	52	34.7	38	26.2	31	21.2	382	783.3
50-59	58	40.7	31	20.8	51	34.3	26	17.9	574	1,199.4
60 and Up	16	9.5	18	9.5	13	6.2	18	7.7	409	507.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Saluda HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	.	3.4	8	13.3	.	5.0	7	11.4	46	226.4
Gender										
Male	.	3.4	5	16.5	.	9.8	5	16.2	33	324.2
Female	.	3.4	.	10.1	0	0.0	.	6.6	13	128.3
Race										
Black	.	6.4	.	19.1	.	6.5	5	33.3	25	509.9
White	0	0.0	.	5.7	.	2.9	.	5.5	9	74.4
Hispanic	0	0.0	.	33.7	.	10.7	0	0.0	10	316.4
Other	.	393.7	0	0.0	0	0.0	0	0.0	.	1,290.3
Race/Gender										
Black Male	0	0.0	.	39.9	.	13.6	.	55.7	17	725.2
Black Female	.	12.1	0	0.0	0	0.0	.	12.8	8	312.6
White Male	0	0.0	.	5.8	.	5.7	.	5.6	8	135.7
White Female	0	0.0	.	5.6	0	0.0	.	5.4	.	16.2
Hispanic Male	0	0.0	.	18.8	.	18.0	0	0.0	7	373.9
Hispanic Female	0	0.0	.	55.4	0	0.0	0	0.0	.	232.8
Risk Group - Total										
Male sex w/Male	17	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	12	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	5	.	0	.	.	.	14	.
Risk Group - Black										
Male sex w/Male	0	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	.	.	.	0	.	.	.	6	.
Risk Group - White										
Male sex w/Male	0	.	0	7	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	13.3	0	0.0	.	42.6	5	223.9
30-39	.	14.2	.	42.7	.	14.0	.	28.4	6	259.2
40-49	.	12.9	.	38.9	0	0.0	0	0.0	12	501.3
50-59	0	0.0	.	11.8	.	23.1	.	11.6	16	554.8
60 and Up	0	0.0	0	0.0	0	0.0	.	5.9	7	121.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Saluda AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	.	6.8	8	13.3	.	1.7	.	4.8	30	147.6
Gender										
Male	.	10.1	.	13.2	.	3.3	.	9.7	21	206.3
Female	.	3.4	.	13.4	0	0.0	0	0.0	9	88.8
Race										
Black	.	19.3	.	12.8	0	0.0	.	20.0	16	326.4
White	.	3.0	.	5.7	0	0.0	0	0.0	.	33.1
Hispanic	0	0.0	.	33.7	.	10.7	0	0.0	8	253.1
Other	0	0.0	.	306.8	0	0.0	0	0.0	.	1,290.3
Race/Gender										
Black Male	.	27.4	.	26.6	0	0.0	.	41.8	11	469.3
Black Female	.	12.1	0	0.0	0	0.0	0	0.0	5	195.4
White Male	.	5.9	.	5.8	0	0.0	0	0.0	.	50.9
White Female	0	0.0	.	5.6	0	0.0	0	0.0	.	16.2
Hispanic Male	0	0.0	.	18.8	.	18.0	0	0.0	6	320.5
Hispanic Female	0	0.0	.	55.4	0	0.0	0	0.0	.	155.2
Risk Group - Total										
Male sex w/Male	0	.	.	.	9	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	9	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	6	.	0	.	.	.	11	.
Risk Group - Black										
Male sex w/Male	0	.	.	.	5	.
Injecton Drug Use	0	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0
Risk Group - White										
Male sex w/Male	0	.	0	.	0	.	0	.	.	.
Injecton Drug Use	.	.	0	.	0	.	0	.	0	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	13.3	0	0.0	.	28.4	.	44.8
30-39	.	14.2	.	42.7	0	0.0	.	14.2	.	129.6
40-49	.	38.5	.	38.9	0	0.0	0	0.0	11	459.5
50-59	0	0.0	.	11.8	.	11.6	0	0.0	10	346.7
60 and Up	0	0.0	0	0.0	0	0.0	0	0.0	5	86.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Spartanburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	99	11.6	107	12.2	83	9.1	102	10.7	844	258.7
Gender										
Male	68	16.3	82	19.4	70	16.0	70	15.1	611	386.1
Female	31	7.0	25	5.6	13	2.8	32	6.5	233	138.7
Race										
Black	67	37.3	66	35.8	46	24.0	55	27.1	518	750.6
White	25	4.1	35	5.7	26	4.2	29	4.4	259	116.1
Hispanic	6	11.9	.	5.5	9	15.0	14	20.0	43	176.9
Other	.	5.0	.	13.3	.	8.0	.	7.2	22	224.4
Race/Gender										
Black Male	43	51.5	51	59.5	36	40.4	35	37.1	345	1,074.2
Black Female	24	25.0	15	15.2	10	9.8	20	18.5	173	468.9
White Male	20	6.7	26	8.7	23	7.5	22	6.8	211	194.2
White Female	5	1.7	9	2.9	.	0.9	7	2.1	48	41.9
Hispanic Male	.	14.4	.	10.1	9	27.9	12	32.6	38	297.4
Hispanic Female	.	8.9	0	0.0	0	0.0	.	6.1	5	43.3
Risk Group - Total										
Male sex w/Male	42	.	53	.	52	.	45	.	394	.
Injecton Drug Use	.	.	7	58	.
MSM and Inj Drug Use	.	.	5	21	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	24	.	19	.	8	.	7	.	180	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	11	.
Other/Undetermined	24	.	23	.	17	.	44	.	180	.
Risk Group - Black										
Male sex w/Male	27	.	31	.	27	.	26	.	206	.
Injecton Drug Use	36	.
MSM and Inj Drug Use	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	17	.	13	.	5	.	6	.	136	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	9	.
Other/Undetermined	19	.	17	.	11	.	22	.	124	.
Risk Group - White										
Male sex w/Male	14	.	18	.	19	.	13	.	153	.
Injecton Drug Use	.	.	5	.	0	.	.	.	17	.
MSM and Inj Drug Use	12	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	5	.	.	.	0	.	35	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	6	.	.	.	11	.	41	.
Age Group										
Less than 13	.	0.7	0	0.0	0	0.0	0	0.0	.	3.7
13-19	.	2.3	.	3.6	.	4.7	.	1.1	5	16.6
20-29	37	33.9	43	37.0	37	29.7	44	33.7	83	190.2
30-39	19	17.5	20	19.1	14	12.9	26	21.3	171	401.2
40-49	22	17.9	19	15.8	10	8.6	17	14.4	143	363.3
50-59	14	12.1	18	15.1	13	10.6	12	9.5	247	577.2
60 and Up	.	2.4	.	2.2	5	2.5	.	0.9	193	260.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Spartanburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	63	7.4	51	5.8	43	4.7	40	4.2	421	129.0
Gender										
Male	43	10.3	40	9.5	34	7.7	28	6.1	312	197.1
Female	20	4.5	11	2.4	9	2.0	12	2.4	109	64.9
Race										
Black	37	20.6	32	17.4	22	11.4	22	10.9	264	382.6
White	18	3.0	15	2.4	15	2.4	10	1.5	125	56.0
Hispanic	6	11.9	.	5.5	6	9.9	8	11.4	24	98.7
Other	.	10.0	.	4.4	0	0.0	0	0.0	8	81.6
Race/Gender										
Black Male	21	25.1	24	28.1	19	21.3	13	13.8	177	551.1
Black Female	16	16.6	8	8.1	.	3.0	9	8.3	87	235.8
White Male	15	5.1	12	4.1	10	3.3	7	2.2	106	97.6
White Female	.	1.0	.	1.0	5	1.5	.	0.9	19	16.6
Hispanic Male	5	18.0	.	10.1	5	15.5	8	21.7	22	172.2
Hispanic Female	.	4.4	0	0.0	.	3.5	0	0.0	.	17.4
Risk Group - Total										
Male sex w/Male	27	.	24	.	22	.	15	.	209	.
Injecton Drug Use	.	.	5	.	5	.	.	.	29	.
MSM and Inj Drug Use	12	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	18	.	6	.	.	.	5	.	94	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	12	.	14	.	10	.	17	.	73	.
Risk Group - Black										
Male sex w/Male	14	.	14	.	12	.	7	.	110	.
Injecton Drug Use	18	.
MSM and Inj Drug Use	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	5	.	.	.	5	.	75	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	10	.	7	.	8	.	53	.
Risk Group - White										
Male sex w/Male	11	.	8	.	7	.	5	.	83	.
Injecton Drug Use	0	8	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	8	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	12	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	.	1.2	0	0.0	.	1.2	0	0.0	0	0.0
20-29	7	6.4	11	9.5	10	8.0	9	6.9	19	43.6
30-39	13	12.0	14	13.4	9	8.3	16	13.1	61	143.1
40-49	20	16.3	11	9.2	7	5.9	9	7.7	70	177.9
50-59	17	14.7	14	11.7	12	9.8	6	4.7	149	348.2
60 and Up	5	3.0	.	0.6	.	2.0	0	0.0	122	164.8

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Sumter HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	105	32.9	78	24.1	65	20.2	71	22.2	705	662.9
Gender										
Male	77	50.2	61	39.1	47	30.3	51	33.2	445	872.3
Female	28	16.8	17	10.1	18	10.8	20	12.1	260	469.8
Race										
Black	86	56.8	62	40.5	55	35.8	53	34.4	596	1,164.2
White	13	8.6	8	5.3	7	4.7	10	6.8	67	138.6
Hispanic	.	29.4	.	25.2	.	15.6	.	22.4	17	371.0
Other	.	56.5	.	66.2	.	15.4	.	14.6	20	891.7
Race/Gender										
Black Male	65	92.3	50	70.4	39	54.8	36	50.7	369	1,568.1
Black Female	21	25.9	12	14.6	16	19.4	17	20.6	227	820.8
White Male	8	10.6	6	7.8	5	6.7	8	11.0	50	207.1
White Female	5	6.5	.	2.6	.	2.8	.	2.8	17	70.2
Hispanic Male	.	36.7	.	15.1	.	28.8	.	42.0	11	453.2
Hispanic Female	.	20.9	.	37.7	0	0.0	0	0.0	6	278.4
Risk Group - Total										
Male sex w/Male	56	.	34	.	28	.	28	.	203	.
Injecton Drug Use	6	.	0	47	.
MSM and Inj Drug Use	0	0	.	15	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	20	.	14	.	11	.	.	.	216	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	5	.
Other/Undetermined	23	.	28	.	24	.	41	.	218	.
Risk Group - Black										
Male sex w/Male	45	.	27	.	24	.	20	.	161	.
Injecton Drug Use	5	.	0	.	0	.	0	.	41	.
MSM and Inj Drug Use	0	.	.	.	0	.	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	18	.	14	.	10	.	.	.	200	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	18	.	20	.	21	.	32	.	182	.
Risk Group - White										
Male sex w/Male	8	5	.	28	.
Injecton Drug Use	.	.	0	5	.
MSM and Inj Drug Use	0	0	.	7	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	.	.	0	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	17	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	5.4
13-19	7	22.1	10	33.1	.	13.6	5	17.5	.	21.2
20-29	33	68.0	23	45.5	27	54.7	21	43.6	58	365.1
30-39	20	54.5	12	31.4	8	20.5	19	47.5	115	855.9
40-49	23	54.9	16	40.4	15	41.7	11	32.0	112	991.4
50-59	16	38.2	15	34.8	.	9.5	9	22.9	245	1,904.5
60 and Up	6	10.1	.	3.1	7	10.2	6	8.1	172	686.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Sumter AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	84	26.3	62	19.1	41	12.8	33	10.3	397	373.2
Gender										
Male	64	41.7	44	28.2	26	16.7	18	11.8	243	476.4
Female	20	12.0	18	10.8	15	9.0	15	9.0	154	278.2
Race										
Black	76	50.2	54	35.2	39	25.3	28	18.2	346	676.0
White	.	2.6	5	3.3	.	0.7	5	3.4	33	68.3
Hispanic	.	19.6	.	16.8	.	7.8	0	0.0	7	152.8
Other	.	37.7	.	16.5	0	0.0	0	0.0	11	490.4
Race/Gender										
Black Male	58	82.3	39	54.9	25	35.1	15	21.1	208	883.9
Black Female	18	22.2	15	18.3	14	16.9	13	15.7	138	499.0
White Male	.	4.0	.	4.0	0	0.0	.	4.2	25	103.6
White Female	.	1.3	.	2.6	.	1.3	.	2.8	8	33.0
Hispanic Male	.	36.7	.	15.1	.	14.4	0	0.0	5	206.0
Hispanic Female	0	0.0	.	18.9	0	0.0	0	0.0	.	92.8
Risk Group - Total										
Male sex w/Male	30	.	20	.	10	.	11	.	107	.
Injecton Drug Use	6	.	.	.	0	.	.	.	29	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	5	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	27	.	20	.	17	.	6	.	152	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.
Other/Undetermined	19	.	20	.	14	.	15	.	103	.
Risk Group - Black										
Male sex w/Male	26	.	17	.	10	.	10	.	87	.
Injecton Drug Use	6	.	.	.	0	.	0	.	25	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	26	.	19	.	17	.	6	.	140	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.
Other/Undetermined	16	.	16	.	12	.	12	.	90	.
Risk Group - White										
Male sex w/Male	0	.	.	.	16	.
Injecton Drug Use	0	.	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	7	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	5	15.7	.	6.6	.	3.4	.	3.5	0	0.0
20-29	12	24.8	16	31.7	.	8.1	5	10.3	18	113.3
30-39	15	40.8	9	23.5	6	15.4	9	22.6	48	357.3
40-49	25	59.6	20	50.5	15	41.7	8	23.3	59	522.3
50-59	22	52.5	14	32.5	7	16.6	6	15.2	159	1,236.0
60 and Up	5	8.5	.	1.5	8	11.7	.	5.4	113	450.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Union HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	11	13.0	9	10.7	11	13.3	14	17.2	73	270.5
Gender										
Male	6	14.9	6	15.0	7	17.8	9	23.3	51	399.9
Female	5	11.2	.	6.8	.	9.1	5	11.7	22	154.6
Race										
Black	8	29.7	6	22.2	5	18.6	10	37.5	47	535.6
White	.	5.3	.	5.4	6	11.0	.	7.6	23	131.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	401.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	.	23.8	.	23.8	.	23.9	6	48.6	32	788.9
Black Female	5	35.1	.	21.0	.	14.0	.	27.9	15	317.8
White Male	.	11.1	.	11.3	.	15.4	.	11.9	18	216.0
White Female	0	0.0	0	0.0	.	7.0	.	3.6	5	54.5
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	865.8
Risk Group - Total										
Male sex w/Male	5	6	.	29	.
Injecton Drug Use	0	0	.	5	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	14	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	.	.	5	.	6	.	7	.	22	.
Risk Group - Black										
Male sex w/Male	18	.
Injecton Drug Use	0	.	.	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	10	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	6	.	16	.
Risk Group - White										
Male sex w/Male	10	.
Injecton Drug Use	0	.	0	.	.	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	6	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	24.9
13-19	0	0.0	0	0.0	.	14.2	0	0.0	0	0.0
20-29	.	11.2	0	0.0	.	10.3	8	83.5	5	159.8
30-39	0	0.0	.	21.7	5	58.1	.	23.3	11	376.4
40-49	6	49.9	.	35.4	.	19.3	.	10.2	17	537.2
50-59	.	15.5	.	15.3	.	7.9	.	17.1	26	673.1
60 and Up	.	10.0	.	4.7	.	4.5	.	4.3	13	169.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Union AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	9	10.6	10	11.9	6	7.3	.	4.8	38	140.8
Gender										
Male	5	12.4	6	15.0	.	10.1	.	7.8	27	211.6
Female	.	8.9	.	9.0	.	4.6	.	2.3	11	77.2
Race										
Black	7	26.1	6	22.2	.	11.1	.	7.5	24	273.5
White	.	3.5	.	7.2	.	5.5	.	3.7	13	74.3
Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	.	200.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Race/Gender										
Black Male	.	23.8	.	15.8	.	7.9	.	16.2	16	394.5
Black Female	.	28.1	.	27.9	.	14.0	0	0.0	8	169.5
White Male	.	7.4	.	15.1	.	11.6	.	4.0	11	132.0
White Female	0	0.0	0	0.0	0	0.0	.	3.6	.	21.8
Hispanic Male	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	432.9
Risk Group - Total										
Male sex w/Male	0	.	14	.
Injecton Drug Use	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	8	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	.	.	5	12	.
Risk Group - Black										
Male sex w/Male	0	.	8	.
Injecton Drug Use	0	.	0	.	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	6	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	9	.
Risk Group - White										
Male sex w/Male	0	.	6	.
Injecton Drug Use	0	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	.	.	0	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	.	10.9	0	0.0	.	10.5	0	0.0
30-39	0	0.0	.	21.7	.	23.2	.	11.7	.	136.8
40-49	6	49.9	.	8.8	.	28.8	.	10.2	11	347.7
50-59	.	7.8	.	30.6	0	0.0	.	8.5	15	388.3
60 and Up	.	10.0	.	9.5	.	4.5	0	0.0	8	104.0

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Williamsburg HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	34	33.0	32	32.2	31	32.5	29	31.9	265	888.5
Gender										
Male	24	47.7	27	56.0	27	58.7	21	48.8	190	1,348.3
Female	10	18.9	5	9.8	.	8.0	8	16.7	75	476.7
Race										
Black	29	42.7	25	38.4	19	30.5	19	32.3	209	1,088.6
White	.	6.2	.	3.2	7	23.1	5	17.3	25	260.7
Hispanic	.	108.4	5	228.1	.	184.0	0	0.0	16	2,276.0
Other	.	135.9	.	138.5	.	117.7	.	182.9	12	3,592.8
Race/Gender										
Black Male	19	58.2	21	68.3	15	51.4	13	48.1	147	1,666.1
Black Female	10	28.3	.	11.7	.	12.1	6	18.9	62	597.5
White Male	.	12.5	.	6.5	7	47.5	.	28.7	21	454.9
White Female	0	0.0	0	0.0	0	0.0	.	6.7	.	80.5
Hispanic Male	.	149.2	5	289.3	.	239.1	0	0.0	15	3,061.2
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	.	469.5
Risk Group - Total										
Male sex w/Male	11	.	11	.	16	.	6	.	87	.
Injecton Drug Use	26	.
MSM and Inj Drug Use	.	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	.	8	.	5	.	.	.	81	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	16	.	9	.	9	.	19	.	64	.
Risk Group - Black										
Male sex w/Male	8	.	11	.	8	.	5	.	65	.
Injecton Drug Use	0	.	.	.	22	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	5	66	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	15	.	9	.	8	.	12	.	51	.
Risk Group - White										
Male sex w/Male	.	.	0	.	7	.	.	.	15	.
Injecton Drug Use	0	.	.	.	0
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	0	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	0	.	.	.	5	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	.	24.0
13-19	0	0.0	.	11.4	.	24.2	0	0.0	0	0.0
20-29	.	31.9	9	75.0	7	59.7	7	63.9	16	445.1
30-39	7	57.5	10	86.1	9	82.5	10	100.3	42	1,275.5
40-49	13	96.1	.	31.9	8	69.7	.	37.4	79	2,293.8
50-59	6	38.3	5	34.1	5	38.2	5	42.0	71	1,843.7
60 and Up	.	17.9	.	12.3	0	0.0	.	11.2	56	621.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Williamsburg AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	30	29.2	14	14.1	13	13.6	16	17.6	141	472.8
Gender										
Male	17	33.9	10	20.7	8	17.4	13	30.3	96	681.2
Female	13	24.6	.	7.8	5	10.1	.	6.3	45	286.0
Race										
Black	21	30.9	10	15.4	12	19.3	12	20.5	115	599.0
White	6	18.6	.	3.2	.	3.3	.	3.4	11	114.7
Hispanic	.	54.2	.	91.2	0	0.0	0	0.0	6	853.5
Other	.	271.7	.	138.5	0	0.0	.	274.5	9	2,694.6
Race/Gender										
Black Male	11	33.7	8	26.0	8	27.4	10	37.1	79	895.4
Black Female	10	28.3	.	5.8	.	12.1	.	6.3	36	346.9
White Male	.	25.2	0	0.0	0	0.0	.	7.2	7	151.6
White Female	.	12.1	.	6.3	.	6.4	0	0.0	.	80.5
Hispanic Male	.	74.6	.	115.7	0	0.0	0	0.0	6	1,224.5
Hispanic Female	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Risk Group - Total										
Male sex w/Male	11	.	6	50	.
Injecton Drug Use	16	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	9	.	.	.	5	.	.	.	48	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	.	.	5	.	8	.	26	.
Risk Group - Black										
Male sex w/Male	7	.	6	41	.
Injecton Drug Use	.	.	0	13	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	5	.	.	.	41	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	6	.	19	.
Risk Group - White										
Male sex w/Male	.	.	0	.	0	.	.	.	5	.
Injecton Drug Use	0	.	0	.	.	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	0	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	.	.	0	.	0	.	0	.	.	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	0	.
Other/Undetermined	0	.	0	.	.	.	0	.	.	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	39.9	.	33.3	.	8.6	5	45.7	.	111.3
30-39	9	73.9	.	8.6	6	55.0	5	50.2	20	607.3
40-49	9	66.6	7	55.9	.	26.2	.	18.7	44	1,277.5
50-59	.	19.1	.	13.6	.	15.3	.	8.4	37	960.7
60 and Up	.	17.9	0	0.0	.	3.9	.	11.2	36	399.6

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

York HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	82	12.0	71	9.9	77	9.9	96	11.3	639	221.0
Gender										
Male	65	19.7	56	16.2	65	17.4	81	19.9	477	342.2
Female	17	4.8	15	4.1	12	3.0	15	3.4	162	108.2
Race										
Black	55	41.8	36	25.5	56	36.7	55	33.3	374	659.6
White	19	3.7	29	5.5	15	2.6	18	3.0	195	96.3
Hispanic	.	13.0	.	5.7	.	9.8	.	4.0	32	176.9
Other	.	17.7	.	20.7	.	4.3	5	15.8	21	180.4
Race/Gender										
Black Male	42	69.0	27	41.6	48	68.4	48	63.3	260	996.2
Black Female	13	18.4	9	11.9	8	9.8	7	7.9	114	372.5
White Male	16	6.5	27	10.6	12	4.4	16	5.5	166	168.5
White Female	.	1.2	.	0.8	.	1.0	.	0.7	29	27.8
Hispanic Male	.	24.8	.	5.5	.	19.1	.	4.0	23	254.4
Hispanic Female	0	0.0	.	5.8	0	0.0	.	4.0	9	99.4
Risk Group - Total										
Male sex w/Male	47	.	38	.	38	.	48	.	294	.
Injecton Drug Use	44	.
MSM and Inj Drug Use	0	.	.	.	14	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	15	.	11	112	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	8	.
Other/Undetermined	18	.	14	.	33	.	43	.	165	.
Risk Group - Black										
Male sex w/Male	29	.	17	.	30	.	34	.	150	.
Injecton Drug Use	0	.	0	26	.
MSM and Inj Drug Use	0	.	0	.	0
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	10	89	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	5	.
Other/Undetermined	14	.	8	.	22	.	18	.	99	.
Risk Group - White										
Male sex w/Male	13	.	19	.	7	.	9	.	120	.
Injecton Drug Use	0	.	0	.	13	.
MSM and Inj Drug Use	0	.	.	.	9	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	.	.	0	.	16	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	7	.	8	.	33	.
Age Group										
Less than 13	0	0.0	.	2.3	0	0.0	0	0.0	.	2.1
13-19	6	8.9	.	5.6	7	9.2	5	6.3	6	22.0
20-29	26	31.1	27	30.8	28	29.7	38	38.8	79	239.8
30-39	20	21.2	13	14.0	14	13.9	23	20.1	102	256.7
40-49	12	11.6	15	14.0	10	9.0	11	9.2	132	323.8
50-59	14	15.3	8	7.9	13	12.1	14	12.3	188	483.7
60 and Up	.	3.4	.	0.8	5	3.3	5	2.9	131	214.9

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

York AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	48	7.0	44	6.2	29	3.7	36	4.3	302	104.5
Gender										
Male	31	9.4	29	8.4	20	5.4	27	6.6	211	151.4
Female	17	4.8	15	4.1	9	2.2	9	2.1	91	60.7
Race										
Black	35	26.6	28	19.9	21	13.8	25	15.2	195	343.9
White	9	1.8	13	2.5	7	1.2	6	1.0	82	40.5
Hispanic	.	3.3	.	2.9	.	2.4	.	7.9	16	88.4
Other	.	17.7	.	10.3	0	0.0	0	0.0	7	60.2
Race/Gender										
Black Male	23	37.7	16	24.6	14	19.9	19	25.1	126	482.8
Black Female	12	16.9	12	15.8	7	8.5	6	6.7	69	225.5
White Male	7	2.9	12	4.7	5	1.9	.	1.4	65	66.0
White Female	.	0.8	.	0.3	.	0.7	.	0.7	17	16.3
Hispanic Male	.	6.2	.	5.5	.	4.7	.	11.9	13	143.8
Hispanic Female	0	0.0	0	0.0	0	0.0	.	4.0	.	33.1
Risk Group - Total										
Male sex w/Male	19	.	18	.	12	.	16	.	125	.
Injecton Drug Use	5	.	31	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	16	.	13	.	7	.	.	.	70	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	10	.	8	.	13	.	68	.
Risk Group - Black										
Male sex w/Male	13	.	8	.	9	.	11	.	66	.
Injecton Drug Use	19	.
MSM and Inj Drug Use	0	.	0	.	0	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	12	.	12	.	6	.	.	.	55	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	7	.	5	.	11	.	51	.
Risk Group - White										
Male sex w/Male	5	.	9	48	.
Injecton Drug Use	0	.	.	.	9	.
MSM and Inj Drug Use	.	.	0	.	.	.	0	.	.	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	.	.	0	.	.	.	0	.	11	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	0	10	.
Age Group										
Less than 13	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	7	8.4	7	8.0	9	9.6	8	8.1	13	39.5
30-39	12	12.8	11	11.9	8	7.9	9	7.8	39	98.1
40-49	10	9.6	14	13.1	6	5.4	5	4.2	64	157.0
50-59	15	16.4	7	6.9	.	3.7	9	7.9	111	285.6
60 and Up	.	3.4	5	3.7	.	1.3	5	2.9	75	123.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lowcountry HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	587	18.7	549	16.6	556	16.1	544	15.1	4,539	370.7
Gender										
Male	441	28.7	441	27.3	437	25.9	436	24.8	3,303	554.8
Female	146	9.1	108	6.4	119	6.7	108	5.8	1,236	196.5
Race										
Black	398	39.2	365	35.2	327	31.0	284	26.8	2,625	740.3
White	94	5.0	105	5.3	113	5.3	135	6.1	1,051	138.5
Hispanic	32	17.9	25	12.5	39	18.4	49	21.0	282	349.1
Other	63	101.9	53	74.9	75	95.0	69	79.3	571	1,890.7
Race/Gender										
Black Male	293	61.5	287	59.0	253	51.3	222	44.8	1,804	1,091.0
Black Female	105	19.5	78	14.2	74	13.2	62	11.0	821	434.0
White Male	79	8.5	90	9.1	91	8.7	112	10.1	880	235.6
White Female	15	1.5	15	1.5	22	2.1	23	2.0	171	44.3
Hispanic Male	27	27.1	21	19.1	33	29.3	44	35.8	227	537.6
Hispanic Female	5	6.4	.	4.4	6	6.1	5	4.5	55	142.7
Risk Group - Total										
Male sex w/Male	314	.	328	.	327	.	321	.	2,127	.
Injecton Drug Use	10	.	8	.	9	.	6	.	238	.
MSM and Inj Drug Use	17	.	9	.	.	.	10	.	130	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	115	.	106	.	109	.	85	.	1,094	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	92	.
Other/Undetermined	129	.	96	.	103	.	120	.	854	.
Risk Group - Black										
Male sex w/Male	215	.	212	.	190	.	157	.	1,096	.
Injecton Drug Use	7	140	.
MSM and Inj Drug Use	8	.	5	.	0	.	.	.	47	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	86	.	75	.	73	.	46	.	745	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	65	.
Other/Undetermined	82	.	69	.	59	.	74	.	530	.
Risk Group - White										
Male sex w/Male	57	.	68	.	73	.	87	.	656	.
Injecton Drug Use	51	.
MSM and Inj Drug Use	7	7	.	60	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	11	.	17	.	16	.	126	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	0	.	.	.	9	.
Other/Undetermined	21	.	19	.	18	.	21	.	148	.
Age Group										
Less than 13	5	1.0	.	0.6	5	0.9	.	0.3	50	27.2
13-19	43	14.9	35	12.3	25	8.6	25	8.3	17	16.6
20-29	226	47.1	243	49.3	224	45.3	218	45.0	502	312.2
30-39	106	26.6	103	24.3	115	25.0	142	28.8	952	567.8
40-49	108	26.2	84	20.2	82	20.0	72	17.1	774	545.3
50-59	70	17.1	54	12.2	69	15.1	52	11.3	1,216	789.0
60 and Up	29	4.7	27	3.9	36	4.5	33	3.6	1,028	327.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Lowcountry AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	440	14.0	299	9.0	255	7.4	225	6.3	2,265	184.9
Gender										
Male	315	20.6	223	13.9	187	11.0	161	9.1	1,638	275.1
Female	125	7.8	76	4.5	68	3.9	64	3.4	627	99.7
Race										
Black	299	29.4	203	19.6	166	15.7	134	12.7	1,337	377.1
White	71	3.7	52	2.6	38	1.8	38	1.7	461	60.7
Hispanic	22	12.3	13	6.5	17	8.0	19	8.1	139	172.2
Other	48	77.7	31	43.8	34	43.1	34	39.1	328	1,086.1
Race/Gender										
Black Male	201	42.1	145	29.8	116	23.4	96	19.4	913	552.1
Black Female	98	18.2	58	10.6	50	8.9	38	6.7	424	224.1
White Male	60	6.5	42	4.3	29	2.8	26	2.3	391	104.7
White Female	11	1.2	10	1.0	9	0.9	12	1.1	70	18.2
Hispanic Male	21	21.1	11	10.0	14	12.4	16	13.0	112	265.2
Hispanic Female	.	1.3	.	2.2	.	3.1	.	2.8	27	70.1
Risk Group - Total										
Male sex w/Male	199	.	136	.	122	.	107	.	993	.
Injecton Drug Use	21	.	12	.	8	.	11	.	151	.
MSM and Inj Drug Use	12	.	8	.	6	.	.	.	80	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	117	.	85	.	72	.	63	.	635	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	25	.
Other/Undetermined	86	.	56	.	45	.	37	.	378	.
Risk Group - Black										
Male sex w/Male	124	.	88	.	72	.	62	.	524	.
Injecton Drug Use	15	6	.	89	.
MSM and Inj Drug Use	.	.	6	34	.
Hemophiliac	.	.	0	.	0	.	0	.	.	.
Heterosexual	91	.	65	.	58	.	38	.	442	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	16	.
Other/Undetermined	63	.	38	.	27	.	22	.	230	.
Risk Group - White										
Male sex w/Male	48	.	29	.	22	.	16	.	290	.
Injecton Drug Use	.	.	5	29	.
MSM and Inj Drug Use	5	31	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	6	.	.	.	7	.	9	.	52	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	13	.	5	.	8	.	56	.
Age Group										
Less than 13	.	0.8	.	0.2	.	0.2	0	0.0	.	2.2
13-19	16	5.5	10	3.5	6	2.1	.	1.0	.	3.0
20-29	91	19.0	89	18.0	53	10.7	56	11.6	130	80.9
30-39	99	24.9	64	15.1	59	12.8	65	13.2	366	218.4
40-49	119	28.8	68	16.4	62	15.1	46	10.9	413	291.0
50-59	77	18.7	46	10.5	46	10.0	30	6.5	725	470.5
60 and Up	34	5.5	21	3.0	28	3.5	25	2.8	624	198.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Midlands HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	744	18.6	727	17.5	733	17.1	696	15.5	6,245	412.4
Gender										
Male	594	30.5	576	28.6	598	28.5	570	26.3	4,546	620.4
Female	150	7.4	151	7.2	135	6.1	126	5.5	1,699	217.4
Race										
Black	537	45.1	528	42.6	515	39.9	494	36.9	4,425	976.0
White	142	5.6	146	5.6	136	5.1	129	4.7	1,281	138.2
Hispanic	38	20.0	22	10.3	49	21.1	30	11.6	308	340.5
Other	25	31.6	27	29.8	30	28.5	18	14.5	190	439.0
Race/Gender										
Black Male	424	75.5	412	70.6	418	69.0	405	64.7	3,089	1,463.0
Black Female	113	17.9	116	17.7	97	14.2	89	12.4	1,336	551.7
White Male	119	9.6	121	9.5	110	8.4	111	8.3	1,042	230.1
White Female	23	1.8	25	1.9	26	1.9	18	1.3	239	50.4
Hispanic Male	31	29.4	18	15.4	46	37.0	23	16.7	244	513.6
Hispanic Female	7	8.4	.	4.1	.	2.8	7	5.7	64	149.1
Risk Group - Total										
Male sex w/Male	422	.	408	.	398	.	365	.	2,809	.
Injecton Drug Use	16	.	13	.	26	.	20	.	389	.
MSM and Inj Drug Use	12	.	10	.	8	.	9	.	170	.
Hemophiliac	0	.	0	.	0	.	0	.	8	.
Heterosexual	124	.	95	.	68	.	43	.	1,305	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	73	.
Other/Undetermined	168	.	199	.	233	.	258	.	1,488	.
Risk Group - Black										
Male sex w/Male	285	.	299	.	292	.	283	.	1,848	.
Injecton Drug Use	8	.	6	.	11	.	5	.	266	.
MSM and Inj Drug Use	9	93	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	103	.	79	.	50	.	33	.	1,075	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	64	.
Other/Undetermined	131	.	140	.	159	.	172	.	1,073	.
Risk Group - White										
Male sex w/Male	101	.	84	.	65	.	60	.	744	.
Injecton Drug Use	5	.	6	.	12	.	12	.	84	.
MSM and Inj Drug Use	.	.	7	.	.	.	8	.	66	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	16	.	12	.	8	.	5	.	142	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	17	.	37	.	47	.	44	.	237	.
Age Group										
Less than 13	.	0.3	.	0.6	0	0.0	.	0.1	14	5.9
13-19	54	13.6	43	10.9	36	8.9	39	9.4	31	22.3
20-29	275	49.2	294	49.8	317	51.6	308	49.9	674	328.6
30-39	152	29.2	134	25.5	148	27.1	164	28.3	1,175	593.7
40-49	141	25.0	126	22.6	102	18.6	88	15.7	1,213	644.5
50-59	94	17.3	94	16.4	93	16.0	65	11.1	1,780	911.5
60 and Up	26	3.6	32	4.0	37	4.1	31	3.1	1,358	386.2

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Midlands AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	584	14.6	445	10.8	387	9.0	314	7.0	3,295	217.6
Gender										
Male	433	22.2	318	15.7	289	13.8	238	11.0	2,362	322.4
Female	151	7.4	127	5.9	98	4.4	76	3.3	933	119.4
Race										
Black	444	37.3	330	26.6	284	22.0	234	17.5	2,403	530.1
White	92	3.6	81	3.1	63	2.3	52	1.9	621	67.0
Hispanic	23	12.1	19	8.9	24	10.3	18	6.9	165	182.4
Other	25	31.6	15	16.6	15	14.2	8	6.5	98	226.5
Race/Gender										
Black Male	324	57.6	236	40.4	206	34.0	178	28.4	1,656	784.3
Black Female	120	19.0	94	14.3	78	11.4	56	7.8	747	308.4
White Male	75	6.1	61	4.8	47	3.6	43	3.2	501	110.7
White Female	17	1.3	20	1.5	16	1.2	9	0.7	120	25.3
Hispanic Male	17	16.1	13	11.1	22	17.7	12	8.7	129	271.5
Hispanic Female	6	7.2	6	6.2	.	1.9	6	4.8	36	83.8
Risk Group - Total										
Male sex w/Male	252	.	201	.	165	.	149	.	1,390	.
Injecton Drug Use	39	.	25	.	25	.	16	.	265	.
MSM and Inj Drug Use	17	.	.	.	7	.	9	.	107	.
Hemophiliac	0	.	.	.	0	.	0	.	8	.
Heterosexual	135	.	99	.	64	.	41	.	790	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	37	.
Other/Undetermined	138	.	117	.	124	.	99	.	696	.
Risk Group - Black										
Male sex w/Male	175	.	143	.	119	.	111	.	921	.
Injecton Drug Use	28	.	20	.	16	.	8	.	191	.
MSM and Inj Drug Use	7	.	.	.	5	.	.	.	72	.
Hemophiliac	0	.	.	.	0	.	0	.	.	.
Heterosexual	116	.	81	.	53	.	33	.	659	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	34	.
Other/Undetermined	115	.	83	.	89	.	78	.	521	.
Risk Group - White										
Male sex w/Male	59	.	44	.	30	.	27	.	368	.
Injecton Drug Use	7	.	.	.	7	.	6	.	46	.
MSM and Inj Drug Use	6	.	0	29	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	12	.	12	83	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	8	.	21	.	21	.	12	.	89	.
Age Group										
Less than 13	.	0.1	0	0.0	0	0.0	0	0.0	.	0.4
13-19	13	3.3	9	2.3	5	1.2	.	0.2	.	2.9
20-29	119	21.2	98	16.6	95	15.5	87	14.1	172	83.8
30-39	157	30.1	101	19.3	89	16.3	77	13.3	487	246.1
40-49	160	28.4	115	20.6	90	16.4	57	10.1	685	364.0
50-59	105	19.3	80	14.0	84	14.4	60	10.3	1,135	581.2
60 and Up	29	4.0	42	5.2	24	2.6	32	3.2	811	230.7

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Pee Dee HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	536	21.0	437	16.7	524	19.5	495	17.8	4,504	481.8
Gender										
Male	384	31.2	321	25.5	390	30.1	376	28.4	3,064	686.5
Female	152	11.6	116	8.6	134	9.6	119	8.3	1,440	294.8
Race										
Black	409	45.7	307	34.0	339	37.3	305	33.6	3,055	1,010.7
White	94	6.2	84	5.4	124	7.6	126	7.4	1,028	178.9
Hispanic	17	18.5	19	18.7	32	29.3	25	21.0	184	448.6
Other	16	45.7	24	59.6	27	61.2	22	44.7	214	1,271.6
Race/Gender										
Black Male	291	69.9	223	53.1	241	57.1	231	55.0	1,982	1,419.1
Black Female	118	24.6	84	17.4	98	20.1	74	15.2	1,073	659.9
White Male	68	9.1	61	8.0	97	12.2	97	11.8	794	286.6
White Female	26	3.3	23	2.9	27	3.2	29	3.3	234	78.7
Hispanic Male	15	28.4	14	24.5	29	48.7	21	33.0	144	658.2
Hispanic Female	.	5.1	5	11.1	.	6.1	.	7.3	40	209.0
Risk Group - Total										
Male sex w/Male	232	.	191	.	235	.	209	.	1,660	.
Injecton Drug Use	24	.	16	.	15	.	9	.	304	.
MSM and Inj Drug Use	9	.	11	.	.	.	5	.	89	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	125	.	90	.	74	.	16	.	1,245	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	.	.	0	.	55	.
Other/Undetermined	144	.	129	.	195	.	256	.	1,146	.
Risk Group - Black										
Male sex w/Male	165	.	133	.	143	.	136	.	979	.
Injecton Drug Use	14	.	8	.	5	.	.	.	198	.
MSM and Inj Drug Use	5	.	.	.	0	.	.	.	36	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	109	.	66	.	56	.	6	.	975	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	.	.	0	.	.	.	0	.	39	.
Other/Undetermined	115	.	98	.	134	.	158	.	826	.
Risk Group - White										
Male sex w/Male	52	.	43	.	69	.	53	.	547	.
Injecton Drug Use	10	.	6	.	6	.	6	.	79	.
MSM and Inj Drug Use	.	.	8	44	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	12	.	15	.	11	.	.	.	157	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	0	.	0	.	6	.
Other/Undetermined	16	.	12	.	35	.	61	.	192	.
Age Group										
Less than 13	.	0.4	0	0.0	.	0.2	0	0.0	17	12.9
13-19	41	17.7	24	10.8	25	11.1	22	9.7	19	25.2
20-29	144	44.2	152	45.1	161	47.6	157	47.3	373	340.7
30-39	125	41.3	88	29.0	122	39.9	116	37.3	756	721.8
40-49	132	39.1	90	27.4	99	31.1	80	25.2	935	885.5
50-59	65	18.0	68	18.5	81	21.7	74	19.9	1,399	1,124.4
60 and Up	27	4.7	15	2.3	35	4.8	46	5.6	1,005	355.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Pee Dee AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	423	16.6	304	11.7	274	10.1	234	8.5	2,427	259.6
Gender										
Male	293	23.9	221	17.6	183	14.2	163	12.3	1,644	368.4
Female	130	9.9	83	6.2	91	6.5	71	5.0	783	160.3
Race										
Black	328	36.6	230	25.5	200	22.0	157	17.3	1,714	567.1
White	68	4.5	47	3.0	54	3.3	49	2.9	490	85.3
Hispanic	14	15.2	13	12.8	9	8.3	16	13.4	100	243.9
Other	13	37.1	14	34.8	11	25.0	12	24.4	123	730.8
Race/Gender										
Black Male	218	52.4	165	39.4	129	30.6	107	25.5	1,095	784.0
Black Female	110	23.0	65	13.4	71	14.5	50	10.2	619	380.7
White Male	55	7.4	37	4.8	37	4.7	33	4.1	387	139.6
White Female	13	1.7	10	1.2	17	2.0	16	1.9	103	34.7
Hispanic Male	13	24.6	9	15.8	8	13.4	14	22.0	85	388.5
Hispanic Female	.	2.5	.	8.9	.	2.0	.	3.6	15	78.4
Risk Group - Total										
Male sex w/Male	149	.	112	.	85	.	81	.	834	.
Injecton Drug Use	26	.	13	.	11	.	9	.	201	.
MSM and Inj Drug Use	7	.	9	48	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	135	.	85	.	81	.	37	.	807	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	6	21	.
Other/Undetermined	100	.	84	.	93	.	101	.	513	.
Risk Group - Black										
Male sex w/Male	101	.	82	.	55	.	54	.	505	.
Injecton Drug Use	19	.	7	.	5	.	5	.	135	.
MSM and Inj Drug Use	19	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	118	.	70	.	70	.	28	.	655	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	5	.	.	.	0	.	.	.	16	.
Other/Undetermined	81	.	69	.	69	.	67	.	383	.
Risk Group - White										
Male sex w/Male	36	.	24	.	23	.	17	.	260	.
Injecton Drug Use	6	.	.	.	6	.	.	.	45	.
MSM and Inj Drug Use	.	.	7	26	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	13	.	5	.	7	.	.	.	85	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	.	.	0	.	.	.	0	.	.	.
Other/Undetermined	10	.	7	.	16	.	21	.	70	.
Age Group										
Less than 13	.	0.4	0	0.0	0	0.0	0	0.0	.	1.5
13-19	13	5.6	6	2.6	.	1.3	.	1.3	.	4.0
20-29	71	21.8	77	22.9	43	12.8	43	13.0	91	83.2
30-39	109	36.0	59	19.5	67	21.9	52	16.7	301	287.4
40-49	126	37.3	90	27.4	81	25.4	60	18.9	539	510.4
50-59	75	20.9	58	15.7	49	13.1	43	11.6	859	690.4
60 and Up	27	4.7	14	2.2	31	4.3	33	4.1	632	223.3

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Upstate HIV/AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	408	9.8	484	11.3	437	9.9	515	11.2	4,022	260.5
Gender										
Male	312	15.3	387	18.6	345	16.1	405	18.3	3,024	403.7
Female	96	4.5	97	4.4	92	4.1	110	4.6	998	125.5
Race										
Black	264	32.6	281	33.8	258	30.0	284	32.1	2,316	777.8
White	111	3.6	163	5.3	114	3.6	150	4.6	1,283	116.5
Hispanic	26	11.4	30	12.0	53	19.3	53	17.1	292	270.8
Other	7	8.9	9	10.5	7	7.3	16	14.6	111	293.8
Race/Gender										
Black Male	192	50.3	218	55.6	200	49.5	216	52.0	1,634	1,171.0
Black Female	72	16.8	63	14.3	58	12.8	68	14.5	682	431.1
White Male	93	6.3	137	9.0	91	5.8	119	7.5	1,048	195.8
White Female	18	1.1	26	1.7	23	1.4	31	1.9	235	41.6
Hispanic Male	20	16.0	25	18.5	42	28.7	48	29.6	235	417.1
Hispanic Female	6	5.8	5	4.3	11	8.5	5	3.4	57	110.8
Risk Group - Total										
Male sex w/Male	224	.	276	.	258	.	285	.	2,063	.
Injecton Drug Use	22	.	18	.	15	.	17	.	238	.
MSM and Inj Drug Use	14	.	20	.	6	.	7	.	154	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	61	.	55	.	43	.	23	.	733	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	36	.
Other/Undetermined	86	.	112	.	113	.	183	.	792	.
Risk Group - Black										
Male sex w/Male	129	.	163	.	155	.	157	.	1,072	.
Injecton Drug Use	11	.	5	.	5	.	.	.	129	.
MSM and Inj Drug Use	6	.	7	.	.	.	0	.	65	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	47	.	36	.	27	.	15	.	526	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	26	.
Other/Undetermined	70	.	68	.	68	.	109	.	498	.
Risk Group - White										
Male sex w/Male	78	.	95	.	73	.	82	.	771	.
Injecton Drug Use	9	.	8	.	8	.	14	.	85	.
MSM and Inj Drug Use	8	.	11	.	.	.	6	.	77	.
Hemophiliac	0	.	0	.	0	.	0	.	5	.
Heterosexual	8	.	13	.	11	.	6	.	153	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	.	.	0	.	0	.	6	.
Other/Undetermined	8	.	35	.	18	.	42	.	185	.
Age Group										
Less than 13	.	0.1	5	0.7	.	0.3	.	0.1	9	3.7
13-19	19	4.7	29	7.3	15	3.7	26	6.3	25	17.9
20-29	131	23.9	178	30.8	184	30.6	195	31.5	413	200.0
30-39	87	16.5	94	18.3	90	16.9	116	20.5	829	426.4
40-49	109	18.6	85	14.9	71	12.7	93	16.7	773	417.2
50-59	45	7.9	68	11.6	55	9.1	59	9.8	1,215	602.6
60 and Up	16	1.9	25	2.8	20	2.0	25	2.3	758	203.1

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

Upstate AIDS Cases and Rates, By Year of Diagnosis, Gender, Race, Risk Group, and Age

	2009-2011		2012-2014		2015-2017		2018-2020		Prevalence	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total Cases	298	7.2	259	6.1	229	5.2	233	5.1	2,056	133.1
Gender										
Male	216	10.6	188	9.0	170	7.9	184	8.3	1,538	205.4
Female	82	3.9	71	3.2	59	2.6	49	2.1	518	65.1
Race										
Black	192	23.7	162	19.5	129	15.1	144	16.3	1,219	409.4
White	80	2.6	69	2.2	67	2.1	64	2.0	633	57.5
Hispanic	20	8.8	19	7.6	31	11.2	24	7.7	149	138.2
Other	6	7.6	9	10.5	.	2.1	.	0.9	54	143.0
Race/Gender										
Black Male	132	34.5	108	27.5	92	22.8	109	26.3	847	607.0
Black Female	60	14.0	54	12.2	37	8.1	35	7.5	372	235.1
White Male	66	4.4	57	3.7	51	3.3	50	3.2	521	97.4
White Female	14	0.9	12	0.8	16	1.0	14	0.9	112	19.8
Hispanic Male	15	12.0	15	11.1	25	17.2	24	14.7	123	218.4
Hispanic Female	5	4.8	.	3.4	6	4.6	0	0.0	26	50.5
Risk Group - Total										
Male sex w/Male	145	.	120	.	105	.	104	.	1,009	.
Injecton Drug Use	17	.	22	.	14	.	15	.	142	.
MSM and Inj Drug Use	12	.	9	.	6	.	11	.	89	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	61	.	38	.	32	.	24	.	418	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	.	.	0	.	18	.
Other/Undetermined	63	.	70	.	70	.	79	.	375	.
Risk Group - Black										
Male sex w/Male	77	.	69	.	62	.	66	.	522	.
Injecton Drug Use	9	.	7	.	.	.	7	.	77	.
MSM and Inj Drug Use	10	.	7	.	0	.	.	.	43	.
Hemophiliac	0	.	0	.	0	.	0	.	0	.
Heterosexual	48	.	33	.	25	.	20	.	318	.
Transfusion	0	.	0	.	0	.	0	.	0	.
Perinatal Transmission	0	.	0	.	.	.	0	.	14	.
Other/Undetermined	48	.	46	.	37	.	47	.	245	.
Risk Group - White										
Male sex w/Male	57	.	40	.	31	.	25	.	391	.
Injecton Drug Use	6	.	8	.	10	.	7	.	49	.
MSM and Inj Drug Use	6	.	5	.	39	.
Hemophiliac	0	.	0	.	0	.	0	.	.	.
Heterosexual	6	.	.	.	5	.	.	.	70	.
Transfusion	0	.	0	.	0	.	0	.	.	.
Perinatal Transmission	0	.	0	.	0	.	0	.	.	.
Other/Undetermined	9	.	17	.	15	.	23	.	76	.
Age Group										
Less than 13	0	0.0	0	0.0	.	0.3	0	0.0	.	0.8
13-19	8	2.0	5	1.2	.	0.4	.	1.0	.	2.9
20-29	39	7.0	51	8.8	54	9.0	50	8.0	89	43.1
30-39	72	13.6	55	10.7	52	9.8	66	11.7	305	156.9
40-49	104	17.7	74	12.9	60	10.7	52	9.4	423	228.4
50-59	52	9.1	55	9.4	45	7.5	42	6.9	750	371.9
60 and Up	23	2.8	19	2.1	14	1.4	19	1.8	483	129.4

* Cells with < 5 cases are set to '.'(period) due to confidentiality restrictions.
 Note: See technical notes at end of document.

TECHNICAL NOTES

NOTICE: Beginning in 2016, Prevalence numbers (the number of people living with diagnosed HIV and/or AIDS) are based on Last Known Residence. This is a change from previous years Prevalence numbers, which were based on Residence at Time of Diagnosis.

This change makes comparisons with Reports prior to 2016 inaccurate and should not be done.

Report Specific Notes:

- AIDS cases are included in counts of HIV/AIDS cases.
- All data are provisional.
- Rates may be based on small numbers and should be interpreted with caution.
- Age groups for incidence data are based on age at time of diagnosis.
- Age groups for prevalence data are based on age as of December 31 of the reporting year.

Incidence/Prevalence/Rates/Totals

Incidence is the number of cases of AIDS or HIV infection diagnosed in a specified time period. **Prevalence** is the number of persons living with AIDS or HIV infection at the end a specified time period (usually December 31 of the reporting year).

Rates are per 100,000 population based on census estimates. Rates in this report include:

Prevalence rates: the numerators for computing prevalence rates are based on the number of persons living with AIDS or HIV, by county of residence. The denominators for computing rates are based on most currently available census estimates (Health and Demographics Section, South Carolina Revenue and Fiscal Affairs Office). Each prevalence rate is computed as the number of living cases divided by the current year estimated population, multiplied by 100,000.

Incidence rates: the numerators for incidence rates are based on the number of new AIDS cases or HIV infection during the year of report. Incidence rates are computed as the number of new cases in the report year divided by the current year estimated population, multiplied by 100,000.

Totals may include individual for whom select variables are unknown (i.e. the State total may include individuals with an unknown county).

Exposure Categories

A hierarchy of exposure categories designed by the Centers for Disease Control has always been used for surveillance purposes. Persons with more than one reported mode of exposure are classified in the category listed first in the hierarchy, except for men who have sex with other men and inject drugs. They comprise a separate category. In addition, “undetermined” refers to persons whose mode of exposure to HIV is unknown. This includes persons who are currently under investigation, persons who died before exposure history was obtained, persons who are lost to follow-up, or persons who refused to be interviewed. DHEC uses a combined HIV/AIDS report form designed by the Centers for Disease Control to collect mode of exposure for HIV infection in both DHEC clinics and non-DHEC settings. South Carolina actively pursues risk information. For HIV cases diagnosed in 2014, risk was obtained in 63% of cases.

Legal Reporting Requirements in South Carolina

HIV infection and AIDS cases are reportable in South Carolina by law. All physicians, hospitals, laboratories, administrators of health care facilities, charitable or penal institutions, etc., are required to report HIV infections and AIDS cases to DHEC with identifiers (See S.C. Code Ann. Sections 44-29-10, 70, and 80 (Supp. 1989); 24A S.C. Code Ann. Reg. 61-20 (Supp. 1989) and 24A S.C. Code Ann. Reg 61-21 (as amended). All information regarding sexually transmitted diseases including HIV and AIDS, reported to DHEC must be kept strictly confidential (See S.C. Code Ann. Section 44-29-135 (Supp. 1989).

HIV/AIDS Surveillance and Reporting in South Carolina

The South Carolina Department of Health and Environmental Control (DHEC) has conducted named HIV/AIDS surveillance since the 1980's. State law requires physicians, hospitals, laboratories, and other health facilities to report diagnosed HIV infection and AIDS cases to DHEC. Follow-up with persons newly diagnosed with HIV infection is conducted by health department staff, who provide partner notification and referral to medical and support services.

HIV/AIDS surveillance data is used by the Ryan White, HIV, and STD prevention programs in South Carolina. Surveillance data has been used since 1988 to initiate partner notification services. Surveillance data are also used extensively by HIV program staff to determine priority populations, identify unmet need and Community Viral Load, describe risk behaviors, and evaluate specific prevention and linkage to care efforts. Percent of total prevalence and incident HIV cases by region are calculated annually to determine prevention and care funding allocations to local public health regions and HIV prevention and care providers.

The CDC routinely sends states a program to evaluate the completeness and timeliness of HIV case reporting. The results of the evaluations show that case completeness (percent of expected number of persons newly diagnosed with HIV infection) in South Carolina is consistently in the 98-99% range, well above the national standard of 85%. The timeliness for HIV reporting in South Carolina is consistently in the 96-97% range for reporting within 6 months, higher than the national standard of 66%. Several factors contribute to this success:

- 1) Both physicians and laboratories are required to report positive HIV confirmatory and screening tests, all CD4 T-Lymphocyte counts and all HIV Viral Load results. For cases diagnosed in

South Carolina, on average, 88% have a CD4 or Viral Load reported within 3 months (national standard = 60%);

- 2) Approximately 75% of all HIV test information is submitted through Electronic Laboratory Reporting, which significantly decreases data entry and processing times; and
- 3) Active surveillance activities are conducted by four surveillance coordinators. These regional surveillance coordinators are located in the 4 largest cities of the state (Charleston, Columbia, Florence, and Greenville) and are responsible for surveillance in the immediate areas surrounding them.

Death ascertainment is accomplished by linking HIV Surveillance data with three death registers on an annual basis;

- 1) The National Death Index (NDI)
- 2) The Social Security Death Match (SSDM)
- 3) South Carolina's Vital Records Death Files

Note that deaths of persons with AIDS can be due to any cause (i.e., the death may or may not be related to HIV infection), and the category is therefore different from the designation deaths due to AIDS.

Age group tabulations for incidence are based on person's age at diagnosis of HIV or AIDS. Prevalence age group tabulations are based on person's age at end of prevalence year. Adult/adolescent cases include persons 13 years and older. Pediatric AIDS cases include children under 13 years of age. HIV positive children are not included in the HIV data until they are confirmed HIV positive at 18 months of age.

HIV Case Definition

In April 2014, CDC published the Revised Surveillance Case Definition for HIV Infection — United States, 2014 (http://www.cdc.gov/mmwr/preview/mmwrhtml/rr6303a1.htm?s_cid=rr6303a1_e). This surveillance case definition revises and combines the surveillance case definitions for human immunodeficiency virus (HIV) infection into a single case definition for persons of all ages (i.e., adults and adolescents aged ≥ 13 years and children aged < 13 years). The revisions were made to address multiple issues, the most important of which was the need to adapt to recent changes in diagnostic criteria.

Laboratory criteria for defining a confirmed case now accommodate new multitest algorithms, including criteria for differentiating between HIV-1 and HIV-2 infection and for recognizing early HIV infection. The surveillance case definition is intended primarily for monitoring the HIV infection burden and planning for prevention and care on a population level, not as a basis for clinical decisions for individual patients.

A confirmed case can be classified in one of five HIV infection stages (0, 1, 2, 3, or unknown):

If there was a negative HIV test within 6 months of the first HIV infection diagnosis, the stage is 0, and remains 0 until 6 months after diagnosis.

- Otherwise, if a stage-3-defining opportunistic illness has been diagnosed, the stage is 3.
- Otherwise, the stage is determined by the CD4 test immunologic criteria shown in the following table:

HIV infection stage, based on age-specific CD4+ T-lymphocyte count or CD4+ T-lymphocyte percentage of total lymphocytes*

Stage*	Age on date of CD4 T-lymphocyte test					
	<1 year		1—5 years		6 years through adult	
	Cells/ μ L	%	Cells/ μ L	%	Cells/ μ L	%
1	$\geq 1,500$	≥ 34	$\geq 1,000$	≥ 30	≥ 500	≥ 26
2	750—1,499	26—33	500—999	22—29	200—499	14—25
3 (AIDS)	<750	<26	<500	<22	<200	<14

*The stage is based primarily on the CD4+ T-lymphocyte count; the CD4+ T-lymphocyte count takes precedence over the CD4 T-lymphocyte percentage, and the percentage is considered only if the count is missing.

If none of the above apply (e.g., because of missing information on CD4 test results), the stage is U (unknown).

CASE RESIDENCY AND DEDUPLICATION EFFORTS

AIDS and HIV Case Reporting

All states and U.S. territories have some form of HIV/AIDS reporting that incorporates reporting by individual medical care providers and/or laboratories conducting HIV related tests. This national effort enables public health surveillance staff to track the scope of the AIDS epidemic. It also allows the federal government to allocate funds equitably to the states for the care of people with HIV and AIDS who cannot pay for all or part of their treatment.

All states and areas have been reporting AIDS cases since 1986. Because of advances in treatment that have extended the time between HIV infection and a diagnosis of AIDS, states began instituting HIV reporting in 1985 as a way of understanding how the epidemic has changed.

Potential for Duplication

The potential for duplication has become more of an issue because of the mobility of our society and also because of the success of treatment for HIV and AIDS. Persons with HIV or AIDS may move for reasons related to their infection, for example, to be near family or friends, to seek social support services, to seek more knowledgeable physicians, to seek experimental drug programs, or because of inability to work due to HIV disease. With the advent and success of highly active antiretroviral therapy (HAART), those persons living relatively healthy lives may move for reasons unrelated to HIV or AIDS – to seek out new job opportunities or simply to fulfill a dream of living in a different place. This mobility increases the challenge of avoiding duplication in counting persons with AIDS across different jurisdictions throughout the US.

To counter the potential problem of duplication, CDC initiated the Routine Interstate Duplicate Review (RIDR). This annual effort compares patient records in the national database across states in order to identify potential duplicate cases. The following process is used.

1. CDC reviews the national case reports sent to CDC for duplications. Because CDC does not receive names of patients, a match of information consisting of soundex (which is a code for the last name), date of birth, and gender help to identify potential duplications.
2. CDC provides states with a listing of all cases that are potential duplicates from other states. States contact each other to compare their patient profiles along with additional information available at the state level that is not reported to CDC.
3. Based on their discussions, the states decide whether the cases represent the same person. If they do, the states determine the state of residency at the date of diagnosis. The Surveillance systems of both states are updated with the information.

South Carolina Public Health Regions

