



2012-2013

South Carolina Annual Report

On

Reportable Conditions

November 2014

**South Carolina Department of Health and
Environmental Control**

Introduction

The South Carolina Annual Report on Reportable Conditions, presented by the South Carolina Department of Health and Environmental Control (DHEC) Bureau of Disease Control, provides an overview and accompanying graphs displaying the summary data for diseases or conditions that are reportable by law in South Carolina (State Law #44-29-10, Regulation #61-20, State Laws #44-1-110 and 44-1-140).

The purpose of this report is to provide healthcare organizations and providers, government and regulatory agencies, and other concerned individuals and groups with important statistical information about potentially preventable diseases and conditions. Data in this report reflect diseases and conditions acquired by South Carolina residents only and include diseases and conditions contracted by South Carolina residents while traveling outside the state.

Annually, South Carolina is mandated to distribute an updated list of reportable diseases. DHEC receives disease reports from a variety of sources including, but are not limited to, practicing physicians, clinical laboratories, Infection Control Practitioners/Nurses (at hospitals within the state), DHEC's local health departments, and the DHEC Bureau of Laboratories. The manner in which the aforementioned sources report diseases is mainly electronic, though some sources are still reporting using DHEC's 1129 Disease Reporting Cards. Electronic reporting is through adaptation of the NEDSS Base System (NBS) provided by the U.S. Centers for Disease Control and Prevention (CDC). In South Carolina, DHEC's implementation in the NBS is called Carolina's Health Electric Surveillance System (CHESS). CHESS is a web-based tool used for data entry, secure storage, and improved access to data for analysis.

Cases reported each year in the annual report meet that year's CDC case definitions and occurred within that year's CDC Morbidity and Mortality Weekly Report (MMWR) year, a standard of reporting within the U.S. that allows accurate comparison of disease nationwide.

Recognition and appreciation should be given to the many healthcare professionals throughout the state of South Carolina who have contributed to the ongoing reporting of disease. These efforts are essential in protecting and improving the health of South Carolinians.

Questions or comments regarding the South Carolina Annual Report on Reportable Conditions may be directed to the DHEC Division of Acute Disease Epidemiology at (803) 898-0861.

South Carolina 2012 List of Reportable Conditions

Attention: Health Care Facilities, Physicians, and Laboratories

South Carolina Law §44-29-10 and Regulation §61-20 require reporting of conditions on this list to the local public health department.

South Carolina Law §44-53-1380 requires reporting by laboratories of all blood lead values in children under 6 years of age.

HIPAA: Federal HIPAA legislation allows disclosure of protected health information, without consent of the individual, to public health authorities for the purpose of preventing or controlling disease. (HIPAA 45 CFR §164.512)

IMMEDIATELY REPORTABLE BY PHONE

All suspected and confirmed cases, including preliminary clinical and laboratory results

- ❖ Any outbreak, unusual disease, or cluster of cases (1) (7)
- ❖ Any intentional biological, chemical, or radiological event
- ❖ Anthrax (7) (*Bacillus anthracis*)
- ❖ Botulism (*Clostridium botulinum* or Botulinum toxin)
Influenza A, avian or other novel
Measles (Rubeola)
Meningococcal disease (7) (9)
- ❖ Plague (7) (*Yersinia pestis*)
Poliomylitis, Paralytic and Nonparalytic
Rabies (human)
- ❖ Smallpox (Variola)
- ❖ Viral Hemorrhagic Fever (Ebola, Lassa, Marburg viruses)

URGENTLY REPORTABLE WITHIN 24 HOURS BY PHONE

All suspected and confirmed cases, including preliminary clinical and laboratory results

- Animal (mammal) bites (12)
- Arboviral Neuroinvasive & Non-Neuroinvasive Disease:
Eastern Equine Encephalitis, LaCrosse, St. Louis Encephalitis,
West Nile Virus (7)
- ❖ Brucellosis (7)
- Dengue (*Flavivirus*) (7)
- Diphtheria (7)
E. coli, shiga toxin – producing (STEC), including *E. coli* O157:H7 (7)
- ❖ Glanders (*Burkholderia mallei*) (7)
Haemophilus influenzae, all types, invasive disease (4) (7)
- Hantavirus
- Hemolytic uremic syndrome (HUS) (10)
- Hepatitis A, acute (IgM Ab + only)
- Hepatitis B, acute (IgM core Ab + only)
- Influenza, Pediatric deaths (age <18) (11)
- ❖ Melioidosis (*Burkholderia pseudomallei*) (7)
- Mumps
- Pertussis
- ❖ Q fever (*Coxiella burnetii*)
Rubella (includes congenital)
Staphylococcus aureus, vancomycin-resistant or intermediate (VRSA/VISA) (7)
- Syphilis, congenital, primary or secondary (lesion or rash)
- Trichinosis
- Tuberculosis (7)
- ❖ Tularemia (7)
- Typhoid fever (*Salmonella typhi*) (7)
- ❖ Typhus, epidemic (*Rickettsia prowazekii*)
Vibrio, all types, including *Vibrio cholerae* O1 and O139 (7)
Yellow Fever (*Flavivirus*)

REPORT WITHIN 7 DAYS

- AIDS (2)
- Campylobacteriosis
- Chancroid (*Haemophilus ducreyi*)
- Chlamydia trachomatis*, genital site
- Creutzfeldt-Jakob Disease (Age < 55 years only)
- Cryptosporidiosis
- Cyclosporiasis
- Enterobacteriaceae*, carbapenem-resistant (CRE) (*E. coli* and *Klebsiella pneumoniae*) (L) (3)
- Ehrlichiosis / Anaplasmosis (*Ehrlichia species* / *Anaplasma phagocytophilum*)
- Giardiasis
- Gonorrhea
- Hepatitis B, chronic
- Hepatitis B Surface Antigen + with each pregnancy
- Hepatitis C, D, E
- HIV-1 or HIV-2 infection (2)
- HIV CD4 co-receptor
- HIV CD4 T-lymphocyte count/percentage – all results (2)
- HIV HLA-B5701
- HIV subtype, genotype, and phenotype
- HIV viral load – all results (2)
- Influenza
 - Deaths (adults age 18 and older) (11)
 - Hospitalizations (aggregate report of totals) (11)
 - Lab-confirmed cases (culture, RT-PCR, DFA, IFA)
 - Positive rapid flu tests (aggregate report of totals)
- Lead poisoning (elevated blood lead levels, all ages) (5)
- Lead tests, all (age <6) (L)
- Legionellosis (All positive tests) (7)
- Leprosy (Hansen's Disease)
- Leptospirosis
- Listeriosis (7)
- Lyme disease (*Borrelia burgdorferi*)
- Lymphogranuloma venereum
- Malaria (*Plasmodium* species)
- Meningitis, aseptic (8)
- Pesticide poisoning
- ❖ Psittacosis (*Chlamydophila psittaci*)
Rabies Post Exposure Prophylaxis (when recommended) (12)
- Rickettsiosis, Spotted Fever (e.g. RMSF)
- Salmonellosis (7)
- Shigellosis (7)
Staphylococcus aureus, Methicillin resistant, bloodstream infections (MRSA-BSI) (L)
- Streptococcus* group A, invasive disease (4)
- Streptococcus* group B, age < 90 days
- Streptococcus pneumoniae*, invasive, (3) (4)
- Syphilis, latent or tertiary, or positive serologic test
- Tetanus
- Toxic Shock (specify staphylococcal or streptococcal)
- Varicella (outbreaks, deaths, or hospitalizations) (6)
- Yersiniosis (*Yersinia*, not pestis)

Potential agent of bioterrorism

(L) Only Labs required to report.

1. Outbreak: An excess number of cases or syndromes over the expected occurrence of disease within a geographic area, population group, or healthcare facility. Clinical specimens may be requested.
2. Report HIV or AIDS when serum, urine, or oral fluid specimen is positive by: (a) confirmatory test (e.g., Western Blot), or (b) HIV detection test (e.g., EIA or PCR nucleic acid test with viral load) or (c) clinical diagnosis of a case of HIV or AIDS. All reactive rapid HIV test results must be reported to DHEC. All HIV viral load and CD4 test results must be reported by labs regardless of results.
3. Reports should specify the site from which the isolate was obtained and the drug susceptibility profile.
4. Invasive disease = isolated from normally sterile site: blood, bone, CSF, joint, pericardial, peritoneal, or pleural fluid, protected bronchial sampling or from lung aspirate/biopsy, necrotizing fasciitis, and cellulitis only if isolate is from a tissue biopsy. Always specify site of isolate.
5. Report serum lead levels $\geq 10 \mu\text{g}/\text{dL}$ for children under 18 years of age and $\geq 25 \mu\text{g}/\text{dL}$ for persons 18 years or older.
6. An outbreak of Varicella is defined as 5 or more cases within 6 weeks in a common setting, such as school, childcare, or other institutional setting.
7. Labs are requested to submit these isolates, positive serologies, or specimens to the DHEC Bureau of Laboratories for confirmatory testing or genotyping.
8. Acute meningeal symptoms, fever, CSF pleocytosis, sterile culture. Consult DHEC in outbreaks to submit specimens to lab for virus identification.
9. Report Gram-negative diplococci in blood or CSF.
10. HUS, with or without gastroenteritis: Triad of acute renal failure, thrombocytopenia, and microangiopathic hemolytic anemia.
11. Report lab-confirmed only. Laboratory confirmation includes culture, RT-PCR, DFA, IFA, or rapid test. For deaths, also includes autopsy results consistent with influenza.
12. Rabies PEP guidance: www.scdhec.gov/health/envhlth/rabiesrabies-pep.htm. Consultation is available from the DHEC Regional Office.

South Carolina 2012 List of Reportable Conditions

How to Report

Submit reports by **one** of the following methods:

1. Immediately Reportable Conditions

- M-F, 8:30-5 PM: Call the regional public health office. See list below.
- Nights, weekends, and holidays: Call the regional public health office night / weekend phone / pager number (see list below), or the statewide DHEC emergency contact number (1-888-847-0902).

2. Urgently Reportable Conditions:

- Call the regional public health office within 24 hours. See list below.

3. Conditions Reportable Within 7 Days:

- Submit an electronic morbidity report via DHEC's web-based reporting system. To learn more, call 1-800-917-2093, or
- Complete the DHEC 1129 Disease Reporting Card and mail in an envelope marked confidential to the regional public health office (see list below), or
- Call the regional public health office.

4. HIV, AIDS, and STDs (excluding Hepatitis):

To report these conditions: call 1-800-277-0873; or submit electronically via DHEC's electronic reporting system (call 1-800-917-2093 to learn more); or submit a DHEC 1129 Disease Reporting Card or appropriate CDC Case Report Form in a confidential envelope to:

Division of Surveillance & Technical Support, Mills/Jarrett Complex
Box 101106, Columbia, SC 29211

What to Report

- Patient's name
- Patient's complete address, phone, date of birth, race, sex, county, social security number
- Physician's name and phone number
- Name, institution, and phone number of person reporting
- Disease or condition
- Date of diagnosis
- Symptoms
- Date of onset of symptoms
- Date of report
- Lab results, specimen site, collection date
- If female, pregnancy status
- Status: In daycare or a food-handler

Regional Public Health Offices

Attention Health care Facilities, Physicians, and Laboratories: Send or call reports to the Epidemiology Office in the county where the patient resides. These numbers should be used for reporting suspected and confirmed cases only.

Region 1

(Anderson, Oconee)
220 McGee Road
Anderson, SC 29625
Phone: (864) 260-4358
Fax: (864) 260-5623
Nights / Weekends: 1-866-298-4442

(Abbeville, Edgefield, Greenwood,
Laurens, McCormick, Saluda)
1736 S. Main Street
Greenwood, SC 29646
Phone: 1-888-218-5475
Fax: (864) 942-3690
Nights / Weekends: 1-800-420-1915

Region 2

(Greenville, Pickens)
PO Box 2507
200 University Ridge
Greenville, SC 29602-2507
Phone: (864) 282-4139
Fax: (864) 282-4373
Nights / Weekends: (864) 809-3825

(Cherokee, Spartanburg, Union)
PO Box 4217
151 E. Wood Street
Spartanburg, SC 29305-4217
Phone: (864) 596-2227, x 210
Fax: (864) 596-3443
Nights / Weekends: (864) 809-3825

Region 3

(Fairfield, Lexington, Newberry, Richland)
2000 Hampton Street
Columbia, SC 29204
Phone: (803) 576-2749
Fax: (803) 576-2993
Nights / Weekends: 1-888-554-9915

Region 3 cont.

(Chester, Lancaster, York)
PO Box 817
1833 Pageland Highway
Lancaster, SC 29720
Phone: (803) 286-9948
Fax: (803) 286-5418
Nights / Weekends: 1-866-867-3886

Region 4

(Chesterfield, Darlington, Dillon,
Florence, Marlboro, Marion)
145 E. Cheves Street
Florence, SC 29506
Phone: (843) 661-4830
Fax: (843) 661-4859
Nights / Weekends: (843) 601-7051

(Clarendon, Kershaw, Lee, Sumter)
PO Box 1628
105 North Magnolia Street
Sumter, SC 29150
Phone: (803) 773-5511
Fax: (803) 775-9941
Nights/Weekends: (803) 458-1847

Region 5

(Bamberg, Calhoun, Orangeburg)
PO Box 1126
1550 Carolina Avenue
Orangeburg, SC 29116
Phone: (803) 533-7199
Fax: (803) 533-7134
Nights / Weekends: (803) 516-5166

(Aiken, Allendale, Barnwell)
1680 Richland Avenue W., Suite 40
Aiken, SC 29801
Phone: (803) 642-1618
Fax: (803) 643-8386
Nights / Weekends: (803) 645-8167

Region 6

(Georgetown, Horry, Williamsburg)
1931 Industrial Park Road
Conway, SC 29526-5482
Phone: (843) 915-8804
Fax: (843) 365-0085
Nights/Weekends: (843) 381-6710

Region 7

(Berkeley, Charleston, Dorchester)
4050 Bridge View Drive, Suite 600
N. Charleston, SC 29405
Phone: (843) 953-0047
Fax: (843) 953-0051
Nights / Weekends: (843) 219-8470

Region 8

(Beaufort, Colleton, Hampton, Jasper)
219 S. Lemacks Street
Walterboro, SC 29488
Phone: (843) 605-3407
Fax: (843) 549-6845
Nights / Weekends: (843) 441-1091

DHEC Bureau of Disease Control

Division of Acute Disease Epidemiology
1751 Calhoun Street
Box 101106
Columbia, SC 29211
Phone: (803) 898-0861
Fax: (803) 898-0897
Nights / Weekends: 1-888-847-0902

For information on reportable conditions and updates to the 2012 List of Reportable Conditions, see www.scdhec.gov/health/disease/reportables.htm



South Carolina Department of Health and Environmental Control
We promote and protect the health of the public and the environment.
www.scdhec.gov

South Carolina 2013 List of Reportable Conditions

Attention: Health Care Facilities, Physicians, and Laboratories

South Carolina Law §44-29-10 and Regulation §61-20 require reporting of conditions on this list to the local public health department.

South Carolina Law §44-53-1380 requires reporting by laboratories of all blood lead values in children under 6 years of age.

HIPAA: Federal HIPAA legislation allows disclosure of protected health information, without consent of the individual, to public health authorities for the purpose of preventing or controlling disease. (HIPAA 45 CFR §164.512)

(!) Immediately reportable by phone

(*) Urgently reportable within 24 hours by phone

All other conditions reportable within 3 days

REPORT ALL SUSPECTED AND CONFIRMED CASES (SEE "HOW TO REPORT" ON BACK)

- ! Any outbreak or unusual disease (1) (5)
- ! Any intentional biological, chemical, or radiological event
- * Animal (mammal) bites (6)
- ! Anthrax (*Bacillus anthracis*) (5)
 - Babesiosis
- ! Botulism (*Clostridium botulinum* or Botulinum toxin)
 - * Brucellosis (5)
 - Campylobacteriosis
 - Chancroid (*Haemophilus ducreyi*)
 - Chlamydia trachomatis*, genital site
 - Creutzfeldt-Jakob Disease (Age < 55 years only)
 - Cryptosporidios
 - Cyclosporiasis
 - * Dengue (*Flavivirus*) (5)
 - * Diphtheria (5)
 - * Eastern Equine Encephalitis (5)
 - * *E. coli*, shiga toxin – producing (STEC), including *E. coli* O157:H7 (5)
 - Ehrlichiosis / Anaplasmosis (*Ehrlichia* species / *Anaplasma phagocytophili*)
 - Giardiasis
 - Gonorrhea
 - * *Haemophilus influenzae*, all types, invasive disease (3) (5)
 - * Hantavirus
 - * Hemolytic uremic syndrome (HUS)
 - * Hepatitis A, B, & E acute
 - Hepatitis B, C, & D chronic
 - Hepatitis B surface antigen + with each pregnancy
 - HIV and AIDS clinical diagnosis
 - HIV CD4 test results (all results) (L)
 - HIV subtype, genotype, and phenotype (L)
 - HIV positive test results (detection and confirmatory tests)
 - HIV viral load (all results) (L)
 - HIV HLA-B5701 and co-receptor assay (L)
 - ! Influenza A, avian or other novel
 - * Influenza associated deaths (all ages)
 - Influenza
 - Lab-confirmed cases (culture, RT-PCR, DFA, IFA)
 - Lab-confirmed hospitalizations (aggregate report of totals)
 - Positive rapid flu tests (aggregate report of totals)
 - * LaCrosse Encephalitis (5)
 - Lead tests, all results
 - Legionellosis (all positive tests) (5)
 - ! Leprosy (Hansen's Disease)
 - Leptospirosis
 - Listeriosis (5)
 - Lyme disease (*Borrelia burgdorferi*)
 - Lymphogranuloma venereum
 - Malaria (*Plasmodium* species)
 - ! Measles (Rubeola)
 - Meningo-encephalitis, aseptic
 - ! Meningococcal disease (3) (4) (5)
 - * Mumps
 - * Pertussis
 - ! Plague (*Yersinia pestis*) (5)
 - ! Poliomyelitis
 - * Psittacosis (*Chlamydophila psittaci*)
 - * Q fever (*Coxiella burnetii*)
 - ! Rabies (human)
 - Rabies Post Exposure Prophylaxis (PEP) (when administered) (6)
 - * Rubella (includes congenital)
 - Rocky Mountain Spotted Fever (Spotted Fever group)
 - Salmonellosis (5)
 - Shigellosis (5)
 - ! Smallpox (Variola)
 - * *Staphylococcus aureus*, vancomycin-resistant or intermediate (VRSA/VISA) (5)
 - Streptococcus* group A, invasive disease (3)
 - Streptococcus* group B, age < 90 days
 - Streptococcus pneumoniae*, invasive (2) (3)
 - * St. Louis Encephalitis (5)
 - * Syphilis: congenital, primary, or secondary (lesion or rash)
 - Syphilis: latent or tertiary, or positive serological test
 - Tetanus
 - Toxic Shock (specify staphylococcal or streptococcal)
 - * Trichinellosis (*T. spiralis*)
 - * Tuberculosis (5)
 - * Tularemia (5)
 - * Typhoid fever (*Salmonella typhi*) (5)
 - * Typhus, epidemic (*Rickettsia prowazekii*)
 - Varicella
 - * Vibrio, all types, including *Vibrio cholerae* O1 and O139 (5)
 - ! Viral Hemorrhagic Fevers (Ebola, Lassa, Marburg viruses)
 - * West Nile Virus (5)
 - * Yellow Fever (*Flavivirus*)
 - Yersiniosis (*Yersinia*, not pestis)

! Potential agent of bioterrorism

(L) Only Labs required to report.

1. An outbreak is the occurrence of more cases of disease than normally expected within a specific place or group of people over a given period of time. Clinical specimens may be required.
2. Reports should specify the site from which the isolate was obtained and the drug susceptibility profile.
3. Invasive disease = isolated from normally sterile site: blood, bone, CSF, joint, pericardial, peritoneal, or pleural fluid, protected bronchial sampling or from lung aspirate/biopsy, necrotizing fascitis, and cellulitis only if isolate is from a tissue biopsy. Always specify site of isolate.
4. Report Gram-negative diplococci in blood or CSF.
5. Labs are requested to submit these isolates, positive serologies, or specimens to the DHEC Bureau of Laboratories for confirmatory testing or genotyping.
6. Rabies PEP guidance: www.scdhec.gov/environment/envlth/rabies/rabies-pep.htm. Consultation is available from the DHEC Regional Office.

South Carolina 2013 List of Reportable Conditions

How to Report

Submit reports by one of the following methods:

1. Conditions Immediately Reportable or Reportable Within 24 hours:

- M-F, 8:30-5 PM: Call the regional public health office. See list below.
- Nights, weekends, and holidays: Call the regional public health office night / weekend phone / pager number (see list below), or the statewide DHEC emergency contact number (1-888-847-0902).

2. Conditions Reportable Within 3 days:

- Submit an electronic morbidity report via DHEC's web-based reporting system. To learn more, call 1-800-917-2093, or
- Complete the DHEC 1129 Disease Reporting Card and mail in an envelope marked confidential to the Division of Acute Disease Epidemiology, or
- Call the regional public health office (see list below).

3. HIV, AIDS, and STDs (excluding Hepatitis):

To report these conditions: call 1-800-277-0873; or submit electronically via DHEC's electronic reporting system (call 1-800-917-2093 to learn more); or submit a DHEC 1129 Disease Reporting Card or appropriate CDC Case Report Form in a confidential envelope to:

Division of Surveillance & Technical Support, Mills/Jarrett Complex
Box 101106, Columbia, SC 29211.

What to Report

- Patient's name
- Patient's complete address, phone, date of birth, race, sex, county, social security number
- Physician's name and phone number
- Name, institution, and phone number of person reporting
- Disease or condition
- Date of diagnosis
- Symptoms
- Date of onset of symptoms
- Date of report
- Lab results, specimen site, collection date
- If female, pregnancy status
- Status: In childcare or a food-handler

Regional Public Health Offices

Attention Health Care Facilities, Physicians, and Laboratories: Send or call reports to the Epidemiology Office in the county where the patient resides. These numbers should be used for reporting suspected and confirmed cases only.

Region 1

(Anderson, Oconee)
220 McGee Road
Anderson, SC 29625
Phone: (864) 260-4358
Fax: (864) 260-5623
Nights / Weekends: 1-866-298-4442

(Abbeville, Edgefield, Greenwood, Laurens, McCormick, Saluda)
1736 S. Main Street
Greenwood, SC 29646
Phone: 1-888-218-5475
Fax: (864) 942-3690
Nights / Weekends: 1-800-420-1915

Region 2

(Greenville, Pickens)
PO Box 2507
200 University Ridge
Greenville, SC 29602-2507
Phone: (864) 282-4139
Fax: (864) 282-4373
Nights / Weekends: (864) 809-3825

(Cherokee, Spartanburg, Union)
PO Box 4217
151 E. Wood Street
Spartanburg, SC 29305-4217
Phone: (864) 282-4139
Fax: (864) 282-4373
Nights / Weekends: (864) 809-3825

Region 3

(Fairfield, Lexington, Newberry, Richland)
2000 Hampton Street
Columbia, SC 29204
Phone: (803) 576-2749
Fax: (803) 576-2993
Nights / Weekends: 1-888-554-9915

Region 3 cont.

(Chester, Lancaster, York)
PO Box 817
1833 Pageland Highway
Lancaster, SC 29720
Phone: (803) 286-9948
Fax: (803) 286-5418
Nights / Weekends: 1-866-867-3886

Region 4

(Chesterfield, Darlington, Dillon, Florence, Marlboro, Marion)
145 E. Cheves Street
Florence, SC 29506
Phone: (843) 661-4830
Fax: (843) 661-4859
Nights / Weekends: (843) 601-7051

(Clarendon, Kershaw, Lee, Sumter)
PO Box 1628
105 North Magnolia Street
Sumter, SC 29150
Phone: (803) 773-5511
Fax: (803) 775-9941
Nights/Weekends: (803) 458-1847

Region 5

(Bamberg, Calhoun, Orangeburg)
PO Box 1126
1550 Carolina Avenue
Orangeburg, SC 29116
Phone: (803) 533-7199
Fax: (803) 533-7134
Nights / Weekends: (803) 516-5166

(Aiken, Allendale, Barnwell)

222 Beaufort Street
Aiken, SC 29801
Phone: (803) 642-1618
Fax: (803) 643-8386
Nights / Weekends: (803) 645-8167

Region 6

(Georgetown, Horry, Williamsburg)
1931 Industrial Park Road
Conway, SC 29526-5482
Phone: (843) 915-8804
Fax: (843) 365-0085
Nights/Weekends: (843) 340-4754

Region 7

(Berkeley, Charleston, Dorchester)
4050 Bridge View Drive, Suite 600
N. Charleston, SC 29405
Phone: (843) 953-0047
Fax: (843) 953-0051
Nights / Weekends: (843) 219-8470

Region 8

(Beaufort, Colleton, Hampton, Jasper)
219 S. Lemacks Street
Walterboro, SC 29488
Phone: (843) 441-1091
Fax: (843) 549-6845
Nights / Weekends: (843) 441-1091

DHEC Bureau of Disease Control

Division of Acute Disease Epidemiology
1751 Calhoun Street
Box 101106
Columbia, SC 29211
Phone: (803) 898-0861
Fax: (803) 898-0897
Nights / Weekends: 1-888-847-0902

For information on reportable conditions and updates to the 2013 List of Reportable Conditions, see www.scdhec.gov/health/disease/reportables.htm



South Carolina Department of Health and Environmental Control
We promote and protect the health of the public and the environment.

www.scdhec.gov

Notes:

- Not all conditions were reportable in all years. For years in which the condition was not reportable, “NR” replaces the case and rate value.
- Due to patient confidentiality restrictions, county level case counts of less than four cases are replaced with an asterisk (*). An asterisk is also used to suppress all county-level numbers if the count from a single county may be inferred by the total for the state in that year.
- **Creutzfeldt-Jakob Disease** is only reportable in adults over the age of 55.
- **Group B Streptococcus**, invasive is only reportable in infants less than 90 days old.
- **Varicella** was only reportable in instances of outbreaks, hospitalizations, and deaths between 2009 and 2012. Along with recommendations for a second dose of varicella vaccine for children, this change accounts for the significant decrease in case numbers during that period.

Aseptic meningitis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	*	*	*	*	*	*	*	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	11	5.9	11	5.9	18	9.5	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	4	2.7	*	*	11	6.8	5	3.0	*	*
Berkeley	9	5.3	11	6.3	12	6.7	12	6.5	6	3.2
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	18	5.2	15	4.2	55	15.7	30	8.4	22	6.0
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	*	*	*	*	4	12.2	4	12.3
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	*	*
Colleton	*	*	*	*	0	*	*	*	*	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	9	7.1	15	11.5	20	14.6	13	9.2	12	8.4
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	*	*	0	*	*	*	4	2.9	*	*
Georgetown	0	*	*	*	*	*	*	*	*	*
Greenville	*	*	*	*	*	*	0	*	4	0.9
Greenwood	0	*	0	*	0	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	9	3.5	6	2.3	9	3.3	11	4.0	15	5.3
Jasper	*	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	6	7.9	7	9.0	24	31.3	40	51.3	35	44.3
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	10	4.0	20	7.8	27	10.3	19	7.1	16	5.9
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	*	*	*	*	*	*
Oconee	0	*	0	*	0	*	4	5.4	0	*
Orangeburg	0	*	*	*	*	*	*	*	4	4.4
Pickens	0	*	0	*	*	*	0	*	*	*
Richland	4	1.1	7	1.9	7	1.8	10	2.6	4	1.0
Saluda	0	*	*	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	*	*	*	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	*	*	0	*
York	*	*	*	*	*	*	*	*	6	2.6
Unknown	0		0		0		0		0	
Grand Total	81	1.8	106	2.3	197	4.3	185	4.0	142	3.0

Aseptic meningitis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	91	2.2
2006	114	2.7
2007	104	2.4
2008	121	2.7
2009	81	1.8
2010	106	2.3
2011	197	4.3
2012	185	4.0
2013	142	3.0

*Incidence rate and county-level case counts not reported for < 4 cases

Babesiosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	0	*	0	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	0	*	0	*	0	*	0	*	*	*
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	0	*	0	*	0	*	0	*	*	*
Berkeley	0	*	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	*	*
Charleston	0	*	0	*	0	*	0	*	*	*
Cherokee	0	*	0	*	0	*	0	*	*	*
Chester	0	*	0	*	0	*	0	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	0	*	0	*	0	*	*	*
Darlington	0	*	0	*	0	*	0	*	*	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	0	*	0	*	0	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	*	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	0	*	0	*	0	*	0	*	*	*
Georgetown	0	*	0	*	0	*	0	*	*	*
Greenville	0	*	0	*	0	*	0	*	*	*
Greenwood	0	*	0	*	0	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	*	*
Horry	0	*	0	*	0	*	0	*	*	*
Jasper	0	*	0	*	0	*	0	*	*	*
Kershaw	0	*	0	*	0	*	0	*	*	*
Lancaster	0	*	0	*	0	*	0	*	*	*
Laurens	0	*	0	*	0	*	0	*	*	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	0	*	0	*	0	*	0	*	*	*
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	*	*
Newberry	0	*	0	*	0	*	0	*	*	*
Oconee	0	*	0	*	0	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	0	*	*	*
Pickens	0	*	0	*	0	*	0	*	*	*
Richland	0	*	0	*	0	*	0	*	*	*
Saluda	0	*	0	*	0	*	0	*	*	*
Spartanburg	0	*	0	*	0	*	0	*	*	*
Sumter	0	*	0	*	0	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	0	*	0	*	0	*	0	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	1	*

Babesiosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Botulism, infant
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	0	*	0	*	0	*	0	*	0	*

Botulism, infant Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	0	*
2006	0	*
2007	1	*
2008	1	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Botulism, foodborne
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Botulism, foodborne Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	1	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Brucellosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	*	*	0	*	*	*
Aiken	*	*	0	*	*	*	0	*	*	*
Allendale	*	*	0	*	*	*	0	*	*	*
Anderson	*	*	0	*	*	*	0	*	*	*
Bamberg	*	*	0	*	*	*	0	*	*	*
Barnwell	*	*	0	*	*	*	0	*	*	*
Beaufort	*	*	0	*	*	*	0	*	*	*
Berkeley	*	*	0	*	*	*	0	*	*	*
Calhoun	*	*	0	*	*	*	0	*	*	*
Charleston	*	*	0	*	*	*	0	*	*	*
Cherokee	*	*	0	*	*	*	0	*	*	*
Chester	*	*	0	*	*	*	0	*	*	*
Chesterfield	*	*	0	*	*	*	0	*	*	*
Clarendon	*	*	0	*	*	*	0	*	*	*
Colleton	*	*	0	*	*	*	0	*	*	*
Darlington	*	*	0	*	*	*	0	*	*	*
Dillon	*	*	0	*	*	*	0	*	*	*
Dorchester	*	*	0	*	*	*	0	*	*	*
Edgefield	*	*	0	*	*	*	0	*	*	*
Fairfield	*	*	0	*	*	*	0	*	*	*
Florence	*	*	0	*	*	*	0	*	*	*
Georgetown	*	*	0	*	*	*	0	*	*	*
Greenville	*	*	0	*	*	*	0	*	*	*
Greenwood	*	*	0	*	*	*	0	*	*	*
Hampton	*	*	0	*	*	*	0	*	*	*
Horry	*	*	0	*	*	*	0	*	*	*
Jasper	*	*	0	*	*	*	0	*	*	*
Kershaw	*	*	0	*	*	*	0	*	*	*
Lancaster	*	*	0	*	*	*	0	*	*	*
Laurens	*	*	0	*	*	*	0	*	*	*
Lee	*	*	0	*	*	*	0	*	*	*
Lexington	*	*	0	*	*	*	0	*	*	*
Marion	*	*	0	*	*	*	0	*	*	*
Marlboro	*	*	0	*	*	*	0	*	*	*
McCormick	*	*	0	*	*	*	0	*	*	*
Newberry	*	*	0	*	*	*	0	*	*	*
Oconee	*	*	0	*	*	*	0	*	*	*
Orangeburg	*	*	0	*	*	*	0	*	*	*
Pickens	*	*	0	*	*	*	0	*	*	*
Richland	*	*	0	*	*	*	0	*	*	*
Saluda	*	*	0	*	*	*	0	*	*	*
Spartanburg	*	*	0	*	*	*	0	*	*	*
Sumter	*	*	0	*	*	*	0	*	*	*
Union	*	*	0	*	*	*	0	*	*	*
Williamsburg	*	*	0	*	*	*	0	*	*	*
York	*	*	0	*	*	*	0	*	*	*
Unknown	0		0		0		0		0	
Grand Total	4	0.1	0	*	1	*	0	*	1	*

Brucellosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	1	*
2002	0	*
2003	0	*
2004	1	*
2005	1	*
2006	3	*
2007	2	*
2008	2	*
2009	4	0.1
2010	0	*
2011	1	*
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Campylobacteriosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	6	23.9	4	15.7	*	*	*	*
Aiken	5	3.2	9	5.8	12	7.5	10	6.2	10	6.1
Allendale	0	*	*	*	0	*	0	*	0	*
Anderson	11	6.0	15	8.1	21	11.2	23	12.2	28	14.8
Bamberg	0	*	0	*	4	25.0	*	*	0	*
Barnwell	0	*	0	*	0	*	5	22.4	4	18.0
Beaufort	8	5.3	17	11.0	14	8.6	13	7.9	12	7.1
Berkeley	11	6.5	10	5.8	10	5.6	14	7.6	10	5.3
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	25	7.2	20	5.6	19	5.4	40	11.2	32	8.8
Cherokee	0	*	*	*	5	9.0	*	*	7	12.6
Chester	0	*	4	12.3	*	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	7	15.0	*	*
Clarendon	*	*	*	*	5	14.3	4	11.5	4	11.6
Colleton	*	*	*	*	*	*	*	*	*	*
Darlington	*	*	*	*	0	*	*	*	5	7.3
Dillon	*	*	*	*	*	*	*	*	*	*
Dorchester	6	4.7	13	10.0	13	9.5	7	5.0	7	4.9
Edgefield	*	*	0	*	4	14.8	*	*	*	*
Fairfield	*	*	*	*	0	*	4	17.0	*	*
Florence	4	3.0	5	3.7	*	*	5	3.6	9	6.5
Georgetown	*	*	*	*	7	11.6	6	10.0	*	*
Greenville	21	4.8	20	4.4	48	10.6	37	8.0	27	5.8
Greenwood	13	19.0	12	17.2	6	8.6	11	15.8	14	20.1
Hampton	0	*	*	*	*	*	*	*	*	*
Horry	7	2.7	13	4.9	19	7.1	15	5.4	21	7.4
Jasper	0	*	*	*	*	*	*	*	*	*
Kershaw	*	*	5	8.3	8	13.0	5	8.0	*	*
Lancaster	8	10.5	20	25.7	21	27.4	6	7.7	*	*
Laurens	*	*	4	5.7	*	*	*	*	6	9.1
Lee	0	*	*	*	*	*	0	*	0	*
Lexington	35	14.1	31	12.1	33	12.6	50	18.7	35	12.9
Marion	0	*	*	*	0	*	*	*	*	*
Marlboro	0	*	0	*	*	*	4	12.2	*	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	6	15.9	4	10.3	6	16.0	6	15.9	4	10.6
Oconee	8	11.2	12	16.8	7	9.4	*	*	5	6.7
Orangeburg	*	*	*	*	*	*	7	7.6	8	8.7
Pickens	10	8.6	13	11.0	19	15.9	6	5.0	14	11.7
Richland	19	5.2	23	6.2	24	6.2	28	7.2	24	6.1
Saluda	*	*	*	*	6	30.2	10	50.3	4	20.1
Spartanburg	12	4.3	26	9.1	44	15.5	19	6.6	16	5.5
Sumter	*	*	4	3.8	5	4.7	11	10.2	7	6.5
Union	*	*	0	*	*	*	*	*	*	*
Williamsburg	*	*	0	*	6	17.4	*	*	*	*
York	7	3.2	6	2.6	10	4.4	27	11.7	16	6.8
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	241	5.4	318	7.0	401	8.7	411	8.8	366	7.7

Campylobacteriosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	206	5.3
2000	168	4.2
2001	196	4.9
2002	212	5.2
2003	238	5.8
2004	200	4.8
2005	217	5.2
2006	224	5.3
2007	236	5.5
2008	204	4.6
2009	241	5.4
2010	318	7.0
2011	401	8.7
2012	411	8.8
2013	366	7.7

*Incidence rate and county-level case counts not reported for < 4 cases

Cholera
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	0	*	0	*

Cholera Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	1	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Ciguatera fish poisoning
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	0	*	0	*	0	*	0	*	0	*

Ciguatera fish poisoning Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	0	*
2006	1	*
2007	1	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Creutzfeldt-Jakob Disease
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	0	*	0	*

Creutzfeldt-Jakob Disease Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Cryptosporidiosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	*	*	0	*
Aiken	*	*	6	3.8	*	*	7	4.4	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	*	*	0	*	*	*	*	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	*	*	0	*	*	*	*	*	*	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	7	2.0	6	1.7	11	3.1	7	2.0	16	4.4
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	*	*	0	*	*	*	*	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	0	*	0	*	0	*	*	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	*	*	6	4.6	*	*	*	*	6	4.2
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	0	*	*	*	0	*	0	*	0	*
Georgetown	4	6.6	4	6.6	*	*	0	*	*	*
Greenville	*	*	*	*	*	*	4	0.9	*	*
Greenwood	0	*	0	*	7	10.0	*	*	*	*
Hampton	0	*	*	*	0	*	0	*	0	*
Horry	*	*	5	1.9	5	1.9	*	*	19	6.7
Jasper	0	*	0	*	0	*	0	*	*	*
Kershaw	0	*	5	8.3	0	*	*	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	19	7.6	41	16.0	50	19.1	20	7.5	13	4.8
Marion	0	*	*	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	*	*	*	*	*	*	0	*	*	*
Oconee	*	*	0	*	*	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	*	*	*	*
Pickens	4	3.4	*	*	*	*	*	*	*	*
Richland	5	1.4	20	5.4	24	6.2	5	1.3	10	2.5
Saluda	*	*	0	*	*	*	*	*	0	*
Spartanburg	0	*	*	*	*	*	*	*	6	2.1
Sumter	0	*	0	*	*	*	*	*	0	*
Union	0	*	*	*	0	*	*	*	*	*
Williamsburg	*	*	0	*	0	*	*	*	0	*
York	6	2.8	24	10.6	*	*	*	*	*	*
Unknown	0		0		0		0		0	
Grand Total	63	1.4	129	2.8	126	2.7	72	1.5	97	2.1

Cryptosporidiosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	10	0.3
2000	23	0.6
2001	7	0.2
2002	8	0.2
2003	18	0.4
2004	25	0.6
2005	26	0.6
2006	132	3.1
2007	78	1.8
2008	45	1.0
2009	63	1.4
2010	129	2.8
2011	126	2.7
2012	72	1.5
2013	97	2.1

*Incidence rate and county-level case counts not reported for < 4 cases

Cyclosporiasis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	0	*	0	*	0	*
Aiken	*	*	*	*	0	*	0	*	0	*
Allendale	*	*	*	*	0	*	0	*	0	*
Anderson	*	*	*	*	0	*	0	*	0	*
Bamberg	*	*	*	*	0	*	0	*	0	*
Barnwell	*	*	*	*	0	*	0	*	0	*
Beaufort	*	*	*	*	0	*	0	*	0	*
Berkeley	*	*	*	*	0	*	0	*	0	*
Calhoun	*	*	*	*	0	*	0	*	0	*
Charleston	*	*	*	*	0	*	0	*	0	*
Cherokee	*	*	*	*	0	*	0	*	0	*
Chester	*	*	*	*	0	*	0	*	0	*
Chesterfield	*	*	*	*	0	*	0	*	0	*
Clarendon	*	*	*	*	0	*	0	*	0	*
Colleton	*	*	*	*	0	*	0	*	0	*
Darlington	*	*	*	*	0	*	0	*	0	*
Dillon	*	*	*	*	0	*	0	*	0	*
Dorchester	*	*	*	*	0	*	0	*	0	*
Edgefield	*	*	*	*	0	*	0	*	0	*
Fairfield	*	*	*	*	0	*	0	*	0	*
Florence	*	*	*	*	0	*	0	*	0	*
Georgetown	*	*	*	*	0	*	0	*	0	*
Greenville	*	*	*	*	0	*	0	*	0	*
Greenwood	*	*	*	*	0	*	0	*	0	*
Hampton	*	*	*	*	0	*	0	*	0	*
Horry	*	*	*	*	0	*	0	*	0	*
Jasper	*	*	*	*	0	*	0	*	0	*
Kershaw	*	*	*	*	0	*	0	*	0	*
Lancaster	*	*	*	*	0	*	0	*	0	*
Laurens	*	*	*	*	0	*	0	*	0	*
Lee	*	*	*	*	0	*	0	*	0	*
Lexington	*	*	*	*	0	*	0	*	0	*
Marion	*	*	*	*	0	*	0	*	0	*
Marlboro	*	*	*	*	0	*	0	*	0	*
McCormick	*	*	*	*	0	*	0	*	0	*
Newberry	*	*	*	*	0	*	0	*	0	*
Oconee	*	*	*	*	0	*	0	*	0	*
Orangeburg	*	*	*	*	0	*	0	*	0	*
Pickens	*	*	*	*	0	*	0	*	0	*
Richland	*	*	*	*	0	*	0	*	0	*
Saluda	*	*	*	*	0	*	0	*	0	*
Spartanburg	*	*	*	*	0	*	0	*	0	*
Sumter	*	*	*	*	0	*	0	*	0	*
Union	*	*	*	*	0	*	0	*	0	*
Williamsburg	*	*	*	*	0	*	0	*	0	*
York	*	*	*	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	1	*	2	*	0	*	0	*	0	*

Cyclosporiasis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	1	*
2001	0	*
2002	3	*
2003	0	*
2004	0	*
2005	3	*
2006	4	0.1
2007	1	*
2008	1	*
2009	1	*
2010	2	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Dengue Fever
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	*	*	0	*
Aiken	*	*	*	*	*	*	*	*	0	*
Allendale	*	*	*	*	*	*	*	*	0	*
Anderson	*	*	*	*	*	*	*	*	0	*
Bamberg	*	*	*	*	*	*	*	*	0	*
Barnwell	*	*	*	*	*	*	*	*	0	*
Beaufort	*	*	*	*	*	*	*	*	0	*
Berkeley	*	*	*	*	*	*	*	*	0	*
Calhoun	*	*	*	*	*	*	*	*	0	*
Charleston	*	*	*	*	*	*	*	*	0	*
Cherokee	*	*	*	*	*	*	*	*	0	*
Chester	*	*	*	*	*	*	*	*	0	*
Chesterfield	*	*	*	*	*	*	*	*	0	*
Clarendon	*	*	*	*	*	*	*	*	0	*
Colleton	*	*	*	*	*	*	*	*	0	*
Darlington	*	*	*	*	*	*	*	*	0	*
Dillon	*	*	*	*	*	*	*	*	0	*
Dorchester	*	*	*	*	*	*	*	*	0	*
Edgefield	*	*	*	*	*	*	*	*	0	*
Fairfield	*	*	*	*	*	*	*	*	0	*
Florence	*	*	*	*	*	*	*	*	0	*
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	*	*	*	*	*	*	*	*	0	*
Hampton	*	*	*	*	*	*	*	*	0	*
Horry	*	*	*	*	*	*	*	*	0	*
Jasper	*	*	*	*	*	*	*	*	0	*
Kershaw	*	*	*	*	*	*	*	*	*	*
Lancaster	*	*	*	*	*	*	*	*	0	*
Laurens	*	*	*	*	*	*	*	*	0	*
Lee	*	*	*	*	*	*	*	*	0	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	*	*	*	*	*	*	*	*	0	*
Marlboro	*	*	*	*	*	*	*	*	0	*
McCormick	*	*	*	*	*	*	*	*	0	*
Newberry	*	*	*	*	*	*	*	*	0	*
Oconee	*	*	*	*	*	*	*	*	0	*
Orangeburg	*	*	*	*	*	*	*	*	*	*
Pickens	*	*	*	*	*	*	*	*	0	*
Richland	*	*	*	*	*	*	*	*	*	*
Saluda	*	*	*	*	*	*	*	*	0	*
Spartanburg	*	*	*	*	*	*	*	*	0	*
Sumter	*	*	*	*	*	*	*	*	0	*
Union	*	*	*	*	*	*	*	*	0	*
Williamsburg	*	*	*	*	*	*	*	*	0	*
York	*	*	*	*	*	*	*	*	0	*
Unknown	0		0		0		0		0	
Grand Total	2	*	16	0.4	2	*	2	*	8	0.2

Dengue Fever Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	1	*
2000	1	*
2001	0	*
2002	0	*
2003	0	*
2004	1	*
2005	0	*
2006	1	*
2007	3	*
2008	1	*
2009	2	*
2010	16	0.4
2011	2	*
2012	2	*
2013	8	0.2

*Incidence rate and county-level case counts not reported for < 4 cases

Diphtheria
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Diphtheria Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Ehrlichiosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	*	*	*	*	0	*
Aiken	*	*	0	*	*	*	*	*	0	*
Allendale	*	*	0	*	*	*	*	*	0	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	*	*	0	*	*	*	*	*	0	*
Barnwell	*	*	0	*	*	*	*	*	0	*
Beaufort	*	*	0	*	*	*	*	*	*	*
Berkeley	*	*	0	*	*	*	*	*	0	*
Calhoun	*	*	0	*	*	*	*	*	0	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	*	*	0	*	*	*	*	*	0	*
Chester	*	*	0	*	*	*	*	*	0	*
Chesterfield	*	*	0	*	*	*	*	*	0	*
Clarendon	*	*	0	*	*	*	*	*	0	*
Colleton	*	*	0	*	*	*	*	*	0	*
Darlington	*	*	0	*	*	*	*	*	0	*
Dillon	*	*	0	*	*	*	*	*	0	*
Dorchester	*	*	0	*	*	*	*	*	0	*
Edgefield	*	*	0	*	*	*	*	*	0	*
Fairfield	*	*	0	*	*	*	*	*	0	*
Florence	*	*	0	*	*	*	*	*	0	*
Georgetown	*	*	*	*	*	*	*	*	0	*
Greenville	*	*	0	*	*	*	*	*	0	*
Greenwood	*	*	0	*	*	*	*	*	0	*
Hampton	*	*	0	*	*	*	*	*	0	*
Horry	*	*	0	*	*	*	*	*	0	*
Jasper	*	*	0	*	*	*	*	*	*	*
Kershaw	*	*	0	*	*	*	*	*	0	*
Lancaster	*	*	0	*	*	*	*	*	0	*
Laurens	*	*	0	*	*	*	*	*	0	*
Lee	*	*	0	*	*	*	*	*	0	*
Lexington	*	*	0	*	*	*	*	*	0	*
Marion	*	*	0	*	*	*	*	*	0	*
Marlboro	*	*	0	*	*	*	*	*	0	*
McCormick	*	*	0	*	*	*	*	*	0	*
Newberry	*	*	0	*	*	*	*	*	*	*
Oconee	*	*	0	*	*	*	*	*	0	*
Orangeburg	*	*	0	*	*	*	*	*	0	*
Pickens	*	*	0	*	*	*	*	*	0	*
Richland	*	*	0	*	*	*	*	*	0	*
Saluda	*	*	0	*	*	*	*	*	0	*
Spartanburg	*	*	*	*	*	*	*	*	0	*
Sumter	*	*	0	*	*	*	*	*	0	*
Union	*	*	0	*	*	*	*	*	0	*
Williamsburg	*	*	0	*	*	*	*	*	0	*
York	*	*	*	*	*	*	*	*	0	*
Unknown	0		0		0		0		0	
Grand Total	3	*	7	0.2	3	*	2	*	7	0.1

Ehrlichiosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	1	*
2001	1	*
2002	4	0.1
2003	1	*
2004	7	0.2
2005	8	0.2
2006	5	0.1
2007	5	0.1
2008	0	*
2009	3	*
2010	7	0.2
2011	3	*
2012	2	*
2013	7	0.1

*Incidence rate and county-level case counts not reported for < 4 cases

**Encephalitis, Eastern equine
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Encephalitis, Eastern equine Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	1	*
2001	0	*
2002	1	*
2003	2	*
2004	1	*
2005	1	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Encephalitis, LaCrosse
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	*	*	*	*
Aiken	0	*	0	*	*	*	*	*	*	*
Allendale	0	*	0	*	*	*	*	*	*	*
Anderson	0	*	0	*	*	*	*	*	*	*
Bamberg	0	*	0	*	*	*	*	*	*	*
Barnwell	0	*	0	*	*	*	*	*	*	*
Beaufort	0	*	0	*	*	*	*	*	*	*
Berkeley	0	*	0	*	*	*	*	*	*	*
Calhoun	0	*	0	*	*	*	*	*	*	*
Charleston	0	*	0	*	*	*	*	*	*	*
Cherokee	0	*	0	*	*	*	*	*	*	*
Chester	0	*	0	*	*	*	*	*	*	*
Chesterfield	0	*	0	*	*	*	*	*	*	*
Clarendon	0	*	0	*	*	*	*	*	*	*
Colleton	0	*	0	*	*	*	*	*	*	*
Darlington	0	*	0	*	*	*	*	*	*	*
Dillon	0	*	0	*	*	*	*	*	*	*
Dorchester	0	*	0	*	*	*	*	*	*	*
Edgefield	0	*	0	*	*	*	*	*	*	*
Fairfield	0	*	0	*	*	*	*	*	*	*
Florence	0	*	0	*	*	*	*	*	*	*
Georgetown	0	*	0	*	*	*	*	*	*	*
Greenville	0	*	0	*	*	*	*	*	*	*
Greenwood	0	*	0	*	*	*	*	*	*	*
Hampton	0	*	0	*	*	*	*	*	*	*
Horry	0	*	0	*	*	*	*	*	*	*
Jasper	0	*	0	*	*	*	*	*	*	*
Kershaw	0	*	0	*	*	*	*	*	*	*
Lancaster	0	*	0	*	*	*	*	*	*	*
Laurens	0	*	0	*	*	*	*	*	*	*
Lee	0	*	0	*	*	*	*	*	*	*
Lexington	0	*	0	*	*	*	*	*	*	*
Marion	0	*	0	*	*	*	*	*	*	*
Marlboro	0	*	0	*	*	*	*	*	*	*
McCormick	0	*	0	*	*	*	*	*	*	*
Newberry	0	*	0	*	*	*	*	*	*	*
Oconee	0	*	0	*	*	*	*	*	*	*
Orangeburg	0	*	0	*	*	*	*	*	*	*
Pickens	0	*	0	*	*	*	*	*	*	*
Richland	0	*	0	*	*	*	*	*	*	*
Saluda	0	*	0	*	*	*	*	*	*	*
Spartanburg	0	*	0	*	*	*	*	*	*	*
Sumter	0	*	0	*	*	*	*	*	*	*
Union	0	*	0	*	*	*	*	*	*	*
Williamsburg	0	*	0	*	*	*	*	*	*	*
York	0	*	0	*	*	*	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	1	*	1	*

Encephalitis, LaCrosse Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	1	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Encephalitis, West Nile
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	*	*	0	*	0	*	0	*
Aiken	0	*	*	*	0	*	*	*	0	*
Allendale	0	*	*	*	0	*	0	*	0	*
Anderson	0	*	*	*	0	*	*	*	0	*
Bamberg	0	*	*	*	0	*	0	*	0	*
Barnwell	0	*	*	*	0	*	0	*	0	*
Beaufort	0	*	*	*	0	*	0	*	0	*
Berkeley	0	*	*	*	0	*	0	*	0	*
Calhoun	0	*	*	*	0	*	0	*	0	*
Charleston	0	*	*	*	0	*	0	*	0	*
Cherokee	0	*	*	*	0	*	*	*	0	*
Chester	0	*	*	*	0	*	0	*	0	*
Chesterfield	0	*	*	*	0	*	0	*	0	*
Clarendon	0	*	*	*	0	*	0	*	0	*
Colleton	0	*	*	*	0	*	0	*	0	*
Darlington	0	*	*	*	0	*	0	*	0	*
Dillon	0	*	*	*	0	*	0	*	0	*
Dorchester	0	*	*	*	0	*	0	*	0	*
Edgefield	0	*	*	*	0	*	0	*	0	*
Fairfield	0	*	*	*	0	*	0	*	0	*
Florence	0	*	*	*	0	*	*	*	0	*
Georgetown	0	*	*	*	0	*	0	*	0	*
Greenville	0	*	*	*	0	*	0	*	0	*
Greenwood	0	*	*	*	0	*	*	*	0	*
Hampton	0	*	*	*	0	*	0	*	0	*
Horry	0	*	*	*	0	*	0	*	0	*
Jasper	0	*	*	*	0	*	0	*	0	*
Kershaw	0	*	*	*	0	*	0	*	0	*
Lancaster	0	*	*	*	0	*	0	*	0	*
Laurens	0	*	*	*	0	*	0	*	0	*
Lee	0	*	*	*	0	*	0	*	0	*
Lexington	0	*	*	*	0	*	0	*	0	*
Marion	0	*	*	*	0	*	*	*	0	*
Marlboro	0	*	*	*	0	*	*	*	0	*
McCormick	0	*	*	*	0	*	0	*	0	*
Newberry	0	*	*	*	0	*	0	*	0	*
Oconee	0	*	*	*	0	*	0	*	0	*
Orangeburg	0	*	*	*	0	*	*	*	0	*
Pickens	0	*	*	*	0	*	0	*	0	*
Richland	0	*	*	*	0	*	*	*	0	*
Saluda	0	*	*	*	0	*	0	*	0	*
Spartanburg	0	*	*	*	0	*	0	*	0	*
Sumter	0	*	*	*	0	*	0	*	0	*
Union	0	*	*	*	0	*	0	*	0	*
Williamsburg	0	*	*	*	0	*	0	*	0	*
York	0	*	*	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	1	*	0	*	10	0.2	0	*

Encephalitis, West Nile Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	1	*
2003	7	0.2
2004	0	*
2005	4	0.1
2006	1	*
2007	2	*
2008	0	*
2009	0	*
2010	1	*
2011	0	*
2012	10	0.2
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Giardiasis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	0	*	*	*	0	*
Aiken	4	2.6	*	*	0	*	*	*	5	3.1
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	5	2.7	4	2.1	10	5.3	10	5.3
Bamberg	0	*	0	*	0	*	*	*	0	*
Barnwell	*	*	0	*	0	*	0	*	0	*
Beaufort	*	*	6	3.9	9	5.5	4	2.4	11	6.5
Berkeley	*	*	*	*	4	2.2	*	*	4	2.1
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	7	2.0	24	6.8	20	5.7	16	4.5	18	4.9
Cherokee	0	*	0	*	*	*	*	*	*	*
Chester	0	*	*	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	*	*	0	*	0	*	0	*	0	*
Colleton	0	*	*	*	*	*	0	*	*	*
Darlington	0	*	0	*	0	*	*	*	*	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	*	*	7	5.4	*	*	8	5.7	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	*	*	0	*
Florence	*	*	*	*	0	*	*	*	4	2.9
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	8	1.8	12	2.7	6	1.3	13	2.8	12	2.6
Greenwood	*	*	*	*	4	5.7	*	*	*	*
Hampton	*	*	*	*	0	*	0	*	*	*
Horry	5	1.9	5	1.9	7	2.6	8	2.9	6	2.1
Jasper	0	*	*	*	*	*	0	*	0	*
Kershaw	0	*	*	*	*	*	0	*	0	*
Lancaster	*	*	*	*	*	*	0	*	4	5.1
Laurens	*	*	0	*	*	*	0	*	0	*
Lee	*	*	0	*	0	*	0	*	0	*
Lexington	8	3.2	12	4.7	12	4.6	7	2.6	7	2.6
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	*	*	*	*	*	*	0	*	*	*
Oconee	*	*	4	5.6	*	*	0	*	*	*
Orangeburg	0	*	0	*	*	*	*	*	*	*
Pickens	*	*	*	*	4	3.4	*	*	*	*
Richland	11	3.0	16	4.3	13	3.4	14	3.6	7	1.8
Saluda	*	*	0	*	0	*	*	*	0	*
Spartanburg	*	*	15	5.2	10	3.5	16	5.6	15	5.2
Sumter	0	*	*	*	*	*	*	*	0	*
Union	*	*	*	*	*	*	0	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	7	3.2	9	4.0	5	2.2	6	2.6	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	83	1.9	141	3.1	117	2.5	127	2.7	134	2.8

Giardiasis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	150	3.7
2003	163	4.0
2004	143	3.5
2005	106	2.5
2006	111	2.6
2007	110	2.5
2008	112	2.5
2009	83	1.9
2010	141	3.1
2011	117	2.5
2012	127	2.7
2013	134	2.8

*Incidence rate and county-level case counts not reported for < 4 cases

**Group A Streptococcus, invasive
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	0	*	0	*	0	*
Aiken	*	*	9	5.8	*	*	8	5.0	10	6.1
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	6	3.3	6	3.2	6	3.2	12	6.4	4	2.1
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	*	*	*	*	*	*	*	*	*	*
Berkeley	*	*	7	4.0	5	2.8	4	2.2	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	4	1.1	15	4.2	4	1.1	8	2.2	10	2.7
Cherokee	0	*	0	*	0	*	*	*	0	*
Chester	0	*	*	*	0	*	0	*	0	*
Chesterfield	0	*	*	*	0	*	*	*	*	*
Clarendon	0	*	0	*	0	*	*	*	*	*
Colleton	*	*	*	*	0	*	0	*	0	*
Darlington	*	*	*	*	*	*	*	*	0	*
Dillon	*	*	*	*	0	*	*	*	0	*
Dorchester	*	*	6	4.6	6	4.4	*	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	5	3.8	5	3.7	*	*	*	*	*	*
Georgetown	0	*	*	*	6	10.0	0	*	*	*
Greenville	13	3.0	12	2.7	18	4.0	13	2.8	9	1.9
Greenwood	4	5.8	*	*	*	*	*	*	0	*
Hampton	*	*	0	*	0	*	0	*	0	*
Horry	*	*	*	*	8	3.0	4	1.4	4	1.4
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	*	*	*	*	*	*
Lancaster	0	*	0	*	*	*	*	*	*	*
Laurens	*	*	*	*	4	6.0	0	*	0	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	*	*	*	*	5	1.9	*	*	*	*
Marion	0	*	*	*	*	*	0	*	0	*
Marlboro	0	*	0	*	0	*	*	*	*	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	*	*
Oconee	*	*	*	*	*	*	*	*	*	*
Orangeburg	0	*	*	*	*	*	*	*	0	*
Pickens	0	*	*	*	*	*	0	*	*	*
Richland	6	1.6	6	1.6	11	2.9	4	1.0	11	2.8
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	4	1.4	5	1.7	5	1.8	7	2.4	9	3.1
Sumter	*	*	*	*	5	4.7	*	*	*	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	*	*	*	*	0	*	0	*	*	*
York	5	2.3	5	2.2	6	2.7	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	71	1.6	108	2.4	110	2.4	86	1.8	91	1.9

Group A Streptococcus, invasive Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	5	0.1
2000	13	0.3
2001	14	0.3
2002	42	1.0
2003	44	1.1
2004	62	1.5
2005	46	1.1
2006	72	1.7
2007	98	2.3
2008	68	1.5
2009	71	1.6
2010	108	2.4
2011	110	2.4
2012	86	1.8
2013	91	1.9

*Incidence rate and county-level case counts not reported for < 4 cases

**Group B Streptococcus, invasive
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	*	*	0	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	*	*	*	*	5	2.7	*	*	4	2.1
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	*	*	0	*	0	*	0	*	0	*
Beaufort	0	*	*	*	0	*	0	*	*	*
Berkeley	0	*	0	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	7	2.0	7	2.0	5	1.4	*	*	*	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	*	*	0	*	0	*	0	*
Chesterfield	*	*	*	*	0	*	*	*	0	*
Clarendon	0	*	0	*	0	*	*	*	*	*
Colleton	*	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	*	*	0	*
Dillon	*	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	*	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	4	3.0	*	*	0	*	*	*	*	*
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	5	1.1	19	4.2	12	2.7	8	1.7	12	2.6
Greenwood	*	*	*	*	*	*	0	*	0	*
Hampton	0	*	*	*	0	*	0	*	0	*
Horry	0	*	*	*	*	*	4	1.4	0	*
Jasper	*	*	0	*	0	*	*	*	0	*
Kershaw	0	*	*	*	0	*	0	*	0	*
Lancaster	*	*	0	*	0	*	0	*	*	*
Laurens	0	*	*	*	*	*	*	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	*	*	*	*	0	*	*	*	*	*
Marion	*	*	0	*	*	*	*	*	0	*
Marlboro	*	*	0	*	0	*	0	*	0	*
McCormick	*	*	0	*	0	*	0	*	*	*
Newberry	*	*	0	*	0	*	0	*	0	*
Oconee	0	*	*	*	0	*	4	5.4	*	*
Orangeburg	0	*	*	*	0	*	*	*	4	4.4
Pickens	*	*	*	*	0	*	*	*	*	*
Richland	*	*	7	1.9	*	*	6	1.5	4	1.0
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	*	*	*	*	*	*	*	*	*	*
Sumter	*	*	0	*	*	*	*	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	*	*	0	*
York	*	*	*	*	*	*	0	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	42	0.9	56	1.2	47	1.0	50	1.1	46	1.0

Group B Streptococcus, invasive Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	19	0.5
2000	39	1.0
2001	22	0.5
2002	30	0.7
2003	28	0.7
2004	21	0.5
2005	35	0.8
2006	36	0.8
2007	32	0.7
2008	39	0.9
2009	42	0.9
2010	56	1.2
2011	47	1.0
2012	50	1.1
2013	46	1.0

*Incidence rate and county-level case counts not reported for < 4 cases

**Haemophilus influenzae, invasive
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	0	*	0	*	0	*
Aiken	*	*	*	*	0	*	*	*	*	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	5	2.7	6	3.2	7	3.7	*	*
Bamberg	*	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	*	*	*	*	0	*	*	*	*	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	5	1.4	12	3.4	11	3.1	*	*	14	3.8
Cherokee	0	*	0	*	*	*	0	*	*	*
Chester	0	*	0	*	*	*	0	*	*	*
Chesterfield	*	*	0	*	0	*	*	*	*	*
Clarendon	0	*	0	*	0	*	*	*	*	*
Colleton	*	*	*	*	0	*	*	*	0	*
Darlington	0	*	*	*	0	*	*	*	*	*
Dillon	*	*	*	*	0	*	0	*	0	*
Dorchester	*	*	4	3.1	*	*	*	*	*	*
Edgefield	0	*	0	*	0	*	*	*	0	*
Fairfield	*	*	*	*	*	*	0	*	0	*
Florence	0	*	*	*	5	3.7	*	*	6	4.3
Georgetown	*	*	*	*	0	*	0	*	*	*
Greenville	8	1.8	7	1.6	7	1.6	9	2.0	10	2.1
Greenwood	*	*	*	*	*	*	*	*	*	*
Hampton	0	*	*	*	*	*	0	*	0	*
Horry	*	*	*	*	6	2.2	6	2.2	5	1.8
Jasper	*	*	*	*	*	*	*	*	0	*
Kershaw	0	*	*	*	0	*	0	*	*	*
Lancaster	*	*	*	*	*	*	*	*	*	*
Laurens	0	*	0	*	*	*	*	*	*	*
Lee	0	*	*	*	0	*	0	*	*	*
Lexington	6	2.4	*	*	6	2.3	5	1.9	10	3.7
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	*	*	*	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	*	*	*	*	0	*	0	*	*	*
Oconee	*	*	*	*	0	*	*	*	*	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	*	*	8	6.8	*	*	*	*	*	*
Richland	7	1.9	6	1.6	*	*	4	1.0	7	1.8
Saluda	*	*	*	*	*	*	0	*	*	*
Spartanburg	0	*	*	*	4	1.4	4	1.4	10	3.5
Sumter	*	*	*	*	4	3.7	*	*	*	*
Union	*	*	0	*	4	13.8	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	4	1.8	*	*	7	3.1	*	*	0	*
Unknown	0		0		0		0		0	
Grand Total	68	1.5	83	1.8	83	1.8	68	1.5	104	2.2

Haemophilus influenzae, invasive Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	6	0.2
2000	7	0.2
2001	1	*
2002	15	0.4
2003	16	0.4
2004	16	0.4
2005	38	0.9
2006	39	0.9
2007	57	1.3
2008	54	1.2
2009	68	1.5
2010	83	1.8
2011	83	1.8
2012	68	1.5
2013	104	2.2

*Incidence rate and county-level case counts not reported for < 4 cases

Hansen disease (Leprosy)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	0	*	0	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	0	*	0	*	0	*	0	*	*	*
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	0	*	0	*	0	*	0	*	*	*
Berkeley	0	*	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	*	*
Charleston	0	*	0	*	0	*	0	*	*	*
Cherokee	0	*	0	*	0	*	0	*	*	*
Chester	0	*	0	*	0	*	0	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	0	*	0	*	0	*	*	*
Darlington	0	*	0	*	0	*	0	*	*	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	0	*	0	*	0	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	*	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	0	*	0	*	0	*	0	*	*	*
Georgetown	0	*	0	*	0	*	0	*	*	*
Greenville	0	*	0	*	0	*	0	*	*	*
Greenwood	0	*	0	*	0	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	*	*
Horry	0	*	0	*	0	*	0	*	*	*
Jasper	0	*	0	*	0	*	0	*	*	*
Kershaw	0	*	0	*	0	*	0	*	*	*
Lancaster	0	*	0	*	0	*	0	*	*	*
Laurens	0	*	0	*	0	*	0	*	*	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	0	*	0	*	0	*	0	*	*	*
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	*	*
Newberry	0	*	0	*	0	*	0	*	*	*
Oconee	0	*	0	*	0	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	0	*	*	*
Pickens	0	*	0	*	0	*	0	*	*	*
Richland	0	*	0	*	0	*	0	*	*	*
Saluda	0	*	0	*	0	*	0	*	*	*
Spartanburg	0	*	0	*	0	*	0	*	*	*
Sumter	0	*	0	*	0	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	0	*	0	*	0	*	0	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	1	*

Hansen disease (Leprosy) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	1	*
2008	1	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Hantavirus infection
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Hantavirus infection Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Hepatitis A, Acute
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	*	*	0	*
Aiken	0	*	0	*	0	*	*	*	*	*
Allendale	0	*	0	*	0	*	*	*	0	*
Anderson	*	*	0	*	0	*	*	*	0	*
Bamberg	0	*	0	*	0	*	*	*	*	*
Barnwell	*	*	0	*	0	*	*	*	0	*
Beaufort	*	*	0	*	0	*	*	*	*	*
Berkeley	*	*	*	*	0	*	*	*	0	*
Calhoun	0	*	0	*	0	*	*	*	0	*
Charleston	*	*	14	3.9	0	*	*	*	*	*
Cherokee	*	*	0	*	0	*	*	*	0	*
Chester	0	*	0	*	0	*	*	*	0	*
Chesterfield	0	*	0	*	0	*	*	*	0	*
Clarendon	0	*	0	*	0	*	*	*	0	*
Colleton	*	*	*	*	*	*	*	*	0	*
Darlington	0	*	0	*	0	*	*	*	0	*
Dillon	0	*	0	*	0	*	*	*	0	*
Dorchester	*	*	0	*	0	*	*	*	0	*
Edgefield	0	*	0	*	0	*	*	*	0	*
Fairfield	0	*	0	*	0	*	*	*	0	*
Florence	0	*	0	*	0	*	*	*	0	*
Georgetown	0	*	0	*	0	*	*	*	*	*
Greenville	12	2.7	0	*	4	0.9	*	*	0	*
Greenwood	*	*	0	*	0	*	*	*	0	*
Hampton	0	*	0	*	0	*	*	*	*	*
Horry	4	1.6	0	*	*	*	*	*	0	*
Jasper	0	*	0	*	0	*	*	*	0	*
Kershaw	0	*	0	*	0	*	*	*	0	*
Lancaster	0	*	0	*	0	*	*	*	0	*
Laurens	0	*	0	*	0	*	*	*	0	*
Lee	0	*	0	*	0	*	*	*	0	*
Lexington	5	2.0	*	*	*	*	*	*	*	*
Marion	0	*	0	*	0	*	*	*	0	*
Marlboro	0	*	0	*	0	*	*	*	0	*
McCormick	0	*	0	*	0	*	*	*	0	*
Newberry	0	*	*	*	0	*	*	*	0	*
Oconee	0	*	0	*	0	*	*	*	*	*
Orangeburg	*	*	0	*	0	*	*	*	0	*
Pickens	*	*	*	*	0	*	*	*	0	*
Richland	14	3.8	*	*	0	*	*	*	*	*
Saluda	0	*	0	*	0	*	*	*	0	*
Spartanburg	*	*	0	*	*	*	*	*	*	*
Sumter	*	*	0	*	0	*	*	*	0	*
Union	0	*	0	*	0	*	*	*	0	*
Williamsburg	0	*	0	*	*	*	*	*	*	*
York	0	*	0	*	0	*	*	*	0	*
Unknown	0		0		0		0		0	
Grand Total	54	1.2	21	0.5	11	0.2	6	0.1	14	0.3

Hepatitis A, Acute Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	48	1.2
2000	97	2.4
2001	86	2.1
2002	64	1.6
2003	54	1.3
2004	44	1.1
2005	41	1.0
2006	27	0.6
2007	12	0.3
2008	17	0.4
2009	54	1.2
2010	21	0.5
2011	11	0.2
2012	6	0.1
2013	14	0.3

*Incidence rate and county-level case counts not reported for < 4 cases

Hepatitis B, Acute
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	*	*	*	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	*	*	*	*	*	*	*	*	4	2.1
Bamberg	0	*	*	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	0	*	*	*	*	*	*	*	0	*
Berkeley	0	*	0	*	*	*	*	*	0	*
Calhoun	0	*	0	*	0	*	0	*	*	*
Charleston	5	1.4	4	1.1	*	*	*	*	8	2.2
Cherokee	0	*	0	*	0	*	0	*	*	*
Chester	0	*	*	*	0	*	0	*	*	*
Chesterfield	*	*	*	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	*	*	*	*	*	*	*	*
Darlington	4	6.0	*	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	*	*	0	*	*	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	*	*	0	*	*	*	*	*	*	*
Georgetown	*	*	0	*	*	*	0	*	0	*
Greenville	7	1.6	*	*	*	*	*	*	6	1.3
Greenwood	0	*	*	*	0	*	0	*	0	*
Hampton	*	*	0	*	0	*	*	*	*	*
Horry	6	2.3	*	*	*	*	*	*	4	1.4
Jasper	0	*	0	*	0	*	*	*	0	*
Kershaw	0	*	*	*	0	*	*	*	0	*
Lancaster	*	*	*	*	0	*	*	*	0	*
Laurens	*	*	*	*	*	*	0	*	*	*
Lee	*	*	*	*	0	*	0	*	0	*
Lexington	*	*	4	1.6	*	*	*	*	*	*
Marion	*	*	0	*	*	*	0	*	0	*
Marlboro	*	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	*	*	0	*
Oconee	0	*	*	*	0	*	*	*	0	*
Orangeburg	*	*	4	4.4	*	*	*	*	*	*
Pickens	*	*	*	*	*	*	0	*	0	*
Richland	4	1.1	7	1.9	5	1.3	4	1.0	4	1.0
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	*	*	*	*	*	*	5	1.7	7	2.4
Sumter	4	3.8	8	7.7	5	4.7	*	*	*	*
Union	*	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	*	*	0	*	0	*	*	*
York	*	*	0	*	*	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	57	1.3	56	1.2	39	0.8	39	0.8	58	1.2

Hepatitis B, Acute Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	63	1.6
2000	23	0.6
2001	72	1.8
2002	139	3.4
2003	196	4.8
2004	153	3.7
2005	171	4.1
2006	103	2.4
2007	70	1.6
2008	67	1.5
2009	57	1.3
2010	56	1.2
2011	39	0.8
2012	39	0.8
2013	58	1.2

*Incidence rate and county-level case counts not reported for < 4 cases

**Hepatitis B Viral Infection, Perinatal
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	0	*	0	*	0	*
Aiken	*	*	0	*	0	*	0	*	0	*
Allendale	*	*	0	*	0	*	0	*	0	*
Anderson	*	*	0	*	0	*	0	*	0	*
Bamberg	*	*	0	*	0	*	0	*	0	*
Barnwell	*	*	0	*	0	*	0	*	0	*
Beaufort	*	*	0	*	0	*	0	*	0	*
Berkeley	*	*	0	*	0	*	0	*	0	*
Calhoun	*	*	0	*	0	*	0	*	0	*
Charleston	*	*	0	*	0	*	0	*	0	*
Cherokee	*	*	0	*	0	*	0	*	0	*
Chester	*	*	0	*	0	*	0	*	0	*
Chesterfield	*	*	0	*	0	*	0	*	0	*
Clarendon	*	*	0	*	0	*	0	*	0	*
Colleton	*	*	0	*	0	*	0	*	0	*
Darlington	*	*	0	*	0	*	0	*	0	*
Dillon	*	*	0	*	0	*	0	*	0	*
Dorchester	*	*	0	*	0	*	0	*	0	*
Edgefield	*	*	0	*	0	*	0	*	0	*
Fairfield	*	*	0	*	0	*	0	*	0	*
Florence	*	*	0	*	0	*	0	*	0	*
Georgetown	*	*	0	*	0	*	0	*	0	*
Greenville	*	*	0	*	0	*	0	*	0	*
Greenwood	*	*	0	*	0	*	0	*	0	*
Hampton	*	*	0	*	0	*	0	*	0	*
Horry	*	*	0	*	0	*	0	*	0	*
Jasper	*	*	0	*	0	*	0	*	0	*
Kershaw	*	*	0	*	0	*	0	*	0	*
Lancaster	*	*	0	*	0	*	0	*	0	*
Laurens	*	*	0	*	0	*	0	*	0	*
Lee	*	*	0	*	0	*	0	*	0	*
Lexington	*	*	0	*	0	*	0	*	0	*
Marion	*	*	0	*	0	*	0	*	0	*
Marlboro	*	*	0	*	0	*	0	*	0	*
McCormick	*	*	0	*	0	*	0	*	0	*
Newberry	*	*	0	*	0	*	0	*	0	*
Oconee	*	*	0	*	0	*	0	*	0	*
Orangeburg	*	*	0	*	0	*	0	*	0	*
Pickens	*	*	0	*	0	*	0	*	0	*
Richland	*	*	0	*	0	*	0	*	0	*
Saluda	*	*	0	*	0	*	0	*	0	*
Spartanburg	*	*	0	*	0	*	0	*	0	*
Sumter	*	*	0	*	0	*	0	*	0	*
Union	*	*	0	*	0	*	0	*	0	*
Williamsburg	*	*	0	*	0	*	0	*	0	*
York	*	*	0	*	0	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	1	*	0	*	0	*	0	*	0	*

Hepatitis B Viral Infection, Perinatal Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	1	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	1	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

**Hepatitis B, Chronic
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
Abbeville	*	*	*	*	*	*	0	*	0	*
Aiken	12	7.8	15	9.6	14	8.7	12	7.5	10	6.1
Allendale	0	*	0	*	*	*	*	*	0	*
Anderson	18	9.8	12	6.5	9	4.8	9	4.8	11	5.8
Bamberg	0	*	*	*	*	*	*	*	*	*
Barnwell	*	*	*	*	*	*	*	*	0	*
Beaufort	21	14.0	13	8.4	26	16.0	12	7.3	9	5.4
Berkeley	14	8.3	12	6.9	10	5.6	11	6.0	11	5.8
Calhoun	0	*	0	*	0	*	*	*	*	*
Charleston	48	13.8	60	16.9	53	15.1	44	12.3	44	12.0
Cherokee	5	9.2	0	*	*	*	*	*	7	12.6
Chester	*	*	*	*	0	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	4	8.6	*	*
Clarendon	*	*	4	12.1	*	*	*	*	*	*
Colleton	*	*	6	15.3	7	18.0	*	*	4	10.5
Darlington	*	*	5	7.5	4	5.8	6	8.8	4	5.9
Dillon	6	19.5	*	*	0	*	4	12.6	*	*
Dorchester	8	6.3	5	3.8	15	11.0	11	7.8	6	4.2
Edgefield	*	*	*	*	*	*	*	*	0	*
Fairfield	0	*	*	*	4	16.7	*	*	*	*
Florence	15	11.3	9	6.7	15	11.0	13	9.4	15	10.9
Georgetown	8	13.2	*	*	8	13.3	7	11.7	*	*
Greenville	52	11.9	53	11.7	43	9.5	52	11.3	61	13.0
Greenwood	8	11.7	8	11.5	*	*	*	*	5	7.2
Hampton	8	38.0	0	*	6	28.4	*	*	5	24.1
Horry	8	3.1	14	5.3	15	5.6	25	9.0	27	9.6
Jasper	*	*	6	25.8	*	*	*	*	0	*
Kershaw	5	8.5	5	8.3	10	16.2	7	11.2	10	16.0
Lancaster	*	*	*	*	4	5.2	*	*	*	*
Laurens	7	10.0	*	*	5	7.5	4	6.0	6	9.1
Lee	*	*	0	*	*	*	0	*	*	*
Lexington	27	10.9	15	5.9	27	10.3	31	11.6	22	8.1
Marion	4	39.6	0	*	*	*	*	*	4	40.2
Marlboro	*	*	0	*	*	*	*	*	*	*
McCormick	0	*	0	*	*	*	0	*	*	*
Newberry	*	*	*	*	*	*	*	*	*	*
Oconee	8	11.2	4	5.6	*	*	0	*	*	*
Orangeburg	4	4.4	*	*	4	4.3	15	16.3	9	9.8
Pickens	6	5.1	8	6.8	8	6.7	8	6.7	*	*
Richland	104	28.6	74	19.9	95	24.7	84	21.6	75	19.0
Saluda	*	*	0	*	*	*	0	*	*	*
Spartanburg	23	8.2	20	7.0	28	9.8	30	10.5	21	7.3
Sumter	6	5.8	13	12.4	9	8.4	17	15.8	19	17.6
Union	0	*	0	*	*	*	*	*	*	*
Williamsburg	*	*	*	*	*	*	*	*	*	*
York	20	9.2	17	7.5	22	9.7	14	6.1	19	8.1
Unknown	0		0		0		0		0	
Grand Total	475	10.6	404	8.9	470	10.2	454	9.7	438	9.3

Hepatitis B, Chronic Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	54	1.4
2000	341	8.6
2001	675	16.8
2002	999	24.6
2003	612	14.9
2004	801	19.3
2005	607	14.5
2006	663	15.6
2007	500	11.6
2008	450	10.2
2009	475	10.6
2010	404	8.9
2011	470	10.2
2012	454	9.7
2013	438	9.3

Hepatitis C, Acute
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	*	*	0	*
Aiken	*	*	*	*	*	*	*	*	0	*
Allendale	*	*	*	*	*	*	*	*	0	*
Anderson	*	*	*	*	*	*	*	*	0	*
Bamberg	*	*	*	*	*	*	*	*	0	*
Barnwell	*	*	*	*	*	*	*	*	0	*
Beaufort	*	*	*	*	*	*	*	*	0	*
Berkeley	*	*	*	*	*	*	*	*	0	*
Calhoun	*	*	*	*	*	*	*	*	0	*
Charleston	*	*	*	*	*	*	*	*	0	*
Cherokee	*	*	*	*	*	*	*	*	0	*
Chester	*	*	*	*	*	*	*	*	0	*
Chesterfield	*	*	*	*	*	*	*	*	0	*
Clarendon	*	*	*	*	*	*	*	*	0	*
Colleton	*	*	*	*	*	*	*	*	0	*
Darlington	*	*	*	*	*	*	*	*	0	*
Dillon	*	*	*	*	*	*	*	*	0	*
Dorchester	*	*	*	*	*	*	*	*	0	*
Edgefield	*	*	*	*	*	*	*	*	0	*
Fairfield	*	*	*	*	*	*	*	*	0	*
Florence	*	*	*	*	*	*	*	*	0	*
Georgetown	*	*	*	*	*	*	*	*	0	*
Greenville	*	*	*	*	*	*	*	*	0	*
Greenwood	*	*	*	*	*	*	*	*	0	*
Hampton	*	*	*	*	*	*	*	*	0	*
Horry	*	*	*	*	*	*	*	*	0	*
Jasper	*	*	*	*	*	*	*	*	0	*
Kershaw	*	*	*	*	*	*	*	*	0	*
Lancaster	*	*	*	*	*	*	*	*	0	*
Laurens	*	*	*	*	*	*	*	*	0	*
Lee	*	*	*	*	*	*	*	*	0	*
Lexington	*	*	*	*	*	*	*	*	0	*
Marion	*	*	*	*	*	*	*	*	0	*
Marlboro	*	*	*	*	*	*	*	*	0	*
McCormick	*	*	*	*	*	*	*	*	0	*
Newberry	*	*	*	*	*	*	*	*	0	*
Oconee	*	*	*	*	*	*	*	*	0	*
Orangeburg	*	*	*	*	*	*	*	*	0	*
Pickens	*	*	*	*	*	*	*	*	0	*
Richland	*	*	*	*	*	*	*	*	0	*
Saluda	*	*	*	*	*	*	*	*	0	*
Spartanburg	*	*	*	*	*	*	*	*	0	*
Sumter	*	*	*	*	*	*	*	*	0	*
Union	*	*	*	*	*	*	*	*	0	*
Williamsburg	*	*	*	*	*	*	*	*	0	*
York	*	*	*	*	*	*	*	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	2	*	1	*	1	*	1	*	0	*

Hepatitis C, Acute Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	21	0.5
2000	3	*
2001	13	0.3
2002	5	0.1
2003	28	0.7
2004	15	0.4
2005	4	0.1
2006	2	*
2007	1	*
2008	1	*
2009	2	*
2010	1	*
2011	1	*
2012	1	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Hepatitis C, chronic
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	16	63.0	17	67.7	11	43.3	13	51.7	9	35.9
Aiken	58	37.6	68	43.6	91	56.8	72	44.8	68	41.8
Allendale	*	*	10	98.1	4	38.4	12	117.9	5	50.1
Anderson	145	79.3	146	79.0	156	83.4	150	79.6	144	76.0
Bamberg	*	*	0	*	0	*	4	25.0	5	31.7
Barnwell	*	*	8	35.3	6	26.5	12	53.7	13	58.5
Beaufort	80	53.2	85	54.8	101	62.3	76	46.1	66	39.3
Berkeley	78	46.1	65	37.5	66	37.1	73	39.8	86	45.3
Calhoun	0	*	*	*	4	26.4	*	*	5	33.5
Charleston	253	72.7	303	85.3	248	70.8	315	88.1	275	75.3
Cherokee	23	42.3	16	29.2	43	77.7	50	90.0	43	77.3
Chester	12	36.8	19	58.6	15	45.3	22	66.8	23	70.7
Chesterfield	6	14.0	6	13.9	11	23.5	36	77.3	35	75.9
Clarendon	5	15.1	12	36.4	31	88.6	18	51.8	16	46.6
Colleton	32	82.0	28	71.3	35	90.0	22	57.0	15	39.3
Darlington	18	26.9	15	22.6	17	24.8	55	80.5	51	74.8
Dillon	4	13.0	*	*	6	18.7	15	47.2	11	35.0
Dorchester	80	62.9	68	52.1	70	51.3	83	58.9	67	47.0
Edgefield	7	27.4	*	*	5	18.5	4	15.0	8	30.4
Fairfield	11	46.9	12	51.4	17	71.0	23	97.6	23	98.4
Florence	55	41.4	60	44.7	60	43.8	127	92.1	110	79.7
Georgetown	32	52.7	24	39.5	28	46.5	46	76.7	33	54.8
Greenville	461	105.2	412	91.3	397	88.0	344	74.6	381	81.5
Greenwood	55	80.2	83	119.1	86	123.5	94	134.6	97	139.1
Hampton	9	42.7	4	19.0	19	90.1	33	158.5	19	91.7
Horry	123	47.8	124	47.0	264	98.0	271	98.1	304	107.7
Jasper	16	71.7	19	81.8	13	52.5	18	71.4	22	85.2
Kershaw	20	34.0	43	71.6	43	69.7	49	78.7	67	107.5
Lancaster	29	38.2	41	52.7	30	39.1	46	59.0	59	74.6
Laurens	65	93.3	70	99.9	67	100.7	55	82.7	47	71.0
Lee	*	*	9	45.6	15	78.0	6	31.6	8	42.9
Lexington	124	49.9	94	36.8	120	45.7	154	57.7	163	60.3
Marion	9	89.2	8	78.9	14	136.8	13	129.5	12	120.7
Marlboro	8	23.6	*	*	14	42.3	36	109.6	28	86.3
McCormick	*	*	5	17.4	4	13.8	*	*	*	*
Newberry	20	52.9	19	49.0	15	40.0	16	42.4	17	45.2
Oconee	66	92.6	51	71.3	58	78.1	36	48.4	53	71.0
Orangeburg	19	21.0	12	13.3	25	27.0	45	49.0	47	51.4
Pickens	56	47.9	50	42.3	54	45.3	48	40.1	37	30.9
Richland	437	120.1	368	98.9	401	104.3	401	103.1	358	90.9
Saluda	7	37.6	4	20.9	*	*	9	45.3	*	*
Spartanburg	242	86.2	208	72.5	212	74.6	217	75.6	219	75.8
Sumter	28	26.9	58	55.5	55	51.2	66	61.4	43	39.8
Union	6	21.7	11	40.2	10	34.5	9	31.4	13	46.0
Williamsburg	4	11.4	6	17.4	17	49.4	64	187.8	23	68.4
York	102	46.9	111	48.9	125	55.3	158	68.5	130	55.4
Unknown	0		0		0		0		0	
Grand Total	2832	63.3	2779	60.9	3086	66.7	3419	73.1	3263	69.1

Hepatitis C, chronic Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	1030	26.3
2000	3001	75.5
2001	4018	99.9
2002	3235	79.6
2003	1015	24.7
2004	3047	73.5
2005	4100	97.7
2006	4714	110.9
2007	3399	78.6
2008	3103	70.4
2009	2834	63.3
2010	2780	60.9
2011	3087	66.7
2012	3420	73.1
2013	3263	69.1

*Incidence rate and county-level case counts not reported for < 4 cases

Hepatitis D
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	*	*	*	*
Aiken	0	*	0	*	*	*	*	*	*	*
Allendale	0	*	0	*	*	*	*	*	*	*
Anderson	0	*	0	*	*	*	*	*	*	*
Bamberg	0	*	0	*	*	*	*	*	*	*
Barnwell	0	*	0	*	*	*	*	*	*	*
Beaufort	0	*	0	*	*	*	*	*	*	*
Berkeley	0	*	0	*	*	*	*	*	*	*
Calhoun	0	*	0	*	*	*	*	*	*	*
Charleston	0	*	0	*	*	*	*	*	*	*
Cherokee	0	*	0	*	*	*	*	*	*	*
Chester	0	*	0	*	*	*	*	*	*	*
Chesterfield	0	*	0	*	*	*	*	*	*	*
Clarendon	0	*	0	*	*	*	*	*	*	*
Colleton	0	*	0	*	*	*	*	*	*	*
Darlington	0	*	0	*	*	*	*	*	*	*
Dillon	0	*	0	*	*	*	*	*	*	*
Dorchester	0	*	0	*	*	*	*	*	*	*
Edgefield	0	*	0	*	*	*	*	*	*	*
Fairfield	0	*	0	*	*	*	*	*	*	*
Florence	0	*	0	*	*	*	*	*	*	*
Georgetown	0	*	0	*	*	*	*	*	*	*
Greenville	0	*	0	*	*	*	*	*	*	*
Greenwood	0	*	0	*	*	*	*	*	*	*
Hampton	0	*	0	*	*	*	*	*	*	*
Horry	0	*	0	*	*	*	*	*	*	*
Jasper	0	*	0	*	*	*	*	*	*	*
Kershaw	0	*	0	*	*	*	*	*	*	*
Lancaster	0	*	0	*	*	*	*	*	*	*
Laurens	0	*	0	*	*	*	*	*	*	*
Lee	0	*	0	*	*	*	*	*	*	*
Lexington	0	*	0	*	*	*	*	*	*	*
Marion	0	*	0	*	*	*	*	*	*	*
Marlboro	0	*	0	*	*	*	*	*	*	*
McCormick	0	*	0	*	*	*	*	*	*	*
Newberry	0	*	0	*	*	*	*	*	*	*
Oconee	0	*	0	*	*	*	*	*	*	*
Orangeburg	0	*	0	*	*	*	*	*	*	*
Pickens	0	*	0	*	*	*	*	*	*	*
Richland	0	*	0	*	*	*	*	*	*	*
Saluda	0	*	0	*	*	*	*	*	*	*
Spartanburg	0	*	0	*	*	*	*	*	*	*
Sumter	0	*	0	*	*	*	*	*	*	*
Union	0	*	0	*	*	*	*	*	*	*
Williamsburg	0	*	0	*	*	*	*	*	*	*
York	0	*	0	*	*	*	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	1	*	1	*

Hepatitis D Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	1	*
2006	0	*
2007	0	*
2008	1	*
2009	0	*
2010	0	*
2011	1	*
2012	1	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Hepatitis E
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	0	*	0	*	2	*	0	*	0	*

Hepatitis E Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	1	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	1	*
2006	0	*
2007	1	*
2008	0	*
2009	0	*
2010	0	*
2011	2	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Hemolytic uremic syndrome
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	*	*	*	*	0	*
Aiken	*	*	0	*	*	*	*	*	0	*
Allendale	*	*	0	*	*	*	*	*	0	*
Anderson	*	*	0	*	*	*	*	*	0	*
Bamberg	*	*	0	*	*	*	*	*	0	*
Barnwell	*	*	0	*	*	*	*	*	0	*
Beaufort	*	*	0	*	*	*	*	*	0	*
Berkeley	*	*	0	*	*	*	*	*	0	*
Calhoun	*	*	0	*	*	*	*	*	0	*
Charleston	*	*	0	*	*	*	*	*	0	*
Cherokee	*	*	0	*	*	*	*	*	0	*
Chester	*	*	0	*	*	*	*	*	0	*
Chesterfield	*	*	0	*	*	*	*	*	0	*
Clarendon	*	*	0	*	*	*	*	*	0	*
Colleton	*	*	0	*	*	*	*	*	0	*
Darlington	*	*	0	*	*	*	*	*	0	*
Dillon	*	*	0	*	*	*	*	*	0	*
Dorchester	*	*	0	*	*	*	*	*	0	*
Edgefield	*	*	0	*	*	*	*	*	0	*
Fairfield	*	*	0	*	*	*	*	*	0	*
Florence	*	*	0	*	*	*	*	*	0	*
Georgetown	*	*	0	*	*	*	*	*	0	*
Greenville	*	*	0	*	*	*	*	*	0	*
Greenwood	*	*	0	*	*	*	*	*	0	*
Hampton	*	*	0	*	*	*	*	*	0	*
Horry	*	*	0	*	*	*	*	*	0	*
Jasper	*	*	0	*	*	*	*	*	0	*
Kershaw	*	*	0	*	*	*	*	*	0	*
Lancaster	*	*	0	*	*	*	*	*	0	*
Laurens	*	*	0	*	*	*	*	*	0	*
Lee	*	*	0	*	*	*	*	*	0	*
Lexington	*	*	0	*	*	*	*	*	0	*
Marion	*	*	0	*	*	*	*	*	0	*
Marlboro	*	*	0	*	*	*	*	*	0	*
McCormick	*	*	0	*	*	*	*	*	0	*
Newberry	*	*	0	*	*	*	*	*	0	*
Oconee	*	*	0	*	*	*	*	*	0	*
Orangeburg	*	*	0	*	*	*	*	*	0	*
Pickens	*	*	0	*	*	*	*	*	0	*
Richland	*	*	0	*	*	*	*	*	0	*
Saluda	*	*	0	*	*	*	*	*	0	*
Spartanburg	*	*	0	*	*	*	*	*	0	*
Sumter	*	*	0	*	*	*	*	*	0	*
Union	*	*	0	*	*	*	*	*	0	*
Williamsburg	*	*	0	*	*	*	*	*	0	*
York	*	*	0	*	*	*	*	*	0	*
Unknown	0		0		0		0		0	
Grand Total	2	*	0	*	3	*	4	0.1	0	*

Hemolytic uremic syndrome Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	3	*
2002	0	*
2003	0	*
2004	2	*
2005	0	*
2006	2	*
2007	1	*
2008	2	*
2009	2	*
2010	0	*
2011	3	*
2012	4	0.1
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Influenza, human isolates
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	4	15.7	4	15.9	*	*	*	*	*	*
Aiken	58	37.6	12	7.7	14	8.7	139	86.5	151	92.7
Allendale	18	172.3	0	*	*	*	0	*	4	40.0
Anderson	58	31.7	17	9.2	6	3.2	15	8.0	23	12.1
Bamberg	32	209.1	*	*	10	62.6	0	*	*	*
Barnwell	10	43.7	0	*	*	*	4	17.9	8	36.0
Beaufort	177	117.7	*	*	0	*	42	25.5	106	63.1
Berkeley	44	26.0	6	3.5	13	7.3	22	12.0	36	19.0
Calhoun	*	*	*	*	0	*	0	*	0	*
Charleston	148	42.5	27	7.6	65	18.6	127	35.5	202	55.3
Cherokee	11	20.2	*	*	*	*	*	*	*	*
Chester	15	46.0	*	*	5	15.1	*	*	5	15.4
Chesterfield	9	21.0	*	*	4	8.6	*	*	*	*
Clarendon	12	36.2	*	*	5	14.3	*	*	*	*
Colleton	50	128.1	0	*	0	*	*	*	9	23.6
Darlington	28	41.8	6	9.0	21	30.6	*	*	*	*
Dillon	8	26.1	0	*	6	18.7	0	*	0	*
Dorchester	27	21.2	9	6.9	22	16.1	35	24.8	29	20.4
Edgefield	8	31.3	4	15.5	*	*	7	26.2	7	26.6
Fairfield	13	55.5	*	*	*	*	0	*	*	*
Florence	64	48.2	4	3.0	23	16.8	*	*	6	4.3
Georgetown	34	56.0	*	*	4	6.6	4	6.7	12	19.9
Greenville	100	22.8	19	4.2	17	3.8	8	1.7	13	2.8
Greenwood	35	51.1	18	25.8	21	30.1	17	24.3	26	37.3
Hampton	8	38.0	*	*	0	*	*	*	4	19.3
Horry	82	31.9	11	4.2	15	5.6	21	7.6	37	13.1
Jasper	6	26.9	0	*	0	*	*	*	*	*
Kershaw	20	34.0	4	6.7	8	13.0	6	9.6	23	36.9
Lancaster	35	46.1	5	6.4	10	13.0	14	18.0	6	7.6
Laurens	28	40.2	10	14.3	13	19.5	7	10.5	5	7.6
Lee	13	65.4	0	*	4	20.8	*	*	*	*
Lexington	84	33.8	12	4.7	5	1.9	19	7.1	26	9.6
Marion	11	109.0	*	*	*	*	0	*	*	*
Marlboro	23	68.0	0	*	*	*	0	*	*	*
McCormick	0	*	*	*	*	*	*	*	0	*
Newberry	43	113.7	4	10.3	*	*	0	*	*	*
Oconee	32	44.9	10	14.0	5	6.7	0	*	0	*
Orangeburg	36	39.9	5	5.5	*	*	4	4.4	13	14.2
Pickens	15	12.8	*	*	*	*	8	6.7	5	4.2
Richland	477	131.0	51	13.7	41	10.7	61	15.7	76	19.3
Saluda	31	166.4	*	*	*	*	0	*	9	45.2
Spartanburg	107	38.1	6	2.1	23	8.1	7	2.4	20	6.9
Sumter	101	97.0	6	5.7	61	56.8	27	25.1	29	26.8
Union	4	14.5	0	*	*	*	0	*	0	*
Williamsburg	12	34.2	*	*	*	*	*	*	6	17.8
York	31	14.3	4	1.8	46	20.3	26	11.3	14	6.0
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	2163	48.3	277	6.1	493	10.7	640	13.7	928	19.6

Influenza, human isolates Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	114	2.9
2000	103	2.6
2001	78	1.9
2002	31	0.8
2003	810	19.7
2004	489	11.8
2005	53	1.3
2006	36	0.8
2007	65	1.5
2008	242	5.5
2009	2163	48.3
2010	277	6.1
2011	493	10.7
2012	640	13.7
2013	928	19.6

*Incidence rate and county-level case counts not reported for < 4 cases

Legionellosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	*	*	*	*	0	*
Berkeley	0	*	*	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	*	*	*	*	4	1.1	6	1.7	*	*
Cherokee	0	*	0	*	0	*	*	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	*	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	*	*	*	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	0	*	*	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	*	*	0	*	0	*	*	*
Florence	*	*	0	*	*	*	*	*	0	*
Georgetown	0	*	0	*	0	*	*	*	0	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	*	*	0	*	*	*	4	1.4	7	2.5
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	*	*	0	*	*	*	*	*
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	*	*	0	*	*	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	*	*	5	1.3	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	*	*	*	*	*	*	*	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	*	*	*	*	0	*	0	*
York	0	*	*	*	0	*	*	*	*	*
Unknown	0		0		0		0		0	
Grand Total	11	0.2	16	0.4	25	0.5	26	0.6	24	0.5

Legionellosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	12	0.3
2000	7	0.2
2001	15	0.4
2002	10	0.2
2003	12	0.3
2004	15	0.4
2005	16	0.4
2006	9	0.2
2007	15	0.3
2008	11	0.2
2009	11	0.2
2010	16	0.4
2011	25	0.5
2012	26	0.6
2013	24	0.5

*Incidence rate and county-level case counts not reported for < 4 cases

Leptospirosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	*	*	0	*	0	*	0	*
Aiken	0	*	*	*	0	*	0	*	0	*
Allendale	0	*	*	*	0	*	0	*	0	*
Anderson	0	*	*	*	0	*	0	*	0	*
Bamberg	0	*	*	*	0	*	0	*	0	*
Barnwell	0	*	*	*	0	*	0	*	0	*
Beaufort	0	*	*	*	0	*	0	*	0	*
Berkeley	0	*	*	*	0	*	0	*	0	*
Calhoun	0	*	*	*	0	*	0	*	0	*
Charleston	0	*	*	*	0	*	0	*	0	*
Cherokee	0	*	*	*	0	*	0	*	0	*
Chester	0	*	*	*	0	*	0	*	0	*
Chesterfield	0	*	*	*	0	*	0	*	0	*
Clarendon	0	*	*	*	0	*	0	*	0	*
Colleton	0	*	*	*	0	*	0	*	0	*
Darlington	0	*	*	*	0	*	0	*	0	*
Dillon	0	*	*	*	0	*	0	*	0	*
Dorchester	0	*	*	*	0	*	0	*	0	*
Edgefield	0	*	*	*	0	*	0	*	0	*
Fairfield	0	*	*	*	0	*	0	*	0	*
Florence	0	*	*	*	0	*	0	*	0	*
Georgetown	0	*	*	*	0	*	0	*	0	*
Greenville	0	*	*	*	0	*	0	*	0	*
Greenwood	0	*	*	*	0	*	0	*	0	*
Hampton	0	*	*	*	0	*	0	*	0	*
Horry	0	*	*	*	0	*	0	*	0	*
Jasper	0	*	*	*	0	*	0	*	0	*
Kershaw	0	*	*	*	0	*	0	*	0	*
Lancaster	0	*	*	*	0	*	0	*	0	*
Laurens	0	*	*	*	0	*	0	*	0	*
Lee	0	*	*	*	0	*	0	*	0	*
Lexington	0	*	*	*	0	*	0	*	0	*
Marion	0	*	*	*	0	*	0	*	0	*
Marlboro	0	*	*	*	0	*	0	*	0	*
McCormick	0	*	*	*	0	*	0	*	0	*
Newberry	0	*	*	*	0	*	0	*	0	*
Oconee	0	*	*	*	0	*	0	*	0	*
Orangeburg	0	*	*	*	0	*	0	*	0	*
Pickens	0	*	*	*	0	*	0	*	0	*
Richland	0	*	*	*	0	*	0	*	0	*
Saluda	0	*	*	*	0	*	0	*	0	*
Spartanburg	0	*	*	*	0	*	0	*	0	*
Sumter	0	*	*	*	0	*	0	*	0	*
Union	0	*	*	*	0	*	0	*	0	*
Williamsburg	0	*	*	*	0	*	0	*	0	*
York	0	*	*	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	1	*	0	*	0	*	0	*

Leptospirosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	1	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Listeriosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	*	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	*	*	0	*	*	*	*	*
Cherokee	0	*	*	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	*	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	*	*	0	*	0	*	*	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	*	*	*	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	*	*	*	*	*	*	0	*	0	*
Greenwood	*	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	*	*	*	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	*	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	*	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	*	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	*	*	*	*	0	*	0	*	*	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	*	*	*	*	*	*	*	*
Sumter	0	*	0	*	0	*	*	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	*	*	0	*	*	*
Unknown	0		0		0		0		0	
Grand Total	12	0.3	12	0.3	6	0.1	9	0.2	11	0.2

Listeriosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	11	0.3
2000	9	0.2
2001	5	0.1
2002	8	0.2
2003	8	0.2
2004	11	0.3
2005	17	0.4
2006	9	0.2
2007	9	0.2
2008	6	0.1
2009	12	0.3
2010	12	0.3
2011	6	0.1
2012	9	0.2
2013	11	0.2

*Incidence rate and county-level case counts not reported for < 4 cases

Lyme disease
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	*	*	*	*
Aiken	*	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	0	*	0	*	*	*	*	*
Bamberg	0	*	0	*	0	*	*	*	0	*
Barnwell	*	*	0	*	0	*	0	*	*	*
Beaufort	4	2.7	*	*	*	*	*	*	0	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	*	*	0	*
Charleston	5	1.4	4	1.1	*	*	7	2.0	4	1.1
Cherokee	0	*	0	*	0	*	*	*	0	*
Chester	*	*	*	*	*	*	*	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	*	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	*	*	0	*
Dorchester	4	3.1	*	*	*	*	*	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	*	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	*	*
Georgetown	0	*	*	*	*	*	0	*	*	*
Greenville	*	*	*	*	4	0.9	0	*	*	*
Greenwood	*	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	*	*	*	*	*	*
Horry	8	3.1	*	*	9	3.3	5	1.8	*	*
Jasper	0	*	0	*	0	*	*	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	*	*
Laurens	*	*	*	*	0	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	*	*	0	*	*	*	*	*
Marion	0	*	0	*	0	*	*	*	*	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	*	*	0	*	0	*	*	*	0	*
Orangeburg	*	*	0	*	0	*	*	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	*	*	*	*	*	*	4	1.0	4	1.0
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	*	*
Sumter	*	*	0	*	*	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	*	*	*	*	0	*	0	*	0	*
York	10	4.6	*	*	7	3.1	5	2.2	5	2.1
Unknown	0		0		0		0		0	
Grand Total	48	1.1	23	0.5	38	0.8	43	0.9	42	0.9

Lyme disease Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	6	0.2
2000	25	0.6
2001	6	0.1
2002	26	0.6
2003	18	0.4
2004	6	0.1
2005	12	0.3
2006	18	0.4
2007	32	0.7
2008	32	0.7
2009	48	1.1
2010	23	0.5
2011	38	0.8
2012	43	0.9
2013	42	0.9

*Incidence rate and county-level case counts not reported for < 4 cases

Malaria
Cases, Rate per 100,000 Population

	2009	2010	2011	2012	2013					
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	*	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	0	*	0	*	*	*	*	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	*	*	0	*
Dillon	0	*	0	*	*	*	*	*	0	*
Dorchester	0	*	0	*	*	*	*	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	*	*	*	*	0	*	0	*
Greenville	*	*	*	*	*	*	0	*	*	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	*	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	*	*	*	*	0	*	*	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	*	*	0	*	*	*	*	*	*	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	*	*	0	*	*	*	*	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	*	*
Unknown	0		0		0		0		0	
Grand Total	6	0.1	6	0.1	8	0.2	9	0.2	10	0.2

Malaria Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	19	0.5
2000	2	*
2001	9	0.2
2002	9	0.2
2003	6	0.1
2004	10	0.2
2005	12	0.3
2006	9	0.2
2007	8	0.2
2008	7	0.2
2009	6	0.1
2010	6	0.1
2011	8	0.2
2012	9	0.2
2013	10	0.2

*Incidence rate and county-level case counts not reported for < 4 cases

Measles (Rubeola)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Measles (Rubeola) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Mumps
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	*	*	*	*
Aiken	*	*	*	*	*	*	*	*	*	*
Allendale	*	*	*	*	*	*	*	*	*	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	*	*	*	*	*	*	*	*	*	*
Barnwell	*	*	*	*	*	*	*	*	*	*
Beaufort	*	*	*	*	*	*	*	*	*	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	*	*	*	*	*	*	*	*	*	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	*	*	*	*	*	*	*	*	*	*
Chester	*	*	*	*	*	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	*	*	*	*
Clarendon	*	*	*	*	*	*	*	*	*	*
Colleton	*	*	*	*	*	*	*	*	*	*
Darlington	*	*	*	*	*	*	*	*	*	*
Dillon	*	*	*	*	*	*	*	*	*	*
Dorchester	*	*	*	*	*	*	*	*	*	*
Edgefield	*	*	*	*	*	*	*	*	*	*
Fairfield	*	*	*	*	*	*	*	*	*	*
Florence	*	*	*	*	*	*	*	*	*	*
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	*	*	*	*	*	*	*	*	*	*
Hampton	*	*	*	*	*	*	*	*	*	*
Horry	*	*	*	*	*	*	*	*	*	*
Jasper	*	*	*	*	*	*	*	*	*	*
Kershaw	*	*	*	*	*	*	*	*	*	*
Lancaster	*	*	*	*	*	*	*	*	*	*
Laurens	*	*	*	*	*	*	*	*	*	*
Lee	*	*	*	*	*	*	*	*	*	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	*	*	*	*	*	*	*	*	*	*
Marlboro	*	*	*	*	*	*	*	*	*	*
McCormick	*	*	*	*	*	*	*	*	*	*
Newberry	*	*	*	*	*	*	*	*	*	*
Oconee	*	*	*	*	*	*	*	*	*	*
Orangeburg	*	*	*	*	*	*	*	*	*	*
Pickens	*	*	*	*	*	*	*	*	*	*
Richland	*	*	*	*	*	*	*	*	*	*
Saluda	*	*	*	*	*	*	*	*	*	*
Spartanburg	*	*	*	*	*	*	*	*	*	*
Sumter	*	*	*	*	*	*	*	*	*	*
Union	*	*	*	*	*	*	*	*	*	*
Williamsburg	*	*	*	*	*	*	*	*	*	*
York	*	*	*	*	*	*	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	2	*	4	0.1	3	*	1	*	2	*

Mumps Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	6	0.2
2000	11	0.3
2001	7	0.2
2002	3	*
2003	4	0.1
2004	1	*
2005	1	*
2006	10	0.2
2007	2	*
2008	0	*
2009	2	*
2010	4	0.1
2011	3	*
2012	1	*
2013	2	*

*Incidence rate and county-level case counts not reported for < 4 cases

Neisseria meningitidis, invasive (Mening. disease)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	*	*	*	*
Aiken	0	*	0	*	0	*	*	*	*	*
Allendale	0	*	0	*	0	*	*	*	*	*
Anderson	*	*	*	*	0	*	*	*	*	*
Bamberg	0	*	0	*	0	*	*	*	*	*
Barnwell	0	*	0	*	0	*	*	*	*	*
Beaufort	0	*	*	*	*	*	*	*	*	*
Berkeley	0	*	0	*	0	*	*	*	*	*
Calhoun	0	*	0	*	0	*	*	*	*	*
Charleston	*	*	*	*	0	*	*	*	*	*
Cherokee	0	*	0	*	0	*	*	*	*	*
Chester	0	*	0	*	0	*	*	*	*	*
Chesterfield	0	*	*	*	0	*	*	*	*	*
Clarendon	0	*	0	*	0	*	*	*	*	*
Colleton	0	*	0	*	0	*	*	*	*	*
Darlington	0	*	0	*	0	*	*	*	*	*
Dillon	0	*	*	*	0	*	*	*	*	*
Dorchester	*	*	0	*	0	*	*	*	*	*
Edgefield	0	*	0	*	0	*	*	*	*	*
Fairfield	0	*	0	*	0	*	*	*	*	*
Florence	0	*	0	*	0	*	*	*	*	*
Georgetown	0	*	0	*	0	*	*	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	0	*	0	*	0	*	*	*	*	*
Hampton	*	*	0	*	0	*	*	*	*	*
Horry	0	*	*	*	*	*	*	*	*	*
Jasper	0	*	0	*	0	*	*	*	*	*
Kershaw	0	*	*	*	*	*	*	*	*	*
Lancaster	0	*	0	*	0	*	*	*	*	*
Laurens	0	*	0	*	0	*	*	*	*	*
Lee	0	*	0	*	0	*	*	*	*	*
Lexington	0	*	*	*	0	*	*	*	*	*
Marion	0	*	0	*	*	*	*	*	*	*
Marlboro	0	*	0	*	0	*	*	*	*	*
McCormick	0	*	0	*	0	*	*	*	*	*
Newberry	0	*	0	*	0	*	*	*	*	*
Oconee	0	*	0	*	0	*	*	*	*	*
Orangeburg	0	*	0	*	0	*	*	*	*	*
Pickens	*	*	0	*	0	*	*	*	*	*
Richland	*	*	0	*	*	*	*	*	*	*
Saluda	0	*	*	*	0	*	*	*	*	*
Spartanburg	0	*	0	*	0	*	*	*	*	*
Sumter	0	*	0	*	0	*	*	*	*	*
Union	0	*	0	*	0	*	*	*	*	*
Williamsburg	0	*	0	*	0	*	*	*	*	*
York	0	*	0	*	*	*	*	*	*	*
Unknown	0		0		0		0		0	
Grand Total	11	0.2	12	0.3	9	0.2	5	0.1	4	0.1

Neisseria meningitidis, invasive Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	48	1.2
2000	26	0.7
2001	33	0.8
2002	34	0.8
2003	31	0.8
2004	16	0.4
2005	15	0.4
2006	26	0.6
2007	18	0.4
2008	21	0.5
2009	11	0.2
2010	12	0.3
2011	9	0.2
2012	5	0.1
2013	4	0.1

*Incidence rate and county-level case counts not reported for < 4 cases

Pertussis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	*	*	*	*	0	*	0	*
Aiken	*	*	24	15.4	*	*	8	5.0	*	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	28	15.3	12	6.5	*	*	5	2.7	44	23.2
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	*	*	0	*	*	*	*	*
Beaufort	*	*	*	*	4	2.5	4	2.4	*	*
Berkeley	5	3.0	13	7.5	0	*	8	4.4	10	5.3
Calhoun	0	*	*	*	0	*	0	*	0	*
Charleston	37	10.6	54	15.2	18	5.1	9	2.5	17	4.7
Cherokee	0	*	*	*	0	*	*	*	0	*
Chester	0	*	0	*	0	*	0	*	7	21.5
Chesterfield	0	*	7	16.3	*	*	0	*	0	*
Clarendon	0	*	*	*	*	*	0	*	0	*
Colleton	*	*	0	*	0	*	0	*	0	*
Darlington	7	10.4	0	*	0	*	*	*	4	5.9
Dillon	7	22.8	*	*	0	*	*	*	0	*
Dorchester	11	8.7	25	19.2	*	*	9	6.4	14	9.8
Edgefield	*	*	*	*	0	*	0	*	0	*
Fairfield	*	*	0	*	0	*	0	*	*	*
Florence	32	24.1	*	*	0	*	*	*	*	*
Georgetown	0	*	*	*	*	*	21	35.0	0	*
Greenville	11	2.5	31	6.9	12	2.7	44	9.5	9	1.9
Greenwood	8	11.7	*	*	6	8.6	*	*	*	*
Hampton	0	*	*	*	0	*	*	*	0	*
Horry	13	5.1	16	6.1	*	*	12	4.3	10	3.5
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	4	6.8	8	13.3	6	9.7	4	6.4	*	*
Lancaster	0	*	*	*	*	*	0	*	11	13.9
Laurens	11	15.8	8	11.4	*	*	*	*	*	*
Lee	*	*	*	*	*	*	0	*	0	*
Lexington	38	15.3	52	20.3	19	7.2	10	3.7	16	5.9
Marion	*	*	0	*	*	*	0	*	0	*
Marlboro	0	*	*	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	6	15.9	*	*	0	*	5	13.3	*	*
Oconee	0	*	*	*	0	*	0	*	0	*
Orangeburg	*	*	*	*	0	*	0	*	*	*
Pickens	*	*	5	4.2	0	*	10	8.4	9	7.5
Richland	14	3.8	45	12.1	41	10.7	32	8.2	20	5.1
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	4	1.4	*	*	*	*	11	3.8	4	1.4
Sumter	*	*	27	25.8	6	5.6	6	5.6	*	*
Union	0	*	0	*	0	*	*	*	0	*
Williamsburg	0	*	*	*	0	*	5	14.7	*	*
York	7	3.2	34	15.0	6	2.7	15	6.5	14	6.0
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	260	5.8	399	8.7	141	3.0	231	4.9	209	4.4

Pertussis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	26	0.7
2000	62	1.6
2001	34	0.8
2002	49	1.2
2003	198	4.8
2004	229	5.5
2005	409	9.7
2006	204	4.8
2007	98	2.3
2008	165	3.7
2009	260	5.8
2010	399	8.7
2011	141	3.0
2012	231	4.9
2013	209	4.4

Psittacosis (Ornithosis)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	0	*	0	*	0	*	*	*
Aiken	*	*	0	*	0	*	0	*	*	*
Allendale	*	*	0	*	0	*	0	*	*	*
Anderson	*	*	0	*	0	*	0	*	*	*
Bamberg	*	*	0	*	0	*	0	*	*	*
Barnwell	*	*	0	*	0	*	0	*	*	*
Beaufort	*	*	0	*	0	*	0	*	*	*
Berkeley	*	*	0	*	0	*	0	*	*	*
Calhoun	*	*	0	*	0	*	0	*	*	*
Charleston	*	*	0	*	0	*	0	*	*	*
Cherokee	*	*	0	*	0	*	0	*	*	*
Chester	*	*	0	*	0	*	0	*	*	*
Chesterfield	*	*	0	*	0	*	0	*	*	*
Clarendon	*	*	0	*	0	*	0	*	*	*
Colleton	*	*	0	*	0	*	0	*	*	*
Darlington	*	*	0	*	0	*	0	*	*	*
Dillon	*	*	0	*	0	*	0	*	*	*
Dorchester	*	*	0	*	0	*	0	*	*	*
Edgefield	*	*	0	*	0	*	0	*	*	*
Fairfield	*	*	0	*	0	*	0	*	*	*
Florence	*	*	0	*	0	*	0	*	*	*
Georgetown	*	*	0	*	0	*	0	*	*	*
Greenville	*	*	0	*	0	*	0	*	*	*
Greenwood	*	*	0	*	0	*	0	*	*	*
Hampton	*	*	0	*	0	*	0	*	*	*
Horry	*	*	0	*	0	*	0	*	*	*
Jasper	*	*	0	*	0	*	0	*	*	*
Kershaw	*	*	0	*	0	*	0	*	*	*
Lancaster	*	*	0	*	0	*	0	*	*	*
Laurens	*	*	0	*	0	*	0	*	*	*
Lee	*	*	0	*	0	*	0	*	*	*
Lexington	*	*	0	*	0	*	0	*	*	*
Marion	*	*	0	*	0	*	0	*	*	*
Marlboro	*	*	0	*	0	*	0	*	*	*
McCormick	*	*	0	*	0	*	0	*	*	*
Newberry	*	*	0	*	0	*	0	*	*	*
Oconee	*	*	0	*	0	*	0	*	*	*
Orangeburg	*	*	0	*	0	*	0	*	*	*
Pickens	*	*	0	*	0	*	0	*	*	*
Richland	*	*	0	*	0	*	0	*	*	*
Saluda	*	*	0	*	0	*	0	*	*	*
Spartanburg	*	*	0	*	0	*	0	*	*	*
Sumter	*	*	0	*	0	*	0	*	*	*
Union	*	*	0	*	0	*	0	*	*	*
Williamsburg	*	*	0	*	0	*	0	*	*	*
York	*	*	0	*	0	*	0	*	*	*
Unknown	0		0		0		0		0	
Grand Total	1	*	0	*	0	*	0	*	1	*

Psittacosis (Ornithosis) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	2	*
2003	3	*
2004	1	*
2005	0	*
2006	0	*
2007	0	*
2008	1	*
2009	1	*
2010	0	*
2011	0	*
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Q Fever
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	*	*	*	*
Aiken	*	*	*	*	*	*	*	*	*	*
Allendale	*	*	*	*	*	*	*	*	*	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	*	*	*	*	*	*	*	*	*	*
Barnwell	*	*	*	*	*	*	*	*	*	*
Beaufort	*	*	*	*	*	*	*	*	*	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	*	*	*	*	*	*	*	*	*	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	*	*	*	*	*	*	*	*	*	*
Chester	*	*	*	*	*	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	*	*	*	*
Clarendon	*	*	*	*	*	*	*	*	*	*
Colleton	*	*	*	*	*	*	*	*	*	*
Darlington	*	*	*	*	*	*	*	*	*	*
Dillon	*	*	*	*	*	*	*	*	*	*
Dorchester	*	*	*	*	*	*	*	*	*	*
Edgefield	*	*	*	*	*	*	*	*	*	*
Fairfield	*	*	*	*	*	*	*	*	*	*
Florence	*	*	*	*	*	*	*	*	*	*
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	*	*	*	*	*	*	*	*	*	*
Hampton	*	*	*	*	*	*	*	*	*	*
Horry	*	*	*	*	*	*	*	*	*	*
Jasper	*	*	*	*	*	*	*	*	*	*
Kershaw	*	*	*	*	*	*	*	*	*	*
Lancaster	*	*	*	*	*	*	*	*	*	*
Laurens	*	*	*	*	*	*	*	*	*	*
Lee	*	*	*	*	*	*	*	*	*	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	*	*	*	*	*	*	*	*	*	*
Marlboro	*	*	*	*	*	*	*	*	*	*
McCormick	*	*	*	*	*	*	*	*	*	*
Newberry	*	*	*	*	*	*	*	*	*	*
Oconee	*	*	*	*	*	*	*	*	*	*
Orangeburg	*	*	*	*	*	*	*	*	*	*
Pickens	*	*	*	*	*	*	*	*	*	*
Richland	*	*	*	*	*	*	*	*	*	*
Saluda	*	*	*	*	*	*	*	*	*	*
Spartanburg	*	*	*	*	*	*	*	*	*	*
Sumter	*	*	*	*	*	*	*	*	*	*
Union	*	*	*	*	*	*	*	*	*	*
Williamsburg	*	*	*	*	*	*	*	*	*	*
York	*	*	*	*	*	*	*	*	*	*
Unknown	0		0		0		0		0	
Grand Total	1	*	1	*	3	*	1	*	1	*

Q Fever Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	2	*
2005	1	*
2006	0	*
2007	2	*
2008	1	*
2009	1	*
2010	1	*
2011	3	*
2012	1	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Rabies, human
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	0	*	0	*	1	*	0	*	0	*

Rabies, human Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Rubella
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	0	*	0	*

Rubella Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Salmonellosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	6	23.6	13	51.8	8	31.5	4	15.9	12	47.8
Aiken	32	20.8	74	47.4	58	36.2	72	44.8	37	22.7
Allendale	*	*	*	*	*	*	*	*	0	*
Anderson	30	16.4	56	30.3	60	32.1	51	27.1	37	19.5
Bamberg	5	32.7	4	26.7	*	*	4	25.0	*	*
Barnwell	*	*	*	*	5	22.1	4	17.9	6	27.0
Beaufort	69	45.9	81	52.2	78	48.1	67	40.7	77	45.8
Berkeley	45	26.6	80	46.1	68	38.2	91	49.6	52	27.4
Calhoun	*	*	4	27.4	*	*	*	*	*	*
Charleston	93	26.7	201	56.6	165	47.1	157	43.9	136	37.2
Cherokee	*	*	5	9.1	*	*	6	10.8	6	10.8
Chester	6	18.4	*	*	8	24.1	8	24.3	5	15.4
Chesterfield	5	11.7	11	25.6	*	*	6	12.9	5	10.8
Clarendon	4	12.1	11	33.3	8	22.9	13	37.4	6	17.5
Colleton	4	10.3	16	40.8	18	46.3	11	28.5	8	21.0
Darlington	9	13.4	17	25.6	19	27.7	15	22.0	18	26.4
Dillon	11	35.8	4	12.9	10	31.2	6	18.9	9	28.6
Dorchester	58	45.6	89	68.2	84	61.5	88	62.5	52	36.5
Edgefield	7	27.4	7	27.2	7	25.9	*	*	4	15.2
Fairfield	4	17.1	5	21.4	7	29.2	*	*	6	25.7
Florence	35	26.4	30	22.4	44	32.1	42	30.5	26	18.8
Georgetown	19	31.3	48	79.1	48	79.8	33	55.0	28	46.5
Greenville	56	12.8	69	15.3	76	16.8	50	10.8	58	12.4
Greenwood	20	29.2	28	40.2	24	34.5	24	34.4	19	27.2
Hampton	6	28.5	6	28.6	5	23.7	9	43.2	8	38.6
Horry	137	53.2	173	65.6	141	52.4	120	43.4	108	38.3
Jasper	9	40.3	13	56.0	11	44.4	11	43.7	6	23.2
Kershaw	13	22.1	23	38.3	23	37.3	26	41.8	13	20.9
Lancaster	20	26.3	17	21.9	13	17.0	15	19.3	12	15.2
Laurens	8	11.5	8	11.4	9	13.5	12	18.0	9	13.6
Lee	*	*	*	*	*	*	5	26.3	*	*
Lexington	71	28.6	182	71.2	156	59.5	129	48.3	85	31.4
Marion	4	39.6	4	39.4	10	97.7	*	*	6	60.3
Marlboro	0	*	*	*	6	18.1	*	*	10	30.8
McCormick	6	20.9	5	17.4	*	*	5	17.5	*	*
Newberry	18	47.6	11	28.4	11	29.3	18	47.7	7	18.6
Oconee	16	22.4	12	16.8	15	20.2	*	*	6	8.0
Orangeburg	11	12.2	22	24.4	11	11.9	23	25.0	27	29.5
Pickens	22	18.8	21	17.8	25	21.0	17	14.2	13	10.9
Richland	125	34.3	155	41.7	118	30.7	134	34.4	103	26.2
Saluda	*	*	*	*	6	30.2	6	30.2	8	40.2
Spartanburg	40	14.2	58	20.2	62	21.8	67	23.4	38	13.2
Sumter	15	14.4	36	34.5	26	24.2	19	17.7	21	19.4
Union	*	*	5	18.3	5	17.3	4	13.9	4	14.2
Williamsburg	5	14.2	7	20.3	6	17.4	6	17.6	*	*
York	52	23.9	54	23.8	56	24.8	49	21.3	42	17.9
Unknown	0		0		0		0		0	
Grand Total	1109	24.8	1678	36.8	1525	33.0	1445	30.9	1142	24.2

Salmonellosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	699	17.8
2000	780	19.6
2001	918	22.8
2002	896	22.1
2003	868	21.2
2004	328	7.9
2005	1460	34.8
2006	1062	25.0
2007	1118	25.9
2008	1087	24.7
2009	1109	24.8
2010	1678	36.8
2011	1525	33.0
2012	1445	30.9
2013	1142	24.2

Scombroid fish poisoning
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	*	*	*	*	0	*	0	*
Aiken	0	*	*	*	*	*	0	*	0	*
Allendale	0	*	*	*	*	*	0	*	0	*
Anderson	0	*	*	*	*	*	0	*	0	*
Bamberg	0	*	*	*	*	*	0	*	0	*
Barnwell	0	*	*	*	*	*	0	*	0	*
Beaufort	0	*	*	*	*	*	0	*	0	*
Berkeley	0	*	*	*	*	*	0	*	0	*
Calhoun	0	*	*	*	*	*	0	*	0	*
Charleston	0	*	*	*	*	*	0	*	0	*
Cherokee	0	*	*	*	*	*	0	*	0	*
Chester	0	*	*	*	*	*	0	*	0	*
Chesterfield	0	*	*	*	*	*	0	*	0	*
Clarendon	0	*	*	*	*	*	0	*	0	*
Colleton	0	*	*	*	*	*	0	*	0	*
Darlington	0	*	*	*	*	*	0	*	0	*
Dillon	0	*	*	*	*	*	0	*	0	*
Dorchester	0	*	*	*	*	*	0	*	0	*
Edgefield	0	*	*	*	*	*	0	*	0	*
Fairfield	0	*	*	*	*	*	0	*	0	*
Florence	0	*	*	*	*	*	0	*	0	*
Georgetown	0	*	*	*	*	*	0	*	0	*
Greenville	0	*	*	*	*	*	0	*	0	*
Greenwood	0	*	*	*	*	*	0	*	0	*
Hampton	0	*	*	*	*	*	0	*	0	*
Horry	0	*	*	*	*	*	0	*	0	*
Jasper	0	*	*	*	*	*	0	*	0	*
Kershaw	0	*	*	*	*	*	0	*	0	*
Lancaster	0	*	*	*	*	*	0	*	0	*
Laurens	0	*	*	*	*	*	0	*	0	*
Lee	0	*	*	*	*	*	0	*	0	*
Lexington	0	*	*	*	*	*	0	*	0	*
Marion	0	*	*	*	*	*	0	*	0	*
Marlboro	0	*	*	*	*	*	0	*	0	*
McCormick	0	*	*	*	*	*	0	*	0	*
Newberry	0	*	*	*	*	*	0	*	0	*
Oconee	0	*	*	*	*	*	0	*	0	*
Orangeburg	0	*	*	*	*	*	0	*	0	*
Pickens	0	*	*	*	*	*	0	*	0	*
Richland	0	*	*	*	*	*	0	*	0	*
Saluda	0	*	*	*	*	*	0	*	0	*
Spartanburg	0	*	*	*	*	*	0	*	0	*
Sumter	0	*	*	*	*	*	0	*	0	*
Union	0	*	*	*	*	*	0	*	0	*
Williamsburg	0	*	*	*	*	*	0	*	0	*
York	0	*	*	*	*	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	1	*	1	*	0	*	0	*

Scombroid fish poisoning Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	2	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	1	*
2011	1	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

E. coli, shiga toxin - producing (STEC)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	*	*	*	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	0	*	*	*	0	*	0	*	*	*
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	0	*	0	*	*	*	*	*	*	*
Berkeley	0	*	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	*	*
Charleston	*	*	*	*	0	*	*	*	*	*
Cherokee	0	*	0	*	0	*	*	*	*	*
Chester	0	*	0	*	*	*	0	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	0	*	0	*	0	*	*	*
Darlington	0	*	0	*	0	*	*	*	*	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	0	*	0	*	0	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	*	*
Fairfield	0	*	0	*	*	*	0	*	*	*
Florence	0	*	0	*	0	*	*	*	*	*
Georgetown	*	*	0	*	0	*	0	*	*	*
Greenville	*	*	0	*	*	*	*	*	*	*
Greenwood	0	*	*	*	*	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	*	*
Horry	0	*	0	*	*	*	*	*	*	*
Jasper	0	*	0	*	0	*	0	*	*	*
Kershaw	0	*	0	*	0	*	0	*	*	*
Lancaster	*	*	0	*	*	*	0	*	*	*
Laurens	0	*	*	*	0	*	0	*	*	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	*	*
Newberry	*	*	*	*	0	*	*	*	*	*
Oconee	*	*	0	*	0	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	0	*	*	*
Pickens	*	*	0	*	0	*	0	*	*	*
Richland	*	*	*	*	0	*	*	*	*	*
Saluda	*	*	*	*	0	*	0	*	*	*
Spartanburg	*	*	0	*	0	*	6	2.1	*	*
Sumter	*	*	0	*	*	*	0	*	*	*
Union	0	*	0	*	0	*	*	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	*	*	*	*	*	*	4	1.7	*	*
Unknown	0		0		0		0		0	
Grand Total	21	0.5	11	0.2	17	0.4	25	0.5	9	0.2

E. coli, shiga toxin - producing Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	22	0.6
2000	21	0.5
2001	24	0.6
2002	7	0.2
2003	7	0.2
2004	14	0.3
2005	14	0.3
2006	17	0.4
2007	24	0.6
2008	30	0.7
2009	21	0.5
2010	11	0.2
2011	17	0.4
2012	25	0.5
2013	9	0.2

*Incidence rate and county-level case counts not reported for < 4 cases

Shigellosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	*	*
Aiken	0	*	4	2.6	*	*	4	2.5	*	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	17	9.3	*	*	94	50.2	*	*	5	2.6
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	10	6.4	4	2.5	*	*	7	4.2
Berkeley	0	*	*	*	*	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	9	2.6	5	1.4	*	*	*	*	*	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	*	*
Chesterfield	*	*	*	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	6	9.0	0	*	0	*	0	*	0	*
Dillon	*	*	0	*	0	*	*	*	*	*
Dorchester	0	*	4	3.1	*	*	0	*	0	*
Edgefield	0	*	*	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	*	*	0	*	0	*	0	*	*	*
Georgetown	*	*	0	*	0	*	0	*	0	*
Greenville	19	4.3	12	2.7	4	0.9	6	1.3	18	3.8
Greenwood	0	*	*	*	4	5.7	*	*	9	12.9
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	19	7.4	11	4.2	4	1.5	*	*	*	*
Jasper	*	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	*	*
Lancaster	*	*	0	*	0	*	0	*	12	15.2
Laurens	*	*	0	*	*	*	*	*	*	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	5	2.0	*	*	*	*	*	*	*	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	*	*	0	*
Newberry	0	*	0	*	0	*	*	*	0	*
Oconee	*	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	*	*
Pickens	*	*	0	*	0	*	0	*	*	*
Richland	5	1.4	*	*	7	1.8	*	*	9	2.3
Saluda	*	*	*	*	*	*	0	*	0	*
Spartanburg	13	4.6	*	*	*	*	*	*	11	3.8
Sumter	*	*	*	*	5	4.7	*	*	4	3.7
Union	0	*	0	*	0	*	0	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	9	4.1	0	*	*	*	*	*	17	7.2
Unknown	0		0		0		0		0	
Grand Total	120	2.7	67	1.5	139	3.0	36	0.8	124	2.6

Shigellosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	121	3.1
2000	145	3.6
2001	249	6.2
2002	149	3.7
2003	561	13.7
2004	614	14.8
2005	112	2.7
2006	72	1.7
2007	199	4.6
2008	489	11.1
2009	120	2.7
2010	67	1.5
2011	139	3.0
2012	36	0.8
2013	124	2.6

*Incidence rate and county-level case counts not reported for < 4 cases

Spotted Fever Rickettsiosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	*	*	*	*
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	*	*	0	*	*	*	*	*	*	*
Berkeley	*	*	0	*	*	*	*	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	*	*	*	*	*	*	9	2.5	7	1.9
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	*	*	0	*	*	*	4	12.2	0	*
Chesterfield	0	*	*	*	*	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	*	*	*	*	0	*
Darlington	0	*	0	*	0	*	*	*	0	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	0	*	*	*	0	*	*	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	*	*	*	*	*	*
Florence	0	*	*	*	*	*	0	*	*	*
Georgetown	*	*	0	*	0	*	0	*	*	*
Greenville	*	*	0	*	*	*	*	*	*	*
Greenwood	*	*	0	*	*	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	*	*	*	*	7	2.5	6	2.1
Jasper	0	*	0	*	0	*	*	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	6	7.8	14	18.0	4	5.1
Laurens	*	*	*	*	0	*	*	*	*	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	*	*	*	*	0	*
Marion	0	*	*	*	0	*	0	*	0	*
Marlboro	*	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	*	*	*	*
Oconee	0	*	*	*	*	*	0	*	*	*
Orangeburg	0	*	0	*	*	*	0	*	*	*
Pickens	0	*	*	*	*	*	*	*	*	*
Richland	*	*	*	*	*	*	*	*	4	1.0
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	*	*	*	*
Sumter	0	*	0	*	0	*	*	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	*	*	0	*	4	1.8	8	3.5	9	3.8
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	17	0.4	17	0.4	40	0.9	68	1.5	56	1.2

Spotted Fever Rickettsiosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	52	1.3
2000	51	1.3
2001	31	0.8
2002	75	1.8
2003	53	1.3
2004	68	1.6
2005	49	1.2
2006	47	1.1
2007	55	1.3
2008	49	1.1
2009	17	0.4
2010	17	0.4
2011	40	0.9
2012	68	1.5
2013	56	1.2

*Incidence rate and county-level case counts not reported for < 4 cases

Staphylococcal toxic-shock syndrome
Cases, Rate per 100,000 Population

	2009	2010	2011	2012	2013					
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	0	*	*	*
Aiken	*	*	*	*	*	*	0	*	*	*
Allendale	*	*	*	*	*	*	0	*	*	*
Anderson	*	*	*	*	*	*	0	*	*	*
Bamberg	*	*	*	*	*	*	0	*	*	*
Barnwell	*	*	*	*	*	*	0	*	*	*
Beaufort	*	*	*	*	*	*	0	*	*	*
Berkeley	*	*	*	*	*	*	0	*	*	*
Calhoun	*	*	*	*	*	*	0	*	*	*
Charleston	*	*	*	*	*	*	0	*	*	*
Cherokee	*	*	*	*	*	*	0	*	*	*
Chester	*	*	*	*	*	*	0	*	*	*
Chesterfield	*	*	*	*	*	*	0	*	*	*
Clarendon	*	*	*	*	*	*	0	*	*	*
Colleton	*	*	*	*	*	*	0	*	*	*
Darlington	*	*	*	*	*	*	0	*	*	*
Dillon	*	*	*	*	*	*	0	*	*	*
Dorchester	*	*	*	*	*	*	0	*	*	*
Edgefield	*	*	*	*	*	*	0	*	*	*
Fairfield	*	*	*	*	*	*	0	*	*	*
Florence	*	*	*	*	*	*	0	*	*	*
Georgetown	*	*	*	*	*	*	0	*	*	*
Greenville	*	*	*	*	*	*	0	*	*	*
Greenwood	*	*	*	*	*	*	0	*	*	*
Hampton	*	*	*	*	*	*	0	*	*	*
Horry	*	*	*	*	*	*	0	*	*	*
Jasper	*	*	*	*	*	*	0	*	*	*
Kershaw	*	*	*	*	*	*	0	*	*	*
Lancaster	*	*	*	*	*	*	0	*	*	*
Laurens	*	*	*	*	*	*	0	*	*	*
Lee	*	*	*	*	*	*	0	*	*	*
Lexington	*	*	*	*	*	*	0	*	*	*
Marion	*	*	*	*	*	*	0	*	*	*
Marlboro	*	*	*	*	*	*	0	*	*	*
McCormick	*	*	*	*	*	*	0	*	*	*
Newberry	*	*	*	*	*	*	0	*	*	*
Oconee	*	*	*	*	*	*	0	*	*	*
Orangeburg	*	*	*	*	*	*	0	*	*	*
Pickens	*	*	*	*	*	*	0	*	*	*
Richland	*	*	*	*	*	*	0	*	*	*
Saluda	*	*	*	*	*	*	0	*	*	*
Spartanburg	*	*	*	*	*	*	0	*	*	*
Sumter	*	*	*	*	*	*	0	*	*	*
Union	*	*	*	*	*	*	0	*	*	*
Williamsburg	*	*	*	*	*	*	0	*	*	*
York	*	*	*	*	*	*	0	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	1	*	2	*	4	0.1	0	*	1	*

Staphylococcal toxic-shock Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	2	*
2000	0	*
2001	3	*
2002	2	*
2003	0	*
2004	0	*
2005	0	*
2006	1	*
2007	0	*
2008	0	*
2009	1	*
2010	2	*
2011	4	0.1
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Streptococcal toxic-shock syndrome
Cases, Rate per 100,000 Population

	2009	2010	2011	2012	2013					
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	*	*	*	*
Aiken	0	*	0	*	*	*	*	*	*	*
Allendale	0	*	0	*	*	*	*	*	*	*
Anderson	0	*	0	*	*	*	*	*	*	*
Bamberg	0	*	0	*	*	*	*	*	*	*
Barnwell	0	*	0	*	*	*	*	*	*	*
Beaufort	0	*	0	*	*	*	*	*	*	*
Berkeley	0	*	0	*	*	*	*	*	*	*
Calhoun	0	*	0	*	*	*	*	*	*	*
Charleston	0	*	0	*	*	*	*	*	*	*
Cherokee	0	*	0	*	*	*	*	*	*	*
Chester	0	*	0	*	*	*	*	*	*	*
Chesterfield	0	*	0	*	*	*	*	*	*	*
Clarendon	0	*	0	*	*	*	*	*	*	*
Colleton	0	*	0	*	*	*	*	*	*	*
Darlington	0	*	0	*	*	*	*	*	*	*
Dillon	0	*	0	*	*	*	*	*	*	*
Dorchester	0	*	0	*	*	*	*	*	*	*
Edgefield	0	*	0	*	*	*	*	*	*	*
Fairfield	0	*	0	*	*	*	*	*	*	*
Florence	0	*	0	*	*	*	*	*	*	*
Georgetown	0	*	0	*	*	*	*	*	*	*
Greenville	0	*	0	*	*	*	*	*	*	*
Greenwood	0	*	0	*	*	*	*	*	*	*
Hampton	0	*	0	*	*	*	*	*	*	*
Horry	0	*	0	*	*	*	*	*	*	*
Jasper	0	*	0	*	*	*	*	*	*	*
Kershaw	0	*	0	*	*	*	*	*	*	*
Lancaster	0	*	0	*	*	*	*	*	*	*
Laurens	0	*	0	*	*	*	*	*	*	*
Lee	0	*	0	*	*	*	*	*	*	*
Lexington	0	*	0	*	*	*	*	*	*	*
Marion	0	*	0	*	*	*	*	*	*	*
Marlboro	0	*	0	*	*	*	*	*	*	*
McCormick	0	*	0	*	*	*	*	*	*	*
Newberry	0	*	0	*	*	*	*	*	*	*
Oconee	0	*	0	*	*	*	*	*	*	*
Orangeburg	0	*	0	*	*	*	*	*	*	*
Pickens	0	*	0	*	*	*	*	*	*	*
Richland	0	*	0	*	*	*	*	*	*	*
Saluda	0	*	0	*	*	*	*	*	*	*
Spartanburg	0	*	0	*	*	*	*	*	*	*
Sumter	0	*	0	*	*	*	*	*	*	*
Union	0	*	0	*	*	*	*	*	*	*
Williamsburg	0	*	0	*	*	*	*	*	*	*
York	0	*	0	*	*	*	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	2	*	4	0.1	4	0.1

Streptococcal toxic-shock Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	2	*
2012	4	0.1
2013	4	0.1

*Incidence rate and county-level case counts not reported for < 4 cases

**Streptococcus pneumoniae, invasive
Cases, Rate per 100,000 Population**

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	4	15.7	*	*	0	*	*	*	*	*
Aiken	19	12.3	13	8.3	9	5.6	13	8.1	19	11.7
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	39	21.3	27	14.6	33	17.6	25	13.3	31	16.4
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	*	*	*	*	0	*	*	*
Beaufort	13	8.6	8	5.2	8	4.9	9	5.5	6	3.6
Berkeley	12	7.1	16	9.2	13	7.3	14	7.6	16	8.4
Calhoun	0	*	0	*	*	*	*	*	0	*
Charleston	43	12.4	42	11.8	36	10.3	24	6.7	34	9.3
Cherokee	0	*	0	*	0	*	5	9.0	10	18.0
Chester	*	*	*	*	*	*	5	15.2	*	*
Chesterfield	8	18.7	4	9.3	*	*	5	10.7	*	*
Clarendon	4	12.1	4	12.1	*	*	*	*	*	*
Colleton	*	*	*	*	*	*	4	10.4	0	*
Darlington	13	19.4	15	22.6	11	16.0	8	11.7	9	13.2
Dillon	6	19.5	*	*	6	18.7	7	22.0	5	15.9
Dorchester	9	7.1	19	14.6	16	11.7	10	7.1	13	9.1
Edgefield	*	*	*	*	*	*	*	*	*	*
Fairfield	5	21.3	*	*	*	*	0	*	*	*
Florence	17	12.8	21	15.6	24	17.5	18	13.1	20	14.5
Georgetown	5	8.2	8	13.2	17	28.3	17	28.3	12	19.9
Greenville	59	13.5	61	13.5	57	12.6	39	8.5	57	12.2
Greenwood	8	11.7	11	15.8	6	8.6	*	*	6	8.6
Hampton	5	23.7	*	*	0	*	0	*	*	*
Horry	20	7.8	25	9.5	26	9.7	18	6.5	19	6.7
Jasper	*	*	*	*	*	*	*	*	*	*
Kershaw	4	6.8	4	6.7	4	6.5	*	*	4	6.4
Lancaster	*	*	4	5.1	7	9.1	8	10.3	7	8.9
Laurens	7	10.0	15	21.4	*	*	7	10.5	*	*
Lee	*	*	*	*	5	26.0	*	*	*	*
Lexington	30	12.1	43	16.8	20	7.6	34	12.7	28	10.4
Marion	*	*	7	69.0	5	48.9	4	39.9	10	100.6
Marlboro	*	*	*	*	*	*	4	12.2	*	*
McCormick	*	*	0	*	*	*	0	*	*	*
Newberry	7	18.5	*	*	*	*	*	*	*	*
Oconee	17	23.9	20	28.0	11	14.8	12	16.1	9	12.1
Orangeburg	0	*	0	*	0	*	9	9.8	7	7.7
Pickens	12	10.3	13	11.0	10	8.4	12	10.0	9	7.5
Richland	33	9.1	51	13.7	33	8.6	20	5.1	33	8.4
Saluda	4	21.5	*	*	0	*	0	*	0	*
Spartanburg	10	3.6	15	5.2	21	7.4	22	7.7	25	8.7
Sumter	17	16.3	19	18.2	11	10.2	16	14.9	9	8.3
Union	5	18.1	*	*	*	*	4	13.9	*	*
Williamsburg	7	19.9	*	*	5	14.5	5	14.7	0	*
York	14	6.4	20	8.8	22	9.7	10	4.3	14	6.0
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	472	10.5	510	11.2	441	9.5	404	8.6	443	9.4

Streptococcus pneumoniae, invasive Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	1	*
2002	64	1.6
2003	137	3.3
2004	34	0.8
2005	187	4.5
2006	243	5.7
2007	347	8.0
2008	489	11.1
2009	472	10.5
2010	510	11.2
2011	441	9.5
2012	404	8.6
2013	443	9.4

*Incidence rate and county-level case counts not reported for < 4 cases

Tetanus
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	*	*	0	*
Aiken	0	*	0	*	*	*	*	*	0	*
Allendale	0	*	0	*	*	*	*	*	0	*
Anderson	0	*	0	*	*	*	*	*	0	*
Bamberg	0	*	0	*	*	*	*	*	0	*
Barnwell	0	*	0	*	*	*	*	*	0	*
Beaufort	0	*	0	*	*	*	*	*	0	*
Berkeley	0	*	0	*	*	*	*	*	0	*
Calhoun	0	*	0	*	*	*	*	*	0	*
Charleston	0	*	0	*	*	*	*	*	0	*
Cherokee	0	*	0	*	*	*	*	*	0	*
Chester	0	*	0	*	*	*	*	*	0	*
Chesterfield	0	*	0	*	*	*	*	*	0	*
Clarendon	0	*	0	*	*	*	*	*	0	*
Colleton	0	*	0	*	*	*	*	*	0	*
Darlington	0	*	0	*	*	*	*	*	0	*
Dillon	0	*	0	*	*	*	*	*	0	*
Dorchester	0	*	0	*	*	*	*	*	0	*
Edgefield	0	*	0	*	*	*	*	*	0	*
Fairfield	0	*	0	*	*	*	*	*	0	*
Florence	0	*	0	*	*	*	*	*	0	*
Georgetown	0	*	0	*	*	*	*	*	0	*
Greenville	0	*	0	*	*	*	*	*	0	*
Greenwood	0	*	0	*	*	*	*	*	0	*
Hampton	0	*	0	*	*	*	*	*	0	*
Horry	0	*	0	*	*	*	*	*	0	*
Jasper	0	*	0	*	*	*	*	*	0	*
Kershaw	0	*	0	*	*	*	*	*	0	*
Lancaster	0	*	0	*	*	*	*	*	0	*
Laurens	0	*	0	*	*	*	*	*	0	*
Lee	0	*	0	*	*	*	*	*	0	*
Lexington	0	*	0	*	*	*	*	*	0	*
Marion	0	*	0	*	*	*	*	*	0	*
Marlboro	0	*	0	*	*	*	*	*	0	*
McCormick	0	*	0	*	*	*	*	*	0	*
Newberry	0	*	0	*	*	*	*	*	0	*
Oconee	0	*	0	*	*	*	*	*	0	*
Orangeburg	0	*	0	*	*	*	*	*	0	*
Pickens	0	*	0	*	*	*	*	*	0	*
Richland	0	*	0	*	*	*	*	*	0	*
Saluda	0	*	0	*	*	*	*	*	0	*
Spartanburg	0	*	0	*	*	*	*	*	0	*
Sumter	0	*	0	*	*	*	*	*	0	*
Union	0	*	0	*	*	*	*	*	0	*
Williamsburg	0	*	0	*	*	*	*	*	0	*
York	0	*	0	*	*	*	*	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	1	*	2	*	0	*

Tetanus Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	1	*
2003	0	*
2004	0	*
2005	0	*
2006	1	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	1	*
2012	2	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Tularemia
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

Tularemia Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	1	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

**Typhoid fever (*Salmonella typhi*)
Cases, Rate per 100,000 Population**

	2009	2010	2011	2012	2013					
County	Cases	Rates								
Abbeville	0	*	*	*	*	*	*	*	0	*
Aiken	0	*	*	*	*	*	*	*	0	*
Allendale	0	*	*	*	*	*	*	*	0	*
Anderson	0	*	*	*	*	*	*	*	0	*
Bamberg	0	*	*	*	*	*	*	*	0	*
Barnwell	0	*	*	*	*	*	*	*	0	*
Beaufort	0	*	*	*	*	*	*	*	0	*
Berkeley	0	*	*	*	*	*	*	*	0	*
Calhoun	0	*	*	*	*	*	*	*	0	*
Charleston	0	*	*	*	*	*	*	*	0	*
Cherokee	0	*	*	*	*	*	*	*	0	*
Chester	0	*	*	*	*	*	*	*	0	*
Chesterfield	0	*	*	*	*	*	*	*	0	*
Clarendon	0	*	*	*	*	*	*	*	0	*
Colleton	0	*	*	*	*	*	*	*	0	*
Darlington	0	*	*	*	*	*	*	*	0	*
Dillon	0	*	*	*	*	*	*	*	0	*
Dorchester	0	*	*	*	*	*	*	*	0	*
Edgefield	0	*	*	*	*	*	*	*	0	*
Fairfield	0	*	*	*	*	*	*	*	0	*
Florence	0	*	*	*	*	*	*	*	0	*
Georgetown	0	*	*	*	*	*	*	*	0	*
Greenville	0	*	*	*	*	*	*	*	0	*
Greenwood	0	*	*	*	*	*	*	*	0	*
Hampton	0	*	*	*	*	*	*	*	0	*
Horry	0	*	*	*	*	*	*	*	0	*
Jasper	0	*	*	*	*	*	*	*	0	*
Kershaw	0	*	*	*	*	*	*	*	0	*
Lancaster	0	*	*	*	*	*	*	*	0	*
Laurens	0	*	*	*	*	*	*	*	0	*
Lee	0	*	*	*	*	*	*	*	0	*
Lexington	0	*	*	*	*	*	*	*	0	*
Marion	0	*	*	*	*	*	*	*	0	*
Marlboro	0	*	*	*	*	*	*	*	0	*
McCormick	0	*	*	*	*	*	*	*	0	*
Newberry	0	*	*	*	*	*	*	*	0	*
Oconee	0	*	*	*	*	*	*	*	0	*
Orangeburg	0	*	*	*	*	*	*	*	0	*
Pickens	0	*	*	*	*	*	*	*	0	*
Richland	0	*	*	*	*	*	*	*	0	*
Saluda	0	*	*	*	*	*	*	*	0	*
Spartanburg	0	*	*	*	*	*	*	*	0	*
Sumter	0	*	*	*	*	*	*	*	0	*
Union	0	*	*	*	*	*	*	*	0	*
Williamsburg	0	*	*	*	*	*	*	*	0	*
York	0	*	*	*	*	*	*	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	1	*	1	*	1	*	0	*

Typhoid fever (<i>Salmonella typhi</i>) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	3	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	1	*
2007	1	*
2008	3	*
2009	0	*
2010	1	*
2011	1	*
2012	1	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Typhus fever-fleaborne, murine
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	0	*	0	*	0	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	*	*
Anderson	0	*	0	*	0	*	0	*	*	*
Bamberg	0	*	0	*	0	*	0	*	*	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	0	*	0	*	0	*	0	*	*	*
Berkeley	0	*	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	*	*
Charleston	0	*	0	*	0	*	0	*	*	*
Cherokee	0	*	0	*	0	*	0	*	*	*
Chester	0	*	0	*	0	*	0	*	*	*
Chesterfield	0	*	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	*	*
Colleton	0	*	0	*	0	*	0	*	*	*
Darlington	0	*	0	*	0	*	0	*	*	*
Dillon	0	*	0	*	0	*	0	*	*	*
Dorchester	0	*	0	*	0	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	*	*
Fairfield	0	*	0	*	0	*	0	*	*	*
Florence	0	*	0	*	0	*	0	*	*	*
Georgetown	0	*	0	*	0	*	0	*	*	*
Greenville	0	*	0	*	0	*	0	*	*	*
Greenwood	0	*	0	*	0	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	*	*
Horry	0	*	0	*	0	*	0	*	*	*
Jasper	0	*	0	*	0	*	0	*	*	*
Kershaw	0	*	0	*	0	*	0	*	*	*
Lancaster	0	*	0	*	0	*	0	*	*	*
Laurens	0	*	0	*	0	*	0	*	*	*
Lee	0	*	0	*	0	*	0	*	*	*
Lexington	0	*	0	*	0	*	0	*	*	*
Marion	0	*	0	*	0	*	0	*	*	*
Marlboro	0	*	0	*	0	*	0	*	*	*
McCormick	0	*	0	*	0	*	0	*	*	*
Newberry	0	*	0	*	0	*	0	*	*	*
Oconee	0	*	0	*	0	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	0	*	*	*
Pickens	0	*	0	*	0	*	0	*	*	*
Richland	0	*	0	*	0	*	0	*	*	*
Saluda	0	*	0	*	0	*	0	*	*	*
Spartanburg	0	*	0	*	0	*	0	*	*	*
Sumter	0	*	0	*	0	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	*	*
Williamsburg	0	*	0	*	0	*	0	*	*	*
York	0	*	0	*	0	*	0	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	1	*

Typhus fever-fleaborne, murine Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	1	*

*Incidence rate and county-level case counts not reported for < 4 cases

Vancomycin Intermediate S. Aureus (VISA)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	*	*	0	*	0	*
Aiken	0	*	0	*	*	*	0	*	0	*
Allendale	0	*	0	*	*	*	0	*	0	*
Anderson	0	*	0	*	*	*	0	*	0	*
Bamberg	0	*	0	*	*	*	0	*	0	*
Barnwell	0	*	0	*	*	*	0	*	0	*
Beaufort	0	*	0	*	*	*	0	*	0	*
Berkeley	0	*	0	*	*	*	0	*	0	*
Calhoun	0	*	0	*	*	*	0	*	0	*
Charleston	0	*	0	*	*	*	0	*	0	*
Cherokee	0	*	0	*	*	*	0	*	0	*
Chester	0	*	0	*	*	*	0	*	0	*
Chesterfield	0	*	0	*	*	*	0	*	0	*
Clarendon	0	*	0	*	*	*	0	*	0	*
Colleton	0	*	0	*	*	*	0	*	0	*
Darlington	0	*	0	*	*	*	0	*	0	*
Dillon	0	*	0	*	*	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	0	*
Edgefield	0	*	0	*	*	*	0	*	0	*
Fairfield	0	*	0	*	*	*	0	*	0	*
Florence	0	*	0	*	*	*	0	*	0	*
Georgetown	0	*	0	*	*	*	0	*	0	*
Greenville	0	*	0	*	*	*	0	*	0	*
Greenwood	0	*	0	*	*	*	0	*	0	*
Hampton	0	*	0	*	*	*	0	*	0	*
Horry	0	*	0	*	*	*	0	*	0	*
Jasper	0	*	0	*	*	*	0	*	0	*
Kershaw	0	*	0	*	*	*	0	*	0	*
Lancaster	0	*	0	*	*	*	0	*	0	*
Laurens	0	*	0	*	*	*	0	*	0	*
Lee	0	*	0	*	*	*	0	*	0	*
Lexington	0	*	0	*	*	*	0	*	0	*
Marion	0	*	0	*	*	*	0	*	0	*
Marlboro	0	*	0	*	*	*	0	*	0	*
McCormick	0	*	0	*	*	*	0	*	0	*
Newberry	0	*	0	*	*	*	0	*	0	*
Oconee	0	*	0	*	*	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	0	*
Pickens	0	*	0	*	*	*	0	*	0	*
Richland	0	*	0	*	*	*	0	*	0	*
Saluda	0	*	0	*	*	*	0	*	0	*
Spartanburg	0	*	0	*	*	*	0	*	0	*
Sumter	0	*	0	*	*	*	0	*	0	*
Union	0	*	0	*	*	*	0	*	0	*
Williamsburg	0	*	0	*	*	*	0	*	0	*
York	0	*	0	*	*	*	0	*	0	*
Unknown	0		0		0		0		0	
Grand Total	0	*	0	*	3	*	0	*	0	*

VISA Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	NR	*
2004	0	*
2005	0	*
2006	0	*
2007	2	*
2008	0	*
2009	0	*
2010	0	*
2011	3	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Vancomycin Resistant S. Aureus (VRSA)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	0	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	0	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	0	*	0	*	0	*	0	*	0	*
Berkeley	0	*	0	*	0	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	0	*	0	*	0	*	0	*	0	*
Cherokee	0	*	0	*	0	*	0	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	0	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	0	*	0	*	0	*	0	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	0	*	0	*	0	*	0	*	0	*
Georgetown	0	*	0	*	0	*	0	*	0	*
Greenville	0	*	0	*	0	*	0	*	0	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	0	*	0	*	0	*	0	*	0	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	0	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	0	*	0	*	0	*	0	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	0	*	0	*	0	*	0	*	0	*
Richland	0	*	0	*	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	0	*
Sumter	0	*	0	*	0	*	0	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	0	*	0	*	0	*	0	*	0	*

VRSA Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	1	*
2004	0	*
2005	0	*
2006	0	*
2007	0	*
2008	0	*
2009	0	*
2010	0	*
2011	0	*
2012	0	*
2013	0	*

*Incidence rate and county-level case counts not reported for < 4 cases

Varicella (Chickenpox)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	*	*
Aiken	*	*	*	*	0	*	0	*	*	*
Allendale	*	*	25	245.2	0	*	0	*	*	*
Anderson	16	8.8	4	2.2	0	*	0	*	12	6.3
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	*	*
Beaufort	4	2.7	0	*	0	*	0	*	*	*
Berkeley	6	3.5	0	*	0	*	0	*	*	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	*	*	0	*	0	*	0	*	*	*
Cherokee	0	*	0	*	0	*	*	*	0	*
Chester	0	*	0	*	0	*	0	*	*	*
Chesterfield	14	32.6	0	*	0	*	0	*	*	*
Clarendon	0	*	0	*	0	*	0	*	0	*
Colleton	0	*	0	*	0	*	0	*	4	10.5
Darlington	9	13.4	0	*	0	*	0	*	14	20.5
Dillon	0	*	0	*	0	*	0	*	0	*
Dorchester	0	*	24	18.4	0	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	*	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	7	5.3	0	*	0	*	0	*	7	5.1
Georgetown	0	*	0	*	0	*	0	*	*	*
Greenville	24	5.5	6	1.3	0	*	0	*	31	6.6
Greenwood	0	*	0	*	0	*	0	*	*	*
Hampton	0	*	0	*	0	*	0	*	*	*
Horry	*	*	*	*	12	4.5	*	*	30	10.6
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	0	*	0	*	0	*	0	*	8	12.8
Lancaster	0	*	0	*	0	*	0	*	*	*
Laurens	*	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	19	7.6	*	*	0	*	*	*	18	6.7
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	*	*
Oconee	0	*	17	23.8	0	*	0	*	*	*
Orangeburg	0	*	0	*	0	*	0	*	0	*
Pickens	10	8.6	0	*	0	*	0	*	5	4.2
Richland	*	*	*	*	*	*	8	2.1	11	2.8
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	0	*	0	*	0	*	4	1.4
Sumter	0	*	0	*	0	*	0	*	*	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	11	32.7
York	*	*	0	*	0	*	0	*	4	1.7
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	117	2.6	83	1.8	13	0.3	11	0.2	186	3.9

Varicella (Chickenpox) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	190	4.7
2003	NR	*
2004	567	13.7
2005	731	17.4
2006	1228	28.9
2007	1108	25.6
2008	853	19.4
2009	117	2.6
2010	83	1.8
2011	13	0.3
2012	11	0.2
2013	186	3.9

*Incidence rate and county-level case counts not reported for < 4 cases

Vibriosis (non Cholera)
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	0	*	0	*	0	*	0	*	0	*
Aiken	0	*	0	*	0	*	0	*	*	*
Allendale	0	*	0	*	0	*	0	*	0	*
Anderson	*	*	0	*	0	*	0	*	0	*
Bamberg	0	*	0	*	0	*	0	*	0	*
Barnwell	0	*	0	*	0	*	0	*	0	*
Beaufort	*	*	*	*	*	*	*	*	4	2.4
Berkeley	0	*	*	*	*	*	0	*	0	*
Calhoun	0	*	0	*	0	*	0	*	0	*
Charleston	4	1.1	*	*	*	*	*	*	*	*
Cherokee	0	*	0	*	0	*	*	*	0	*
Chester	0	*	0	*	0	*	0	*	0	*
Chesterfield	*	*	0	*	0	*	0	*	0	*
Clarendon	0	*	0	*	0	*	*	*	0	*
Colleton	0	*	0	*	0	*	0	*	0	*
Darlington	0	*	0	*	0	*	0	*	0	*
Dillon	0	*	*	*	0	*	0	*	0	*
Dorchester	0	*	0	*	*	*	0	*	*	*
Edgefield	0	*	0	*	0	*	0	*	0	*
Fairfield	0	*	0	*	0	*	0	*	0	*
Florence	*	*	0	*	0	*	0	*	*	*
Georgetown	0	*	0	*	0	*	*	*	0	*
Greenville	*	*	*	*	0	*	0	*	*	*
Greenwood	0	*	0	*	0	*	0	*	0	*
Hampton	0	*	0	*	0	*	0	*	0	*
Horry	*	*	*	*	*	*	*	*	*	*
Jasper	0	*	0	*	0	*	0	*	0	*
Kershaw	*	*	0	*	0	*	0	*	0	*
Lancaster	0	*	0	*	0	*	0	*	*	*
Laurens	0	*	0	*	0	*	0	*	0	*
Lee	0	*	0	*	0	*	0	*	0	*
Lexington	*	*	0	*	*	*	*	*	0	*
Marion	0	*	0	*	0	*	0	*	0	*
Marlboro	0	*	0	*	0	*	0	*	0	*
McCormick	0	*	0	*	0	*	0	*	0	*
Newberry	0	*	0	*	0	*	0	*	0	*
Oconee	0	*	0	*	0	*	0	*	0	*
Orangeburg	0	*	0	*	*	*	0	*	*	*
Pickens	0	*	*	*	0	*	0	*	*	*
Richland	0	*	4	1.1	0	*	0	*	0	*
Saluda	0	*	0	*	0	*	0	*	0	*
Spartanburg	0	*	*	*	0	*	0	*	*	*
Sumter	0	*	0	*	0	*	*	*	0	*
Union	0	*	0	*	0	*	0	*	0	*
Williamsburg	0	*	0	*	0	*	0	*	0	*
York	0	*	0	*	0	*	0	*	0	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	14	0.3	16	0.4	11	0.2	11	0.2	16	0.3

Vibriosis (non Cholera) Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	6	0.2
2000	2	*
2001	4	0.1
2002	0	*
2003	5	0.1
2004	6	0.1
2005	8	0.2
2006	13	0.3
2007	8	0.2
2008	12	0.3
2009	14	0.3
2010	16	0.4
2011	11	0.2
2012	11	0.2
2013	16	0.3

*Incidence rate and county-level case counts not reported for < 4 cases

West Nile Fever
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	0	*	*	*
Aiken	*	*	*	*	*	*	5	3.1	*	*
Allendale	*	*	*	*	*	*	0	*	*	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	*	*	*	*	*	*	0	*	*	*
Barnwell	*	*	*	*	*	*	0	*	*	*
Beaufort	*	*	*	*	*	*	0	*	*	*
Berkeley	*	*	*	*	*	*	0	*	*	*
Calhoun	*	*	*	*	*	*	0	*	*	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	*	*	*	*	*	*	0	*	*	*
Chester	*	*	*	*	*	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	0	*	*	*
Clarendon	*	*	*	*	*	*	0	*	*	*
Colleton	*	*	*	*	*	*	0	*	*	*
Darlington	*	*	*	*	*	*	0	*	*	*
Dillon	*	*	*	*	*	*	0	*	*	*
Dorchester	*	*	*	*	*	*	0	*	*	*
Edgefield	*	*	*	*	*	*	0	*	*	*
Fairfield	*	*	*	*	*	*	0	*	*	*
Florence	*	*	*	*	*	*	0	*	*	*
Georgetown	*	*	*	*	*	*	0	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	*	*	*	*	*	*	*	*	*	*
Hampton	*	*	*	*	*	*	0	*	*	*
Horry	*	*	*	*	*	*	*	*	*	*
Jasper	*	*	*	*	*	*	0	*	*	*
Kershaw	*	*	*	*	*	*	0	*	*	*
Lancaster	*	*	*	*	*	*	0	*	*	*
Laurens	*	*	*	*	*	*	0	*	*	*
Lee	*	*	*	*	*	*	0	*	*	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	*	*	*	*	*	*	0	*	*	*
Marlboro	*	*	*	*	*	*	0	*	*	*
McCormick	*	*	*	*	*	*	0	*	*	*
Newberry	*	*	*	*	*	*	*	*	*	*
Oconee	*	*	*	*	*	*	*	*	*	*
Orangeburg	*	*	*	*	*	*	0	*	*	*
Pickens	*	*	*	*	*	*	0	*	*	*
Richland	*	*	*	*	*	*	*	*	*	*
Saluda	*	*	*	*	*	*	0	*	*	*
Spartanburg	*	*	*	*	*	*	0	*	*	*
Sumter	*	*	*	*	*	*	0	*	*	*
Union	*	*	*	*	*	*	0	*	*	*
Williamsburg	*	*	*	*	*	*	0	*	*	*
York	*	*	*	*	*	*	0	*	*	*
Unknown	0		0		0		0		0	
Grand Total	3	*	0	*	1	*	19	0.4	6	0.1

West Nile Fever Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	NR	*
2000	NR	*
2001	NR	*
2002	NR	*
2003	0	*
2004	2	*
2005	2	*
2006	0	*
2007	2	*
2008	2	*
2009	3	*
2010	0	*
2011	1	*
2012	19	0.4
2013	6	0.1

*Incidence rate and county-level case counts not reported for < 4 cases

Yersiniosis
Cases, Rate per 100,000 Population

	2009		2010		2011		2012		2013	
County	Cases	Rates								
Abbeville	*	*	*	*	*	*	*	*	*	*
Aiken	*	*	*	*	*	*	*	*	*	*
Allendale	*	*	*	*	*	*	*	*	*	*
Anderson	*	*	*	*	*	*	*	*	*	*
Bamberg	*	*	*	*	*	*	*	*	*	*
Barnwell	*	*	*	*	*	*	*	*	*	*
Beaufort	*	*	*	*	*	*	*	*	*	*
Berkeley	*	*	*	*	*	*	*	*	*	*
Calhoun	*	*	*	*	*	*	*	*	*	*
Charleston	*	*	*	*	*	*	*	*	*	*
Cherokee	*	*	*	*	*	*	*	*	*	*
Chester	*	*	*	*	*	*	*	*	*	*
Chesterfield	*	*	*	*	*	*	*	*	*	*
Clarendon	*	*	*	*	*	*	*	*	*	*
Colleton	*	*	*	*	*	*	*	*	*	*
Darlington	*	*	*	*	*	*	*	*	*	*
Dillon	*	*	*	*	*	*	*	*	*	*
Dorchester	*	*	*	*	*	*	*	*	*	*
Edgefield	*	*	*	*	*	*	*	*	*	*
Fairfield	*	*	*	*	*	*	*	*	*	*
Florence	*	*	*	*	*	*	*	*	*	*
Georgetown	*	*	*	*	*	*	*	*	*	*
Greenville	*	*	*	*	*	*	*	*	*	*
Greenwood	*	*	*	*	*	*	*	*	*	*
Hampton	*	*	*	*	*	*	*	*	*	*
Horry	*	*	*	*	*	*	*	*	*	*
Jasper	*	*	*	*	*	*	*	*	*	*
Kershaw	*	*	*	*	*	*	*	*	*	*
Lancaster	*	*	*	*	*	*	*	*	*	*
Laurens	*	*	*	*	*	*	*	*	*	*
Lee	*	*	*	*	*	*	*	*	*	*
Lexington	*	*	*	*	*	*	*	*	*	*
Marion	*	*	*	*	*	*	*	*	*	*
Marlboro	*	*	*	*	*	*	*	*	*	*
McCormick	*	*	*	*	*	*	*	*	*	*
Newberry	*	*	*	*	*	*	*	*	*	*
Oconee	*	*	*	*	*	*	*	*	*	*
Orangeburg	*	*	*	*	*	*	*	*	*	*
Pickens	*	*	*	*	*	*	*	*	*	*
Richland	*	*	*	*	*	*	*	*	*	*
Saluda	*	*	*	*	*	*	*	*	*	*
Spartanburg	*	*	*	*	*	*	*	*	*	*
Sumter	*	*	*	*	*	*	*	*	*	*
Union	*	*	*	*	*	*	*	*	*	*
Williamsburg	*	*	*	*	*	*	*	*	*	*
York	*	*	*	*	*	*	*	*	*	*
Unknown	0	0	0	0	0	0	0	0	0	0
Grand Total	7	0.2	4	0.1	5	0.1	4	0.1	7	0.1

Yersiniosis Statewide By Year		
Cases, Rate per 100,000 Pop.		
Year	Cases	Rate
1999	0	*
2000	0	*
2001	0	*
2002	0	*
2003	0	*
2004	0	*
2005	3	*
2006	10	0.2
2007	9	0.2
2008	6	0.1
2009	7	0.2
2010	4	0.1
2011	5	0.1
2012	4	0.1
2013	7	0.1

*Incidence rate and county-level case counts not reported for < 4 cases

Contact Information

South Carolina Department of Health and Environmental Control
<http://www.scdhec.gov/>

Bureau of Disease Control
<http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/>
Linda Bell, MD, State Epidemiologist, Acting Bureau Director
803-898-0861

Bureau of Disease Control Divisions

Division of Acute Disease Epidemiology
Dana Giurgiutiu, PhD, Director
803-898-0861

Report Contact Information
Marya S. Barker, MPH
Division of Acute Disease Epidemiology
803-898-0861
barkerms@dhec.sc.gov

Claire Youngblood, MA
Division of Acute Disease Epidemiology
803-898-0861
youngbhc@dhec.sc.gov