



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2013




VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

SOUTH CAROLINA COUNTIES AND PUBLIC HEALTH REGIONS



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2013



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

November, 2014

Contributors

Division of Biostatistics SC DHEC

Daniela Nitcheva, Director

Biostatistics and Data Quality Branch

Veena Seshadri, Statistician

Ying Yang, Statistician

Thomas Pinner, Statistical and Research Analyst

This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading.

More data are available on SCAN: <http://scangis.dhec.sc.gov/scan/>

Please forward any suggestions, comments or requests concerning this report to:

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services

Division of Biostatistics

2600 Bull Street

Columbia, SC 29201

803-898-3649 phone 803-898-3661 fax

<http://www.scdhec.gov>

INTRODUCTION

This report contains vital statistics data for South Carolina events that occurred in 2013. The purpose of this report is to provide basic reference data for a variety of users. Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments, and reports of fetal deaths and abortions. Data are presented for South Carolina and its 46 counties. Live births, fetal deaths and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate transcript exchange.

In South Carolina fetal death and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Office of Vital Records. In 2004, South Carolina established the Web Birth system. This allows hospitals to file all birth certificate information via secured internet connection. Marriage and divorce certificates are transmitted to this office from the County Probate Court and Clerk of Court, respectively.

Population estimates for the intercensal years were provided by the National Center for Health Statistics.

This and other reports on South Carolina vital statistics including Death Supplement are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading.

More data are available on South Carolina Community Assessment Network (<http://scanqis.dhec.sc.gov/scan/>); our interactive data query website.

Requests for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.gov>

TABLE OF CONTENTS

Section A.	Summary of Vital Events.....	1
Section B.	Population	7
Section C.	Birth.....	11
	Fertility Patterns.....	16
	Gender Ratio.....	17
	Multiple Births.....	18
	Attendant at Birth.....	33
	Age of Mother.....	35
	Live Births to Unmarried Mothers.....	45
	Live Births by Birthweight.....	51
	Low Weight Live Births.....	58
Section D.	Teen Pregnancy.....	76
	Age 10-19.....	76
	Age 10-14.....	79
	Age 14-17.....	82
	Age 15-17.....	85
	Age 18-19.....	88
Section E.	Abortion.....	91
	By County of Residence.....	92
	By County of Occurrence.....	95
Section F.	Mortality.....	96
	Infant Mortality.....	97
	Neonatal Mortality.....	102
	Postneonatal Mortality.....	105
	Fetal Mortality.....	108
	Perinatal Mortality.....	112
	Causes of Maternal Death.....	113
Section G.	Death.....	115
	Leading Causes of Death.....	117
	Death by Age and Race.....	119
	Malignant Neoplasms by Site and Gender.....	123
	Accidental Deaths by Gender.....	124
	Death Rates by Race.....	125
	Deaths by Burial Disposition.....	129
	Deaths by Certifier.....	132
	Major Causes of Accidental Deaths.....	134
	Deaths Due to Suicide.....	136
	Deaths Due to Homicide.....	137
	Death Rates from Selected Causes by Race and Gender.....	138
Section H.	Marriages and Divorces.....	142
	Trends in Marriages and Devorces.....	142
	Marriages.....	143
	Divorces and Annulments.....	150

TABLE OF CONTENTS (continued)

Section J.	Technical Notes.....	155
	Registration of Vital Events.....	155
	Revision of Certificates.....	156
	Allocation of Events by Residence or Occurrence.....	157
	Definitions of Terms.....	158
	Interpretation of Data.....	160
	Implementation of the International Classification of Diseases (ICD).....	164
	Formulae.....	165
	Grams Weight Conversion Chart.....	166
	Symbols Used in Tables.....	166

Section K .	Appendix.....	
-------------	---------------	--

Figures

Figure B-1.	South Carolina Estimated Population by County, 2013.....	7
Figure C-1.	Live Birth Rates by County: South Carolina, 2013 (Residence Data).....	11
Figure C-2.	Live Birth Rates by Race of Mother: South Carolina, 1989-2013 (Residence Data).....	12
Figure C-3.	Multiple Births Rate by Race South Carolina, 1998-2013 (Residence Data).....	18
Figure C-4.	Percent of Live Births to Women Age 35 and Over by Race South Carolina, 2004-2013 (Residence Data).....	35
Figure C-5.	Mean Age of Mother at First Time Birth by Race South Carolina, 1999-2013 (Residence Data).....	36
Figure C-6.	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2013 (Residence Data).....	45
Figure C-7.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2013 (Residence Data).....	51
Figure C-8.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2013 (Residence Data).....	58
Figure E-1.	Abortion Rates by Race South Carolina, 2004-2013 (Residence Data).....	91
Figure F-1.	Three-Year Infant Mortality Rates by County: South Carolina, 2011-2013 (Residence Data).....	96
Figure F-2.	Infant Mortality Rates by Race: South Carolina, 1988-2013 (Residence Data).....	97
Figure F-3.	Percent of Infant Deaths by Age at Death: South Carolina, 2013 (Residence Data).....	98
Figure G-1.	Death Rates by County: South Carolina, 2013 (Residence Data).....	115
Figure G-2.	Death Rates by Race: South Carolina, 1989-2013(Residence Data).....	116

TABLE OF CONTENTS (continued)

Figures

Figure G-3.	Percent Distribution for the Ten Leading Causes of Death by Gender, South Carolina, 2013 (Residence Data).....	117
Figure H-1.	Marriage and Divorce Rates: South Carolina, 1989-2013 (Occurrence Data).....	142
Figure H-2.	Marriage Rates by Race: South Carolina, 1989-2013 (Occurrence Data).....	144
Figure H-3.	Divorce Rates by Race: South Carolina, 1989-2013 (Occurrence Data).....	151

TABLES

Vital Events

Table A-1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1993-2013 (Residence Data).....	3
Table A-2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1993-2013 (Residence Data).....	4
TableA- 3.	Live Births South Carolina and Each County, 2000-2013 (Residence Data).....	5
Table A-4.	Deaths South Carolina and Each County, 2000-2013 (Residence Data).....	6

Population

Table B-1.	Percent of Population by Age Group South Carolina, 2000 and 2010.....	8
Table B-2.	Population, Live Births, Deaths and Natural Increase South Carolina, 1990-2013 (Residence Data).....	9
Table B-3.	Estimated Population and Percents by Race South Carolina and Each County, 2013	10

Births

Table C-1.	Live Births and Birth Rates by Race of Mother South Carolina, 1989-2013 (Residence Data).....	12
Table C-2.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2013 (Residence Data).....	13
Table C-3.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2013 (Residence Data)	14
Table C-4.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2013 (Occurrence Data)	15
Table C-5.	Fertility Rates by Race South Carolina and Each County, 1998-2013 (Residence Data).....	16

TABLE OF CONTENTS (continued)

Births

Table C-6.	Population of Females Age 15-44 by Race South Carolina and Each County, 1998-2013(Residence Data).....	16
Table C-7.	Gender Ratio of Males per 100 Females South Carolina, 2009-2013 (Residence Data).....	17
Table C-8.	Number and Rates of Multiple Births by Race South Carolina, 1998-2013 (Residence Data).....	18
Table C-9.	Live Births by County of Occurrence by County of Residence South Carolina, 2013.....	19
Table C-10.	Live Births by Number of Prenatal Care Visits South Carolina and Each County, 2013 (Residence Data).....	21
Table C-10A.	Live Births by Number of Prenatal Care Visits and Race of Mother South Carolina and Each County, 2013 (Residence Data).....	22
Table C-11.	Live Births By Kotelchuck Index South Carolina and Each County, 2013 (Residence Data).....	25
Table C-11A.	Live Births By Kotelchuck Index and Race of Mother South Carolina and Each County, 2013 (Residence Data).....	26
Table C-12.	Live Births by Education of Mother South Carolina and Each County, 2013 (Residence Data).....	29
Table C-12A.	Live Births by Education and Race of Mother South Carolina and Each County, 2013 (Residence Data).....	30
Table C-13.	Live Births by Attendant by Place of Delivery South Carolina, 2013 (Occurrence Data).....	33
Table C-14.	Live Births by Place of Delivery South Carolina, 2004-2013 (Occurrence Data).....	33
Table C-15.	Live Births by Attendant South Carolina and Each County, 2013 (Occurrence Data).....	34
Table C-16.	Percent Distribution of Live Births by Age of Mother South Carolina, 2009-2013 (Residence Data).....	35
Table C-17.	Mean Age of Mother at First Time Birth by Race South Carolina, 1999-2013 (Residence Data).....	36
Table C-18.	Live Births by Age of Mother: South Carolina and Each County, 2013 (Residence Data).....	37
Table C-18A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	38
Table C-19.	Live Births to Mothers Less than 20 Years Old South Carolina and Each County, 2013 (Residence Data).....	41
Table C-19A.	Live Births to Mothers Less than 20 Years Old By Race of Mother South Carolina and Each County, 2013 (Residence Data).....	42

TABLE OF CONTENTS (continued)

Births

Table C-20	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2009-2013 (Residence Data).....	45
Table C-21	Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	46
Table C-22.	Live Births to Unmarried Mothers by Age Group South Carolina and Each County 2013 (Residence Data).....	47
Table C-22A.	Live Births to Unmarried Mothers by Age Group and Race of Mother South Carolina and Each County 2013 (Residence Data).....	48
Table C-23.	Live Births by Birthweight Groups by Race of Mother South Carolina, 2013 (Residence Data).....	51
Table C-24.	Live Births by Birthweight, Age and Race of Mother: South Carolina, 2013 (Residence Data).....	52
Table C-25.	Live Births by Birthweight and Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	53
Table C-26.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2013 (Residence Data).....	58
Table C-27.	Low Weight Live Births and Percent of Low Weight Live Births by Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	59
Table C-28.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2013 (Residence Data).....	60
Table C-28A.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2013 (Residence Data).....	61
Table C-29.	Very Low Weight Live Births and Percent of Very Low Weight Live Births by Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	64
Table C-30.	Live Births and Number of Births with Congenital Anomalies by Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	65
Table C-31.	Live Births by Gestational Age South Carolina and Each County, 2013 (Residence Data).....	66
Table C-31A.	Live Births by Gestational Age by Race of Mother South Carolina and Each County, 2013 (Residence Data).....	67
Table C-32.	Live Births to Mothers who Breastfed by Race South Carolina and Each County, 2013 (Residence Data).....	70
Table C-33.	Live Births to Mothers with Infectious Diseases South Carolina and Each County, 2013 (Residence Data).....	71
Table C-33A.	Live Births to Mothers with Infectious Diseases by Race of Mother South Carolina and Each County, 2013 (Residence Data).....	72
Table C-34.	Number of Mothers who received WIC Services during Pregnancy by Race of Mother: South Carolina and Each County, 2013 (Residence Data).....	75

TABLE OF CONTENTS (continued)

Teen Pregnancy

Table D-1.	Reported Teen Pregnancy for Females Age 10-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	76
Table D-1A.	Reported Teen Pregnancy for Females Age 10-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	77
Table D-2.	Reported Teen Pregnancy for Females Age 10-14 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	79
Table D-2A.	Reported Teen Pregnancy for Females Age 10-14 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	80
Table D-3.	Reported Teen Pregnancy for Females Age 14-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	82
Table D-3A.	Reported Teen Pregnancy for Females Age 14-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	83
Table D-4.	Reported Teen Pregnancy for Females Age 15-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	85
Table D-4A.	Reported Teen Pregnancy for Females Age 15-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	86
Table D-5.	Reported Teen Pregnancy for Females Age 18-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	88
Table D-5A.	Reported Teen Pregnancy for Females Age 18-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2013 (Residence Data).....	89

Abortions

Table E-1.	Abortions and Abortion Rates by Race: South Carolina, 2004-2013 (Residence Data).....	91
Table E-2.	Abortions by Age Group: South Carolina and Each County, 2013 (Residence Data).....	92
Table E-2A.	Abortions by Age Group and Race South Carolina and Each County, 2013 (Residence Data).....	93
Table E-3.	Abortions by Age Group and Race of Mother South Carolina and Selected Counties 2013 (Occurrence Data).....	95

Perinatal

Table F-1.	Infant Mortality and Infant Mortality Rates by race: South Carolina, 1988-2013 (Residence Data)	97
Table F-2.	Leading Causes of Infant Death by Age at Death: South Carolina, 2013 (Residence Data).....	98

TABLE OF CONTENTS (continued)

Perinatal

Table F-3.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	99
Table F-3A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	100
Table F-4.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	102
Table F-4A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	103
Table F-5.	Postneonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	105
Table F-5A.	Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2013, 2011-2013, 2008-2010 (Residence Data).....	106
Table F-6.	Fetal Mortality and Fetal Mortality Rates by Race of Mother South Carolina and Each County, 2013 (Residence Data).....	108
Table F-7.	Fetal Deaths by Age of Mother South Carolina and Each County, 2013 (Residence Data).....	109
Table F-7A.	Fetal Deaths by Age and Race of Mother South Carolina and Each County, 2013 (Residence Data).....	110
Table F-8.	Perinatal Mortality and Perinatal Mortality Rates by Race South Carolina and Each County, 2013 (Residence Data).....	112
Table F-9.	Causes of Maternal Death by Age Group of Mother South Carolina and Each County, 2013 (Residence Data).....	113
Table F-9A.	Causes of Maternal Death by Race and Age Group of Mother South Carolina and Each County, 2013 (Residence Data).....	114

Deaths

Table G-1.	Deaths and Death Rates by Race: South Carolina, 1989-2013 (Residence Data).....	116
Table G-2.	Mortality From Ten Leading Causes of Death by Race: South Carolina, 2013 (Residence Data).....	117
Table G-2A.	Mortality From Ten Leading Causes of Death by Race and Gender South Carolina, 2013 (Residence Data).....	118
Table G-3.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2013 (Residence Data).....	119
Table G-3A.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race and Gender: South Carolina, 2013 (Residence Data).....	120

TABLE OF CONTENTS (continued)

Deaths

Table G-4.	Percent Distribution of Deaths by Race and Age South Carolina, 1993, 2003 and 2013 (Residence Data).....	122
Table G-5.	Deaths from Major Cardiovascular Diseases South Carolina, 2013 (Residence Data).....	122
Table G-6.	Distribution of Malignant Neoplasms by Site and Gender South Carolina, 2013 (Residence Data).....	123
Table G-7.	Types of Accidental Deaths by Gender: South Carolina, 2013 (Residence Data).....	124
Table G-8.	Methods of Suicidal Deaths by Gender South Carolina, 2013 (Residence Data).....	124
Table G-9.	Methods of Homicidal Deaths by Gender South Carolina, 2013 (Residence Data).....	124
Table G-10.	Deaths and Death Rates by Race South Carolina and Each County, 2013 (Residence Data)	125
Table G-11.	Deaths and Death Rates by Race South Carolina and Each County, 2013 (Occurrence Data)	126
Table G-12.	Deaths by Race and Gender South Carolina and Each County, 2013 (Residence Data).....	127
Table G-13.	Deaths by Race and Gender South Carolina and Each County, 2013 (Occurrence Data).....	128
Table G-14.	Deaths by Burial Disposition South Carolina and Each County, 2013 (Occurrence Data).....	129
Table G-14A.	Deaths by Burial Disposition by Race South Carolina and Each County, 2013 (Occurrence Data).....	130
Table G-15.	Deaths by Certifier South Carolina and Each County, 2013 (Occurrence Data).....	132
Table G-15A.	Deaths by Certifier by Race South Carolina and Each County, 2013 (Occurrence Data).....	133
Table G-16.	Major Causes of Accidental Death South Carolina and Each County, 2013 (Residence Data).....	134
Table G-17.	Major Causes of Accidental Death South Carolina and Each County, 2013 (Occurrence Data).....	135
Table G-18.	Deaths Due to Suicide by Method South Carolina and Each County, 2013 (Residence Data).....	136
Table G-19.	Deaths Due to Homicide by Method South Carolina and Each County, 2013 (Residence Data).....	137
Table G-20.	Deaths and Death Rates from Selected Causes by Race and Gender South Carolina, 2013 (Residence Data).....	138

TABLE OF CONTENTS (continued)

Marriages, Divorces and Annulments

Table H-1.	Marriages by Race of Bride and Groom South Carolina, 2013 (Occurrence Data).....	143
Table H-2.	Marriages and Marriage Rates by Race South Carolina, 1989-2013 (Occurrence Data).....	144
Table H-3.	Marriages by Age of Bride and Age of Groom South Carolina, 2013 (Occurrence Data).....	145
Table H-4.	Marriages by Race, Residential Status and Age of Bride South Carolina, 2013 (Occurrence Data).....	146
Table H-5.	Marriages by Race, Residential Status and Age of Groom South Carolina, 2013 (Occurrence Data).....	147
Table H-6.	Marriages by County in Which License Was Issued by Residential Status South Carolina and Each County, 2013 (Occurrence Data).....	148
Table H-7.	Marriages by Residential Status and County of Marriage South Carolina, 2013 (Occurrence Data).....	149
Table H-8.	Divorces by Age Group and Race South Carolina, 2013 (Occurrence Data).....	150
Table H-9.	Divorces and Divorce Rates by Race South Carolina, 1989-2013 (Occurrence Data).....	151
Table H-10.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree South Carolina, 2013 (Occurrence Data).....	152
Table H-11.	Divorces by Plaintiff and Legal Grounds of Decree South Carolina and Each County, 2013 (Occurrence Data).....	153
Table H-12.	Divorces and Annulments by Number of Children Involved and Race South Carolina and Each County, 2013 (Occurrence Data).....	154


SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2013



SUMMARY OF POPULATION

The estimated population of South Carolina for 2013 was 4,774,839; an increase of 51,116 from the 2012 estimated population of 4,723,723. The 2013 population showed an increase of 13.2 percent over the 2003 estimated population of 4,147,153.

2000 and 2010 CENSUS OF POPULATION

Population Density: In 2000, the population density (number of person per square mile of land area) of South Carolina was approximately 133.5. Based on the 2010 census count, the population density had increased to 153.9, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 2000, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 2000, there were 2,695,560 white and 1,185,216 black and other persons residing in South Carolina. The 2010 census count, modified by race, recorded a 13.9 percent increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten-year population change from 2000 to 2010, the 55-64 years age group showed the greatest percentage increase. Only one age groups, 35-44 showed a decrease in population from 2000 to 2010. The age distribution and the percent change in the number of residents from 2000 to 2010 are as follows:

**Table B-1.
Percent of Population by Age Group
South Carolina 2000 and 2010**

Age Groups	2000		2010		Percent Change 2000-2010
	Total	Percent	Total	Percent	
Total	4,012,012	100.0	4,625,364	100.0	15.3
0-4 Years	264,679	6.6	302,297	6.5	14.2
5-9 Years	285,243	7.1	295,853	6.4	3.7
10-14 Years	290,479	7.2	297,286	6.4	2.3
15-19 Years	295,377	7.4	328,989	7.1	11.4
20-24 Years	281,714	7.0	332,494	7.2	18.0
25-34 Years	560,831	14.0	592,056	12.8	5.6
35-44 Years	625,124	15.6	601,292	13.0	-3.8
45-54 Years	550,321	13.7	659,428	14.3	19.8
55-64 Years	372,911	9.3	583,795	12.6	56.6
65-74 Years	270,048	6.7	369,043	8.0	36.7
75 and Over	215,285	5.4	262,831	5.7	22.1

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina (1990-2013)
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase (Births minus Death)
		Number	Rate*	Number	Rate*	
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172
2002	4,107,180	54,453	13.3	37,679	9.2	16,774
2003	4,147,150	55,461	13.4	37,920	9.1	17,541
2004	4,198,070	56,543	13.5	37,152	8.8	19,391
2005	4,255,080	57,538	13.5	38,585	9.1	18,953
2006	4,321,250	62,191	14.4	38,723	9.0	23,468
2007	4,407,709	62,933	14.3	39,418	8.9	23,515
2008	4,479,800	63,077	14.1	40,197	9.0	22,880
2009	4,561,240	60,682	13.3	40,242	8.8	20,440
2010	4,625,364	58,325	12.6	41,489	9.0	16,836
2011	4,679,230	57,338	12.3	41,949	9.0	15,389
2012	4,723,723	57,100	12.1	42,879	9.1	14,221
2013	4,774,839	56,743	11.9	44,415	9.3	12,328

* Rate per 1,000 population

Table B-3.
 Estimated Population and Percents by Race
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Total	Estimated					
		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
		Number	Percent	Number	Percent	Number	Percent
South Carolina	4,774,839	3,086,563	64.6	1,433,496	30.0	254,780	5.3
Abbeville	25,007	17,390	69.5	7,313	29.2	304	1.2
Aiken	164,176	111,833	68.1	43,854	26.7	8,489	5.2
Allendale	9,839	2,338	23.8	7,230	73.5	271	2.8
Anderson	190,641	150,142	78.8	34,214	17.9	6,285	3.3
Bamberg	15,430	5,550	36.0	9,596	62.2	284	1.8
Barnwell	22,119	11,509	52.0	10,100	45.7	510	2.3
Beaufort	171,838	116,217	67.6	35,798	20.8	19,823	11.5
Berkeley	194,020	126,832	65.4	55,418	28.6	11,770	6.1
Calhoun	15,055	8,097	53.8	6,482	43.1	476	3.2
Charleston	372,803	237,734	63.8	115,791	31.1	19,278	5.2
Cherokee	55,885	41,478	74.2	12,184	21.8	2,223	4.0
Chester	32,578	19,437	59.7	12,583	38.6	558	1.7
Chesterfield	46,197	28,760	62.3	15,688	34.0	1,749	3.8
Clarendon	34,355	16,316	47.5	17,021	49.5	1,018	3.0
Colleton	37,788	21,519	56.9	15,184	40.2	1,085	2.9
Darlington	67,935	37,914	55.8	28,743	42.3	1,278	1.9
Dillon	31,229	14,919	47.8	15,540	49.8	770	2.5
Dorchester	145,397	96,119	66.1	42,377	29.1	6,901	4.7
Edgefield	26,436	15,016	56.8	9,939	37.6	1,481	5.6
Fairfield	23,109	8,844	38.3	13,822	59.8	443	1.9
Florence	138,326	74,164	53.6	60,787	43.9	3,375	2.4
Georgetown	60,440	38,203	63.2	20,395	33.7	1,842	3.0
Greenville	474,266	333,375	70.3	99,795	21.0	41,096	8.7
Greenwood	69,723	42,526	61.0	23,198	33.3	3,999	5.7
Hampton	20,408	8,520	41.7	11,110	54.4	778	3.8
Horry	289,650	226,412	78.2	45,602	15.7	17,636	6.1
Jasper	26,629	10,620	39.9	12,263	46.1	3,746	14.1
Kershaw	62,516	43,518	69.6	16,396	26.2	2,602	4.2
Lancaster	80,458	56,892	70.7	19,661	24.4	3,905	4.9
Laurens	66,229	45,699	69.0	17,748	26.8	2,782	4.2
Lee	18,347	6,226	33.9	11,734	64.0	387	2.1
Lexington	273,752	210,829	77.0	47,367	17.3	15,556	5.7
McCormick	9,947	4,848	48.7	4,978	50.0	121	1.2
Marion	32,072	12,765	39.8	18,365	57.3	942	2.9
Marlboro	28,003	11,344	40.5	15,792	56.4	867	3.1
Newberry	37,521	22,786	60.7	11,971	31.9	2,764	7.4
Oconee	75,045	64,561	86.0	6,878	9.2	3,606	4.8
Orangeburg	90,942	30,890	34.0	58,142	63.9	1,910	2.1
Pickens	119,829	104,814	87.5	10,961	9.1	4,054	3.4
Richland	399,256	179,651	45.0	199,632	50.0	19,973	5.0
Saluda	20,091	11,736	58.4	5,372	26.7	2,983	14.8
Spartanburg	290,969	203,910	70.1	68,893	23.7	18,166	6.2
Sumter	108,123	51,016	47.2	53,142	49.1	3,965	3.7
Union	28,030	18,566	66.2	9,145	32.6	319	1.1
Williamsburg	33,067	10,409	31.5	21,918	66.3	740	2.2
York	239,363	174,319	72.8	53,374	22.3	11,670	4.9

Note: Races and Counties may not sum to total due to rounding

DID YOU KNOW THAT IN 2013:

The Most Common First Names by Gender and Race for South Carolina

Male			Female		
All Races	White	Black & Other	All Races	White	Black & Other
William	William	Jayden	Emma	Emma	London
Mason	James	Jeremiah	Olivia	Olivia	Madison
James	Mason	Elijah	Madison	Sophia	Serenity
Noah	Noah	Christopher	Ava	Ava	Londyn
Elijah	Jackson	Ayden	Sophia	Emily	Taylor
Michael	John	Christian	Emily	Isabella	Trinity
Jacob	Jacob	Aiden	Isabella	Abigail	Aaliyah
Joshua	Liam	Kayden	Abigail	Elizabeth	Mariah
Jackson	Michael	Cameron	Elizabeth	Harper	Ava
Jayden	Logan	Jordan	Harper	Madison	Kennedy
John	Ethan	Joshua	Aubrey	Avery	Lauren
Christopher	Benjamin	Kingston	Avery	Caroline	Nevaeh
Ethan	Joshua	Mason	Addison	Addison	Harmony
Liam	Elijah	Michael	Charlotte	Ella	Gabrielle
Aiden	Charles	Josiah	Chloe	Charlotte	Aubrey

BIRTHS

The month with the most births: August (5,148) Least Births: February (4,172)
 Youngest Mother: 13 years old Oldest Mother: 52 years old

DEATHS

The month with the most deaths: March (4,205) Least deaths: September (3,402)
 The oldest person that died: 114 years old

MARRIAGES

The youngest bride: 14 years old The youngest groom: 16 years old
 The oldest bride: 88 years old The oldest groom: 92 years old
 The month with the most marriages: June (3,972) Least marriages: January (1,278)

DIVORCES

The youngest bride to divorce: 18 years old The youngest groom to divorce: 18 years old
 The oldest bride to divorce: 89 years old The oldest groom to divorce: 94 years old
 The month with the most divorces: April (1,546) Least divorces: February (1,073)

Table A-1.
Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
South Carolina, 1993-2013
(Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1993	TOTAL	3,629,550	53,715 *	14.8	31,943 *	8.8	53,223 *	14.7	15,141 *	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907 *	14.2	32,223 *	8.8	51,564 *	14.1	15,802 *	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913 *	13.9	33,500 *	9.1	45,347 *	12.4	15,171 *	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105 *	13.8	34,035 *	9.2	43,439	11.7	15,319 *	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205 *	13.9	33,660 *	9.0	43,411 *	11.5	15,780 *	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833 *	14.0	34,781 *	9.1	42,380 *	11.0	15,083 *	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706 *	14.1	35,972 *	9.3	43,664 *	11.2	15,115 *	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964 *	13.9	38,816 *	9.2	41,592 *	10.4	15,196 *	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8
2001	TOTAL	4,063,010	55,748 *	13.7	36,576 *	9.0	40,128	9.9	14,657 *	3.6
	WHITE	2,788,650	35,731	12.8	25,781	9.2	30,112	10.8	11,372	4.1
	BLACK/OTHER	1,274,370	20,008	15.7	10,782	8.5	10,016	7.9	3,250	2.6
2002	TOTAL	4,107,180	54,453 *	13.3	37,679	9.2	38,207	9.3	13,956	3.4
	WHITE	2,803,950	35,152	12.5	26,740	9.5	28,303	10.1	10,712	3.8
	BLACK/OTHER	1,303,240	19,294	14.8	10,924	8.4	9,899	7.6	3,250	2.5
2003	TOTAL	4,147,150	55,461 *	13.4	37,920	9.1	37,186	9.0	13,609	3.3
	WHITE	2,823,650	36,001	12.7	27,043	9.6	27,845	9.9	10,535	3.7
	BLACK/OTHER	1,323,500	19,451	14.7	10,865	8.2	9,341	7.1	3,048	2.3
2004	TOTAL	4,198,070	56,543	13.5	37,152	8.8	35,942	8.6	13,839	3.3
	WHITE	2,886,440	36,872	12.8	26,353	9.1	27,224	9.4	10,734	3.7
	BLACK/OTHER	1,311,630	19,616	15.0	10,783	8.2	8,721	6.6	3,055	2.3
2005	TOTAL	4,255,080	57,538 *	13.5	38,585 *	9.1	35,357	8.3	12,948 *	3.0
	WHITE	2,929,360	37,367	12.8	27,755	9.5	26,829	9.2	9,980	3.4
	BLACK/OTHER	1,325,720	20,080	15.1	10,810	8.2	8,527	6.4	2,927	2.2
2006	TOTAL	4,321,250	62,191 *	14.4	38,723 *	9.0	34,253	7.9	13,164 *	3.0
	WHITE	2,979,810	39,950	13.4	27,662	9.3	25,875	8.7	10,055	3.4
	BLACK/OTHER	1,341,440	22,127	16.5	11,030	8.2	8,373	6.2	3,063	2.3
2007	TOTAL	4,407,709	62,933 *	14.3	39,418 *	8.9	34,859 *	7.9	13,233 *	3.0
	WHITE	3,047,237	40,641	13.3	28,233	9.3	26,524	8.7	10,176	3.3
	BLACK/OTHER	1,360,472	22,259	16.4	11,126	8.2	8,331	6.1	2,978	2.2
2008	TOTAL	4,479,800	63,077 *	14.1	40,197 *	9.0	33,293 *	7.4	12,836 *	2.9
	WHITE	3,104,369	40,713	13.1	29,015	9.3	25,359	8.2	9,815	3.2
	BLACK/OTHER	1,375,431	22,321	16.2	10,965	8.0	7,933	5.8	2,911	2.1
2009	TOTAL	4,561,242	60,682 *	13.3	40,242 *	8.8	33,483 *	7.3	13,695 *	3.0
	WHITE	3,166,512	39,348	12.4	29,080	9.2	25,451	8.0	10,134	3.2
	BLACK/OTHER	1,394,730	21,284	15.3	10,880	7.8	8,022	5.8	3,211	2.3
2010	TOTAL	4,625,364	58,325 *	12.6	41,489 *	9.0	34,333 *	7.4	14,466 *	3.1
	WHITE	3,198,579	37,927	11.9	30,187	9.4	25,937	8.1	10,628	3.3
	BLACK/OTHER	1,426,785	20,361	14.3	10,905	7.6	8,390	5.9	3,815	2.7
2011	TOTAL	4,679,230	57,338 *	12.3	41,949 *	9.0	35,132 *	7.5	15,081 *	3.2
	WHITE	3,234,809	37,406	11.6	30,709	9.5	26,872	8.3	11,169	3.5
	BLACK/OTHER	1,444,421	19,894	13.8	10,920	7.6	8,241	5.7	3,874	2.7
2012	TOTAL	4,723,720	57,100 *	12.1	42,879 *	9.1	34,977 *	7.4	14,994 *	3.2
	WHITE	3,266,810	37,092	11.4	31,580	9.7	26,868	8.8	10,934	3.4
	BLACK/OTHER	1,456,910	19,959	13.7	11,221	7.7	8,068	5.7	3,814	2.6
2013	TOTAL	4,774,840	56,743 *	11.9	44,415 *	9.3	34,032 *	7.1	15,154 *	3.2
	WHITE	3,302,730	37,177	11.3	32,793	9.9	25,917	7.8	11,059	3.4
	BLACK/OTHER	1,472,110	19,513	13.3	11,572	7.9	7,734	5.2	3,544	2.6

¹ ACTUAL CENSUS COUNTS FOR 1990, 2000; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table A-2.
Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
and Maternal Deaths with Rates by Race¹
South Carolina, 1993-2013
(Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1993	TOTAL	19,335	360.0	5,020	93.5	585	10.9	544	10.1	368	6.9	4	0.7
	WHITE	5,698	174.9	2,184	67.1	245	7.5	218	6.7	143	4.4	-	0
	BLACK/OTHER	13,637	645.3	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	19,134 *	368.6	4,760	91.7	561	10.7	486	9.4	336	6.5	5	1.0
	WHITE	5,972	187.2	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	13,160	658.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	19,060 *	374.4	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	6,360	199.8	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	12,699	666.0	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	19,059	372.9	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	6,470	200.3	2,262	70.0	198	6.1	179	5.5	111	3.4	3	1
	BLACK/OTHER	12,589	670.1	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	19,851	380.3	4,803	92.0	556 *	10.5	494	9.5	352	5.6	4	0.8
	WHITE	6,849	207.5	2,235	67.7	226	6.8	207	6.3	149	4.5	2	1
	BLACK/OTHER	13,002	677.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	20,891 *	388.1	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	7,502	220.2	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	13,388	677.6	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	21,379 *	390.8	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	7,716	222.5	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	13,662	683.0	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	22,278 *	398.1	5,412*	96.7	573 *	10.1	488	8.7	340	6.1	9	1.6
	WHITE	8,056	229.2	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	14,218	683.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4
2001	TOTAL	22,331	400.6	5,349	96.0	559	9.9	496	8.9	337	6.0	7	1.3
	WHITE	8,551	239.3	2,606	72.9	231	6.4	206	5.8	135	3.8	2	0.6
	BLACK/OTHER	13,780	688.7	2,743	137.1	328	16.1	290	14.5	202	10.1	5	2.5
2002	TOTAL	21,989 *	403.8	5,453	100.1	523 *	9.5	507 *	9.3	346 *	6.4	3	0.6
	WHITE	8,702	247.6	2,651	75.4	243	6.9	208	5.9	134	3.8	2	0.6
	BLACK/OTHER	13,285	688.6	2,802	145.2	279	14.3	298	15.4	211	10.9	1	0.5
2003	TOTAL	22,786 *	410.8	5,586	100.7	537	9.6	463	8.3	328	5.9	6	1.1
	WHITE	9,275	257.6	2,739	76.1	216	6.0	211	5.9	141	3.9	2	0.6
	BLACK/OTHER	13,508	694.5	2,846	146.3	320	16.2	252	13.0	187	9.6	4	2.1
2004	TOTAL	23,600 *	417.4	5,769	102.0	494	8.7	524	9.3	363	6.4	3	0.5
	WHITE	9,876	267.8	2,837	76.9	211	5.7	236	6.4	165	4.5	1	0.3
	BLACK/OTHER	13,702	698.5	2,924	149.1	281	14.1	288	14.7	198	10.1	2	1.0
2005	TOTAL	24,984 *	434.2	5,895 *	102.5	525 *	9.0	549 *	9.5	341 *	5.9	12	1.9
	WHITE	10,732	287.2	2,882	77.1	225	5.9	261	7.0	161	4.3	6	1.5
	BLACK/OTHER	14,212	707.8	2,991	149.0	294	14.4	286	14.2	179	8.9	6	2.7
2006	TOTAL	28,195 *	453.4	6,312 *	101.5	617 *	9.8	520 *	8.4	342	5.5	8	1.3
	WHITE	12,227	306.1	3,016	75.5	284	7.1	231	5.8	146	3.7	5	1.3
	BLACK/OTHER	15,933	720.1	3,284	148.4	330	14.7	288	13.0	195	8.8	3	1.4
2007	TOTAL	29,187 *	463.8	6,401	101.7	579	9.1	538	8.5	357	5.7	17	2.7
	WHITE	12,927	318.1	3,104	76.4	225	5.5	243	6.0	162	4.0	9	2.2
	BLACK/OTHER	16,247	729.9	3,287	147.7	352	15.6	295	13.3	195	8.8	7	3.1
2008	TOTAL	29,797 *	472.4	6,238 *	98.9	542 *	8.5	504 *	8.0	310 *	4.9	20	3.2
	WHITE	13,199	324.2	3,065	75.3	245	6.0	245	6.0	148	3.6	6	1.5
	BLACK/OTHER	16,586	743.1	3,167	141.9	295	13.0	258	11.6	161	7.2	13	5.8
2009	TOTAL	28,476 *	469.3	6,057 *	99.8	570 *	9.3	430	7.1	260 *	4.3	18	3.0
	WHITE	12,707	322.9	3,024	76.9	227	5.7	198	5.0	119	3.7	9	2.3
	BLACK/OTHER	15,756	740.3	3,029	142.3	341	15.8	232	10.9	141	6.6	8	3.8
2010	TOTAL	27,379 *	477.5	5,782 *	100.8	545 *	9.3	430	7.5	266 *	4.6	14	2.4
	WHITE	12,272	328.1	2,816	75.3	247	6.5	188	5.0	117	3.1	7	1.8
	BLACK/OTHER	15,098	758.9	2,963	148.9	298	14.4	220	11.1	149	7.5	5	2.5
2011	TOTAL	26,887	470.9	5,654 *	99.0	512	9.3	423	7.4	254	4.4	11	1.9
	WHITE	12,240	330.0	2,806	75.6	237	6.5	182	4.9	104	2.8	1	0.3
	BLACK/OTHER	14,647	733.9	2,846	142.6	275	13.3	241	12.1	150	7.5	10	5.0
2012	TOTAL	27,267	477.5	5,453 *	95.5	516	9.0	435	7.6	270	4.7	10	1.8
	WHITE	12,617	340.2	2,683	72.3	221	5.9	199	5.4	120	3.2	6	1.6
	BLACK/OTHER	14,650	734.0	2,768	138.7	294	14.5	236	11.8	150	7.5	4	2.0
2013	TOTAL	26,741	471.3	5,498 *	96.9	441	7.7	389	6.9	263	4.6	12	2.1
	WHITE	12,340	331.9	2,785	74.9	194	5.2	192	5.2	133	3.6	3	0.8
	BLACK/OTHER	14,401	738.0	2,706	138.7	243	12.5	197	10.1	130	6.7	9	4.6

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

² RATE PER 1,000 LIVE BIRTHS

³ RATE PER 10,000 LIVE BIRTHS

⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table A-3.
Live Births
South Carolina and Each County, 2000-2013
(Residence Data)


County of Residence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
South Carolina	55,964	55,748	54,453	55,461	56,543	57,538	62,191	62,933	63,077	60,682	58,325	57,338	57,100	56,743
Abbeville	336	371	322	331	304	269	329	282	287	272	251	278	253	259
Aiken	1,852	1,889	1,804	1,777	1,895	1,847	2,118	2,041	1,978	1,956	2,000	1,861	1,915	1,749
Allendale	174	181	182	162	150	147	138	142	149	109	126	118	95	91
Anderson	2,217	2,247	2,143	2,235	2,206	2,248	2,485	2,397	2,439	2,322	2,238	2,238	2,188	2,286
Bamberg	233	211	187	184	176	191	231	180	184	187	179	164	152	161
Barnwell	330	339	347	327	342	311	313	336	336	287	283	304	320	315
Beaufort	1,887	1,945	1,970	2,103	2,147	2,244	2,356	2,340	2,355	2,211	2,155	2,034	2,027	2,077
Berkeley	2,114	2,188	2,103	2,104	2,210	2,196	2,458	2,482	2,722	2,555	2,513	2,548	2,600	2,608
Calhoun	193	161	178	176	156	167	175	160	192	161	150	162	147	139
Charleston	4,586	4,575	4,536	4,655	4,764	4,798	5,094	5,192	5,191	5,031	4,845	4,753	4,685	4,764
Cherokee	784	692	716	710	639	672	678	740	711	707	698	710	676	637
Chester	514	434	455	416	421	427	477	466	463	422	388	410	442	373
Chesterfield	619	573	526	523	526	534	612	600	592	545	527	510	518	523
Clarendon	440	449	412	403	432	387	406	433	392	395	367	336	362	350
Colleton	589	608	496	508	499	543	599	588	543	519	471	460	454	439
Darlington	953	943	886	842	902	841	879	859	851	817	808	790	823	756
Dillon	519	476	519	483	479	447	480	527	496	460	460	422	437	457
Dorchester	1,228	1,231	1,254	1,339	1,469	1,565	1,785	1,915	1,878	1,850	1,851	1,758	1,833	1,809
Edgefield	288	278	274	254	252	248	242	242	259	250	166	157	205	254
Fairfield	342	319	286	304	306	309	287	275	264	250	237	258	213	239
Florence	1,866	1,906	1,844	1,964	1,842	1,952	1,942	2,045	1,937	1,896	1,788	1,831	1,832	1,717
Georgetown	770	806	701	746	704	704	726	731	722	686	606	604	588	612
Greenville	5,388	5,526	5,400	5,538	5,732	5,876	6,255	6,605	6,695	6,445	6,088	6,040	6,153	6,039
Greenwood	954	915	857	849	849	907	973	1013	996	951	928	892	890	901
Hampton	302	316	274	298	255	293	313	302	283	293	263	212	230	225
Horry	2,569	2,588	2,530	2,681	2,800	2,903	3,345	3,457	3,287	3,143	3,070	3,105	2,938	3,170
Jasper	284	339	300	301	320	375	365	438	390	375	333	341	308	312
Kershaw	729	694	688	698	703	763	844	840	857	770	753	708	732	662
Lancaster	830	804	778	763	800	759	935	932	985	905	874	866	911	919
Laurens	823	802	798	817	803	770	949	885	863	868	837	811	754	727
Lee	264	284	249	263	262	244	264	245	224	238	192	174	185	194
Lexington	2,999	2,940	3,024	3,168	3,108	3,170	3,379	3,386	3,459	3,510	3,400	3,255	3,232	3,250
McCormick	96	80	78	78	77	77	92	98	93	78	75	53	55	40
Marion	527	497	464	485	495	434	505	512	478	479	431	435	372	397
Marlboro	434	400	356	338	352	366	375	368	388	325	301	321	298	307
Newberry	497	523	473	461	512	516	555	532	534	521	455	443	410	453
Oconee	768	786	772	801	846	788	880	815	829	829	817	829	814	703
Orangeburg	1,310	1,263	1,214	1,259	1,270	1,354	1,384	1,412	1,385	1,335	1,239	1,193	1,085	1,121
Pickens	1,329	1,356	1,257	1,260	1,265	1,309	1,374	1,349	1,378	1,172	1,173	1,244	1,177	1,160
Richland	4,460	4,247	4,375	4,430	4,605	4,791	5,048	5,082	5,201	4,986	4,871	4,920	4,779	4,798
Saluda	257	267	234	213	253	259	285	291	260	259	249	252	262	211
Spartanburg	3,344	3,443	3,434	3,414	3,481	3,411	3,889	3,793	4,004	3,941	3,680	3,541	3,582	3,495
Sumter	1,744	1,609	1,570	1,652	1,626	1,656	1,717	1,688	1,694	1,596	1,534	1,512	1,540	1,526
Union	376	368	384	312	323	317	354	348	340	360	321	295	301	310
Williamsburg	543	540	468	453	515	451	439	492	459	404	372	358	344	313
York	2,301	2,339	2,334	2,378	2,457	2,701	2,860	3,076	3,053	3,011	2,955	2,821	2,983	2,889
Unknown	2	-	1	5	13	1	2	1	1	-	7	11	-	6

Table A-4.
Deaths
South Carolina and Each County, 2000-2013
(Residence Data)

County of Residence	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
South Carolina	36,816	36,576	37,679	37,920	37,152	38,585	38,723	39,418	40,197	40,242	41,489	41,949	42,196	44,415
Abbeville	229	239	271	271	244	218	284	271	271	247	287	278	264	268
Aiken	1,305	1,426	1,409	1,438	1,390	1,389	1,406	1,453	1,555	1,421	1,504	1,576	1,607	1,667
Allendale	109	118	100	132	118	137	127	139	133	112	111	128	107	114
Anderson	1,693	1,744	1,766	1,833	1,822	1,865	1,791	1,931	1,848	1,860	1,974	1,924	2,017	1,979
Bamberg	209	154	177	159	156	194	169	187	188	178	201	197	170	182
Barnwell	222	249	251	255	225	249	219	229	247	252	230	244	256	287
Beaufort	914	969	1,051	1,041	1,026	1,055	1,076	1,063	1,174	1,182	1,231	1,295	1,294	1,419
Berkeley	877	957	988	961	937	1,039	993	1,038	1,021	1,072	1,151	1,111	1,224	1,272
Calhoun	157	155	165	171	168	163	160	133	172	157	180	159	156	169
Charleston	2,894	2,682	2,869	2,724	2,686	2,745	2,779	2,859	2,814	2,833	2,818	2,870	2,880	2,887
Cherokee	528	560	569	596	619	555	567	572	599	536	551	594	591	594
Chester	338	344	329	351	345	374	352	311	394	374	339	403	342	414
Chesterfield	422	377	442	420	438	472	730	471	488	485	464	463	491	478
Clarendon	329	332	339	342	337	345	336	332	388	339	386	372	351	377
Colleton	386	391	394	414	388	408	419	453	477	496	508	465	445	508
Darlington	738	716	720	746	696	732	739	709	770	727	787	784	766	823
Dillon	315	325	360	356	358	294	341	335	323	342	358	330	363	362
Dorchester	713	680	725	796	726	739	790	771	818	850	869	855	928	915
Edgefield	197	239	211	202	205	209	225	218	218	226	188	182	189	204
Fairfield	322	248	275	295	283	281	310	259	255	272	279	250	268	281
Florence	1,325	1,279	1,326	1,266	1,362	1,353	1,342	1,351	1,391	1,370	1,425	1,437	1,476	1,491
Georgetown	532	537	584	534	595	599	583	629	611	681	656	656	723	726
Greenville	3,346	3,365	3,353	3,335	3,148	3,398	3,387	3,559	3,620	3,530	3,634	3,744	3,825	3,904
Greenwood	700	658	680	690	660	700	689	700	706	687	697	659	667	745
Hampton	227	212	191	216	220	185	202	223	258	215	215	184	231	222
Horry	1,924	1,873	1,918	2,021	1,998	2,211	2,239	2,278	2,321	2,475	2,621	2,692	2,813	2,949
Jasper	142	147	184	164	173	181	194	173	221	172	225	189	202	230
Kershaw	518	517	492	512	512	505	531	532	568	632	584	556	637	647
Lancaster	619	572	583	568	571	552	573	636	687	685	693	793	727	821
Laurens	711	713	738	739	722	746	740	718	743	755	748	750	822	851
Lee	188	217	206	227	226	321	228	196	221	261	203	255	212	205
Lexington	1,692	1,720	1,732	1,840	1,791	1,830	1,885	1,942	1,912	1,981	2,203	2,181	2,140	2,235
McCormick	97	115	128	123	115	125	135	135	105	121	121	129	110	113
Marion	416	358	373	373	349	381	396	392	406	408	408	379	427	444
Marlboro	354	349	359	306	304	320	332	289	323	299	306	326	316	364
Newberry	355	411	424	421	386	450	379	401	406	408	434	438	406	407
Oconee	635	618	654	687	684	732	741	736	760	789	774	812	861	843
Orangeburg	932	924	969	975	948	947	1,076	1,023	987	1,032	1,090	966	974	1,039
Pickens	895	873	924	910	873	971	942	954	1,008	1,012	1,030	1,095	1,095	1,151
Richland	2,600	2,505	2,582	2,598	2,450	2,636	2,632	2,708	2,570	2,675	2,559	2,659	2,795	3,039
Saluda	201	188	215	216	193	209	174	193	208	176	198	210	215	191
Spartanburg	2,599	2,610	2,524	2,573	2,613	2,687	2,522	2,565	2,724	2,631	2,745	2,751	2,834	2,885
Sumter	945	906	924	942	927	984	991	972	932	942	1,001	1,018	1,000	999
Union	356	334	355	384	378	376	373	374	371	358	377	380	376	391
Williamsburg	360	383	415	424	392	367	420	426	401	363	396	393	412	437
York	1,236	1,285	1,435	1,370	1,386	1,476	1,504	1,578	1,583	1,622	1,712	1,802	1,865	1,883
Unknown	14	2	-	-	9	-	-	1	1	1	18	15	9	3

The State Fruit


“ The Peach ”



Officially adopted by the General Assembly in 1984

POPULATION

Figure B-1 South Carolina Census Population by County 2013



Population

	239,364 - 474,266
	119,830 - 239,363
	55,886 - 119,829
	28,031 - 55,885
	9,839 - 28,030

Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

SUMMARY OF POPULATION

The estimated population of South Carolina for 2013 was 4,774,839; an increase of 51,116 from the 2012 estimated population of 4,723,723. The 2013 population showed an increase of 13.2 percent over the 2003 estimated population of 4,147,153.

2000 and 2010 CENSUS OF POPULATION

Population Density: In 2000, the population density (number of person per square mile of land area) of South Carolina was approximately 133.5. Based on the 2010 census count, the population density had increased to 153.9, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 2000, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 2000, there were 2,695,560 white and 1,185,216 black and other persons residing in South Carolina. The 2010 census count, modified by race, recorded a 13.9 percent increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten-year population change from 2000 to 2010, the 55-64 years age group showed the greatest percentage increase. Only one age groups, 35-44 showed a decrease in population from 2000 to 2010. The age distribution and the percent change in the number of residents from 2000 to 2010 are as follows:

**Table B-1.
Percent of Population by Age Group
South Carolina 2000 and 2010**

Age Groups	2000		2010		Percent Change 2000-2010
	Total	Percent	Total	Percent	
Total	4,012,012	100.0	4,625,364	100.0	15.3
0-4 Years	264,679	6.6	302,297	6.5	14.2
5-9 Years	285,243	7.1	295,853	6.4	3.7
10-14 Years	290,479	7.2	297,286	6.4	2.3
15-19 Years	295,377	7.4	328,989	7.1	11.4
20-24 Years	281,714	7.0	332,494	7.2	18.0
25-34 Years	560,831	14.0	592,056	12.8	5.6
35-44 Years	625,124	15.6	601,292	13.0	-3.8
45-54 Years	550,321	13.7	659,428	14.3	19.8
55-64 Years	372,911	9.3	583,795	12.6	56.6
65-74 Years	270,048	6.7	369,043	8.0	36.7
75 and Over	215,285	5.4	262,831	5.7	22.1

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina (1990-2013)
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase (Births minus Death)
		Number	Rate*	Number	Rate*	
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172
2002	4,107,180	54,453	13.3	37,679	9.2	16,774
2003	4,147,150	55,461	13.4	37,920	9.1	17,541
2004	4,198,070	56,543	13.5	37,152	8.8	19,391
2005	4,255,080	57,538	13.5	38,585	9.1	18,953
2006	4,321,250	62,191	14.4	38,723	9.0	23,468
2007	4,407,709	62,933	14.3	39,418	8.9	23,515
2008	4,479,800	63,077	14.1	40,197	9.0	22,880
2009	4,561,240	60,682	13.3	40,242	8.8	20,440
2010	4,625,364	58,325	12.6	41,489	9.0	16,836
2011	4,679,230	57,338	12.3	41,949	9.0	15,389
2012	4,723,723	57,100	12.1	42,879	9.1	14,221
2013	4,774,839	56,743	11.9	44,415	9.3	12,328

* Rate per 1,000 population


Table B-3.
 Estimated Population and Percents by Race
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Total	Estimated					
		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
		Number	Percent	Number	Percent	Number	Percent
South Carolina	4,774,839	3,086,563	64.6	1,433,496	30.0	254,780	5.3
Abbeville	25,007	17,390	69.5	7,313	29.2	304	1.2
Aiken	164,176	111,833	68.1	43,854	26.7	8,489	5.2
Allendale	9,839	2,338	23.8	7,230	73.5	271	2.8
Anderson	190,641	150,142	78.8	34,214	17.9	6,285	3.3
Bamberg	15,430	5,550	36.0	9,596	62.2	284	1.8
Barnwell	22,119	11,509	52.0	10,100	45.7	510	2.3
Beaufort	171,838	116,217	67.6	35,798	20.8	19,823	11.5
Berkeley	194,020	126,832	65.4	55,418	28.6	11,770	6.1
Calhoun	15,055	8,097	53.8	6,482	43.1	476	3.2
Charleston	372,803	237,734	63.8	115,791	31.1	19,278	5.2
Cherokee	55,885	41,478	74.2	12,184	21.8	2,223	4.0
Chester	32,578	19,437	59.7	12,583	38.6	558	1.7
Chesterfield	46,197	28,760	62.3	15,688	34.0	1,749	3.8
Clarendon	34,355	16,316	47.5	17,021	49.5	1,018	3.0
Colleton	37,788	21,519	56.9	15,184	40.2	1,085	2.9
Darlington	67,935	37,914	55.8	28,743	42.3	1,278	1.9
Dillon	31,229	14,919	47.8	15,540	49.8	770	2.5
Dorchester	145,397	96,119	66.1	42,377	29.1	6,901	4.7
Edgefield	26,436	15,016	56.8	9,939	37.6	1,481	5.6
Fairfield	23,109	8,844	38.3	13,822	59.8	443	1.9
Florence	138,326	74,164	53.6	60,787	43.9	3,375	2.4
Georgetown	60,440	38,203	63.2	20,395	33.7	1,842	3.0
Greenville	474,266	333,375	70.3	99,795	21.0	41,096	8.7
Greenwood	69,723	42,526	61.0	23,198	33.3	3,999	5.7
Hampton	20,408	8,520	41.7	11,110	54.4	778	3.8
Horry	289,650	226,412	78.2	45,602	15.7	17,636	6.1
Jasper	26,629	10,620	39.9	12,263	46.1	3,746	14.1
Kershaw	62,516	43,518	69.6	16,396	26.2	2,602	4.2
Lancaster	80,458	56,892	70.7	19,661	24.4	3,905	4.9
Laurens	66,229	45,699	69.0	17,748	26.8	2,782	4.2
Lee	18,347	6,226	33.9	11,734	64.0	387	2.1
Lexington	273,752	210,829	77.0	47,367	17.3	15,556	5.7
McCormick	9,947	4,848	48.7	4,978	50.0	121	1.2
Marion	32,072	12,765	39.8	18,365	57.3	942	2.9
Marlboro	28,003	11,344	40.5	15,792	56.4	867	3.1
Newberry	37,521	22,786	60.7	11,971	31.9	2,764	7.4
Oconee	75,045	64,561	86.0	6,878	9.2	3,606	4.8
Orangeburg	90,942	30,890	34.0	58,142	63.9	1,910	2.1
Pickens	119,829	104,814	87.5	10,961	9.1	4,054	3.4
Richland	399,256	179,651	45.0	199,632	50.0	19,973	5.0
Saluda	20,091	11,736	58.4	5,372	26.7	2,983	14.8
Spartanburg	290,969	203,910	70.1	68,893	23.7	18,166	6.2
Sumter	108,123	51,016	47.2	53,142	49.1	3,965	3.7
Union	28,030	18,566	66.2	9,145	32.6	319	1.1
Williamsburg	33,067	10,409	31.5	21,918	66.3	740	2.2
York	239,363	174,319	72.8	53,374	22.3	11,670	4.9

Note: Races and Counties may not sum to total due to rounding

The State Bird


“ The Wren”




Officially adopted by the General Assembly in 1948

BIRTH

Figure C-1 Live Birth Rates* by County South Carolina, 2013 (Residence Data)



Live Birth Rates



*Rates calculated per 1,000 population

Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

Table C-1.
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina, 1989-2013
 (Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1989	57,239 *	16.3	34,153	14.2	23,076	20.6		
1990	58,461 *	16.8	35,491	14.7	22,963	21.4		
1991	57,517 *	16.2	34,560	14.1	22,949	20.8		
1992	56,102 *	15.6	33,890	13.6	22,206	19.9		
1993	53,715 *	14.8	32,571	13.0	21,134	18.9		
1994	51,907 *	14.2	31,899	12.6	19,996	17.7		
1995	50,913 *	13.9	31,830	12.5	19,068	16.9		
1996	51,105 *	13.8	32,309	12.6	18,788	16.6		
1997	52,205 *	13.9	33,011	12.8	19,192	16.4		
1998	53,883 *	14.0	34,065	12.9	19,757	16.6		
1999	54,706 *	14.1	34,683	12.9	20,004	16.6		
2000	55,964 *	13.9	35,146	12.8	20,803	16.5		
2001	55,748 *	13.7	35,731	12.7	20,008	15.7		
2002	54,453 *	13.3	32,150	11.9	19,072	14.8	3,188	29.2
2003	55,461 *	13.4	32,553	12.0	19,184	14.6	3,671	32.1
2004	56,543 *	13.5	32,743	11.8	19,443	15.0	4,332	33.2
2005	57,538 *	13.5	32,680	11.7	19,845	15.1	4,970	35.6
2006	62,191 *	14.4	34,388	12.1	21,910	16.6	5,863	38.8
2007	62,933 *	14.3	34,710	12.0	21,953	16.4	6,237	36.9
2008	63,077 *	14.1	34,711	11.8	22,094	16.3	6,229	33.9
2009	60,682	13.3	34,017	11.4	21,058	15.4	5,557	26.9
2010	58,325 *	12.6	33,136	11.1	20,118	14.5	5,034	21.4
2011	57,338 *	12.3	32,868	10.9	19,606	13.9	4,826	19.6
2012	57,100 *	12.1	32,768	10.7	19,634	13.8	4,649	18.6
2013	56,743 *	11.9	33,082	10.7	19,248	13.4	4,360	17.1

*Includes unknown race

¹Rate per 1,000 population

Figure C-2
 Live Birth Rates by Race of Mother
 South Carolina, 1989-2013
 (Residence Data)




Table C-2.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2013
(Residence Data)

Age of Mother	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother ¹								
All Ages	56,743 *	100.0	33,082	100.0	19,248	100.0	4,360	100.0
<15	52	0.1	19	0.1	30	0.2	3	0.1
15-19	4,759 *	8.4	2,286	6.9	2,041	10.6	428	9.8
20-24	15,612 *	27.5	7,789	23.5	6,765	35.1	1,047	24.0
25-29	16,417 *	28.9	10,065	30.4	5,111	26.6	1,231	28.2
30-34	13,284 *	23.4	8,779	26.5	3,443	17.9	1,048	24.0
35-39	5,454 *	9.6	3,427	10.4	1,523	7.9	496	11.4
40-44	1,108 *	2.0	679	2.1	322	1.7	102	2.3
45+	55	0.1	37	0.1	13	0.1	5	0.1
Not Stated	2 *	0.0	1	0.0	-	0	-	0
Live Births by Age of Married Mother								
All Ages	29,887 *	100.0	22,846	100.0	4,956	100.0	2,054	100.0
<15	424	1.4	319	1.4	34	0.7	71	3.5
15-19	4,554 *	15.2	3,503	15.3	662	13.4	383	18.6
20-24	9,911 *	33.2	7,745	33.9	1,534	31.0	627	30.5
25-29	9,968 *	33.4	7,670	33.6	1,691	34.1	598	29.1
30-34	4,146 *	13.9	3,006	13.2	824	16.6	310	15.1
35-39	841 *	2.8	571	2.5	201	4.1	64	3.1
40-44	43	0.1	32	0.1	10	0.2	1	0.0
45+	28	0.1	22	0.1	5	0.1	1	0.0
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Unmarried Mother without Paternal Acknowledgment								
All Ages	11,645 *	100.0	3,486	100.0	7,467	100.0	683	100.0
<15	47	0.4	16	0.5	28	0.4	3	0.4
15-19	2,050 *	17.6	746	21.4	1,163	15.6	138	20.2
20-24	4,790 *	41.1	1,386	39.8	3,194	42.8	209	30.6
25-29	2,756 *	23.7	771	22.1	1,822	24.4	160	23.4
30-34	1,335 *	11.5	371	10.6	847	11.3	115	16.8
35-39	561	4.8	152	4.4	365	4.9	44	6.4
40-44	103	0.9	42	1.2	47	0.6	14	2.0
45+	2	0.0	1	0.0	1	0.0	-	0
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Unmarried Mother with Paternal Acknowledgment								
All Ages	15,109 *	100.0	6,719	100.0	6,771	100.0	1,615	100.0
<15	5	0.0	3	0.0	2	0.0	-	0
15-19	2,278 *	15.1	1,220	18.2	838	12.4	219	13.6
20-24	6,234 *	41.3	2,892	43.0	2,886	42.6	454	28.1
25-29	3,725	24.7	1,542	22.9	1,743	25.7	440	27.2
30-34	1,962 *	13.0	732	10.9	896	13.2	333	20.6
35-39	735	4.9	262	3.9	331	4.9	142	8.8
40-44	162	1.1	65	1.0	73	1.1	24	1.5
45+	8	0.1	3	0.0	2	0.0	3	0.2
Not Stated	1 *	0.0	-	0	-	0	-	0

* Includes unknown race

¹ Includes unknown marital status

Table C-3.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	56,743 *	11.9	33,082	10.7	19,248	13.4	4,360	17.1
Abbeville	259	10.4	171	9.8	83	11.3	5	16.4
Aiken	1,749 *	10.7	1,087	9.7	555	12.7	100	11.8
Allendale	91	9.2	10	4.3	75	10.4	6	22.1
Anderson	2,286 *	12.0	1,731	11.5	471	13.8	82	13.0
Bamberg	161	10.4	43	7.7	116	12.1	2	7.0
Barnwell	315	14.2	132	11.5	176	17.4	7	13.7
Beaufort	2,077 *	12.1	1,102	9.5	553	15.4	421	21.2
Berkeley	2,608 *	13.4	1,691	13.3	681	12.3	234	19.9
Calhoun	139	9.2	72	8.9	61	9.4	6	12.6
Charleston	4,764 *	12.8	2,782	11.7	1,617	14.0	361	18.7
Cherokee	637	11.4	437	10.5	162	13.3	38	17.1
Chester	373	11.4	195	10.0	172	13.7	6	10.8
Chesterfield	523	11.3	291	10.1	204	13.0	28	16.0
Clarendon	350 *	10.2	135	8.3	191	11.2	23	22.6
Colleton	439	11.6	209	9.7	208	13.7	22	20.3
Darlington	756	11.1	373	9.8	368	12.8	15	11.7
Dillon	457	14.6	180	12.1	260	16.7	17	22.1
Dorchester	1,809 *	12.4	1,171	12.2	521	12.3	115	16.7
Edgefield	254 *	9.6	126	8.4	112	11.3	13	8.8
Fairfield	239	10.3	78	8.8	159	11.5	2	4.5
Florence	1,717 *	12.4	752	10.1	900	14.8	63	18.7
Georgetown	612	10.1	310	8.1	269	13.2	33	17.9
Greenville	6,039 *	12.7	3,867	11.6	1,417	14.2	751	18.3
Greenwood	901	12.9	457	10.7	358	15.4	86	21.5
Hampton	225 *	11.0	84	9.9	131	11.8	9	11.6
Horry	3,170 *	10.9	2,218	9.8	642	14.1	307	17.4
Jasper	312	11.7	92	8.7	153	12.5	67	17.9
Kershaw	662 *	10.6	435	10.0	193	11.8	31	11.9
Lancaster	919	11.4	623	11.0	255	13.0	41	10.5
Laurens	727 *	11.0	453	9.9	221	12.5	52	18.7
Lee	194	10.6	52	8.4	137	11.7	5	12.9
Lexington	3,250 *	11.9	2,311	11.0	653	13.8	282	18.1
McCormick	40	4.0	12	2.5	27	5.4	1	8.3
Marion	397	12.4	113	8.9	271	14.8	13	13.8
Marlboro	307	11.0	107	9.4	198	12.5	2	2.3
Newberry	453	12.1	219	9.6	180	15.0	54	19.5
Oconee	703	9.4	592	9.2	55	8.0	56	15.5
Orangeburg	1,121	12.3	303	9.8	785	13.5	33	17.3
Pickens	1,160 *	9.7	1,014	9.7	102	9.3	43	10.6
Richland	4,798 *	12.0	1,730	9.6	2,739	13.7	324	16.2
Saluda	211	10.5	90	7.7	44	8.2	77	25.8
Spartanburg	3,495 *	12.0	2,275	11.2	908	13.2	309	17.0
Sumter	1,526	14.1	674	13.2	772	14.5	80	20.2
Union	310	11.1	197	10.6	104	11.4	9	28.2
Williamsburg	313	9.5	107	10.3	202	9.2	4	5.4
York	2,889 *	12.1	1,976	11.3	786	14.7	125	10.7
Unknown	6 *	0.0	3	0.0	1	0.0	-	0

* Includes unknown race

¹ Rates per 1,000 estimated population

Table C-4.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2013
(Occurrence Data)

County of Occurrence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	53,973 *	11.3	31,047	10.1	18,541	12.9	4,359	17.1
Abbeville	3	0.1	2	0.1	1	0.1	-	0
Aiken	1,116	6.8	512	4.6	494	11.3	110	13.0
Allendale	1	0.1	1	0.4	-	0	-	0
Anderson	1,905	10.0	1,432	9.5	440	12.9	33	5.3
Bamberg	-	0	-	0	-	0	-	0
Barnwell	4	0.2	4	0.3	-	0	-	0
Beaufort	2,243	13.1	1,046	9.0	716	20.0	481	24.3
Berkeley	15	0.1	12	0.1	1	0.0	2	0.2
Calhoun	-	0	-	0	-	0	-	0
Charleston	8,637 *	23.2	5,240	22.0	2,698	23.3	695	36.1
Cherokee	260	4.7	158	3.8	84	6.9	18	8.1
Chester	3	0.1	2	0.1	1	0.1	-	0
Chesterfield	184	4.0	78	2.7	90	5.7	16	9.1
Clarendon	518 *	15.1	219	13.4	243	14.3	55	54.0
Colleton	327	8.7	128	5.9	178	11.7	21	19.4
Darlington	598	8.8	274	7.2	306	10.6	18	14.1
Dillon	326	10.4	84	5.6	220	14.2	22	28.6
Dorchester	1,225 *	8.4	802	8.3	378	8.9	44	6.4
Edgefield	4	0.2	3	0.2	1	0.1	-	0
Fairfield	1	0.0	1	0.1	-	0	-	0
Florence	2,775	20.1	1,312	17.7	1,408	23.2	55	16.3
Georgetown	906	15.0	584	15.3	278	13.6	44	23.9
Greenville	8,059 *	17.0	5,529	16.6	1,651	16.5	873	21.2
Greenwood	1,488	21.3	777	18.3	554	23.9	157	39.3
Hampton	1	0.0	-	0	1	0.1	-	0
Horry	2,819 *	9.7	1,894	8.4	647	14.2	275	15.6
Jasper	1	0.0	1	0.1	-	0	-	0
Kershaw	265	4.2	153	3.5	104	6.3	8	3.1
Lancaster	737	9.2	404	7.1	312	15.9	21	5.4
Laurens	316	4.8	161	3.5	121	6.8	34	12.2
Lee	-	0	-	0	-	0	-	0
Lexington	3,721	13.6	2,520	12.0	1,063	22.4	138	8.9
McCormick	-	0	-	0	-	0	-	0
Marion	268	8.4	64	5.0	195	10.6	9	9.6
Marlboro	85	3.0	23	2.0	60	3.8	2	2.3
Newberry	317	8.4	108	4.7	132	11.0	77	27.9
Oconee	515	6.9	411	6.4	45	6.5	59	16.4
Orangeburg	1,135	12.5	271	8.8	826	14.2	38	19.9
Pickens	438	3.7	395	3.8	29	2.6	14	3.5
Richland	5,729 *	14.3	2,305	12.8	2,895	14.5	520	26.0
Saluda	1	0.0	-	0	1	0.2	-	0
Spartanburg	3,670	12.6	2,385	11.7	985	14.3	300	16.5
Sumter	1,314 *	12.2	511	10.0	722	13.6	80	20.2
Union	129	4.6	64	3.4	64	7.0	1	3.1
Williamsburg	5	0.2	1	0.1	4	0.2	-	0
York	1,909 *	8.0	1,176	6.7	593	11.1	139	11.9
Unknown	-	0	-	0	-	0	-	0

* Includes Unknown Race

¹ Rates per 1,000 estimated population

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of childbearing ages 15-44, a more specific rate is completed.

Table C-5.
Fertility Rates* by Race: South Carolina, 1998-2013
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1998	60.4	58.4	64.2	
1999	60.9	59.0	64.4	
2000	61.9	59.9	65.5	
2001	63.0	60.7	67.1	
2002	60.6	57.5	60.7	126.4
2003	62.7	59.4	61.6	149.1
2004	63.6	59.0	63.6	152.2
2005	64.3	58.7	64.5	164.9
2006	69.6	61.9	71.5	182.3
2007	70.0	62.1	71.6	184.0
2008	69.7	61.9	71.7	175.2
2009	66.4	60.4	67.6	138.6
2010	62.8	58.9	64.4	95.1
2011	61.8	58.5	62.8	89.0
2012	61.3	58.1	62.7	85.1
2013	61.0	58.4	61.1	79.2

* Rate per 1,000 Population of Females Aged 15-44 Years

Table C-6.
Population of Females Age 15-44 by Race
South Carolina, 1998-2013
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1998	879,477	575,366	304,021	
1999	884,147	578,968	305,179	
2000	884,317	577,081	307,236	
2001	895,462	585,292	310,170	
2002	898,778	559,463	314,092	25,223
2003	884,115	547,896	311,603	24,616
2004	889,545	555,345	305,742	28,458
2005	894,523	556,866	307,514	30,143
2006	893,609	555,095	306,348	32,166
2007	899,262	558,565	306,803	33,894
2008	904,492	560,871	308,066	35,555
2009	914,438	562,875	311,467	40,096
2010	928,310	562,960	312,422	52,928
2011	928,427	561,959	312,218	54,250
2012	931,369	563,655	313,088	54,626
2013	936,748	566,670	315,008	55,070

GENDER RATIO

Out of the total 56,743 live births occurring to South Carolina residents in 2013, male births numbered 29,223 and female births numbered 27,520 giving a ratio of 106.1 males per 100 females. Table C-7 shows the ratio of males to females for the past five years.

Table C-7.
Gender Ratio of Males per 100 Females
South Carolina, 2009-2013
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
2009	101.7	101.1	102.4	103.0
2010	103.4	105.0	100.7	103.4
2011	105.2	105.7	103.0	110.6
2012	103.4	105.0	101.3	101.2
2013	106.2	106.3	106.5	104.1

MULTIPLE BIRTHS

During 2013, a total of 2,075 live births were multiple births. Of that numbers, 2,003 were twins (not sets), 91 were triplets (not sets). The 2,075 multiple births result in a ratio of 1 multiple birth per 28 live births.

Table C-8.
Number and Rates of Multiple Births by Race ¹
South Carolina, 1998-2013
(Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1998	1593	29.6	1,006	30.6	563	28.7		
1999	1744	31.9	1,046	31.6	664	33.6		
2000	1687	30.1	1,046	31.6	587	28.6		
2001	1787	32.1	1,082	32.9	656	33.2		
2002	1703	31.3	1,025	31.9	619	32.5	59	18.5
2003	1857	33.5	1,118	34.3	661	34.5	76	20.7
2004	1900	33.6	1,187	36.3	636	32.7	61	14.1
2005	1833	31.9	1,060	32.4	642	32.4	114	22.9
2006	2080	33.4	1,163	33.8	793	36.2	115	19.6
2007	2149	34.1	1,229	35.4	768	35.0	150	24.0
2008	2123	33.7	1,230	35.4	757	34.3	134	21.5
2009	2162	35.6	1,267	37.2	749	35.6	144	25.9
2010	1932	33.1	1,105	33.3	718	35.7	104	20.7
2011	1995	34.8	1,213	36.9	700	35.7	82	17.0
2012	1976	34.6	1,184	36.1	690	35.1	101	21.7
2013	2075	36.6	1,211	36.6	767	39.8	91	20.9

¹ The number of live births in multiple deliveries per 1,000 live births

Figure C-3
Multiple Births Rate by Race
South Carolina, 1998-2013
(Residence Data)




Table C-9.
Live Births by County of Occurrence by County of Residence
South Carolina, 2013

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																								
	ABBEVILLE	AIKEN	ALLENDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETON	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE	GREENWOOD	
Abbeville	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aiken	-	737	57	-	10	211	-	-	-	-	-	-	-	-	1	-	-	-	67	-	-	-	-	2	
Allendale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anderson	37	-	-	1,596	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	2	
Barnwell	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beaufort	-	-	8	-	1	1,803	-	-	-	-	-	-	-	1	12	-	-	1	-	-	-	-	-	-	
Berkeley	-	-	-	-	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Charleston	-	4	-	3	4	4	98	2,247	2	4,584	1	1	3	1	136	9	1	1,097	1	-	7	122	6	-	
Cherokee	-	-	-	-	-	-	-	-	-	-	244	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chester	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	141	-	-	5	-	-	-	-	-	1	-	-	
Clarendon	-	-	-	-	-	-	-	1	2	-	-	-	-	237	-	-	-	-	-	-	-	22	3	-	
Colleton	-	-	8	-	1	1	2	-	-	1	-	-	-	-	252	-	-	14	-	-	-	-	-	-	
Darlington	-	-	-	-	-	-	-	-	-	-	-	-	142	-	-	335	-	-	-	-	-	6	-	-	
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	267	-	-	-	2	-	-	-	
Dorchester	-	-	-	-	-	-	329	1	163	-	-	-	-	-	29	-	-	669	-	-	-	-	1	-	
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Florence	-	2	-	-	-	-	-	-	-	3	-	-	72	33	-	398	128	1	-	-	1,642	9	-	1	
Georgetown	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	428	-	-	
Greenville	9	-	-	602	-	-	-	1	-	-	4	-	-	-	-	-	-	-	-	1	-	1	5,788	15	
Greenwood	205	4	-	26	-	-	-	-	-	-	-	-	-	1	-	-	-	-	29	1	-	-	9	873	
Horry	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	9	47	-	-	
Jasper	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Lancaster	-	-	-	-	-	-	-	-	-	-	1	145	59	-	-	1	-	-	-	7	-	-	-	-	
Laurens	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	11	1	
Lexington	-	53	2	-	5	5	-	1	37	1	-	1	1	2	2	2	1	3	3	36	3	-	-	2	
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47	-	-	-	5	-	-	-	
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	
Newberry	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	2	-	
Oconee	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
Orangeburg	-	5	6	-	128	33	-	2	70	-	-	-	1	7	3	-	-	15	-	-	1	-	-	-	
Pickens	1	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-	
Richland	-	25	3	1	11	7	3	4	26	3	1	13	2	24	1	3	2	4	7	185	11	1	3	1	
Spartanburg	2	-	-	12	-	-	-	-	1	-	359	5	-	-	-	-	-	1	-	-	-	-	147	4	
Sumter	-	-	-	-	-	-	-	-	-	1	-	-	2	44	-	2	-	-	-	-	-	2	-	1	-
Union	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
York	-	-	-	-	-	-	-	-	-	-	5	158	-	-	-	-	-	-	-	5	1	-	-	-	
Out-of-State	2	916	7	4	1	50	171	7	-	7	21	46	95	-	3	1	7	4	143	1	3	1	24	-	

Table C-9. (continued)
 Live Births by County of Occurrence by County of Residence
 South Carolina, 2013

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OCONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE
Aiken	6	-	-	-	-	-	-	5	-	-	-	-	-	5	-	1	8	-	-	-	-	-	6
Allendale	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	-	-	1	-	-	-	-	-	-	105	-	81	-	-	-	-	-	-	-	59
Beaufort	137	-	265	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	14
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	22	76	11	3	-	2	1	9	-	1	-	-	-	81	2	9	-	5	4	2	34	3	39
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-	-	-	5	2
Chesterfield	-	-	-	1	-	-	-	-	-	-	36	-	-	-	-	-	-	-	-	-	-	-	-
Clarendon	-	8	-	1	1	-	1	-	-	-	-	-	-	7	-	3	-	-	158	-	71	-	3
Colleton	38	1	1	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	4
Darlington	-	-	-	10	2	-	87	1	-	-	10	-	-	-	-	-	-	-	2	-	-	-	3
Dillon	-	5	-	-	-	-	-	-	-	10	9	-	-	-	-	-	-	-	-	-	-	-	32
Dorchester	1	-	-	-	-	1	-	-	-	-	-	-	-	28	-	-	-	-	-	-	-	-	3
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Florence	-	61	-	5	-	1	26	2	-	151	45	-	-	-	-	6	-	2	25	-	142	-	20
Georgetown	-	419	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	44	-	10
Greenville	-	1	-	-	-	238	-	2	1	-	-	4	150	-	631	5	-	563	-	6	1	1	35
Greenwood	-	-	-	-	-	172	-	6	33	-	-	19	-	-	-	2	102	1	-	2	-	-	3
Hampton	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	2,570	-	-	-	-	-	2	-	26	1	-	-	1	-	3	-	1	-	-	6	1	148
Jasper	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	224	12	-	9	-	-	-	-	-	-	-	-	5	-	-	10	-	-	1	2
Lancaster	-	-	-	11	458	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	43	11
Laurens	-	-	-	-	-	288	-	-	-	-	-	6	-	-	-	-	-	6	-	-	-	-	1
Lexington	-	-	-	58	5	-	2	2,079	1	-	-	102	-	46	-	1,184	49	-	20	1	1	1	11
Marion	-	10	-	-	-	-	-	-	-	205	1	-	-	-	-	-	-	-	-	-	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	80	-	-	-	-	-	-	-	-	-	-	-	2
Newberry	-	-	-	1	1	6	-	9	-	-	-	258	-	-	-	2	27	2	-	3	-	-	-
Oconee	-	-	-	1	-	-	-	-	-	-	-	-	441	-	44	-	-	-	-	-	-	-	6
Orangeburg	5	-	-	-	-	-	-	7	-	-	-	-	-	848	-	3	-	-	-	-	-	-	1
Pickens	-	-	-	-	-	1	-	-	-	-	-	-	1	-	393	-	-	-	-	-	-	-	1
Richland	4	4	-	332	11	1	22	1,105	-	1	1	61	-	99	3	3,547	19	6	107	-	5	28	32
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Spartanburg	-	-	-	-	1	15	-	2	-	-	-	2	-	-	3	1	-	2,879	-	174	-	4	58
Sumter	-	-	-	8	-	-	46	2	-	-	-	-	-	1	-	3	-	-	1,194	-	5	1	2
Union	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	118	-	3	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1
York	-	-	-	1	93	-	-	1	-	-	-	1	-	-	-	2	-	-	-	1	-	1,508	132
Out-of-State	10	15	34	6	335	1	0	18	5	2	124	0	6	2	3	19	5	15	6	2	0	1289	4

Table C-10.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	56,743 *	579	2,275	1,300	15,736	27,551	8,935	367
Abbeville	259	1	8	3	58	146	43	-
Aiken	1,749 *	6	57	26	699	531	264	166
Allendale	91	1	5	6	33	31	15	-
Anderson	2,286 *	13	72	41	639	1,253	266	2
Bamberg	161	1	15	9	57	65	13	1
Barnwell	315	2	19	8	113	140	30	3
Beaufort	2,077 *	20	54	31	406	1,050	500	16
Berkeley	2,608 *	14	82	57	753	1,308	391	3
Calhoun	139	3	10	4	34	66	21	1
Charleston	4,764 *	42	138	115	1,445	2,399	619	6
Cherokee	637	8	27	12	190	341	59	-
Chester	373	10	25	18	174	130	13	3
Chesterfield	523	6	10	10	105	222	170	-
Clarendon	350 *	2	22	10	102	181	29	4
Colleton	439	3	19	6	103	229	79	-
Darlington	756	8	14	19	157	320	238	-
Dillon	457	5	10	8	69	178	187	-
Dorchester	1,809 *	12	60	43	409	931	350	4
Edgefield	254 *	3	9	4	108	86	22	22
Fairfield	239	1	19	9	58	116	31	5
Florence	1,717 *	26	58	30	440	877	286	-
Georgetown	612	5	27	5	175	309	91	-
Greenville	6,039 *	51	290	140	2,062	2,939	549	8
Greenwood	901	4	29	13	197	454	204	-
Hampton	225 *	4	7	6	60	92	54	2
Horry	3,170 *	68	143	66	752	1,268	865	8
Jasper	312	4	16	4	72	127	83	6
Kershaw	662 *	5	20	12	233	316	72	4
Lancaster	919	14	23	20	387	413	46	16
Laurens	727 *	7	46	22	221	343	86	2
Lee	194	3	3	3	37	93	53	2
Lexington	3,250 *	32	98	61	664	1,661	722	12
McCormick	40	1	2	1	12	16	7	1
Marion	397	2	16	14	126	188	51	-
Marlboro	307	2	3	5	59	152	85	1
Newberry	453	3	16	12	79	216	125	2
Oconee	703	9	30	13	230	347	73	1
Orangeburg	1,121	23	97	53	357	457	130	4
Pickens	1,160 *	8	35	26	294	510	287	-
Richland	4,798 *	58	221	128	1,214	2,435	698	44
Saluda	211	3	16	12	56	95	29	-
Spartanburg	3,495 *	18	136	71	833	1,927	510	-
Sumter	1,526	12	67	31	394	801	218	3
Union	310	2	16	15	108	146	23	-
Williamsburg	313	5	21	8	96	145	37	1
York	2,889 *	48	164	90	864	1,500	210	13
Unknown	6 *	1	-	-	2	1	1	1

* Includes unknown race

Table C-10A.
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	33,082	218	944	555	8,556	17,139	5,431	239
Abbeville	171	1	7	2	34	102	25	-
Aiken	1,087	1	21	7	461	318	162	117
Allendale	10	-	-	-	4	5	1	-
Anderson	1,731	12	47	28	475	960	209	-
Bamberg	43	1	2	2	16	20	2	-
Barnwell	132	-	4	1	48	60	16	3
Beaufort	1,102	2	16	11	169	619	277	8
Berkeley	1,691	8	39	25	466	895	257	1
Calhoun	72	-	2	2	15	36	16	1
Charleston	2,782	9	37	33	808	1,555	337	3
Cherokee	437	5	14	7	126	241	44	-
Chester	195	4	11	7	77	86	8	2
Chesterfield	291	5	4	4	59	128	91	-
Clarendon	135	-	5	3	28	82	16	1
Colleton	209	2	8	3	40	118	38	-
Darlington	373	3	5	7	53	177	128	-
Dillon	180	2	2	3	20	82	71	-
Dorchester	1,171	4	30	25	250	620	239	3
Edgefield	126	1	1	1	58	34	13	18
Fairfield	78	-	3	4	19	38	13	1
Florence	752	5	10	11	139	438	149	-
Georgetown	310	2	11	2	89	162	44	-
Greenville	3,867	17	149	72	1,351	1,946	328	4
Greenwood	457	1	8	3	74	248	123	-
Hampton	84	-	1	1	14	43	25	-
Horry	2,218	32	80	40	484	943	633	6
Jasper	92	2	5	-	13	41	28	3
Kershaw	435	3	12	7	132	224	54	3
Lancaster	623	9	15	8	238	307	37	9
Laurens	453	3	23	9	128	229	60	1
Lee	52	-	-	-	6	28	16	2
Lexington	2,311	10	56	35	394	1,247	558	11
McCormick	12	-	-	-	4	6	1	1
Marion	113	1	1	2	33	59	17	-
Marlboro	107	1	1	-	18	52	34	1
Newberry	219	-	5	3	30	121	59	1
Oconee	592	6	24	12	195	293	61	1
Orangeburg	303	4	17	12	86	150	31	3
Pickens	1,014	7	28	24	252	453	250	-
Richland	1,730	11	47	35	352	990	273	22
Saluda	90	-	3	1	13	55	18	-
Spartanburg	2,275	12	77	38	504	1,293	351	-
Sumter	674	4	19	10	155	363	122	1
Union	197	2	10	6	64	94	21	-
Williamsburg	107	1	1	2	23	60	20	-
York	1,976	24	83	47	538	1,118	154	12
Unknown	3	1	-	-	1	-	1	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	19,248	276	1,043	589	5,640	8,557	3,039	104
Abbeville	83	-	1	1	21	44	16	-
Aiken	555	1	27	11	192	182	99	43
Allendale	75	1	5	6	25	24	14	-
Anderson	471	1	19	11	138	250	51	1
Bamberg	116	-	13	7	40	44	11	1
Barnwell	176	2	14	7	62	77	14	-
Beaufort	553	9	14	8	92	259	165	6
Berkeley	681	6	33	24	206	306	105	1
Calhoun	61	3	7	2	15	29	5	-
Charleston	1,617	22	75	62	501	709	247	1
Cherokee	162	3	8	5	49	83	14	-
Chester	172	5	14	11	94	42	5	1
Chesterfield	204	1	4	5	37	83	74	-
Clarendon	191	2	12	7	65	90	12	3
Colleton	208	-	10	3	56	102	37	-
Darlington	368	4	8	11	98	139	108	-
Dillon	260	3	8	5	45	91	108	-
Dorchester	521	5	23	9	123	261	99	1
Edgefield	112	2	7	3	44	45	9	2
Fairfield	159	1	16	5	39	76	18	4
Florence	900	19	44	17	272	414	134	-
Georgetown	269	2	13	3	70	140	41	-
Greenville	1,417	21	90	43	449	655	156	3
Greenwood	358	1	17	7	92	168	73	-
Hampton	131	4	6	4	43	46	27	1
Horry	642	20	42	15	171	216	178	-
Jasper	153	1	8	-	31	67	43	3
Kershaw	193	2	8	5	83	79	15	1
Lancaster	255	5	5	10	128	94	7	6
Laurens	221	4	17	6	75	96	23	-
Lee	137	3	3	3	31	60	37	-
Lexington	653	13	25	18	167	294	136	-
McCormick	27	1	2	1	7	10	6	-
Marion	271	-	13	12	89	124	33	-
Marlboro	198	1	2	5	41	99	50	-
Newberry	180	3	7	6	32	76	55	1
Oconee	55	2	2	1	20	27	3	-
Orangeburg	785	17	74	39	265	293	96	1
Pickens	102	-	4	1	32	35	30	-
Richland	2,739	44	154	91	748	1,281	401	20
Saluda	44	2	4	2	16	14	6	-
Spartanburg	908	5	47	29	232	472	123	-
Sumter	772	8	46	20	214	393	89	2
Union	104	-	6	6	41	49	2	-
Williamsburg	202	4	19	6	72	83	17	1
York	786	23	67	36	277	335	47	1
Unknown	1	-	-	-	-	1	-	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	4,360	83	284	156	1,521	1,844	461	11
Abbeville	5	-	-	-	3	-	2	-
Aiken	100	4	9	8	45	31	3	-
Allendale	6	-	-	-	4	2	-	-
Anderson	82	-	6	2	25	43	6	-
Bamberg	2	-	-	-	1	1	-	-
Barnwell	7	-	1	-	3	3	-	-
Beaufort	421	9	24	12	145	172	58	1
Berkeley	234	-	9	8	81	107	28	1
Calhoun	6	-	1	-	4	1	-	-
Charleston	361	10	25	20	135	134	35	2
Cherokee	38	-	5	-	15	17	1	-
Chester	6	1	-	-	3	2	-	-
Chesterfield	28	-	2	1	9	11	5	-
Clarendon	23	-	5	-	9	9	-	-
Colleton	22	1	1	-	7	9	4	-
Darlington	15	1	1	1	6	4	2	-
Dillon	17	-	-	-	4	5	8	-
Dorchester	115	2	7	9	35	50	12	-
Edgefield	13	-	1	-	6	6	-	-
Fairfield	2	-	-	-	-	2	-	-
Florence	63	2	3	2	28	25	3	-
Georgetown	33	1	3	-	16	7	6	-
Greenville	751	13	51	25	261	335	65	1
Greenwood	86	2	4	3	31	38	8	-
Hampton	9	-	-	1	3	3	2	-
Horry	307	16	21	11	97	106	54	2
Jasper	67	1	3	4	28	19	12	-
Kershaw	31	-	-	-	15	13	3	-
Lancaster	41	-	3	2	21	12	2	1
Laurens	52	-	6	7	18	18	3	-
Lee	5	-	-	-	-	5	-	-
Lexington	282	9	17	8	100	119	28	1
McCormick	1	-	-	-	1	-	-	-
Marion	13	1	2	-	4	5	1	-
Marlboro	2	-	-	-	-	1	1	-
Newberry	54	-	4	3	17	19	11	-
Oconee	56	1	4	-	15	27	9	-
Orangeburg	33	2	6	2	6	14	3	-
Pickens	43	1	2	1	10	22	7	-
Richland	324	3	20	2	112	162	23	2
Saluda	77	1	9	9	27	26	5	-
Spartanburg	309	1	12	4	94	162	36	-
Sumter	80	-	2	1	25	45	7	-
Union	9	-	-	3	3	3	-	-
Williamsburg	4	-	1	-	1	2	-	-
York	125	1	14	7	48	47	8	-
Unknown	-	-	-	-	-	-	-	-

Table C-11.
Live Births By Kotelchuck Index
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	56,743 *	10,438	3,403	16,445	25,800	657
Abbeville	259	31	14	63	150	1
Aiken	1,749 *	226	119	456	574	374
Allendale	91	23	5	26	35	2
Anderson	2,286 *	334	122	754	1,073	3
Bamberg	161	37	27	58	37	2
Barnwell	315	71	18	86	125	15
Beaufort	2,077 *	370	76	528	1,081	22
Berkeley	2,608 *	437	251	723	1,192	5
Calhoun	139	20	10	37	71	1
Charleston	4,764 *	864	373	1,537	1,981	9
Cherokee	637	117	38	200	282	-
Chester	373	95	50	135	88	5
Chesterfield	523	64	27	126	305	1
Clarendon	350 *	87	25	98	136	4
Colleton	439	83	22	108	224	2
Darlington	756	124	15	156	461	-
Dillon	457	85	9	65	298	-
Dorchester	1,809 *	296	125	473	910	5
Edgefield	254 *	36	23	68	81	46
Fairfield	239	55	11	63	105	5
Florence	1,717 *	293	75	485	864	-
Georgetown	612	103	26	160	323	-
Greenville	6,039 *	1,110	427	2,252	2,240	10
Greenwood	901	149	16	225	511	-
Hampton	225 *	51	10	35	126	3
Horry	3,170 *	656	173	626	1,706	9
Jasper	312	80	17	56	153	6
Kershaw	662 *	102	55	268	233	4
Lancaster	919	103	158	442	198	18
Laurens	727 *	151	49	242	282	3
Lee	194	29	10	47	106	2
Lexington	3,250 *	552	102	743	1,837	16
McCormick	40	6	2	9	22	1
Marion	397	81	24	108	184	-
Marlboro	307	41	12	99	154	1
Newberry	453	71	15	94	271	2
Oconee	703	134	48	238	281	2
Orangeburg	1,121	279	149	294	395	4
Pickens	1,160 *	192	52	299	617	-
Richland	4,798 *	1,054	190	1,276	2,232	46
Saluda	211	76	3	32	97	3
Spartanburg	3,495 *	549	178	1,013	1,755	-
Sumter	1,526	308	62	403	750	3
Union	310	63	29	94	124	-
Williamsburg	313	66	18	88	140	1
York	2,889 *	681	143	1,057	988	20
Unknown	6 *	3	-	-	2	1

* Include unknown race

Table C-11A.
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	33,082	4,573	2,004	10,466	15,585	454
Abbeville	171	18	10	44	99	-
Aiken	1,087	97	73	291	346	280
Allendale	10	-	1	6	3	-
Anderson	1,731	228	96	579	827	1
Bamberg	43	8	8	21	6	-
Barnwell	132	18	11	35	58	10
Beaufort	1,102	118	35	314	621	14
Berkeley	1,691	226	174	483	806	2
Calhoun	72	4	6	20	41	1
Charleston	2,782	305	238	1,056	1,180	3
Cherokee	437	64	25	138	210	-
Chester	195	34	22	82	53	4
Chesterfield	291	28	13	73	177	-
Clarendon	135	17	10	46	61	1
Colleton	209	34	8	57	109	1
Darlington	373	42	6	77	248	-
Dillon	180	26	2	35	117	-
Dorchester	1,171	171	84	312	600	4
Edgefield	126	8	14	39	33	32
Fairfield	78	11	5	28	33	1
Florence	752	78	34	231	409	-
Georgetown	310	34	18	97	161	-
Greenville	3,867	595	298	1,584	1,385	5
Greenwood	457	49	7	114	287	-
Hampton	84	14	2	12	55	1
Horry	2,218	385	116	448	1,262	7
Jasper	92	16	3	16	54	3
Kershaw	435	55	30	193	154	3
Lancaster	623	65	97	314	136	11
Laurens	453	72	33	156	190	2
Lee	52	2	2	14	32	2
Lexington	2,311	304	66	521	1,405	15
McCormick	12	-	1	3	7	1
Marion	113	16	7	31	59	-
Marlboro	107	11	5	33	57	1
Newberry	219	20	8	54	136	1
Oconee	592	110	41	205	234	2
Orangeburg	303	54	38	98	110	3
Pickens	1,014	155	47	266	546	-
Richland	1,730	246	63	543	855	23
Saluda	90	8	-	21	60	1
Spartanburg	2,275	310	109	692	1,164	-
Sumter	674	107	24	192	350	1
Union	197	33	16	62	86	-
Williamsburg	107	10	3	33	61	-
York	1,976	365	95	797	701	18
Unknown	3	2	-	-	1	-

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	19,248	4,519	1,109	4,761	8,681	178
Abbeville	83	13	3	17	49	1
Aiken	555	93	33	132	209	88
Allendale	75	21	3	19	30	2
Anderson	471	87	21	143	219	1
Bamberg	116	29	19	36	30	2
Barnwell	176	48	7	49	67	5
Beaufort	553	89	23	120	315	6
Berkeley	681	154	52	168	306	1
Calhoun	61	15	3	14	29	-
Charleston	1,617	435	104	377	697	4
Cherokee	162	40	10	50	62	-
Chester	172	59	28	50	34	1
Chesterfield	204	31	11	46	115	1
Clarendon	191	59	14	44	71	3
Colleton	208	39	14	49	105	1
Darlington	368	76	9	75	208	-
Dillon	260	59	7	26	168	-
Dorchester	521	96	29	127	268	1
Edgefield	112	25	7	23	45	12
Fairfield	159	43	6	35	71	4
Florence	900	193	37	229	441	-
Georgetown	269	58	6	56	149	-
Greenville	1,417	320	75	429	589	4
Greenwood	358	75	6	86	191	-
Hampton	131	34	8	21	67	1
Horry	642	174	36	107	325	-
Jasper	153	34	9	30	77	3
Kershaw	193	42	19	68	63	1
Lancaster	255	29	52	114	54	6
Laurens	221	55	14	70	82	-
Lee	137	24	8	32	73	-
Lexington	653	153	24	143	333	-
McCormick	27	5	1	6	15	-
Marion	271	61	15	75	120	-
Marlboro	198	29	7	66	96	-
Newberry	180	33	6	33	107	1
Oconee	55	11	4	21	19	-
Orangeburg	785	211	110	192	271	1
Pickens	102	23	2	25	52	-
Richland	2,739	721	115	631	1,251	21
Saluda	44	17	1	5	19	2
Spartanburg	908	176	46	227	459	-
Sumter	772	181	34	191	364	2
Union	104	25	13	31	35	-
Williamsburg	202	55	15	54	77	1
York	786	269	43	219	253	2
Unknown	1	-	-	-	1	-

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	4,360	1,332	289	1,206	1,521	12
Abbeville	5	-	1	2	2	-
Aiken	100	36	13	32	19	-
Allendale	6	2	1	1	2	-
Anderson	82	19	5	31	27	-
Bamberg	2	-	-	1	1	-
Barnwell	7	5	-	2	-	-
Beaufort	421	163	18	94	145	1
Berkeley	234	56	25	72	79	2
Calhoun	6	1	1	3	1	-
Charleston	361	122	31	103	103	2
Cherokee	38	13	3	12	10	-
Chester	6	2	-	3	1	-
Chesterfield	28	5	3	7	13	-
Clarendon	23	11	1	8	3	-
Colleton	22	10	-	2	10	-
Darlington	15	6	-	4	5	-
Dillon	17	-	-	4	13	-
Dorchester	115	28	11	34	42	-
Edgefield	13	3	2	5	3	-
Fairfield	2	1	-	-	1	-
Florence	63	21	4	25	13	-
Georgetown	33	11	2	7	13	-
Greenville	751	194	54	238	264	1
Greenwood	86	25	3	25	33	-
Hampton	9	3	-	2	4	-
Horry	307	96	21	69	119	2
Jasper	67	30	5	10	22	-
Kershaw	31	4	6	6	15	-
Lancaster	41	9	9	14	8	1
Laurens	52	24	2	16	10	-
Lee	5	3	-	1	1	-
Lexington	282	93	12	78	98	1
McCormick	1	1	-	-	-	-
Marion	13	4	2	2	5	-
Marlboro	2	1	-	-	1	-
Newberry	54	18	1	7	28	-
Oconee	56	13	3	12	28	-
Orangeburg	33	14	1	4	14	-
Pickens	43	13	3	8	19	-
Richland	324	87	12	99	124	2
Saluda	77	51	2	6	18	-
Spartanburg	309	62	23	94	130	-
Sumter	80	20	4	20	36	-
Union	9	5	-	1	3	-
Williamsburg	4	1	-	1	2	-
York	125	46	5	41	33	-
Unknown						

Table C-12.
Live Births by Education of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	56,743 *	1,429	7,993	13,410	14,658	4,698	9,292	3,990	1,072	201
Abbeville	259	8	33	82	79	28	19	9	1	-
Aiken	1,749 *	49	260	514	393	134	263	92	27	17
Allendale	91	-	26	23	21	10	7	3	-	1
Anderson	2,286 *	50	400	602	570	195	291	149	27	2
Bamberg	161	3	34	44	50	18	9	3	-	-
Barnwell	315	4	67	93	87	25	29	9	1	-
Beaufort	2,077 *	91	259	468	578	143	364	136	35	3
Berkeley	2,608 *	46	268	601	752	286	442	155	41	17
Calhoun	139	4	21	37	33	23	15	5	1	-
Charleston	4,764 *	125	508	769	989	313	1,272	537	231	20
Cherokee	637	18	138	204	152	42	51	32	-	-
Chester	373	3	72	144	92	22	28	9	-	3
Chesterfield	523	16	109	160	128	49	44	11	5	1
Clarendon	350 *	8	51	97	115	20	37	15	2	5
Colleton	439	13	101	140	112	36	30	2	2	3
Darlington	756	11	141	232	221	52	68	25	3	3
Dillon	457	13	119	139	117	30	25	11	2	1
Dorchester	1,809 *	24	163	340	547	205	370	129	24	7
Edgefield	254 *	14	52	73	67	14	25	6	2	1
Fairfield	239	-	43	84	67	18	17	7	1	2
Florence	1,717 *	32	234	415	516	141	263	79	30	7
Georgetown	612	17	79	159	185	48	77	38	8	1
Greenville	6,039 *	241	762	1,164	1,302	482	1,332	599	139	18
Greenwood	901	29	163	214	261	76	101	43	14	-
Hampton	225 *	2	47	76	61	11	16	6	3	3
Horry	3,170 *	86	462	797	840	352	431	150	45	7
Jasper	312	17	74	111	69	15	15	8	3	-
Kershaw	662 *	4	97	171	211	51	86	30	7	5
Lancaster	919	18	107	234	208	80	190	62	8	12
Laurens	727 *	34	132	255	160	50	65	23	5	3
Lee	194	-	39	64	63	7	14	3	4	-
Lexington	3,250 *	88	383	694	796	264	639	300	76	10
McCormick	40	-	6	16	10	3	3	2	-	-
Marion	397	2	91	133	116	21	24	7	2	1
Marlboro	307	2	80	98	88	21	12	5	1	-
Newberry	453	30	90	108	109	44	44	23	5	-
Oconee	703	15	119	240	174	45	63	42	5	-
Orangeburg	1,121	19	217	332	306	106	84	43	10	4
Pickens	1,160 *	23	207	278	263	117	160	86	25	1
Richland	4,798 *	76	506	906	1,308	357	955	508	167	15
Saluda	211	50	35	48	35	15	18	8	2	-
Spartanburg	3,495 *	75	584	866	961	301	456	211	35	6
Sumter	1,526	24	183	356	560	121	191	68	12	11
Union	310	5	77	92	82	22	21	9	2	-
Williamsburg	313	4	36	112	93	34	23	6	1	4
York	2,889 *	36	318	625	710	251	603	285	58	3
Unknown	6 *	-	-	-	1	-	-	1	-	4

* Includes unknown race

Table C-12A.
Live Births by Education and Race of Mother
South Carolina and Each County, 2013
(Residence Data)
Non-Hispanic White

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	33,082	282	3,522	6,630	8,134	3,171	7,324	3,096	859	64
Abbeville	171	4	19	54	52	21	12	8	1	-
Aiken	1,087	7	141	297	251	85	211	65	21	9
Allendale	10	-	1	2	1	-	3	3	-	-
Anderson	1,731	22	264	441	442	167	246	127	22	-
Bamberg	43	-	8	11	11	7	4	2	-	-
Barnwell	132	2	30	42	25	9	19	5	-	-
Beaufort	1,102	3	74	181	339	91	277	108	28	1
Berkeley	1,691	3	150	354	473	204	354	117	30	6
Calhoun	72	3	5	15	17	17	11	3	1	-
Charleston	2,782	8	94	224	468	194	1,120	467	199	8
Cherokee	437	5	88	135	105	33	41	30	-	-
Chester	195	1	33	72	51	12	17	7	-	2
Chesterfield	291	5	59	72	77	34	33	7	4	-
Clarendon	135	1	15	30	36	14	21	12	2	4
Colleton	209	5	47	59	52	24	16	2	2	2
Darlington	373	6	57	93	114	32	52	16	2	1
Dillon	180	2	38	55	44	17	16	8	-	-
Dorchester	1,171	4	85	198	327	150	290	99	16	2
Edgefield	126	8	19	27	33	12	19	6	2	-
Fairfield	78	-	12	22	20	5	12	7	-	-
Florence	752	11	74	157	182	95	163	51	18	1
Georgetown	310	2	36	49	83	30	65	36	8	1
Greenville	3,867	41	331	613	820	319	1,127	494	112	10
Greenwood	457	3	48	89	132	52	85	35	13	-
Hampton	84	-	13	24	26	4	11	3	2	1
Horry	2,218	22	254	496	609	277	387	131	41	1
Jasper	92	2	24	28	19	4	7	5	3	-
Kershaw	435	2	51	100	140	39	72	23	7	1
Lancaster	623	8	63	131	144	63	149	52	8	5
Laurens	453	6	77	151	104	40	51	19	4	1
Lee	52	-	10	10	18	3	7	2	2	-
Lexington	2,311	16	222	458	553	211	535	255	61	-
McCormick	12	-	1	5	4	-	1	1	-	-
Marion	113	1	26	34	30	9	11	2	-	-
Marlboro	107	-	26	34	30	12	3	1	1	-
Newberry	219	4	28	40	50	34	37	21	5	-
Oconee	592	9	92	196	147	41	62	40	5	-
Orangeburg	303	2	51	70	81	50	28	16	4	1
Pickens	1,014	16	184	250	223	106	146	70	19	-
Richland	1,730	7	67	195	346	140	575	277	120	3
Saluda	90	1	11	22	17	13	18	7	1	-
Spartanburg	2,275	20	317	514	626	211	376	181	29	1
Sumter	674	10	45	124	247	76	121	39	12	-
Union	197	3	50	59	47	12	16	8	2	-
Williamsburg	107	3	12	33	34	12	9	3	1	-
York	1,976	4	170	364	483	190	488	225	51	1
Unknown	3	-	-	-	1	-	-	-	-	2

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	19,248	149	3,333	5,748	5,925	1,326	1,676	836	186	69
Abbeville	83	3	11	28	26	7	7	1	-	-
Aiken	555	5	98	189	132	48	47	27	6	3
Allendale	75	-	20	21	19	10	4	-	-	1
Anderson	471	8	107	147	120	26	37	21	5	-
Bamberg	116	3	26	33	38	11	4	1	-	-
Barnwell	176	-	34	50	61	16	10	4	1	-
Beaufort	553	2	78	180	181	28	57	21	5	1
Berkeley	681	-	71	195	236	65	69	34	8	3
Calhoun	61	1	15	18	16	5	4	2	-	-
Charleston	1,617	17	316	480	476	111	120	66	23	8
Cherokee	162	-	37	63	44	9	7	2	-	-
Chester	172	1	38	71	38	10	11	2	-	1
Chesterfield	204	2	47	80	50	13	8	4	-	-
Clarendon	191	2	30	58	76	5	16	3	-	1
Colleton	208	-	49	76	59	11	12	-	-	1
Darlington	368	1	83	133	105	20	16	9	1	-
Dillon	260	6	74	81	72	12	9	3	2	1
Dorchester	521	3	54	117	192	48	66	30	8	3
Edgefield	112	-	29	42	32	2	6	-	-	1
Fairfield	159	-	30	61	47	13	5	-	1	2
Florence	900	5	146	247	324	46	91	27	12	2
Georgetown	269	4	37	101	98	18	9	2	-	-
Greenville	1,417	14	235	385	392	117	154	91	24	5
Greenwood	358	2	78	107	125	22	16	8	-	-
Hampton	131	1	33	49	33	7	3	3	1	1
Horry	642	6	115	222	189	55	34	17	3	1
Jasper	153	1	21	69	42	10	7	3	-	-
Kershaw	193	-	35	64	64	10	13	7	-	-
Lancaster	255	2	39	91	58	15	34	10	-	6
Laurens	221	3	45	92	55	9	11	4	1	1
Lee	137	-	27	52	44	4	7	1	2	-
Lexington	653	3	90	162	206	48	86	43	14	1
McCormick	27	-	5	10	6	3	2	1	-	-
Marion	271	-	62	94	83	12	13	5	2	-
Marlboro	198	1	53	64	58	9	9	4	-	-
Newberry	180	3	44	61	55	10	5	2	-	-
Oconee	55	-	10	23	18	2	-	2	-	-
Orangeburg	785	5	161	252	221	56	54	27	6	3
Pickens	102	-	8	22	36	7	10	14	5	-
Richland	2,739	25	369	632	888	193	360	219	44	9
Saluda	44	-	13	15	14	2	-	-	-	-
Spartanburg	908	3	168	263	301	75	66	26	5	1
Sumter	772	4	130	213	289	40	59	28	-	9
Union	104	2	24	30	34	9	4	1	-	-
Williamsburg	202	-	23	77	59	22	14	3	-	4
York	786	11	115	228	213	55	100	57	7	-
Unknown	1	-	-	-	-	-	-	1	-	-

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	4,360	993	1,134	1,027	596	200	292	57	27	34
Abbeville	5	1	3	-	1	-	-	-	-	-
Aiken	100	35	21	26	9	1	5	-	-	3
Allendale	6	-	5	-	1	-	-	-	-	-
Anderson	82	20	29	14	8	2	8	1	-	-
Bamberg	2	-	-	-	1	-	1	-	-	-
Barnwell	7	2	3	1	1	-	-	-	-	-
Beaufort	421	86	107	107	58	24	30	7	2	-
Berkeley	234	43	47	52	43	17	19	4	3	6
Calhoun	6	-	1	4	-	1	-	-	-	-
Charleston	361	100	97	65	45	8	32	4	9	1
Cherokee	38	13	13	6	3	-	3	-	-	-
Chester	6	1	1	1	3	-	-	-	-	-
Chesterfield	28	9	3	8	1	2	3	-	1	1
Clarendon	23	5	6	8	3	1	-	-	-	-
Colleton	22	8	5	5	1	1	2	-	-	-
Darlington	15	4	1	6	2	-	-	-	-	2
Dillon	17	5	7	3	1	1	-	-	-	-
Dorchester	115	17	24	25	28	7	14	-	-	-
Edgefield	13	6	3	3	1	-	-	-	-	-
Fairfield	2	-	1	1	-	-	-	-	-	-
Florence	63	16	14	11	10	-	9	1	-	2
Georgetown	33	11	6	9	4	-	3	-	-	-
Greenville	751	186	196	166	90	45	51	14	3	-
Greenwood	86	24	37	18	4	2	-	-	1	-
Hampton	9	1	1	3	2	-	2	-	-	-
Horry	307	58	93	78	41	20	10	2	1	4
Jasper	67	14	29	14	8	1	1	-	-	-
Kershaw	31	1	11	7	7	2	1	-	-	2
Lancaster	41	8	5	12	6	2	7	-	-	1
Laurens	52	25	10	12	1	1	3	-	-	-
Lee	5	-	2	2	1	-	-	-	-	-
Lexington	282	68	71	74	37	5	18	2	1	6
McCormick	1	-	-	1	-	-	-	-	-	-
Marion	13	1	3	5	3	-	-	-	-	1
Marlboro	2	1	1	-	-	-	-	-	-	-
Newberry	54	23	18	7	4	-	2	-	-	-
Oconee	56	6	17	21	9	2	1	-	-	-
Orangeburg	33	12	5	10	4	-	2	-	-	-
Pickens	43	7	15	6	4	4	4	2	1	-
Richland	324	43	68	79	74	24	20	11	3	2
Saluda	77	49	11	11	4	-	-	1	1	-
Spartanburg	309	52	99	89	34	15	14	4	1	1
Sumter	80	10	8	19	24	5	11	1	-	2
Union	9	-	3	3	1	1	1	-	-	-
Williamsburg	4	1	1	2	-	-	-	-	-	-
York	125	21	33	33	14	6	15	3	-	-
Unknown										

ATTENDANT AT BIRTH

Of the 53,973 occurrent births, physicians attended 94.9 percent. The term “physician” includes osteopaths, residents, interns and externs. Midwives attended 4.7 percent of the total births, Other and unknown attendant accounted for 0.5 percent of the total births. The term “other” includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. Included in the “Unknown” category are Not specified or Not classifiable attendants.

Table C-13.
Live Births by Attendant by Place of Delivery
South Carolina, 2013
(Occurrence Data)

Place of Birth	Total Birth	M.D.	D.O.	Certified Nurse/Licensed Midwife	Other Attendant	Unknown
Hospital	53,072	50,021	1,163	1,776	77	35
Birthing Center	563	2	-	547	10	4
Clinic/Doctor's office	1	-	-	-	-	1
Home Birth	324	9	-	202	108	5
Other	13	-	-	-	11	2
Total	53,973	50,032	1,163	2,525	206	47

Table C-14.
Live Births by Place of Delivery
South Carolina, 2004-2013
(Occurrence Data)

Year	Total Birth	Hospital	Birthing Center	Clinic/Doctor's Office	Home Birth	Other
2004	54,240	53,979	9	2	231	18
2005	55,316	55,081	28	1	187	19
2006	59,571	59,195	103	1	244	28
2007	60,209	59,814	127	-	248	20
2008	60,404	59,929	218	1	241	15
2009	57,884	57,351	269	-	243	21
2010	55,599	54,903	420	-	259	17
2011	54,838	54,012	553	2	260	11
2012	54,262	53,325	633	1	285	18
2013	53,973	53,072	563	1	324	13

Table C-15.
Live Births by Attendant
South Carolina and Each County, 2013
(Occurrence Data)

County of Occurrence	Total Births	Attendant					
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital		
South Carolina	53,973	51,184	11	1,776	749	206	47
Abbeville	3	-	-	-	2	1	-
Aiken	1,116	1,108	-	-	5	3	-
Allendale	1	1	-	-	-	-	-
Anderson	1,905	1,889	-	-	5	10	1
Bamberg	-	-	-	-	-	-	-
Barnwell	4	-	-	-	4	-	-
Beaufort	2,243	2,043	-	193	3	3	1
Berkeley	15	-	1	-	9	5	-
Calhoun	-	-	-	-	-	-	-
Charleston	8,637	8,261	1	111	241	11	12
Cherokee	260	177	-	79	1	2	1
Chester	3	-	-	-	1	1	1
Chesterfield	184	181	-	-	-	3	-
Clarendon	518	304	-	209	1	1	3
Colleton	327	325	-	-	1	1	-
Darlington	598	569	-	28	-	1	-
Dillon	326	325	-	-	-	1	-
Dorchester	1,225	1,193	-	22	6	3	1
Edgefield	4	-	-	-	3	1	-
Fairfield	1	-	-	-	-	1	-
Florence	2,775	2,760	-	-	2	6	7
Georgetown	906	702	-	194	3	2	5
Greenville	8,059	7,657	4	212	143	37	6
Greenwood	1,488	1,482	-	-	3	3	-
Hampton	1	1	-	-	-	-	-
Horry	2,819	2,677	-	128	5	9	-
Jasper	1	-	-	-	-	1	-
Kershaw	265	263	-	-	-	2	-
Lancaster	737	677	-	43	5	12	-
Laurens	316	310	-	-	2	4	-
Lee	-	-	-	-	-	-	-
Lexington	3,721	3,390	-	284	41	6	-
McCormick	-	-	-	-	-	-	-
Marion	268	268	-	-	-	-	-
Marlboro	85	85	-	-	-	-	-
Newberry	317	315	-	-	-	2	-
Oconee	515	498	-	-	3	14	-
Orangeburg	1,135	1,020	-	110	1	4	-
Pickens	438	426	-	-	8	3	1
Richland	5,729	5,702	4	-	9	12	2
Saluda	1	-	-	-	-	1	-
Spartanburg	3,670	3,550	1	13	87	19	-
Sumter	1,314	1,162	-	149	-	3	-
Union	129	128	-	-	-	1	-
Williamsburg	5	1	-	-	-	3	1
York	1,909	1,734	-	1	155	14	5
Unknown	-	-	-	-	-	-	-

AGE OF MOTHER

In 2013, there were 52 live births to resident mothers under 15 years of age and 55 births to resident mothers 45 years of age and over. As shown in Table C-16, women aged 15-44 years were responsible for 99.6 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and then remained unchanged. The median age for 2013 is 27. The youngest mother to give birth in 2013 was 13 years old and the oldest was 52 years old.

Table C-16.
Percent Distribution of Live Births by Age of Mother
South Carolina, 2009-2013
(Residence Data)

Age of Mother	2009	2010	2011	2012	2013
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.1	0.2	0.1	0.1	0.1
15-19 Years	12.6	11.7	10.5	9.7	8.4
20-24 Years	28.6	28.4	28.2	28.3	27.5
25-29 Years	28.1	28.1	28.6	28.2	28.9
30-34 Years	19.6	20.7	21.6	22.4	23.4
35-39 Years	9.0	8.9	9.0	9.3	9.6
40-44 Years	1.7	1.9	2.0	2.0	2.0
45 Years and Over	0.1	0.1	0.1	0.1	0.1

Figure C-4
Percent of Live Births to Women Age 35 and Over by Race
South Carolina, 2004-2013
(Residence Data)




Table C-17
 Mean Age of Mother at First Time Birth by Race
 South Carolina, 1999-2013
 (Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1999	23.3	24.5	21.1	
2000	23.3	24.6	21.3	
2001	23.5	24.8	21.4	
2002	23.6	24.8	21.5	22.6
2003	23.8	25.0	21.6	22.7
2004	23.6	24.9	21.6	22.3
2005	23.6	24.8	21.7	22.4
2006	23.5	24.8	21.7	22.4
2007	23.5	24.8	21.6	22.5
2008	23.6	24.8	21.7	22.7
2009	23.8	24.9	21.8	23.3
2010	23.9	24.9	22.1	23.4
2011	24.2	25.2	22.4	23.2
2012	24.3	25.3	22.6	23.3
2013	24.7	25.6	23	23.3

Figure C-5
 Mean Age of Mother at First Time Birth by Race
 South Carolina, 1999-2013
 (Residence Data)




Table C-18.
Live Births by Age of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	56,743 *	52	4,759	15,612	16,417	13,284	5,454	1,108	55	2
Abbeville	259	1	29	100	70	43	10	6	-	-
Aiken	1,749 *	2	158	513	506	385	152	31	2	-
Allendale	91	-	18	30	21	15	7	-	-	-
Anderson	2,286 *	4	249	688	647	461	189	47	1	-
Bamberg	161	-	25	51	59	19	5	2	-	-
Barnwell	315	-	35	100	98	58	20	4	-	-
Beaufort	2,077 *	2	143	562	622	495	211	41	1	-
Berkeley	2,608 *	-	156	695	847	611	253	45	1	-
Calhoun	139	-	10	39	43	27	18	2	-	-
Charleston	4,764 *	3	218	979	1,303	1,491	633	131	6	-
Cherokee	637	1	91	212	166	115	38	14	-	-
Chester	373	-	52	149	100	47	21	4	-	-
Chesterfield	523	-	53	175	155	92	43	5	-	-
Clarendon	350 *	1	46	115	103	63	19	3	-	-
Colleton	439	-	64	154	118	71	31	1	-	-
Darlington	756	-	100	244	221	137	44	9	1	-
Dillon	457	1	64	169	138	66	15	4	-	-
Dorchester	1,809 *	-	109	422	605	482	162	29	-	-
Edgefield	254 *	-	32	80	62	55	19	6	-	-
Fairfield	239	-	33	84	57	40	21	4	-	-
Florence	1,717 *	3	138	514	497	353	170	40	2	-
Georgetown	612	-	54	189	160	123	71	13	2	-
Greenville	6,039 *	7	411	1,329	1,783	1,666	681	155	7	-
Greenwood	901	2	113	303	239	151	81	12	-	-
Hampton	225 *	-	25	86	59	39	12	4	-	-
Horry	3,170 *	-	282	858	894	781	292	60	3	-
Jasper	312	-	45	103	85	57	18	4	-	-
Kershaw	662 *	-	57	210	208	135	42	9	1	-
Lancaster	919	1	80	229	275	213	103	17	1	-
Laurens	727 *	3	85	285	182	120	38	11	2	1
Lee	194	-	20	63	56	38	14	2	1	-
Lexington	3,250 *	-	251	776	999	819	345	58	2	-
McCormick	40	-	5	17	9	7	1	-	1	-
Marion	397	-	52	151	95	78	19	1	1	-
Marlboro	307	-	44	119	83	45	14	1	1	-
Newberry	453	1	40	141	125	96	41	9	-	-
Oconee	703	1	72	232	197	144	48	8	1	-
Orangeburg	1,121	1	129	374	322	196	89	9	1	-
Pickens	1,160 *	2	125	330	327	234	117	25	-	-
Richland	4,798 *	6	310	1,167	1,364	1,268	555	122	6	-
Saluda	211	-	18	54	72	43	19	5	-	-
Spartanburg	3,495 *	5	319	1,069	1,012	737	297	53	3	-
Sumter	1,526	1	122	556	455	258	110	24	-	-
Union	310	1	45	110	73	57	15	9	-	-
Williamsburg	313	-	17	115	90	54	32	5	-	-
York	2,889 *	3	215	669	815	799	318	63	7	-
Unknown	6 *	-	-	2	-	-	1	1	1	1

* Includes unknown race

Table C-18A.
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	33,082	19	2,286	7,789	10,065	8,779	3,427	679	37	1
Abbeville	171	-	16	68	47	31	5	4	-	-
Aiken	1,087	-	89	293	334	249	99	21	2	-
Allendale	10	-	1	2	2	3	2	-	-	-
Anderson	1,731	1	166	494	523	366	144	36	1	-
Bamberg	43	-	7	8	20	6	2	-	-	-
Barnwell	132	-	12	43	44	27	5	1	-	-
Beaufort	1,102	-	48	256	355	301	122	19	1	-
Berkeley	1,691	-	91	420	578	418	155	28	1	-
Calhoun	72	-	4	13	34	13	8	-	-	-
Charleston	2,782	-	60	318	729	1,076	495	100	4	-
Cherokee	437	1	60	137	118	86	24	11	-	-
Chester	195	-	25	68	64	24	10	4	-	-
Chesterfield	291	-	28	98	93	48	22	2	-	-
Clarendon	135	-	13	43	42	27	8	2	-	-
Colleton	209	-	28	66	52	41	21	1	-	-
Darlington	373	-	36	119	121	66	27	3	1	-
Dillon	180	-	28	56	60	28	7	1	-	-
Dorchester	1,171	-	52	256	397	333	115	18	-	-
Edgefield	126	-	15	32	27	36	12	4	-	-
Fairfield	78	-	8	22	16	22	7	3	-	-
Florence	752	1	45	178	247	182	84	15	-	-
Georgetown	310	-	22	81	77	73	48	7	2	-
Greenville	3,867	4	212	701	1,180	1,201	463	101	5	-
Greenwood	457	1	46	126	135	106	37	6	-	-
Hampton	84	-	7	31	27	16	2	1	-	-
Horry	2,218	-	177	559	664	572	203	41	2	-
Jasper	92	-	11	36	24	19	2	-	-	-
Kershaw	435	-	33	120	146	93	36	7	-	-
Lancaster	623	1	47	139	193	164	69	9	1	-
Laurens	453	1	58	158	112	91	24	8	1	-
Lee	52	-	2	16	15	15	3	1	-	-
Lexington	2,311	-	159	497	738	626	243	46	2	-
McCormick	12	-	1	8	1	2	-	-	-	-
Marion	113	-	15	36	30	27	5	-	-	-
Marlboro	107	-	14	37	38	15	3	-	-	-
Newberry	219	-	13	66	57	58	21	4	-	-
Oconee	592	1	62	191	166	127	38	6	1	-
Orangeburg	303	-	28	98	92	59	24	2	-	-
Pickens	1,014	2	106	292	296	201	96	21	-	-
Richland	1,730	2	49	248	550	589	238	50	4	-
Saluda	90	-	6	17	39	19	7	2	-	-
Spartanburg	2,275	4	193	635	697	525	191	29	1	-
Sumter	674	-	39	224	222	132	44	13	-	-
Union	197	-	28	65	49	35	13	7	-	-
Williamsburg	107	-	3	37	38	18	11	-	-	-
York	1,976	-	123	380	576	613	232	45	7	-
Unknown	3	-	-	1	-	-	-	-	1	1

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	19,248	30	2,041	6,765	5,111	3,443	1,523	322	13	-
Abbeville	83	1	11	31	23	12	3	2	-	-
Aiken	555	2	59	188	144	105	49	8	-	-
Allendale	75	-	15	27	18	10	5	-	-	-
Anderson	471	3	78	174	99	78	31	8	-	-
Bamberg	116	-	18	43	38	12	3	2	-	-
Barnwell	176	-	23	56	51	29	14	3	-	-
Beaufort	553	-	55	198	142	108	39	11	-	-
Berkeley	681	-	50	214	216	120	69	12	-	-
Calhoun	61	-	6	24	6	14	9	2	-	-
Charleston	1,617	3	135	596	451	316	96	20	-	-
Cherokee	162	-	25	68	35	24	7	3	-	-
Chester	172	-	25	79	35	23	10	-	-	-
Chesterfield	204	-	21	73	55	34	18	3	-	-
Clarendon	191	1	30	65	55	31	8	1	-	-
Colleton	208	-	35	80	57	28	8	-	-	-
Darlington	368	-	61	125	95	66	15	6	-	-
Dillon	260	1	33	108	76	31	8	3	-	-
Dorchester	521	-	50	141	166	116	38	10	-	-
Edgefield	112	-	15	40	34	16	5	2	-	-
Fairfield	159	-	25	61	40	18	14	1	-	-
Florence	900	2	84	323	233	159	78	19	2	-
Georgetown	269	-	29	99	72	44	20	5	-	-
Greenville	1,417	2	129	455	378	287	134	31	1	-
Greenwood	358	1	51	155	85	31	31	4	-	-
Hampton	131	-	17	55	30	17	9	3	-	-
Horry	642	-	70	238	139	120	62	12	1	-
Jasper	153	-	24	48	44	25	10	2	-	-
Kershaw	193	-	18	79	55	33	5	2	1	-
Lancaster	255	-	29	85	67	41	28	5	-	-
Laurens	221	2	19	113	55	21	8	3	-	-
Lee	137	-	18	45	40	21	11	1	1	-
Lexington	653	-	59	196	197	128	64	9	-	-
McCormick	27	-	4	9	7	5	1	-	1	-
Marion	271	-	35	112	60	49	13	1	1	-
Marlboro	198	-	30	81	44	30	11	1	1	-
Newberry	180	1	23	62	55	29	8	2	-	-
Oconee	55	-	2	22	14	9	7	1	-	-
Orangeburg	785	1	98	268	221	130	60	6	1	-
Pickens	102	-	11	30	22	25	11	3	-	-
Richland	2,739	4	230	841	726	592	279	65	2	-
Saluda	44	-	5	17	10	4	7	1	-	-
Spartanburg	908	1	94	356	229	146	64	17	1	-
Sumter	772	1	77	308	208	109	60	9	-	-
Union	104	1	16	42	23	19	2	1	-	-
Williamsburg	202	-	14	78	50	35	20	5	-	-
York	786	3	85	257	211	143	71	16	-	-
Unknown	1	-	-	-	-	-	-	1	-	-

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	4,360	3	428	1,047	1,231	1,048	496	102	5	-
Abbeville	5	-	2	1	-	-	2	-	-	-
Aiken	100	-	8	32	26	28	4	2	-	-
Allendale	6	-	2	1	1	2	-	-	-	-
Anderson	82	-	5	20	25	17	13	2	-	-
Bamberg	2	-	-	-	1	1	-	-	-	-
Barnwell	7	-	-	1	3	2	1	-	-	-
Beaufort	421	2	40	108	125	86	50	10	-	-
Berkeley	234	-	15	61	52	72	29	5	-	-
Calhoun	6	-	-	2	3	-	1	-	-	-
Charleston	361	-	23	65	121	99	40	11	2	-
Cherokee	38	-	6	7	13	5	7	-	-	-
Chester	6	-	2	2	1	-	1	-	-	-
Chesterfield	28	-	4	4	7	10	3	-	-	-
Clarendon	23	-	3	6	6	5	3	-	-	-
Colleton	22	-	1	8	9	2	2	-	-	-
Darlington	15	-	3	-	5	5	2	-	-	-
Dillon	17	-	3	5	2	7	-	-	-	-
Dorchester	115	-	7	25	41	33	8	1	-	-
Edgefield	13	-	1	6	1	3	2	-	-	-
Fairfield	2	-	-	1	1	-	-	-	-	-
Florence	63	-	9	13	17	11	7	6	-	-
Georgetown	33	-	3	9	11	6	3	1	-	-
Greenville	751	1	70	172	224	177	84	22	1	-
Greenwood	86	-	16	22	19	14	13	2	-	-
Hampton	9	-	1	-	2	6	-	-	-	-
Horry	307	-	35	59	90	89	27	7	-	-
Jasper	67	-	10	19	17	13	6	2	-	-
Kershaw	31	-	6	10	7	7	1	-	-	-
Lancaster	41	-	4	5	15	8	6	3	-	-
Laurens	52	-	8	14	15	8	6	-	1	-
Lee	5	-	-	2	1	2	-	-	-	-
Lexington	282	-	33	81	63	64	38	3	-	-
McCormick	1	-	-	-	1	-	-	-	-	-
Marion	13	-	2	3	5	2	1	-	-	-
Marlboro	2	-	-	1	1	-	-	-	-	-
Newberry	54	-	4	13	13	9	12	3	-	-
Oconee	56	-	8	19	17	8	3	1	-	-
Orangeburg	33	-	3	8	9	7	5	1	-	-
Pickens	43	-	8	8	9	8	9	1	-	-
Richland	324	-	30	77	88	85	38	6	-	-
Saluda	77	-	7	20	23	20	5	2	-	-
Spartanburg	309	-	32	78	86	64	42	6	1	-
Sumter	80	-	6	24	25	17	6	2	-	-
Union	9	-	1	3	1	3	-	1	-	-
Williamsburg	4	-	-	-	2	1	1	-	-	-
York	125	-	7	32	27	42	15	2	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-19.
Live Births to Mothers Less than 20 Years Old
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	4,811 *	52	156	341	764	1,399	2,099
Abbeville	30	1	1	1	3	13	11
Aiken	160 *	2	9	14	35	37	63
Allendale	18	-	2	1	4	4	7
Anderson	253	4	10	24	44	62	109
Bamberg	25	-	2	1	4	4	14
Barnwell	35	-	1	1	5	12	16
Beaufort	145	2	1	11	28	46	57
Berkeley	156	-	5	3	22	46	80
Calhoun	10	-	1	-	1	2	6
Charleston	221	3	12	11	44	57	94
Cherokee	92	1	4	7	13	30	37
Chester	52	-	2	2	6	16	26
Chesterfield	53	-	4	4	11	13	21
Clarendon	47	1	1	4	6	13	22
Colleton	64	-	3	5	6	20	30
Darlington	100	-	4	5	12	28	51
Dillon	65	1	2	5	10	22	25
Dorchester	109	-	1	10	14	27	57
Edgefield	32 *	-	3	2	5	8	14
Fairfield	33	-	1	2	6	5	19
Florence	141	3	2	7	21	48	60
Georgetown	54	-	1	1	8	19	25
Greenville	418	7	14	23	73	124	177
Greenwood	115	2	3	13	17	33	47
Hampton	25	-	1	1	5	5	13
Horry	282	-	6	21	49	71	135
Jasper	45	-	1	1	3	21	19
Kershaw	57	-	2	1	7	27	20
Lancaster	81	1	2	6	11	23	38
Laurens	88	3	2	9	14	26	34
Lee	20	-	-	1	2	5	12
Lexington	251	-	6	24	34	72	115
McCormick	5	-	-	-	1	2	2
Marion	52	-	3	8	7	11	23
Marlboro	44	-	2	3	6	14	19
Newberry	41	1	2	4	4	13	17
Oconee	73	1	-	2	13	23	34
Orangeburg	130	1	8	15	32	35	39
Pickens	127	2	3	10	22	36	54
Richland	316 *	6	11	25	45	93	136
Saluda	18	-	1	2	2	6	7
Spartanburg	324	5	7	24	53	92	143
Sumter	123	1	5	7	16	44	50
Union	46	1	1	3	7	22	12
Williamsburg	17	-	-	1	2	6	8
York	218	3	4	16	31	63	101
Unknown	-	-	-	-	-	-	-

* Includes unknown race

Table C-19A.
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	2,305	19	50	143	358	693	1,042
Abbeville	16	-	1	-	1	6	8
Aiken	89	-	3	11	16	22	37
Allendale	1	-	-	-	-	-	1
Anderson	167	1	6	17	37	42	64
Bamberg	7	-	1	-	-	3	3
Barnwell	12	-	-	-	2	4	6
Beaufort	48	-	-	6	9	11	22
Berkeley	91	-	2	2	11	29	47
Calhoun	4	-	-	-	-	1	3
Charleston	60	-	1	2	10	16	31
Cherokee	61	1	3	5	8	20	24
Chester	25	-	1	1	3	6	14
Chesterfield	28	-	3	2	6	6	11
Clarendon	13	-	-	3	2	4	4
Colleton	28	-	-	2	1	9	16
Darlington	36	-	1	-	8	10	17
Dillon	28	-	2	-	1	12	13
Dorchester	52	-	-	3	9	12	28
Edgefield	15	-	1	1	2	7	4
Fairfield	8	-	1	1	1	2	3
Florence	46	1	-	-	7	18	20
Georgetown	22	-	1	-	3	8	10
Greenville	216	4	3	5	37	67	100
Greenwood	47	1	-	5	5	17	19
Hampton	7	-	-	-	1	1	5
Horry	177	-	1	13	27	43	93
Jasper	11	-	-	-	-	8	3
Kershaw	33	-	2	1	4	17	9
Lancaster	48	1	2	2	9	10	24
Laurens	59	1	1	5	11	19	22
Lee	2	-	-	-	-	1	1
Lexington	159	-	2	14	23	45	75
McCormick	1	-	-	-	-	-	1
Marion	15	-	-	2	3	2	8
Marlboro	14	-	1	2	2	3	6
Newberry	13	-	-	-	2	4	7
Oconee	63	1	-	2	9	23	28
Orangeburg	28	-	2	3	4	9	10
Pickens	108	2	3	8	18	34	43
Richland	51	2	-	1	6	13	29
Saluda	6	-	-	-	1	1	4
Spartanburg	197	4	2	13	33	59	86
Sumter	39	-	1	3	4	12	19
Union	28	-	1	1	5	12	9
Williamsburg	3	-	-	1	-	1	1
York	123	-	2	6	17	44	54
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	2,071	30	83	159	328	576	895
Abbeville	12	1	-	1	2	6	2
Aiken	61	2	5	2	19	10	23
Allendale	15	-	2	1	3	4	5
Anderson	81	3	4	7	7	17	43
Bamberg	18	-	1	1	4	1	11
Barnwell	23	-	1	1	3	8	10
Beaufort	55	-	-	3	13	20	19
Berkeley	50	-	2	1	9	14	24
Calhoun	6	-	1	-	1	1	3
Charleston	138	3	10	7	28	33	57
Cherokee	25	-	1	2	2	9	11
Chester	25	-	1	1	2	10	11
Chesterfield	21	-	-	2	5	6	8
Clarendon	31	1	1	1	3	8	17
Colleton	35	-	3	3	4	11	14
Darlington	61	-	3	5	3	18	32
Dillon	34	1	-	5	8	9	11
Dorchester	50	-	-	6	5	12	27
Edgefield	15	-	1	1	3	1	9
Fairfield	25	-	-	1	5	3	16
Florence	86	2	2	6	13	26	37
Georgetown	29	-	-	1	5	9	14
Greenville	131	2	8	10	22	35	54
Greenwood	52	1	2	5	10	13	21
Hampton	17	-	1	1	4	3	8
Horry	70	-	3	6	14	21	26
Jasper	24	-	-	1	2	9	12
Kershaw	18	-	-	-	1	7	10
Lancaster	29	-	-	3	2	12	12
Laurens	21	2	-	1	3	5	10
Lee	18	-	-	1	2	4	11
Lexington	59	-	3	5	7	18	26
McCormick	4	-	-	-	1	2	1
Marion	35	-	3	6	4	8	14
Marlboro	30	-	1	1	4	11	13
Newberry	24	1	2	4	1	9	7
Oconee	2	-	-	-	1	-	1
Orangeburg	99	1	6	12	25	26	29
Pickens	11	-	-	-	1	-	10
Richland	234	4	9	22	34	70	95
Saluda	5	-	-	-	1	2	2
Spartanburg	95	1	2	7	13	25	47
Sumter	78	1	4	4	11	30	28
Union	17	1	-	2	2	9	3
Williamsburg	14	-	-	-	2	5	7
York	88	3	1	10	14	16	44
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	431	3	23	39	77	128	161
Abbeville	2	-	-	-	-	1	1
Aiken	8	-	1	1	-	3	3
Allendale	2	-	-	-	1	-	1
Anderson	5	-	-	-	-	3	2
Bamberg	-	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-
Beaufort	42	2	1	2	6	15	16
Berkeley	15	-	1	-	2	3	9
Calhoun	-	-	-	-	-	-	-
Charleston	23	-	1	2	6	8	6
Cherokee	6	-	-	-	3	1	2
Chester	2	-	-	-	1	-	1
Chesterfield	4	-	1	-	-	1	2
Clarendon	3	-	-	-	1	1	1
Colleton	1	-	-	-	1	-	-
Darlington	3	-	-	-	1	-	2
Dillon	3	-	-	-	1	1	1
Dorchester	7	-	1	1	-	3	2
Edgefield	1	-	1	-	-	-	-
Fairfield	-	-	-	-	-	-	-
Florence	9	-	-	1	1	4	3
Georgetown	3	-	-	-	-	2	1
Greenville	71	1	3	8	14	22	23
Greenwood	16	-	1	3	2	3	7
Hampton	1	-	-	-	-	1	-
Horry	35	-	2	2	8	7	16
Jasper	10	-	1	-	1	4	4
Kershaw	6	-	-	-	2	3	1
Lancaster	4	-	-	1	-	1	2
Laurens	8	-	1	3	-	2	2
Lee	-	-	-	-	-	-	-
Lexington	33	-	1	5	4	9	14
McCormick	-	-	-	-	-	-	-
Marion	2	-	-	-	-	1	1
Marlboro	-	-	-	-	-	-	-
Newberry	4	-	-	-	1	-	3
Oconee	8	-	-	-	3	-	5
Orangeburg	3	-	-	-	3	-	-
Pickens	8	-	-	2	3	2	1
Richland	30	-	2	2	4	10	12
Saluda	7	-	1	2	-	3	1
Spartanburg	32	-	3	4	7	8	10
Sumter	6	-	-	-	1	2	3
Union	1	-	-	-	-	1	-
Williamsburg	-	-	-	-	-	-	-
York	7	-	1	-	-	3	3
Unknown	-	-	-	-	-	-	-

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2013, there were 26,794 live births to resident unmarried mothers in South Carolina, representing 47.1 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table C-20, females under age 20 accounted for 16.2 percent of all live births to unmarried mothers in 2013.

Table C-20.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2009-2013
(Residence Data)

Age of Mother	2009	2010	2011	2012	2013
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.3	0.4	0.3	0.2	0.2
15-19 Years	23.6	22.3	20.1	18.5	16.2
20-24 Years	40.2	40.2	41.1	41.4	41.2
25-29 Years	22.0	22.5	22.7	23.1	24.2
30 Years and Older	13.9	14.6	15.8	16.7	18.2

Figure C-6.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2013
(Residence Data)




Table C-21.
Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	26,754 *	47.1	10,205	30.8	14,238	74.0	2,298	52.7
Abbeville	144	55.6	69	40.4	71	85.5	4	80.0
Aiken	816 *	46.7	364	33.5	399	71.9	48	48.0
Allendale	73	80.2	2	20.0	67	89.3	4	66.7
Anderson	1,050	45.9	647	37.4	367	77.9	36	43.9
Bamberg	114	70.8	13	30.2	100	86.2	1	50.0
Barnwell	208	66.0	55	41.7	149	84.7	4	57.1
Beaufort	786	37.8	226	20.5	353	63.8	207	49.2
Berkeley	979	37.5	470	27.8	424	62.3	85	36.3
Calhoun	67	48.2	22	30.6	44	72.1	1	16.7
Charleston	1,907	40.0	474	17.0	1,260	77.9	173	47.9
Cherokee	365	57.3	208	47.6	138	85.2	19	50.0
Chester	259	69.4	102	52.3	154	89.5	3	50.0
Chesterfield	304	58.1	124	42.6	168	82.4	12	42.9
Clarendon	217	62.0	51	37.8	150	78.5	16	69.6
Colleton	288	65.6	97	46.4	177	85.1	14	63.6
Darlington	475	62.8	163	43.7	303	82.3	9	60.0
Dillon	323	70.7	90	50.0	221	85.0	12	70.6
Dorchester	683	37.8	313	26.7	331	63.5	39	33.9
Edgefield	148 *	58.3	42	33.3	94	83.9	11	84.6
Fairfield	156	65.3	29	37.2	126	79.2	1	50.0
Florence	956	55.7	241	32.0	677	75.2	38	60.3
Georgetown	347	56.7	103	33.2	220	81.8	24	72.7
Greenville	2,361 *	39.1	976	25.2	975	68.8	409	54.5
Greenwood	522	57.9	168	36.8	297	83.0	57	66.3
Hampton	148	65.8	36	42.9	105	80.2	7	77.8
Horry	1,597 *	50.4	928	41.8	475	74.0	192	62.5
Jasper	212	67.9	44	47.8	123	80.4	45	67.2
Kershaw	310	46.8	145	33.3	147	76.2	18	58.1
Lancaster	413	44.9	207	33.2	184	72.2	22	53.7
Laurens	438	60.2	213	47.0	193	87.3	32	61.5
Lee	125	64.4	14	26.9	111	81.0	-	0
Lexington	1,258 *	38.7	683	29.6	417	63.9	156	55.3
McCormick	28	70.0	5	41.7	22	81.5	1	100.0
Marion	285	71.8	53	46.9	224	82.7	8	61.5
Marlboro	234	76.2	63	58.9	170	85.9	1	50.0
Newberry	260	57.4	73	33.3	153	85.0	34	63.0
Oconee	286	40.7	219	37.0	40	72.7	27	48.2
Orangeburg	797	71.1	125	41.3	645	82.2	27	81.8
Pickens	432	37.2	346	34.1	62	60.8	24	55.8
Richland	2,323 *	48.4	323	18.7	1,826	66.7	172	53.1
Saluda	103	48.8	23	25.6	37	84.1	43	55.8
Spartanburg	1,609	46.0	754	33.1	698	76.9	157	50.8
Sumter	756	49.5	174	25.8	551	71.4	31	38.8
Union	199	64.2	100	50.8	94	90.4	5	55.6
Williamsburg	219	70.0	46	43.0	171	84.7	2	50.0
York	1,173	40.6	581	29.4	525	66.8	67	53.6
Unknown	1	16.7	1	33.3	-	0	-	0

* Includes unknown race

Table C-22.
Live Births to Unmarried Mothers by Age Group
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	26,754 *	52	4,328	11,024	6,481	3,297	1,296	265	10	1
Abbeville	144	1	28	70	30	12	3	-	-	-
Aiken	816 *	2	145	342	181	99	38	9	-	-
Allendale	73	-	17	26	17	9	4	-	-	-
Anderson	1,050	4	236	463	194	104	40	9	-	-
Bamberg	114	-	25	43	32	9	3	2	-	-
Barnwell	208	-	34	76	62	23	11	2	-	-
Beaufort	786	2	115	295	209	107	47	10	1	-
Berkeley	979	-	130	408	251	127	47	16	-	-
Calhoun	67	-	8	30	8	8	11	2	-	-
Charleston	1,907	3	201	733	541	299	103	26	1	-
Cherokee	365	1	83	158	70	38	10	5	-	-
Chester	259	-	47	124	52	28	8	-	-	-
Chesterfield	304	-	48	125	75	35	19	2	-	-
Clarendon	217	1	43	89	52	26	6	-	-	-
Colleton	288	-	60	125	67	25	11	-	-	-
Darlington	475	-	96	194	119	48	13	5	-	-
Dillon	323	1	60	139	87	29	7	-	-	-
Dorchester	683	-	98	250	197	94	35	9	-	-
Edgefield	148 *	-	30	55	40	17	6	-	-	-
Fairfield	156	-	33	68	28	16	10	1	-	-
Florence	956	3	127	409	238	117	50	11	1	-
Georgetown	347	-	48	143	83	51	18	4	-	-
Greenville	2,361 *	7	373	935	593	304	121	27	1	-
Greenwood	522	2	103	233	118	39	24	3	-	-
Hampton	148	-	25	69	30	16	7	1	-	-
Horry	1,597 *	-	261	605	383	251	76	20	1	-
Jasper	212	-	44	77	43	38	9	1	-	-
Kershaw	310	-	50	144	69	35	10	2	-	-
Lancaster	413	1	77	165	111	37	18	4	-	-
Laurens	438	3	78	221	92	30	11	2	1	-
Lee	125	-	18	46	37	18	6	-	-	-
Lexington	1,258 *	-	216	510	308	135	72	16	1	-
McCormick	28	-	5	12	7	4	-	-	-	-
Marion	285	-	47	126	64	38	9	-	1	-
Marlboro	234	-	43	102	50	29	9	-	1	-
Newberry	260	1	38	105	65	33	14	4	-	-
Oconee	286	1	55	135	58	27	8	2	-	-
Orangeburg	797	1	123	310	206	101	50	6	-	-
Pickens	432	2	107	179	80	44	19	1	-	-
Richland	2,323 *	6	291	913	580	350	155	28	-	-
Saluda	103	-	14	35	27	19	7	1	-	-
Spartanburg	1,609	5	290	713	353	171	65	12	-	-
Sumter	756	1	106	348	195	64	37	5	-	-
Union	199	1	41	85	43	23	4	2	-	-
Williamsburg	219	-	17	97	57	30	16	2	-	-
York	1,173	3	194	494	279	140	49	13	1	-
Unknown	1	-	-	-	-	-	-	-	-	1

*Includes unknown race

Table C-22A.
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	10,205	19	1,966	4,278	2,313	1,103	414	107	4	1
Abbeville	69	-	15	39	11	4	-	-	-	-
Aiken	364	-	77	155	80	37	11	4	-	-
Allendale	2	-	-	-	1	-	1	-	-	-
Anderson	647	1	154	291	122	53	21	5	-	-
Bamberg	13	-	7	3	2	-	1	-	-	-
Barnwell	55	-	11	24	17	2	-	1	-	-
Beaufort	226	-	29	83	68	30	12	3	1	-
Berkeley	470	-	72	189	121	57	22	9	-	-
Calhoun	22	-	2	9	3	3	5	-	-	-
Charleston	474	-	51	159	122	87	42	13	-	-
Cherokee	208	1	54	90	35	23	3	2	-	-
Chester	102	-	21	49	22	8	2	-	-	-
Chesterfield	124	-	23	59	27	9	4	2	-	-
Clarendon	51	-	12	22	11	6	-	-	-	-
Colleton	97	-	24	44	16	7	6	-	-	-
Darlington	163	-	32	75	39	11	5	1	-	-
Dillon	90	-	25	34	24	6	1	-	-	-
Dorchester	313	-	45	125	80	42	16	5	-	-
Edgefield	42	-	14	13	11	3	1	-	-	-
Fairfield	29	-	8	10	4	5	1	1	-	-
Florence	241	1	35	108	55	29	11	2	-	-
Georgetown	103	-	17	50	18	14	4	-	-	-
Greenville	976	4	189	396	219	116	41	11	-	-
Greenwood	168	1	39	74	38	11	5	-	-	-
Hampton	36	-	7	19	6	3	1	-	-	-
Horry	928	-	160	352	231	129	44	11	1	-
Jasper	44	-	10	21	6	7	-	-	-	-
Kershaw	145	-	29	67	30	12	7	-	-	-
Lancaster	207	1	45	83	52	19	6	1	-	-
Laurens	213	1	52	100	41	14	3	2	-	-
Lee	14	-	1	6	3	4	-	-	-	-
Lexington	683	-	132	287	162	66	26	9	1	-
McCormick	5	-	1	4	-	-	-	-	-	-
Marion	53	-	11	20	14	8	-	-	-	-
Marlboro	63	-	14	27	16	6	-	-	-	-
Newberry	73	-	12	38	13	6	3	1	-	-
Oconee	219	1	47	104	41	20	5	1	-	-
Orangeburg	125	-	23	55	30	10	6	1	-	-
Pickens	346	2	89	146	67	29	12	1	-	-
Richland	323	2	41	123	81	41	28	7	-	-
Saluda	23	-	4	6	9	4	-	-	-	-
Spartanburg	754	4	170	330	147	74	24	5	-	-
Sumter	174	-	30	83	43	10	7	1	-	-
Union	100	-	25	42	21	7	3	2	-	-
Williamsburg	46	-	3	22	16	5	-	-	-	-
York	581	-	104	242	138	66	24	6	1	-
Unknown	1	-	-	-	-	-	-	-	-	1

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	14,238	30	2,001	6,080	3,565	1,743	696	120	3	-
Abbeville	71	1	11	30	19	8	2	-	-	-
Aiken	399	2	59	166	92	50	27	3	-	-
Allendale	67	-	15	25	16	8	3	-	-	-
Anderson	367	3	78	160	63	42	17	4	-	-
Bamberg	100	-	18	40	29	9	2	2	-	-
Barnwell	149	-	23	52	43	19	11	1	-	-
Beaufort	353	-	54	156	86	38	16	3	-	-
Berkeley	424	-	48	185	113	52	20	6	-	-
Calhoun	44	-	6	20	5	5	6	2	-	-
Charleston	1,260	3	133	542	355	172	48	7	-	-
Cherokee	138	-	25	64	30	13	3	3	-	-
Chester	154	-	25	74	30	20	5	-	-	-
Chesterfield	168	-	21	64	45	24	14	-	-	-
Clarendon	150	1	28	61	37	18	5	-	-	-
Colleton	177	-	35	74	48	16	4	-	-	-
Darlington	303	-	61	119	77	34	8	4	-	-
Dillon	221	1	33	101	61	19	6	-	-	-
Dorchester	331	-	49	116	100	45	17	4	-	-
Edgefield	94	-	14	38	28	11	3	-	-	-
Fairfield	126	-	25	57	24	11	9	-	-	-
Florence	677	2	84	290	172	84	37	7	1	-
Georgetown	220	-	29	87	58	31	12	3	-	-
Greenville	975	2	127	419	259	109	50	9	-	-
Greenwood	297	1	51	143	68	20	12	2	-	-
Hampton	105	-	17	50	22	9	6	1	-	-
Horry	475	-	69	207	104	70	21	4	-	-
Jasper	123	-	24	43	29	22	5	-	-	-
Kershaw	147	-	16	70	38	19	2	2	-	-
Lancaster	184	-	28	79	49	15	10	3	-	-
Laurens	193	2	18	110	44	13	6	-	-	-
Lee	111	-	17	40	34	14	6	-	-	-
Lexington	417	-	57	172	109	48	26	5	-	-
McCormick	22	-	4	8	6	4	-	-	-	-
Marion	224	-	35	104	47	29	8	-	1	-
Marlboro	170	-	29	74	34	23	9	-	1	-
Newberry	153	1	22	59	46	20	4	1	-	-
Oconee	40	-	1	21	9	5	3	1	-	-
Orangeburg	645	1	97	248	168	86	41	4	-	-
Pickens	62	-	11	26	9	12	4	-	-	-
Richland	1,826	4	223	736	459	273	111	20	-	-
Saluda	37	-	4	17	7	4	4	1	-	-
Spartanburg	698	1	91	333	161	75	30	7	-	-
Sumter	551	1	73	255	145	47	27	3	-	-
Union	94	1	16	41	21	14	1	-	-	-
Williamsburg	171	-	14	75	40	25	15	2	-	-
York	525	3	83	229	126	58	20	6	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,298	3	357	663	600	448	186	38	3	-
Abbeville	4	-	2	1	-	-	1	-	-	-
Aiken	48	-	7	21	7	11	-	2	-	-
Allendale	4	-	2	1	-	1	-	-	-	-
Anderson	36	-	4	12	9	9	2	-	-	-
Bamberg	1	-	-	-	1	-	-	-	-	-
Barnwell	4	-	-	-	2	2	-	-	-	-
Beaufort	207	2	32	56	55	39	19	4	-	-
Berkeley	85	-	10	34	17	18	5	1	-	-
Calhoun	1	-	-	1	-	-	-	-	-	-
Charleston	173	-	17	32	64	40	13	6	1	-
Cherokee	19	-	4	4	5	2	4	-	-	-
Chester	3	-	1	1	-	-	1	-	-	-
Chesterfield	12	-	4	2	3	2	1	-	-	-
Clarendon	16	-	3	6	4	2	1	-	-	-
Colleton	14	-	1	7	3	2	1	-	-	-
Darlington	9	-	3	-	3	3	-	-	-	-
Dillon	12	-	2	4	2	4	-	-	-	-
Dorchester	39	-	4	9	17	7	2	-	-	-
Edgefield	11	-	1	4	1	3	2	-	-	-
Fairfield	1	-	-	1	-	-	-	-	-	-
Florence	38	-	8	11	11	4	2	2	-	-
Georgetown	24	-	2	6	7	6	2	1	-	-
Greenville	409	1	57	119	115	79	30	7	1	-
Greenwood	57	-	13	16	12	8	7	1	-	-
Hampton	7	-	1	-	2	4	-	-	-	-
Horry	192	-	32	44	48	52	11	5	-	-
Jasper	45	-	10	13	8	9	4	1	-	-
Kershaw	18	-	5	7	1	4	1	-	-	-
Lancaster	22	-	4	3	10	3	2	-	-	-
Laurens	32	-	8	11	7	3	2	-	1	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	156	-	27	51	36	20	20	2	-	-
McCormick	1	-	-	-	1	-	-	-	-	-
Marion	8	-	1	2	3	1	1	-	-	-
Marlboro	1	-	-	1	-	-	-	-	-	-
Newberry	34	-	4	8	6	7	7	2	-	-
Oconee	27	-	7	10	8	2	-	-	-	-
Orangeburg	27	-	3	7	8	5	3	1	-	-
Pickens	24	-	7	7	4	3	3	-	-	-
Richland	172	-	26	54	40	35	16	1	-	-
Saluda	43	-	6	12	11	11	3	-	-	-
Spartanburg	157	-	29	50	45	22	11	-	-	-
Sumter	31	-	3	10	7	7	3	1	-	-
Union	5	-	-	2	1	2	-	-	-	-
Williamsburg	2	-	-	-	1	-	1	-	-	-
York	67	-	7	23	15	16	5	1	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races, the highest percentage of births weighed between 3,000-3,499 grams. However, the median birthweight for non-hispanic whites was the greatest, followed by hispanic and non-hispanic black and other. Figure C-7 illustrates the birthweight distribution by race.

Table C-23.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2013
(Residence Data)

Weight Group	Total		Non-Hispanic White		Non-Hispanic Black & Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	56,743	100.0	33,082	100.0	19,248	100.0	4,360	100.0
Less Than 2,500 grams	5,498	9.7	2,513	7.6	2,682	13.9	296	6.8
Under 500 grams	118	0.2	51	0.2	61	0.3	4	0.1
500-999 grams	390	0.7	143	0.4	226	1.2	21	0.5
1,000-1,499 grams	561	1.0	220	0.7	304	1.6	37	0.8
1,500-1,999 grams	1,095	1.9	522	1.6	518	2.7	55	1.3
2,000-2,499 grams	3,334	5.9	1,577	4.8	1,573	8.2	179	4.1
2,500 or More grams	51,195	90.2	30,541	92.3	16,547	86.0	4,064	93.2
Unknown Weight	50	0.1	28	0.1	19	0.1		

Figure C-7.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2013
(Residence Data)




Table C-24.
Live Births by Birthweight, Age and Race of Mother
South Carolina, 2013
(Residence Data)

Age and Race	Birthweight						
	Total Births	< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000 + Grams	Not Stated
South Carolina	56,743 *	118	951	4,429	51,139	56	50
Non-Hispanic White	33,082	51	363	2,099	30,502	39	28
Non-Hispanic Black/Other	19,248	61	530	2,091	16,536	11	19
Hispanic	4,360	4	58	234	4,058	6	-
Under 15 Years	52	-	2	6	44	-	-
Non-Hispanic White	19	-	1	1	17	-	-
Non-Hispanic Black/Other	30	-	1	5	24	-	-
Hispanic	3	-	-	-	3	-	-
15-19 Years	4,759 *	8	71	439	4,233	2	6
Non-Hispanic White	2,286	2	32	171	2,075	2	4
Non-Hispanic Black/Other	2,041	4	34	249	1,753	-	1
Hispanic	428	-	5	19	404	-	-
20-24 Years	15,612 *	34	249	1,303	14,004	11	11
Non-Hispanic White	7,789	10	75	509	7,182	7	6
Non-Hispanic Black/Other	6,765	24	161	748	5,825	2	5
Hispanic	1,047	-	13	45	987	2	-
25-34 Years	29,701 *	61	479	2,114	26,992	29	26
Non-Hispanic White	18,844	32	193	1,120	17,466	19	14
Non-Hispanic Black/Other	8,554	26	259	872	7,378	7	12
Hispanic	2,279	3	27	120	2,126	3	-
35-44 Years	6,562 *	14	150	562	5,815	14	7
Non-Hispanic White	4,106	6	62	295	3,728	11	4
Non-Hispanic Black/Other	1,845	7	75	216	1,544	2	1
Hispanic	598	1	13	49	534	1	-
45 and Over	55	1	-	5	49	-	-
Non-Hispanic White	37	1	-	3	33	-	-
Non-Hispanic Black/Other	13	-	-	1	12	-	-
Hispanic	5	-	-	1	4	-	-
Not Stated	2 *	-	-	-	2	-	-
Non-Hispanic White	1	-	-	-	1	-	-
Non-Hispanic Black/Other	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

Table C-25.
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000+ Grams	Unknown
South Carolina	56,743 *	118	951	4,429	51,139	56	50
Non-Hispanic White	33,082	51	363	2,099	30,502	39	28
Non-Hispanic Black/Other	19,248	61	530	2,091	16,536	11	19
Hispanic	4,360	4	58	234	4,058	6	-
Abbeville	259	1	5	20	233	-	-
Non-Hispanic White	171	1	4	8	158	-	-
Non-Hispanic Black/Other	83	-	1	12	70	-	-
Hispanic	5	-	-	-	5	-	-
Aiken	1,749 *	9	17	144	1,554	-	25
Non-Hispanic White	1,087	1	11	78	984	-	13
Non-Hispanic Black/Other	555	6	6	58	473	-	12
Hispanic	100	-	-	7	93	-	-
Allendale	91	-	1	5	85	-	-
Non-Hispanic White	10	-	-	-	10	-	-
Non-Hispanic Black/Other	75	-	1	5	69	-	-
Hispanic	6	-	-	-	6	-	-
Anderson	2,286 *	2	47	183	2,050	3	1
Non-Hispanic White	1,731	2	31	120	1,574	3	1
Non-Hispanic Black/Other	471	-	14	61	396	-	-
Hispanic	82	-	2	2	78	-	-
Bamberg	161	-	3	14	144	-	-
Non-Hispanic White	43	-	-	3	40	-	-
Non-Hispanic Black/Other	116	-	3	11	102	-	-
Hispanic	2	-	-	-	2	-	-
Barnwell	315	3	8	30	273	-	1
Non-Hispanic White	132	1	1	4	125	-	1
Non-Hispanic Black/Other	176	2	7	26	141	-	-
Hispanic	7	-	-	-	7	-	-
Beaufort	2,077 *	-	38	156	1,880	2	1
Non-Hispanic White	1,102	-	8	72	1,019	2	1
Non-Hispanic Black/Other	553	-	24	65	464	-	-
Hispanic	421	-	6	19	396	-	-
Berkeley	2,608 *	6	31	180	2,388	3	-
Non-Hispanic White	1,691	-	12	101	1,575	3	-
Non-Hispanic Black/Other	681	6	19	71	585	-	-
Hispanic	234	-	-	8	226	-	-
Calhoun	139	-	3	11	125	-	-
Non-Hispanic White	72	-	1	3	68	-	-
Non-Hispanic Black/Other	61	-	1	8	52	-	-
Hispanic	6	-	1	-	5	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Charleston	4,764 *	6	89	358	4,309	2	-
Non-Hispanic White	2,782	2	35	155	2,589	1	-
Non-Hispanic Black/Other	1,617	4	50	182	1,380	1	-
Hispanic	361	-	4	21	336	-	-
Cherokee	637	-	7	60	569	1	-
Non-Hispanic White	437	-	4	45	387	1	-
Non-Hispanic Black/Other	162	-	3	14	145	-	-
Hispanic	38	-	-	1	37	-	-
Chester	373	1	5	53	314	-	-
Non-Hispanic White	195	-	3	30	162	-	-
Non-Hispanic Black/Other	172	1	2	22	147	-	-
Hispanic	6	-	-	1	5	-	-
Chesterfield	523	1	10	48	463	1	-
Non-Hispanic White	291	1	6	19	264	1	-
Non-Hispanic Black/Other	204	-	3	28	173	-	-
Hispanic	28	-	1	1	26	-	-
Clarendon	350 *	2	11	30	306	1	-
Non-Hispanic White	135	2	4	7	122	-	-
Non-Hispanic Black/Other	191	-	7	23	161	-	-
Hispanic	23	-	-	-	22	1	-
Colleton	439	2	8	38	390	-	1
Non-Hispanic White	209	1	2	8	198	-	-
Non-Hispanic Black/Other	208	1	6	29	171	-	1
Hispanic	22	-	-	1	21	-	-
Darlington	756	2	17	77	659	1	-
Non-Hispanic White	373	-	7	26	340	-	-
Non-Hispanic Black/Other	368	2	10	51	305	-	-
Hispanic	15	-	-	-	14	1	-
Dillon	457	-	7	42	408	-	-
Non-Hispanic White	180	-	-	13	167	-	-
Non-Hispanic Black/Other	260	-	7	29	224	-	-
Hispanic	17	-	-	-	17	-	-
Dorchester	1,809 *	2	21	137	1,646	2	1
Non-Hispanic White	1,171	2	7	73	1,087	1	1
Non-Hispanic Black/Other	521	-	13	56	451	1	-
Hispanic	115	-	1	7	107	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Edgefield	254 *	-	5	19	227	1	2
Non-Hispanic White	126	-	-	8	116	1	1
Non-Hispanic Black/Other	112	-	5	11	96	-	-
Hispanic	13	-	-	-	13	-	-
Fairfield	239	-	5	27	206	1	-
Non-Hispanic White	78	-	-	10	67	1	-
Non-Hispanic Black/Other	159	-	5	17	137	-	-
Hispanic	2	-	-	-	2	-	-
Florence	1,717 *	5	47	153	1,508	4	-
Non-Hispanic White	752	1	4	49	695	3	-
Non-Hispanic Black/Other	900	4	40	101	754	1	-
Hispanic	63	-	3	3	57	-	-
Georgetown	612	-	9	50	552	1	-
Non-Hispanic White	310	-	1	24	285	-	-
Non-Hispanic Black/Other	269	-	7	26	235	1	-
Hispanic	33	-	1	-	32	-	-
Greenville	6,039 *	17	73	397	5,540	6	6
Non-Hispanic White	3,867	7	37	214	3,597	6	6
Non-Hispanic Black/Other	1,417	8	31	135	1,243	-	-
Hispanic	751	2	5	48	696	-	-
Greenwood	901	5	13	80	802	1	-
Non-Hispanic White	457	2	3	35	417	-	-
Non-Hispanic Black/Other	358	3	8	34	312	1	-
Hispanic	86	-	2	11	73	-	-
Hampton	225 *	-	10	26	188	-	1
Non-Hispanic White	84	-	5	9	70	-	-
Non-Hispanic Black/Other	131	-	5	17	109	-	-
Hispanic	9	-	-	-	9	-	-
Horry	3,170 *	5	39	283	2,837	5	1
Non-Hispanic White	2,218	2	15	192	2,005	3	1
Non-Hispanic Black/Other	642	2	20	74	545	1	-
Hispanic	307	1	4	17	284	1	-
Jasper	312	1	5	28	278	-	-
Non-Hispanic White	92	1	-	8	83	-	-
Non-Hispanic Black/Other	153	-	5	15	133	-	-
Hispanic	67	-	-	5	62	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Kershaw	662 *	3	6	40	613	-	-
Non-Hispanic White	435	2	3	17	413	-	-
Non-Hispanic Black/Other	193	1	2	23	167	-	-
Hispanic	31	-	1	-	30	-	-
Lancaster	919	1	16	69	833	-	-
Non-Hispanic White	623	1	5	29	588	-	-
Non-Hispanic Black/Other	255	-	11	38	206	-	-
Hispanic	41	-	-	2	39	-	-
Laurens	727 *	2	17	39	668	-	1
Non-Hispanic White	453	-	10	22	420	-	1
Non-Hispanic Black/Other	221	2	7	17	195	-	-
Hispanic	52	-	-	-	52	-	-
Lee	194	-	5	17	172	-	-
Non-Hispanic White	52	-	-	3	49	-	-
Non-Hispanic Black/Other	137	-	3	14	120	-	-
Hispanic	5	-	2	-	3	-	-
Lexington	3,250 *	3	61	245	2,936	5	-
Non-Hispanic White	2,311	3	34	155	2,116	3	-
Non-Hispanic Black/Other	653	-	22	72	559	-	-
Hispanic	282	-	5	18	257	2	-
McCormick	40	-	-	3	37	-	-
Non-Hispanic White	12	-	-	-	12	-	-
Non-Hispanic Black/Other	27	-	-	3	24	-	-
Hispanic	1	-	-	-	1	-	-
Marion	397	2	10	29	356	-	-
Non-Hispanic White	113	-	-	7	106	-	-
Non-Hispanic Black/Other	271	2	8	21	240	-	-
Hispanic	13	-	2	1	10	-	-
Marlboro	307	-	4	25	278	-	-
Non-Hispanic White	107	-	1	8	98	-	-
Non-Hispanic Black/Other	198	-	3	17	178	-	-
Hispanic	2	-	-	-	2	-	-
Newberry	453	1	7	49	396	-	-
Non-Hispanic White	219	-	2	13	204	-	-
Non-Hispanic Black/Other	180	1	4	29	146	-	-
Hispanic	54	-	1	7	46	-	-
Oconee	703	1	14	41	646	1	-
Non-Hispanic White	592	1	9	38	544	-	-
Non-Hispanic Black/Other	55	-	1	3	50	1	-
Hispanic	56	-	4	-	52	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Orangeburg	1,121	5	31	92	991	1	1
Non-Hispanic White	303	-	3	18	281	1	-
Non-Hispanic Black/Other	785	4	28	74	678	-	1
Hispanic	33	1	-	-	32	-	-
Pickens	1,160 *	-	10	85	1,065	-	-
Non-Hispanic White	1,014	-	10	71	933	-	-
Non-Hispanic Black/Other	102	-	-	10	92	-	-
Hispanic	43	-	-	4	39	-	-
Richland	4,798 *	16	105	415	4,255	5	2
Non-Hispanic White	1,730	8	19	101	1,599	3	-
Non-Hispanic Black/Other	2,739	8	78	296	2,353	2	2
Hispanic	324	-	8	18	298	-	-
Saluda	211	-	3	17	191	-	-
Non-Hispanic White	90	-	2	8	80	-	-
Non-Hispanic Black/Other	44	-	1	5	38	-	-
Hispanic	77	-	-	4	73	-	-
Spartanburg	3,495 *	3	41	257	3,188	4	2
Non-Hispanic White	2,275	3	26	136	2,105	4	1
Non-Hispanic Black/Other	908	-	14	103	790	-	1
Hispanic	309	-	1	16	292	-	-
Sumter	1,526	1	27	116	1,379	2	1
Non-Hispanic White	674	-	5	36	633	-	-
Non-Hispanic Black/Other	772	1	22	76	670	2	1
Hispanic	80	-	-	4	76	-	-
Union	310	1	4	28	277	-	-
Non-Hispanic White	197	1	3	17	176	-	-
Non-Hispanic Black/Other	104	-	-	10	94	-	-
Hispanic	9	-	1	1	7	-	-
Williamsburg	313	-	8	34	271	-	-
Non-Hispanic White	107	-	2	13	92	-	-
Non-Hispanic Black/Other	202	-	6	21	175	-	-
Hispanic	4	-	-	-	4	-	-
York	2,889 *	9	48	177	2,650	3	2
Non-Hispanic White	1,976	6	28	92	1,847	2	1
Non-Hispanic Black/Other	786	3	17	78	687	-	1
Hispanic	125	-	3	7	114	1	-
Unknown	6 *	-	-	2	3	-	1
Non-Hispanic White	3	-	-	1	2	-	-
Non-Hispanic Black/Other	1	-	-	-	1	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.7 percent of the 56,743 resident births in 2013. In relation to age of mother, low weight births were comparatively frequent among very young mothers. In year 2013, 10.9 percent of all lives births to mothers 15-19 were low weight. Only 8.9 percent of all live births to mothers 25-34 were low weight.

Figure C-8
Percent* of Live Births Less than 2,500 Grams by Age and Race of Mother
South Carolina, 2013
(Residence Data)




Table C-26.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2013
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 +
Total	15.4	10.9	10.2	8.9	11.1	10.9
Non-Hispanic White	10.5	9.0	7.6	7.1	8.8	10.8
Non-Hispanic Black & Other	20.0	14.1	13.8	13.5	16.2	7.7
Hispanic	0.0	5.6	5.5	6.6	10.5	20.0

* Percentages are based on total live births within each age group

Table C-27.
 Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	5,498 *	9.7	2,513	7.6	2,682	13.9	296	6.8
Abbeville	26	10.0	13	7.6	13	15.7	-	0
Aiken	170 *	9.7	90	8.3	70	12.6	7	7.0
Allendale	6	6.6	-	0	6	8.0	-	0
Anderson	232	10.1	153	8.8	75	15.9	4	4.9
Bamberg	17	10.6	3	7.0	14	12.1	-	0
Barnwell	41	13.0	6	4.5	35	19.9	-	0
Beaufort	194	9.3	80	7.3	89	16.1	25	5.9
Berkeley	217	8.3	113	6.7	96	14.1	8	3.4
Calhoun	14	10.1	4	5.6	9	14.8	1	16.7
Charleston	453	9.5	192	6.9	236	14.6	25	6.9
Cherokee	67	10.5	49	11.2	17	10.5	1	2.6
Chester	59	15.8	33	16.9	25	14.5	1	16.7
Chesterfield	59	11.3	26	8.9	31	15.2	2	7.1
Clarendon	43	12.3	13	9.6	30	15.7	-	0
Colleton	48	10.9	11	5.3	36	17.3	1	4.5
Darlington	96	12.7	33	8.8	63	17.1	-	0
Dillon	49	10.7	13	7.2	36	13.8	-	0
Dorchester	160 *	8.8	82	7.0	69	13.2	8	7.0
Edgefield	24	9.4	8	6.3	16	14.3	-	0
Fairfield	32	13.4	10	12.8	22	13.8	-	0
Florence	205	11.9	54	7.2	145	16.1	6	9.5
Georgetown	59	9.6	25	8.1	33	12.3	1	3.0
Greenville	487	8.1	258	6.7	174	12.3	55	7.3
Greenwood	98	10.9	40	8.8	45	12.6	13	15.1
Hampton	36	16.0	14	16.7	22	16.8	-	0
Horry	327	10.3	209	9.4	96	15.0	22	7.2
Jasper	34	10.9	9	9.8	20	13.1	5	7.5
Kershaw	49	7.4	22	5.1	26	13.5	1	3.2
Lancaster	86	9.4	35	5.6	49	19.2	2	4.9
Laurens	58	8.0	32	7.1	26	11.8	-	0
Lee	22	11.3	3	5.8	17	12.4	2	40.0
Lexington	309	9.5	192	8.3	94	14.4	23	8.2
McCormick	3	7.5	-	0	3	11.1	-	0
Marion	41	10.3	7	6.2	31	11.4	3	23.1
Marlboro	29	9.4	9	8.4	20	10.1	-	0
Newberry	57	12.6	15	6.8	34	18.9	8	14.8
Oconee	56	8.0	48	8.1	4	7.3	4	7.1
Orangeburg	128	11.4	21	6.9	106	13.5	1	3.0
Pickens	95	8.2	81	8.0	10	9.8	4	9.3
Richland	536	11.2	128	7.4	382	13.9	26	8.0
Saluda	20	9.5	10	11.1	6	13.6	4	5.2
Spartanburg	301 *	8.6	165	7.3	117	12.9	17	5.5
Sumter	144	9.4	41	6.1	99	12.8	4	5.0
Union	33	10.6	21	10.7	10	9.6	2	22.2
Williamsburg	42	13.4	15	14.0	27	13.4	-	0
York	234	8.1	126	6.4	98	12.5	10	8.0
Unknown	2 *	33.3	1	33.3	-	0	-	0

¹ Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28.
 Low Weight¹ Live Births by Age of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	5,498 *	8	518	1,586	1,465	1,189	596	130	6	-
Abbeville	26	-	-	8	6	9	2	1	-	-
Aiken	170 *	1	28	56	39	31	13	2	-	-
Allendale	6	-	-	4	1	1	-	-	-	-
Anderson	232	-	26	67	68	42	21	8	-	-
Bamberg	17	-	5	6	6	-	-	-	-	-
Barnwell	41	-	3	18	13	5	2	-	-	-
Beaufort	194	-	15	51	39	52	33	4	-	-
Berkeley	217	-	17	57	75	38	26	4	-	-
Calhoun	14	-	2	5	3	2	1	1	-	-
Charleston	453	-	29	98	116	137	58	14	1	-
Cherokee	67	-	2	24	20	16	3	2	-	-
Chester	59	-	9	21	19	9	1	-	-	-
Chesterfield	59	-	1	25	15	12	4	2	-	-
Clarendon	43	-	6	14	16	6	1	-	-	-
Colleton	48	-	8	20	14	5	1	-	-	-
Darlington	96	-	15	28	27	17	7	2	-	-
Dillon	49	1	5	24	13	4	2	-	-	-
Dorchester	160 *	-	13	28	43	53	17	6	-	-
Edgefield	24	-	-	7	9	7	1	-	-	-
Fairfield	32	-	3	9	12	6	2	-	-	-
Florence	205	1	8	71	55	39	27	4	-	-
Georgetown	59	-	9	17	12	11	9	1	-	-
Greenville	487	2	43	114	129	118	60	19	2	-
Greenwood	98	-	19	33	19	16	11	-	-	-
Hampton	36	-	1	15	11	7	-	2	-	-
Horry	327	-	35	88	89	82	30	3	-	-
Jasper	34	-	8	12	7	6	1	-	-	-
Kershaw	49	-	11	12	19	4	3	-	-	-
Lancaster	86	-	9	23	21	16	12	5	-	-
Laurens	58	1	4	29	15	8	1	-	-	-
Lee	22	-	4	8	5	4	1	-	-	-
Lexington	309	-	22	74	87	77	43	6	-	-
McCormick	3	-	-	1	1	1	-	-	-	-
Marion	41	-	7	11	14	5	4	-	-	-
Marlboro	29	-	3	14	8	4	-	-	-	-
Newberry	57	-	5	15	22	6	8	1	-	-
Oconee	56	-	4	22	17	7	3	3	-	-
Orangeburg	128	1	22	31	37	21	15	1	-	-
Pickens	95	-	12	31	22	21	7	2	-	-
Richland	536	-	41	142	124	128	80	18	3	-
Saluda	20	-	1	5	6	5	2	1	-	-
Spartanburg	301 *	-	26	92	75	65	38	5	-	-
Sumter	144	-	12	61	36	21	8	6	-	-
Union	33	-	6	11	6	7	2	1	-	-
Williamsburg	42	-	1	12	15	4	9	1	-	-
York	234	1	18	70	59	54	27	5	-	-
Unknown	2 *	-	-	2	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28A.
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,513	2	205	594	687	658	298	65	4	-
Abbeville	13	-	-	4	4	4	1	-	-	-
Aiken	90	-	13	28	22	18	8	1	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	153	-	11	37	53	31	14	7	-	-
Bamberg	3	-	1	-	2	-	-	-	-	-
Barnwell	6	-	-	4	2	-	-	-	-	-
Beaufort	80	-	1	17	19	26	16	1	-	-
Berkeley	113	-	11	25	36	22	15	4	-	-
Calhoun	4	-	-	1	2	1	-	-	-	-
Charleston	192	-	8	18	40	74	41	11	-	-
Cherokee	49	-	1	17	14	14	3	-	-	-
Chester	33	-	3	12	13	4	1	-	-	-
Chesterfield	26	-	-	9	5	10	1	1	-	-
Clarendon	13	-	1	2	8	1	1	-	-	-
Colleton	11	-	3	4	1	2	1	-	-	-
Darlington	33	-	4	8	12	5	4	-	-	-
Dillon	13	-	3	6	3	1	-	-	-	-
Dorchester	82	-	4	14	18	33	8	5	-	-
Edgefield	8	-	-	-	5	3	-	-	-	-
Fairfield	10	-	-	2	2	6	-	-	-	-
Florence	54	-	2	16	14	13	9	-	-	-
Georgetown	25	-	4	7	2	7	4	1	-	-
Greenville	258	1	16	52	69	71	35	12	2	-
Greenwood	40	-	5	14	10	9	2	-	-	-
Hampton	14	-	-	4	7	2	-	1	-	-
Horry	209	-	20	45	62	58	22	2	-	-
Jasper	9	-	2	5	-	2	-	-	-	-
Kershaw	22	-	3	5	11	1	2	-	-	-
Lancaster	35	-	5	7	10	9	4	-	-	-
Laurens	32	1	4	11	10	5	1	-	-	-
Lee	3	-	1	1	1	-	-	-	-	-
Lexington	192	-	11	41	52	56	27	5	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	7	-	2	3	1	1	-	-	-	-
Marlboro	9	-	1	2	4	2	-	-	-	-
Newberry	15	-	1	4	4	1	4	1	-	-
Oconee	48	-	4	19	16	5	3	1	-	-
Orangeburg	21	-	5	5	4	4	3	-	-	-
Pickens	81	-	9	25	20	20	5	2	-	-
Richland	128	-	7	15	33	46	20	5	2	-
Saluda	10	-	1	3	5	1	-	-	-	-
Spartanburg	165	-	17	48	37	38	24	1	-	-
Sumter	41	-	4	18	11	7	-	1	-	-
Union	21	-	6	4	4	4	2	1	-	-
Williamsburg	15	-	-	3	8	1	3	-	-	-
York	126	-	11	28	31	40	14	2	-	-
Unknown	1	-	-	1	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,682	6	287	933	698	459	246	52	1	-
Abbeville	13	-	-	4	2	5	1	1	-	-
Aiken	70	1	10	25	15	13	5	1	-	-
Allendale	6	-	-	4	1	1	-	-	-	-
Anderson	75	-	15	28	14	10	7	1	-	-
Bamberg	14	-	4	6	4	-	-	-	-	-
Barnwell	35	-	3	14	11	5	2	-	-	-
Beaufort	89	-	13	32	10	20	11	3	-	-
Berkeley	96	-	5	29	37	15	10	-	-	-
Calhoun	9	-	2	4	-	1	1	1	-	-
Charleston	236	-	19	75	73	54	14	1	-	-
Cherokee	17	-	1	7	6	1	-	2	-	-
Chester	25	-	6	9	5	5	-	-	-	-
Chesterfield	31	-	1	15	9	2	3	1	-	-
Clarendon	30	-	5	12	8	5	-	-	-	-
Colleton	36	-	5	16	12	3	-	-	-	-
Darlington	63	-	11	20	15	12	3	2	-	-
Dillon	36	1	2	18	10	3	2	-	-	-
Dorchester	69	-	8	12	24	17	7	1	-	-
Edgefield	16	-	-	7	4	4	1	-	-	-
Fairfield	22	-	3	7	10	-	2	-	-	-
Florence	145	1	5	53	39	26	18	3	-	-
Georgetown	33	-	4	10	10	4	5	-	-	-
Greenville	174	1	25	54	40	35	15	4	-	-
Greenwood	45	-	13	18	5	4	5	-	-	-
Hampton	22	-	1	11	4	5	-	1	-	-
Horry	96	-	10	41	22	15	8	-	-	-
Jasper	20	-	6	5	5	4	-	-	-	-
Kershaw	26	-	8	7	7	3	1	-	-	-
Lancaster	49	-	4	16	11	7	8	3	-	-
Laurens	26	-	-	18	5	3	-	-	-	-
Lee	17	-	3	7	4	2	1	-	-	-
Lexington	94	-	9	26	32	16	10	1	-	-
McCormick	3	-	-	1	1	1	-	-	-	-
Marion	31	-	5	8	10	4	4	-	-	-
Marlboro	20	-	2	12	4	2	-	-	-	-
Newberry	34	-	3	10	16	3	2	-	-	-
Oconee	4	-	-	1	1	1	-	1	-	-
Orangeburg	106	1	17	26	33	17	12	-	-	-
Pickens	10	-	1	6	2	1	-	-	-	-
Richland	382	-	33	122	82	75	56	13	1	-
Saluda	6	-	-	2	1	-	2	1	-	-
Spartanburg	117	-	9	39	35	23	8	3	-	-
Sumter	99	-	8	42	24	14	7	4	-	-
Union	10	-	-	7	1	2	-	-	-	-
Williamsburg	27	-	1	9	7	3	6	1	-	-
York	98	1	7	38	27	13	9	3	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	296	-	24	58	79	71	51	12	1	-
Abbeville	-	-	-	-	-	-	-	-	-	-
Aiken	7	-	3	3	1	-	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	4	-	-	2	1	1	-	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-
Beaufort	25	-	1	2	10	6	6	-	-	-
Berkeley	8	-	1	3	2	1	1	-	-	-
Calhoun	1	-	-	-	1	-	-	-	-	-
Charleston	25	-	2	5	3	9	3	2	1	-
Cherokee	1	-	-	-	-	1	-	-	-	-
Chester	1	-	-	-	1	-	-	-	-	-
Chesterfield	2	-	-	1	1	-	-	-	-	-
Clarendon	-	-	-	-	-	-	-	-	-	-
Colleton	1	-	-	-	1	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-
Dorchester	8	-	1	2	1	3	1	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Florence	6	-	1	2	2	-	-	1	-	-
Georgetown	1	-	1	-	-	-	-	-	-	-
Greenville	55	-	2	8	20	12	10	3	-	-
Greenwood	13	-	1	1	4	3	4	-	-	-
Hampton	-	-	-	-	-	-	-	-	-	-
Horry	22	-	5	2	5	9	-	1	-	-
Jasper	5	-	-	2	2	-	1	-	-	-
Kershaw	1	-	-	-	1	-	-	-	-	-
Lancaster	2	-	-	-	-	-	-	2	-	-
Laurens	-	-	-	-	-	-	-	-	-	-
Lee	2	-	-	-	-	2	-	-	-	-
Lexington	23	-	2	7	3	5	6	-	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	3	-	-	-	3	-	-	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-
Newberry	8	-	1	1	2	2	2	-	-	-
Oconee	4	-	-	2	-	1	-	1	-	-
Orangeburg	1	-	-	-	-	-	-	1	-	-
Pickens	4	-	2	-	-	-	2	-	-	-
Richland	26	-	1	5	9	7	4	-	-	-
Saluda	4	-	-	-	-	4	-	-	-	-
Spartanburg	17	-	-	5	3	3	6	-	-	-
Sumter	4	-	-	1	1	-	1	1	-	-
Union	2	-	-	-	1	1	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	10	-	-	4	1	1	4	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-29.
 Very Low Weight¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,069 *	1.9	414	1.3	591	3.1	62	1.4
Abbeville	6	2.3	5	2.9	1	1.2	-	0
Aiken	26 *	1.5	12	1.1	12	2.2	-	0
Allendale	1	1.1	-	0	1	1.3	-	0
Anderson	49	2.1	33	1.9	14	3.0	2	2.4
Bamberg	3	1.9	-	0	3	2.6	-	0
Barnwell	11	3.5	2	1.5	9	5.1	-	0
Beaufort	38	1.8	8	0.7	24	4.3	6	1.4
Berkeley	37	1.4	12	0.7	25	3.7	-	0
Calhoun	3	2.2	1	1.4	1	1.6	1	16.7
Charleston	95	2.0	37	1.3	54	3.3	4	1.1
Cherokee	7	1.1	4	0.9	3	1.9	-	0
Chester	6	1.6	3	1.5	3	1.7	-	0
Chesterfield	11	2.1	7	2.4	3	1.5	1	3.6
Clarendon	13	3.7	6	4.4	7	3.7	-	0
Colleton	10	2.3	3	1.4	7	3.4	-	0
Darlington	19	2.5	7	1.9	12	3.3	-	0
Dillon	7	1.5	-	0	7	2.7	-	0
Dorchester	23	1.3	9	0.8	13	2.5	1	0.9
Edgefield	5	2.0	-	0	5	4.5	-	0
Fairfield	5	2.1	-	0	5	3.1	-	0
Florence	52	3.0	5	0.7	44	4.9	3	4.8
Georgetown	9	1.5	1	0.3	7	2.6	1	3.0
Greenville	90	1.5	44	1.1	39	2.8	7	0.9
Greenwood	18	2.0	5	1.1	11	3.1	2	2.3
Hampton	10	4.4	5	6.0	5	3.8	-	0
Horry	44	1.4	17	0.8	22	3.4	5	1.6
Jasper	6	1.9	1	1.1	5	3.3	-	0
Kershaw	9	1.4	5	1.1	3	1.6	1	3.2
Lancaster	17	1.8	6	1.0	11	4.3	-	0
Laurens	19	2.6	10	2.2	9	4.1	-	0
Lee	5	2.6	-	0	3	2.2	2	40.0
Lexington	64	2.0	37	1.6	22	3.4	5	1.8
McCormick	-	0	-	0	-	0	-	0
Marion	12	3.0	-	0	10	3.7	2	15.4
Marlboro	4	1.3	1	0.9	3	1.5	-	0
Newberry	8	1.8	2	0.9	5	2.8	1	1.9
Oconee	15	2.1	10	1.7	1	1.8	4	7.1
Orangeburg	36	3.2	3	1.0	32	4.1	1	3.0
Pickens	10	0.9	10	1.0	-	0	-	0
Richland	121	2.5	27	1.6	86	3.1	8	2.5
Saluda	3	1.4	2	2.2	1	2.3	-	0
Spartanburg	44	1.3	29	1.3	14	1.5	1	0.3
Sumter	28	1.8	5	0.7	23	3.0	-	0
Union	5	1.6	4	2.0	-	0	1	11.1
Williamsburg	8	2.6	2	1.9	6	3.0	-	0
York	57	2.0	34	1.7	20	2.5	3	2.4
Unknown	-	0	-	0	-	0	-	0

¹ Live birth weighing less than 1,500 grams

* Includes unknown race

Table C-30.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	56,743 *	164	33,082	98	19,248	52	4,360	14
Abbeville	259	1	171	1	83	-	5	-
Aiken	1,749 *	4	1,087	2	555	2	100	-
Allendale	91	-	10	-	75	-	6	-
Anderson	2,286 *	12	1,731	8	471	4	82	-
Bamberg	161	-	43	-	116	-	2	-
Barnwell	315	2	132	1	176	1	7	-
Beaufort	2,077 *	4	1,102	1	553	1	421	2
Berkeley	2,608 *	2	1,691	2	681	-	234	-
Calhoun	139	-	72	-	61	-	6	-
Charleston	4,764 *	8	2,782	2	1,617	5	361	1
Cherokee	637	2	437	1	162	1	38	-
Chester	373	2	195	1	172	1	6	-
Chesterfield	523	1	291	1	204	-	28	-
Clarendon	350 *	1	135	1	191	-	23	-
Colleton	439	-	209	-	208	-	22	-
Darlington	756	3	373	-	368	2	15	1
Dillon	457	-	180	-	260	-	17	-
Dorchester	1,809 *	2	1,171	2	521	-	115	-
Edgefield	254 *	1	126	-	112	1	13	-
Fairfield	239	-	78	-	159	-	2	-
Florence	1,717 *	5	752	2	900	3	63	-
Georgetown	612	5	310	3	269	2	33	-
Greenville	6,039 *	29	3,867	18	1,417	6	751	5
Greenwood	901	1	457	1	358	-	86	-
Hampton	225 *	1	84	-	131	1	9	-
Horry	3,170 *	10	2,218	6	642	2	307	2
Jasper	312	-	92	-	153	-	67	-
Kershaw	662 *	-	435	-	193	-	31	-
Lancaster	919	1	623	1	255	-	41	-
Laurens	727 *	4	453	2	221	2	52	-
Lee	194	-	52	-	137	-	5	-
Lexington	3,250 *	3	2,311	2	653	-	282	1
McCormick	40	-	12	-	27	-	1	-
Marion	397	-	113	-	271	-	13	-
Marlboro	307	2	107	1	198	1	2	-
Newberry	453	2	219	2	180	-	54	-
Oconee	703	4	592	4	55	-	56	-
Orangeburg	1,121	2	303	-	785	2	33	-
Pickens	1,160 *	6	1,014	5	102	1	43	-
Richland	4,798 *	10	1,730	3	2,739	5	324	2
Saluda	211	-	90	-	44	-	77	-
Spartanburg	3,495 *	17	2,275	10	908	7	309	-
Sumter	1,526	3	674	2	772	1	80	-
Union	310	3	197	3	104	-	9	-
Williamsburg	313	1	107	-	202	1	4	-
York	2,889 *	10	1,976	10	786	-	125	-
Unknown	6 *	-	3	-	1	-	-	-

* Includes unknown race

Table C-31.
Live Births by Gestational Age
South Carolina and Each County, 2013
(Residence Data)

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	56,743 *	1,185	2.1	6,317	11.1
Abbeville	259	8	3.1	34	13.1
Aiken	1,749 *	30	1.7	190	10.9
Allendale	91	1	1.1	10	11.0
Anderson	2,286 *	48	2.1	264	11.5
Bamberg	161	4	2.5	19	11.8
Barnwell	315	11	3.5	43	13.7
Beaufort	2,077 *	44	2.1	219	10.5
Berkeley	2,608 *	46	1.8	255	9.8
Calhoun	139	3	2.2	16	11.5
Charleston	4,764 *	113	2.4	516	10.8
Cherokee	637	9	1.4	70	11.0
Chester	373	6	1.6	54	14.5
Chesterfield	523	16	3.1	61	11.7
Clarendon	350 *	13	3.7	40	11.4
Colleton	439	13	3.0	52	11.8
Darlington	756	21	2.8	94	12.4
Dillon	457	8	1.8	57	12.5
Dorchester	1,809 *	31	1.7	183	10.1
Edgefield	254 *	4	1.6	22	8.7
Fairfield	239	5	2.1	31	13.0
Florence	1,717 *	52	3.0	232	13.5
Georgetown	612	9	1.5	71	11.6
Greenville	6,039 *	101	1.7	588	9.7
Greenwood	901	19	2.1	119	13.2
Hampton	225 *	10	4.4	38	16.9
Horry	3,170 *	52	1.6	383	12.1
Jasper	312	5	1.6	38	12.2
Kershaw	662 *	14	2.1	68	10.3
Lancaster	919	20	2.2	104	11.3
Laurens	727 *	17	2.3	60	8.3
Lee	194	4	2.1	28	14.4
Lexington	3,250 *	72	2.2	368	11.3
McCormick	40	-	0	5	12.5
Marion	397	11	2.8	55	13.9
Marlboro	307	5	1.6	39	12.7
Newberry	453	7	1.5	53	11.7
Oconee	703	19	2.7	80	11.4
Orangeburg	1,121	36	3.2	140	12.5
Pickens	1,160 *	12	1.0	104	9.0
Richland	4,798 *	130	2.7	610	12.7
Saluda	211	4	1.9	22	10.4
Spartanburg	3,495 *	54	1.5	362	10.4
Sumter	1,526	25	1.6	163	10.7
Union	310	5	1.6	43	13.9
Williamsburg	313	10	3.2	37	11.8
York	2,889 *	58	2.0	275	9.5
Unknown	6 *	-	0	2	33.3

1) <32 weeks

2) <37 weeks

* Includes unknown race

Table C-31A.
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	33,082	487	1.5	3,238	9.8
Abbeville	171	6	3.5	22	12.9
Aiken	1,087	15	1.4	107	9.8
Allendale	10	-	0	-	0
Anderson	1,731	34	2.0	200	11.6
Bamberg	43	-	0	3	7.0
Barnwell	132	2	1.5	14	10.6
Beaufort	1,102	13	1.2	105	9.5
Berkeley	1,691	19	1.1	153	9.0
Calhoun	72	1	1.4	6	8.3
Charleston	2,782	43	1.5	254	9.1
Cherokee	437	6	1.4	51	11.7
Chester	195	4	2.1	26	13.3
Chesterfield	291	10	3.4	35	12.0
Clarendon	135	6	4.4	11	8.1
Colleton	209	4	1.9	17	8.1
Darlington	373	7	1.9	42	11.3
Dillon	180	-	0	20	11.1
Dorchester	1,171	16	1.4	97	8.3
Edgefield	126	-	0	9	7.1
Fairfield	78	-	0	9	11.5
Florence	752	6	0.8	62	8.2
Georgetown	310	1	0.3	33	10.6
Greenville	3,867	52	1.3	330	8.5
Greenwood	457	6	1.3	45	9.8
Hampton	84	5	6.0	14	16.7
Horry	2,218	21	0.9	255	11.5
Jasper	92	1	1.1	10	10.9
Kershaw	435	9	2.1	46	10.6
Lancaster	623	8	1.3	52	8.3
Laurens	453	9	2.0	37	8.2
Lee	52	-	0	10	19.2
Lexington	2,311	39	1.7	258	11.2
McCormick	12	-	0	2	16.7
Marion	113	1	0.9	12	10.6
Marlboro	107	1	0.9	14	13.1
Newberry	219	2	0.9	21	9.6
Oconee	592	14	2.4	66	11.1
Orangeburg	303	3	1.0	22	7.3
Pickens	1,014	11	1.1	91	9.0
Richland	1,730	34	2.0	184	10.6
Saluda	90	1	1.1	10	11.1
Spartanburg	2,275	33	1.5	221	9.7
Sumter	674	5	0.7	57	8.5
Union	197	4	2.0	24	12.2
Williamsburg	107	2	1.9	13	12.1
York	1,976	33	1.7	167	8.5
Unknown	3	-	0	1	33.3

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	19,248	625	3.2	2,681	13.9
Abbeville	83	2	2.4	12	14.5
Aiken	555	13	2.3	68	12.3
Allendale	75	1	1.3	10	13.3
Anderson	471	13	2.8	59	12.5
Bamberg	116	4	3.4	16	13.8
Barnwell	176	9	5.1	29	16.5
Beaufort	553	25	4.5	77	13.9
Berkeley	681	27	4.0	88	12.9
Calhoun	61	1	1.6	9	14.8
Charleston	1,617	62	3.8	236	14.6
Cherokee	162	3	1.9	17	10.5
Chester	172	2	1.2	27	15.7
Chesterfield	204	5	2.5	24	11.8
Clarendon	191	7	3.7	28	14.7
Colleton	208	9	4.3	33	15.9
Darlington	368	14	3.8	51	13.9
Dillon	260	8	3.1	36	13.8
Dorchester	521	13	2.5	72	13.8
Edgefield	112	4	3.6	13	11.6
Fairfield	159	5	3.1	22	13.8
Florence	900	43	4.8	161	17.9
Georgetown	269	7	2.6	35	13.0
Greenville	1,417	41	2.9	183	12.9
Greenwood	358	10	2.8	59	16.5
Hampton	131	5	3.8	24	18.3
Horry	642	23	3.6	99	15.4
Jasper	153	4	2.6	20	13.1
Kershaw	193	4	2.1	20	10.4
Lancaster	255	12	4.7	49	19.2
Laurens	221	8	3.6	22	10.0
Lee	137	2	1.5	16	11.7
Lexington	653	28	4.3	84	12.9
McCormick	27	-	0	3	11.1
Marion	271	8	3.0	41	15.1
Marlboro	198	4	2.0	25	12.6
Newberry	180	4	2.2	23	12.8
Oconee	55	1	1.8	7	12.7
Orangeburg	785	32	4.1	114	14.5
Pickens	102	1	1.0	9	8.8
Richland	2,739	89	3.2	395	14.4
Saluda	44	2	4.5	7	15.9
Spartanburg	908	20	2.2	118	13.0
Sumter	772	20	2.6	102	13.2
Union	104	-	0	16	15.4
Williamsburg	202	8	4.0	24	11.9
York	786	22	2.8	98	12.5
Unknown	1	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Perent
South Carolina	4,360	71	1.6	390	8.9
Abbeville	5	-	0	-	0
Aiken	100	-	0	13	13.0
Allendale	6	-	0	-	0
Anderson	82	1	1.2	5	6.1
Bamberg	2	-	0	-	0
Barnwell	7	-	0	-	0
Beaufort	421	6	1.4	37	8.8
Berkeley	234	-	0	14	6.0
Calhoun	6	1	16.7	1	16.7
Charleston	361	8	2.2	26	7.2
Cherokee	38	-	0	2	5.3
Chester	6	-	0	1	16.7
Chesterfield	28	1	3.6	2	7.1
Clarendon	23	-	0	1	4.3
Colleton	22	-	0	2	9.1
Darlington	15	-	0	1	6.7
Dillon	17	-	0	1	5.9
Dorchester	115	2	1.7	13	11.3
Edgefield	13	-	0	-	0
Fairfield	2	-	0	-	0
Florence	63	3	4.8	9	14.3
Georgetown	33	1	3.0	3	9.1
Greenville	751	8	1.1	75	10.0
Greenwood	86	3	3.5	15	17.4
Hampton	9	-	0	-	0
Horry	307	8	2.6	29	9.4
Jasper	67	-	0	8	11.9
Kershaw	31	1	3.2	2	6.5
Lancaster	41	-	0	3	7.3
Laurens	52	-	0	1	1.9
Lee	5	2	40.0	2	40.0
Lexington	282	5	1.8	26	9.2
McCormick	1	-	0	-	0
Marion	13	2	15.4	2	15.4
Marlboro	2	-	0	-	0
Newberry	54	1	1.9	9	16.7
Oconee	56	4	7.1	7	12.5
Orangeburg	33	1	3.0	4	12.1
Pickens	43	-	0	4	9.3
Richland	324	7	2.2	30	9.3
Saluda	77	1	1.3	5	6.5
Spartanburg	309	1	0.3	20	6.5
Sumter	80	-	0	4	5.0
Union	9	1	11.1	3	33.3
Williamsburg	4	-	0	-	0
York	125	3	2.4	10	8.0
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-32.
Live Births To Mothers who Brestfed by Race
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	Brestfed	Births	Brestfed	Births	Brestfed	Births	Brestfed
South Carolina	56,743 *	39,997 *	33,082	25,470	19,248	10,843	4,360	3,655
Abbeville	259	162	171	118	83	42	5	2
Aiken	1,749 *	1,172 *	1,087	782	555	303	100	83
Allendale	91	29	10	7	75	17	6	5
Anderson	2,286 *	1,546 *	1,731	1,234	471	240	82	70
Bamberg	161	80	43	27	116	51	2	2
Barnwell	315	142	132	69	176	68	7	5
Beaufort	2,077 *	1,744	1,102	973	553	387	421	384
Berkeley	2,608 *	2,149 *	1,691	1,436	681	498	234	214
Calhoun	139	92	72	57	61	29	6	6
Charleston	4,764 *	3,975	2,782	2,585	1,617	1,059	361	331
Cherokee	637	337	437	253	162	56	38	28
Chester	373	203	195	117	172	80	6	6
Chesterfield	523	274	291	164	204	89	28	21
Clarendon	350 *	178	135	86	191	79	23	13
Colleton	439	233	209	134	208	83	22	16
Darlington	756	356	373	210	368	138	15	8
Dillon	457	172	180	85	260	76	17	11
Dorchester	1,809 *	1,482 *	1,171	997	521	386	115	98
Edgefield	254 *	152 *	126	86	112	51	13	12
Fairfield	239	143	78	48	159	94	2	1
Florence	1,717 *	1,044	752	549	900	449	63	46
Georgetown	612	376	310	224	269	122	33	30
Greenville	6,039 *	4,746 *	3,867	3,248	1,417	887	751	609
Greenwood	901	582	457	332	358	184	86	66
Hampton	225 *	137	84	56	131	74	9	7
Horry	3,170 *	2,309 *	2,218	1,688	642	358	307	260
Jasper	312	210	92	71	153	79	67	60
Kershaw	662 *	431 *	435	302	193	100	31	26
Lancaster	919	578	623	433	255	109	41	36
Laurens	727 *	396	453	273	221	91	52	32
Lee	194	80	52	32	137	44	5	4
Lexington	3,250 *	2,447 *	2,311	1,797	653	422	282	224
McCormick	40	21	12	9	27	11	1	1
Marion	397	155	113	62	271	83	13	10
Marlboro	307	111	107	42	198	68	2	1
Newberry	453	245	219	144	180	55	54	46
Oconee	703	481	592	400	55	34	56	47
Orangeburg	1,121	581	303	190	785	370	33	21
Pickens	1,160 *	882	1,014	775	102	70	43	37
Richland	4,798 *	3,573 *	1,730	1,433	2,739	1,860	324	277
Saluda	211	133	90	62	44	14	77	57
Spartanburg	3,495 *	2,401 *	2,275	1,632	908	505	309	262
Sumter	1,526	997	674	509	772	430	80	58
Union	310	147	197	104	104	36	9	7
Williamsburg	313	153	107	60	202	89	4	4
York	2,889 *	2,158 *	1,976	1,574	786	472	125	111
Unknown	6 *	2	3	1	1	1	-	-

* Includes unknown race

Table C-33.
Live Births to Mothers with Infectious Diseases
South Carolina and Each County, 2013
(Residence Data)

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	56,743 *	4,355	7.7	139	0.2
Abbeville	259	16	6.2	1	0.4
Aiken	1,749 *	310	17.7	6	0.3
Allendale	91	8	8.8	-	0
Anderson	2,286 *	173	7.6	3	0.1
Bamberg	161	19	11.8	-	0
Barnwell	315	79	25.1	1	0.3
Beaufort	2,077 *	7	0.3	1	0.0
Berkeley	2,608 *	216	8.3	4	0.2
Calhoun	139	4	2.9	-	0
Charleston	4,764 *	375	7.9	13	0.3
Cherokee	637	24	3.8	-	0
Chester	373	29	7.8	1	0.3
Chesterfield	523	30	5.7	-	0
Clarendon	350 *	34	9.7	-	0
Colleton	439	33	7.5	1	0.2
Darlington	756	73	9.7	2	0.3
Dillon	457	53	11.6	-	0
Dorchester	1,809 *	189	10.4	5	0.3
Edgefield	254 *	32	12.6	2	0.8
Fairfield	239	22	9.2	-	0
Florence	1,717 *	54	3.1	3	0.2
Georgetown	612	55	9.0	3	0.5
Greenville	6,039 *	449	7.4	15	0.2
Greenwood	901	68	7.5	4	0.4
Hampton	225 *	3	1.3	-	0
Horry	3,170 *	184	5.8	17	0.5
Jasper	312	5	1.6	-	0
Kershaw	662 *	53	8.0	2	0.3
Lancaster	919	50	5.4	2	0.2
Laurens	727 *	62	8.5	3	0.4
Lee	194	37	19.1	1	0.5
Lexington	3,250 *	215	6.6	9	0.3
McCormick	40	1	2.5	-	0
Marion	397	25	6.3	-	0
Marlboro	307	18	5.9	1	0.3
Newberry	453	44	9.7	-	0
Oconee	703	55	7.8	-	0
Orangeburg	1,121	81	7.2	1	0.1
Pickens	1,160 *	62	5.3	3	0.3
Richland	4,798 *	556	11.6	8	0.2
Saluda	211	17	8.1	-	0
Spartanburg	3,495 *	167	4.8	13	0.4
Sumter	1,526	160	10.5	1	0.1
Union	310	16	5.2	4	1.3
Williamsburg	313	21	6.7	-	0
York	2,889 *	171	5.9	9	0.3
Unknown	6 *	-	0	-	0

* Includes unknown race

Table C-33A.
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic White

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	33,082	1,701	5.1	86	0.3
Abbeville	171	7	4.1	-	0
Aiken	1,087	156	14.4	5	0.5
Allendale	10	-	0	-	0
Anderson	1,731	95	5.5	2	0.1
Bamberg	43	4	9.3	-	0
Barnwell	132	30	22.7	1	0.8
Beaufort	1,102	3	0.3	-	0
Berkeley	1,691	122	7.2	2	0.1
Calhoun	72	1	1.4	-	0
Charleston	2,782	148	5.3	9	0.3
Cherokee	437	10	2.3	-	0
Chester	195	8	4.1	-	0
Chesterfield	291	14	4.8	-	0
Clarendon	135	6	4.4	-	0
Colleton	209	15	7.2	-	0
Darlington	373	19	5.1	2	0.5
Dillon	180	7	3.9	-	0
Dorchester	1,171	97	8.3	1	0.1
Edgefield	126	10	7.9	1	0.8
Fairfield	78	5	6.4	-	0
Florence	752	12	1.6	3	0.4
Georgetown	310	15	4.8	3	1.0
Greenville	3,867	207	5.4	11	0.3
Greenwood	457	17	3.7	3	0.7
Hampton	84	-	0	-	0
Horry	2,218	89	4.0	11	0.5
Jasper	92	1	1.1	-	0
Kershaw	435	25	5.7	2	0.5
Lancaster	623	24	3.9	2	0.3
Laurens	453	27	6.0	2	0.4
Lee	52	8	15.4	-	0
Lexington	2,311	113	4.9	4	0.2
McCormick	12	-	0	-	0
Marion	113	1	0.9	-	0
Marlboro	107	2	1.9	1	0.9
Newberry	219	14	6.4	-	0
Oconee	592	39	6.6	-	0
Orangeburg	303	10	3.3	1	0.3
Pickens	1,014	46	4.5	3	0.3
Richland	1,730	92	5.3	3	0.2
Saluda	90	5	5.6	-	0
Spartanburg	2,275	80	3.5	9	0.4
Sumter	674	39	5.8	-	0
Union	197	3	1.5	2	1.0
Williamsburg	107	5	4.7	-	0
York	1,976	70	3.5	3	0.2
Unknown	3	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Non-Hispanic Black & Other

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	19,248	2,449	12.7	45	0.2
Abbeville	83	9	10.8	1	1.2
Aiken	555	131	23.6	1	0.2
Allendale	75	8	10.7	-	0
Anderson	471	74	15.7	1	0.2
Bamberg	116	14	12.1	-	0
Barnwell	176	47	26.7	-	0
Beaufort	553	2	0.4	1	0.2
Berkeley	681	85	12.5	2	0.3
Calhoun	61	3	4.9	-	0
Charleston	1,617	212	13.1	2	0.1
Cherokee	162	13	8.0	-	0
Chester	172	20	11.6	1	0.6
Chesterfield	204	15	7.4	-	0
Clarendon	191	27	14.1	-	0
Colleton	208	17	8.2	1	0.5
Darlington	368	53	14.4	-	0
Dillon	260	46	17.7	-	0
Dorchester	521	81	15.5	3	0.6
Edgefield	112	20	17.9	1	0.9
Fairfield	159	17	10.7	-	0
Florence	900	41	4.6	-	0
Georgetown	269	40	14.9	-	0
Greenville	1,417	201	14.2	4	0.3
Greenwood	358	49	13.7	1	0.3
Hampton	131	3	2.3	-	0
Horry	642	85	13.2	6	0.9
Jasper	153	4	2.6	-	0
Kershaw	193	27	14.0	-	0
Lancaster	255	23	9.0	-	0
Laurens	221	35	15.8	-	0
Lee	137	29	21.2	1	0.7
Lexington	653	86	13.2	3	0.5
McCormick	27	1	3.7	-	0
Marion	271	24	8.9	-	0
Marlboro	198	16	8.1	-	0
Newberry	180	29	16.1	-	0
Oconee	55	11	20.0	-	0
Orangeburg	785	70	8.9	-	0
Pickens	102	13	12.7	-	0
Richland	2,739	437	16.0	4	0.1
Saluda	44	11	25.0	-	0
Spartanburg	908	80	8.8	3	0.3
Sumter	772	119	15.4	1	0.1
Union	104	13	12.5	2	1.9
Williamsburg	202	16	7.9	-	0
York	786	92	11.7	6	0.8
Unknown	1	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2013
 (Residence Data)
 Hispanic

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	4,360	202	4.6	8	0.2
Abbeville	5	-	0	-	0
Aiken	100	23	23.0	-	0
Allendale	6	-	0	-	0
Anderson	82	4	4.9	-	0
Bamberg	2	1	50.0	-	0
Barnwell	7	2	28.6	-	0
Beaufort	421	2	0.5	-	0
Berkeley	234	9	3.8	-	0
Calhoun	6	-	0	-	0
Charleston	361	15	4.2	2	0.6
Cherokee	38	1	2.6	-	0
Chester	6	1	16.7	-	0
Chesterfield	28	1	3.6	-	0
Clarendon	23	1	4.3	-	0
Colleton	22	1	4.5	-	0
Darlington	15	1	6.7	-	0
Dillon	17	-	0	-	0
Dorchester	115	11	9.6	1	0.9
Edgefield	13	2	15.4	-	0
Fairfield	2	-	0	-	0
Florence	63	1	1.6	-	0
Georgetown	33	-	0	-	0
Greenville	751	41	5.5	-	0
Greenwood	86	2	2.3	-	0
Hampton	9	-	0	-	0
Horry	307	9	2.9	-	0
Jasper	67	-	0	-	0
Kershaw	31	1	3.2	-	0
Lancaster	41	3	7.3	-	0
Laurens	52	-	0	1	1.9
Lee	5	-	0	-	0
Lexington	282	15	5.3	2	0.7
McCormick	1	-	0	-	0
Marion	13	-	0	-	0
Marlboro	2	-	0	-	0
Newberry	54	1	1.9	-	0
Oconee	56	5	8.9	-	0
Orangeburg	33	1	3.0	-	0
Pickens	43	2	4.7	-	0
Richland	324	27	8.3	1	0.3
Saluda	77	1	1.3	-	0
Spartanburg	309	7	2.3	1	0.3
Sumter	80	2	2.5	-	0
Union	9	-	0	-	0
Williamsburg	4	-	0	-	0
York	125	9	7.2	-	0
Unknown	-	-	0	-	0

Table C-34.
Number of Mothers who received WIC Services during Pregnancy by Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County Of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	WIC	Births	WIC	Births	WIC	Births	WIC
South Carolina	56,743 *	28,061	33,082	12,045	19,248	13,204	4,360	2,803
Abbeville	259	146	171	83	83	61	5	2
Aiken	1,749 *	481	1,087	224	555	201	100	56
Allendale	91	70	10	3	75	62	6	5
Anderson	2,286 *	1,211	1,731	808	471	350	82	53
Bamberg	161	124	43	20	116	103	2	1
Barnwell	315	183	132	61	176	116	7	6
Beaufort	2,077 *	1,055	1,102	376	553	400	421	279
Berkeley	2,608 *	1,161	1,691	584	681	434	234	143
Calhoun	139	85	72	33	61	48	6	4
Charleston	4,764 *	1,819	2,782	479	1,617	1,122	361	217
Cherokee	637	399	437	240	162	128	38	31
Chester	373	253	195	109	172	141	6	3
Chesterfield	523	340	291	156	204	167	28	17
Clarendon	350 *	240	135	59	191	163	23	17
Colleton	439	320	209	134	208	173	22	13
Darlington	756	515	373	205	368	301	15	9
Dillon	457	348	180	114	260	223	17	11
Dorchester	1,809 *	751	1,171	367	521	323	115	61
Edgefield	254 *	73	126	17	112	47	13	9
Fairfield	239	169	78	36	159	131	2	2
Florence	1,717 *	1,013	752	306	900	672	63	35
Georgetown	612	378	310	126	269	230	33	22
Greenville	6,039 *	2,561	3,867	1,146	1,417	898	751	516
Greenwood	901	493	457	185	358	251	86	57
Hampton	225 *	160	84	46	131	107	9	7
Horry	3,170 *	1,750	2,218	1,076	642	462	307	210
Jasper	312	203	92	47	153	113	67	43
Kershaw	662 *	378	435	200	193	153	31	25
Lancaster	919	448	623	244	255	180	41	24
Laurens	727 *	467	453	261	221	170	52	36
Lee	194	143	52	27	137	112	5	4
Lexington	3,250 *	1,231	2,311	673	653	391	282	164
McCormick	40	26	12	7	27	19	1	-
Marion	397	308	113	73	271	223	13	12
Marlboro	307	243	107	78	198	163	2	2
Newberry	453	274	219	85	180	145	54	44
Oconee	703	368	592	299	55	37	56	32
Orangeburg	1,121	825	303	165	785	639	33	21
Pickens	1,160 *	575	1,014	479	102	66	43	30
Richland	4,798 *	2,066	1,730	324	2,739	1,567	324	174
Saluda	211	134	90	38	44	34	77	62
Spartanburg	3,495 *	1,911	2,275	1,039	908	649	309	223
Sumter	1,526	927	674	304	772	571	80	52
Union	310	208	197	118	104	85	9	5
Williamsburg	313	222	107	55	202	165	4	2
York	2,889 *	1,005	1,976	535	786	408	125	62
Unknown	6 *	1	3	1	1	-	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.7 percent of the 56,743 resident births in 2013. In relation to age of mother, low weight births were comparatively frequent among very young mothers. In year 2013, 10.9 percent of all lives births to mothers 15-19 were low weight. Only 8.9 percent of all live births to mothers 25-34 were low weight.

Figure C-8
Percent* of Live Births Less than 2,500 Grams by Age and Race of Mother
South Carolina, 2013
(Residence Data)





Table C-26.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2013
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 +
Total	15.4	10.9	10.2	8.9	11.1	10.9
Non-Hispanic White	10.5	9.0	7.6	7.1	8.8	10.8
Non-Hispanic Black & Other	20.0	14.1	13.8	13.5	16.2	7.7
Hispanic	0.0	5.6	5.5	6.6	10.5	20.0

* Percentages are based on total live births within each age group

The State Animal

“ The white-tailed Deer”



Officially adopted by the General Assembly in 1972

TEEN PREGNANCY

Table D-1.
 Reported Teen Pregnancy¹ for Females Age 10-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	299,870	5,916 *	19.7	4,811 *	16.0	4,380 *	91.0	52	10.7	1,053 *	3.5
Abbeville	1,598	32	20.0	30	18.8	29	96.7	-	0	2	1.3
Aiken	10,024	189 *	18.9	160 *	16.0	147 *	91.9	1	6.2	28	2.8
Allendale	480	21	43.8	18	37.5	17	94.4	-	0	3	6.3
Anderson	12,279	277	22.6	253	20.6	240	94.9	1	3.9	23	1.9
Bamberg	1,134	32	28.2	25	22.0	25	100.0	1	38.5	6	5.3
Barnwell	1,495	43	28.8	35	23.4	34	97.1	2	54.1	6	4.0
Beaufort	8,962	158	17.6	145	16.2	117	80.7	-	0	13	1.5
Berkeley	12,190	207	17.0	156	12.8	130	83.3	2	12.7	49	4.0
Calhoun	875	13	14.9	10	11.4	8	80.0	-	0	3	3.4
Charleston	20,253	294 *	14.5	221	10.9	204	92.3	2	9.0	71 *	3.5
Cherokee	3,689	106 *	28.7	92	24.9	84	91.3	1	10.8	13 *	3.5
Chester	1,897	60	31.6	52	27.4	47	90.4	-	0	8	4.2
Chesterfield	3,019	61	20.2	53	17.6	48	90.6	1	18.5	7	2.3
Clarendon	2,011	51	25.4	47	23.4	44	93.6	-	0	4	2.0
Colleton	2,345	77	32.8	64	27.3	60	93.8	3	44.8	10	4.3
Darlington	4,572	113	24.7	100	21.9	96	96.0	2	19.6	11	2.4
Dillon	2,184	69	31.6	65	29.8	61	93.8	2	29.9	2	0.9
Dorchester	10,384	159	15.3	109	10.5	98	89.9	2	18.0	48	4.6
Edgefield	1,505	35 *	23.3	32 *	21.3	30 *	93.8	-	0	3	2.0
Fairfield	1,379	41	29.7	33	23.9	33	100.0	1	29.4	7	5.1
Florence	8,995	168	18.7	141	15.7	130	92.2	2	14.0	25	2.8
Georgetown	3,320	67	20.2	54	16.3	48	88.9	2	35.7	11	3.3
Greenville	30,409	536	17.6	418	13.7	380	90.9	3	7.1	115	3.8
Greenwood	4,689	134 *	28.6	115	24.5	105	91.3	1	8.6	18 *	3.8
Hampton	1,300	27	20.8	25	19.2	25	100.0	1	38.5	1	0.8
Horry	15,437	363 *	23.5	282	18.3	261	92.6	1	3.5	80 *	5.2
Jasper	1,479	50	33.8	45	30.4	44	97.8	2	42.6	3	2.0
Kershaw	3,948	78	19.8	57	14.4	50	87.7	3	50.0	18	4.6
Lancaster	4,586	93	20.3	81	17.7	78	96.3	1	12.2	11	2.4
Laurens	4,175	104	24.9	88	21.1	81	92.0	1	11.2	15	3.6
Lee	1,067	24	22.5	20	18.7	18	90.0	-	0	4	3.7
Lexington	17,350	312	18.0	251	14.5	216	86.1	2	7.9	59	3.4
McCormick	356	5	14.0	5	14.0	5	100.0	-	0	-	0
Marion	1,986	58	29.2	52	26.2	47	90.4	1	18.9	5	2.5
Marlboro	1,529	44	28.8	44	28.8	43	97.7	-	0	-	0
Newberry	2,308	58	25.1	41	17.8	39	95.1	-	0	17	7.4
Oconee	4,075	85	20.9	73	17.9	56	76.7	1	13.5	11	2.7
Orangeburg	5,981	163	27.3	130	21.7	124	95.4	1	7.6	32	5.4
Pickens	8,557	148	17.3	127	14.8	109	85.8	-	0	21	2.5
Richland	28,015	434 *	15.5	316 *	11.3	297 *	94.0	1	3.2	117 *	4.2
Saluda	1,072	26	24.3	18	16.8	14	77.8	-	0	8	7.5
Spartanburg	19,303	383 *	19.8	324	16.8	295	91.0	3	9.2	56 *	2.9
Sumter	7,041	148	21.0	123	17.5	107	87.0	2	16.0	23	3.3
Union	1,670	53	31.7	46	27.5	42	91.3	1	21.3	6	3.6
Williamsburg	2,035	25	12.3	17	8.4	17	100.0	-	0	8	3.9
York	16,912	283 *	16.7	218	12.9	197	90.4	2	9.1	63 *	3.7
Unknown	-	9	0.0	-	0	-	0	-	0	9	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

* Includes unknown race

Table D-1A.
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	190,979	3,254	17.0	2,706	14.2	2,315	85.6	16	5.9	532	2.8
Abbeville	1,071	17	15.9	17	15.9	16	94.1	-	0	-	0
Aiken	6,542	111	17.0	97	14.8	84	86.6	1	10.2	13	2.0
Allendale	74	4	54.1	3	40.5	2	66.7	-	0	1	13.5
Anderson	9,605	188	19.6	172	17.9	159	92.4	1	5.8	15	1.6
Bamberg	317	7	22.1	7	22.1	7	100.0	-	0	-	0
Barnwell	697	15	21.5	12	17.2	11	91.7	-	0	3	4.3
Beaufort	6,215	96	15.4	88	14.2	61	69.3	-	0	8	1.3
Berkeley	7,827	135	17.2	106	13.5	82	77.4	1	9.3	28	3.6
Calhoun	404	6	14.9	4	9.9	2	50.0	-	0	2	5.0
Charleston	12,371	118	9.5	82	6.6	67	81.7	-	0	36	2.9
Cherokee	2,675	74	27.7	66	24.7	58	87.9	1	14.9	7	2.6
Chester	1,002	31	30.9	27	26.9	22	81.5	-	0	4	4.0
Chesterfield	1,825	35	19.2	31	17.0	26	83.9	1	31.3	3	1.6
Clarendon	851	16	18.8	16	18.8	15	93.8	-	0	-	0
Colleton	1,218	33	27.1	29	23.8	25	86.2	2	64.5	2	1.6
Darlington	2,207	41	18.6	39	17.7	35	89.7	1	25.0	1	0.5
Dillon	882	33	37.4	31	35.1	27	87.1	-	0	2	2.3
Dorchester	6,832	84	12.3	58	8.5	48	82.8	-	0	26	3.8
Edgefield	881	19	21.6	16	18.2	15	93.8	-	0	3	3.4
Fairfield	389	10	25.7	8	20.6	8	100.0	1	111.1	1	2.6
Florence	4,450	61	13.7	55	12.4	44	80.0	-	0	6	1.3
Georgetown	1,830	29	15.8	25	13.7	19	76.0	-	0	4	2.2
Greenville	22,804	357	15.7	284	12.5	248	87.3	2	7.0	71	3.1
Greenwood	2,832	71	25.1	63	22.2	53	84.1	1	15.6	7	2.5
Hampton	481	8	16.6	8	16.6	8	100.0	-	0	-	0
Horry	11,902	264	22.2	210	17.6	190	90.5	-	0	54	4.5
Jasper	686	21	30.6	20	29.2	19	95.0	-	0	1	1.5
Kershaw	2,796	51	18.2	39	13.9	34	87.2	-	0	12	4.3
Lancaster	3,260	56	17.2	52	16.0	50	96.2	1	18.9	3	0.9
Laurens	2,981	75	25.2	66	22.1	60	90.9	-	0	9	3.0
Lee	290	2	6.9	2	6.9	1	50.0	-	0	-	0
Lexington	13,436	236	17.6	190	14.1	157	82.6	2	10.4	44	3.3
McCormick	109	1	9.2	1	9.2	1	100.0	-	0	-	0
Marion	665	17	25.6	17	25.6	12	70.6	-	0	-	0
Marlboro	530	14	26.4	14	26.4	14	100.0	-	0	-	0
Newberry	1,421	22	15.5	16	11.3	15	93.8	-	0	6	4.2
Oconee	3,591	81	22.6	71	19.8	55	77.5	1	13.9	9	2.5
Orangeburg	1,569	34	21.7	30	19.1	25	83.3	-	0	4	2.5
Pickens	7,720	130	16.8	115	14.9	97	84.3	-	0	15	1.9
Richland	12,271	109	8.9	73	5.9	61	83.6	-	0	36	2.9
Saluda	687	17	24.7	13	18.9	10	76.9	-	0	4	5.8
Spartanburg	13,883	263	18.9	229	16.5	203	88.6	-	0	34	2.4
Sumter	2,999	53	17.7	44	14.7	32	72.7	-	0	9	3.0
Union	1,049	33	31.5	29	27.6	25	86.2	-	0	4	3.8
Williamsburg	499	4	8.0	3	6.0	3	100.0	-	0	1	2.0
York	12,353	168	13.6	128	10.4	109	85.2	-	0	40	3.2
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-1A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	108,891	2,649	24.3	2,101	19.3	2,061	98.1	36	16.8	512	4.7
Abbeville	527	15	28.5	13	24.7	13	100.0	-	0	2	3.8
Aiken	3,482	76	21.8	61	17.5	61	100.0	-	0	15	4.3
Allendale	406	17	41.9	15	36.9	15	100.0	-	0	2	4.9
Anderson	2,674	89	33.3	81	30.3	81	100.0	-	0	8	3.0
Bamberg	817	25	30.6	18	22.0	18	100.0	1	52.6	6	7.3
Barnwell	798	28	35.1	23	28.8	23	100.0	2	80.0	3	3.8
Beaufort	2,747	62	22.6	57	20.7	56	98.2	-	0	5	1.8
Berkeley	4,363	72	16.5	50	11.5	48	96.0	1	19.6	21	4.8
Calhoun	471	7	14.9	6	12.7	6	100.0	-	0	1	2.1
Charleston	7,882	175	22.2	139	17.6	137	98.6	2	14.2	34	4.3
Cherokee	1,014	31	30.6	26	25.6	26	100.0	-	0	5	4.9
Chester	895	29	32.4	25	27.9	25	100.0	-	0	4	4.5
Chesterfield	1,194	26	21.8	22	18.4	22	100.0	-	0	4	3.4
Clarendon	1,160	35	30.2	31	26.7	29	93.5	-	0	4	3.4
Colleton	1,127	44	39.0	35	31.1	35	100.0	1	27.8	8	7.1
Darlington	2,365	72	30.4	61	25.8	61	100.0	1	16.1	10	4.2
Dillon	1,302	36	27.6	34	26.1	34	100.0	2	55.6	-	0
Dorchester	3,552	75	21.1	51	14.4	50	98.0	2	37.7	22	6.2
Edgefield	624	15	24.0	15	24.0	14	93.3	-	0	-	0
Fairfield	990	31	31.3	25	25.3	25	100.0	-	0	6	6.1
Florence	4,545	107	23.5	86	18.9	86	100.0	2	22.7	19	4.2
Georgetown	1,490	38	25.5	29	19.5	29	100.0	2	64.5	7	4.7
Greenville	7,605	179	23.5	134	17.6	132	98.5	1	7.4	44	5.8
Greenwood	1,857	62	33.4	52	28.0	52	100.0	-	0	10	5.4
Hampton	819	19	23.2	17	20.8	17	100.0	1	55.6	1	1.2
Horry	3,535	98	27.7	72	20.4	71	98.6	1	13.7	25	7.1
Jasper	793	29	36.6	25	31.5	25	100.0	2	74.1	2	2.5
Kershaw	1,152	27	23.4	18	15.6	16	88.9	3	142.9	6	5.2
Lancaster	1,326	37	27.9	29	21.9	28	96.6	-	0	8	6.0
Laurens	1,194	29	24.3	22	18.4	21	95.5	1	43.5	6	5.0
Lee	777	22	28.3	18	23.2	17	94.4	-	0	4	5.1
Lexington	3,914	76	19.4	61	15.6	59	96.7	-	0	15	3.8
McCormick	247	4	16.2	4	16.2	4	100.0	-	0	-	0
Marion	1,321	41	31.0	35	26.5	35	100.0	1	27.8	5	3.8
Marlboro	999	30	30.0	30	30.0	29	96.7	-	0	-	0
Newberry	887	36	40.6	25	28.2	24	96.0	-	0	11	12.4
Oconee	484	4	8.3	2	4.1	1	50.0	-	0	2	4.1
Orangeburg	4,412	129	29.2	100	22.7	99	99.0	1	9.9	28	6.3
Pickens	837	18	21.5	12	14.3	12	100.0	-	0	6	7.2
Richland	15,744	323	20.5	242	15.4	235	97.1	1	4.1	80	5.1
Saluda	385	9	23.4	5	13.0	4	80.0	-	0	4	10.4
Spartanburg	5,420	119	22.0	95	17.5	92	96.8	3	30.6	21	3.9
Sumter	4,042	95	23.5	79	19.5	75	94.9	2	24.7	14	3.5
Union	621	20	32.2	17	27.4	17	100.0	1	55.6	2	3.2
Williamsburg	1,536	21	13.7	14	9.1	14	100.0	-	0	7	4.6
York	4,559	112	24.6	90	19.7	88	97.8	2	21.7	20	4.4
Unknown	-	5	0.0	-	0	-	0	-	0	5	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-2.
 Reported Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	149,239	84	0.6	52	0.3	52	100.0	2	37.0	30	0.2
Abbeville	784	1	1.3	1	1.3	1	100.0	-	0	-	0
Aiken	5,107	4	0.8	2	0.4	2	100.0	-	0	2	0.4
Allendale	246	-	0	-	0	-	0	-	0	-	0
Anderson	6,283	4	0.6	4	0.6	4	100.0	-	0	-	0
Bamberg	460	1	2.2	-	0	-	0	-	0	1	2.2
Barnwell	806	1	1.2	-	0	-	0	1	1000.0	-	0
Beaufort	4,608	2	0.4	2	0.4	2	100.0	-	0	-	0
Berkeley	6,511	-	0	-	0	-	0	-	0	-	0
Calhoun	442	-	0	-	0	-	0	-	0	-	0
Charleston	9,775	4	0.4	3	0.3	3	100.0	-	0	1	0.1
Cherokee	1,878	2	1.1	1	0.5	1	100.0	-	0	1	0.5
Chester	970	-	0	-	0	-	0	-	0	-	0
Chesterfield	1,522	-	0	-	0	-	0	-	0	-	0
Clarendon	1,036	1	1.0	1	1.0	1	100.0	-	0	-	0
Colleton	1,203	-	0	-	0	-	0	-	0	-	0
Darlington	2,316	-	0	-	0	-	0	-	0	-	0
Dillon	1,161	1	0.9	1	0.9	1	100.0	-	0	-	0
Dorchester	5,491	1	0.2	-	0	-	0	-	0	1	0.2
Edgefield	775	1	1.3	-	0	-	0	-	0	1	1.3
Fairfield	696	-	0	-	0	-	0	-	0	-	0
Florence	4,652	4	0.9	3	0.6	3	100.0	-	0	1	0.2
Georgetown	1,724	-	0	-	0	-	0	-	0	-	0
Greenville	15,195	8	0.5	7	0.5	7	100.0	-	0	1	0.1
Greenwood	2,145	3	1.4	2	0.9	2	100.0	-	0	1	0.5
Hampton	668	-	0	-	0	-	0	-	0	-	0
Horry	7,801	3	0.4	-	0	-	0	-	0	3	0.4
Jasper	767	-	0	-	0	-	0	-	0	-	0
Kershaw	2,091	1	0.5	-	0	-	0	1	1000.0	-	0
Lancaster	2,450	1	0.4	1	0.4	1	100.0	-	0	-	0
Laurens	2,038	3	1.5	3	1.5	3	100.0	-	0	-	0
Lee	589	1	1.7	-	0	-	0	-	0	1	1.7
Lexington	9,148	2	0.2	-	0	-	0	-	0	2	0.2
McCormick	175	-	0	-	0	-	0	-	0	-	0
Marion	1,046	-	0	-	0	-	0	-	0	-	0
Marlboro	768	-	0	-	0	-	0	-	0	-	0
Newberry	1,163	3	2.6	1	0.9	1	100.0	-	0	2	1.7
Oconee	2,118	1	0.5	1	0.5	1	100.0	-	0	-	0
Orangeburg	2,777	1	0.4	1	0.4	1	100.0	-	0	-	0
Pickens	3,349	3	0.9	2	0.6	2	100.0	-	0	1	0.3
Richland	12,158	9	0.7	6	0.5	6	100.0	-	0	3	0.2
Saluda	559	-	0	-	0	-	0	-	0	-	0
Spartanburg	9,612	6	0.6	5	0.5	5	100.0	-	0	1	0.1
Sumter	3,569	3	0.8	1	0.3	1	100.0	-	0	2	0.6
Union	881	2	2.3	1	1.1	1	100.0	-	0	1	1.1
Williamsburg	1,069	2	1.9	-	0	-	0	-	0	2	1.9
York	8,657	4	0.5	3	0.3	3	100.0	-	0	1	0.1
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

* Includes unknown race

Table D-2A.
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	95,332	31	0.3	21	0.2	21	100.0	-	0	10	0.1
Abbeville	510	-	0	-	0	-	0	-	0	-	0
Aiken	3,359	2	0.6	-	0	-	0	-	0	2	0.6
Allendale	39	-	0	-	0	-	0	-	0	-	0
Anderson	4,909	1	0.2	1	0.2	1	100.0	-	0	-	0
Bamberg	162	-	0	-	0	-	0	-	0	-	0
Barnwell	373	-	0	-	0	-	0	-	0	-	0
Beaufort	3,216	1	0.3	1	0.3	1	100.0	-	0	-	0
Berkeley	4,172	-	0	-	0	-	0	-	0	-	0
Calhoun	206	-	0	-	0	-	0	-	0	-	0
Charleston	5,772	-	0	-	0	-	0	-	0	-	0
Cherokee	1,363	2	1.5	1	0.7	1	100.0	-	0	1	0.7
Chester	530	-	0	-	0	-	0	-	0	-	0
Chesterfield	940	-	0	-	0	-	0	-	0	-	0
Clarendon	460	-	0	-	0	-	0	-	0	-	0
Colleton	634	-	0	-	0	-	0	-	0	-	0
Darlington	1,121	-	0	-	0	-	0	-	0	-	0
Dillon	485	-	0	-	0	-	0	-	0	-	0
Dorchester	3,651	1	0.3	-	0	-	0	-	0	1	0.3
Edgefield	452	1	2.2	-	0	-	0	-	0	1	2.2
Fairfield	190	-	0	-	0	-	0	-	0	-	0
Florence	2,347	1	0.4	1	0.4	1	100.0	-	0	-	0
Georgetown	958	-	0	-	0	-	0	-	0	-	0
Greenville	11,376	5	0.4	5	0.4	5	100.0	-	0	-	0
Greenwood	1,339	1	0.7	1	0.7	1	100.0	-	0	-	0
Hampton	264	-	0	-	0	-	0	-	0	-	0
Horry	5,983	1	0.2	-	0	-	0	-	0	1	0.2
Jasper	375	-	0	-	0	-	0	-	0	-	0
Kershaw	1,490	-	0	-	0	-	0	-	0	-	0
Lancaster	1,746	1	0.6	1	0.6	1	100.0	-	0	-	0
Laurens	1,424	1	0.7	1	0.7	1	100.0	-	0	-	0
Lee	163	-	0	-	0	-	0	-	0	-	0
Lexington	7,099	1	0.1	-	0	-	0	-	0	1	0.1
McCormick	56	-	0	-	0	-	0	-	0	-	0
Marion	365	-	0	-	0	-	0	-	0	-	0
Marlboro	263	-	0	-	0	-	0	-	0	-	0
Newberry	712	1	1.4	-	0	-	0	-	0	1	1.4
Oconee	1,876	1	0.5	1	0.5	1	100.0	-	0	-	0
Orangeburg	809	-	0	-	0	-	0	-	0	-	0
Pickens	3,026	3	1.0	2	0.7	2	100.0	-	0	1	0.3
Richland	4,906	2	0.4	2	0.4	2	100.0	-	0	-	0
Saluda	354	-	0	-	0	-	0	-	0	-	0
Spartanburg	7,034	5	0.7	4	0.6	4	100.0	-	0	1	0.1
Sumter	1,603	-	0	-	0	-	0	-	0	-	0
Union	560	-	0	-	0	-	0	-	0	-	0
Williamsburg	267	-	0	-	0	-	0	-	0	-	0
York	6,393	-	0	-	0	-	0	-	0	-	0
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-2A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	53,907	53	1.0	31	0.6	31	100.0	2	60.6	20	0.4
Abbeville	274	1	3.6	1	3.6	1	100.0	-	0	-	0
Aiken	1,748	2	1.1	2	1.1	2	100.0	-	0	-	0
Allendale	207	-	0	-	0	-	0	-	0	-	0
Anderson	1,374	3	2.2	3	2.2	3	100.0	-	0	-	0
Bamberg	298	1	3.4	-	0	-	0	-	0	1	3.4
Barnwell	433	1	2.3	-	0	-	0	1	1000.0	-	0
Beaufort	1,392	1	0.7	1	0.7	1	100.0	-	0	-	0
Berkeley	2,339	-	0	-	0	-	0	-	0	-	0
Calhoun	236	-	0	-	0	-	0	-	0	-	0
Charleston	4,003	4	1.0	3	0.7	3	100.0	-	0	1	0.2
Cherokee	515	-	0	-	0	-	0	-	0	-	0
Chester	440	-	0	-	0	-	0	-	0	-	0
Chesterfield	582	-	0	-	0	-	0	-	0	-	0
Clarendon	576	1	1.7	1	1.7	1	100.0	-	0	-	0
Colleton	569	-	0	-	0	-	0	-	0	-	0
Darlington	1,195	-	0	-	0	-	0	-	0	-	0
Dillon	676	1	1.5	1	1.5	1	100.0	-	0	-	0
Dorchester	1,840	-	0	-	0	-	0	-	0	-	0
Edgefield	323	-	0	-	0	-	0	-	0	-	0
Fairfield	506	-	0	-	0	-	0	-	0	-	0
Florence	2,305	3	1.3	2	0.9	2	100.0	-	0	1	0.4
Georgetown	766	-	0	-	0	-	0	-	0	-	0
Greenville	3,819	3	0.8	2	0.5	2	100.0	-	0	1	0.3
Greenwood	806	2	2.5	1	1.2	1	100.0	-	0	1	1.2
Hampton	404	-	0	-	0	-	0	-	0	-	0
Horry	1,818	2	1.1	-	0	-	0	-	0	2	1.1
Jasper	392	-	0	-	0	-	0	-	0	-	0
Kershaw	601	1	1.7	-	0	-	0	1	1000.0	-	0
Lancaster	704	-	0	-	0	-	0	-	0	-	0
Laurens	614	2	3.3	2	3.3	2	100.0	-	0	-	0
Lee	426	1	2.3	-	0	-	0	-	0	1	2.3
Lexington	2,049	1	0.5	-	0	-	0	-	0	1	0.5
McCormick	119	-	0	-	0	-	0	-	0	-	0
Marion	681	-	0	-	0	-	0	-	0	-	0
Marlboro	505	-	0	-	0	-	0	-	0	-	0
Newberry	451	2	4.4	1	2.2	1	100.0	-	0	1	2.2
Oconee	242	-	0	-	0	-	0	-	0	-	0
Orangeburg	1,968	1	0.5	1	0.5	1	100.0	-	0	-	0
Pickens	323	-	0	-	0	-	0	-	0	-	0
Richland	7,252	7	1.0	4	0.6	4	100.0	-	0	3	0.4
Saluda	205	-	0	-	0	-	0	-	0	-	0
Spartanburg	2,578	1	0.4	1	0.4	1	100.0	-	0	-	0
Sumter	1,966	3	1.5	1	0.5	1	100.0	-	0	2	1.0
Union	321	2	6.2	1	3.1	1	100.0	-	0	1	3.1
Williamsburg	802	2	2.5	-	0	-	0	-	0	2	2.5
York	2,264	4	1.8	3	1.3	3	100.0	-	0	1	0.4
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-3.
 Reported Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	120,230	1,683 *	14.0	1,302 *	10.8	1,253 *	96.2	14	10.6	367	3.1
Abbeville	650	6	9.2	6	9.2	6	100.0	-	0	-	0
Aiken	3,970	69	17.4	60	15.1	56	93.3	-	0	9	2.3
Allendale	190	7	36.8	7	36.8	7	100.0	-	0	-	0
Anderson	4,850	92	19.0	81	16.7	80	98.8	-	0	11	2.3
Bamberg	500	9	18.0	7	14.0	7	100.0	-	0	2	4.0
Barnwell	570	10	17.5	7	12.3	7	100.0	1	125.0	2	3.5
Beaufort	3,530	44	12.5	42	11.9	38	90.5	-	0	2	0.6
Berkeley	4,710	45	9.6	30	6.4	30	100.0	1	32.3	14	3.0
Calhoun	350	2	5.7	2	5.7	2	100.0	-	0	-	0
Charleston	8,240	91	11.0	69	8.4	66	95.7	1	14.3	21	2.5
Cherokee	1,460	30	20.5	25	17.1	25	100.0	1	38.5	4	2.7
Chester	750	15	20.0	10	13.3	10	100.0	-	0	5	6.7
Chesterfield	1,200	21	17.5	19	15.8	18	94.7	-	0	2	1.7
Clarendon	790	12	15.2	12	15.2	11	91.7	-	0	-	0
Colleton	930	20	21.5	14	15.1	14	100.0	-	0	6	6.5
Darlington	1,820	26	14.3	21	11.5	20	95.2	1	45.5	4	2.2
Dillon	850	19	22.4	18	21.2	18	100.0	1	52.6	-	0
Dorchester	4,030	44	10.9	25	6.2	24	96.0	-	0	19	4.7
Edgefield	590	11	18.6	10	16.9	9	90.0	-	0	1	1.7
Fairfield	550	14	25.5	9	16.4	9	100.0	-	0	5	9.1
Florence	3,540	44	12.4	33	9.3	31	93.9	-	0	11	3.1
Georgetown	1,300	17	13.1	10	7.7	10	100.0	-	0	7	5.4
Greenville	12,170	149	12.2	114	9.4	109	95.6	1	8.7	34	2.8
Greenwood	1,960	42	21.4	35	17.9	33	94.3	-	0	7	3.6
Hampton	510	8	15.7	7	13.7	7	100.0	-	0	1	2.0
Horry	6,140	101	16.4	76	12.4	74	97.4	1	13.0	24	3.9
Jasper	580	6	10.3	5	8.6	5	100.0	-	0	1	1.7
Kershaw	1,530	17	11.1	10	6.5	10	100.0	1	90.9	6	3.9
Lancaster	1,770	27	15.3	20	11.3	19	95.0	-	0	7	4.0
Laurens	1,690	34	20.1	27	16.0	27	100.0	-	0	7	4.1
Lee	400	7	17.5	3	7.5	3	100.0	-	0	4	10.0
Lexington	6,750	89	13.2	64	9.5	62	96.9	1	15.4	24	3.6
McCormick	140	1	7.1	1	7.1	1	100.0	-	0	-	0
Marion	770	20	26.0	18	23.4	17	94.4	1	52.6	1	1.3
Marlboro	610	11	18.0	11	18.0	11	100.0	-	0	-	0
Newberry	920	16	17.4	11	12.0	10	90.9	-	0	5	5.4
Oconee	1,600	20	12.5	16	10.0	13	81.3	-	0	4	2.5
Orangeburg	2,480	68	27.4	55	22.2	55	100.0	-	0	13	5.2
Pickens	3,790	42	11.1	36	9.5	34	94.4	-	0	6	1.6
Richland	11,950	122 *	10.2	86 *	7.2	85 *	98.8	-	0	36	3.0
Saluda	420	8	19.0	5	11.9	5	100.0	-	0	3	7.1
Spartanburg	7,740	111	14.3	88	11.4	82	93.2	1	11.2	22	2.8
Sumter	2,800	37	13.2	29	10.4	28	96.6	-	0	8	2.9
Union	650	15	23.1	12	18.5	12	100.0	1	76.9	2	3.1
Williamsburg	790	6	7.6	3	3.8	3	100.0	-	0	3	3.8
York	6,680	73	10.9	53	7.9	50	94.3	1	18.5	19	2.8
Unknown	-	5	0.0	-	0	-	0	-	0	5	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

* Includes unknown race

Table D-3A.
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	76,450	878	11.5	698	9.1	654	93.7	4	5.7	176	2.3
Abbeville	440	2	4.5	2	4.5	2	100.0	-	0	-	0
Aiken	2,580	35	13.6	32	12.4	28	87.5	-	0	3	1.2
Allendale	30	1	33.3	1	33.3	1	100.0	-	0	-	0
Anderson	3,800	68	17.9	61	16.1	60	98.4	-	0	7	1.8
Bamberg	130	1	7.7	1	7.7	1	100.0	-	0	-	0
Barnwell	270	2	7.4	2	7.4	2	100.0	-	0	-	0
Beaufort	2,440	25	10.2	25	10.2	21	84.0	-	0	-	0
Berkeley	3,030	24	7.9	18	5.9	18	100.0	-	0	6	2.0
Calhoun	160	-	0	-	0	-	0	-	0	-	0
Charleston	5,110	30	5.9	21	4.1	18	85.7	-	0	9	1.8
Cherokee	1,060	24	22.6	20	18.9	20	100.0	1	47.6	3	2.8
Chester	390	8	20.5	6	15.4	6	100.0	-	0	2	5.1
Chesterfield	720	13	18.1	11	15.3	10	90.9	-	0	2	2.8
Clarendon	330	6	18.2	6	18.2	6	100.0	-	0	-	0
Colleton	480	5	10.4	4	8.3	4	100.0	-	0	1	2.1
Darlington	880	12	13.6	10	11.4	9	90.0	1	90.9	1	1.1
Dillon	340	4	11.8	4	11.8	4	100.0	-	0	-	0
Dorchester	2,640	22	8.3	13	4.9	12	92.3	-	0	9	3.4
Edgefield	350	6	17.1	5	14.3	5	100.0	-	0	1	2.9
Fairfield	160	3	18.8	3	18.8	3	100.0	-	0	-	0
Florence	1,730	12	6.9	10	5.8	8	80.0	-	0	2	1.2
Georgetown	710	6	8.5	4	5.6	4	100.0	-	0	2	2.8
Greenville	9,130	93	10.2	72	7.9	67	93.1	1	13.7	20	2.2
Greenwood	1,160	21	18.1	17	14.7	15	88.2	-	0	4	3.4
Hampton	180	1	5.6	1	5.6	1	100.0	-	0	-	0
Horry	4,750	71	14.9	53	11.2	51	96.2	-	0	18	3.8
Jasper	260	2	7.7	2	7.7	2	100.0	-	0	-	0
Kershaw	1,080	14	13.0	9	8.3	9	100.0	-	0	5	4.6
Lancaster	1,260	17	13.5	15	11.9	14	93.3	-	0	2	1.6
Laurens	1,220	27	22.1	21	17.2	21	100.0	-	0	6	4.9
Lee	110	-	0	-	0	-	0	-	0	-	0
Lexington	5,220	68	13.0	49	9.4	48	98.0	1	20.0	18	3.4
McCormick	40	-	0	-	0	-	0	-	0	-	0
Marion	250	5	20.0	5	20.0	4	80.0	-	0	-	0
Marlboro	210	5	23.8	5	23.8	5	100.0	-	0	-	0
Newberry	570	3	5.3	2	3.5	1	50.0	-	0	1	1.8
Oconee	1,400	18	12.9	15	10.7	12	80.0	-	0	3	2.1
Orangeburg	620	13	21.0	11	17.7	11	100.0	-	0	2	3.2
Pickens	3,420	40	11.7	34	9.9	32	94.1	-	0	6	1.8
Richland	5,400	25	4.6	15	2.8	14	93.3	-	0	10	1.9
Saluda	270	6	22.2	4	14.8	4	100.0	-	0	2	7.4
Spartanburg	5,520	77	13.9	66	12.0	61	92.4	-	0	11	2.0
Sumter	1,160	12	10.3	9	7.8	9	100.0	-	0	3	2.6
Union	410	8	19.5	7	17.1	7	100.0	-	0	1	2.4
Williamsburg	190	1	5.3	1	5.3	1	100.0	-	0	-	0
York	4,850	39	8.0	26	5.4	23	88.5	-	0	13	2.7
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-3A. (continued)
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	43,770	804	18.4	603	13.8	598	99.2	10	16.3	191	4.4
Abbeville	210	4	19.0	4	19.0	4	100.0	-	0	-	0
Aiken	1,390	34	24.5	28	20.1	28	100.0	-	0	6	4.3
Allendale	160	6	37.5	6	37.5	6	100.0	-	0	-	0
Anderson	1,050	24	22.9	20	19.0	20	100.0	-	0	4	3.8
Bamberg	370	8	21.6	6	16.2	6	100.0	-	0	2	5.4
Barnwell	310	8	25.8	5	16.1	5	100.0	1	166.7	2	6.5
Beaufort	1,090	19	17.4	17	15.6	17	100.0	-	0	2	1.8
Berkeley	1,680	21	12.5	12	7.1	12	100.0	1	76.9	8	4.8
Calhoun	190	2	10.5	2	10.5	2	100.0	-	0	-	0
Charleston	3,130	61	19.5	48	15.3	48	100.0	1	20.4	12	3.8
Cherokee	400	6	15.0	5	12.5	5	100.0	-	0	1	2.5
Chester	360	7	19.4	4	11.1	4	100.0	-	0	3	8.3
Chesterfield	480	8	16.7	8	16.7	8	100.0	-	0	-	0
Clarendon	470	6	12.8	6	12.8	5	83.3	-	0	-	0
Colleton	450	15	33.3	10	22.2	10	100.0	-	0	5	11.1
Darlington	940	14	14.9	11	11.7	11	100.0	-	0	3	3.2
Dillon	510	15	29.4	14	27.5	14	100.0	1	66.7	-	0
Dorchester	1,400	22	15.7	12	8.6	12	100.0	-	0	10	7.1
Edgefield	250	5	20.0	5	20.0	4	80.0	-	0	-	0
Fairfield	390	11	28.2	6	15.4	6	100.0	-	0	5	12.8
Florence	1,810	32	17.7	23	12.7	23	100.0	-	0	9	5.0
Georgetown	590	11	18.6	6	10.2	6	100.0	-	0	5	8.5
Greenville	3,040	56	18.4	42	13.8	42	100.0	-	0	14	4.6
Greenwood	790	21	26.6	18	22.8	18	100.0	-	0	3	3.8
Hampton	330	7	21.2	6	18.2	6	100.0	-	0	1	3.0
Horry	1,390	30	21.6	23	16.5	23	100.0	1	41.7	6	4.3
Jasper	320	4	12.5	3	9.4	3	100.0	-	0	1	3.1
Kershaw	450	3	6.7	1	2.2	1	100.0	1	500.0	1	2.2
Lancaster	510	10	19.6	5	9.8	5	100.0	-	0	5	9.8
Laurens	470	7	14.9	6	12.8	6	100.0	-	0	1	2.1
Lee	300	7	23.3	3	10.0	3	100.0	-	0	4	13.3
Lexington	1,530	21	13.7	15	9.8	14	93.3	-	0	6	3.9
McCormick	100	1	10.0	1	10.0	1	100.0	-	0	-	0
Marion	520	15	28.8	13	25.0	13	100.0	1	71.4	1	1.9
Marlboro	400	6	15.0	6	15.0	6	100.0	-	0	-	0
Newberry	350	13	37.1	9	25.7	9	100.0	-	0	4	11.4
Oconee	190	2	10.5	1	5.3	1	100.0	-	0	1	5.3
Orangeburg	1,860	55	29.6	44	23.7	44	100.0	-	0	11	5.9
Pickens	370	2	5.4	2	5.4	2	100.0	-	0	-	0
Richland	6,550	96	14.7	70	10.7	70	100.0	-	0	26	4.0
Saluda	150	2	13.3	1	6.7	1	100.0	-	0	1	6.7
Spartanburg	2,220	34	15.3	22	9.9	21	95.5	1	43.5	11	5.0
Sumter	1,640	25	15.2	20	12.2	19	95.0	-	0	5	3.0
Union	240	7	29.2	5	20.8	5	100.0	1	166.7	1	4.2
Williamsburg	600	5	8.3	2	3.3	2	100.0	-	0	3	5.0
York	1,830	34	18.6	27	14.8	27	100.0	1	35.7	6	3.3
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-4.
 Reported Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	90,380	1,620 *	17.9	1,261 *	14.0	1,212 *	96.1	13	10.2	346	3.8
Abbeville	490	5	10.2	5	10.2	5	100.0	-	0	-	0
Aiken	2,950	67	22.7	58	19.7	54	93.1	-	0	9	3.1
Allendale	140	7	50.0	7	50.0	7	100.0	-	0	-	0
Anderson	3,600	89	24.7	78	21.7	77	98.7	-	0	11	3.1
Bamberg	400	9	22.5	7	17.5	7	100.0	-	0	2	5.0
Barnwell	410	9	22.0	7	17.1	7	100.0	-	0	2	4.9
Beaufort	2,610	42	16.1	40	15.3	36	90.0	-	0	2	0.8
Berkeley	3,410	45	13.2	30	8.8	30	100.0	1	32.3	14	4.1
Calhoun	260	2	7.7	2	7.7	2	100.0	-	0	-	0
Charleston	6,290	88	14.0	67	10.7	64	95.5	1	14.7	20	3.2
Cherokee	1,090	28	25.7	24	22.0	24	100.0	1	40.0	3	2.8
Chester	560	15	26.8	10	17.9	10	100.0	-	0	5	8.9
Chesterfield	900	21	23.3	19	21.1	18	94.7	-	0	2	2.2
Clarendon	590	11	18.6	11	18.6	10	90.9	-	0	-	0
Colleton	690	20	29.0	14	20.3	14	100.0	-	0	6	8.7
Darlington	1,350	26	19.3	21	15.6	20	95.2	1	45.5	4	3.0
Dillon	610	18	29.5	17	27.9	17	100.0	1	55.6	-	0
Dorchester	2,940	43	14.6	25	8.5	24	96.0	-	0	18	6.1
Edgefield	440	10	22.7	10	22.7	9	90.0	-	0	-	0
Fairfield	410	14	34.1	9	22.0	9	100.0	-	0	5	12.2
Florence	2,610	40	15.3	30	11.5	28	93.3	-	0	10	3.8
Georgetown	960	17	17.7	10	10.4	10	100.0	-	0	7	7.3
Greenville	9,130	144	15.8	110	12.0	105	95.5	1	9.0	33	3.6
Greenwood	1,530	40	26.1	33	21.6	31	93.9	-	0	7	4.6
Hampton	380	8	21.1	7	18.4	7	100.0	-	0	1	2.6
Horry	4,580	99	21.6	76	16.6	74	97.4	1	13.0	22	4.8
Jasper	430	6	14.0	5	11.6	5	100.0	-	0	1	2.3
Kershaw	1,110	17	15.3	10	9.0	10	100.0	1	90.9	6	5.4
Lancaster	1,280	26	20.3	19	14.8	18	94.7	-	0	7	5.5
Laurens	1,280	32	25.0	25	19.5	25	100.0	-	0	7	5.5
Lee	290	6	20.7	3	10.3	3	100.0	-	0	3	10.3
Lexington	4,920	89	18.1	64	13.0	62	96.9	1	15.4	24	4.9
McCormick	110	1	9.1	1	9.1	1	100.0	-	0	-	0
Marion	560	20	35.7	18	32.1	17	94.4	1	52.6	1	1.8
Marlboro	460	11	23.9	11	23.9	11	100.0	-	0	-	0
Newberry	690	14	20.3	10	14.5	9	90.0	-	0	4	5.8
Oconee	1,170	19	16.2	15	12.8	12	80.0	-	0	4	3.4
Orangeburg	1,920	68	35.4	55	28.6	55	100.0	-	0	13	6.8
Pickens	3,120	40	12.8	35	11.2	33	94.3	-	0	5	1.6
Richland	9,510	114 *	12.0	81 *	8.5	80 *	98.8	-	0	33	3.5
Saluda	310	8	25.8	5	16.1	5	100.0	-	0	3	9.7
Spartanburg	5,810	106	18.2	84	14.5	78	92.9	1	11.8	21	3.6
Sumter	2,080	34	16.3	28	13.5	27	96.4	-	0	6	2.9
Union	470	13	27.7	11	23.4	11	100.0	1	83.3	1	2.1
Williamsburg	580	5	8.6	3	5.2	3	100.0	-	0	2	3.4
York	4,950	70	14.1	51	10.3	48	94.1	1	19.2	18	3.6
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

* Includes unknown race

Table D-4A.
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,390	857	14.9	683	11.9	639	93.6	4	5.8	170	3.0
Abbeville	340	2	5.9	2	5.9	2	100.0	-	0	-	0
Aiken	1,910	35	18.3	32	16.8	28	87.5	-	0	3	1.6
Allendale	20	1	50.0	1	50.0	1	100.0	-	0	-	0
Anderson	2,820	67	23.8	60	21.3	59	98.3	-	0	7	2.5
Bamberg	90	1	11.1	1	11.1	1	100.0	-	0	-	0
Barnwell	190	2	10.5	2	10.5	2	100.0	-	0	-	0
Beaufort	1,800	24	13.3	24	13.3	20	83.3	-	0	-	0
Berkeley	2,190	24	11.0	18	8.2	18	100.0	-	0	6	2.7
Calhoun	120	-	0	-	0	-	0	-	0	-	0
Charleston	3,960	30	7.6	21	5.3	18	85.7	-	0	9	2.3
Cherokee	790	22	27.8	19	24.1	19	100.0	1	50.0	2	2.5
Chester	280	8	28.6	6	21.4	6	100.0	-	0	2	7.1
Chesterfield	530	13	24.5	11	20.8	10	90.9	-	0	2	3.8
Clarendon	230	6	26.1	6	26.1	6	100.0	-	0	-	0
Colleton	350	5	14.3	4	11.4	4	100.0	-	0	1	2.9
Darlington	650	12	18.5	10	15.4	9	90.0	1	90.9	1	1.5
Dillon	240	4	16.7	4	16.7	4	100.0	-	0	-	0
Dorchester	1,910	21	11.0	13	6.8	12	92.3	-	0	8	4.2
Edgefield	260	5	19.2	5	19.2	5	100.0	-	0	-	0
Fairfield	120	3	25.0	3	25.0	3	100.0	-	0	-	0
Florence	1,260	11	8.7	9	7.1	7	77.8	-	0	2	1.6
Georgetown	520	6	11.5	4	7.7	4	100.0	-	0	2	3.8
Greenville	6,860	91	13.3	70	10.2	65	92.9	1	14.1	20	2.9
Greenwood	900	20	22.2	16	17.8	14	87.5	-	0	4	4.4
Hampton	130	1	7.7	1	7.7	1	100.0	-	0	-	0
Horry	3,550	70	19.7	53	14.9	51	96.2	-	0	17	4.8
Jasper	190	2	10.5	2	10.5	2	100.0	-	0	-	0
Kershaw	780	14	17.9	9	11.5	9	100.0	-	0	5	6.4
Lancaster	910	16	17.6	14	15.4	13	92.9	-	0	2	2.2
Laurens	930	27	29.0	21	22.6	21	100.0	-	0	6	6.5
Lee	80	-	0	-	0	-	0	-	0	-	0
Lexington	3,800	68	17.9	49	12.9	48	98.0	1	20.0	18	4.7
McCormick	30	-	0	-	0	-	0	-	0	-	0
Marion	180	5	27.8	5	27.8	4	80.0	-	0	-	0
Marlboro	160	5	31.3	5	31.3	5	100.0	-	0	-	0
Newberry	430	3	7.0	2	4.7	1	50.0	-	0	1	2.3
Oconee	1,030	17	16.5	14	13.6	11	78.6	-	0	3	2.9
Orangeburg	460	13	28.3	11	23.9	11	100.0	-	0	2	4.3
Pickens	2,820	38	13.5	33	11.7	31	93.9	-	0	5	1.8
Richland	4,420	24	5.4	14	3.2	13	92.9	-	0	10	2.3
Saluda	200	6	30.0	4	20.0	4	100.0	-	0	2	10.0
Spartanburg	4,110	72	17.5	62	15.1	57	91.9	-	0	10	2.4
Sumter	840	12	14.3	9	10.7	9	100.0	-	0	3	3.6
Union	290	8	27.6	7	24.1	7	100.0	-	0	1	3.4
Williamsburg	140	1	7.1	1	7.1	1	100.0	-	0	-	0
York	3,580	39	10.9	26	7.3	23	88.5	-	0	13	3.6
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-4A. (continued)
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	32,990	762	23.1	577	17.5	572	99.1	9	15.4	176	5.3
Abbeville	150	3	20.0	3	20.0	3	100.0	-	0	-	0
Aiken	1,040	32	30.8	26	25.0	26	100.0	-	0	6	5.8
Allendale	120	6	50.0	6	50.0	6	100.0	-	0	-	0
Anderson	780	22	28.2	18	23.1	18	100.0	-	0	4	5.1
Bamberg	310	8	25.8	6	19.4	6	100.0	-	0	2	6.5
Barnwell	220	7	31.8	5	22.7	5	100.0	-	0	2	9.1
Beaufort	810	18	22.2	16	19.8	16	100.0	-	0	2	2.5
Berkeley	1,210	21	17.4	12	9.9	12	100.0	1	76.9	8	6.6
Calhoun	140	2	14.3	2	14.3	2	100.0	-	0	-	0
Charleston	2,330	58	24.9	46	19.7	46	100.0	1	21.3	11	4.7
Cherokee	300	6	20.0	5	16.7	5	100.0	-	0	1	3.3
Chester	270	7	25.9	4	14.8	4	100.0	-	0	3	11.1
Chesterfield	370	8	21.6	8	21.6	8	100.0	-	0	-	0
Clarendon	350	5	14.3	5	14.3	4	80.0	-	0	-	0
Colleton	330	15	45.5	10	30.3	10	100.0	-	0	5	15.2
Darlington	700	14	20.0	11	15.7	11	100.0	-	0	3	4.3
Dillon	380	14	36.8	13	34.2	13	100.0	1	71.4	-	0
Dorchester	1,030	22	21.4	12	11.7	12	100.0	-	0	10	9.7
Edgefield	180	5	27.8	5	27.8	4	80.0	-	0	-	0
Fairfield	290	11	37.9	6	20.7	6	100.0	-	0	5	17.2
Florence	1,340	29	21.6	21	15.7	21	100.0	-	0	8	6.0
Georgetown	430	11	25.6	6	14.0	6	100.0	-	0	5	11.6
Greenville	2,270	53	23.3	40	17.6	40	100.0	-	0	13	5.7
Greenwood	630	20	31.7	17	27.0	17	100.0	-	0	3	4.8
Hampton	250	7	28.0	6	24.0	6	100.0	-	0	1	4.0
Horry	1,030	29	28.2	23	22.3	23	100.0	1	41.7	5	4.9
Jasper	240	4	16.7	3	12.5	3	100.0	-	0	1	4.2
Kershaw	330	3	9.1	1	3.0	1	100.0	1	500.0	1	3.0
Lancaster	370	10	27.0	5	13.5	5	100.0	-	0	5	13.5
Laurens	350	5	14.3	4	11.4	4	100.0	-	0	1	2.9
Lee	210	6	28.6	3	14.3	3	100.0	-	0	3	14.3
Lexington	1,120	21	18.8	15	13.4	14	93.3	-	0	6	5.4
McCormick	80	1	12.5	1	12.5	1	100.0	-	0	-	0
Marion	380	15	39.5	13	34.2	13	100.0	1	71.4	1	2.6
Marlboro	300	6	20.0	6	20.0	6	100.0	-	0	-	0
Newberry	260	11	42.3	8	30.8	8	100.0	-	0	3	11.5
Oconee	150	2	13.3	1	6.7	1	100.0	-	0	1	6.7
Orangeburg	1,470	55	37.4	44	29.9	44	100.0	-	0	11	7.5
Pickens	310	2	6.5	2	6.5	2	100.0	-	0	-	0
Richland	5,100	89	17.5	66	12.9	66	100.0	-	0	23	4.5
Saluda	110	2	18.2	1	9.1	1	100.0	-	0	1	9.1
Spartanburg	1,710	34	19.9	22	12.9	21	95.5	1	43.5	11	6.4
Sumter	1,250	22	17.6	19	15.2	18	94.7	-	0	3	2.4
Union	180	5	27.8	4	22.2	4	100.0	1	200.0	-	0
Williamsburg	440	4	9.1	2	4.5	2	100.0	-	0	2	4.5
York	1,380	31	22.5	25	18.1	25	100.0	1	38.5	5	3.6
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-5.
 Reported Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	60,250	4,212 *	69.9	3,498 *	58.1	3,116 *	89.1	37	10.5	677 *	11.2
Abbeville	330	26	78.8	24	72.7	23	95.8	-	0	2	6.1
Aiken	1,970	118 *	59.9	100 *	50.8	91 *	91.0	1	9.9	17	8.6
Allendale	90	14	155.6	11	122.2	10	90.9	-	0	3	33.3
Anderson	2,400	184	76.7	171	71.3	159	93.0	1	5.8	12	5.0
Bamberg	270	22	81.5	18	66.7	18	100.0	1	52.6	3	11.1
Barnwell	280	33	117.9	28	100.0	27	96.4	1	34.5	4	14.3
Beaufort	1,740	114	65.5	103	59.2	79	76.7	-	0	11	6.3
Berkeley	2,270	162	71.4	126	55.5	100	79.4	1	7.9	35	15.4
Calhoun	170	11	64.7	8	47.1	6	75.0	-	0	3	17.6
Charleston	4,190	202 *	48.2	151	36.0	137	90.7	1	6.6	50 *	11.9
Cherokee	720	76 *	105.6	67	93.1	59	88.1	-	0	9 *	12.5
Chester	370	45	121.6	42	113.5	37	88.1	-	0	3	8.1
Chesterfield	600	40	66.7	34	56.7	30	88.2	1	28.6	5	8.3
Clarendon	390	39	100.0	35	89.7	33	94.3	-	0	4	10.3
Colleton	460	57	123.9	50	108.7	46	92.0	3	56.6	4	8.7
Darlington	900	87	96.7	79	87.8	76	96.2	1	12.5	7	7.8
Dillon	410	50	122.0	47	114.6	43	91.5	1	20.8	2	4.9
Dorchester	1,960	115	58.7	84	42.9	74	88.1	2	23.3	29	14.8
Edgefield	290	24 *	82.8	22 *	75.9	21 *	95.5	-	0	2	6.9
Fairfield	270	27	100.0	24	88.9	24	100.0	1	40.0	2	7.4
Florence	1,740	124	71.3	108	62.1	99	91.7	2	18.2	14	8.0
Georgetown	640	50	78.1	44	68.8	38	86.4	2	43.5	4	6.3
Greenville	6,090	384	63.1	301	49.4	268	89.0	2	6.6	81	13.3
Greenwood	1,020	91 *	89.2	80	78.4	72	90.0	1	12.3	10 *	9.8
Hampton	250	19	76.0	18	72.0	18	100.0	1	52.6	-	0
Horry	3,050	261 *	85.6	206	67.5	187	90.8	-	0	55 *	18.0
Jasper	280	44	157.1	40	142.9	39	97.5	2	47.6	2	7.1
Kershaw	740	60	81.1	47	63.5	40	85.1	1	20.8	12	16.2
Lancaster	850	66	77.6	61	71.8	59	96.7	1	16.1	4	4.7
Laurens	850	69	81.2	60	70.6	53	88.3	1	16.4	8	9.4
Lee	190	17	89.5	17	89.5	15	88.2	-	0	-	0
Lexington	3,280	221	67.4	187	57.0	154	82.4	1	5.3	33	10.1
McCormick	70	4	57.1	4	57.1	4	100.0	-	0	-	0
Marion	380	38	100.0	34	89.5	30	88.2	-	0	4	10.5
Marlboro	300	33	110.0	33	110.0	32	97.0	-	0	-	0
Newberry	460	41	89.1	30	65.2	29	96.7	-	0	11	23.9
Oconee	780	65	83.3	57	73.1	43	75.4	1	17.2	7	9.0
Orangeburg	1,280	94	73.4	74	57.8	68	91.9	1	13.3	19	14.8
Pickens	2,080	105	50.5	90	43.3	74	82.2	-	0	15	7.2
Richland	6,340	311 *	49.1	229	36.1	211	92.1	1	4.3	81 *	12.8
Saluda	210	18	85.7	13	61.9	9	69.2	-	0	5	23.8
Spartanburg	3,880	271 *	69.8	235	60.6	212	90.2	2	8.4	34 *	8.8
Sumter	1,390	111	79.9	94	67.6	79	84.0	2	20.8	15	10.8
Union	320	38	118.8	34	106.3	30	88.2	-	0	4	12.5
Williamsburg	390	18	46.2	14	35.9	14	100.0	-	0	4	10.3
York	3,300	209 *	63.3	164	49.7	146	89.0	1	6.1	44 *	13.3
Unknown	-	4	0.0	-	0	-	0	-	0	4	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

* Includes unknown race

Table D-5A.
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	38,260	2,366	61.8	2,002	52.3	1,655	82.7	12	6.0	352	9.2
Abbeville	220	15	68.2	15	68.2	14	93.3	-	0	-	0
Aiken	1,270	74	58.3	65	51.2	56	86.2	1	15.2	8	6.3
Allendale	10	3	300.0	2	200.0	1	50.0	-	0	1	100.0
Anderson	1,880	120	63.8	111	59.0	99	89.2	1	8.9	8	4.3
Bamberg	60	6	100.0	6	100.0	6	100.0	-	0	-	0
Barnwell	130	13	100.0	10	76.9	9	90.0	-	0	3	23.1
Beaufort	1,200	71	59.2	63	52.5	40	63.5	-	0	8	6.7
Berkeley	1,460	111	76.0	88	60.3	64	72.7	1	11.2	22	15.1
Calhoun	80	6	75.0	4	50.0	2	50.0	-	0	2	25.0
Charleston	2,640	88	33.3	61	23.1	49	80.3	-	0	27	10.2
Cherokee	520	50	96.2	46	88.5	38	82.6	-	0	4	7.7
Chester	190	23	121.1	21	110.5	16	76.2	-	0	2	10.5
Chesterfield	350	22	62.9	20	57.1	16	80.0	1	47.6	1	2.9
Clarendon	160	10	62.5	10	62.5	9	90.0	-	0	-	0
Colleton	230	28	121.7	25	108.7	21	84.0	2	74.1	1	4.3
Darlington	430	29	67.4	29	67.4	26	89.7	-	0	-	0
Dillon	160	29	181.3	27	168.8	23	85.2	-	0	2	12.5
Dorchester	1,270	62	48.8	45	35.4	36	80.0	-	0	17	13.4
Edgefield	170	13	76.5	11	64.7	10	90.9	-	0	2	11.8
Fairfield	80	7	87.5	5	62.5	5	100.0	1	166.7	1	12.5
Florence	840	49	58.3	45	53.6	36	80.0	-	0	4	4.8
Georgetown	350	23	65.7	21	60.0	15	71.4	-	0	2	5.7
Greenville	4,570	261	57.1	209	45.7	178	85.2	1	4.8	51	11.2
Greenwood	600	50	83.3	46	76.7	38	82.6	1	21.3	3	5.0
Hampton	90	7	77.8	7	77.8	7	100.0	-	0	-	0
Horry	2,370	193	81.4	157	66.2	139	88.5	-	0	36	15.2
Jasper	120	19	158.3	18	150.0	17	94.4	-	0	1	8.3
Kershaw	520	37	71.2	30	57.7	25	83.3	-	0	7	13.5
Lancaster	610	39	63.9	37	60.7	36	97.3	1	26.3	1	1.6
Laurens	620	47	75.8	44	71.0	38	86.4	-	0	3	4.8
Lee	50	2	40.0	2	40.0	1	50.0	-	0	-	0
Lexington	2,530	167	66.0	141	55.7	109	77.3	1	7.0	25	9.9
McCormick	20	1	50.0	1	50.0	1	100.0	-	0	-	0
Marion	120	12	100.0	12	100.0	8	66.7	-	0	-	0
Marlboro	110	9	81.8	9	81.8	9	100.0	-	0	-	0
Newberry	280	18	64.3	14	50.0	14	100.0	-	0	4	14.3
Oconee	690	63	91.3	56	81.2	43	76.8	1	17.5	6	8.7
Orangeburg	300	21	70.0	19	63.3	14	73.7	-	0	2	6.7
Pickens	1,880	89	47.3	80	42.6	64	80.0	-	0	9	4.8
Richland	2,950	83	28.1	57	19.3	46	80.7	-	0	26	8.8
Saluda	130	11	84.6	9	69.2	6	66.7	-	0	2	15.4
Spartanburg	2,740	186	67.9	163	59.5	142	87.1	-	0	23	8.4
Sumter	560	41	73.2	35	62.5	23	65.7	-	0	6	10.7
Union	200	25	125.0	22	110.0	18	81.8	-	0	3	15.0
Williamsburg	90	3	33.3	2	22.2	2	100.0	-	0	1	11.1
York	2,380	129	54.2	102	42.9	86	84.3	-	0	27	11.3
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

Table D-5A. (continued)
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2013
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	21,990	1,834	83.4	1,493	67.9	1,458	97.7	25	16.5	316	14.4
Abbeville	100	11	110.0	9	90.0	9	100.0	-	0	2	20.0
Aiken	690	42	60.9	33	47.8	33	100.0	-	0	9	13.0
Allendale	80	11	137.5	9	112.5	9	100.0	-	0	2	25.0
Anderson	520	64	123.1	60	115.4	60	100.0	-	0	4	7.7
Bamberg	210	16	76.2	12	57.1	12	100.0	1	76.9	3	14.3
Barnwell	150	20	133.3	18	120.0	18	100.0	1	52.6	1	6.7
Beaufort	540	43	79.6	40	74.1	39	97.5	-	0	3	5.6
Berkeley	810	51	63.0	38	46.9	36	94.7	-	0	13	16.0
Calhoun	90	5	55.6	4	44.4	4	100.0	-	0	1	11.1
Charleston	1,550	113	72.9	90	58.1	88	97.8	1	11.0	22	14.2
Cherokee	200	25	125.0	21	105.0	21	100.0	-	0	4	20.0
Chester	180	22	122.2	21	116.7	21	100.0	-	0	1	5.6
Chesterfield	240	18	75.0	14	58.3	14	100.0	-	0	4	16.7
Clarendon	230	29	126.1	25	108.7	24	96.0	-	0	4	17.4
Colleton	220	29	131.8	25	113.6	25	100.0	1	38.5	3	13.6
Darlington	470	58	123.4	50	106.4	50	100.0	1	19.6	7	14.9
Dillon	250	21	84.0	20	80.0	20	100.0	1	47.6	-	0
Dorchester	680	53	77.9	39	57.4	38	97.4	2	48.8	12	17.6
Edgefield	120	10	83.3	10	83.3	10	100.0	-	0	-	0
Fairfield	190	20	105.3	19	100.0	19	100.0	-	0	1	5.3
Florence	900	75	83.3	63	70.0	63	100.0	2	30.8	10	11.1
Georgetown	290	27	93.1	23	79.3	23	100.0	2	80.0	2	6.9
Greenville	1,510	123	81.5	92	60.9	90	97.8	1	10.8	30	19.9
Greenwood	420	40	95.2	34	81.0	34	100.0	-	0	6	14.3
Hampton	170	12	70.6	11	64.7	11	100.0	1	83.3	-	0
Horry	690	67	97.1	49	71.0	48	98.0	-	0	18	26.1
Jasper	160	25	156.3	22	137.5	22	100.0	2	83.3	1	6.3
Kershaw	220	23	104.5	17	77.3	15	88.2	1	55.6	5	22.7
Lancaster	250	27	108.0	24	96.0	23	95.8	-	0	3	12.0
Laurens	230	22	95.7	16	69.6	15	93.8	1	58.8	5	21.7
Lee	140	15	107.1	15	107.1	14	93.3	-	0	-	0
Lexington	750	54	72.0	46	61.3	45	97.8	-	0	8	10.7
McCormick	50	3	60.0	3	60.0	3	100.0	-	0	-	0
Marion	260	26	100.0	22	84.6	22	100.0	-	0	4	15.4
Marlboro	200	24	120.0	24	120.0	23	95.8	-	0	-	0
Newberry	170	23	135.3	16	94.1	15	93.8	-	0	7	41.2
Oconee	100	2	20.0	1	10.0	-	0	-	0	1	10.0
Orangeburg	980	73	74.5	55	56.1	54	98.2	1	17.9	17	17.3
Pickens	210	16	76.2	10	47.6	10	100.0	-	0	6	28.6
Richland	3,400	227	66.8	172	50.6	165	95.9	1	5.8	54	15.9
Saluda	70	7	100.0	4	57.1	3	75.0	-	0	3	42.9
Spartanburg	1,140	84	73.7	72	63.2	70	97.2	2	27.0	10	8.8
Sumter	830	70	84.3	59	71.1	56	94.9	2	32.8	9	10.8
Union	120	13	108.3	12	100.0	12	100.0	-	0	1	8.3
Williamsburg	290	15	51.7	12	41.4	12	100.0	-	0	3	10.3
York	920	77	83.7	62	67.4	60	96.8	1	15.9	14	15.2
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.


² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

The State Fish

“ The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTIONS

Table E-1.
 Abortions and Abortion Rates¹ by Race
 South Carolina, 2004-2013
 (Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
2004	10,534 *	186.3	5,462	148.1	4,904	250.0
2005	11,919 *	207.2	5,826	155.9	5,925	295.1
2006	13,116 *	210.9	6,209	155.4	6,665	301.2
2007	12,838 *	204.0	6,083	149.7	6,519	292.9
2008	10,917 *	173.1	5,230	128.5	5,395	241.7
2009	11,656 *	192.1	5,208	132.4	6,193	291.0
2010	11,441 *	196.2	5,225	137.8	6,062	297.7
2011	10,117 *	176.4	4,877	130.4	4,917	247.2
2012	9,741 *	170.6	4,523	121.9	4,983	249.7
2013	9,029 *	159.1	4,217	113.4	4,678	239.7

¹ Rate per 1,000 live births

* Includes unknown race

Figure E-1.
 Abortion Rates by Race
 South Carolina, 2004-2013
 (Residence Data)




Table E-2.
Abortions by Age Group: South Carolina and Each County, 2013
(Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	9,029 *	30	43	118	185	268	409	3,004	2,275	1,508	1,058	131
Abbeville	25	-	-	-	-	2	-	5	7	7	4	-
Aiken	189	2	1	2	6	6	11	52	60	33	16	-
Allendale	13	-	-	-	-	2	1	6	2	-	1	1
Anderson	250 *	-	1	7	3	7	5	82	65	36	39	5
Bamberg	30	1	-	-	2	2	1	12	7	1	3	1
Barnwell	59	-	-	-	2	2	2	25	9	13	6	-
Beaufort	160 *	-	-	-	2	5	6	65	30	27	25	-
Berkeley	426 *	-	2	4	8	15	20	129	113	70	61	4
Calhoun	22	-	-	-	-	2	1	6	5	4	4	-
Charleston	946 *	1	4	7	9	13	37	294	289	192	99	1
Cherokee	74 *	1	1	1	1	5	4	24	14	13	6	4
Chester	73 *	-	1	-	4	3	-	18	22	11	9	5
Chesterfield	58	-	1	1	-	2	3	20	20	6	3	2
Clarendon	39	-	-	-	-	3	1	19	5	4	6	1
Colleton	45	-	1	3	2	1	3	14	12	5	4	-
Darlington	75	-	-	1	3	4	3	29	13	14	6	2
Dillon	42	-	-	-	-	1	1	14	10	12	3	1
Dorchester	287 *	1	2	7	9	15	14	74	81	57	27	-
Edgefield	28	1	-	-	-	-	2	7	9	6	3	-
Fairfield	33	-	-	1	4	1	1	10	9	3	4	-
Florence	233 *	1	-	5	5	5	9	77	68	33	27	3
Georgetown	95 *	-	-	4	3	1	3	31	24	20	7	2
Greenville	969 *	1	3	9	21	34	47	298	235	190	126	5
Greenwood	147 *	1	2	3	2	3	7	54	37	23	15	-
Hampton	17	-	-	-	1	-	-	3	7	4	2	-
Horry	550 *	3	2	8	12	19	36	180	115	86	70	19
Jasper	34	-	1	-	-	1	1	13	8	3	7	-
Kershaw	105 *	-	1	-	5	5	7	37	14	20	15	1
Lancaster	89 *	-	-	1	6	2	2	29	15	18	13	3
Laurens	120 *	-	1	2	4	1	7	33	33	23	16	-
Lee	27 *	1	2	-	1	-	-	11	8	2	1	1
Lexington	446 *	2	2	10	12	13	20	157	109	58	57	6
McCormick	22	-	-	-	-	-	-	6	12	2	2	-
Marion	38	-	-	-	1	2	2	14	11	3	3	2
Marlboro	38 *	-	-	-	-	-	-	11	17	5	3	2
Newberry	73	2	-	3	1	4	7	29	9	8	10	-
Oconee	80	-	2	-	2	3	4	31	18	11	9	-
Orangeburg	261 *	-	3	3	7	7	12	80	66	49	30	4
Pickens	155	1	1	2	2	4	11	63	36	19	15	1
Richland	1,307 *	3	2	14	17	29	52	476	321	212	156	25
Saluda	24	-	1	-	2	1	4	5	8	2	1	-
Spartanburg	451 *	1	2	6	13	16	18	150	117	69	55	4
Sumter	230	2	1	2	3	6	9	91	57	36	17	6
Union	44	1	1	1	-	4	-	13	12	6	5	2
Williamsburg	51	2	1	1	-	1	3	12	14	10	7	-
York	499 *	1	2	8	8	16	28	183	110	76	54	13
Unknown	50 *	1	-	2	2	-	4	12	12	6	6	5

* Includes unknown race

Table E-2A.
 Abortions by Age Group and Race: South Carolina and Each County, 2013
 White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	4,217	10	19	61	90	134	218	1,380	1,009	700	561	35
Abbeville	11	-	-	-	-	-	-	-	4	4	3	-
Aiken	85	2	-	-	3	2	6	24	27	16	5	-
Allendale	2	-	-	-	-	-	1	-	1	-	-	-
Anderson	147	-	-	4	3	4	4	49	36	20	26	1
Bamberg	5	-	-	-	-	-	-	2	2	-	1	-
Barnwell	15	-	-	-	-	1	2	4	3	4	1	-
Beaufort	104	-	-	-	-	4	4	42	18	16	20	-
Berkeley	243	-	1	1	4	8	14	73	69	36	36	1
Calhoun	10	-	-	-	-	1	1	2	2	1	3	-
Charleston	518	-	2	3	4	5	22	151	153	117	61	-
Cherokee	29	1	-	1	1	3	1	9	6	3	3	1
Chester	21	-	-	-	2	2	-	4	5	4	3	1
Chesterfield	27	-	1	1	-	-	1	9	10	1	3	1
Clarendon	6	-	-	-	-	-	-	4	1	-	1	-
Colleton	13	-	-	-	1	-	1	4	5	1	1	-
Darlington	26	-	-	1	-	-	-	13	5	5	2	-
Dillon	14	-	-	-	-	1	1	4	1	4	3	-
Dorchester	153	1	1	3	4	12	5	41	39	35	12	-
Edgefield	10	1	-	-	-	-	2	1	3	-	3	-
Fairfield	3	-	-	-	-	-	1	2	-	-	-	-
Florence	63	-	-	1	1	1	3	23	18	6	9	1
Georgetown	35	-	-	1	1	-	2	13	7	9	2	-
Greenville	578	-	1	5	14	20	31	165	145	121	73	3
Greenwood	53	-	2	1	1	1	2	16	14	10	6	-
Hampton	4	-	-	-	-	-	-	-	2	1	1	-
Horry	397	1	2	6	9	10	26	134	83	61	52	13
Jasper	11	-	-	-	-	-	1	5	3	1	1	-
Kershaw	56	-	1	-	4	3	4	23	6	6	9	-
Lancaster	32	-	-	-	2	-	1	11	6	4	7	1
Laurens	61	-	1	2	3	1	2	16	14	12	10	-
Lee	5	-	-	-	-	-	-	2	3	-	-	-
Lexington	301	1	1	9	8	10	15	101	73	36	44	3
McCormick	6	-	-	-	-	-	-	1	2	1	2	-
Marion	5	-	-	-	-	-	-	2	2	-	1	-
Marlboro	11	-	-	-	-	-	-	4	3	2	1	1
Newberry	29	1	-	1	-	2	2	12	3	2	6	-
Oconee	50	-	2	-	1	2	4	19	9	6	7	-
Orangeburg	25	-	-	2	-	2	-	7	6	4	4	-
Pickens	118	1	1	2	2	3	6	46	30	14	12	1
Richland	350	-	-	5	5	11	15	141	69	54	47	3
Saluda	12	-	1	-	1	-	2	3	3	2	-	-
Spartanburg	239	1	-	2	8	11	12	79	50	43	33	-
Sumter	62	-	1	-	2	3	3	24	13	7	8	1
Union	21	-	-	1	-	3	-	5	6	3	3	-
Williamsburg	10	-	-	-	-	-	1	3	2	1	3	-
York	226	-	1	7	5	8	19	84	45	25	30	2
Unknown	15	-	-	2	1	-	1	3	2	2	3	1

Table E-2A. (continued)
 Abortions by Age Group and Race: South Carolina and Each County, 2013
 Black & Other

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	4,678	20	24	57	95	131	185	1,588	1,245	782	484	67
Abbeville	14	-	-	-	-	2	-	5	3	3	1	-
Aiken	104	-	1	2	3	4	5	28	33	17	11	-
Allendale	11	-	-	-	-	2	-	6	1	-	1	1
Anderson	101	-	1	3	-	3	1	33	29	15	12	4
Bamberg	25	1	-	-	2	2	1	10	5	1	2	1
Barnwell	44	-	-	-	2	1	-	21	6	9	5	-
Beaufort	55	-	-	-	2	1	2	23	11	11	5	-
Berkeley	180	-	1	3	4	7	6	55	44	34	25	1
Calhoun	12	-	-	-	-	1	-	4	3	3	1	-
Charleston	423	1	2	4	5	7	15	142	136	74	37	-
Cherokee	42	-	1	-	-	1	3	15	8	10	3	1
Chester	51	-	1	-	2	1	-	14	17	7	6	3
Chesterfield	31	-	-	-	-	2	2	11	10	5	-	1
Clarendon	33	-	-	-	-	3	1	15	4	4	5	1
Colleton	32	-	1	3	1	1	2	10	7	4	3	-
Darlington	49	-	-	-	3	4	3	16	8	9	4	2
Dillon	28	-	-	-	-	-	-	10	9	8	-	1
Dorchester	130	-	1	4	5	3	9	32	42	21	13	-
Edgefield	18	-	-	-	-	-	-	6	6	6	-	-
Fairfield	30	-	-	1	4	1	-	8	9	3	4	-
Florence	168	1	-	4	4	4	6	53	50	27	18	1
Georgetown	59	-	-	3	2	1	1	17	17	11	5	2
Greenville	383	1	2	4	7	14	16	131	88	66	52	2
Greenwood	93	1	-	2	1	2	4	38	23	13	9	-
Hampton	13	-	-	-	1	-	-	3	5	3	1	-
Horry	142	2	-	2	3	9	9	41	31	25	17	3
Jasper	23	-	1	-	-	1	-	8	5	2	6	-
Kershaw	47	-	-	-	1	2	3	14	8	13	6	-
Lancaster	52	-	-	1	4	2	1	17	9	11	5	2
Laurens	57	-	-	-	1	-	5	16	18	11	6	-
Lee	21	1	2	-	1	-	-	9	5	2	1	-
Lexington	140	1	1	1	4	3	5	54	35	21	13	2
McCormick	16	-	-	-	-	-	-	5	10	1	-	-
Marion	33	-	-	-	1	2	2	12	9	3	2	2
Marlboro	26	-	-	-	-	-	-	7	14	2	2	1
Newberry	44	1	-	2	1	2	5	17	6	6	4	-
Oconee	30	-	-	-	1	1	-	12	9	5	2	-
Orangeburg	235	-	3	1	7	5	12	73	60	45	26	3
Pickens	37	-	-	-	-	1	5	17	6	5	3	-
Richland	930	3	2	9	12	18	36	330	247	151	107	15
Saluda	12	-	-	-	1	1	2	2	5	-	1	-
Spartanburg	208	-	2	4	5	5	5	70	67	25	22	3
Sumter	168	2	-	2	1	3	6	67	44	29	9	5
Union	23	1	-	-	-	1	-	8	6	3	2	2
Williamsburg	41	2	1	1	-	1	2	9	12	9	4	-
York	236	1	1	1	3	7	7	85	56	47	21	7
Unknown	28	1	-	-	1	-	3	9	9	2	2	1

Table E-3.
Abortions by Age Group and Race of Mother: South Carolina and Selected Counties, 2013
(Occurrence Data)

Total

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	5,878	15	28	88	150	176	272	1,931	1,489	1,007	722	-
CHARLESTON	1,985	6	11	25	41	46	98	600	542	373	243	-
GREENVILLE	2,083	3	11	31	56	80	96	646	503	366	291	-
RICHLAND	1,808	6	6	32	53	50	78	685	443	267	188	-
SPARTANBURG	2	-	-	-	-	-	-	-	1	1	-	-

White

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	3,213	5	16	46	84	102	153	1,035	786	556	430	-
CHARLESTON	1,118	3	5	10	18	24	58	335	295	222	148	-
GREENVILLE	1,353	1	8	19	42	51	61	407	327	240	197	-
RICHLAND	741	1	3	17	24	27	34	293	164	93	85	-


Black and Other

County of Occurrence	Age in Years											Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	
S CAROLINA	2,660	10	12	42	66	73	119	895	703	451	289	-
CHARLESTON	862	3	6	15	23	21	40	264	247	151	92	-
GREENVILLE	730	2	3	12	14	29	35	239	176	126	94	-
RICHLAND	1,067	5	3	15	29	23	44	392	279	174	103	-

NOTE: Counties not listed had no occurrences

The State Shell

“The Oliva Sayana”



Officially adopted by the General Assembly in 1984


PERINATAL

Figure F-1


Three-Year Infant Mortality Rates* by County

South Carolina, 2011-2013

(Residence Data)



Infant Mortality Rates



*Rates calculated per 1,000 population

Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

Table F-1.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina, 1988-2013
 (Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2
2001	496	8.9	206	5.8	290	14.5
2002	507	9.3	208	5.9	298	15.4
2003	463	8.3	211	5.9	252	13.0
2004	524	9.3	236	6.4	288	14.7
2005	549	9.5	261	7.0	286	14.2
2006	520	8.4	231	5.8	288	13.0
2007	538	8.5	243	6.0	295	13.3
2008	504	8.0	242	5.9	241	10.8
2009	430	7.1	198	5.0	232	10.9
2010	430	7.4	188	5.0	220	10.8
2011	423	7.4	182	4.9	241	12.1
2012	435	7.6	199	5.4	236	11.8
2013	389	6.9	187	5.0	194	9.9

¹ Rate per 1,000 Live Births

* Includes unknown race

Figure F-2
 Infant Mortality Rates by Race
 South Carolina, 1988-2013
 (Residence Data)




Table F-2.
 Leading Causes of Infant Death by Age at Death
 South Carolina, 2013
 (Residence Data)

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
TOTAL INFANT DEATHS	389	160	42	61	126
DISORDERS RELATED TO SHORT GESTATION, ETC. (P07).....	76	67	3	3	3
CONGENITAL MALFORMATIONS, ETC. (Q00-Q99).....	73	31	13	11	18
SUDDEN INFANT DEATH SYNDROME (R95).....	35	-	1	2	32
ACCIDENTS (V01-X59,Y85-Y86).....	23	-	-	2	21
NEWBORN AFF BY MATERNAL COMP OF PREG (P01).....	20	20	-	-	-
NEWBORN AFF BY COMP OF PLACENTA, ETC. (P02).....	12	11	-	1	-
BACTERIAL SEPSIS OF NEWBORN (P36).....	11	1	3	7	-
DZ OF CIRULATORY SYSTEM (I00-I99).....	9	-	-	-	9
RESPIRATORY DISTRESS OF NEWBORN (P22).....	9	2	4	3	-
NECROTIZING ENTERCOLITIS OF NEWBORN (P77).....	9	-	1	8	-
.....ALL OTHER CAUSES.....	112	28	17	24	43

Figure F-3
 Percent of Infant Deaths by Age at Death
 South Carolina, 2013
 (Residence Data)




Table F-3.
 Infant Mortality and Infant Mortality Rates¹
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	389 *	6.9	1,247 *	7.3	1,364 *	7.5
Abbeville	2	7.7	12	15.2	10	12.3
Aiken	11	6.3	35	6.3	36	6.1
Allendale	-	0	2	6.6	3	7.8
Anderson	18	7.9	54	8.0	51 *	7.3
Bamberg	-	0	4	8.4	5	9.1
Barnwell	5	15.9	10	10.6	4 *	4.4
Beaufort	5	2.4	25	4.1	26	3.9
Berkeley	17	6.5	54	7.0	49 *	6.3
Calhoun	-	0	2	4.5	3	6.0
Charleston	19	4.0	78	5.5	105 *	7.0
Cherokee	5	7.8	15	7.4	19	9.0
Chester	3	8.0	8	6.5	6	4.7
Chesterfield	8	15.3	20	12.9	28	16.8
Clarendon	5	14.3	12	11.5	4 *	3.5
Colleton	1	2.3	18	13.3	11 *	7.2
Darlington	5 *	6.6	23 *	9.7	31 *	12.5
Dillon	2	4.4	10	7.6	5	3.5
Dorchester	9	5.0	31	5.7	28	5.0
Edgefield	2	7.9	5	8.1	2	3.0
Fairfield	-	0	7	9.9	5	6.7
Florence	21	12.2	76	14.1	62 *	11.0
Georgetown	5	8.2	16	8.9	21	10.4
Greenville	37	6.1	109	6.0	132 *	6.9
Greenwood	7	7.8	25	9.3	27	9.4
Hampton	3	13.3	4	6.0	6	7.2
Horry	19	6.0	65	7.1	81	8.5
Jasper	1	3.2	6	6.2	9	8.2
Kershaw	8	12.1	15	7.1	12	5.0
Lancaster	5	5.4	19	7.0	22	8.0
Laurens	10	13.8	18	7.9	21	8.2
Lee	1	5.2	5	9.0	5	7.6
Lexington	15 *	4.6	63 *	6.5	61 *	5.9
McCormick	1	25.0	5	33.8	2	8.1
Marion	2	5.0	14	11.6	31 *	22.3
Marlboro	2	6.5	11	11.9	10	9.9
Newberry	3	6.6	8	6.1	7	4.6
Oconee	5	7.1	13	5.5	18 *	7.3
Orangeburg	16	14.3	38	11.2	52 *	13.1
Pickens	9	7.8	30	8.4	26	7.0
Richland	45 *	9.4	125 *	8.6	89 *	5.9
Saluda	1	4.7	7	9.7	11 *	14.3
Spartanburg	17	4.9	45	4.2	92 *	7.9
Sumter	6	3.9	26	5.7	42	8.7
Union	2	6.5	5	5.5	8	7.8
Williamsburg	3	9.6	15	14.8	14	11.3
York	28	9.7	59	6.8	71	7.9
Unknown	-	0	-	0	1	125.0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)
 White

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	187	5.0	568	5.1	628	5.3
Abbeville	1	5.7	7	13.4	3	5.7
Aiken	5	4.2	18	4.9	17	4.3
Allendale	-	0	-	0	-	0
Anderson	12	6.6	35	6.6	27	4.9
Bamberg	-	0	1	6.5	1	5.7
Barnwell	1	7.3	1	2.3	1	2.4
Beaufort	2	1.3	14	3.1	15	3.1
Berkeley	7	3.7	21	3.7	27	4.8
Calhoun	-	0	-	0	3	11.7
Charleston	7	2.2	34	3.7	38	4.1
Cherokee	4	8.5	11	7.4	13	8.4
Chester	2	10.1	4	6.0	2	3.0
Chesterfield	6	19.1	9	10.1	14	14.2
Clarendon	-	0	2	4.4	2	4.2
Colleton	-	0	4	5.7	4	4.8
Darlington	1	2.6	7	5.9	12	9.9
Dillon	-	0	2	3.7	1	1.7
Dorchester	4	3.1	10	2.6	17	4.4
Edgefield	-	0	1	3.3	-	0
Fairfield	-	0	1	4.3	3	13.5
Florence	6	7.4	20	7.7	19	7.2
Georgetown	4	11.7	6	6.3	3	2.8
Greenville	23	5.0	66	4.8	67	4.6
Greenwood	2	3.7	10	6.2	13	7.3
Hampton	1	10.8	2	8.0	-	0
Horry	9	3.6	41	5.7	52	6.9
Jasper	1	6.4	4	7.8	3	4.8
Kershaw	6	12.9	9	5.9	10	6.0
Lancaster	4	6.1	10	5.2	10	5.2
Laurens	6	11.9	12	7.5	13	7.4
Lee	-	0	-	0	1	6.4
Lexington	10	3.9	39	5.0	37	4.4
McCormick	-	0	-	0	-	0
Marion	-	0	2	5.3	6	13.2
Marlboro	-	0	2	5.7	3	8.6
Newberry	1	3.7	2	2.5	5	5.2
Oconee	4	6.2	10	4.7	16	7.1
Orangeburg	4	12.1	8	8.1	8	6.9
Pickens	9	8.5	27	8.3	22	6.5
Richland	9	4.5	29	4.8	18	2.8
Saluda	-	0	5	9.1	6	10.8
Spartanburg	10	3.9	26	3.3	53	6.3
Sumter	2	2.7	8	3.7	13	5.8
Union	1	4.9	3	5.1	5	7.7
Williamsburg	1	9.0	5	14.9	1	3.0
York	22	10.6	40	6.4	43	6.4
Unknown	-	0	-	0	1	142.9

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A. (continued)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)
 Black & Other

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	194	9.9	671	11.3	693	10.8
Abbeville	1	11.9	5	18.7	7	24.9
Aiken	6	10.7	17	9.4	19	9.7
Allendale	-	0	2	8.1	3	9.5
Anderson	6	12.7	19	13.2	21	14.2
Bamberg	-	0	3	9.3	4	10.7
Barnwell	4	22.5	9	17.6	2	4.1
Beaufort	3	5.3	11	6.5	11	5.9
Berkeley	10	14.4	33	15.7	19	8.8
Calhoun	-	0	2	10.1	-	0
Charleston	12	7.4	44	8.7	62	10.6
Cherokee	1	6.1	4	7.5	6	10.5
Chester	1	5.7	4	7.2	4	6.6
Chesterfield	2	9.6	11	16.8	14	20.7
Clarendon	5	25.9	10	16.9	1	1.5
Colleton	1	4.8	14	21.5	6	8.5
Darlington	3	8.2	15	12.7	16	12.7
Dillon	2	7.6	8	10.3	4	4.8
Dorchester	5	9.3	21	13.0	11	6.5
Edgefield	2	17.5	4	13.0	2	6.0
Fairfield	-	0	6	12.6	2	3.8
Florence	15	16.6	56	20.1	41	13.8
Georgetown	1	3.7	10	11.8	18	19.2
Greenville	14	9.7	43	9.9	62	13.6
Greenwood	5	13.9	15	14.2	14	12.9
Hampton	2	15.3	2	4.8	6	12.7
Horry	10	15.3	24	12.3	29	15.1
Jasper	-	0	2	4.5	6	12.6
Kershaw	2	10.3	6	10.4	2	2.9
Lancaster	1	3.8	9	11.6	12	14.3
Laurens	4	18.0	6	8.7	8	9.8
Lee	1	7.2	5	12.6	4	8.1
Lexington	3	4.5	22	11.1	21	10.4
McCormick	1	35.7	5	52.1	2	12.2
Marion	2	7.4	12	14.6	23	24.6
Marlboro	2	10.1	9	15.6	7	10.5
Newberry	2	10.9	6	11.5	2	3.6
Oconee	1	17.9	3	13.3	1	4.7
Orangeburg	12	15.2	30	12.4	37	13.2
Pickens	-	0	3	9.1	4	11.2
Richland	31	11.1	91	10.9	67	7.8
Saluda	1	22.2	2	11.5	4	18.9
Spartanburg	7	7.7	19	6.8	36	11.4
Sumter	4	5.1	18	7.5	29	11.3
Union	1	9.3	2	6.3	3	8.1
Williamsburg	2	9.9	10	14.7	13	14.4
York	6	7.4	19	7.9	28	12.1
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4.
 Neonatal Mortality and Neonatal Mortality Rates¹
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	263 *	4.6	787 *	4.6	836 *	4.6
Abbeville	2	7.7	10	12.7	7	8.6
Aiken	8	4.6	24	4.3	19	3.2
Allendale	-	0	2	6.6	1	2.6
Anderson	11	4.8	26	3.9	36 *	5.1
Bamberg	-	0	4	8.4	3	5.5
Barnwell	4	12.7	6	6.4	3 *	3.3
Beaufort	4	1.9	16	2.6	19	2.8
Berkeley	12	4.6	31	4.0	30 *	3.9
Calhoun	-	0	2	4.5	2	4.0
Charleston	15	3.1	50	3.5	60 *	4.0
Cherokee	1	1.6	7	3.5	9	4.3
Chester	2	5.4	5	4.1	3	2.4
Chesterfield	5	9.6	13	8.4	21	12.6
Clarendon	4	11.4	7	6.7	3 *	2.6
Colleton	1	2.3	13	9.6	5 *	3.3
Darlington	2 *	2.6	10 *	4.2	20 *	8.1
Dillon	1	2.2	7	5.3	2	1.4
Dorchester	7	3.9	21	3.9	17	3.0
Edgefield	2	7.9	4	6.5	2	3.0
Fairfield	-	0	5	7.0	4	5.3
Florence	18	10.5	50	9.3	39 *	6.9
Georgetown	4	6.5	11	6.1	15	7.4
Greenville	27	4.5	69	3.8	86 *	4.5
Greenwood	7	7.8	21	7.8	19	6.6
Hampton	2	8.9	2	3.0	6	7.2
Horry	10	3.2	37	4.0	59	6.2
Jasper	1	3.2	5	5.2	5	4.6
Kershaw	5	7.6	8	3.8	6	2.5
Lancaster	4	4.4	13	4.8	15	5.4
Laurens	7	9.6	12	5.2	13	5.1
Lee	-	0	3	5.4	2	3.1
Lexington	13 *	4.0	42 *	4.3	27 *	2.6
McCormick	-	0	3	20.3	2	8.1
Marion	2	5.0	12	10.0	22 *	15.9
Marlboro	2	6.5	11	11.9	7	6.9
Newberry	3	6.6	5	3.8	2	1.3
Oconee	4	5.7	9	3.8	12	4.8
Orangeburg	7	6.2	22	6.5	32 *	8.1
Pickens	6	5.2	23	6.4	15	4.0
Richland	27 *	5.6	79 *	5.4	51 *	3.4
Saluda	1	4.7	5	6.9	6 *	7.8
Spartanburg	7	2.0	18	1.7	55 *	4.7
Sumter	4	2.6	13	2.8	24	5.0
Union	1	3.2	2	2.2	3	2.9
Williamsburg	1	3.2	11	10.8	8	6.5
York	19	6.6	38	4.4	38	4.2
Unknown	-	0	-	0	1	125.0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)

White

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	128	3.4	352	3.2	374	3.2
Abbeville	1	5.7	5	9.6	2	3.8
Aiken	3	2.5	12	3.2	7	1.8
Allendale	-	0	-	0	-	0
Anderson	8	4.4	18	3.4	18	3.3
Bamberg	-	0	1	6.5	-	0
Barnwell	1	7.3	1	2.3	1	2.4
Beaufort	1	0.7	7	1.6	11	2.3
Berkeley	3	1.6	7	1.2	16	2.8
Calhoun	-	0	-	0	2	7.8
Charleston	7	2.2	23	2.5	23	2.5
Cherokee	1	2.1	5	3.4	5	3.2
Chester	1	5.0	2	3.0	1	1.5
Chesterfield	4	12.7	6	6.7	9	9.1
Clarendon	-	0	-	0	1	2.1
Colleton	-	0	3	4.3	2	2.4
Darlington	-	0	3	2.5	6	5.0
Dillon	-	0	1	1.9	-	0
Dorchester	4	3.1	7	1.9	10	2.6
Edgefield	-	0	-	0	-	0
Fairfield	-	0	1	4.3	2	9.0
Florence	4	4.9	10	3.9	11	4.1
Georgetown	3	8.8	4	4.2	2	1.9
Greenville	17	3.7	47	3.4	45	3.1
Greenwood	2	3.7	8	4.9	10	5.6
Hampton	1	10.8	1	4.0	-	0
Horry	4	1.6	27	3.7	40	5.3
Jasper	1	6.4	4	7.8	2	3.2
Kershaw	4	8.6	5	3.3	5	3.0
Lancaster	3	4.6	8	4.2	7	3.6
Laurens	4	7.9	8	5.0	5	2.9
Lee	-	0	-	0	-	0
Lexington	10	3.9	27	3.5	16	1.9
McCormick	-	0	-	0	-	0
Marion	-	0	-	0	3	6.6
Marlboro	-	0	2	5.7	3	8.6
Newberry	1	3.7	1	1.3	2	2.1
Oconee	3	4.6	6	2.8	11	4.9
Orangeburg	1	3.0	3	3.0	5	4.3
Pickens	6	5.7	20	6.2	12	3.6
Richland	6	3.0	19	3.1	13	2.0
Saluda	-	0	3	5.4	3	5.4
Spartanburg	5	1.9	9	1.2	29	3.4
Sumter	2	2.7	5	2.3	8	3.6
Union	1	4.9	2	3.4	2	3.1
Williamsburg	1	9.0	4	11.9	-	0
York	15	7.2	27	4.3	23	3.4
Unknown	-	0	-	0	1	142.9

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A. (continued)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)
 Black & Other

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	127	6.5	427	7.2	424	6.6
Abbeville	1	11.9	5	18.7	5	17.8
Aiken	5	8.9	12	6.6	12	6.1
Allendale	-	0	2	8.1	1	3.2
Anderson	3	6.3	8	5.5	15	10.1
Bamberg	-	0	3	9.3	3	8.0
Barnwell	3	16.9	5	9.8	1	2.0
Beaufort	3	5.3	9	5.4	8	4.3
Berkeley	9	13.0	24	11.4	11	5.1
Calhoun	-	0	2	10.1	-	0
Charleston	8	4.9	27	5.4	33	5.7
Cherokee	-	0	2	3.7	4	7.0
Chester	1	5.7	3	5.4	2	3.3
Chesterfield	1	4.8	7	10.7	12	17.8
Clarendon	4	20.7	7	11.8	1	1.5
Colleton	1	4.8	10	15.4	2	2.8
Darlington	1	2.7	6	5.1	11	8.7
Dillon	1	3.8	6	7.7	2	2.4
Dorchester	3	5.6	14	8.7	7	4.2
Edgefield	2	17.5	4	13.0	2	6.0
Fairfield	-	0	4	8.4	2	3.8
Florence	14	15.5	40	14.3	26	8.8
Georgetown	1	3.7	7	8.3	13	13.9
Greenville	10	6.9	22	5.0	39	8.5
Greenwood	5	13.9	13	12.3	9	8.3
Hampton	1	7.6	1	2.4	6	12.7
Horry	6	9.2	10	5.1	19	9.9
Jasper	-	0	1	2.2	3	6.3
Kershaw	1	5.2	3	5.2	1	1.4
Lancaster	1	3.8	5	6.5	8	9.6
Laurens	3	13.5	4	5.8	8	9.8
Lee	-	0	3	7.5	2	4.0
Lexington	1	1.5	13	6.6	9	4.5
McCormick	-	0	3	31.3	2	12.2
Marion	2	7.4	12	14.6	18	19.3
Marlboro	2	10.1	9	15.6	4	6.0
Newberry	2	10.9	4	7.7	-	0
Oconee	1	17.9	3	13.3	1	4.7
Orangeburg	6	7.6	19	7.9	20	7.2
Pickens	-	0	3	9.1	3	8.4
Richland	16	5.7	55	6.6	34	4.0
Saluda	1	22.2	2	11.5	2	9.4
Spartanburg	2	2.2	9	3.2	23	7.3
Sumter	2	2.6	8	3.3	16	6.2
Union	-	0	-	0	1	2.7
Williamsburg	-	0	7	10.3	8	8.8
York	4	4.9	11	4.6	15	6.5
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5.
 Postneonatal Mortality and Postneonatal Mortality Rates¹
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	126	2.2	460	2.7	528 *	2.9
Abbeville	-	0	2	2.5	3	3.7
Aiken	3	1.7	11	2.0	17	2.9
Allendale	-	0	-	0	2	5.2
Anderson	7	3.1	28	4.2	15	2.1
Bamberg	-	0	-	0	2	3.6
Barnwell	1	3.2	4	4.3	1	1.1
Beaufort	1	0.5	9	1.5	7	1.0
Berkeley	5	1.9	23	3.0	19	2.4
Calhoun	-	0	-	0	1	2.0
Charleston	4	0.8	28	2.0	45 *	3.0
Cherokee	4	6.3	8	4.0	10	4.7
Chester	1	2.7	3	2.4	3	2.4
Chesterfield	3	5.7	7	4.5	7	4.2
Clarendon	1	2.9	5	4.8	1	0.9
Colleton	-	0	5	3.7	6	3.9
Darlington	3	4.0	13	5.5	11	4.4
Dillon	1	2.2	3	2.3	3	2.1
Dorchester	2	1.1	10	1.9	11	2.0
Edgefield	-	0	1	1.6	-	0
Fairfield	-	0	2	2.8	1	1.3
Florence	3	1.7	26	4.8	23	4.1
Georgetown	1	1.6	5	2.8	6	3.0
Greenville	10	1.7	40	2.2	46 *	2.4
Greenwood	-	0	4	1.5	8	2.8
Hampton	1	4.4	2	3.0	-	0
Horry	9	2.8	28	3.0	22	2.3
Jasper	-	0	1	1.0	4	3.6
Kershaw	3	4.5	7	3.3	6	2.5
Lancaster	1	1.1	6	2.2	7	2.5
Laurens	3	4.1	6	2.6	8	3.1
Lee	1	5.2	2	3.6	3	4.6
Lexington	2	0.6	21	2.2	34 *	3.3
McCormick	1	25.0	2	13.5	-	0
Marion	-	0	2	1.7	9 *	6.5
Marlboro	-	0	-	0	3	3.0
Newberry	-	0	3	2.3	5	3.3
Oconee	1	1.4	4	1.7	6 *	2.4
Orangeburg	9	8.0	16	4.7	20	5.1
Pickens	3	2.6	7	2.0	11	3.0
Richland	18	3.8	46	3.2	38	2.5
Saluda	-	0	2	2.8	5	6.5
Spartanburg	10	2.9	27	2.5	37	3.2
Sumter	2	1.3	13	2.8	18	3.7
Union	1	3.2	3	3.3	5	4.9
Williamsburg	2	6.4	4	3.9	6	4.9
York	9	3.1	21	2.4	33	3.7
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A.
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)
 White

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	59	1.6	216	1.9	254	2.2
Abbeville	-	0	2	3.8	1	1.9
Aiken	2	1.7	6	1.6	10	2.5
Allendale	-	0	-	0	-	0
Anderson	4	2.2	17	3.2	9	1.6
Bamberg	-	0	-	0	1	5.7
Barnwell	-	0	-	0	-	0
Beaufort	1	0.7	7	1.6	4	0.8
Berkeley	4	2.1	14	2.5	11	2.0
Calhoun	-	0	-	0	1	3.9
Charleston	-	0	11	1.2	15	1.6
Cherokee	3	6.3	6	4.0	8	5.2
Chester	1	5.0	2	3.0	1	1.5
Chesterfield	2	6.4	3	3.4	5	5.1
Clarendon	-	0	2	4.4	1	2.1
Colleton	-	0	1	1.4	2	2.4
Darlington	1	2.6	4	3.4	6	5.0
Dillon	-	0	1	1.9	1	1.7
Dorchester	-	0	3	0.8	7	1.8
Edgefield	-	0	1	3.3	-	0
Fairfield	-	0	-	0	1	4.5
Florence	2	2.5	10	3.9	8	3.0
Georgetown	1	2.9	2	2.1	1	0.9
Greenville	6	1.3	19	1.4	22	1.5
Greenwood	-	0	2	1.2	3	1.7
Hampton	-	0	1	4.0	-	0
Horry	5	2.0	14	1.9	12	1.6
Jasper	-	0	-	0	1	1.6
Kershaw	2	4.3	4	2.6	5	3.0
Lancaster	1	1.5	2	1.0	3	1.6
Laurens	2	4.0	4	2.5	8	4.6
Lee	-	0	-	0	1	6.4
Lexington	-	0	12	1.5	21	2.5
McCormick	-	0	-	0	-	0
Marion	-	0	2	5.3	3	6.6
Marlboro	-	0	-	0	-	0
Newberry	-	0	1	1.3	3	3.1
Oconee	1	1.5	4	1.9	5	2.2
Orangeburg	3	9.1	5	5.1	3	2.6
Pickens	3	2.8	7	2.2	10	3.0
Richland	3	1.5	10	1.6	5	0.8
Saluda	-	0	2	3.6	3	5.4
Spartanburg	5	1.9	17	2.2	24	2.8
Sumter	-	0	3	1.4	5	2.2
Union	-	0	1	1.7	3	4.6
Williamsburg	-	0	1	3.0	1	3.0
York	7	3.4	13	2.1	20	3.0
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A. (continued)
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2013, 2011-2013, 2008-2010
 (Residence Data)
 Black & Other

County of Residence	2013		2011-2013		2008-2010	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	67	3.4	244	4.1	269	4.2
Abbeville	-	0	-	0	2	7.1
Aiken	1	1.8	5	2.8	7	3.6
Allendale	-	0	-	0	2	6.3
Anderson	3	6.3	11	7.6	6	4.1
Bamberg	-	0	-	0	1	2.7
Barnwell	1	5.6	4	7.8	1	2.0
Beaufort	-	0	2	1.2	3	1.6
Berkeley	1	1.4	9	4.3	8	3.7
Calhoun	-	0	-	0	-	0
Charleston	4	2.5	17	3.4	29	5.0
Cherokee	1	6.1	2	3.7	2	3.5
Chester	-	0	1	1.8	2	3.3
Chesterfield	1	4.8	4	6.1	2	3.0
Clarendon	1	5.2	3	5.1	-	0
Colleton	-	0	4	6.1	4	5.7
Darlington	2	5.4	9	7.6	5	4.0
Dillon	1	3.8	2	2.6	2	2.4
Dorchester	2	3.7	7	4.3	4	2.4
Edgefield	-	0	-	0	-	0
Fairfield	-	0	2	4.2	-	0
Florence	1	1.1	16	5.7	15	5.1
Georgetown	-	0	3	3.5	5	5.3
Greenville	4	2.8	21	4.8	23	5.0
Greenwood	-	0	2	1.9	5	4.6
Hampton	1	7.6	1	2.4	-	0
Horry	4	6.1	14	7.2	10	5.2
Jasper	-	0	1	2.2	3	6.3
Kershaw	1	5.2	3	5.2	1	1.4
Lancaster	-	0	4	5.2	4	4.8
Laurens	1	4.5	2	2.9	-	0
Lee	1	7.2	2	5.0	2	4.0
Lexington	2	3.0	9	4.6	12	5.9
McCormick	1	35.7	2	20.8	-	0
Marion	-	0	-	0	5	5.3
Marlboro	-	0	-	0	3	4.5
Newberry	-	0	2	3.8	2	3.6
Oconee	-	0	-	0	-	0
Orangeburg	6	7.6	11	4.6	17	6.1
Pickens	-	0	-	0	1	2.8
Richland	15	5.4	36	4.3	33	3.8
Saluda	-	0	-	0	2	9.4
Spartanburg	5	5.5	10	3.6	13	4.1
Sumter	2	2.6	10	4.2	13	5.1
Union	1	9.3	2	6.3	2	5.4
Williamsburg	2	9.9	3	4.4	5	5.5
York	2	2.5	8	3.3	13	5.6
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-6.
Fetal Mortality and Fetal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	441 *	7.7	194	5.2	243	12.3
Abbeville	1	3.8	-	0	1	11.8
Aiken	12 *	6.8	9	7.6	1	1.8
Allendale	1	10.9	-	0	1	13.2
Anderson	12	5.2	7	3.9	5	10.4
Bamberg	3	18.3	1	22.7	2	16.7
Barnwell	4	12.5	-	0	4	22.0
Beaufort	13 *	6.2	7	4.6	5	8.7
Berkeley	28	10.6	15	7.8	13	18.4
Calhoun	1	7.1	-	0	1	15.9
Charleston	40	8.3	15	4.8	25	15.1
Cherokee	1	1.6	1	2.1	-	0
Chester	1	2.7	-	0	1	5.7
Chesterfield	3	5.7	1	3.2	2	9.5
Clarendon	6	16.9	-	0	6	30.2
Colleton	8	17.9	3	12.9	5	23.4
Darlington	8	10.5	4	10.2	4	10.8
Dillon	7	15.1	-	0	7	25.8
Dorchester	18	9.9	8	6.3	10	18.3
Edgefield	-	0	-	0	-	0
Fairfield	1	4.2	1	12.3	-	0
Florence	21	12.1	5	6.1	16	17.4
Georgetown	7	11.3	1	2.9	6	21.7
Greenville	38	6.3	21	4.5	17	11.7
Greenwood	6	6.6	5	9.2	1	2.8
Hampton	5	21.7	2	21.1	3	22.4
Horry	27	8.4	19	7.5	8	12.1
Jasper	2	6.4	-	0	2	12.7
Kershaw	8	11.9	4	8.5	4	20.2
Lancaster	10	10.8	6	9.0	4	15.2
Laurens	3	4.1	1	2.0	2	8.9
Lee	4	20.2	-	0	4	28.2
Lexington	15	4.6	10	3.9	5	7.4
McCormick	-	0	-	0	-	0
Marion	4	10.0	-	0	4	14.5
Marlboro	1	3.2	-	0	1	5.0
Newberry	6	13.1	1	3.7	5	26.6
Oconee	7	9.9	6	9.2	1	17.5
Orangeburg	7 *	6.2	-	0	6	7.5
Pickens	4	3.4	4	3.8	-	0
Richland	39	8.1	9	4.5	30	10.7
Saluda	3	14.0	2	11.9	1	21.7
Spartanburg	28	7.9	14	5.4	14	15.1
Sumter	12	7.8	3	4.0	9	11.4
Union	1	3.2	-	0	1	9.3
Williamsburg	-	0	-	0	-	0
York	14	4.8	9	4.3	5	6.1
Unknown	1	142.9	-	0	1	500.0

¹ Rate calculated per 1,000 deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

*Includes unknown race

Table F-7.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	441 *	52	323	57	3	6
Abbeville	1	-	1	-	-	-
Aiken	12 *	1	10	1	-	-
Allendale	1	-	1	-	-	-
Anderson	12	1	9	2	-	-
Bamberg	3	1	1	1	-	-
Barnwell	4	2	1	1	-	-
Beaufort	13 *	-	11	2	-	-
Berkeley	28	2	20	5	-	1
Calhoun	1	-	1	-	-	-
Charleston	40	2	33	5	-	-
Cherokee	1	1	-	-	-	-
Chester	1	-	1	-	-	-
Chesterfield	3	1	2	-	-	-
Clarendon	6	-	6	-	-	-
Colleton	8	3	4	-	-	1
Darlington	8	2	6	-	-	-
Dillon	7	2	5	-	-	-
Dorchester	18	2	11	3	-	2
Edgefield	-	-	-	-	-	-
Fairfield	1	1	-	-	-	-
Florence	21	2	13	6	-	-
Georgetown	7	2	3	1	-	1
Greenville	38	3	25	9	1	-
Greenwood	6	1	4	-	1	-
Hampton	5	1	3	1	-	-
Horry	27	1	22	4	-	-
Jasper	2	2	-	-	-	-
Kershaw	8	3	4	1	-	-
Lancaster	10	1	9	-	-	-
Laurens	3	1	2	-	-	-
Lee	4	-	4	-	-	-
Lexington	15	2	12	1	-	-
McCormick	-	-	-	-	-	-
Marion	4	1	2	1	-	-
Marlboro	1	-	1	-	-	-
Newberry	6	-	6	-	-	-
Oconee	7	1	5	1	-	-
Orangeburg	7 *	1	4	2	-	-
Pickens	4	-	4	-	-	-
Richland	39	1	33	4	1	-
Saluda	3	-	2	1	-	-
Spartanburg	28	3	22	2	-	1
Sumter	12	2	9	1	-	-
Union	1	1	-	-	-	-
Williamsburg	-	-	-	-	-	-
York	14	2	10	2	-	-
Unknown	1	-	1	-	-	-

* Includes unknown race

Table F-7A.
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2013
(Residence Data)
White

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	194	16	142	30	2	4
Abbeville	-	-	-	-	-	-
Aiken	9	1	8	-	-	-
Allendale	-	-	-	-	-	-
Anderson	7	1	5	1	-	-
Bamberg	1	-	1	-	-	-
Barnwell	-	-	-	-	-	-
Beaufort	7	-	6	1	-	-
Berkeley	15	1	12	2	-	-
Calhoun	-	-	-	-	-	-
Charleston	15	-	11	4	-	-
Cherokee	1	1	-	-	-	-
Chester	-	-	-	-	-	-
Chesterfield	1	1	-	-	-	-
Clarendon	-	-	-	-	-	-
Colleton	3	2	-	-	-	1
Darlington	4	1	3	-	-	-
Dillon	-	-	-	-	-	-
Dorchester	8	-	5	1	-	2
Edgefield	-	-	-	-	-	-
Fairfield	1	1	-	-	-	-
Florence	5	-	1	4	-	-
Georgetown	1	-	-	-	-	1
Greenville	21	2	13	5	1	-
Greenwood	5	1	3	-	1	-
Hampton	2	-	2	-	-	-
Horry	19	-	15	4	-	-
Jasper	-	-	-	-	-	-
Kershaw	4	-	3	1	-	-
Lancaster	6	1	5	-	-	-
Laurens	1	-	1	-	-	-
Lee	-	-	-	-	-	-
Lexington	10	2	8	-	-	-
McCormick	-	-	-	-	-	-
Marion	-	-	-	-	-	-
Marlboro	-	-	-	-	-	-
Newberry	1	-	1	-	-	-
Oconee	6	1	4	1	-	-
Orangeburg	-	-	-	-	-	-
Pickens	4	-	4	-	-	-
Richland	9	-	7	2	-	-
Saluda	2	-	2	-	-	-
Spartanburg	14	-	12	2	-	-
Sumter	3	-	3	-	-	-
Union	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-
York	9	-	7	2	-	-
Unknown	-	-	-	-	-	-

Table F-7A. (continued)
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2013
(Residence Data)
Black & Other

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<15	15-19	20-24	45+	Unknown
South Carolina	243	36	178	26	1	2
Abbeville	1	-	1	-	-	-
Aiken	1	-	1	-	-	-
Allendale	1	-	1	-	-	-
Anderson	5	-	4	1	-	-
Bamberg	2	1	-	1	-	-
Barnwell	4	2	1	1	-	-
Beaufort	5	-	4	1	-	-
Berkeley	13	1	8	3	-	1
Calhoun	1	-	1	-	-	-
Charleston	25	2	22	1	-	-
Cherokee	-	-	-	-	-	-
Chester	1	-	1	-	-	-
Chesterfield	2	-	2	-	-	-
Clarendon	6	-	6	-	-	-
Colleton	5	1	4	-	-	-
Darlington	4	1	3	-	-	-
Dillon	7	2	5	-	-	-
Dorchester	10	2	6	2	-	-
Edgefield	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-
Florence	16	2	12	2	-	-
Georgetown	6	2	3	1	-	-
Greenville	17	1	12	4	-	-
Greenwood	1	-	1	-	-	-
Hampton	3	1	1	1	-	-
Horry	8	1	7	-	-	-
Jasper	2	2	-	-	-	-
Kershaw	4	3	1	-	-	-
Lancaster	4	-	4	-	-	-
Laurens	2	1	1	-	-	-
Lee	4	-	4	-	-	-
Lexington	5	-	4	1	-	-
McCormick	-	-	-	-	-	-
Marion	4	1	2	1	-	-
Marlboro	1	-	1	-	-	-
Newberry	5	-	5	-	-	-
Oconee	1	-	1	-	-	-
Orangeburg	6	1	3	2	-	-
Pickens	-	-	-	-	-	-
Richland	30	1	26	2	1	-
Saluda	1	-	-	1	-	-
Spartanburg	14	3	10	-	-	1
Sumter	9	2	6	1	-	-
Union	1	1	-	-	-	-
Williamsburg	-	-	-	-	-	-
York	5	2	3	-	-	-
Unknown	1	-	1	-	-	-

Table F-8.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	704 *	12.3	322	8.6	370	18.7
Abbeville	3	11.5	1	5.7	2	23.5
Aiken	20 *	11.4	12	10.1	6	10.6
Allendale	1	10.9	-	0	1	13.2
Anderson	23	10.0	15	8.3	8	16.7
Bamberg	3	18.3	1	22.7	2	16.7
Barnwell	8	25.1	1	7.3	7	38.5
Beaufort	17 *	8.1	8	5.3	8	14.0
Berkeley	40	15.2	18	9.3	22	31.1
Calhoun	1	7.1	-	0	1	15.9
Charleston	55	11.4	22	7.0	33	19.9
Cherokee	2	3.1	2	4.2	-	0
Chester	3	8.0	1	5.0	2	11.4
Chesterfield	8	15.2	5	15.9	3	14.2
Clarendon	10	28.1	-	0	10	50.3
Colleton	9	20.1	3	12.9	6	28.0
Darlington	10 *	13.1	4	10.2	5	13.4
Dillon	8	17.2	-	0	8	29.5
Dorchester	25	13.7	12	9.4	13	23.9
Edgefield	2	7.9	-	0	2	17.5
Fairfield	1	4.2	1	12.3	-	0
Florence	39	22.4	9	11.0	30	32.6
Georgetown	11	17.8	4	11.7	7	25.4
Greenville	65	10.7	38	8.2	27	18.5
Greenwood	13	14.3	7	12.8	6	16.6
Hampton	7	30.4	3	31.6	4	29.9
Horry	37	11.6	23	9.1	14	21.1
Jasper	3	9.6	1	6.4	2	12.7
Kershaw	13	19.4	8	17.1	5	25.3
Lancaster	14	15.1	9	13.5	5	18.9
Laurens	10	13.7	5	9.9	5	22.3
Lee	4	20.2	-	0	4	28.2
Lexington	28 *	8.6	20	7.7	6	8.9
McCormick	-	0	-	0	-	0
Marion	6	15.0	-	0	6	21.8
Marlboro	3	9.7	-	0	3	15.1
Newberry	9	19.6	2	7.4	7	37.2
Oconee	11	15.5	9	13.8	2	35.1
Orangeburg	14 *	12.4	1	3.0	12	15.1
Pickens	10	8.6	10	9.4	-	0
Richland	66 *	13.6	15	7.4	46	16.3
Saluda	4	18.7	2	11.9	2	43.5
Spartanburg	35	9.9	19	7.3	16	17.3
Sumter	16	10.4	5	6.7	11	13.9
Union	2	6.4	1	4.9	1	9.3
Williamsburg	1	3.2	1	9.0	-	0
York	33	11.4	24	11.5	9	11.0
Unknown	1	142.9	-	0	1	500.0

¹ Rate per 1,000 deliveries

* Includes unknown race

Table F-9
 Causes of Maternal Death¹ by Age Group of Mother
 South Carolina, 2013
 (Residence Data)

Cause of Death	Age Group								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Maternal causes (A34,O00-O95,O98-O99)	12	-	-	6	1	1	1	1	2
I. Pregnancy with Abortive Outcome (O00-O07)	2	-	-	1	1	-	-	-	-
1. Ectopic Pregnancy (O00)	2	-	-	1	1	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (A34,O10-O92)	8	-	-	4	-	1	1	1	1
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20,O44-O46,O67,O72)	1	-	-	1	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (A34,O85-O92)	1	-	-	-	-	-	-	1	-
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87,O89-O92)	1	-	-	-	-	-	-	1	-
4. All Other Direct Obstetric Causes (O10, O12,O21-O43, O47-O66, O68-O71, O73-O75)	6	-	-	3	-	1	1	-	1
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-
IV. Indirect Obstetric Deaths (O98-O99)	2	-	-	1	-	-	-	-	1
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	2	-	-	1	-	1	-	-	-
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	2	-	-	1	-	1	-	-	-
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-

¹Classified and Coded According to ICD-10

Table F-9A
 Causes of Maternal Death¹ by Race and Age Group of Mother
 South Carolina, 2013
 (Residence Data)

Cause of Death	White									Black and Other								
	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 +
		Years		Years														
Maternal causes (A34, O00-O95, O98-O99)	3	-	-	2	-	1	-	-	-	9	-	-	4	1	-	1	1	2
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
1. Ectopic Pregnancy (O00)	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (A34, O10-O92)	2	-	-	1	-	1	-	-	-	6	-	-	3	-	-	1	1	1
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67,O72)	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (A34, O85-O92)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87, O89-O92)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	1	-	-	-	-	1	-	-	-	5	-	-	3	-	-	1	-	1
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. Indirect Obstetric Deaths (O98-O99)	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

¹Classified and Coded According to ICD-10

The State Flower


“The Yellow Jasmine”




Officially adopted by the General Assembly in 1924

DEATH

Figure G-1 Death Rates* by County South Carolina, 2013 (Residence Data)



Death Rates



*Rates calculated per 1,000 population

Map Source:
Bureau of Information Technology, GIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SC DHEC

Table G-1.
Deaths and Death Rates¹ by Race
South Carolina, 1989-2013
(Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621 *	8.5	20,192	8.4	9,427	8.8
1991	29,851 *	8.4	20,364	8.3	9,482	8.6
1992	30,565 *	8.5	20,945	8.4	9,617	8.6
1993	31,943 *	8.8	21,939	8.7	10,002	8.9
1994	32,223 *	8.8	22,295	8.8	9,927	8.8
1995	33,500 *	9.1	23,342	9.2	10,152	9.0
1996	34,035 *	9.2	23,585	9.2	10,448	9.2
1997	33,659 *	9.0	23,362	9.0	10,276	8.8
1998	34,781 *	9.1	24,428	9.2	10,333	8.7
1999	35,972 *	9.3	25,432	9.5	10,523	8.8
2000	36,816 *	9.2	26,013	9.5	10,785	8.5
2001	36,576 *	9.2	25,781	9.2	10,782	8.5
2002	37,679 *	9.2	26,740	9.5	10,924	8.4
2003	37,920 *	9.1	27,043	9.6	10,865	8.2
2004	37,152 *	8.8	26,353	9.1	10,783	8.2
2005	38,585 *	9.1	27,755	9.5	10,810	8.2
2006	38,723 *	9.0	27,662	9.3	11,030	8.2
2007	39,418 *	8.9	28,233	9.3	11,126	8.2
2008	40,197 *	9.0	29,015	9.3	10,965	8.0
2009	40,242 *	8.8	29,080	9.2	10,880	7.8
2010	41,489 *	9.0	30,187	9.4	10,905	7.6
2011	41,949 *	9.0	30,709	9.5	10,920	7.6
2012	42,879 *	9.1	31,580	9.7	11,221	7.7
2013	44,415 *	9.3	32,793	9.9	11,572	7.9

¹ Rates per 1,000 population

* Includes unknown race

Figure G-2
Death Rates by Race
South Carolina, 1989-2013
(Residence Data)




Table G-2.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2013
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	44,415 *	100.0	32,793	100.0	11,572	100.0
Ten Leading Causes, All Ages	32,005 *	72.1	23,650	72.1	8,333	72.0
Malignant Neoplasms (C00-C97)	9,700 *	21.8	7,170	21.9	2,527	21.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	9,604 *	21.6	6,987	21.3	2,608	22.5
Chronic Lower Respiratory Disease (J40-J47)	2,751 *	6.2	2,406	7.3	344	3.0
Cerebrovascular Disease (I60-I69)	2,488 *	5.6	1,737	5.3	750	6.5
Accidents (V01-X59,Y85-Y86)	2,263 *	5.1	1,717	5.2	542	4.7
Alzheimers (G30)	1,621 *	3.6	1,372	4.2	249	2.2
Diabetes Mellitus (E10-E14)	1,239 *	2.8	694	2.1	544	4.7
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	868 *	2.0	546	1.7	321	2.8
Pneumonia And Influenza (J09-J18)	742 *	1.7	548	1.7	192	1.7
Septicemia (A40-A41)	729 *	1.6	473	1.4	256	2.2
All Other Causes	12,410 *	27.9	9,143	27.9	3,239	28.0

* Includes unknown race

Figure G-3.
Percent Distribution for the
Ten Leading Causes of Death by Gender
South Carolina, 2013
(Residence Data)




Table G-2A.
Mortality from Ten Leading Causes of Death by Race and Gender
South Carolina, 2013
(Residence Data)

MALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	22,705 *	100.0	16,714	100.0	5,963	100.0
Ten Leading Causes, All Ages	17,068 *	75.2	12,752	76.3	4,304	72.2
Malignant Neoplasms (C00-C97)	5,336 *	23.5	4,003	23.9	1,332	22.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	5,253 *	23.1	3,880	23.2	1,368	22.9
Accidents (V01-X59,Y85-Y86)	1,459 *	6.4	1069	6.4	389	6.5
Chronic Lower Respiratory Disease (J40-J47)	1,331 *	5.9	1137	6.8	193	3.2
Cerebrovascular Disease (I60-I69)	1094 *	4.8	722	4.3	371	6.2
Diabetes Mellitus (E10-E14)	684 *	3.0	415	2.5	268	4.5
Suicide (X60-X84,Y87.0)	549	2.4	488	2.9	61	1.0
Alzheimers (G30)	467	2.1	400	2.4	67	1.1
Chronic Liver Disease And Cirrhosis (K70,K73-K74)	465 *	2.0	364	2.2	100	1.7
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N08)	430 *	1.9	274	1.6	155	2.6
All Other Causes	5,637 *	24.8	3,962	23.7	1,659	27.8

FEMALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	21,708 *	100.0	16,079	100.0	5,607	100.0
Ten Leading Causes, All Ages	15,258 *	70.3	11,269	70.1	3,979	71.0
Malignant Neoplasms (C00-C97)	4,364 *	20.1	3,167	19.7	1,195	21.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,351 *	20.0	3,107	19.3	1,240	22.1
Chronic Lower Respiratory Disease (J40-J47)	1420 *	6.5	1269	7.9	151	2.7
Cerebrovascular Disease (I60-I69)	1,394 *	6.4	1,015	6.3	379	6.8
Alzheimers (G30)	1154 *	5.3	972	6.0	182	3.2
Accidents (V01-X59,Y85-Y86)	804 *	3.7	648	4.0	153	2.7
Diabetes Mellitus (E10-E14)	555 *	2.6	279	1.7	276	4.9
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	438	2.0	272	1.7	166	3.0
Pneumonia And Influenza (J09-J18)	412	1.9	307	1.9	104	1.9
Septicemia (A40-A41)	366	1.7	233	1.4	133	2.4
All Other Causes	6,450 *	29.7	4,810	29.9	1,628	29.0

* Includes unknown race

Table G-3.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2013
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	389 *	100.0	187	100.0	194	100.0
Disorders Related To Short Gestation, Etc. (P07)	76 *	19.5	24	12.8	47	24.2
Congenital Malformations, Etc. (Q00-Q99)	73	18.8	46	24.6	27	13.9
Sudden Infant Death Syndrome (R95)	35	9.0	19	10.2	16	8.2
Accidents (V01-X59,Y85-Y86)	23	5.9	14	7.5	9	4.6
Newborn Aff By Maternal Comp Of Preg (P01)	20	5.1	10	5.3	10	5.2
All Other Causes	162 *	41.6	74	39.6	85	43.8
1 - 4 Years						
All Causes	70	100.0	29	100.0	41	100.0
Accidents (V01-X59,Y85-Y86)	33	47.1	13	44.8	20	48.8
Homicide (X85-Y09,Y87.1)	9	12.9	2	6.9	7	17.1
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4	5.7	2	6.9	2	4.9
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	4	5.7	3	10.3	1	2.4
All Other Causes	20	28.6	9	31.0	11	26.8
5 - 14 Years						
All Causes	93	100.0	57	100.0	36	100.0
Accidents (V01-X59,Y85-Y86)	21	22.6	16	28.1	5	13.9
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	11	11.8	4	7.0	7	19.4
Malignant Neoplasms (C00-C97)	10	10.8	6	10.5	4	11.1
Homicide (X85-Y09,Y87.1)	8	8.6	7	12.3	1	2.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	6	6.5	3	5.3	3	8.3
All Other Causes	37	39.8	21	36.8	16	44.4
15 - 24 Years						
All Causes	487 *	100.0	283	100.0	200	100.0
Accidents (V01-X59,Y85-Y86)	203 *	41.7	134	47.3	67	33.5
Suicide (X60-X84,Y87.0)	82	16.8	66	23.3	16	8.0
Homicide (X85-Y09,Y87.1)	74	15.2	18	6.4	56	28.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	24	4.9	10	3.5	14	7.0
Malignant Neoplasms (C00-C97)	17	3.5	11	3.9	6	3.0
All Other Causes	87 *	17.9	44	15.5	41	20.5
25 - 44 Years						
All Causes	2,135 *	100.0	1,340	100.0	792	100.0
Accidents (V01-X59,Y85-Y86)	562	26.3	415	31.0	147	18.6
Disease Of Heart (I00-I09,I11,I13,I20-I51)	342	16.0	200	14.9	142	17.9
Malignant Neoplasms (C00-C97)	245 *	11.5	156	11.6	88	11.1
Suicide (X60-X84,Y87.0)	213	10.0	183	13.7	30	3.8
Homicide (X85-Y09,Y87.1)	128	6.0	39	2.9	89	11.2
All Other Causes	645 *	30.2	347	25.9	296	37.4
45 - 64 Years						
All Causes	9,999 *	100.0	6,613	100.0	3,376	100.0
Malignant Neoplasms (C00-C97)	2,900 *	29.0	1,958	29.6	941	27.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,215 *	22.2	1,400	21.2	812	24.1
Accidents (V01-X59,Y85-Y86)	703	7.0	532	8.0	171	5.1
Chronic Lower Respiratory Disease (J40-J47)	483 *	4.8	398	6.0	84	2.5
Cerebrovascular Disease (I60-I69)	423	4.2	219	3.3	204	6.0
All Other Causes	3,275 *	32.8	2,106	31.8	1,164	34.5
65 - 74 Years						
All Causes	8,900 *	100.0	6,495	100.0	2,394	100.0
Malignant Neoplasms (C00-C97)	2,795 *	31.4	2,081	32.0	713	29.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,914 *	21.5	1,353	20.8	558	23.3
Chronic Lower Respiratory Disease (J40-J47)	717	8.1	632	9.7	85	3.6
Cerebrovascular Disease (I60-I69)	448	5.0	283	4.4	165	6.9
Diabetes Mellitus (E10-E14)	318	3.6	186	2.9	132	5.5
All Other Causes	2,708 *	30.4	1,960	30.2	741	31.0
75 Years & Over						
All Causes	22,341 *	100.0	17,788	100.0	4,539	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	5,091 *	22.8	4,016	22.6	1,072	23.6
Malignant Neoplasms (C00-C97)	3,731	16.7	2,957	16.6	774	17.1
Cerebrovascular Disease (I60-I69)	1,551 *	6.9	1,204	6.8	346	7.6
Chronic Lower Respiratory Disease (J40-J47)	1,526	6.8	1,357	7.6	169	3.7
Alzheimers (G30)	1,509	6.8	1,275	7.2	234	5.2
All Other Causes	8,933 *	40.0	6,979	39.2	1,944	42.8

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2013
(Residence Data)

Males

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	201 *	100.0	102	100.0	94	100.0
Disorders Related To Short Gestation, Etc. (P07)	34 *	16.9	10	9.8	22	23.4
Congenital Malformations, Etc. (Q00-Q99)	33	16.4	22	21.6	11	11.7
Sudden Infant Death Syndrome (R95)	20	10.0	13	12.7	7	7.4
Accidents (V01-X59,Y85-Y86)	12	6.0	9	8.8	3	3.2
Newborn Aff By Maternal Comp Of Preg (P01)	10	5.0	6	5.9	4	4.3
All Other Causes	92 *	45.8	42	41.2	47	50.0
1 - 4 Years						
All Causes	43	100.0	17	100.0	26	100.0
Accidents (V01-X59,Y85-Y86)	23	53.5	12	70.6	11	42.3
Homicide (X85-Y09,Y87.1)	5	11.6	0	0.0	5	19.2
Disease Of Heart (I00-I09,I11,I13,I20-I51)	3	7.0	1	5.9	2	7.7
Benign Neoplasms (D00-D48)	1	2.3	1	5.9	0	0.0
Pneumonia And Influenza (J09-J18)	1	2.3	0	0.0	1	3.8
Acute Bronchitis And Bronchiolitis (J20-J21)	1	2.3	0	0.0	1	3.8
Conditions From Perinatal Period (P00-P96)	1	2.3	1	5.9	0	0.0
All Other Causes	8	18.6	2	11.8	6	23.1
5 - 14 Years						
All Causes	45	100.0	28	100.0	17	100.0
Accidents (V01-X59,Y85-Y86)	15	33.3	12	42.9	3	17.6
Malignant Neoplasms (C00-C97)	5	11.1	3	10.7	2	11.8
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	5	11.1	1	3.6	4	23.5
Homicide (X85-Y09,Y87.1)	4	8.9	3	10.7	1	5.9
All Other Causes	16	35.6	9	32.1	7	41.2
15 - 24 Years						
All Causes	377 *	100.0	205	100.0	170	100.0
Accidents (V01-X59,Y85-Y86)	159 *	42.2	101	49.3	57	33.5
Suicide (X60-X84,Y87.0)	71	18.8	55	26.8	16	9.4
Homicide (X85-Y09,Y87.1)	62	16.4	11	5.4	51	30.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	21	5.6	7	3.4	14	8.2
Malignant Neoplasms (C00-C97)	11	2.9	8	3.9	3	1.8
All Other Causes	53 *	14.1	23	11.2	29	17.1
25 - 44 Years						
All Causes	1352 *	100.0	855	100.0	494	100.0
Accidents (V01-X59,Y85-Y86)	415	30.7	295	34.5	120	24.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	224	16.6	133	15.6	91	18.4
Suicide (X60-X84,Y87.0)	166	12.3	138	16.1	28	5.7
Homicide (X85-Y09,Y87.1)	94	7.0	20	2.3	74	15.0
Malignant Neoplasms (C00-C97)	85 *	6.3	63	7.4	21	4.3
All Other Causes	368 *	27.2	206	24.1	160	32.4
45 - 64 Years						
All Causes	6,142 *	100.0	4,079	100.0	2,058	100.0
Malignant Neoplasms (C00-C97)	1,660	27.0	1,139	27.9	521	25.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,517 *	24.7	978	24.0	537	26.1
Accidents (V01-X59,Y85-Y86)	470	7.7	344	8.4	126	6.1
Chronic Liver Disease And Cirrhosis (K70,K73-K74)	274	4.5	211	5.2	63	3.1
Cerebrovascular Disease (I60-I69)	244	4.0	122	3.0	122	5.9
All Other Causes	1,977 *	32.2	1,285	31.5	689	33.5
65 - 74 Years						
All Causes	5,210 *	100.0	3,829	100.0	1,375	100.0
Malignant Neoplasms (C00-C97)	1,610	30.9	1,191	31.1	419	30.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,221 *	23.4	886	23.1	333	24.2
Chronic Lower Respiratory Disease (J40-J47)	379	7.3	323	8.4	56	4.1
Cerebrovascular Disease (I60-I69)	257	4.9	165	4.3	92	6.7
Diabetes Mellitus (E10-E14)	211	4.0	133	3.5	78	5.7
All Other Causes	1,532 *	29.4	1,131	29.5	397	28.9
75 Years & Over						
All Causes	9,334 *	100.0	7,598	100.0	1,729	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,262 *	24.2	1,873	24.7	388	22.4
Malignant Neoplasms (C00-C97)	1,965	21.1	1,599	21.0	366	21.2
Chronic Lower Respiratory Disease (J40-J47)	699	7.5	609	8.0	90	5.2
Cerebrovascular Disease (I60-I69)	554 *	5.9	416	5.5	137	7.9
Alzheimers (G30)	416	4.5	355	4.7	61	3.5
All Other Causes	3,438 *	36.8	2,746	36.1	687	39.7

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2013
(Residence Data)
Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	186 *	100.0	85	100.0	98	100.0
Disorders Related To Short Gestation, Etc. (P07)	42 *	22.6	14	16.5	25	25.5
Congenital Malformations, Etc. (Q00-Q99)	38	20.4	24	28.2	14	14.3
Sudden Infant Death Syndrome (R95)	15	8.1	6	7.1	9	9.2
Accidents (V01-X59,Y85-Y86)	11	5.9	5	5.9	6	6.1
Newborn Aff By Maternal Comp Of Preg (P01)	10	5.4	4	4.7	6	6.1
All Other Causes	70	37.6	32	37.6	38	38.8
1 - 4 Years						
All Causes	27	100.0	12	100.0	15	100.0
Accidents (V01-X59,Y85-Y86)	10	37.0	1	8.3	9	60.0
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	4	14.8	3	25.0	1	6.7
Homicide (X85-Y09,Y87.1)	4	14.8	2	16.7	2	13.3
Malignant Neoplasms (C00-C97)	2	7.4	1	8.3	1	6.7
All Other Causes	7	25.9	5	41.7	2	13.3
5 - 14 Years						
All Causes	48	100.0	29	100.0	19	100.0
Congenital Malform., Deform., Chromosal Abn.(Q00-Q99)	6	12.5	3	10.3	3	15.8
Accidents (V01-X59,Y85-Y86)	6	12.5	4	13.8	2	10.5
Malignant Neoplasms (C00-C97)	5	10.4	3	10.3	2	10.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4	8.3	2	6.9	2	10.5
Suicide (X60-X84,Y87.0)	4	8.3	2	6.9	2	10.5
Homicide (X85-Y09,Y87.1)	4	8.3	4	13.8	0	0.0
All Other Causes	19	39.6	11	37.9	8	42.1
15 - 24 Years						
All Causes	110 *	100.0	78	100.0	30	100.0
Accidents (V01-X59,Y85-Y86)	44 *	40.0	33	42.3	10	33.3
Homicide (X85-Y09,Y87.1)	12	10.9	7	9.0	5	16.7
Suicide (X60-X84,Y87.0)	11	10.0	11	14.1	0	0.0
Pregnancy , Childbirth And The Puerperium (O00-O99)	7	6.4	2	2.6	5	16.7
Malignant Neoplasms (C00-C97)	6	5.5	3	3.8	3	10.0
All Other Causes	30 *	27.3	22	28.2	7	23.3
25 - 44 Years						
All Causes	783	100.0	485	100.0	298	100.0
Malignant Neoplasms (C00-C97)	160	20.4	93	19.2	67	22.5
Accidents (V01-X59,Y85-Y86)	147	18.8	120	24.7	27	9.1
Disease Of Heart (I00-I09,I11,I13,I20-I51)	118	15.1	67	13.8	51	17.1
Suicide (X60-X84,Y87.0)	47	6.0	45	9.3	2	0.7
Homicide (X85-Y09,Y87.1)	34	4.3	19	3.9	15	5.0
All Other Causes	277	35.4	141	29.1	136	45.6
45 - 64 Years						
All Causes	3,857 *	100.0	2,534	100.0	1,318	100.0
Malignant Neoplasms (C00-C97)	1,240 *	32.1	819	32.3	420	31.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	698 *	18.1	422	16.7	275	20.9
Chronic Lower Respiratory Disease (J40-J47)	242	6.3	202	8.0	40	3.0
Accidents (V01-X59,Y85-Y86)	233	6.0	188	7.4	45	3.4
Cerebrovascular Disease (I60-I69)	179	4.6	97	3.8	82	6.2
All Other Causes	1,265 *	32.8	806	31.8	456	34.6
65 - 74 Years						
All Causes	3,690 *	100.0	2,666	100.0	1,019	100.0
Malignant Neoplasms (C00-C97)	1,185 *	32.1	890	33.4	294	28.9
Disease Of Heart (I00-I09,I11,I13,I20-I51)	693 *	18.8	467	17.5	225	22.1
Chronic Lower Respiratory Disease (J40-J47)	338	9.2	309	11.6	29	2.8
Cerebrovascular Disease (I60-I69)	191	5.2	118	4.4	73	7.2
Diabetes Mellitus (E10-E14)	107	2.9	53	2.0	54	5.3
All Other Causes	1,176 *	31.9	829	31.1	344	33.8
75 Years & Over						
All Causes	13,007 *	100.0	10,190	100.0	2,810	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,829 *	21.7	2,143	21.0	684	24.3
Malignant Neoplasms (C00-C97)	1,766	13.6	1,358	13.3	408	14.5
Alzheimers (G30)	1,093	8.4	920	9.0	173	6.2
Cerebrovascular Disease (I60-I69)	997	7.7	788	7.7	209	7.4
Chronic Lower Respiratory Disease (J40-J47)	827	6.4	748	7.3	79	2.8
All Other Causes	5,495 *	42.2	4,233	41.5	1,257	44.7

Table G-4.
Percent Distribution of Deaths by Race and Age
South Carolina, 1993,2003 and 2013
(Residence Data)

Age at Death	Total			White			Black & Other		
	1993	2003	2013	1993	2003	2013	1993	2003	2013
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	1.9	1.3	0.9	1.2	0.8	0.6	3.6	2.7	1.7
01-04	0.4	0.2	0.2	0.2	0.1	0.1	0.7	0.4	0.4
05-09	0.2	0.1	0.1	0.2	0.1	0.1	0.4	0.2	0.2
10-14	0.3	0.2	0.1	0.2	0.2	0.1	0.3	0.3	0.1
15-19	0.8	0.7	0.3	0.7	0.6	0.3	1.0	1.0	0.5
20-24	1.1	0.9	0.8	0.9	0.7	0.6	1.7	1.3	1.2
25-34	3.2	2.1	1.7	2.5	1.6	1.4	4.7	3.3	2.6
35-44	4.9	4.5	3.1	3.7	3.8	2.7	7.7	6.2	4.2
45-54	7.1	8.4	7.7	6.4	6.7	6.9	8.7	12.6	10.1
55-64	13.5	12.4	14.8	13.2	11.6	13.2	14.3	14.3	19.1
65-74	24.1	18.9	20.0	24.7	19.2	19.8	23.0	18.0	20.7
75 and Over	42.4	50.2	50.3	46.2	54.5	54.2	34.0	39.6	39.2

Table G-5.
Deaths from Major Cardiovascular Diseases
South Carolina, 2013
(Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00 - I78)	12,886	29.0
Disease of the Heart (I00 - I09, I11, I13, I20 - I51)	9,604	21.6
Essential Hypertension & Hypertensive Renal Disease (I10, I12)	418	0.9
Cerebrovascular Disease (I60-I69)	2,488	5.6
Atherosclerosis (I70)	28	0.1
Other Diseases of Circulatory System (I71 - I78)	348	0.8

Table G-6.
 Distribution of Malignant Neoplasms by Site and Gender
 South Carolina, 2013
 (Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	9,700	100.0	5,336	100.0	4,364	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	179	1.8	121	2.3	58	1.3
Digestive Organs (C15-C26)	2,292	23.6	1361	25.5	931	21.3
Respiratory and Intrathoracic Organs (C30-C39)	2,924	30.1	1,710	32.0	1,214	27.8
Breast (C50)	643	6.6	10	0.2	633	14.5
Female Genital Organs (C51-C58)	436	4.5	.		436	10.0
Vulva and Vagina (C51-C52)	26.0	(6)	.		26	(6)
Cervix Uteri (C53)	74.0	(14.9)	.		74	(14.9)
Corpus Uteri and Uterus, part unspecified (C54-C55)	129.0	(34.9)	.		129	(34.9)
Ovary (C56)	203.0	(53.4)	.		203	(53.4)
Other Female Genital Organs (C57, C58)	4.0	(3)	.		4	(3)
Male Genital Organs (C60-C63)	464	4.8	464	8.7	.	
Prostate (C61)	457	(103.7)	457	(103.7)	.	
Testis (C62)	4	(0.9)	4	(0.9)	.	
Penis and Other Male Genital Organs (C60, C63)	3	(0.4)	3	(0.4)	.	
Urinary Tract (C64-C68)	458	4.7	321	6.0	137	3.1
Leukemia (C91-C95)	390	4.0	235	4.4	155	3.6
Lymphatic & Hematopoietic Tissues (C96)	3	0.0	3	0.1	.	

Table G-7.
Types of Accidental Deaths by Gender
South Carolina, 2013
(Residence Data)

	Total (V01-X59,Y85- Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
Total	2263	840	568	367	73	61	15	339
Male	1459	654	322	183	40	51	12	197
Female	804	186	246	184	33	10	3	142

Table G-8.
Methods of Suicidal Deaths by Gender
South Carolina, 2013
(Residence Data)

	All Suicides (X60- X84,Y87.0)	Poisoning (X60-X68)	Hanging, Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	Residual
Total	698	80	118	4	470	8	3	15
Male	549	34	92	4	400	6	2	11
Female	149	46	26	0	70	2	1	4

Table G-9.
Methods of Homicidal Deaths by Gender
South Carolina, 2013
(Residence Data)

	All Homicides (X85- Y09,Y87.1)	Fight, Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersion (Y21)	Firearms (X93-X95)	Cuting & Piercing (X99)	Residual
Total	316	2	0	9	3	241	26	35
Male	229	2	0	6	2	177	21	21
Female	87	0	0	3	1	64	5	14

Table G-10.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	44,415 *	9.3	32,793	9.9	11,572	7.9
Abbeville	268 *	10.7	180	10.2	87	11.8
Aiken	1,667 *	10.2	1,270	10.7	396	8.8
Allendale	114	11.6	41	16.1	73	10.0
Anderson	1,979 *	10.4	1,714	11.0	263	7.5
Bamberg	182	11.8	86	15.0	96	9.9
Barnwell	287	13.0	178	15.0	109	10.7
Beaufort	1,419 *	8.3	1,172	8.7	246	6.5
Berkeley	1,272 *	6.6	917	6.7	354	6.2
Calhoun	169	11.2	86	10.2	83	12.6
Charleston	2,887 *	7.7	1,912	7.5	973	8.2
Cherokee	594	10.6	488	11.3	106	8.5
Chester	414	12.7	280	14.1	134	10.6
Chesterfield	478	10.3	342	11.3	136	8.5
Clarendon	377	11.0	213	12.5	164	9.5
Colleton	508	13.4	333	14.9	175	11.4
Darlington	823 *	12.1	527	13.6	295	10.1
Dillon	362	11.6	201	13.0	161	10.2
Dorchester	915 *	6.3	696	6.8	218	5.0
Edgefield	204	7.7	124	7.6	80	7.9
Fairfield	281 *	12.2	123	13.4	156	11.2
Florence	1,491	10.8	950	12.4	541	8.8
Georgetown	726 *	12.0	513	12.9	212	10.2
Greenville	3,904 *	8.2	3,266	8.8	637	6.1
Greenwood	745	10.7	541	11.8	204	8.6
Hampton	222	10.9	107	11.8	115	10.1
Horry	2,949 *	10.2	2,629	10.9	318	6.7
Jasper	230	8.6	101	7.3	129	10.1
Kershaw	647 *	10.3	474	10.4	172	10.2
Lancaster	821 *	10.2	653	10.8	166	8.2
Laurens	851	12.8	658	13.7	193	10.6
Lee	205 *	11.2	108	16.6	96	8.1
Lexington	2,235 *	8.2	1,999	8.9	233	4.7
McCormick	113	11.4	66	13.4	47	9.4
Marion	444 *	13.8	216	16.1	227	12.2
Marlboro	364 *	13.0	185	15.5	178	11.1
Newberry	407	10.8	302	12.2	105	8.3
Oconee	843	11.2	784	11.6	59	8.2
Orangeburg	1,039 *	11.4	466	14.5	572	9.7
Pickens	1,151 *	9.6	1,073	9.9	76	6.7
Richland	3,039 *	7.6	1,752	9.0	1,274	6.2
Saluda	191	9.5	132	9.4	59	9.9
Spartanburg	2,885 *	9.9	2,352	10.7	527	7.4
Sumter	999	9.2	545	10.1	454	8.4
Union	391	13.9	313	16.7	78	8.4
Williamsburg	437 *	13.2	180	16.4	256	11.6
York	1,883 *	7.9	1,544	8.4	337	6.1
Unknown	3	0.0	1	0.0	2	0.0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-11.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	43,673 *	9.1	32,401	9.8	11,245	7.6
Abbeville	141	5.6	92	5.2	49	6.7
Aiken	1,298 *	7.9	995	8.4	302	6.7
Allendale	81	8.2	35	13.8	46	6.3
Anderson	2,024	10.6	1,755	11.3	269	7.7
Bamberg	95	6.2	48	8.4	47	4.9
Barnwell	205 *	9.3	129	10.9	75	7.3
Beaufort	1,289 *	7.5	1,057	7.9	231	6.1
Berkeley	684	3.5	509	3.7	175	3.0
Calhoun	90	6.0	49	5.8	41	6.2
Charleston	4,384 *	11.8	2,962	11.7	1,418	11.9
Cherokee	428	7.7	359	8.3	69	5.5
Chester	220	6.8	146	7.3	74	5.8
Chesterfield	302	6.5	214	7.1	88	5.5
Clarendon	251	7.3	143	8.4	108	6.2
Colleton	493	13.0	329	14.7	164	10.7
Darlington	530	7.8	360	9.3	170	5.8
Dillon	240 *	7.7	139	9.0	100	6.3
Dorchester	603	4.1	474	4.7	129	3.0
Edgefield	152	5.7	97	6.0	55	5.4
Fairfield	164 *	7.1	78	8.5	84	6.0
Florence	2,396	17.3	1,433	18.7	963	15.6
Georgetown	907	15.0	696	17.5	211	10.2
Greenville	4,451 *	9.4	3,727	10.1	722	6.9
Greenwood	956 *	13.7	686	15.0	269	11.3
Hampton	180	8.8	84	9.3	96	8.5
Horry	2,846 *	9.8	2,501	10.3	344	7.2
Jasper	222	8.3	129	9.3	93	7.3
Kershaw	519	8.3	384	8.4	135	8.0
Lancaster	648	8.1	507	8.4	141	7.0
Laurens	646	9.8	496	10.3	150	8.2
Lee	95 *	5.2	57	8.8	37	3.1
Lexington	2,119 *	7.7	1,824	8.1	294	5.9
McCormick	62	6.2	39	7.9	23	4.6
Marion	307	9.6	161	12.0	146	7.8
Marlboro	209	7.5	105	8.8	104	6.5
Newberry	301	8.0	227	9.1	74	5.8
Oconee	775	10.3	723	10.7	52	7.2
Orangeburg	1,010	11.1	463	14.4	547	9.3
Pickens	809 *	6.8	760	7.0	47	4.2
Richland	3,948 *	9.9	2,390	12.3	1,551	7.6
Saluda	123	6.1	93	6.6	30	5.0
Spartanburg	3,241 *	11.1	2,656	12.1	583	8.2
Sumter	911	8.4	503	9.3	408	7.5
Union	292	10.4	237	12.6	55	6.0
Williamsburg	253	7.7	105	9.6	148	6.7
York	1,773	7.4	1,445	7.8	328	6.0
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-12.
Deaths by Race and Gender
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	44,415 *	22,705 *	21,708 *	32,793	16,714	16,079	11,572	5,963	5,607
Abbeville	268 *	125	143 *	180	88	92	87	37	50
Aiken	1,667 *	852	815 *	1,270	655	615	396	197	199
Allendale	114	69	45	41	25	16	73	44	29
Anderson	1,979 *	1,050	929 *	1,714	901	813	263	149	114
Bamberg	182	91	91	86	39	47	96	52	44
Barnwell	287	159	128	178	100	78	109	59	50
Beaufort	1,419 *	753 *	666	1,172	636	536	246	116	130
Berkeley	1,272 *	647	625 *	917	465	452	354	182	172
Calhoun	169	88	81	86	50	36	83	38	45
Charleston	2,887 *	1,432 *	1,455 *	1,912	949	963	973	482	491
Cherokee	594	303	291	488	256	232	106	47	59
Chester	414	214	200	280	143	137	134	71	63
Chesterfield	478	245	233	342	182	160	136	63	73
Clarendon	377	200	177	213	110	103	164	90	74
Colleton	508	281	227	333	187	146	175	94	81
Darlington	823 *	428 *	395	527	270	257	295	157	138
Dillon	362	171	191	201	96	105	161	75	86
Dorchester	915 *	458	457 *	696	338	358	218	120	98
Edgefield	204	103	101	124	64	60	80	39	41
Fairfield	281 *	144	137 *	123	66	57	156	78	78
Florence	1,491	727	763	950	462	488	541	265	275
Georgetown	726 *	386 *	340	513	275	238	212	110	102
Greenville	3,904 *	1,952	1,952 *	3,266	1,594	1,672	637	358	279
Greenwood	745	390	355	541	283	258	204	107	97
Hampton	222	124	98	107	51	56	115	73	42
Horry	2,949 *	1,555 *	1,394 *	2,629	1,393	1,236	318	161	157
Jasper	230	120	110	101	55	46	129	65	64
Kershaw	647 *	341	306 *	474	252	222	172	89	83
Lancaster	821 *	416 *	405 *	653	323	330	166	92	74
Laurens	851	454	397	658	351	307	193	103	90
Lee	205 *	101	104 *	108	55	53	96	46	50
Lexington	2,235 *	1,136 *	1,099 *	1,999	1,013	986	233	121	112
McCormick	113	54	59	66	29	37	47	25	22
Marion	444 *	223 *	221	216	110	106	227	112	115
Marlboro	364 *	190 *	174	185	99	86	178	90	88
Newberry	407	195	212	302	143	159	105	52	53
Oconee	843	431	412	784	404	380	59	27	32
Orangeburg	1,039 *	557 *	482	466	261	205	572	295	277
Pickens	1,151 *	565 *	586	1,073	524	549	76	39	37
Richland	3,039 *	1,556 *	1,482 *	1,752	878	874	1,274	669	604
Saluda	191	100	91	132	68	64	59	32	27
Spartanburg	2,885 *	1,432 *	1,453 *	2,352	1,156	1,196	527	272	255
Sumter	999	503	496	545	279	266	454	224	230
Union	391	199	192	313	158	155	78	41	37
Williamsburg	437 *	229 *	208	180	90	90	256	138	118
York	1,883 *	953 *	930 *	1,544	787	757	337	165	172
Unknown	3	3	-	1	1	-	2	2	-

* Includes unknown race

Table G-13.
Deaths by Race and Gender
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	43,673 *	22,309 *	21,362 *	32,401	16,508	15,893	11,245	5,784	5,459
Abbeville	141	66	75	92	45	47	49	21	28
Aiken	1,298 *	657	641 *	995	511	484	302	146	156
Allendale	81	48	33	35	20	15	46	28	18
Anderson	2,024	1,084	940	1,755	941	814	269	143	126
Bamberg	95	47	48	48	23	25	47	24	23
Barnwell	205 *	112 *	93	129	69	60	75	42	33
Beaufort	1,289 *	662 *	627	1,057	551	506	231	110	121
Berkeley	684	340	344	509	254	255	175	86	89
Calhoun	90	46	44	49	25	24	41	21	20
Charleston	4,384 *	2,240 *	2,144	2,962	1,518	1,444	1,418	718	700
Cherokee	428	224	204	359	190	169	69	34	35
Chester	220	106	114	146	68	78	74	38	36
Chesterfield	302	146	156	214	109	105	88	37	51
Clarendon	251	136	115	143	73	70	108	63	45
Colleton	493	296	197	329	200	129	164	96	68
Darlington	530	261	269	360	180	180	170	81	89
Dillon	240 *	110 *	130	139	63	76	100	46	54
Dorchester	603	294	309	474	223	251	129	71	58
Edgefield	152	76	76	97	51	46	55	25	30
Fairfield	164 *	89	75 *	78	42	36	84	47	37
Florence	2,396	1,190	1,205	1,433	725	708	963	465	497
Georgetown	907	490	417	696	379	317	211	111	100
Greenville	4,451 *	2,249	2,202 *	3,727	1,841	1,886	722	408	314
Greenwood	956 *	489	467 *	686	353	333	269	136	133
Hampton	180	102	78	84	43	41	96	59	37
Horry	2,846 *	1,488 *	1,358	2,501	1,306	1,195	344	181	163
Jasper	222	121	101	129	72	57	93	49	44
Kershaw	519	266	253	384	194	190	135	72	63
Lancaster	648	313	335	507	242	265	141	71	70
Laurens	646	329	317	496	256	240	150	73	77
Lee	95 *	51	44 *	57	28	29	37	23	14
Lexington	2,119 *	1,064 *	1,055	1,824	913	911	294	150	144
McCormick	62	29	33	39	16	23	23	13	10
Marion	307	164	143	161	83	78	146	81	65
Marlboro	209	106	103	105	56	49	104	50	54
Newberry	301	140	161	227	105	122	74	35	39
Oconee	775	381	394	723	360	363	52	21	31
Orangeburg	1,010	542	468	463	259	204	547	283	264
Pickens	809 *	378 *	431	760	355	405	47	21	26
Richland	3,948 *	2,084 *	1,863 *	2,390	1,264	1,126	1,551	816	734
Saluda	123	58	65	93	41	52	30	17	13
Spartanburg	3,241 *	1,616 *	1,625	2,656	1,319	1,337	583	295	288
Sumter	911	450	461	503	252	251	408	198	210
Union	292	142	150	237	114	123	55	28	27
Williamsburg	253	143	110	105	54	51	148	89	59
York	1,773	884	889	1,445	722	723	328	162	166
Unknown	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table G-14.
Deaths by Burial Disposition
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	43,673 *	25,818	15,737	807	897	411
Abbeville	141	108	32	1	-	-
Aiken	1,298 *	786	468	14	7	23
Allendale	81	68	12	-	-	1
Anderson	2,024	1,260	656	8	92	8
Bamberg	95	84	10	-	1	-
Barnwell	205 *	160	41	1	-	3
Beaufort	1,289 *	445	801	30	8	5
Berkeley	684	370	261	23	20	10
Calhoun	90	68	21	-	1	-
Charleston	4,384 *	2,265	1,845	132	93	49
Cherokee	428	289	120	2	10	7
Chester	220	163	56	1	-	-
Chesterfield	302	235	65	-	2	-
Clarendon	251	160	80	7	1	3
Colleton	493	316	147	8	10	12
Darlington	530	396	126	2	6	-
Dillon	240 *	195	38	-	6	1
Dorchester	603	274	283	21	20	5
Edgefield	152	113	36	1	-	2
Fairfield	164 *	116	46	-	-	2
Florence	2,396	1,756	535	31	65	9
Georgetown	907	399	442	46	13	7
Greenville	4,451 *	2,445	1,759	68	138	41
Greenwood	956 *	661	252	3	28	12
Hampton	180	150	27	1	-	2
Horry	2,846 *	964	1,558	238	69	17
Jasper	222	119	92	6	1	4
Kershaw	519	350	160	4	1	4
Lancaster	648	413	214	3	14	4
Laurens	646	443	188	-	10	5
Lee	95 *	77	18	-	-	-
Lexington	2,119 *	1,215	774	32	51	47
McCormick	62	39	23	-	-	-
Marion	307	251	49	-	6	1
Marlboro	209	172	37	-	-	-
Newberry	301	206	89	2	3	1
Oconee	775	454	294	1	19	7
Orangeburg	1,010	729	256	12	6	7
Pickens	809 *	501	255	6	34	13
Richland	3,948 *	2,451	1,331	48	62	53
Saluda	123	93	30	-	-	-
Spartanburg	3,241 *	2,019	1,089	33	70	30
Sumter	911	635	263	6	4	3
Union	292	229	58	-	2	3
Williamsburg	253	228	24	-	1	-
York	1,773	948	776	16	23	10
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A.
Deaths by Burial Disposition and Race
South Carolina and Each County, 2013
(Occurrence Data)

White

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	32,401	16,550	13,873	756	847	375
Abbeville	92	65	26	1	-	-
Aiken	995	530	424	12	6	23
Allendale	35	24	10	-	-	1
Anderson	1,755	1,038	611	8	91	7
Bamberg	48	41	6	-	1	-
Barnwell	129	93	32	1	-	3
Beaufort	1,057	261	756	27	8	5
Berkeley	509	220	238	22	19	10
Calhoun	49	30	18	-	1	-
Charleston	2,962	1,088	1,626	126	80	42
Cherokee	359	232	108	2	10	7
Chester	146	97	49	-	-	-
Chesterfield	214	157	56	-	1	-
Clarendon	143	70	63	6	1	3
Colleton	329	170	130	8	9	12
Darlington	360	248	104	2	6	-
Dillon	139	103	29	-	6	1
Dorchester	474	168	264	18	19	5
Edgefield	97	65	29	1	-	2
Fairfield	78	43	33	-	-	2
Florence	1,433	911	426	26	62	8
Georgetown	696	225	408	45	12	6
Greenville	3,727	1,946	1,546	63	135	37
Greenwood	686	431	213	3	28	11
Hampton	84	59	22	1	-	2
Horry	2,501	691	1,493	232	69	16
Jasper	129	42	79	5	-	3
Kershaw	384	237	138	4	1	4
Lancaster	507	307	179	3	14	4
Laurens	496	318	163	-	10	5
Lee	57	42	15	-	-	-
Lexington	1,824	991	708	31	49	45
McCormick	39	18	21	-	-	-
Marion	161	120	34	-	6	1
Marlboro	105	77	28	-	-	-
Newberry	227	150	71	2	3	1
Oconee	723	410	287	1	19	6
Orangeburg	463	278	164	11	3	7
Pickens	760	467	245	5	32	11
Richland	2,390	1,223	1,033	39	54	41
Saluda	93	66	27	-	-	-
Spartanburg	2,656	1,569	964	32	63	28
Sumter	503	293	200	3	4	3
Union	237	180	52	-	2	3
Williamsburg	105	88	16	-	1	-
York	1,445	668	729	16	22	10
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A. (continued)
Deaths by Burial Disposition and Race
South Carolina and Each County, 2013
(Occurrence Data)
Black & Other

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	11,245	9,252	1,860	51	50	32
Abbeville	49	43	6	-	-	-
Aiken	302	255	44	2	1	-
Allendale	46	44	2	-	-	-
Anderson	269	222	45	-	1	1
Bamberg	47	43	4	-	-	-
Barnwell	75	66	9	-	-	-
Beaufort	231	183	45	3	-	-
Berkeley	175	150	23	1	1	-
Calhoun	41	38	3	-	-	-
Charleston	1,418	1,175	218	6	13	6
Cherokee	69	57	12	-	-	-
Chester	74	66	7	1	-	-
Chesterfield	88	78	9	-	1	-
Clarendon	108	90	17	1	-	-
Colleton	164	146	17	-	1	-
Darlington	170	148	22	-	-	-
Dillon	100	91	9	-	-	-
Dorchester	129	106	19	3	1	-
Edgefield	55	48	7	-	-	-
Fairfield	84	72	12	-	-	-
Florence	963	845	109	5	3	1
Georgetown	211	174	34	1	1	1
Greenville	722	497	213	5	3	4
Greenwood	269	229	39	-	-	1
Hampton	96	91	5	-	-	-
Horry	344	273	65	6	-	-
Jasper	93	77	13	1	1	1
Kershaw	135	113	22	-	-	-
Lancaster	141	106	35	-	-	-
Laurens	150	125	25	-	-	-
Lee	37	34	3	-	-	-
Lexington	294	224	65	1	2	2
McCormick	23	21	2	-	-	-
Marion	146	131	15	-	-	-
Marlboro	104	95	9	-	-	-
Newberry	74	56	18	-	-	-
Oconee	52	44	7	-	-	1
Orangeburg	547	451	92	1	3	-
Pickens	47	33	10	1	2	1
Richland	1,551	1,226	297	9	8	11
Saluda	30	27	3	-	-	-
Spartanburg	583	448	125	1	7	2
Sumter	408	342	63	3	-	-
Union	55	49	6	-	-	-
Williamsburg	148	140	8	-	-	-
York	328	280	47	-	1	-
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-15.
Deaths by Certifier ¹
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	Total	Coroner	Physician	Medical Examiner
South Carolina	43,673 *	9,216	33,837	620
Abbeville	141	113	28	-
Aiken	1,298 *	176	1,122	-
Allendale	81	22	59	-
Anderson	2,024	358	1,665	1
Bamberg	95	74	21	-
Barnwell	205 *	120	85	-
Beaufort	1,289 *	130	1,159	-
Berkeley	684	584	100	-
Calhoun	90	62	28	-
Charleston	4,384 *	586	3,798	-
Cherokee	428	138	290	-
Chester	220	113	107	-
Chesterfield	302	187	115	-
Clarendon	251	121	130	-
Colleton	493	261	232	-
Darlington	530	351	179	-
Dillon	240 *	77	163	-
Dorchester	603	182	421	-
Edgefield	152	42	110	-
Fairfield	164 *	49	115	-
Florence	2,396	243	2,153	-
Georgetown	907	133	774	-
Greenville	4,451 *	66	3,773	612
Greenwood	956 *	89	867	-
Hampton	180	69	111	-
Horry	2,846 *	709	2,134	3
Jasper	222	62	160	-
Kershaw	519	119	400	-
Lancaster	648	365	283	-
Laurens	646	167	479	-
Lee	95 *	70	25	-
Lexington	2,119 *	357	1,762	-
McCormick	62	27	35	-
Marion	307	105	202	-
Marlboro	209	173	36	-
Newberry	301	78	223	-
Oconee	775	149	625	1
Orangeburg	1,010	344	666	-
Pickens	809 *	199	609	1
Richland	3,948 *	644	3,304	-
Saluda	123	34	89	-
Spartanburg	3,241 *	416	2,823	2
Sumter	911	230	681	-
Union	292	80	212	-
Williamsburg	253	167	86	-
York	1,773	375	1,398	-
Unknown	-	-	-	-

¹ Person certifying the original death certificate

* Includes unknown race

Table G-15A.
Deaths by Certifier ¹ and Race
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	White				Black & Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	32,401	6,390	25,527	484	11,245	2,819	8,290	136
Abbeville	92	71	21	-	49	42	7	-
Aiken	995	126	869	-	302	49	253	-
Allendale	35	12	23	-	46	10	36	-
Anderson	1,755	299	1,455	1	269	59	210	-
Bamberg	48	32	16	-	47	42	5	-
Barnwell	129	78	51	-	75	41	34	-
Beaufort	1,057	106	951	-	231	24	207	-
Berkeley	509	443	66	-	175	141	34	-
Calhoun	49	32	17	-	41	30	11	-
Charleston	2,962	367	2,595	-	1,418	219	1,199	-
Cherokee	359	109	250	-	69	29	40	-
Chester	146	69	77	-	74	44	30	-
Chesterfield	214	133	81	-	88	54	34	-
Clarendon	143	70	73	-	108	51	57	-
Colleton	329	170	159	-	164	91	73	-
Darlington	360	247	113	-	170	104	66	-
Dillon	139	35	104	-	100	41	59	-
Dorchester	474	124	350	-	129	58	71	-
Edgefield	97	30	67	-	55	12	43	-
Fairfield	78	28	50	-	84	21	63	-
Florence	1,433	167	1,266	-	963	76	887	-
Georgetown	696	96	600	-	211	37	174	-
Greenville	3,727	50	3,199	478	722	16	572	134
Greenwood	686	60	626	-	269	29	240	-
Hampton	84	26	58	-	96	43	53	-
Horry	2,501	614	1,886	1	344	94	248	2
Jasper	129	32	97	-	93	30	63	-
Kershaw	384	81	303	-	135	38	97	-
Lancaster	507	289	218	-	141	76	65	-
Laurens	496	130	366	-	150	37	113	-
Lee	57	38	19	-	37	31	6	-
Lexington	1,824	292	1,532	-	294	65	229	-
McCormick	39	18	21	-	23	9	14	-
Marion	161	51	110	-	146	54	92	-
Marlboro	105	87	18	-	104	86	18	-
Newberry	227	55	172	-	74	23	51	-
Oconee	723	135	587	1	52	14	38	-
Orangeburg	463	160	303	-	547	184	363	-
Pickens	760	184	575	1	47	14	33	-
Richland	2,390	336	2,054	-	1,551	307	1,244	-
Saluda	93	27	66	-	30	7	23	-
Spartanburg	2,656	330	2,324	2	583	86	497	-
Sumter	503	117	386	-	408	113	295	-
Union	237	64	173	-	55	16	39	-
Williamsburg	105	70	35	-	148	97	51	-
York	1,445	300	1,145	-	328	75	253	-
Unknown	-	-	-	-	-	-	-	-

¹ Person certifying the original death certificate

Table G-16.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
South Carolina	2,263	840	568	367	73	61	15	339
Abbeville	14	7	3	1	-	-	-	3
Aiken	94	33	28	10	9	1	-	13
Allendale	7	4	-	1	-	1	-	1
Anderson	98	34	27	16	3	1	-	17
Bamberg	10	6	1	2	-	-	-	1
Barnwell	13	4	2	3	-	2	-	2
Beaufort	55	11	11	11	1	4	2	15
Berkeley	75	31	25	6	1	-	-	12
Calhoun	6	5	1	-	-	-	-	-
Charleston	146	48	38	34	3	3	-	20
Cherokee	26	7	4	5	-	1	-	9
Chester	18	11	1	2	-	-	-	4
Chesterfield	27	15	8	1	-	-	-	3
Clarendon	18	10	1	1	4	-	-	2
Colleton	23	13	5	2	1	-	-	2
Darlington	51	24	12	2	7	-	-	6
Dillon	17	5	4	2	2	-	-	4
Dorchester	56	23	14	9	1	1	-	8
Edgefield	7	4	-	1	-	-	-	2
Fairfield	12	8	-	-	-	2	-	2
Florence	74	33	20	2	5	2	1	11
Georgetown	26	10	6	4	-	1	-	5
Greenville	237	86	65	43	4	8	2	29
Greenwood	26	11	2	5	-	-	1	7
Hampton	8	3	2	-	-	1	1	1
Horry	138	46	34	26	4	7	1	20
Jasper	16	7	5	-	3	-	-	1
Kershaw	35	15	7	4	-	2	1	6
Lancaster	28	9	10	4	-	-	1	4
Laurens	46	15	16	10	-	-	-	5
Lee	9	7	-	-	-	-	-	2
Lexington	135	45	48	19	6	4	-	13
McCormick	-	-	-	-	-	-	-	-
Marion	15	9	2	2	-	1	-	1
Marlboro	12	5	2	1	2	-	-	2
Newberry	19	9	2	1	-	2	-	5
Oconee	47	8	13	13	1	-	1	11
Orangeburg	52	28	6	3	2	3	1	9
Pickens	83	17	32	13	4	2	1	14
Richland	160	72	26	33	2	-	2	25
Saluda	8	5	2	-	-	1	-	-
Spartanburg	116	41	35	16	-	5	-	19
Sumter	37	11	5	8	6	-	-	7
Union	18	3	7	2	-	1	-	5
Williamsburg	24	15	3	3	1	1	-	1
York	121	27	33	46	1	4	-	10
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-17.
Major Causes ¹ of Accidental Deaths
South Carolina and Each County, 2013
(Occurrence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W61-W74)	Firearms (W32-W34)	Residual
South Carolina	2,249	852	574	351	56	69	16	331
Abbeville	10	7	2	-	-	-	1	-
Aiken	69	17	28	6	7	2	-	9
Allendale	9	6	-	1	-	1	-	1
Anderson	95	32	30	14	-	2	-	17
Bamberg	4	2	1	-	-	-	-	1
Barnwell	9	4	3	-	-	1	-	1
Beaufort	49	13	10	2	1	9	1	13
Berkeley	40	16	15	1	1	-	-	7
Calhoun	3	3	-	-	-	-	-	-
Charleston	239	79	56	56	2	5	1	40
Cherokee	21	9	3	1	-	2	-	6
Chester	13	9	-	-	-	-	-	4
Chesterfield	13	7	5	-	-	-	-	1
Clarendon	17	11	1	-	3	-	-	2
Colleton	23	11	5	1	1	1	1	3
Darlington	35	18	9	-	5	-	-	3
Dillon	12	4	3	1	3	-	-	1
Dorchester	35	16	11	5	1	-	-	2
Edgefield	2	-	-	-	-	-	-	-
Fairfield	7	6	-	-	-	1	-	-
Florence	104	44	24	11	5	2	-	18
Georgetown	26	12	9	2	-	1	-	2
Greenville	281	95	74	61	1	7	2	41
Greenwood	23	4	2	7	-	-	2	8
Hampton	5	3	2	-	-	-	-	-
Horry	166	66	39	25	2	14	-	20
Jasper	23	8	7	2	3	-	-	3
Kershaw	29	17	4	1	-	2	-	5
Lancaster	21	7	9	-	-	-	1	4
Laurens	33	8	17	5	-	-	-	3
Lee	5	5	-	-	-	-	-	-
Lexington	119	35	49	16	5	2	-	12
McCormick	2	1	-	-	-	1	-	-
Marion	11	9	-	1	-	-	-	1
Marlboro	4	2	1	-	1	-	-	-
Newberry	14	6	2	1	-	2	-	3
Oconee	48	11	14	10	1	1	1	10
Orangeburg	51	30	6	2	2	2	1	8
Pickens	54	10	25	4	3	2	1	9
Richland	216	107	27	42	2	2	3	33
Saluda	7	5	1	-	-	1	-	-
Spartanburg	133	49	32	26	1	2	-	23
Sumter	33	13	4	6	4	1	1	4
Union	13	2	7	1	-	-	-	3
Williamsburg	20	14	3	1	1	1	-	-
York	103	19	34	39	1	2	-	8
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-18.
Deaths Due to Suicide by Method ¹
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total (X60-X84, Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	698	470	118	80	30
Abbeville	4	4	-	-	-
Aiken	27	16	5	6	-
Allendale	-	-	-	-	-
Anderson	34	15	7	10	2
Bamberg	1	1	-	-	-
Barnwell	3	1	1	1	-
Beaufort	25	14	5	6	-
Berkeley	31	19	7	3	2
Calhoun	3	2	1	-	-
Charleston	45	27	9	5	4
Cherokee	10	8	-	2	-
Chester	7	7	-	-	-
Chesterfield	7	7	-	-	-
Clarendon	3	3	-	-	-
Colleton	5	4	1	-	-
Darlington	16	12	1	2	1
Dillon	3	2	-	1	-
Dorchester	21	11	7	1	2
Edgefield	2	1	1	-	-
Fairfield	2	1	-	-	1
Florence	13	10	2	-	1
Georgetown	15	10	4	1	-
Greenville	85	51	16	14	4
Greenwood	9	8	-	1	-
Hampton	2	1	1	-	-
Horry	43	32	6	4	1
Jasper	2	-	1	1	-
Kershaw	7	6	-	1	-
Lancaster	10	7	1	1	1
Laurens	19	17	-	2	-
Lee	-	-	-	-	-
Lexington	34	28	5	-	1
McCormick	-	-	-	-	-
Marion	3	3	-	-	-
Marlboro	5	3	2	-	-
Newberry	6	5	-	-	1
Oconee	9	8	-	-	1
Orangeburg	16	10	4	2	-
Pickens	18	10	5	2	1
Richland	51	37	9	3	2
Saluda	2	2	-	-	-
Spartanburg	43	27	6	6	4
Sumter	9	8	-	1	-
Union	6	5	1	-	-
Williamsburg	1	-	1	-	-
York	41	27	9	4	1
Unknown	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-19.
Deaths Due to Homicide by Method ¹
South Carolina and Each County, 2013
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X93-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	316	241	26	49
Abbeville	4	3	1	-
Aiken	10	8	-	2
Allendale	4	2	1	1
Anderson	19	15	1	3
Bamberg	2	2	-	-
Barnwell	6	5	-	1
Beaufort	3	2	-	1
Berkeley	12	9	-	3
Calhoun	1	-	1	-
Charleston	30	23	3	4
Cherokee	4	2	-	2
Chester	3	3	-	-
Chesterfield	1	1	-	-
Clarendon	6	5	-	1
Colleton	5	5	-	-
Darlington	7	3	2	2
Dillon	3	1	1	1
Dorchester	5	5	-	-
Edgefield	1	1	-	-
Fairfield	3	2	-	1
Florence	4	4	-	-
Georgetown	2	2	-	-
Greenville	25	19	2	4
Greenwood	14	13	-	1
Hampton	7	6	-	1
Horry	13	10	1	2
Jasper	5	4	1	-
Kershaw	-	-	-	-
Lancaster	8	6	1	1
Laurens	5	3	-	2
Lee	1	-	1	-
Lexington	13	9	2	2
McCormick	-	-	-	-
Marion	2	2	-	-
Marlboro	2	1	1	-
Newberry	4	2	-	2
Oconee	4	3	-	1
Orangeburg	6	3	2	1
Pickens	3	3	-	-
Richland	39	31	2	6
Saluda	2	1	1	-
Spartanburg	8	7	-	1
Sumter	8	5	1	2
Union	3	2	1	-
Williamsburg	4	3	-	1
York	5	5	-	-
Unknown	-	-	-	-

¹ Classified and Coded

1

1

0

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2013
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	44,415 *	16,714	16,079	5,963	5,607
SALMONELLE INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	139	37	70	16	16
TUBERCULOSIS (A16-A19)	8	2	-	3	3
RESPIRATORY TUBERCULOSIS (A16)	5	-	-	3	2
OTHER TUBERCULOSIS (A17-A19)	3	2	-	-	1
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	1	-	-
SEPTICEMIA (A40-A41)	729	240	233	123	133
SYPHILIS (A50-A53)	1	1	-	-	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHROPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	123	58	35	20	10
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	145	26	2	86	31
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	116	38	38	22	18
MALIGNANT NEOPLASMS (C00-C97)	9,700 *	4,003	3,167	1,332	1,195
OF LIP,ORAL CAVITY & PHARYIX (C00-C14)	179	85	46	36	12
OF ESOPHAGUS (C15)	228	132	37	45	14
OF STOMACH (C16)	220	86	40	56	38
OF COLON,RECTUM & ANUS (C18-C21)	821	327	270	117	107
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	319	165	60	62	32
OF PANCREAS (C25)	600	233	204	78	85
OF LARYNX (C32)	79	45	6	26	2
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,825	1,242	958	386	239
OF SKIN (C43)	157	104	51	1	1
OF BREAST (C50)	643	6	419	4	214
OF CERVIX UTERI (C53)	74	-	35	-	39
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	129	-	59	-	70
OF OVARY (C56)	203	-	150	-	53
OF PROSTATE (C61)	457	271	-	186	-
OF KIDNEY & RENAL PELVIS (C64-C65)	228	125	63	28	12
OF BLADDER (C67)	221	142	44	21	14
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	230	123	84	14	9
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	935	427	284	110	114
HODGKIN'S DISEASE (C81)	19	8	7	3	1
NON-HODGKIN'S LYMPHOMA (C82-C85)	280	137	101	22	20
LEUKEMIA (C91-C95)	390	196	115	39	40
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	243	84	61	45	53
OTHER & UNSPECIFIED MALIGNNEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	3	2	-	1	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	1,152 *	490	357	162	140
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	214	83	75	32	24
ANEMIAS (D50-D64)	119	24	40	27	28
DIABETES MELLITUS (E10-E14)	1,239 *	415	279	268	276
NUTRITIONAL DEFICIENCIES (E40-E64)	88	28	44	9	7
MALNUTRITION (E40-E46)	87	28	43	9	7
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00-G03)	8	3	3	1	1
PARKISON'S DISEASE (G20-G21)	391	228	129	26	8
ALZHEIMER'S DISEASE (G30)	1,621	400	972	67	182
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	12,886 *	4,846	4,358	1,895	1,777
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	9,604 *	3,880	3,107	1,368	1,240
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	59	19	25	4	11
HYPERTENSIVE HEART DISEASE (I11)	417	110	135	98	74
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	63	11	20	20	12
ISCHEMIC HEART DISEASE (I20-I25)	5,338 *	2,471	1,563	716	582
ACUTE MYOCARDIAL INFARCTION (I21-I22)	2,240 *	986	620	360	273
OTHER ACUTE HEART DISEASE (I24)	251 *	111	46	62	31
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	2,847 *	1,374	897	294	278
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	506 *	227	160	75	42
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,341 *	1,147	737	219	236
OTHER HEART DISEASE (I26-I51)	3,727 *	1,269	1,364	530	561
ACUTE & SUBACUTE ENDOCARDITIS (I33)	25	15	6	2	2
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	13	3	6	2	2
HEART FAILURE (I50)	1,102 *	385	429	130	157
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	2,587 *	866	923	396	400

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2013
(Residence Data)

Cause of Death	Death				
	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	418	97	128	93	100
CEREBROVASCULAR DISEASE (I60-I69)	2,488 *	722	1,015	371	379
ATHEROSCLEROSIS (I70)	28	9	11	5	3
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	348	138	97	58	55
AORTIC ANEURYSM & DISSECTION (I71)	175	85	48	27	15
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	173	53	49	31	40
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	81 *	23	31	16	10
INFLUENZA & PNEUMONIA (J10-J18)	742 *	241	307	88	104
INFLUENZA (J10-J11)	56	15	26	8	7
PNEUMONIA (J12-J18)	686 *	226	281	80	97
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	4	-	2	1	1
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	4	-	2	1	1
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	2,751 *	1,137	1,269	193	151
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	11	4	6	-	1
EMPHYSEMA (J43)	127 *	48	66	7	5
ASTHMA (J45-J46)	61	14	21	11	15
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	2,552	1,071	1,176	175	130
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	11	8	2	1	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	295	122	101	38	34
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	712 *	309	283	58	61
PEPTIC ULCER (K25-K28)	50	18	16	12	4
DISEASE OF APPENDIX (K35-K38)	8	5	2	1	-
HERNIA (K40-K46)	28	13	9	4	2
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	679 *	364	173	100	41
ALCOHOLIC LIVER DISEASE (K70)	285	162	57	49	17
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	394 *	202	116	51	24
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	44	21	13	5	5
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	868 *	274	272	155	166
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	10	2	4	1	3
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	3	2	1	-	-
RENAL FAILURE (N17-N19)	854 *	270	267	153	163
OTHER DISORDERS OF KIDNEY (N25,N27)	1	-	-	1	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	6	2	2	1	1
HYPERPLASIA OF PROSTATE (N40)	8	6	-	2	-
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00-O99)	14	-	3	-	11
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	2	-	1	-	1
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	12	-	2	-	10
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	200 *	50	37	51	54
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	136 *	42	42	22	28
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	817 *	237	374	90	103
ALL OTHER DISEASE (RESIDUAL) **	6,051 *	1,752	2,834	557	904
ACCIDENT (V01-X59,Y85-Y86)	2,263 *	1,069	648	389	153
TRANSPORT ACCIDENTS (V01-V99,Y85)	840	430	134	224	52
MOTOR VEHICLE ACCIDENT*	775	386	123	218	48
OTHER & TRANSPORT ACCIDENT*	49	34	9	4	2
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	16	10	2	2	2
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,423 *	639	514	165	101
ACCIDENTAL FALLS (W00-W19)	367 *	153	163	29	20
ACCIDENTAL DISEASCHARGE OF FIREARMS (W32-W34)	15	10	3	2	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	61	29	8	22	2
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	73 *	22	10	18	22
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	568 *	276	225	46	20
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	339	149	105	48	37
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	698	488	138	61	11
INTENTIONAL SELF-HARM BY DISEASCHARGE OF FIREARM (X72-X74)	470	357	67	43	3
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	228	131	71	18	8
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	316	60	55	169	32
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	241	44	36	133	28
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	75	16	19	36	4
LEGAL INTERVENTION (Y35,Y89.0)	10	4	-	5	1
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	44	19	8	10	7
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	6	3	1	1	1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	38	16	7	9	6
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	51	18	12	7	14

** See APPENDIX for ICD-10 codes

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2013
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ALL CAUSES	9.3	10.6	6.9
SALMONELLE INFECTIONS (A01-A02)	0	0	0
SHIGELLOSIS & AMEBIASIS (A03,A06)	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2.9	3.5	1.9
TUBERCULOSIS (A16-A19)	0.2	0.1	0.4
RESPIRATORY TUBERCULOSIS (A16)	0.1	0	0.3
OTHER TUBERCULOSIS (A17-A19)	0.1	0.1	0.1
WHOOPING COUGH (A37)	0	0	0
SCARLET FEVER AND ERYSIPELAS (A38, A46)	0	0	0
MENINGOCOCCAL INFECTION (A39)	0.0	0.0	0
SEPTICEMIA (A40-A41)	15.3	15.3	15.2
SYPHILIS (A50-A53)	0.0	0.0	0
ACUTE POLIOMELITIS (A80)	0	0	0
ARTHROPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	2.6	3.0	1.8
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3.0	0.9	6.9
MALARIA (B50-B54)	0	0	0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2.4	2.5	2.4
MALIGNANT NEOPLASMS (C00-C97)	203.1	232.3	149.7
OF LIP,ORAL CAVITY & PHARYIX (C00-C14)	3.7	4.2	2.8
OF ESOPHAGUS (C15)	4.8	5.5	3.5
OF STOMACH (C16)	4.6	4.1	5.6
OF COLON,RECTUM & ANUS (C18-C21)	17.2	19.3	13.3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6.7	7.3	5.6
OF PANCREAS (C25)	12.6	14.2	9.7
OF LARYNX (C32)	1.7	1.7	1.7
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	59.2	71.3	37.0
OF SKIN (C43)	3.3	5.0	0.1
OF BREAST (C50)	13.5	13.8	12.9
OF CERVIX UTERI (C53)	1.5	1.1	2.3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2.7	1.9	4.1
OF OVARY (C56)	4.3	4.9	3.1
OF PROSTATE (C61)	9.6	8.8	11.0
OF KIDNEY & RENAL PELVIS (C64-C65)	4.8	6.1	2.4
OF BLADDER (C67)	4.6	6.0	2.1
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4.8	6.7	1.4
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	19.6	23.0	13.3
HODGKIN'S DISEASE (C81)	0.4	0.5	0.2
NON-HODGKIN'S LYMPHOMA (C82-C85)	5.9	7.7	2.5
LEUKEMIA (C91-C95)	8.2	10.1	4.7
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5.1	4.7	5.8
OTHER & UNSPECIFIED MALIGNNEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	0.1	0.1	0.1
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	24.1	27.4	17.9
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.5	5.1	3.3
ANEMIAS (D50-D64)	2.5	2.1	3.3
DIABETES MELLITUS (E10-E14)	25.9	22.5	32.2
NUTRITIONAL DEFICIENCIES (E40-E64)	1.8	2.3	0.9
MALNUTRITION (E40-E46)	1.8	2.3	0.9
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.0	0.0	0
MENINGITIS (G00-G03)	0.2	0.2	0.1
PARKISON'S DISEASE (G20-G21)	8.2	11.6	2.0
ALZHEIMER'S DISEASE (G30)	33.9	44.5	14.7
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	269.9	298.2	217.5
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	201.1	226.4	154.5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	1.2	1.4	0.9
HYPERTENSIVE HEART DISEASE (I11)	8.7	7.9	10.2
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	1.3	1.0	1.9
ISCHEMIC HEART DISEASE (I20-I25)	111.8	130.7	76.9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	46.9	52.0	37.5
OTHER ACUTE HEART DISEASE (I24)	5.3	5.1	5.5
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	59.6	73.6	33.9
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	10.6	12.5	6.9
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	49.0	61.0	27.0
OTHER HEART DISEASE (I26-I51)	78.1	85.3	64.6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.5	0.7	0.2
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.3	0.3	0.2
HEART FAILURE (I50)	23.1	26.4	17.0
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	54.2	58.0	47.1

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2013
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ESSENTIAL HYPERTENTION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8.8	7.3	11.4
CEREBROVASCULAR DISEASE (I60-I69)	52.1	56.3	44.4
ATHEROSCLEROSIS (I70)	0.6	0.6	0.5
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	7.3	7.6	6.7
AORTIC ANEURYSM & DISSECTION (I71)	3.7	4.3	2.5
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3.6	3.3	4.2
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	1.7	1.7	1.5
INFLUENZA & PNEUMONIA (J10-J18)	15.5	17.8	11.4
INFLUENZA (J10-J11)	1.2	1.3	0.9
PNEUMONIA (J12-J18)	14.4	16.4	10.5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.1	0.1	0.1
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.1	0.1	0.1
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0	0	0
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	57.6	78.0	20.4
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.2	0.3	0.1
EMPHYSEMA (J43)	2.7	3.7	0.7
ASTHMA (J45-J46)	1.3	1.1	1.5
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	53.4	72.8	18.1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	0.2	0.3	0.1
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	6.2	7.2	4.3
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	14.9	19.2	7.0
PEPTIC ULCER (K25-K28)	1.0	1.1	0.9
DISEASE OF APPENDIX (K35-K38)	0.2	0.2	0.1
HERNIA (K40-K46)	0.6	0.7	0.4
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	14.2	17.4	8.4
ALCOHOLIC LIVER DISEASE (K70)	6.0	7.1	3.9
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	8.3	10.3	4.4
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	0.9	1.1	0.6
NEPHRITIS,NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	18.2	17.7	19.0
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.2	0.2	0.2
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	0.1	0.1	0
RENAL FAILURE (N17-N19)	17.9	17.4	18.7
OTHER DISORDERS OF KIDNEY (N25,N27)	0.0	0	0.1
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	0.1	0.1	0.1
HYPERPLASIA OF PROSTATE (N40)	0.2	0.2	0.1
INFLAMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	0	0	0
PREGNANCY, CHIRLDBIRTH & THE PUERPERIUM (O00-O99)	0.3	0.1	0.7
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0.0	0.0	0.1
OTHER COMPLICAITONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM(O10-99)	0.3	0.1	0.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4.2	2.8	6.2
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2.8	2.7	3.0
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	17.1	19.8	11.4
ALL OTHER DISEASE (RESIDUAL) **	126.7	148.6	86.5
ACCIDENT (V01-X59,Y85-Y86)	47.4	55.6	32.1
TRANSPORT ACCIDENTS (V01-V99,Y85)	17.6	18.3	16.3
MOTOR VEHICLE ACCIDENT*	16.2	16.5	15.8
OTHER & TRANSPORT ACCIDENT*	1.0	1.4	0.4
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	0.3	0.4	0.2
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	29.8	37.4	15.8
ACCIDENTAL FALLS (W00-W19)	7.7	10.2	2.9
ACCIDENTAL DISEASECHARGE OF FIREARMS (W32-W34)	0.3	0.4	0.1
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1.3	1.2	1.4
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	1.5	1.0	2.4
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	11.9	16.2	3.9
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	7.1	8.2	5.0
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	14.6	20.3	4.3
INTENTIONAL SELF-HARM BY DISEASECHARGE OF FIREARM (X72-X74)	9.8	13.7	2.7
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4.8	6.5	1.5
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	6.6	3.7	11.9
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5.0	2.6	9.5
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1.6	1.1	2.4
LEGAL INTERVENTION (Y35,Y89.0)	0.2	0.1	0.4
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	0.9	0.9	1.0
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	0.1	0.1	0.1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	0.8	0.7	0.9
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0	0	0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1.1	1.0	1.2


¹ Rate per 1,000 population for all causes; Rate per 100,000 population for individual category

* Includes unknown race

** See APPENDIX for ICD-10 codes

The State Tree

“The Sabal Palmetto”




Officially adopted by the General Assembly in 1939

MARRIAGE / DIVORCE

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1989-2013, marriages in South Carolina have shown steady decrease, as seen in Figure H-1.

Figure H-1.
Marriage and Divorce Rates
South Carolina, 1989-2013
(Occurrence Data)



MARRIAGES

For the calendar year 2013, there were 2408 interracial marriages in South Carolina, with 1,297 of these being between whites and blacks. Of these 1,297, 71% involved black males and white females. Table H-1 shows a cross-classification of marriages by race of bride and race of groom for South Carolina. Figure H-2 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table H-1.
Marriages by Race of Bride and Groom
South Carolina, 2013
(Occurrence Data)

Race of Bride	Total	Race of Groom		
		White	Black and Other	Unknown
Total	34,032	25,917	8,084	31
White	26,266	24,947	1,298	21
Black and Other	7,714	931	6,779	4
Unknown	52	39	7	6

As displayed in Table H-3, there were 1759 persons under the age of twenty who married in South Carolina in 2013. Therefore, teenagers represent 2.6 percent of all persons who married in this state in 2013. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table H-7, for 25,520 marriages (75%), both the bride and groom were residents of South Carolina.

Table H-2.
 Marriages and Marriage Rates¹ by Race
 South Carolina, 1989-2013
 (Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1989	54,693 *	15.5	41,704	17.4	12,985	11.6
1990	55,754 *	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320 *	14.8	40,726	16.4	12,592	11.3
1993	53,223 *	14.7	40,655	16.2	11,558	11.2
1994	51,564 *	14.1	38,750	15.3	12,808	11.3
1995	45,347 *	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411 *	11.5	32,290	12.5	11,121	9.5
1998	42,380 *	11.0	31,372	11.9	11,007	9.2
1999	43,664 *	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8
2001	40,128	9.9	30,112	10.8	10,016	7.9
2002	38,207 *	9.3	28,303	10.1	9,899	7.6
2003	37,186	8.9	27,845	9.8	9,341	7.0
2004	35,942 *	8.6	27,244	9.4	8,721	6.6
2005	35,357 *	8.3	26,829	9.2	8,527	6.4
2006	34,253 *	7.9	25,875	8.7	8,373	6.2
2007	34,859 *	7.9	26,524	8.7	8,331	6.1
2008	33,293 *	7.4	25,359	8.2	7,933	5.8
2009	33,483 *	7.3	25,451	8.0	8,022	5.8
2010	34,333 *	7.4	25,937	8.1	8,390	5.9
2011	35,132 *	7.5	26,872	8.3	8,241	5.7
2012	34,977	7.4	26,868	8.8	8,068	5.7
2013	34,032	7.1	25,917	7.8	7,734	5.2

¹ Rate per 1,000 Population

* Includes unknown race

Figure H-2.
 Marriage Rates by Race
 South Carolina, 1989-2013
 (Occurrence Data)




Table H-3.
Marriages by Age of Bride and Age of Groom
South Carolina, 2013
(Occurrence Data)

Age of Bride	Total	Age of Groom														
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unknown
Total	34,032	-	502	5,429	7,614	5,834	3,881	3,206	2,389	1,922	1,272	816	585	313	269	-
< 15	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1,255	-	352	734	119	28	11	4	5	2	-	-	-	-	-	-
20-24	7,105	-	131	3,813	2,342	565	155	64	18	9	4	2	1	1	-	-
25-29	7,994	-	9	667	3,982	2,273	670	249	96	31	8	5	4	-	-	-
30-34	5,453	-	6	156	881	2,148	1,359	600	172	83	28	11	3	4	2	-
35-39	3,406	-	2	36	202	589	1,107	858	384	144	61	14	9	-	-	-
40-44	2,884	-	-	19	65	168	435	976	657	342	134	46	29	10	3	-
45-49	2,190	-	1	2	16	46	103	339	722	559	254	100	27	14	7	-
50-54	1,567	-	-	1	5	12	34	92	251	535	367	154	83	20	13	-
55-59	906	-	-	-	1	2	7	20	62	155	280	208	118	38	15	-
60-64	619	-	-	-	-	3	-	4	19	47	103	210	159	45	29	-
65-69	341	-	-	-	1	-	-	-	3	13	26	50	111	84	53	-
70-74	189	-	-	-	-	-	-	-	-	1	6	13	30	74	65	-
75+	121	-	-	-	-	-	-	-	-	1	1	3	11	23	82	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table H-4.
Marriages by Race, Residential Status and Age of Bride
South Carolina, 2013
(Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	26,512 *	100.0	20,023	100.0	6,455	100.0
Under 15	-	0	-	0	-	0
15-19	1,108	4.2	954	4.8	154	2.4
20-24	6,091 *	23.0	5,031	25.1	1,050	16.3
25-29	6,082 *	22.9	4,709	23.5	1,367	21.2
30-34	4,055 *	15.3	2,889	14.4	1,160	18.0
35-39	2,576 *	9.7	1,732	8.7	839	13.0
40-44	2,126 *	8.0	1,477	7.4	647	10.0
45-49	1,649 *	6.2	1,123	5.6	525	8.1
50-54	1,170 *	4.4	854	4.3	315	4.9
55-59	683 *	2.6	490	2.4	191	3.0
60-64	471	1.8	350	1.7	121	1.9
65-69	267	1.0	209	1.0	58	0.9
70-74	142 *	0.5	120	0.6	21	0.3
75 +	92	0.3	85	0.4	7	0.1
Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7,520 *	100.0	6,243	100.0	1,259	100.0
Under 15	2	0.0	2	0.0	-	0
15-19	147	2.0	128	2.1	19	1.5
20-24	1,014 *	13.5	885	14.2	124	9.8
25-29	1,912 *	25.4	1,649	26.4	259	20.6
30-34	1,398 *	18.6	1,145	18.3	248	19.7
35-39	830 *	11.0	655	10.5	172	13.7
40-44	758	10.1	610	9.8	148	11.8
45-49	541 *	7.2	443	7.1	97	7.7
50-54	397	5.3	317	5.1	80	6.4
55-59	223	3.0	168	2.7	55	4.4
60-64	148	2.0	122	2.0	26	2.1
65-69	74	1.0	58	0.9	16	1.3
70-74	47	0.6	36	0.6	11	0.9
75 +	29	0.4	25	0.4	4	0.3

* Includes unknown race

Table H-5.
Marriages by Race, Residential Status and Age of Groom
South Carolina, 2013
(Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	26,300 *	100.0	19,543	100.0	6740	100.0
Under 15	-	0	-	0	0	0
15-19	434 *	1.7	351	1.8	82	1.2
20-24	4,621 *	17.6	3,714	19.0	904	13.4
25-29	5,984 *	22.8	4,631	23.7	1349	20.0
30-34	4,341 *	16.5	3,127	16.0	1210	18.0
35-39	2,903 *	11.0	2,047	10.5	854	12.7
40-44	2,371 *	9.0	1,643	8.4	727	10.8
45-49	1,791	6.8	1,214	6.2	577	8.6
50-54	1,388 *	5.3	984	5.0	403	6.0
55-59	958 *	3.6	675	3.5	282	4.2
60-64	607	2.3	444	2.3	163	2.4
65-69	443	1.7	334	1.7	109	1.6
70-74	243	0.9	194	1.0	49	0.7
75 +	216	0.8	185	0.9	31	0.5
Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7732 *	100.0	6374	100.0	1344	100.0
Under 15	0	0	0	0	0	0
15-19	68 *	0.9	59	0.9	8	0.6
20-24	808 *	10.5	700	11.0	107	8.0
25-29	1630 *	21.1	1398	21.9	227	16.9
30-34	1493 *	19.3	1242	19.5	249	18.5
35-39	978 *	12.6	783	12.3	191	14.2
40-44	835	10.8	670	10.5	165	12.3
45-49	598 *	7.7	481	7.5	116	8.6
50-54	534	6.9	416	6.5	118	8.8
55-59	314	4.1	232	3.6	82	6.1
60-64	209	2.7	170	2.7	39	2.9
65-69	142	1.8	120	1.9	22	1.6
70-74	70	0.9	54	0.8	16	1.2
75 +	53	0.7	49	0.8	4	0.3

* Includes unknown race

Table H-6
 Marriages by County in Which License Was Issued by Residential Status
 South Carolina and Each County, 2013
 (Occurrence Data)

	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	34,032	26,512	77.9	7,520	22.1	26,300	77.3	7,732	22.7
Abbeville	120	109	90.8	11	9.2	108	90.0	12	10.0
Aiken	1,192	856	71.8	336	28.2	825	69.2	367	30.8
Allendale	32	29	90.6	3	9.4	30	93.8	2	6.3
Anderson	1,043	977	93.7	66	6.3	965	92.5	78	7.5
Bamberg	50	48	96.0	2	4.0	47	94.0	3	6.0
Barnwell	105	102	97.1	3	2.9	100	95.2	5	4.8
Beaufort	1,666	936	56.2	730	43.8	945	56.7	721	43.3
Berkeley	1,352	1,248	92.3	104	7.7	1,266	93.6	86	6.4
Calhoun	33	32	97.0	1	3.0	31	93.9	2	6.1
Charleston	4,295	2,897	67.5	1,398	32.5	2,877	67.0	1,418	33.0
Cherokee	271	215	79.3	56	20.7	210	77.5	61	22.5
Chester	163	156	95.7	7	4.3	154	94.5	9	5.5
Chesterfield	285	222	77.9	63	22.1	220	77.2	65	22.8
Clarendon	151	141	93.4	10	6.6	139	92.1	12	7.9
Colleton	281	256	91.1	25	8.9	255	90.7	26	9.3
Darlington	271	261	96.3	10	3.7	257	94.8	14	5.2
Dillon	456	173	37.9	283	62.1	173	37.9	283	62.1
Dorchester	585	557	95.2	28	4.8	553	94.5	32	5.5
Edgefield	177	164	92.7	13	7.3	164	92.7	13	7.3
Fairfield	106	100	94.3	6	5.7	102	96.2	4	3.8
Florence	744	693	93.1	51	6.9	696	93.5	48	6.5
Georgetown	874	504	57.7	370	42.3	505	57.8	369	42.2
Greenville	3,581	3,291	91.9	290	8.1	3,241	90.5	340	9.5
Greenwood	430	411	95.6	19	4.4	408	94.9	22	5.1
Hampton	107	91	85.0	16	15.0	103	96.3	4	3.7
Horry	3,472	1,480	42.6	1,992	57.4	1,462	42.1	2,010	57.9
Jasper	1	1	100.0	-	0	1	100.0	-	0
Kershaw	439	418	95.2	21	4.8	411	93.6	28	6.4
Lancaster	440	346	78.6	94	21.4	350	79.5	90	20.5
Laurens	343	333	97.1	10	2.9	328	95.6	15	4.4
Lee	84	83	98.8	1	1.2	81	96.4	3	3.6
Lexington	1,571	1,498	95.4	73	4.6	1,475	93.9	96	6.1
McCormick	45	31	68.9	14	31.1	32	71.1	13	28.9
Marion	189	163	86.2	26	13.8	160	84.7	29	15.3
Marlboro	163	104	63.8	59	36.2	105	64.4	58	35.6
Newberry	181	169	93.4	12	6.6	168	92.8	13	7.2
Oconee	563	430	76.4	133	23.6	431	76.6	132	23.4
Orangeburg	410	391	95.4	19	4.6	384	93.7	26	6.3
Pickens	733	692	94.4	41	5.6	680	92.8	53	7.2
Richland	2,361	2,190	92.8	171	7.2	2,151	91.1	210	8.9
Saluda	68	64	94.1	4	5.9	65	95.6	3	4.4
Spartanburg	1,843	1,685	91.4	158	8.6	1,669	90.6	174	9.4
Sumter	675	617	91.4	58	8.6	626	92.7	49	7.3
Union	145	141	97.2	4	2.8	143	98.6	2	1.4
Williamsburg	140	124	88.6	16	11.4	129	92.1	11	7.9
York	1,796	1,083	60.3	713	39.7	1,075	59.9	721	40.1
Unknown	-	-	0	-	0	-	0	-	0

Table H-7
 Marriages by Residential Status and County of Marriage
 South Carolina, 2013
 (Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Bride Only Resident	Groom Only Resident	Bride & Groom Non-Resident
South Carolina	34,032	25,493	1,019	807	6,713
Abbeville	163	144	7	7	5
Aiken	1,064	752	49	26	237
Allendale	35	34	-	-	1
Anderson	1,118	1,024	32	20	42
Bamberg	43	41	-	-	2
Barnwell	102	93	4	1	4
Beaufort	1,764	927	63	76	698
Berkeley	1,097	963	23	42	69
Calhoun	38	37	-	-	1
Charleston	5,251	3,326	133	120	1,672
Cherokee	249	199	10	4	36
Chester	189	179	4	1	5
Chesterfield	256	203	9	10	34
Clarendon	156	137	6	6	7
Colleton	307	266	6	4	31
Darlington	306	286	7	4	9
Dillon	382	153	8	11	210
Dorchester	617	558	19	13	27
Edgefield	129	110	6	4	9
Fairfield	130	122	1	2	5
Florence	608	565	10	9	24
Georgetown	727	476	24	20	207
Greenville	3,173	2,806	109	60	198
Greenwood	337	314	5	2	16
Hampton	106	88	1	12	5
Horry	4,364	1,855	108	91	2,310
Jasper	43	34	4	1	4
Kershaw	343	316	11	5	11
Lancaster	375	307	14	16	38
Laurens	351	330	11	3	7
Lee	102	97	3	-	2
Lexington	1,588	1,463	53	22	50
McCormick	52	35	2	4	11
Marion	216	188	8	6	14
Marlboro	124	93	5	3	23
Newberry	210	189	5	6	10
Oconee	578	448	16	16	98
Orangeburg	443	407	13	6	17
Pickens	770	700	28	15	27
Richland	2,027	1,774	82	46	125
Saluda	97	93	-	2	2
Spartanburg	1,718	1,563	51	25	79
Sumter	666	596	17	26	27
Union	140	131	2	4	3
Williamsburg	169	153	4	7	5
York	1,303	913	46	49	295
Unknown	6	5	-	-	1

DIVORCES AND ANNULMENTS

Table H-8 shows that out of the total 15,154 persons in 2013 who were granted divorces, 23 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. Figure H-3 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 81 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table H-11 shows divorces by legal grounds of decree. As shown in Table H-12, there were 11,654 children involved in divorces and annulments in 2013.

Table H-8.
Divorces by Age Group and Race
South Carolina, 2013
(Occurrence Data)

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	15,154	11,059	3,544	15,154	11,152	3,446
15-19	5	4	1	19	14	2
20-24	409	323	66	717	591	91
25-29	1,420	1,114	255	1,769	1,415	293
30-34	2,018	1,503	439	2,216	1,613	530
35-39	2,287	1,646	562	2,365	1,752	544
40-44	2,463	1,782	611	2,446	1,773	588
45-49	2,214	1,582	550	1,998	1,442	499
50-54	1,704	1,223	421	1,458	1,071	344
55-59	1,140	838	274	771	553	198
60-64	580	435	132	481	365	105
65-69	365	274	82	203	152	47
70-74	164	127	35	78	66	12
75+	106	78	28	45	38	7
Unknown	279	130	88	588	307	186

* Includes unknown races

Table H-9.
Divorces and Divorce Rates¹ by Race
South Carolina 1989-2013
(Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802 *	4.3	12,404	4.9	3,394	3.0
1995	15,171 *	4.1	11,824	4.7	3,346	3.0
1996	15,319 *	4.1	11,829	4.6	3,434	3.0
1997	15,780 *	4.2	12,226	4.7	3,483	3.0
1998	15,083 *	3.9	11,653	4.4	3,358	2.8
1999	15,115 *	3.9	11,647	4.3	3,380	2.8
2000	15,196 *	3.8	11,608	4.2	3,519	2.8
2001	14,657 *	3.6	11,372	4.1	3,250	2.5
2002	13,956	3.4	10,712	3.8	3,244	2.5
2003	13,609 *	3.2	10,535	3.7	3,048	2.3
2004	13,839	3.3	10,734	3.7	3,055	2.3
2005	12,948 *	3.0	9,980	3.4	2,927	2.2
2006	13,164 *	3.0	10,055	3.3	3,063	2.3
2007	13,233 *	3.0	10,176	3.3	2,978	2.2
2008	12,836 *	2.9	9,815	3.2	2,911	2.1
2009	13,965 *	3.0	10,134	3.2	3,211	2.3
2010	14,466 *	3.1	10,628	3.3	3,815	2.7
2011	15,081 *	3.2	11,169	3.5	3,874	2.7
2012	14,994 *	3.2	10,934	3.4	3,814	2.6
2013	15,154 *	3.2	11,059	3.4	3,544	2.5

¹ Rate per 1,000 population

* Includes unknown race

Figure H-3.
Divorce Rates by Race
South Carolina, 1989-2013




Table H-10.
Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
South Carolina, 2013
(Occurrence Data)

Duration of Marriage	Legal Ground for Decree								
	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
Total	6	76	170	28	1066	12304	32	1333	55
Under 1 Year	0	9	1	1	9	22	12	7	7
1 - 4 Years	0	25	46	9	231	2520	12	356	11
1 Year	0	6	14	1	45	355	1	60	5
2 Years	0	8	11	2	53	648	6	85	1
3 Years	0	5	18	3	67	751	3	110	5
4 Years	0	6	3	3	66	766	2	101	0
5 - 9 Years	2	19	39	10	269	3321	3	374	7
5 Years	1	3	5	2	45	750	1	92	1
6 Years	1	4	10	2	52	689	2	79	1
7 Years	0	4	11	1	55	700	0	72	1
8 Years	0	2	5	2	67	589	0	76	2
9 Years	0	6	8	3	50	593	0	55	2
10 - 14 Years	3	7	33	0	204	2377	5	228	14
15 - 19 Years	1	5	20	2	160	1569	0	169	8
20 - 24 Years	0	8	11	4	94	1099	0	86	6
25 - 29 Years	0	2	9	1	48	658	0	51	1
30 & Over	0	0	10	1	45	691	0	54	1
Unknown	0	1	1	0	6	47	0	8	0

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-11
Divorces by Plaintiff and Legal Grounds of Decree*
South Carolina and Each County, 2013
(Occurrence Data)

	Legal Ground for Decree								
	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
South Carolina	6	76	170	28	1,066	12,304	32	1,333	55
Abbeville	-	2	-	-	7	48	-	12	-
Aiken	-	3	4	-	24	430	3	9	6
Allendale	-	-	1	-	-	3	-	-	-
Anderson	-	4	12	2	73	628	1	6	4
Bamberg	-	-	1	-	1	32	-	3	-
Barnwell	-	-	-	-	1	66	2	14	-
Beaufort	-	2	2	1	33	452	-	44	1
Berkeley	1	1	9	3	51	620	3	6	3
Calhoun	-	-	-	-	2	30	1	-	-
Charleston	1	5	11	2	81	1,023	3	57	7
Cherokee	-	1	8	1	13	167	-	3	1
Chester	-	1	1	1	11	97	-	4	-
Chesterfield	-	1	1	1	6	131	1	7	-
Clarendon	-	1	1	1	7	86	1	13	-
Colleton	-	-	-	-	8	103	-	55	2
Darlington	-	1	5	2	19	191	-	8	-
Dillon	-	1	1	1	5	80	-	-	-
Dorchester	-	1	3	-	25	413	1	86	2
Edgefield	-	-	-	-	4	52	-	2	-
Fairfield	-	-	1	-	6	65	-	4	-
Florence	1	4	4	2	34	391	1	5	2
Georgetown	-	-	2	-	12	117	-	39	-
Greenville	1	8	18	2	111	1,140	4	10	4
Greenwood	-	1	3	1	23	175	-	22	-
Hampton	-	-	1	-	2	48	1	-	-
Horry	-	3	8	1	35	694	1	171	3
Jasper	-	-	-	-	3	48	-	7	-
Kershaw	-	1	2	-	24	210	-	29	-
Lancaster	-	2	4	-	33	215	-	1	1
Laurens	-	-	2	2	19	176	-	7	-
Lee	-	-	-	-	3	32	-	-	-
Lexington	-	3	15	2	81	701	2	114	-
McCormick	-	1	-	-	2	15	-	2	-
Marion	-	-	2	-	7	54	-	37	-
Marlboro	-	-	-	-	1	39	-	20	-
Newberry	-	1	2	-	13	100	-	-	-
Oconee	-	3	8	-	31	220	-	1	3
Orangeburg	-	2	7	-	2	237	-	32	3
Pickens	-	5	8	1	40	279	1	72	2
Richland	-	5	6	-	69	993	2	154	4
Saluda	-	1	-	-	3	50	-	-	-
Spartanburg	1	9	12	2	81	687	3	186	2
Sumter	1	1	2	-	25	399	1	1	3
Union	-	1	1	-	5	53	-	12	-
Williamsburg	-	1	-	-	2	45	-	13	-
York	-	-	2	-	27	462	-	62	2
Unknown	-	-	-	-	1	7	-	3	-

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-12.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2013
(Occurrence Data)

County of Decree	Total	Divorces and Annulments				Children Involved		
		Race of Husband		Race of Wife		under age 18		
		White	Black & Other	White	Black & Other	Total	White	Black & Other
South Carolina	15,154	11,059	3,544	11,152	3,446	11,654	8,868	2,427
Abbeville	69	47	21	45	20	60	46	5
Aiken	485	383	101	386	96	384	314	70
Allendale	4	4	-	4	-	-	-	-
Anderson	737	619	113	634	101	598	539	58
Bamberg	37	23	14	23	14	21	16	5
Barnwell	83	57	26	55	28	70	50	20
Beaufort	538	419	116	429	103	408	330	76
Berkeley	700	529	170	542	157	598	449	149
Calhoun	34	19	14	20	14	30	20	10
Charleston	1,193	826	332	825	338	780	547	220
Cherokee	196	163	31	163	29	152	137	15
Chester	115	81	29	83	29	61	50	11
Chesterfield	149	111	33	116	29	112	99	13
Clarendon	111	62	45	59	45	91	52	28
Colleton	170	103	50	108	51	127	82	41
Darlington	228	174	54	174	54	208	169	39
Dillon	90	54	35	55	32	96	63	30
Dorchester	531	409	109	415	95	460	361	91
Edgefield	58	43	15	43	14	50	38	10
Fairfield	76	33	34	35	36	46	18	26
Florence	446	290	154	291	154	371	263	108
Georgetown	171	121	42	118	45	99	65	28
Greenville	1,304	1,024	213	1,025	209	968	775	148
Greenwood	227	174	44	171	49	184	141	41
Hampton	53	29	24	29	24	39	27	12
Horry	920	758	104	759	104	574	493	54
Jasper	59	29	25	30	25	34	21	11
Kershaw	270	217	39	218	38	217	190	21
Lancaster	256	216	37	220	32	219	193	21
Laurens	209	173	32	178	28	177	154	22
Lee	35	22	12	21	14	21	13	8
Lexington	923	771	101	779	89	746	636	76
McCormick	20	10	9	11	9	9	3	6
Marion	100	42	56	42	56	61	26	30
Marlboro	60	26	27	27	28	38	20	16
Newberry	116	92	22	91	22	95	83	10
Oconee	266	248	18	247	15	218	204	13
Orangeburg	286	139	140	142	138	198	108	83
Pickens	412	376	23	371	22	402	364	17
Richland	1,235	566	597	586	585	960	474	439
Saluda	54	42	12	43	11	33	25	8
Spartanburg	991	768	177	771	172	745	615	105
Sumter	435	246	154	239	160	360	175	147
Union	73	48	19	51	16	47	33	9
Williamsburg	61	25	30	24	32	30	12	18
York	557	442	88	448	81	450	369	58
Unknown	11	6	3	6	3	7	6	1

TECHNICAL NOTES

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event certificates and reports can be submitted to the County Registrar located in the county where the event occurred or submitted electronically depending on the event. There are now electronic systems in place for registration of both births and deaths. The systems allow source document providers (delivering facilities, funeral directors, physicians, coroners, etc.) to enter information regarding the vital event into a web-based electronic system called the Vital Records and Statistics Integrated Information System (VRSIIS). Paper reports that are filed in the county of occurrence are then sent by county vital records staff to the Registration Branch within the Division of Biostatistics (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form, which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth certificate, death certificate, report of fetal death and report of induced termination of pregnancy based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System, which is widely used in many obstetric offices.

The certificate of birth was revised again in January 2004 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). This revision accompanied the implementation of a web-based electronic birth registration system (WebBirth). Substantial changes were made to the medical portion of the certificate, including removal of 'other' check/box items and the addition of section names. Several items were added to address data collection needs and to facilitate the linkage of data sets. Another change was the implementation of standardized worksheets to improve the completeness and quality of birth data.

The certificate of death was revised in January 2005 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). The form increased in size from letter size to legal size to accommodate additional items and an expanded check box format for decedent's education, race and Hispanic origin. This revision accompanied the implementation of a web-based electronic death registration system (WebDeath). This was the first electronic death registration system in SC. In previous years, all death certificates were filed using only paper forms.

These revisions to the vital records forms and systems were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATIONS OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated in the place in South Carolina where the person normally resided regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated of the county of residence of the decedent. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated in the place of South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

2013 BIRTH AND DEATH ALLOCATIONS FOR S.C. RESIDENTS AND OCCURRENCES

	BIRTHS			DEATHS		
	Total	White	Black & Other	Total	White	Black & Other
Occurring in S.C.	53,973 *	35,162	18,785	43,669 *	32,398	10,993
Residents	53,329 *	34,702	18,603	42,444 *	31,371	10,816
Non-Residents	644 *	460	182	1,225 *	1027	177
Residents of S.C.	56,743 *	37,177	19,513	44,415 *	32,793	11,572
In State	53,329 *	34,702	18,603	42,444 *	31,371	10,816
Out-of-State	3,414 *	2,475	910	1,971 *	1,422	756

* Includes Unknown Races

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a live born infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth, which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth, which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth, which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "unmarried" category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD A34, O00-O95, O98-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is assigned to codes O96-O97.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age or a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death classified and coded according to the International Classification of Diseases (ICD).

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". In 2011 blacks make up 93 percent of the black and other population of South Carolina.

MULTIPLE RACES: Beginning with the 2000 Census, population information released by the U.S. Census Bureau contained a 'multiple' race category. In order to provide rates by single race category for vital events, the National Center for Health Statistics (NCHS) developed a 'bridging' methodology that would regroup the populations of the 'multiple' race category into standard single race categories. Beginning with 2002, these 'bridged' estimated population data were available for South Carolina. For 2000 and 2001, 'bridged' population data were not available at the time of publication. For these years, the staff of Budget and Control Board and the staff of the Division of Biostatistics and Health GIS, Public Health Statistics and Information Services, SCDHEC jointly developed methodologies that would regroup the population of the 'multiple' race category into standard single race categories.

Beginning with the new 2004 birth certificate multiple races can be checked for the race of both mother and father. Similarly, on the new 2005 death certificate multiple races can be checked for the race of the decedent. A methodology was developed that would regroup the 'multiple race' into standard single race categories. This methodology was developed by NCHS and the bridged race data are returned to the Division of Biostatistics, Public Health Statistics and Information Services for use in statistical analysis.

HISPANIC ORIGIN: Hispanic origin is reported separately from race. Thus a person with Hispanic origin can be of any race. The US Census Bureau began providing population estimates for Hispanics in 2002 which allowed birthrates to be calculated for this group.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the unmarried category. In 2013 there were 15,109 paternity acknowledgments representing 26.6 percent of the total resident live births and 56.5 percent of all live births to unmarried women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death, which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth

Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes thus far.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Ninth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: Only a person authorized by law, usually a physician or a coroner, can make the medical certification of death. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, the antecedent causes giving rise to the immediate cause and other significant conditions contributing to the death may also be entered by the medical certifier. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology

used by NCHS to rank the causes of infant death has also been adopted for this report. This change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.


POPULATION DATA: South Carolina population estimates were available from the National Center for Health Statistics (NCHS) for the state as a whole and for each county by age, race, and gender. In order to provide rates for vital records data by single race category, NCHS developed a 'bridging' methodology, which regrouped the population of the Census, designated 'multiple race' categories into single race categories. The 2000 Census was the first nationwide implementation of revised standards requiring federal agencies to offer individuals the opportunity to select one or more races. NCHS population estimates by age and gender category are consistent with corresponding population data provided to the Office of Research and Statistics, South Carolina Budget and Control Board by the US Census Bureau for the state as a whole and for each county. For age groups of 14-17, 15-17, and 18-19 years, it is assumed that the population within the five-year age groups of 10-14 and 15-19 is distributed uniformly throughout these age intervals.

KOTELCHUCK INDEX: The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data - when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. The expected number of visits is based on the American College of Obstetricians and Gynecologists prenatal care standards for uncomplicated pregnancies and is adjusted for the gestational age when care began and for the gestational age at delivery.

A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck Index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index, or the sum of the Adequate and Adequate Plus categories. (See the graph on the next page.)

The Kotelchuck Index does not measure the quality of prenatal care. It also depends on the accuracy of the patient or health care provider's recall of the timing of the first visit and the number of subsequent visits. The Kotelchuck Index uses recommendations for low-risk pregnancies, and may not measure the adequacy of care for high-risk women. The Kotelchuck Index is preferable to other indices because it includes a category for women who receive more than the recommended amount of care (adequate plus, or intensive utilization).

The Summary of Adequacy of Kotelchuck Index¹



 **Inadequate** - Prenatal care begun after 4th month, or less than 50% of recommended visits. Includes no prenatal care received.

 **Intermediate** - Prenatal care begun by 4th month, and 50% - 79% of recommended visits.

 **Adequate** - Prenatal care begun by 4th month, and 80% - 109% of recommended visits.

 **Adequate Plus** - Prenatal care begun by 4th month, and 110% or more of recommended visits.

¹ Adapted from Kotelchuck M., "An Evaluation of the Kessner Adequacy of Prenatal Care Index and a Proposed Adequacy of Prenatal Care Utilization Index", American Journal of Public Health, 1994, 84(9): 1414-20.

IMPLEMENTATION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) 10TH REVISION

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the “Old pneumonia, influenza, and maternal conditions” and “Error and accidents in medical care” coding rules have been eliminated)
- modified the tabulations lists (e.g., the US’ ICD-10 113-cause list replaces the US’ ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:

ICD-10 Web page at: www.cdc.gov/nchs/icd/icd10.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

FORMULAE

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= $\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	= $\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	= $\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	= $\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
General Fertility Rate	= $\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Birth Rate of Unmarried Mothers	= $\frac{\text{Annual number of unmarried mothers}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	= $\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	= $\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	= $\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	= $\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	= $\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	= $\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	= $\frac{\text{Annual number of fetal deaths} + \text{Annual number of neonatal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	= $\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Grams Weight Conversion Chart

500 grams or less	=	1 lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.5	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APPENDIX

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01-A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07- A09
#	Tuberculosis..... A16-A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17- A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40- A41
10#	Syphilis..... A50- A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83- A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15- B19
15#	Human immunodeficiency virus (HIV) disease..... B20- B24
16#	Malaria..... B50- B54
17	Other and unspecified infectious and parasitic diseases and their sequelae A00, A05, A20- A36, A42- A44, A48- A49, A54- A79, A81- A82, A85. 0- A85. 1, A85. 8, A86- B04, B06- B09, B25- B49, B55- B99
#	Malignant neoplasms..... C00- C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00- C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18- C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33- C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54- C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64- C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70- C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81- C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82- C85
37	Leukemia..... C91- C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23- C24, C26- C31, C37- C41, C44- C49, C51- C52, C57- C60, C62- C63, C66, C68- C69, C73- C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00- D48
42#	Anemias..... D50- D64
43#	Diabetes mellitus..... E10- E14
#	Nutritional deficiencies..... E40- E64
44	Malnutrition..... E40- E46
45	Other nutritional deficiencies..... E50- E64
46#	Meningitis..... G00, G03
47#	Parkinson's disease..... G20- G21
48#	Alzheimer's disease..... G30
#	Major cardiovascular diseases..... I00- I78
	Diseases of heart..... I00- I09, I11, I13, I20- I51
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00- I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20-I25
52	Acute myocardial infarction..... I21-I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1-I25. 9
	Other heart diseases..... I26-I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30-I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26-I28, I34-I38, I42-I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60-I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71-I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72-I78
65	Other disorders of circulatory system..... I80-I99
#	Influenza and pneumonia..... J10-J18
66	Influenza..... J10-J11
67	Pneumonia..... J12-J18
	Other acute lower respiratory infections..... J20-J22
68#	Acute bronchitis and bronchiolitis..... J20-J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40-J47
70	Bronchitis, chronic and unspecified..... J40-J42
71	Emphysema..... J43
72	Asthma..... J45-J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60-J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00-J06, J30-J39, J67, J70-J98
77#	Peptic ulcer..... K25-K28
78#	Diseases of appendix..... K35-K38
79#	Hernia..... K40-K46
#	Chronic liver disease and cirrhosis..... K70, K73-K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73-K74
82#	Cholelithiasis and other disorders of gallbladder..... K80-K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00-N07, N17-N19, N25-N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00-N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified..... N02-N03, N05-N07, N26
85	Renal failure..... N17-N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10-N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70-N76
#	Pregnancy, childbirth and the puerperium..... 000-099
90	Pregnancy with abortive outcome..... 000-007
91	Other complications of pregnancy, childbirth and the puerperium..... 010-099
92#	Certain conditions originating in the perinatal period..... P00-P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified..... R00-R99
95	All other diseases (Residual)..... D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13. 0-N13. 5, N13. 7-N13. 9, N14, N15. 0, N15. 8-N15. 9, N20-N23, N28-N39, N41-N64, N80-N98
#	Accidents..... V01-X59, Y85-Y86
	Transport accidents..... V01-V99, Y85
96	Motor vehicle accidents..... V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05- V06, V09. 1, V09. 3- V09. 9, V10- V11, V15- V18, V19. 3, V19. 8- V19. 9, V80. 0- V80. 2, V80. 6- V80. 9, V81. 2- V81. 9, V82. 2- V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae V90- V99, Y85
	Nontransport accidents..... W00- X59, Y86
99	Falls..... W00- W19
100	Accidental discharge of firearms..... W32- W34
101	Accidental drowning and submersion..... W65- W74
102	Accidental exposure to smoke, fire and flames..... X00- X09
103	Accidental poisoning and exposure to noxious substances..... X40- X49
104	Other and unspecified nontransport accidents and their sequelae W20- W31, W35- W64, W75- W99, X10- X39, X50- X59, Y86
#	Intentional self-harm (suicide)..... X60- X84, Y87. 0
105	Intentional self-harm (suicide) by discharge of firearms..... X72- X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae X60- X71, X75- X84, Y87. 0
#	Assault (homicide)..... X85- Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93- X95
108	Assault (homicide) by other and unspecified means and their sequelae.... X85- X92, X96- Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10- Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22- Y24
111	Other and unspecified events of undetermined intent and their sequelae Y10- Y21, Y25- Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40- Y84, Y88

Estimated comparability ratios for 113 selected causes of death

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
001	Salmonella infections	30	37	0.8108	0.0644	7.9	0.6846	0.9370
002	Shigellosis and amebiasis
003	Certain other intestinal infections
004	Tuberculosis	653	764	0.8547	0.0172	2	0.8209	0.8885
005	Respiratory tuberculosis	518	572	0.9056	0.0201	2.2	0.8662	0.9450
006	Other tuberculosis	135	192	0.7031	0.0407	5.8	0.6233	0.7830
007	Whooping cough
008	Scarlet fever and erysipelas
009	Meningococcal infection	221	222	0.9955	0.0149	1.5	0.9663	1.0247
010	Septicemia	21,258	17,791	1.1949	0.0042	0.3	1.1867	1.2030
011	Syphilis	21	33	0.6364	0.1184	18.6	0.4043	0.8685
012	Acute poliomyelitis
013	Arthropod-borne viral encephalitis
014	Measles
015	Viral hepatitis	1,123	1,346	0.8343	0.0120	1.4	0.8109	0.8578
016	Human immunodeficiency virus (HIV) disease	25,089	23,586	1.0637	0.0018	0.2	1.0601	1.0673
017	Malaria
018	Other and unspecified infectious and parasitic diseases and their sequelae	2,865	2,607	1.0990	0.0154	1.4	1.0688	1.1291
019	Malignant neoplasms	464,688	461,544	1.0068	0.0002	0.0	1.0064	1.0072
020	Malignant neoplasms of lip, oral cavity and pharynx	5,927	6,172	0.9603	0.0040	0.4	0.9525	0.9681
021	Malignant neoplasm of esophagus	9,596	9,630	0.9965	0.0020	0.2	0.9926	1.0003
022	Malignant neoplasm of stomach	11,480	11,408	1.0063	0.0019	0.2	1.0025	1.0101
023	Malignant neoplasms of colon, rectum and anus	48,583	48,619	0.9993	0.0009	0.1	0.9975	1.0010
024	Malignant neoplasms of liver and intrahepatic bile ducts	9,732	10,102	0.9634	0.0023	0.2	0.9588	0.9679
025	Malignant neoplasm of pancreas	24,313	24,361	0.9980	0.0009	0.1	0.9963	0.9997
026	Malignant neoplasm of larynx	3,209	3,194	1.0047	0.0053	0.5	0.9943	1.0150
027	Malignant neoplasms of trachea, bronchus and lung	131,750	133,936	0.9837	0.0005	0.1	0.9827	0.9846
028	Malignant melanoma of skin	5,941	6,139	0.9677	0.0032	0.3	0.9614	0.9741
029	Malignant neoplasm of breast	38,102	37,891	1.0056	0.0010	0.1	1.0036	1.0075
030	Malignant neoplasm of cervix uteri	3,753	3,802	0.9871	0.0034	0.3	0.9805	0.9938
031	Malignant neoplasms of corpus uteri and uterus, part unspecified	5,318	5,183	1.0260	0.0040	0.4	1.0182	1.0339
032	Malignant neoplasm of ovary	11,292	11,344	0.9954	0.0016	0.2	0.9923	0.9985
033	Malignant neoplasm of prostate	30,672	30,267	1.0134	0.0015	0.1	1.0105	1.0162
034	Malignant neoplasms of kidney and renal pelvis	9,521	9,521	1.0000	0.0022	0.2	0.9957	1.0043
035	Malignant neoplasm of bladder	9,563	9,594	0.9968	0.0026	0.3	0.9916	1.0019
036	Malignant neoplasms of meninges, brain and other parts of central nervous system	10,039	10,359	0.9691	0.0025	0.3	0.9642	0.9740
037	Malignant neoplasms of lymphoid, hematopoietic and related tissue	44,715	44,530	1.0042	0.0012	0.1	1.0019	1.0064
038	Hodgkin's disease	1,021	1,036	0.9855	0.0089	0.9	0.9680	1.0030
039	Non-Hodgkin's lymphoma	17,924	18,326	0.9781	0.0018	0.2	0.9745	0.9817
040	Leukemia	16,600	16,405	1.0119	0.0019	0.2	1.0083	1.0155
041	Multiple myeloma and immunoproliferative neoplasms	9,099	8,763	1.0383	0.0030	0.3	1.0324	1.0443
042	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue
043	All other and unspecified malignant neoplasms	51,182	45,492	1.1251	0.0021	0.2	1.1210	1.1292
044	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	9,263	5,532	1.6744	0.0164	1.0	1.6422	1.7067
045	Anemias	3,059	3,200	0.9559	0.0077	0.8	0.9409	0.9710
046	Diabetes mellitus	48,636	48,242	1.0082	0.0011	0.1	1.0060	1.0103
047	Nutritional deficiencies	3,215	2,763	1.1636	0.0165	1.4	1.1312	1.1960
048	Malnutrition	2,607	2,665	0.9782	0.0151	1.5	0.9487	1.0078
049	Other nutritional deficiencies	608	98	6.2041	0.5961	9.6	5.0358	7.3724
050	Meningitis	592	584	1.0137	0.0136	1.3	0.9871	1.0403
051	Parkinson's disease	10,404	10,392	1.0012	0.0028	0.3	0.9956	1.0067
052	Alzheimer's disease	29,707	19,121	1.5536	0.0071	0.5	1.5398	1.5675
053	Major cardiovascular diseases	796,919	798,435	0.9981	0.0002	0.0	0.9977	0.9985
054	Diseases of heart	615,564	624,405	0.9858	0.0002	0.0	0.9854	0.9863
055	Acute rheumatic fever and chronic rheumatic heart diseases	2,446	2,980	0.8208	0.0089	1.1	0.8034	0.8382
056	Hypertensive heart disease	17,322	21,577	0.8028	0.0028	0.3	0.7973	0.8083
057	Hypertensive heart and renal disease	2,170	2,027	1.0705	0.0160	1.5	1.0392	1.1019
058	Ischemic heart diseases	466,459	466,935	0.9990	0.0002	0.0	0.9985	0.9994
059	Acute myocardial infarction	178,125	180,169	0.9887	0.0003	0.0	0.9880	0.9893
060	Other acute ischemic heart diseases	2,667	2,638	1.0110	0.0117	1.2	0.9880	1.0340
061	Other forms of chronic ischemic heart disease	285,667	284,128	1.0054	0.0004	0.0	1.0046	1.0062

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
062	Atherosclerotic cardiovascular disease, so described.	64,354	61,362	1.0488	0.0016	0.2	1.0456	1.0519
063	All other forms of chronic ischemic heart disease	221,313	222,766	0.9935	0.0004	0.0	0.9927	0.9942
064	Other heart diseases	127,167	130,886	0.9716	0.0010	0.1	0.9696	0.9736
065	Acute and subacute endocarditis.	552	554	0.9964	0.0137	1.4	0.9695	1.0233
066	Diseases of pericardium and acute myocarditis	489	475	1.0295	0.0160	1.6	0.9981	1.0608
067	Heart failure.	44,297	42,554	1.0410	0.0013	0.1	1.0384	1.0435
068	All other forms of heart disease	81,829	87,303	0.9373	0.0014	0.2	0.9345	0.9401
069	Essential (primary) hypertension and hypertensive renal disease.	11,958	10,684	1.1192	0.0050	0.4	1.1094	1.1291
070	Cerebrovascular diseases.	137,264	129,640	1.0588	0.0008	0.1	1.0572	1.0604
071	Atherosclerosis	13,894	14,417	0.9637	0.0025	0.3	0.9588	0.9686
072	Other diseases of circulatory system	18,239	19,289	0.9456	0.0021	0.2	0.9414	0.9498
073	Aortic aneurysm and dissection.	12,216	12,201	1.0012	0.0010	0.1	0.9992	1.0032
074	Other diseases of arteries, arterioles and capillaries.	6,023	7,088	0.8497	0.0053	0.6	0.8394	0.8601
075	Other disorders of circulatory system	2,984	2,899	1.0293	0.0172	1.7	0.9956	1.0631
076	Influenza and pneumonia	50,526	72,371	0.6982	0.0018	0.3	0.6947	0.7016
077	Influenza	572	567	1.0088	0.0073	0.7	0.9945	1.0231
078	Pneumonia	49,954	71,804	0.6957	0.0018	0.3	0.6922	0.6992
079	Other acute lower respiratory infections	346	355	0.9746	0.0392	4.0	0.8978	1.0515
080	Acute bronchitis and bronchiolitis	265	355	0.7465	0.0264	3.5	0.6947	0.7983
081	Unspecified acute lower respiratory infection.
082	Chronic lower respiratory diseases	94,326	90,022	1.0478	0.0009	0.1	1.0460	1.0496
083	Bronchitis, chronic and unspecified	913	2,320	0.3935	0.0107	2.7	0.3726	0.4145
084	Emphysema	14,369	14,774	0.9726	0.0031	0.3	0.9666	0.9786
085	Asthma	4,217	4,718	0.8938	0.0061	0.7	0.8819	0.9057
086	Other chronic lower respiratory diseases	74,827	68,210	1.0970	0.0014	0.1	1.0943	1.0998
087	Pneumoconioses and chemical effects	860	845	1.0178	0.0099	1.0	0.9983	1.0372
088	Pneumonitis due to solids and liquids	10,183	9,104	1.1185	0.0048	0.4	1.1092	1.1279
089	Other diseases of respiratory system	16,656	14,269	1.1673	0.0052	0.4	1.1572	1.1774
090	Peptic ulcer	3,574	3,686	0.9696	0.0045	0.5	0.9608	0.9784
091	Diseases of appendix	209	202	1.0347	0.0242	2.3	0.9873	1.0820
092	Hernia	658	633	1.0395	0.0154	1.5	1.0094	1.0696
093	Chronic liver disease and cirrhosis.	21,688	20,920	1.0367	0.0027	0.3	1.0314	1.0420
094	Alcoholic liver disease.	10,147	9,965	1.0183	0.0050	0.5	1.0085	1.0281
095	Other chronic liver disease and cirrhosis	11,541	10,955	1.0535	0.0041	0.4	1.0454	1.0615
096	Cholelithiasis and other disorders of gallbladder	1,725	1,803	0.9567	0.0060	0.6	0.9450	0.9685
097	Nephritis, nephrotic syndrome and nephrosis.	24,939	20,242	1.2320	0.0044	0.4	1.2234	1.2407
098	Acute and rapidly progressive nephritic and nephrotic syndrome.	161	249	0.6466	0.0342	5.3	0.5796	0.7136
099	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified	468	1,213	0.3858	0.0144	3.7	0.3575	0.4141
100	Renal failure	24,290	18,758	1.2949	0.0050	0.4	1.2852	1.3047
101	Other disorders of kidney	20	22	0.9091	0.0867	9.5	0.7392	1.0790
102	Infections of kidney.	731	726	1.0069	0.0144	1.4	0.9786	1.0352
103	Hyperplasia of prostate.	326	327	0.9969	0.0159	1.6	0.9658	1.0280
104	Inflammatory diseases of female pelvic organs.	63	64	0.9844	0.0410	4.2	0.9040	1.0648
105	Pregnancy, childbirth and the puerperium.
106	Pregnancy with abortive outcome
107	Other complications of pregnancy, childbirth and the puerperium.
108	Certain conditions originating in the perinatal period	10,184	9,555	1.0658	0.0033	0.3	1.0593	1.0724
109	Congenital malformations, deformations and chromosomal abnormalities	5,950	7,025	0.8470	0.0055	0.6	0.8362	0.8577
110	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.	16,940	17,732	0.9553	0.0034	0.4	0.9487	0.9620
111	All other diseases (Residual)	109,853	122,107	0.8996	0.0015	0.2	0.8968	0.9025
112	Accidents (unintentional injuries)	31,084	30,163	1.0305	0.0014	0.1	1.0278	1.0333
113	Transport accidents	17,547	17,586	0.9978	0.0006	0.1	0.9966	0.9990
114	Motor vehicle accidents	14,539	17,051	0.8527	0.0027	0.3	0.8473	0.8581
115	Other land transport accidents
116	Water, air and space, and other and unspecified transport accidents and their sequelae.	351	347	1.0115	0.0209	2.1	0.9706	1.0525
117	Nontransport accidents	13,537	12,577	1.0763	0.0035	0.3	1.0696	1.0831
118	Falls.	5,173	6,152	0.8409	0.0049	0.6	0.8313	0.8505
119	Accidental discharge of firearms	493	466	1.0579	0.0127	1.2	1.0331	1.0828
120	Accidental drowning and submersion.	283	284	0.9965	0.0127	1.3	0.9716	1.0213
121	Accidental exposure to smoke, fire and flames.	493	506	0.9743	0.0089	0.9	0.9568	0.9918
122	Accidental poisoning and exposure to noxious substances
123	Other and unspecified nontransport accidents and their sequelae.	6,698	4,721	1.4188	0.0123	0.9	1.3947	1.4428

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
124	Intentional self-harm (suicide)	18,352	18,422	0.9962	0.0005	0.0	0.9952	0.9972
125	Intentional self-harm (suicide) by discharge of firearms	14,157	14,183	0.9982	0.0007	0.1	0.9968	0.9996
126	Intentional self-harm (suicide) by other and unspecified means and their sequelae	4,195	4,239	0.9896	0.0023	0.2	0.9850	0.9942
127	Assault (homicide)	12,287	12,308	0.9983	0.0006	0.1	0.9972	0.9994
128	Assault (homicide) by discharge of firearms	8,718	8,745	0.9969	0.0008	0.1	0.9953	0.9985
	Assault (homicide) by other and unspecified means and their sequelae	3,569	3,563	1.0017	0.0024	0.2	0.9969	1.0064
129	Legal intervention
130	Events of undetermined intent
131	Discharge of firearms, undetermined intent
132	Other and unspecified events of undetermined intent and their sequelae
133	Operations of war and their sequelae
134	Complications of medical and surgical care
135	

* Figure does not meet standards of reliability or precision; see Technical notes.

0.0 Quantity more than zero but less than 0.05.

¹Based on the Ninth and Tenth Revision categories shown in table B.

²ICD-10 is *International Classification of Diseases, Tenth Revision*, and ICD-9 is *International Classification of Diseases, Ninth Revision*.

**STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH**

139 -

BIRTH NUMBER

CHILD	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH (24HR)	3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)
	5. FACILITY NAME (If not institution, give street and number)		6. CITY, TOWN, OR LOCATION OF BIRTH		7. COUNTY OF BIRTH
MOTHER	8a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)			8b. DATE OF BIRTH (Mo/Day/Yr)	
	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)			8d. BIRTHPLACE (State, Territory, or Foreign Country)	
	9a. RESIDENCE OF MOTHER - STATE	9b. COUNTY	9c. CITY, TOWN, OR LOCATION		
	9d. STREET AND NUMBER	9e. APT. NO.	9f. ZIP CODE	9g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No	
FATHER	10a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		10b. DATE OF BIRTH (Mo/Day/Yr)	10c. BIRTHPLACE (State, Territory, or Foreign Country)	
CERTIFIER	11. CERTIFIER'S NAME TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> HOSPITAL ADMIN. <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (Specify) _____		12. DATE CERTIFIED ____/____/____ MM / DD / YYYY	13. DATE FILED BY REGISTRAR ____/____/____ MM / DD / YYYY	
INFORMATION FOR ADMINISTRATIVE USE					
MOTHER	14. MOTHER'S MAILING ADDRESS <input type="checkbox"/> Same as residence, or: State: _____		City, Town, or Location: _____		
	Street & Number: _____		Apartment No.: _____	Zip Code: _____	
	15. MOTHER MARRIED? (At birth, conception, or any time between) <input type="checkbox"/> Yes <input type="checkbox"/> No IF NO, HAS PATERNITY ACKNOWLEDGMENT BEEN SIGNED IN THE HOSPITAL? <input type="checkbox"/> Yes <input type="checkbox"/> No		16. SOCIAL SECURITY NUMBER REQUESTED FOR CHILD? <input type="checkbox"/> Yes <input type="checkbox"/> No	17. FACILITY ID. (NPI)	
	18. MOTHER'S SOCIAL SECURITY NUMBER: _____		19. FATHER'S SOCIAL SECURITY NUMBER: _____		
INFORMATION FOR MEDICAL AND HEALTH PURPOSES ONLY					
MOTHER	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) <input type="checkbox"/> No, not Spanish/Hispanic/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latina (Specify) _____		22. MOTHER'S RACE (Check one or more races to indicate what the mother considers herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
FATHER	23. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery) <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th - 12th grade, no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		24. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) <input type="checkbox"/> No, not Spanish/Hispanic/Latino <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino (Specify) _____		25. FATHER'S RACE (Check one or more races to indicate what the father considers himself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____
	26. PLACE WHERE BIRTH OCCURRED (Check one) <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding birthing center <input type="checkbox"/> Home birth: Planned to deliver at home? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Clinic/Doctor's office <input type="checkbox"/> Other (Specify) _____		27. ATTENDANT'S NAME, TITLE, AND NPI NAME _____ NPI _____ TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> Other (Specify) _____		28. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____

STATE
OFFICE
USE ONLY

MOTHER	29a. DATE OF FIRST PRENATAL CARE VISIT ____/____/____ MM DD YYYY <input type="checkbox"/> No Prenatal Care		29b. DATE OF LAST PRENATAL CARE VISIT ____/____/____ MM DD YYYY		30. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY _____ (If none, enter "0".)		
	31. MOTHER'S HEIGHT _____(feet/inches)		32. MOTHER'S PREPREGNANCY WEIGHT _____(pounds)		33. MOTHER'S WEIGHT AT DELIVERY _____(pounds)		
34. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? <input type="checkbox"/> Yes <input type="checkbox"/> No		35. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child) _____		36. NUMBER OF OTHER PREGNANCY OUTCOMES (Spontaneous or induced losses or ectopic pregnancies) Number _____ <input type="checkbox"/> None		37. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0". Average number of cigarettes or packs of cigarettes smoked per day. Number of cigarettes Number of packs Three months before pregnancy _____ OR _____ First three months of pregnancy _____ OR _____ Second three months of pregnancy _____ OR _____ Last three months of pregnancy _____ OR _____	
38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY: <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____		35a. Now Living Number _____ <input type="checkbox"/> None		35b. Now Dead Number _____ <input type="checkbox"/> None		39. DATE OF LAST LIVE BIRTH ____/____/____ MM YYYY	
35c. DATE OF LAST LIVE BIRTH ____/____/____ MM YYYY		36a. DATE OF LAST OTHER PREGNANCY OUTCOME ____/____/____ MM YYYY		39. DATE LAST NORMAL MENSES BEGAN ____/____/____ MM DD YYYY		40. MOTHER'S MEDICAL RECORD NUMBER _____	
MEDICAL AND HEALTH INFORMATION	41. RISK FACTORS IN THIS PREGNANCY (Check all that apply) Diabetes <input type="checkbox"/> Prepregnancy (Diagnosis prior to this pregnancy) <input type="checkbox"/> Gestational (Diagnosis in this pregnancy) Hypertension <input type="checkbox"/> Prepregnancy (Chronic) <input type="checkbox"/> Gestational (PIH, preeclampsia, eclampsia) <input type="checkbox"/> Previous preterm birth <input type="checkbox"/> Other previous poor pregnancy outcome (Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth) <input type="checkbox"/> Vaginal bleeding during this pregnancy prior to the onset of labor <input type="checkbox"/> Pregnancy resulted from infertility treatment <input type="checkbox"/> Mother had a previous cesarean delivery If yes, how many _____ <input type="checkbox"/> None of the above		44. ONSET OF LABOR (Check all that apply) <input type="checkbox"/> Premature Rupture of the Membranes (prolonged, ≥12 hrs.) <input type="checkbox"/> Precipitous Labor (<3 hrs.) <input type="checkbox"/> Prolonged Labor (≥ 20 hrs.) <input type="checkbox"/> None of the above		46. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No B. Was delivery with vacuum extraction attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No C. Fetal presentation at birth <input type="checkbox"/> Cephalic <input type="checkbox"/> Breech <input type="checkbox"/> Other D. Final route and method of delivery (Check one) <input type="checkbox"/> Vaginal/Spontaneous <input type="checkbox"/> Vaginal/Forceps <input type="checkbox"/> Vaginal/Vacuum <input type="checkbox"/> Cesarean If Cesarean, was a trial of labor attempted? <input type="checkbox"/> Yes <input type="checkbox"/> No		
	42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) <input type="checkbox"/> Gonorrhea <input type="checkbox"/> Syphilis <input type="checkbox"/> Herpes Simplex Virus (HSV) <input type="checkbox"/> Chlamydia <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> None of the above		45. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) <input type="checkbox"/> Induction of labor <input type="checkbox"/> Augmentation of labor <input type="checkbox"/> Non-vertex presentation <input type="checkbox"/> Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery <input type="checkbox"/> Antibiotics received by the mother during labor <input type="checkbox"/> Clinical chorioamnionitis diagnosed during labor or maternal temperature ≥ 38°C (100.4°F) <input type="checkbox"/> Moderate/heavy meconium staining of the amniotic fluid <input type="checkbox"/> Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery <input type="checkbox"/> Epidural or spinal anesthesia during labor <input type="checkbox"/> None of the above		47. MATERNAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) <input type="checkbox"/> Maternal transfusion <input type="checkbox"/> Third or fourth degree perineal laceration <input type="checkbox"/> Ruptured uterus <input type="checkbox"/> Unplanned hysterectomy <input type="checkbox"/> Admission to intensive care unit <input type="checkbox"/> Unplanned operating room procedure following delivery <input type="checkbox"/> None of the above		
	43. OBSTETRIC PROCEDURES (Check all that apply) <input type="checkbox"/> Cervical cerclage <input type="checkbox"/> Tocolysis External cephalic version: <input type="checkbox"/> Successful <input type="checkbox"/> Failed <input type="checkbox"/> None of the above						
	NEWBORN INFORMATION						
NEWBORN	48. NEWBORN MEDICAL RECORD NUMBER: _____		54. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Assisted ventilation required immediately following delivery <input type="checkbox"/> Assisted ventilation required for more than six hours <input type="checkbox"/> NICU admission <input type="checkbox"/> Newborn given surfactant replacement therapy <input type="checkbox"/> Antibiotics received by the newborn for suspected neonatal sepsis <input type="checkbox"/> Seizure or serious neurologic dysfunction <input type="checkbox"/> Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) <input type="checkbox"/> None of the above		55. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply) <input type="checkbox"/> Anencephaly <input type="checkbox"/> Meningocele/Spina bifida <input type="checkbox"/> Cyanotic congenital heart disease <input type="checkbox"/> Congenital diaphragmatic hernia <input type="checkbox"/> Omphalocele <input type="checkbox"/> Gastroschisis <input type="checkbox"/> Limb reduction defect (excluding congenital amputation and dwarfing syndromes) <input type="checkbox"/> Cleft Lip with or without Cleft Palate <input type="checkbox"/> Cleft Palate alone <input type="checkbox"/> Down Syndrome <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Suspected chromosomal disorder <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Hypospadias <input type="checkbox"/> None of the anomalies listed above		
	49. BIRTHWEIGHT (grams preferred, specify unit) _____ <input type="checkbox"/> grams <input type="checkbox"/> lb/oz						
	50. OBSTETRIC ESTIMATE OF GESTATION: _____(completed weeks)						
	51. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 6, Score at 10 minutes: _____						
	52. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____						
	53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____						
56. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____		57. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		58. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No			
59. WHAT PROPHYLACTIC USED IN EYES? (Specify) _____		TIME USED (24-hour clock)					

CERTIFICATE OF DEATH

NAME OF DECEDENT
For use by physician or institution

1. DECEDENT'S LEGAL NAME (Include AKAs, if any) (First, Middle, Last)				2. SEX	3. SOCIAL SECURITY NUMBER
4a. AGE-Last Birthday (Years)	4b. UNDER 1 YEAR Months Days	4c. UNDER 1 DAY Hours Minutes	5. DATE OF BIRTH (MM/DD/YYYY)	6. BIRTHPLACE (City and State or Foreign Country)	
7a. RESIDENCE-STATE		7b. COUNTY	7c. CITY OR TOWN		
7d. STREET AND NUMBER			7e. APT. NO.	7f. ZIP CODE	7g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No
8. EVER IN US ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No		9. MARITAL STATUS AT TIME OF DEATH <input type="checkbox"/> Married <input type="checkbox"/> Married, but separated <input type="checkbox"/> Widowed <input type="checkbox"/> Divorced <input type="checkbox"/> Never Married <input type="checkbox"/> Unknown		10. SURVIVING SPOUSE'S NAME (If wife, give name prior to first marriage)	
11. FATHER'S NAME (First, Middle, Last)			12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)		
13a. INFORMANT'S NAME		13b. RELATIONSHIP TO DECEDENT	13c. MAILING ADDRESS (Street and Number, City, State, Zip Code)		
14. PLACE OF DEATH (Check only one: see instructions)					
IF DEATH OCCURRED IN A HOSPITAL: <input type="checkbox"/> Inpatient <input type="checkbox"/> Emergency Room/Outpatient <input type="checkbox"/> Dead on Arrival			IF DEATH OCCURRED SOMEWHERE OTHER THAN A HOSPITAL: <input type="checkbox"/> Hospice facility <input type="checkbox"/> Nursing home/Long term care facility <input type="checkbox"/> Decedent's home <input type="checkbox"/> Other (Specify) _____		
15. FACILITY NAME (If not institution, give street and number)			16. CITY OR TOWN, STATE AND ZIP CODE		17. COUNTY OF DEATH
18. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Donation <input type="checkbox"/> Entombment <input type="checkbox"/> Removal from state <input type="checkbox"/> Other (Specify) _____		19. PLACE OF DISPOSITION (Name of cemetery, crematory, other place)			
20. LOCATION-CITY, TOWN, AND STATE			21. NAME AND ADDRESS OF FUNERAL FACILITY		
22. SIGNATURE OF FUNERAL SERVICE LICENSEE OR OTHER AGENT			23. LICENSE NUMBER (Of Licensee)		
23a. EMBALMER (Signature)		23b. EMBALMER LICENSE NUMBER	23c. LICENSE NUMBER (Of Facility)		
ITEMS 24-28 MUST BE COMPLETED BY PERSON WHO PRONOUNCES OR CERTIFIES DEATH			24. DATE PRONOUNCED DEAD (MM/DD/YYYY)	25. TIME PRONOUNCED DEAD	
26. SIGNATURE OF PERSON PRONOUNCING DEATH (Only when applicable)			27. LICENSE NUMBER	28. DATE SIGNED (MM/DD/YYYY)	
29. ACTUAL OR PRESUMED DATE OF DEATH (Spell Month)		30. ACTUAL OR PRESUMED TIME OF DEATH		31. WAS CORONER OR MEDICAL EXAMINER CONTACTED? <input type="checkbox"/> Yes <input type="checkbox"/> No	
32. PART I. Enter the chain of events-diseases, injuries, or complications-that directly caused the death. DO NOT enter terminal events such as cardiac arrest, respiratory arrest, or ventricular fibrillation without showing the etiology. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional lines if necessary. IMMEDIATE CAUSE (Final disease or condition resulting in death) → a. _____ Due to (or as a consequence of): _____ Sequentially list conditions, if any, leading to the cause listed on line a. Enter the UNDERLYING CAUSE (disease or injury that initiated the events resulting in death) LAST b. _____ Due to (or as a consequence of): _____ c. _____ Due to (or as a consequence of): _____ d. _____					Approximate interval: Onset to death
PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I.				33. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No	
35. DID TOBACCO USE CONTRIBUTE TO DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> Probably <input type="checkbox"/> No <input type="checkbox"/> Unknown			36. IF FEMALE: <input type="checkbox"/> Not pregnant within past year <input type="checkbox"/> Pregnant at time of death <input type="checkbox"/> Not pregnant, but pregnant within 42 days of death <input type="checkbox"/> Not pregnant, but pregnant 43 days to one year before death <input type="checkbox"/> Unknown if pregnant within the past year		37. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Homicide <input type="checkbox"/> Accident <input type="checkbox"/> Pending investigation <input type="checkbox"/> Suicide <input type="checkbox"/> Could not be determined
38. DATE OF INJURY (Spell Month)	39. TIME OF INJURY	40. PLACE OF INJURY (e.g., Decedent's home, construction site, restaurant, wooded area)		41. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No	
42. LOCATION OF INJURY: State: _____ City or Town: _____ County: _____			Street & Numbers: _____ Apartment Number: _____ Zip Code: _____		
43. DESCRIBE HOW INJURY OCCURRED:			44. IF TRANSPORTATION INJURY, SPECIFY: <input type="checkbox"/> Driver/Operator <input type="checkbox"/> Pedestrian <input type="checkbox"/> Passenger <input type="checkbox"/> Other (Specify) _____		
45. CERTIFIER (Check only one) <input type="checkbox"/> Certifying physician-To the best of my knowledge, death occurred due to the cause(s) and manner stated. <input type="checkbox"/> Pronouncing and Certifying physician-To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner stated. <input type="checkbox"/> Coroner/Medical Examiner-On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner stated. Signature of certifier: _____					
46. NAME, ADDRESS, AND ZIP CODE OF PERSON COMPLETING CAUSE OF DEATH (Item 32)				46a. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER	
47. TITLE OF CERTIFIER		48. LICENSE NUMBER	49. DATE CERTIFIED (MM/DD/YYYY)	50. FOR REGISTRAR ONLY-DATE FILED (MM/DD/YYYY)	
51. DECEDENT'S EDUCATION-Check the box that best describes the highest degree or level of school completed at the time of death. <input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th-12th grade; no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEd, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		52. DECEDENT OF HISPANIC ORIGIN?-Check the box that best describes whether the decedent is Spanish/Hispanic/Latino/Latina. Check the "No" box if decedent is not Spanish/Hispanic/Latino/Latina. <input type="checkbox"/> No, not Spanish/Hispanic/Latino/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano/Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino/Latina (Specify) _____		53. DECEDENT'S RACE-(Check one or more races to indicate what the decedent considered himself or herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____	
54. DECEDENT'S USUAL OCCUPATION (Indicate type of work done during most of working life. DO NOT USE THE TERM "RETIRED.")					
55. KIND OF BUSINESS/INDUSTRY					

BRTP NO.



REPORT OF INDUCED TERMINATION OF PREGNANCY

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (if not clinic or hospital, give address)		2. CITY, TOWN OR LOCATION OF PREGNANCY TERMINATION		3. COUNTY OF PREGNANCY TERMINATION	
4. PATIENT IDENTIFICATION NUMBER (Do Not Enter Patient's Name)		5. AGE LAST BIRTHDAY	6. MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO		7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN OR LOCATION		8d. INSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO	8e. ZIP CODE
9. OF HISPANIC ORIGIN? (Spanish, Puerto Rican, Cuban, Mexican, Dominican, etc.) <input type="checkbox"/> Yes <input type="checkbox"/> No		10. RACE (Specify) _____ White _____ Black _____ Other (Specify) _____		11. EDUCATION (Specify grade completed) Elementary/Secondary (0-12) _____ College (1-4 or 5+) _____	
12. DATE LAST MENSTRUATION (Month, Day, Year)		15. PREVIOUS PREGNANCIES (Complete each section)			
13. DATE OF CONCEPTION (Month, Day, Year)		LIVE BIRTHS		OTHER TERMINATIONS	
		15a. Now Living Number _____ <input type="checkbox"/> None	15b. Now Dead Number _____ <input type="checkbox"/> None	15c. Spontaneous Number _____ <input type="checkbox"/> None	15d. Induced (Do not include this termination) Number _____ <input type="checkbox"/> None
14. CLINICAL ESTIMATE OF GESTATION (Weeks)					
16. TERMINATION PROCEDURES					
16a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES		16b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1 <input type="checkbox"/> _____ Suction Curettage				1 <input type="checkbox"/>	
2 <input type="checkbox"/> _____ Sharp Curettage				2 <input type="checkbox"/>	
3 <input type="checkbox"/> _____ Dilation and Evacuation (D & E)				3 <input type="checkbox"/>	
4 <input type="checkbox"/> _____ Intra-Uterine Saline Instillation				4 <input type="checkbox"/>	
5 <input type="checkbox"/> _____ Intra-Uterine Prostaglandin Instillation				5 <input type="checkbox"/>	
6 <input type="checkbox"/> _____ Hysterotomy/Hysterectomy				6 <input type="checkbox"/>	
7 <input type="checkbox"/> _____ Medical (Nonsurgical), Specify Medication(s) _____				7 <input type="checkbox"/>	
8 <input type="checkbox"/> _____ Other (Specify) _____				8 <input type="checkbox"/>	
		None _____		0 <input type="checkbox"/>	
17-18. CONSENT REQUIREMENTS (Pursuant to Chapter 41, Title 44, of the Code of Laws of South Carolina, 1976, as amended)					
17a. WAS INFORMED WRITTEN CONSENT OBTAINED FROM THE PATIENT? <input type="checkbox"/> Yes <input type="checkbox"/> No		17c. IF PATIENT HAS BEEN COURT ADJUDGED MENTALLY INCOMPETENT, INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> SPOUSE 2 <input type="checkbox"/> PARENT 3 <input type="checkbox"/> LEGAL GUARDIAN 4 <input type="checkbox"/> NONE OF THE ABOVE			
17b. IF NO, INFORMED WRITTEN CONSENT WAS NOT OBTAINED DUE TO: (check one) 1 <input type="checkbox"/> MEDICAL EMERGENCY 2 <input type="checkbox"/> INCEST 3 <input type="checkbox"/> NOT CAPABLE/MENTALLY INCOMPETENT 4 <input type="checkbox"/> NONE OF THE ABOVE					
18a. IF PATIENT IS UNDER 17 YEARS OF AGE, ADDITIONAL INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> PARENT 2 <input type="checkbox"/> LEGAL GUARDIAN 3 <input type="checkbox"/> GRANDPARENT 4 <input type="checkbox"/> PERSON IN LOCO PARENTIS 5 <input type="checkbox"/> NONE OF THE ABOVE		18b. IF PATIENT IS UNDER 17 YEARS OF AGE AND ADDITIONAL INFORMED WRITTEN CONSENT WAS NOT OBTAINED, CHECK REASON BELOW: (check one) 1 <input type="checkbox"/> EMANCIPATED MINOR 2 <input type="checkbox"/> COURT ORDER 3 <input type="checkbox"/> MEDICAL EMERGENCY 4 <input type="checkbox"/> INCEST 5 <input type="checkbox"/> NONE OF THE ABOVE			
19. NAME OF PERSON COMPLETING FORM (Type/Print)			TITLE		
20. DATE REPORT COMPLETED (Month, Day, Year)			FOR STATE OFFICE USE ONLY 21. DATE REPORT RECEIVED		

SAMPLE

1 _____

2 _____

3 _____

8a. _____

8b. _____

8c. _____

ITEM 17 MUST → BE COMPLETED FOR EACH PATIENT, REGARDLESS OF AGE.

ITEM 18 MUST → BE COMPLETED FOR EACH PATIENT UNDER 17 YEARS OF AGE.

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (If not institution, give street and number)				
2. CITY, TOWN, OR LOCATION OF DELIVERY		3. COUNTY OF DELIVERY		4. DATE OF DELIVERY (Month, Day, Year)
6a. MOTHER'S NAME First Middle Last			6b. MAIDEN SURNAME	7. DATE OF BIRTH (Month, Day, Year)
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN, OR LOCATION		8d. STREET AND NUMBER
8e. INSIDE CITY LIMITS? Yes <input type="checkbox"/> No <input type="checkbox"/>		8f. ZIP CODE	9. FATHER'S NAME First Middle Last	
10. DATE OF BIRTH (Month, Day, Year)				
11. OF HISPANIC ORIGIN?		12. RACE — American Indian, Black, White, etc. (Specify below)		13. EDUCATION (Specify only highest grade completed)
11a. MOTHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		11b. FATHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		14. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year)
		12a. MOTHER		12b. FATHER
		13a. MOTHER		13b. FATHER
		14a. MOTHER		14b. BUSINESS/INDUSTRY
		14c. FATHER		14d. BUSINESS/INDUSTRY
15. PREGNANCY HISTORY (Complete each section)			16. MOTHER MARRIED? (At delivery, conception, or any time between) (Yes or no)	
15a. Now Living (Specify date of last termination)			17. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)	
15b. Now Dead (Specify date of death)				
15c. DATE OF LAST TERMINATION (Month, Day, Year)			18. MO. SIGNATURE (First, Last, Middle, Initial, etc.)	
15d. DATE OF LAST CONCEPTION (Month, Day, Year)			19. PRE. VISITS - Total Number (Specify date of last visit)	
15e. DATE OF LAST DELIVERY (Month, Day, Year)			20. CLIN. ESTIMATE OF GESTATION (Weeks)	
15f. DATE OF LAST ABORTION (Month, Day, Year)			21. IF (Specify)	

SAMPLE

23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		27. CONGENITAL ANOMALIES OF FETUS (Check all that apply)	
Anemia (Hct. < 30/Hgb. < 10) 01 <input type="checkbox"/> Cardiac disease 02 <input type="checkbox"/> Acute or chronic lung disease 03 <input type="checkbox"/> Diabetes 04 <input type="checkbox"/> Genital herpes 05 <input type="checkbox"/> Hydramnios/Oligohydramnios 06 <input type="checkbox"/> Hemoglobinopathy 07 <input type="checkbox"/> Hypertension, chronic 08 <input type="checkbox"/> Hypertension, pregnancy-associated 09 <input type="checkbox"/> Eclampsia 10 <input type="checkbox"/> Incompetent cervix 11 <input type="checkbox"/> Previous infant 4000+ grams 12 <input type="checkbox"/> Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/> Renal disease 14 <input type="checkbox"/> Rh sensitization 15 <input type="checkbox"/> Uterine bleeding 16 <input type="checkbox"/> None 17 <input type="checkbox"/> Other (Specify) 17 <input type="checkbox"/>		Febrile (>100 °F. or 39 °C.) 01 <input type="checkbox"/> Meconium, moderate/heavy 02 <input type="checkbox"/> Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/> Abruptio placenta 04 <input type="checkbox"/> Placenta previa 05 <input type="checkbox"/> Other excessive bleeding 06 <input type="checkbox"/> Seizures during labor 07 <input type="checkbox"/> Precipitous labor (< 3 hours) 08 <input type="checkbox"/> Prolonged labor (> 20 hours) 09 <input type="checkbox"/> Dysfunctional labor 10 <input type="checkbox"/> Breech/Malpresentation 11 <input type="checkbox"/> Cephalopelvic disproportion 12 <input type="checkbox"/> Cord prolapse 13 <input type="checkbox"/> Anesthetic complications 14 <input type="checkbox"/> Fetal distress 15 <input type="checkbox"/> None 16 <input type="checkbox"/> Other (Specify) 16 <input type="checkbox"/>		Anencephalus 01 <input type="checkbox"/> Spina bifida/Meningocele 02 <input type="checkbox"/> Hydrocephalus 03 <input type="checkbox"/> Microcephalus 04 <input type="checkbox"/> Other central nervous system anomalies (Specify) 05 <input type="checkbox"/> Heart malformations (Specify) 06 <input type="checkbox"/> Other circulatory anomalies (Specify) 07 <input type="checkbox"/> Respiratory anomalies (Specify) 08 <input type="checkbox"/> Rectal atresia/stenosis 09 <input type="checkbox"/> Tracheo esophageal fistula/Esoophageal atresia 10 <input type="checkbox"/> Omphalocele/Gastroschisis 11 <input type="checkbox"/> Other gastrointestinal anomalies (Specify) 12 <input type="checkbox"/> Malformed genitalia 13 <input type="checkbox"/> Renal agenesis 14 <input type="checkbox"/> Other urogenital anomalies (Specify) 15 <input type="checkbox"/> Cleft lip/palate 16 <input type="checkbox"/> Polydactyly/Syndactyly/Adactyly 17 <input type="checkbox"/> Club foot 18 <input type="checkbox"/> Diaphragmatic hernia 19 <input type="checkbox"/> Other musculoskeletal/integumental anomalies (Specify) 20 <input type="checkbox"/> Down's syndrome 21 <input type="checkbox"/> Other chromosomal anomalies (Specify) 22 <input type="checkbox"/> None 23 <input type="checkbox"/> Other (Specify) 23 <input type="checkbox"/>	
23b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		26. METHOD OF DELIVERY (Check all that apply)			
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week Weight gained during pregnancy lbs.		Vaginal 01 <input type="checkbox"/> Vaginal birth after previous C-section 02 <input type="checkbox"/> Primary C-section 03 <input type="checkbox"/> Repeat C-section 04 <input type="checkbox"/> Forceps 05 <input type="checkbox"/> Vacuum 06 <input type="checkbox"/> Hysterotomy/Hysterectomy 07 <input type="checkbox"/>			
24. OBSTETRIC PROCEDURES (Check all that apply)					
Amniocentesis 01 <input type="checkbox"/> Electronic fetal monitoring 02 <input type="checkbox"/> Induction of labor 03 <input type="checkbox"/> Stimulation of labor 04 <input type="checkbox"/> Tocolysis 05 <input type="checkbox"/> Ultrasound 06 <input type="checkbox"/> None 07 <input type="checkbox"/> Other (Specify) 07 <input type="checkbox"/>					

28. Enter only one cause per line for a, b, and c.	
PART I. Fetal or maternal condition directly causing fetal death. Fetal and/or maternal conditions, if any, giving rise to the immediate cause(s), stating the underlying cause last.	IMMEDIATE CAUSE a. _____ DUE TO (OR AS A CONSEQUENCE OF): b. _____ DUE TO (OR AS A CONSEQUENCE OF): c. _____
	Specify Fetal or Maternal
	Specify Fetal or Maternal
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.	
_____ _____ _____	
29. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY UNKNOWN (Specify)	
30. AUTOPSY (Specify Yes or No)	

31. ATTENDANT'S NAME AND TITLE (Type/Print)		32. NAME AND TITLE OF PERSON COMPLETING REPORT (Type/Print)	
Name _____		Name _____	
<input type="checkbox"/> M.D. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other (Specify) _____		Title _____	
33. DATE REPORT COMPLETED		34. DATE RECEIVED BY HEALTH DEPARTMENT	

LICENSE AND CERTIFICATE FOR MARRIAGE
STATE OF SOUTH CAROLINA

_____ LICENSE NUMBER			_____ COUNTY		
GROOM-NAME (1)	(FIRST)	(MIDDLE)	(LAST)	BIRTHDATE (MONTH, DAY, YEAR) (2a)	AGE (2b)
BIRTHPLACE (State of foreign country) (3)		RACE (4)	RESIDENCE (Street and Number) (5a)		
CITY, TOWN OR LOCATION (5b)		COUNTY (5c)	STATE (5d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE-NAME (7)			BIRTHDATE (MONTH, DAY, YEAR) (8a)		
BIRTHPLACE (State of foreign country) (9)		RACE (10)	RESIDENCE (Street and Number) (11a)		
CITY, TOWN OR LOCATION (11b)		COUNTY (11c)	STATE (11d)	NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this court at _____ M., on the _____ day of _____, _____. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. _____.

_____ Signature of Issuing Officer	_____ Title of Issuing Officer
GROOM-Signature (14)	BRIDE-Signature (15)
I certify that the above named persons were married on (16)	Place of Marriage (17)
(MONTH) (DAY) (YEAR)	(CITY) (COUNTY) SOUTH CAROLINA
OFFICIANT-Signature (18a)	OFFICIANT-Title (18b)
OFFICIANT-Mailing Address (18c)	

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
DIVISION OF VITAL RECORDS
Columbia, South Carolina**

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

ADDRESS	1 HUSBAND-NAME (first) (middle) (last)			2 DATE OF BIRTH		3 STATE OF BIRTH	
	4 RESIDENCE (state) (county) (city)			5 NUMBER OF THIS MARRIAGE		6 RACE (specify)	
	7 WIFE-MAIDEN NAME (first) (middle) (last)			8 DATE OF BIRTH		9 STATE OF BIRTH	
	10 RESIDENCE (state) (county) (city)			11 NUMBER OF THIS MARRIAGE		12 RACE (specify)	
ATTORNEY FOR PLAINTIFF	13 PLACE OF THIS MARRIAGE (state) (county)			14 DATE OF MARRIAGE (month) (day) (year)		15 NUMBER OF CHILDREN UNDER 18	
	16 PLAINTIFF (specify)		17 DECREE GRANTED TO (specify)		18 WAS DIVORCE CONTESTED (specify yes or no)		19 LEGAL GROUNDS
	20 DATE DECREE SIGNED (month) (day) (year)			21 TYPE OF DECREE absolute divorce or annulment (specify)			
	22a MAIDEN NAME RESUMED BY DECREE <input type="checkbox"/> Yes <input type="checkbox"/> No			22b SUPPLEMENTAL ORDER (if any) (month-day-year)			
	23 COUNTY			24 DOCKET NUMBER			
25 I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year							

26 HUSBAND - SOCIAL SECURITY #

27 WIFE - SOCIAL SECURITY #

D H E C



PROMOTE PROTECT PROSPER

Division of Biostatistics

Office of Public Health Statistics and Information Services

South Carolina Department of Health and Environmental Control

2600 Bull Street

Columbia, South Carolina 29201