



This is an official CDC Health Advisory

Distributed via Health Alert Network
June 30, 2023, 4:00 PM
10559-CAD-06-30-2023-SMOKE

Wildfire Smoke Exposure Poses Threat to At-Risk Populations

Summary

The Centers for Disease Control and Prevention (CDC) is reminding healthcare professionals seeing patients affected by wildfire smoke to be alert to the possible [adverse effects of smoke exposure](#), particularly among individuals at higher risk of severe outcomes. The acute [signs and symptoms](#) of smoke exposure can include headache, eye and mucous membrane irritation, dyspnea (trouble breathing), cough, wheezing, chest pain, palpitations, and fatigue. Wildfire smoke exposure may exacerbate respiratory, metabolic, and cardiovascular chronic conditions like asthma, chronic obstructive pulmonary disease (COPD), and congestive heart failure.

Background

Climate change is increasing the vulnerability of many forests to wildfires and is also projected to increase the frequency of wildfires in certain regions of the United States. Wildfires produce high volumes of smoke each year, leading to unhealthy air quality levels, sometimes hundreds of miles away from the fire. Wildfire smoke is a mix of gases and fine particles from burning trees, plants, buildings, and other material. Patients who are very near the fire source may have smoke inhalation injury, which is caused by thermal (superheated gases), chemical (e.g., particulate matter and other irritants), and toxic (e.g., carbon monoxide, cyanide) effects of the products of combustion.

Wildfire smoke can affect people even if they are not near the fire source, due to exposure to particles of PM_{2.5}, which are inhalable air pollutants with aerodynamic diameter ≤ 2.5 microns.

Individuals especially at risk after exposure to wildfire smoke include people with:

- asthma,
- COPD, or
- cardiovascular disease (e.g., ischemic heart disease, congestive heart failure)

Children, older adults, or those who are pregnant are also especially at risk for severe outcomes.

Medical management consists of carefully assessing signs and symptoms, providing supportive and symptomatic care for smoke exposure, and treating possible existing respiratory and cardiovascular illness. Increased emergency department visits for respiratory and cardiovascular conditions can occur during the days immediately following wildfire smoke exposure, with increases in associated morbidity and mortality.

Appropriate and prompt treatment is crucial to reduce morbidity from wildfire smoke exposure. Counseling patients on protective measures, including being aware of current and predicted air quality levels, staying indoors, [using air filtration](#), and [using properly fitted N95 respirators when outdoors](#) is also important for mitigating adverse effects.

Recommendations for Clinicians

- For patients who are very near the fire source who may have burns and/or smoke inhalation injury, follow [Advanced Trauma Life Support \(ATLS\) guidelines](#) and consult your [regional burn center](#)
- Consider smoke exposure in patients who live in wildfire smoke-affected areas identified on [AirNow](#) presenting with any of the signs and symptoms noted above, paying particular attention to those at higher risk of developing complications. Treatment is supportive and based on clinical presentation.
- Monitor healthcare capacity closely and plan for a possible increase in patient visits due to asthma, COPD, and metabolic and cardiovascular disease exacerbations.
- Proactively counsel patients on strategies to avoid or reduce smoke exposure, especially among individuals with asthma, COPD, or cardiovascular disease, children, older adults, and those who are pregnant. These strategies include, during times of [poor air quality](#):
 - Staying indoors, including closing windows and doors, and [using HVAC systems effectively](#) to minimize exposure to wildfire smoke.
 - Preventing further indoor air pollution by not smoking or using candles, gas, or aerosol sprays; not frying or broiling meat; and not vacuuming.
 - Staying aware of current and predicted local air quality conditions using [AirNow](#) or other tools.
 - Using a portable air cleaner or [creating a cleaner air room in the home](#).
 - Going to a designated cleaner air shelter (such as a school gymnasium, buildings at public fairgrounds, or a civic auditorium) during times of poor air quality.
 - [Selecting and using an N95 respirator](#) when it is not possible to avoid exposure to wildfire smoke.
- Advise patients at higher risk for severe outcomes to monitor their symptoms more closely and ensure that their medication prescriptions are up-to-date and available.

Recommendations for Public Health Authorities

- Identify public places that can be used as [clean air shelters](#).
- Relay information about local air quality to the public so people can make decisions about how to protect their health. Include approaches to reach members of [at-risk populations](#).

- Use [activity guidance](#) to support decisions to postpone, relocate, or cancel outdoor activities and events.
- Advise the public about staying safe while [cleaning up ash](#).
- Assess for a possible healthcare utilization surge related to wildfire smoke exposure.
- For additional guidance and strategies, please refer to [Wildfire Smoke: A Guide for Public Health Officials](#).

Recommendations for the Public

- Stay indoors and keep smoke outside by following the strategies outlined above.
- Limit your time outdoors. If you must go outside when smoke is visible or can be smelled, reduce your smoke exposure by wearing an N95 or P100 [respirator](#).
- Keep track of smoke near you using AirNow's "[Fire and Smoke Map](#)" or the AirNow app or by listening to the [Emergency Alert System \(EAS\)](#) and National Oceanic and Atmospheric Administration ([NOAA Weather Radio](#)).
- Call your regional poison center if you have questions about wildfire smoke exposure (1-800-2221222).
- If you have a medical condition like asthma, COPD, or metabolic and cardiovascular disease that puts you at risk for a severe outcome from wildfire smoke exposure, monitor your symptoms, seek medical care when needed, and ensure that your prescriptions are up-to-date and that you have an adequate supply on hand.

For More Information

- [CDC Wildfires](#)
- CDC [Community Respirators and Masks](#)
- CDC Climate Effects on Health: [Wildfires](#)
- [Wildfire Smoke and Your Patients' Health](#) (web-based training for clinicians)
- [Cascio WE. Wildland fire smoke and human health. *Sci Total Environ.* 2018 May 15;624:586-595. doi: 10.1016/j.scitotenv.2017.12.086. Epub 2017 Dec 27. PMID: 29272827; PMCID: PMC6697173.](#)
- [Directory of Local Health Departments - NACCHO](#)
- CDC Wildfire Smoke [Guidance for Public Health Officials & Professionals](#)
- CDC Data Tool for Planning: [National Environmental Public Health Tracking Network \(Wildfires\)](#)

The Centers for Disease Control and Prevention (CDC) protects people's health and safety by preventing and controlling diseases and injuries; enhances health decisions by providing credible information on critical health issues; and promotes healthy living through strong partnerships with local, national, and international organizations.

Regional Public Health Offices – 2023

Mail or call reports to the Epidemiology Office in each Public Health Region

MAIL TO:

<p style="text-align: center;">Lowcountry</p> <p>4050 Bridge View Drive, Suite 600 N. Charleston, SC 29405 Fax: (843) 953-0051</p>	<p style="text-align: center;">Midlands</p> <p>2000 Hampton Street Columbia, SC 29204 Fax: (803) 576-2993</p>	<p style="text-align: center;">Pee Dee</p> <p>1931 Industrial Park Road Conway, SC 29526 Fax: (843) 915-6506</p>	<p style="text-align: center;">Upstate</p> <p>352 Halton Road Greenville, SC 29607 Fax: (864) 282-4373</p>
---	--	---	---

CALL TO:

<p style="text-align: center;">Lowcountry</p> <p>Allendale, Bamberg, Beaufort, Berkeley, Calhoun, Charleston, Colleton, Dorchester, Hampton, Jasper, Orangeburg</p> <p>Office: (843) 441-1091 Nights/Weekends: (843) 441-1091</p>	<p style="text-align: center;">Midlands</p> <p>Aiken, Barnwell, Chester, Edgefield, Fairfield, Kershaw, Lancaster, Lexington, Newberry, Richland, Saluda, York</p> <p>Office: (888) 801-1046 Nights/Weekends: (888) 801-1046</p>	<p style="text-align: center;">Pee Dee</p> <p>Clarendon, Chesterfield, Darlington, Dillon, Florence, Georgetown, Horry, Lee, Marion, Marlboro, Sumter, Williamsburg</p> <p>Office: (843) 915-8886 Nights/Weekends: (843) 409-0695</p>	<p style="text-align: center;">Upstate</p> <p>Abbeville, Anderson, Cherokee, Greenville, Greenwood, Laurens, McCormick, Oconee, Pickens, Spartanburg, Union</p> <p>Office: (864) 372-3133 Nights/Weekends: (864) 423-6648</p>
--	---	--	--

<p style="text-align: center;">For information on reportable conditions, see https://www.scdhec.gov/ReportableConditions</p>	<p><u>DHEC Bureau of Communicable Disease Prevention & Control</u> Division of Acute Disease Epidemiology 2100 Bull St • Columbia, SC 29201 Phone: (803) 898-0861 • Fax: (803) 898-0897 Nights / Weekends: 1-888-847-0902</p>
---	---

Categories of Health Alert messages:

Health Alert	Conveys the highest level of importance; warrants immediate action or attention.
Health Advisory	Provides important information for a specific incident or situation; may not require immediate action.
Health Update	Provides updated information regarding an incident or situation; unlikely to require immediate action.
Info Service	Provides general information that is not necessarily considered to be of an emergent nature.