

**ENVIRONMENTAL AFFAIRS ENFORCEMENT REPORT  
BOARD OF HEALTH AND ENVIRONMENTAL CONTROL  
December 8, 2016**

**BUREAU OF LAND AND WASTE MANAGEMENT**

**Underground Storage Tank Enforcement**

- 1)     Order Type and Number:                     Consent Order 16-0227-UST  
       Order Date:                                 October 25, 2016  
       Individual/Entity:                         **Penske Truck Leasing Co., LP**  
       Facility:                                     Penske Truck Leasing Co., LP  
       Location:                                     520 Frampton Street  
   Anderson, SC  
       Mailing Address:                         Route 10 Green Hills  
   P.O. Box 7635  
   Reading, Pennsylvania 19603  
  
       County:                                     Anderson  
       \*Previous Orders:                         None  
       Permit/ID Number:                         00386  
       Violations Cited:                         The State Underground Petroleum  
   Environmental Response Bank Act of 1988 (SUPERB Act), S.C. code Ann. § 44-2-10 *et*  
   *seq.* (2002 and Supp. 2014); and South Carolina Underground Storage Tank Control  
   Regulation, 7 S.C. Code Ann. Regs. 61-92.280.20(c)(1)(ii) (Supp 2012).

Summary: Penske Truck Leasing Co., LP (Individual/Entity) owns and operates underground storage tanks (USTs) located in Anderson, South Carolina. On August 16, 2016, the Department conducted a routine inspection. The Individual/Entity has violated the South Carolina Underground Storage Tank Control Regulation as follows: failed to maintain overfill prevention devices, in that, a stick was in the drop tube shut off valve at the time of the inspection.

Action: The Individual/Entity is required to pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**). All violations were corrected prior to the issuance of the Order.

- 2)     Order Type and Number:                     Consent Order 16-0221-UST  
       Order Date:                                 October 18, 2016  
       Individual/Entity:                         **DR Oil, LLC**  
       Facility:                                     DR Oil, LLC  
       Location:                                     201 South Jeffries Boulevard  
   Walterboro, SC 29488  
       Mailing Address:                         305 Moore Street

Walterboro, SC 29488  
County: Colleton  
Previous Orders: None  
Permit/ID Number: 02568  
Violations Cited: State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act) (Supp. 2014) and the South Carolina Underground Storage Tank Control Regulation 61-92.280.20(c)(1)(ii) (2012).

Summary: DR Oil, LLC (Individual/Entity) owns and operates underground storage tanks (USTs) in Colleton County, South Carolina. On August 8, 2016, a routine compliance inspection was conducted. The Individual/Entity has violated the South Carolina Underground Storage Tank Control Regulations as follows: failed to equip an underground storage tank system with overfill protection.

Action: The Individual/Entity is required to pay a civil penalty in the amount of three thousand dollars (**\$3,000.00**). All violations were corrected prior to the issuance of the Order.

3) Order Type and Number: Consent Order 16-0149-UST  
Order Date: October 11, 2016  
Individual/Entity: **Bob Brandi Stations, Inc.**  
Facility: Pitt Stop 10  
Location: 5901 Monticello Road  
Columbia, SC 29204  
Mailing Address: 279 Cedarcrest Drive  
Lexington, SC 29072  
County: Richland  
Previous Orders: None  
Permit/ID Number: 09742  
Violations Cited: The State Underground Petroleum Environmental Response Bank Act of 1988 (SUPERB Act), S.C. Code Ann. § 44-2-10 *et seq.* (2002 and Supp. 2014); and the S.C. Underground Storage Tank Control Regulations, 7 S.C. Code Ann. Regs. 61-92, Section 280.20(c)(1)(ii).

Summary: Bob Brandi Stations, Inc. (Individual/Entity) owns and operates underground storage tanks (USTs) located in Columbia, South Carolina. On June 8, 2016, the Department conducted an inspection. The Individual/Entity has violated the SUPERB Act and the S.C. Underground Storage Tank Control Regulations as follows: failed to equip a permitted UST with spill and overfill prevention equipment, in that the kerosene UST did not have either a drop tube shutoff (DTSO) valve, ball float valve or high level audible alarm.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**). All violations were corrected prior to the issuance of the Order.

- 4) Order Type and Number: Consent Order 16-0352-UST  
Order Date: October 25, 2016  
Individual/Entity: **Spinx Co Inc.**  
Facility: Spinx 260  
Location: 426 North Highway 52  
Moncks Corner, SC 29461  
Mailing Address: P.O. Box 8624  
Greenville, SC 29604  
County: Berkeley  
Previous Orders: None  
Permit/ID Number: 10425  
Violations Cited: The State Underground Petroleum  
Environmental Response Bank Act of 1988 (SUPERB Act), S.C. Code Ann. § 44-2-10 *et seq.* (2002 and Supp. 2014); and the S.C. Underground Storage Tank Control Regulations, 7 S.C. Code Ann. Regs. 61-92, Section 280.20(c)(1)(ii).

Summary: Spinx Co Inc. (Individual/Entity) owns and operates underground storage tanks (USTs) located in Moncks Corner, South Carolina. On September 12, 2016, the Department conducted an inspection. The Individual/Entity has violated the SUPERB Act and the S.C. Underground Storage Tank Control Regulations as follows: failed to equip a permitted UST with spill and overfill prevention equipment, in that a stick was discovered in the Gasoline RUL UST, impeding operation of the overfill device.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**). All violations were corrected prior to the issuance of the Order.

### **Infectious Waste Enforcement**

- 5) Order Type and Number: Consent Order 16-06-IW  
Order Date: October 25, 2016  
Individual/Entity: **Palmetto Health**  
Facility: Palmetto Health Baptist  
Location: 1330 Taylor Street  
Columbia, SC 29201  
Mailing Address: Taylor at Marion Street  
Columbia, SC 29220  
County: Richland  
Previous Orders: None  
Permit/ID Number: SC40-0219G  
Violations Cited: The S.C. Infectious Waste Management Act, S.C. Code Ann. §44-93-30(2002); and the South Carolina Infectious Waste Management Regulations, 8 S.C. Code Ann. Regs. 61-105 (Supp. 2010).

Summary: Palmetto Health (Individual/Entity) provides healthcare services at Palmetto Health Baptist located in Columbia, South Carolina, and is a registered generator of infectious waste. On April 28, 2016, the Department conducted an inspection of the facility. The Individual/Entity has violated the S.C. Infectious Waste Management Regulations as follows: failed to ensure that containers of infectious waste offered for transport offsite were labeled with the Department issued registration number; failed to ensure that containers of infectious waste offered for transport offsite were labeled with the date the container was placed in storage or sent offsite, if not stored; failed to place, store, and maintain infectious waste before and during transport in a rigid or semi-rigid, leak resistant container which is impervious to moisture; failed to ensure that containers of infectious waste are sealed and closed tightly and securely when full by weight to prevent any discharge of the contents; failed to store infectious waste in containers that are appropriate for the type and quantity of waste and must be compatible with selected storage, transportation, and treatment processes; failed to store infectious waste in a manner and location which affords protection from animals, vectors, weather conditions, theft, vandalism and which minimizes exposure to the public; failed to label storage areas with the universal biohazard symbol sign; and, failed to disinfect any material or surface which came into contact with infectious waste prior to reuse.

Action: The Individual/Entity is required to: now and in the future, ensure compliance with the SC Infectious Waste Management Act and Regulations; and, pay a civil penalty in the amount of six thousand, nine hundred dollars (**\$6,900.00**).

### **Solid Waste Enforcement**

6) Order Type and Number: Consent Order 16-19-SW  
Order Date: October 11, 2016  
Individual/Entity: **Williamsburg County**  
Facility: Williamsburg County Class Two Landfill  
Location: 564 Old Gapway Road  
Salters, SC  
Mailing Address: P.O. Box 330  
Kingstree, SC 29556  
County: Williamsburg  
Previous Orders: None  
Permit/ID Number: 451001-1201  
Violations Cited: South Carolina Solid Waste Policy and Management Act (2002), and, Solid Waste Management: Solid Waste Landfills and Structural Fill Regulation 61-107.19 (Supp. 2012).

Summary: Williamsburg County (Individual/Entity) operates a Class Two landfill located in Williamsburg County, South Carolina. Between April 19, 2016, and June 27, 2016, the Department conducted several routine inspections, observed and recorded the back working face had not been covered; the monitoring well pad was cracked; and the main working face had not been covered. The Individual/Entity has violated the South Carolina

Solid Waste Policy and Management Act and the Solid Waste Management: Landfills and Structural Fill Regulation as follows: failed to cover all exposed waste material at least every 30 days with no less than six (6) inches of soil or other suitable material; and, failed to maintain monitoring well devices so that they perform to design specifications throughout the life of the monitoring program.

Action: The Individual/Entity is required to: ensure that the required six (6) inches of earthen material is placed over exposed waste at least every thirty (30) days; ensure that monitoring wells are maintained; and, pay a civil penalty in the amount of two thousand, seven hundred dollars **(\$2,700,00)**.

### **Mining Enforcement**

7) Order Type and Number: Consent Order 16-46-MSWM  
Order Date: October 17, 2016  
Individual/Entity: **County Line Investors, LLC**  
Facility: Poplar Grove Mine  
Location: County Line Road  
Summerville, SC  
Mailing Address: 2734 Perimeter Parkway, Bldg 100, Ste 370  
Augusta, Georgia 30909  
County: Dorchester  
Previous Orders: None  
Permit/ID Number: I-001678  
Violations Cited: South Carolina Mining Act (2008 and Supp. 2015), and, South Carolina Mining Regulation (2012).

Summary: County Line Investors, LLC (Individual/Entity) operates a mine located in Summerville, South Carolina. On April 9, 2015, January 12, 2016, and May 12, 2016, the Department conducted compliance inspections of the Mine and observed and recorded on the inspection forms that the area of active mining was not included in the 51.2 acres to be affected or in the reclamation plan, but was in an area marked as Future Reserves. The Individual/Entity has violated the South Carolina Mining Act and the South Carolina Mining Regulation as follows: mined in an area designated as Future Reserves without modifying the Permit and Reclamation Plan to increase the affected acreage.

Action: The Individual/Entity is required to: cease and desist mining activities, other than reclamation and stormwater controls, in areas marked for Future Reserves until such time as modification has been approved by the Department; and, pay a civil penalty in the amount of two thousand dollars **(\$2,000.00)**.

**BUREAU OF WATER**

**Recreational Water Enforcement**

8) Order Type and Number: Consent Order 16-125-RW  
Order Date: October 3, 2016  
Individual/Entity: **Traditions at Old Carolina Homeowners' Association, Inc.**  
Facility: Traditions at Old Carolina  
Location: 4 Bridle Path Lane  
Bluffton, SC 29910  
Mailing Address: 12 Bridle Path Lane  
Bluffton, SC 29910  
County: Beaufort  
Previous Orders: None  
Permit/ID Number: 07-1019B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Traditions at Old Carolina Homeowners' Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 9, 2016, and July 15, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the grab lines on the life ring were broken; the facility address was not posted at the emergency notification device; the facility could not produce current valid documentation of pool operator certification; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

9) Order Type and Number: Consent Order 16-126-RW  
Order Date: October 3, 2016  
Individual/Entity: **Preserve at Port Royal, LLC**  
Facility: Preserve at Port Royal  
Location: 1 Preserve Avenue West  
Port Royal, SC 29935  
Mailing Address: Same  
County: Beaufort  
Previous Orders: None  
Permit/ID Number: 07-1053B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)  
**Project Manager: Elaina Perez**

Summary: Preserve at Port Royal, LLC (Individual/Entity) owns and is responsible for

the proper operation and maintenance of a pool. On June 6, 2016, and July 6, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was not tight and secure; the gate did not self-close and latch; the foot rinse shower was not operating properly; the chlorine level was not within the acceptable range of water quality standards; only one "Shallow Water – No Diving Allowed" sign was posted; only one "No Lifeguard On Duty – Swim At Your Own Risk" sign was posted; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid.

10)	<u>Order Type and Number:</u>	Consent Order 16-127-RW
	<u>Order Date:</u>	October 3, 2016
	<u>Individual/Entity:</u>	<b>Planters Station Owners Association, Inc.</b>
	<u>Facility:</u>	Planters Station
	<u>Location:</u>	4105 Mineral Springs Road Lexington, SC 29072
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Lexington
	<u>Previous Orders:</u>	15-054-RW (\$340.00)
	<u>Permit/ID Number:</u>	32-132-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Planters Station Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 31, 2016, and June 9, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the life ring did not have a permanently attached rope; the pool rules sign was not completely filled out; the bound and numbered log book was not maintained on a daily basis; the pool floor was dirty; the step edge tile stripe was not within one inch of the step edge; the pool equipment room was not locked; the chlorine level was not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; and, the disinfection equipment was not operating properly.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, three hundred sixty dollars **(\$1,360.00)**.

11)	<u>Order Type and Number:</u>	Consent Order 16-128-RW
	<u>Order Date:</u>	October 4, 2016
	<u>Individual/Entity:</u>	<b>SCG 1600, LLC</b>
	<u>Facility:</u>	Driftwood Hotel

<u>Location:</u>	1600 North Ocean Boulevard Myrtle Beach, SC 29577
<u>Mailing Address:</u>	Same
<u>County:</u>	Horry
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	26-105-1 & 26-472-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: SCG 1600, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of two pools. On June 3, 2016, and July 1, 2016, the pools were inspected and violations were issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the life ring rope was deteriorated; there was no emergency notification device on the first inspection, and the facility address was not posted at the emergency notification device on the second inspection; one of the pool rules sign was not completely filled out, and one of the pool rules signs was obstructed; there were no "Shallow Water – No Diving Allowed" signs posted on the first inspection of one of the pools, and only one "Shallow Water – No Diving Allowed" sign was posted on the second inspection of the same pool; the current pool operator of record information was not posted to the public; the bound and numbered log book was not available for review; a ladder was not tight and secure; the gate did not self-close and latch; the lifeline with floats was not properly attached to the pool wall, and the lifeline floats were not properly spaced; there was no foot rinse shower; and, the chlorine level was not within the acceptable range of water quality standards.

Action: The Individual/Entity is required to: submit to the Department for approval a change order request form detailing the procedure to fill in or remove the pools; complete the work in accordance with the approve change order request form; contact Department staff to verify that the work has been completed; and, pay a **stipulated penalty** in the amount of one thousand three hundred sixty dollars (**\$1,360.00**) should any requirement of the Order not be met.

12) <u>Order Type and Number:</u>	Consent Order 16-129-RW
<u>Order Date:</u>	October 14, 2016
<u>Individual/Entity:</u>	<b>Town of Quinby</b>
<u>Facility:</u>	Quinby Recreation Complex
<u>Location:</u>	600 Clark Road Quinby, SC 29506
<u>Mailing Address:</u>	Same
<u>County:</u>	Florence
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	21-015-1
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: The Town of Quinby (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On July 11, 2016, and July 22, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The



Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the pool floor and walls were dirty; there was algae on the pool walls; the deck was not clean; there was debris in the skimmer baskets; the drinking water fountain was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the lifeline floats were not properly spaced; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

13)	<u>Order Type and Number:</u>	Consent Order 16-130-RW
	<u>Order Date:</u>	October 14, 2016
	<u>Individual/Entity:</u>	<b>Cobblestone Village Apartments, LLC</b>
	<u>Facility:</u>	Cobblestone Village Apartments
	<u>Location:</u>	900 Brookstone Way Summerville, SC 29483
	<u>Mailing Address:</u>	P.O. Box 9846 Greensboro, NC 27429
	<u>County:</u>	Dorchester
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	18-1040B
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Cobblestone Village Apartments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 10, 2016, and June 28, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; the gate did not self-close and latch; there was no toilet paper in the women's bathroom; non pool-related items were stored in the equipment room; the main drain grates were not visible; the life ring did not have a permanently attached rope; the emergency notification device was not operating; the facility address was not posted at the emergency notification device; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

14)	<u>Order Type and Number:</u>	Consent Order 16-131-RW
	<u>Order Date:</u>	October 14, 2016
	<u>Individual/Entity:</u>	<b>Bolton Landing Apartments, LLC</b>
	<u>Facility:</u>	Bolton Landing Apartments
	<u>Location:</u>	1450 Bluewater Way

Charleston, SC 29414  
Mailing Address: Same  
County: Charleston  
Previous Orders: None  
Permit/ID Number: 10-1184B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Bolton Landing Apartments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 25, 2016, and July 7, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; the drinking water fountain was not operating properly; the chlorine level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope; the pool rules sign did not have all of the required rules and was not completely filled out; and, a ladder was missing bumpers.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

15) Order Type and Number: Consent Order 16-132-RW  
Order Date: October 14, 2016  
Individual/Entity: **River Landing Apartments, LLC**  
Facility: River Landing  
Location: 200 River Landing Boulevard  
Myrtle Beach, SC 29579  
Mailing Address: 201 North Elm Street  
Greensboro, NC 27401  
County: Horry  
Previous Orders: None  
Permit/ID Number: 26-1068B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: River Landing Apartments, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 23, 2016, and July 5, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: ladders were missing bumpers; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and, the facility address was not posted at the emergency notification device.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the

amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

16) Order Type and Number: Consent Order 16-133-RW  
Order Date: October 14, 2016  
Individual/Entity: **Remington Forest Condominium Owners Association, Inc.**  
Facility: Remington Forest  
Location: 1398 B Cassidy Court  
Mt. Pleasant, SC 29464  
Mailing Address: Same  
County: Charleston  
Previous Orders: None  
Permit/ID Number: 10-1116B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)c

Summary: Remington Forest Condominium Owners Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 27, 2016, and August 4, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 28, 2016, the pool was inspected and a violation was issued for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the emergency notification device was not operational; the chlorine level was not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and, the pool was re-opened prior to receiving Department approval.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of seven hundred sixty-five dollars (**\$765.00**).

17) Order Type and Number: Consent Order 16-134-RW  
Order Date: October 14, 2016  
Individual/Entity: **Canaan Pointe Limited Partnership**  
Facility: Canaan Pointe Apartments  
Location: 310 Canaan Road  
Spartanburg, SC 29306  
Mailing Address: Same  
County: Spartanburg  
Previous Orders: None  
Permit/ID Number: 42-186-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Canaan Pointe Limited Partnership (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 15, 2016, and July

21, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; the emergency notification device was not operational, the pool rules sign was faded and was not completely filled out; and, the bound and numbered log book was not available for review.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

18) Order Type and Number: Consent Order 15-135-RW  
Order Date: October 25, 2016  
Individual/Entity: **Navkaar Investment Corporation, LLC**  
Facility: Holiday Inn Express-Fort Mill  
Location: 1655 Carolina Place Drive  
Fort Mill, SC 29708  
Mailing Address: 200 Chalfont Lane  
Columbia, SC 29229  
County: York  
Previous Orders: None  
Permit/ID Number: 46-1167B  
Violations Cited: S.C. Code Ann. Regs. 61-51(B)(2)

Summary: Navkaar Investment Corporation, LLC (Individual/Entity) owns and is responsible for the proper construction of a pool. On August 30, 2016, the Individual/Entity contacted Department staff and requested a piping inspection for the pool. At that time, Department staff determined that a permit to construct had not been issued. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: failed to obtain a permit to construct from the Department prior to the commencement of the construction of the pool.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of one hundred dollars (**\$100.00**). On September 8, 2016, Department staff issued Recreational Waters Construction Permit No. 46-1167B for the construction of the pool.

19) Order Type and Number: Consent Order 16-136-RW  
Order Date: October 14, 2016  
Individual/Entity: **Southland Circle, LLC**  
Facility: Americas Best Value Inn  
Location: 125 Sloane Garden Road  
Spartanburg, SC 29316  
Mailing Address: Same  
County: Spartanburg

Previous Orders: None  
Permit/ID Number: 42-202-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Southland Circle, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 6, 2016, and July 13, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was debris in the skimmer baskets; there were non-pool related items stored in the equipment room; the chlorine level was not within the acceptable range of water quality standards; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

20) Order Type and Number: Consent Order 16-137-RW  
Order Date: October 24, 2016  
Individual/Entity: **Mehta, LLC**  
Facility: Quality Inn  
Location: 499 Piney Grove Road  
Columbia, SC 29210  
Mailing Address: Same  
County: Lexington  
Previous Orders: None  
Permit/ID Number: 32-128-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Mehta, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 15, 2016, and July 21, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a section of the perimeter fencing had openings greater than four inches; the step edge tile stripe was not within one inch of the step edge; one of the "No Lifeguard On Duty - Swim At Your Own Risk" signs was damaged and one of the "No Lifeguard On Duty - Swim At Your Own Risk" signs did not have the correct sized lettering; the pool walls were dirty; the deck was not clean and clear of hazards; the water level was too high; the gate did not self-close and latch; the chlorine level was not within the acceptable range of water quality standards; both of the "Shallow Water - No Diving Allowed" signs were damaged; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

21) Order Type and Number: Consent Order 16-138-RW  
Order Date: October 24, 2016  
Individual/Entity: **Ghanshyam, Corp.**  
Facility: Quality Inn  
Location: 719 Bypass 25 North East  
Greenwood, SC 29646  
Mailing Address: Same  
County: Greenwood  
Previous Orders: 13-158-DW (\$400.00)  
Permit/ID Number: 24-013-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Ghanshyam, Corp. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 20, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the deck had uneven sharp edges; the gate did not self-close and latch; there was no drinking water fountain; there was no foot rinse shower; the pH level was not within the acceptable range of water quality standards; the life ring did not have a permanently attached rope and was not properly hung in its designated location; the shepherd's crook was missing a bolt; the "No Lifeguard On Duty – Swim At Your Own Risk" signs did not have the correct sized lettering or wording; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

22) Order Type and Number: Consent Order 16-139-RW  
Order Date: October 24, 2016  
Individual/Entity: **Kirtan Hospitality, Inc.**  
Facility: Holiday Inn Express & Suites  
Location: 110 Birchtree Drive  
Greenwood, SC 29649  
Mailing Address: Same  
County: Greenwood  
Previous Orders: None  
Permit/ID Number: 24-051-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Kirtan Hospitality, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 3, 2016, and July 22, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: algae was present on the pool walls; the pool furniture was not at least four feet from the pool edge; there was debris in the skimmer baskets; the drinking water fountain was not operating properly; the foot rinse shower was not operating properly; the chlorine and pH levels were

not within the acceptable range of water quality standards; the main drain grates were not in place; the life ring was not properly hung in its designated location; the emergency notification device was not operational; the bound and numbered log book was not maintained on a daily basis; and, the recirculation and filtration system was leaking.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

23)	<u>Order Type and Number:</u>	Consent Order 16-140-RW
	<u>Order Date:</u>	October 24, 2016
	<u>Individual/Entity:</u>	<b>G6 Hospitality Property, LLC</b>
	<u>Facility:</u>	Motel 6
	<u>Location:</u>	105 Jones Road Spartanburg, SC 29303
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Spartanburg
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	42-145-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: G6 Hospitality Property, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 31, 2016, and July 18, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing step treads; the chlorine and pH levels were not within the acceptable range of water quality standards; the "Shallow Water - No Diving Allowed" signs did not have the correct sized lettering or the correct wording; the "No Lifeguard On Duty - Swim At Your Own Risk" signs did not have the correct sized lettering or the correct wording; the bound and numbered log book was not available for review on the first inspection and was not maintained on a daily basis on the second inspection; the disinfection equipment was not operating; there were chlorine sticks in the skimmer baskets on the first inspection and there was debris in the skimmer baskets on the second inspection; and, the current pool operator of record information was not posted to the public.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

24)	<u>Order Type and Number:</u>	Consent Order 16-141-RW
	<u>Order Date:</u>	October 25, 2016
	<u>Individual/Entity:</u>	<b>9 Marina, LLC</b>
	<u>Facility:</u>	Days Inn Hilton Head
	<u>Location:</u>	9 Marina Side Drive

Hilton Head Island, SC 29928  
Mailing Address: Same  
County: Beaufort  
Previous Orders: 15-107-RW (\$680.00)  
Permit/ID Number: 07-379-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: 9 Marina, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 7, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a skimmer was missing a weir; the life ring was missing beackets; the pool rules sign was not completely filled out; the facility could not produce current valid documentation of pool operator certification; the bound and numbered log book was not maintained on a daily basis; and, there were chlorine sticks in the skimmer baskets.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

25) Order Type and Number: Consent Order 16-142-RW  
Order Date: October 26, 2016  
Individual/Entity: **Mid Carolina Club, Inc.**  
Facility: Mid Carolina Country Club  
Location: 3593 Kibler Bridge Road  
Prosperity, SC 29127  
Mailing Address: Same  
County: Newberry  
Previous Orders: None  
Permit/ID Number: 36-025-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Mid Carolina Club, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 30, 2016, and August 4, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the pool floor and walls were not clean; the skimmers were missing weirs; there was no drinking water fountain; the "Shallow Water - No Diving Allowed" signs did not have the appropriate wording; only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted; the current pool operator of record information was not posted to the public; there were chlorine sticks in the skimmer baskets; some of the depth marker tiles were broken; the deck was uneven with sharp edges; the chlorine level was not within the acceptable range of water quality standards; and, the pool rules sign was not legible.



Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

26) Order Type and Number: Consent Order 16-143-RW  
Order Date: October 28, 2016  
Individual/Entity: **Blackstock Hotel, LLC**  
Facility: Comfort Suites  
Location: 458 West Blackstock Road  
Spartanburg, SC 29301  
Mailing Address: Same  
County: Spartanburg  
Previous Orders: None  
Permit/ID Number: 42-1072D  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Blackstock Hotel, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a spa. On June 24, 2016, and July 29, 2016, the spa was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the cyanuric acid level was above the water quality standards acceptable limit; the chlorine level was not within the acceptable range of water quality standards; the spa rules sign was faded and was not completely filled out; and, the current pool operator of record information was not posted to the public.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**). The civil penalty has been paid.

27) Order Type and Number: Consent Order 16-144-RW  
Order Date: October 28, 2016  
Individual/Entity: **Preserve at Port Royal, LLC**  
Facility: Preserve at Port Royal  
Location: 1 Preserve Avenue West  
Port Royal, SC 29935  
Mailing Address: 5425 Peachtree Parkway  
Norcross, GA 30092  
County: Beaufort  
Previous Orders: None  
Permit/ID Number: 07-1097B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Preserve at Port Royal, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 3, 2016, and July 6, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The

Individual/Entity has violated the Public Swimming Pools Regulation as follows: a handrail was not tight and secure; the chlorine level was not within the acceptable range of water quality standards; and, only one "Shallow Water – No Diving Allowed" sign was posted.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

28)	<u>Order Type and Number:</u>	Consent Order 16-145-RW
	<u>Order Date:</u>	October 28, 2016
	<u>Individual/Entity:</u>	<b>Jai Jala, Inc.</b>
	<u>Facility:</u>	Days Inn Cheraw
	<u>Location:</u>	820 Market Street Cheraw, SC 29520
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Chesterfield
	<u>Previous Orders:</u>	None
	<u>Permit/ID Number:</u>	13-010-1
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-51(J)

Summary: Jai Jala, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 30, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the foot rinse shower was not operating properly; there was no drinking water fountain; the pH level was not within the acceptable range of water quality standards; the life ring was too short; the emergency notification device was not accessible; the pool rules sign was not completely filled out; there were no "Shallow Water – No Diving Allowed" signs posted; there were no "No Lifeguard On Duty – Swim At Your Own Risk" signs posted; the facility could not produce current valid documentation of pool operator certification; and, the bound and numbered log book was not available for review.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of three hundred forty dollars (**\$340.00**).

29)	<u>Order Type and Number:</u>	Consent Order 16-146-RW
	<u>Order Date:</u>	October 28, 2016
	<u>Individual/Entity:</u>	<b>Greenville Multifamily Partners, LLC</b>
	<u>Facility:</u>	Hampton Inn Beaufort
	<u>Location:</u>	660 Halton Road Greenville, SC 29607
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Greenville
	<u>Previous Orders:</u>	None

Permit/ID Number: 23-292-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Greenville Multifamily Partners, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 24, 2016, and June 30, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the gate did not self-close and latch; the chlorine and pH levels were not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; the facility could not produce current valid documentation of pool operator certification; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars (**\$680.00**).

30) Order Type and Number: Consent Order 16-147-RW  
Order Date: October 31, 2016  
Individual/Entity: **Grand Harbor Club, LLC**  
Facility: Retreat at Grand Harbor  
Location: 300 Abercrombie Pointe  
Ninety Six, SC 29666  
Mailing Address: Same  
County: Greenwood  
Previous Orders: None  
Permit/ID Number: 24-1008B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J) & 61-51(K)(1)(c)

Summary: Grand Harbor Club, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 6, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain; and, on June 24, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain and for re-opening prior to receiving Department approval. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: there was debris in the skimmer baskets; the gate did not self-close and latch; the foot rinse shower was not operating properly; the chlorine and pH levels were not within the acceptable range of water quality standards; the main drain grates were not visible due to cloudy water; the emergency notification device was not operational; the log book was not properly bound and numbered; the automatic controller was not operable; and, the pool was operating prior to receiving Department approval.

Action: The Individual/Entity is required to: keep the pool closed until the deficiencies have been corrected; submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of one thousand, twenty dollars (**\$1,020.00**). The civil penalty has been paid.

31) Order Type and Number: Consent Order 16-148-RW  
Order Date: October 28, 2016  
Individual/Entity: **The Courtyard II at Myrtle Beach Homeowner's Association, Inc.**  
Facility: Courtyard II at Myrtle Beach  
Location: 755 Burcale Road  
Myrtle Beach, SC 29579  
Mailing Address: Same  
County: Horry  
Previous Orders: None  
Permit/ID Number: 26-927-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: The Courtyard II at Myrtle Beach Homeowner's Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 2, 2016, August 1, 2016, and September 9, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was not tight and secure; the gate did not self-close and latch; there was no drinking water fountain; the chlorine and pH levels were not within the acceptable range of water quality standards; the cyanuric acid level was above the water quality standards acceptable limit; and, the life ring rope was too short.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of two thousand, forty dollars (**\$2,040.00**).

32) Order Type and Number: Consent Order 16-149-RW  
Order Date: October 31, 2016  
Individual/Entity: **Fernlakes Homeowner's Association, Inc.**  
Facility: Fernlakes  
Location: Fernlakes Drive  
Bluffton, SC 29910  
Mailing Address: 2 Corpus Christi Place, Suite 302  
Hilton Head Island, SC 29928  
County: Beaufort  
Previous Orders: None  
Permit/ID Number: 07-473-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Fernlakes Homeowner's Association, Inc. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 10, 2016, and July 18, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: a ladder was missing bumpers; a skimmer was missing a weir; the chlorine level was

not within the acceptable range of water quality standards; only one "Shallow Water – No Diving Allowed" sign was posted; only one "No Lifeguard On Duty – Swim At Your Own Risk" sign was posted; and, the facility could not produce current valid pool operator of record certification.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

33) Order Type and Number: Consent Order 16-151-RW  
Order Date: October 31, 2016  
Individual/Entity: **JHM Pelham Road Hotel, LLC**  
Facility: Fairfield Inn  
Location: 48 Fisherman Lane  
Greenville, SC 29072  
Mailing Address: 115 The Parkway  
Greenville, SC 29615  
County: Greenville  
Previous Orders: None  
Permit/ID Number: 23-503-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: JHM Pelham Road Hotel, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On July 7, 2016, and August 3, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: only one "Shallow Water – No Diving Allowed" sign was posted; the chlorine level was not within the acceptable range of water quality standards; and, only one "No Lifeguard On Duty - Swim At Your Own Risk" sign was posted.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**. The civil penalty has been paid. The Individual/Entity submitted a corrective action plan and corrected the deficiencies.

34) Order Type and Number: Consent Order 16-152-RW  
Order Date: October 31, 2016  
Individual/Entity: **Mitul Enterprises, L.P.**  
Facility: Econo Lodge  
Location: 2227 Boundary Street  
Beaufort, SC 29902  
Mailing Address: Same  
County: Beaufort  
Previous Orders: None  
Permit/ID Number: 07-312-1

Violations Cited:

S.C. Code Ann. Regs. 61-51(J)

Summary: Mitul Enterprises, L.P. (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 1, 2016, and July 8, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the lifeline floats were not properly spaced; a ladder was missing bumpers; the pool walls were not clean; the pH level was not within the acceptable range of water quality standards; and, the bound and numbered log book was not maintained on a daily basis.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

35) Order Type and Number: Consent Order 16-153-RW  
Order Date: October 31, 2016  
Individual/Entity: **Lennar Carolinas, LLC**  
Facility: Carolina Reserve  
Location: 1052 Wallace Lake Road  
Fort Mill, SC 29707  
Mailing Address: Same  
County: Lancaster  
Previous Orders: None  
Permit/ID Number: 29-1038B  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: Lennar Carolinas, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On June 9, 2016, and June 27, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the handrail did not reach the bottom step; a light in the pool wall was not in its niche; the pH level was not within the acceptable range of water quality standards; the pool rules sign was not completely filled out; only one "No Lifeguard On Duty – Swim At Your Own Risk" sign was posted; the facility could not produce current valid documentation of pool operator certification; the log book was not properly bound and was not maintained on a daily basis; and, there were chlorine sticks in the skimmer baskets.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of six hundred eighty dollars **(\$680.00)**.

36) Order Type and Number: Consent Order 16-154-RW  
Order Date: October 31, 2016  
Individual/Entity: **RMP, LLC**  
Facility: Comfort Inn

Location: 1201 Highway 17 North  
Surfside Beach, SC 29575  
Mailing Address: Same  
County: Horry  
Previous Orders: None  
Permit/ID Number: 26-P74-1  
Violations Cited: S.C. Code Ann. Regs. 61-51(J)

Summary: RMP, LLC (Individual/Entity) owns and is responsible for the proper operation and maintenance of a pool. On May 31, 2016, July 1, 2016, and July 25, 2016, the pool was inspected and a violation was issued for failure to properly operate and maintain. The Individual/Entity has violated the Public Swimming Pools Regulation as follows: the water level was too low; and, the chlorine and pH levels were not within the acceptable range of water quality standards.

Action: The Individual/Entity is required to: submit a corrective action plan and schedule of implementation to address the deficiencies; and, pay a civil penalty in the amount of two thousand, forty dollars (**\$2,040.00**).

### **Drinking Water Enforcement**

37) Order Type and Number: Consent Order 16-052-DW  
Order Date: October 4, 2016  
Individual/Entity: **Town of Kingstree**  
Facility: Town of Kingstree  
Location: 401 North Longstreet Street  
Kingstree, SC 29556  
Mailing Address: Same  
County: Williamsburg  
Previous Orders: None  
Permit/ID Number: 4510002  
Violations Cited: S.C. Code Ann. Regs. 61-58.7

Summary: The Town of Kingstree (Individual/Entity) owns and is responsible for the proper operation and maintenance of a public water system (PWS). On July 26, 2016, the PWS was inspected and rated needs improvement for failure to properly operate and maintain. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: the well houses and the chlorine tank rooms were not locked or did not have the ability to be locked to prevent unauthorized access; documentation of valve locations and valve maintenance was incomplete; the leak detection and repair program provided did not detail what materials are used to repair leaks found within the system; and, the water audit provided was incomplete.

Action: The Individual/Entity is required to: correct the deficiencies; and, pay a **stipulated penalty** in the amount of four thousand dollars (**\$4,000.00**) should any requirement of the Order not be met.

38) Order Type and Number: Consent Order 16-053-DW  
Order Date: October 25, 2016  
Individual/Entity: **Agracel, Inc.**  
Facility: Agracel Owings Logistics Center  
Location: 291 Professional Park Road  
Clinton, SC 29325  
Mailing Address: P.O. Box 1107  
Effingham, IL 62401  
County: Laurens  
Previous Orders: None  
Permit/ID Number: 30727-WS  
Violations Cited: S.C. Code Ann. Regs. 61-58.1.K(1)

Summary: Agracel, Inc. (Individual/Entity) owns and is responsible for the proper operation of a drinking water distribution system to serve the Agracel Owings Logistics Center (Site). On August 5, 2016, the Site was inspected and it was determined that the distribution system had been placed into operation without obtaining written approval to operate from the Department. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: failed to obtain written approval to operate from the Department prior to placing a drinking water distribution system into operation.

Action: The Individual/Entity is required to: pay a civil penalty in the amount of one thousand dollars (**\$1,000.00**). On September 8, 2016, the Department issued final approval to place the drinking water distribution system into operation. The civil penalty has been paid.

39) Order Type and Number: Consent Order 16-054-DW  
Order Date: October 27, 2016  
Individual/Entity: **Colt Farms, Inc.**  
Facility: Colt Farms  
Location: 640 Anderson Road  
Wagener, SC 29164  
Mailing Address: Same  
County: Aiken  
Previous Orders: None  
Permit/ID Number: None  
Violations Cited: S.C. Code Ann. Regs. 61-58.1.B & 61-58.1.K(1)

Summary: Colt Farms, Inc. (Individual/Entity) owns and is responsible for the proper construction, installation, and operation of a public water system to serve Colt Farms (Site).



On August 16, 2016, the Site was inspected and it was determined that an unpermitted public supply well was being used to serve the Site, which was originally permitted and installed as an irrigation well. The Individual/Entity has violated the State Primary Drinking Water Regulations as follows: failed to obtain a permit to construct from the Department prior to the construction of a public supply well and failed to obtain written approval to operate from the Department prior to placing the newly constructed public supply well into operation.

Action: The Individual/Entity is required to: submit a complete application, with the associated fee, and obtain the required Small Business Water System Construction Permit to install a public supply well to serve the Site; complete the construction of the public supply well in accordance with the permit and obtain written approval to operate the public supply well; submit a written request for the intended use of the irrigation well located at the Site; pay a civil penalty in the amount of three thousand four hundred dollars (**\$3,400.00**); and, pay a stipulated penalty in the amount of three thousand four hundred dollars (\$3,400.00) should any requirement of the Order not be met.

### **Water Pollution Enforcement**

40) <u>Order Type and Number:</u>	Consent Order 16-034-W
<u>Order Date:</u>	October 4, 2016
<u>Individual/Entity:</u>	<b>City of Spartanburg</b>
<u>Facility:</u>	Duke Power Park Clearing/Rail Trail Park
<u>Location:</u>	Old Glendale Road Spartanburg, SC 29302
<u>Mailing Address:</u>	P.O. Box 1749 Spartanburg, SC 29304
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	None
<u>Permit/ID Number:</u>	SCR 10W409
<u>Violations Cited:</u>	Pollution Control Act, S.C. Code Ann. § 48-1-90(A)(1) and 110(d)(Supp. 2015), Water Pollution Control Permits S.C. Code Ann. Regs. 24 S.C. Code Ann. Regs. 61-9.122.21(a) and 122.41(a) (2011).

Summary: The City of Spartanburg (Individual/Entity) is responsible for land disturbing activity located in Spartanburg County, South Carolina. On June 20, 2016, the Department forwarded inspection findings notifying the Individual/Entity of deficiencies and unsatisfactory conditions at the Site. The Individual/Entity has violated the Pollution Control Act and Water Pollution Control Permit Regulations as follows: failed to comply with the conditions of its National Pollutant Discharge Elimination System (NPDES) permit and discharged sediment into the environment in a manner other than in compliance with its NPDES permit

Action: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies, or, submit a Notice of Termination certifying that final stabilization

has been achieved in accordance with the NPDES permit; and, pay a civil penalty in the amount of four thousand, four hundred and fifty-three dollars **(\$4,453.00)**.

41) Order Type and Number: Consent Order 16-035-W  
Order Date: October 25, 2016  
Individual/Entity: **Town of Jefferson**  
Facility: Town of Jefferson WWTF  
Location: SC Hwy. 265  
Jefferson, SC 29718  
Mailing Address P.O. Box 306  
Jefferson, SC 29718  
County: Chesterfield  
Previous Orders: None  
Permit/ID Number: NPDES permit SC0024767  
Violations Cited: Pollution Control Act, S.C Code Ann § 48-1-110(d) (Supp. 2015), Water Pollution Control Permits, 3 S.C. Code Ann. Regs. 61-9.122.41(a)(1) (2011), and National Pollutant Discharge Elimination System Permit Number SC0024767.

Summary: The Town of Jefferson (Individual/Entity) owns and is responsible for the proper operation and maintenance of the Town of Jefferson Wastewater Treatment Facility, located in Chesterfield County, South Carolina. On April 12, 2016, a Notice of Violation was issued as a result of Discharge Monitoring Reports received by the Department. The Individual/Entity has violated the Pollution Control Act, Water Pollution Control Permits Regulation and National Pollutant Discharge Elimination System (NPDES) permit SC0024767 as follows: failed to comply with effluent discharge limits of its NPDES permit for Escherichia Coli (E. Coli).

Action: The Individual/Entity is required to: submit a corrective action plan to address the deficiencies; conduct a comprehensive maintenance, operation and management (CMOM) audit of the wastewater collection system (WWCS); submit an action plan addressing identified deficiencies; and, pay a civil penalty in the amount of one thousand, four hundred dollars **(\$1,400.00)**.

#### **BUREAU OF AIR QUALITY**

42) Order Type and Number: Consent Order 16-031-A  
Order Date: October 25, 2016  
Individual/Entity: **SantoLubes Manufacturing LLC**  
Facility: SantoLubes Manufacturing LLC  
Location: 2155 W. Croft Circle  
Spartanburg, SC 29302  
Mailing Address: P.O. Box 6740

	Spartanburg, SC 29304
<u>County:</u>	Spartanburg
<u>Previous Orders:</u>	11-049-A (\$7,800); 15-016-A (\$4,000)
<u>Permit/ID Number:</u>	2060-0029
<u>Violations Cited:</u>	U.S. Environmental Protection Agency Regulations at 40 CFR Part 68, and 5 South Carolina Code Ann. Regs. 61-62.68, Chemical Accident Prevention Provisions

Summary: SantoLubes Manufacturing LLC (Individual/Entity) manufactures synthetic oils and other specialty chemicals. On April 14, 2015, the Department conducted a comprehensive inspection. The Individual/Entity violated U.S. EPA Regulations at 40 CFR and South Carolina Air Pollution Control Regulations as follows: failed to maintain data used to estimate population and environmental receptors potentially affected by a release; failed to address in its PSI, the following elements pertaining to the technology of the process: process chemistry; maximum intended inventory; safe upper and lower limits for such items as temperatures, pressures, flows or compositions; and an evaluation of the consequences of deviations; failed to address in its PSI, the following elements pertaining to the equipment in the process: electrical classification; relief system design and design basis; ventilation system design; design codes and standards employed; and safety systems; failed to address in its PHA, stationary source siting and a qualitative evaluation of a range of the possible safety and health effects of failure of controls; failed to document that it resolved the recommendations from the PHA team in a timely manner, and failed to demonstrate that it communicated the actions resulting from the PHA to operating, maintenance and other employees whose work assignments are in the process and who may be affected by the recommendations or actions; failed to address in its written operating procedures both temporary operations and emergency shutdown, including conditions for an emergency shutdown and the assignment of shutdown responsibility to qualified operators; failed to demonstrate that it trained each employee involved in maintaining the on-going integrity of process equipment; failed to document that it inspected and tested process equipment as required by the 112(r) Regulations; failed to certify that it evaluated compliance with the applicable provisions for compliance audits conducted on October 19, 2010, and September 24, 2013; failed to develop a written plan regarding the implementation of employee participation requirements; and, failed to obtain and evaluate information regarding the contract owner or operator's safety performance and programs when selecting a contractor, and periodically evaluate the performance of the contract owner or operator.

Action: The Individual/Entity is required to: maintain all applicable information required for offsite consequence analyses; maintain all applicable documentation for its PSI and PHA; maintain records of written operating procedures that include all required elements and information; maintain all applicable training documentation; maintain all applicable documentation required by the mechanical integrity procedures; maintain certifications for future compliance audits; obtain and evaluate information regarding the contract owner or operator's safety performance and programs, and periodically evaluate the performance of the contract owner or operator in fulfilling their obligations; submit to the Department documentation required by the regulations; and, pay a civil penalty in the amount of fourteen thousand dollars (**\$14,000.00**).

43) Order Type and Number: Consent Order 16-032-A  
Order Date: October 31, 2016  
Individual/Entity: **Patel & Pournaras, LLC**  
Facility: Keenan Building, 6 Story Building, and 3 Story Building  
Location: 1310 Lady Street and 1224 Sumter Street  
Columbia, SC 29201  
Mailing Address: P.O. Box 12383  
Columbia, SC 29211  
County: Richland  
Previous Orders: None  
Permit/ID Number: None  
Violations Cited: U.S. Environmental Protection Agency ("EPA")  
Regulations at 40 CFR 61, National Emission Standards for Hazardous Air Pollutants,  
Subpart M, National Emission Standard for Asbestos, and 7 South Carolina Code  
Ann. Regs. 61-86.1, Standards of Performance for Asbestos Projects

Summary: Patel & Pournaras, LLC (Individual/Entity) owns three inter-connected mixed use commercial buildings located at 1310 Lady Street and 1224 Sumter Street in Columbia, South Carolina (Site). The Individual/Entity contracted multiple contractors to perform various renovation activities at the Site. On May 12, 2014, May 13, 2014, May 14, 2014, October 30, 2014, March 6, 2015, and March 9, 2015, the Department conducted investigations at the Site. The Individual/Entity violated U.S. EPA and South Carolina Standards of Performance for Asbestos Projects as follows: failed to conduct an asbestos building inspection prior to the start of a renovation; failed to adhere to notification and licensing requirements for NESHAP-sized and Minor asbestos abatement projects; and, failed to adhere to work practice requirements for NESHAP-sized and Minor asbestos abatement projects including preparation, removal, clean-up, disposal, and air monitoring.

Action: The Individual/Entity is required to: comply with Federal and State Standards of Performance for Asbestos Projects including but not limited to: ensuring that a current and complete building inspection is performed prior to any renovation activity; ensuring that notification, licensing, and fee payment requirements are completed; ensuring that all persons engaged in an asbestos project involving RACM, or ACM rendered regulated, are licensed to do so by the Department; ensuring that a company hired to remove RACM, or ACM rendered regulated, is a Department-licensed asbestos abatement contractor; and ensuring compliance with all applicable work practice, disposal, and air monitoring requirements for any asbestos project; and, pay a civil penalty in the amount of seventeen thousand, five hundred dollars (**\$17,500.00**) in installments.

44) Order Type and Number: Consent Order 16-033-A  
Order Date: October 31, 2016  
Individual/Entity: **Demolition and Environmental Companies LLC**

Facility: Asbestos Projects – Ashley Shores; Broad Street; Charleston Airport  
Location: 3819 Ashley Shores Drive, North Charleston, SC; 310 Broad Street, Charleston, SC; 6500 International Blvd., North Charleston, SC  
Mailing Address: P.O. Box 61900  
North Charleston, SC 29419  
County: Charleston  
Previous Orders: None  
Permit/ID Number: CO-000424  
Violations Cited: U.S. Environmental Protection Agency (“EPA”) Regulations at 40 CFR 61, National Emission Standards for Hazardous Air Pollutants (NESHAP), Subpart M, National Emission Standard for Asbestos, and 7 South Carolina Code Ann. Regs. 61-86.1, Standards of Performance for Asbestos Projects

Summary: Demolition and Environmental Companies LLC (Individual/Entity), is a Department licensed asbestos abatement contractor who engaged in regulated asbestos projects at the Ashley Shores Townhouse development (Ashley Shores Site), the Sergeant Jasper apartment building (Broad Street Site), and the Charleston Airport Exterior Wall Concourse A (Charleston Airport Site). The Department conducted inspections at the Sites on October 21, 2014, March 23, 2015, and August 21, 2015. The Individual/Entity violated U.S. EPA and South Carolina Standards of Performance for Asbestos Projects as follows: failed to ensure that each worker employed at the project site met the applicable training and licensing requirements; failed to ensure that at least one licensed supervisor remains inside the regulated work area while abatement of RACM was being conducted; failed to construct a proper decontamination enclosure; failed to ensure that a thorough and complete asbestos building inspection was performed prior to commencement of renovation or demolition activities; failed to comply with applicable work practice requirements for a NESHAP project, including preparation, removal, cleanup, and disposal of all RACM; failed to ensure that areas exceeding clearance standards were re-cleaned using wet methods and HEPA vacuuming; failed to ensure that all asbestos-containing waste material was properly contained in sealed, leak-tight containers; failed to ensure no release of visible emissions during preparation, removal, or cleanup; and, failed to ensure that the sequence of wet cleaning and vacuuming is repeated until no visible residue can be observed at the Charleston Airport Site.

Action: The Individual/Entity is required to: comply with all requirements of Subpart M and regulation 61-86.1, including but not limited to: ensuring that a current and complete building inspection is performed prior to any renovation or demolition activity; ensuring that each worker employed at the project site meets the applicable training and licensing requirements prior to engaging in a regulated asbestos project; ensuring that at least one licensed supervisor remains inside the regulated work area while abatement of RACM is being conducted; and, ensuring compliance with all applicable work practice, disposal, and air monitoring requirements for any asbestos project; and, pay a civil penalty in the amount of twenty thousand dollars (**\$20,000.00**), payable in ten equal payments.

**BUREAU OF ENVIRONMENTAL HEALTH SERVICES**

45)    Order Type and Number:                    Consent Order 2015-206-04-012  
      Order Date:                                October 4, 2016  
      Individual/Entity:                        **Golden Crown Restaurant**  
      Facility:                                 Golden Crown Restaurant  
      Location:                                 300 Whitman Avenue  
  Florence, SC 29501  
  
      Mailing Address:                        Same  
      County:                                  Florence  
      Previous Orders:                        2014-206-04-030 (\$500.00)  
      Permit Number:                         21-206-02474  
      Violations Cited:                      S.C. Code Ann. Regs. 61-25

Summary: Golden Crown Restaurant (Individual/Entity) is a restaurant located in Florence, South Carolina. The Department conducted inspections on August 10, 2015, and August 1, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, two hundred dollars **(\$1,200.00)**.

46)    Order Type and Number:                    Consent Order 2016-206-03-040  
      Order Date:                                October 4, 2016  
      Individual/Entity:                        **Flaming Grill**  
      Facility:                                 Flaming Grill  
      Location:                                 115 Afton Court  
  Columbia, SC 29212  
  
      Mailing Address:                        Same  
      County:                                  Lexington  
      Previous Orders:                        None  
      Permit Number:                         32-206-06518  
      Violations Cited:                      S.C. Code Ann. Regs. 61-25

Summary: Flaming Grill (Individual/Entity) is a restaurant located in Columbia, South Carolina. The Department conducted inspections on April 25, 2016, May 4, 2016, and June 9, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, two hundred dollars **(\$1,200.00)**.

47)	<u>Order Type and Number:</u>	Consent Order 2015-206-06-113
	<u>Order Date:</u>	October 4, 2016
	<u>Individual/Entity:</u>	<b>S A Guerry &amp; Son</b>
	<u>Facility:</u>	S A Guerry & Son
	<u>Location:</u>	16 Twins Road Kingstree, SC 29556
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Williamsburg
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	45-206-00405
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: S A Guerry & Son (Individual/Entity) is a convenience store located in Kingstree, South Carolina. The Department conducted inspections on September 29, 2015, October 19, 2015, November 24, 2015, December 7, 2015, and December 15, 2015. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to provide soap and paper towels at the hand sinks; and failed to ensure sewage was disposed of through an approved wastewater system.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of two thousand dollars (**\$2,000.00**).

48)	<u>Order Type and Number:</u>	Consent Order 2016-206-02-009
	<u>Order Date:</u>	October 4, 2016
	<u>Individual/Entity:</u>	<b>Bake and Cook Thai Restaurant</b>
	<u>Facility:</u>	Bake and Cook Thai Restaurant
	<u>Location:</u>	405 College Avenue, Unit 260 Clemson, SC 29631
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Pickens
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	39-206-01890
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Bake and Cook Thai Restaurant (Individual/Entity) is a restaurant located in Clemson, South Carolina. The Department conducted inspections on December 10, 2015, and February 2, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to clean the food contact surfaces of equipment between working with raw foods and ready-to-eat foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

49) Order Type and Number: Consent Order 2016-208-04-001  
Order Date: October 5, 2016  
Individual/Entity: **Lee Central High School**  
Facility: Lee Central High School  
Location: 1800 Wisacky Road  
Bishopville, SC 29010  
Mailing Address: Same  
County: Lee  
Previous Orders: None  
Permit Number: 31-208-00135  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Lee Central High School (Individual/Entity) operates a school cafeteria located in Bishopville, South Carolina. The Department conducted an inspection on April 20, 2015, May 3, 2016, and May 12, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, two hundred dollars (**\$1,200.00**).

50) Order Type and Number: Consent Order 2016-206-06-029  
Order Date: October 13, 2016  
Individual/Entity: **Kobe Express**  
Facility: Kobe Express  
Location: 1610 Highway 17 South, Suite F  
Surfside Beach, SC 29515  
Mailing Address: Same  
County: Horry  
Previous Orders: None  
Permit Number: 26-206-12521  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Kobe Express (Individual/Entity) is a restaurant located in Surfside Beach, South Carolina. The Department conducted inspections on July 21, 2015, and February 17, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to store foods in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).



51) Order Type and Number: Consent Order 2016-206-03-037  
Order Date: October 17, 2016  
Individual/Entity: **Chapala Mexican Restaurant**  
Facility: Chapala Mexican Restaurant  
Location: 7001 St. Andrews Road  
Irmo, SC 29212  
Mailing Address: Same  
County: Lexington  
Previous Orders: None  
Permit Number: 32-206-06110  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Chapala Mexican Restaurant (Individual/Entity) is a restaurant located in Irmo, South Carolina. The Department conducted inspections on June 9, 2015, and April 5, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to store foods in a manner to prevent cross contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

52) Order Type and Number: Consent Order 2016-206-07-004  
Order Date: October 17, 2016  
Individual/Entity: **La Hacienda of Mt. Pleasant, Inc.**  
Facility: La Hacienda of Mt. Pleasant, Inc.  
Location: 3050 South Morgans Point Road  
Mount Pleasant, SC 29466  
Mailing Address: Same  
County: Charleston  
Previous Orders: None  
Permit Number: 10-206-08703  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: La Hacienda of Mt. Pleasant, Inc. (Individual/Entity) is a restaurant located in Mount Pleasant, South Carolina. The Department conducted inspections on July 23, 2015, and January 21, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

53) Order Type and Number: Consent Order 2016-206-05-004  
Order Date: October 17, 2016  
Individual/Entity: **Country Inn & Suites**  
Facility: Country Inn & Suites  
Location: 731 Citadel Drive  
Orangeburg, SC 29118  
Mailing Address: Same  
County: Orangeburg  
Previous Orders: None  
Permit Number: 38-206-02556  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Country Inn & Suites (Individual/Entity) operates a breakfast buffet located in Orangeburg, South Carolina. The Department conducted inspections on June 24, 2016, and June 30, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

54) Order Type and Number: Consent Order 2016-206-08-020  
Order Date: October 17, 2016  
Individual/Entity: **Luthers**  
Facility: Luthers  
Location: 910 Bay Street  
Beaufort, SC 29902  
Mailing Address: Same  
County: Beaufort  
Previous Orders: None  
Permit Number: 07-206-01997  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Luthers (Individual/Entity) is a restaurant located in Beaufort, South Carolina. The Department conducted inspections on July 14, 2015, and May 25, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

55) Order Type and Number: Consent Order 2016-206-07-031

Order Date: October 17, 2016  
Individual/Entity: **High Cotton of Charleston**  
Facility: High Cotton of Charleston  
Location: 199 East Bay Street  
Charleston, SC 29403  
Mailing Address: 434 King Street  
Charleston, SC 29403  
County: Charleston  
Previous Orders: None  
Permit Number: 10-206-09637  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: High Cotton of Charleston (Individual/Entity) is a restaurant located in Charleston, South Carolina. The Department conducted inspections on June 2, 2016, and June 8, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure cooked time/temperature control for safety foods were cooled within 6 hours to 41 degrees F.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

56) Order Type and Number: Consent Order 2016-206-03-014  
Order Date: October 18, 2016  
Individual/Entity: **Los Mariachis**  
Facility: Los Mariachis  
Location: 1217 Highway 9 Bypass West  
Lancaster, SC 29720  
Mailing Address: Same  
County: Lancaster  
Previous Orders: None  
Permit Number: 29-206-00839  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Los Mariachis (Individual/Entity) is a restaurant located in Lancaster, South Carolina. The Department conducted inspections on February 16, 2016, and April 18, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to ensure employees washed their hands between tasks or working with foods, prior to donning gloves.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

57) Order Type and Number: Consent Order 2015-206-04-011

Order Date: October 18, 2016  
Individual/Entity: **Mickey's Restaurant**  
Facility: Mickey's Restaurant  
Location: 114 Maple Street  
Pageland, SC 29728  
Mailing Address: Same  
County: Chesterfield  
Previous Orders: None  
Permit Number: 13-206-01072  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Mickey's Restaurant (Individual/Entity) is a restaurant located in Pageland, South Carolina. The Department conducted inspections on March 12, 2015, and February 25, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars **(\$800.00)**.

58) Order Type and Number: Consent Order 2016-206-07-035  
Order Date: October 20, 2016  
Individual/Entity: **Pan Super Buffet**  
Facility: Pan Super Buffet  
Location: 9970 Dorchester Road, Unit A  
Summerville, SC 29485  
Mailing Address: Same  
County: Dorchester  
Previous Orders: 2015-206-07-046 (\$800.00)  
Permit Number: 18-206-07403  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Pan Super Buffet (Individual/Entity) is a restaurant located in Summerville, South Carolina. The Department conducted an inspection on June 2, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of six hundred dollars **(\$600.00)**.

59) Order Type and Number: Consent Order 2016-206-07-040  
Order Date: October 26, 2016

<u>Individual/Entity:</u>	<b>Inn at Middleton Place</b>
<u>Facility:</u>	Inn at Middleton Place
<u>Location:</u>	4290 Ashley River Road Charleston, SC 29414
<u>Mailing Address:</u>	Same
<u>County:</u>	Dorchester
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	18-206-00966
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Inn at Middleton Place (Individual/Entity) operates a restaurant located in Charleston, South Carolina. The Department conducted inspections on July 1, 2015 and June 27, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

60)	<u>Order Type and Number:</u>	Consent Order 2015-206-06-065
	<u>Order Date:</u>	October 26, 2016
	<u>Individual/Entity:</u>	<b>Pool Side Grill</b>
	<u>Facility:</u>	Pool Side Grill
	<u>Location:</u>	100 North Beach Blvd. North Myrtle Beach, SC 29582
	<u>Mailing Address:</u>	Same
	<u>County:</u>	Horry
	<u>Previous Orders:</u>	None
	<u>Permit Number:</u>	26-206-12385
	<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Pool Side Grill (Individual/Entity) is a restaurant located in North Myrtle Beach, South Carolina. The Department conducted inspections on August 11, 2015, and August 8, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

61)	<u>Order Type and Number:</u>	Consent Order 2016-206-01-027
	<u>Order Date:</u>	October 26, 2016
	<u>Individual/Entity:</u>	<b>Roy's Diner</b>

Facility: Roy's Diner  
Location: 1527 S. Main St.  
Anderson, SC 29624  
Mailing Address: Same  
County: Anderson  
Previous Orders: None  
Permit Number: 04-206-00956  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Roy's Diner (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on May 26, 2015, and May 23, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

62) Order Type and Number: Consent Order 2016-206-01-029  
Order Date: October 26, 2016  
Individual/Entity: **Holiday Inn Express & Suites**  
Facility: Holiday Inn Express & Suites  
Location: 107 Interstate Blvd.  
Anderson, SC 29622  
Mailing Address: Same  
County: Anderson  
Previous Orders: None  
Permit Number: 04-206-03840  
Violations Cited: S.C. Code Ann. Regs. 61-25

Summary: Holiday Inn Express & Suites (Individual/Entity) operates a breakfast buffet located in Anderson, South Carolina. The Department conducted inspections on June 9, 2015, and May 4, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of eight hundred dollars (**\$800.00**).

63) Order Type and Number: Consent Order 2016-206-01-025  
Order Date: October 26, 2016  
Individual/Entity: **Sake Zen**  
Facility: Sake Zen

<u>Location:</u>	4403 Clemson Blvd. Anderson, SC 29621
<u>Mailing Address:</u>	None
<u>County:</u>	Anderson
<u>Previous Orders:</u>	None
<u>Permit Number:</u>	04-206-04187
<u>Violations Cited:</u>	S.C. Code Ann. Regs. 61-25

Summary: Sake Zen (Individual/Entity) is a restaurant located in Anderson, South Carolina. The Department conducted inspections on April 15, 2016, April 18, 2016, August 24, 2016, and August 26, 2016. The Individual/Entity violated the South Carolina Retail Food Establishment Regulation as follows: failed to maintain proper holding temperatures of time/temperature control for safety foods; failed to store foods in a manner to prevent cross contamination; and failed to ensure employees washed hands after points of possible contamination.

Action: The Individual/Entity is required to: operate and maintain the facility in accordance with the requirements of all applicable regulations, including S.C. Regs. 61-25; and, pay a civil penalty in the amount of one thousand, six hundred dollars (**\$1,600.00**).

---

\* Unless otherwise specified, "Previous Orders" as listed in this report include orders issued by Environmental Affairs Programs within the last five (5) years.