

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1400

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

101,979.382

**Easting  
NAD  
83(2011)**  
International  
Foot

2,053,299.944

**Elevatio  
n NAVD  
88**  
Survey Foot

15.991

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.3 MI (0.5 KM) TO THE STATION ON THE LEFT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 1.0 FT (0.3 M) SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1403 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

100,479.489

**Easting  
NAD  
83(2011)**  
International  
Foot

2,054,546.259

**Elevation  
NAVD  
88**  
Survey Foot

6.575

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 4.9 MI (7.9 KM) TO THE STATION ON THE RIGHT NEAR A WITNESS POST.

STATION IS A CONCRETE POST FLUSH WITH THE GROUND, 67.6 FT (.) NORTHWEST OF A WITNESS POST, 113.8 FT (.) WEST-SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1406

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

100,271.829

2,055,996.897

9.830

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.0 MI (1.6 KM) TO THE STATION ON THE LEFT ON THE THIRD DUNE LINE NEAR A WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 12.0 FT (3.7 M) WEST OF THE WEST EDGE OF THE WALKWAY, 2.2 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1409 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

101,225.528

2,058,855.982

11.574

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 4.0 MI (6.4 KM) TO THE STATION ON THE RIGHT NEAR A WITNESS POST

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.8 FT (.) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1412 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

103,113.851

2,061,429.111

14.065

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.4 MI (5.5 KM) TO THE STATION ON THE RIGHT NEAR A WITNESS POST ATOP THE PRIMARY DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE, FLUSH WITH THE GROUND, 4.4 FT (1.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1415

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

104,453.459

2,063,442.135

11.194

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO WEST ON GREENWOOD DRIVE FOR 3.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF LIGHTHOUSE ROAD, CONTINUE ON GREENWOOD DRIVE FOR 1.0 MI (1.6 KM) TO THE JUNCTION OF SEA PINES DRIVE, TURN RIGHT ON SOUTH SEA PINES DRIVE FOR 1.9 MI (3.1 KM) TO A CROSSWALK AND BLUFF VILLAS ON THE RIGHT, TURN LEFT ON THE CROSSWALK FOR 0.05 MI (0.1 KM) TO A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.4 MI (3.9 KM) TO THE STATION ON THE LEFT NEXT TO A WALKWAY IN A SHRUB LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 9.5 FT (2.9 M) EAST-NORTHEAST OF THE EAST EDGE OF THE WALKWAY, 1.0 FT (0.3 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1417 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

105,520.278

2,065,133.340

11.968

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 2.6 MI (4.0 KM) TO THE STATION ON THE RIGHT NEAR A WOOD SIGN (NO TRESPASSING/PROPERTY OWNERS AND GUESTS ONLY).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 6.0 FT EAST-NORTHEAST OF THE EAST EDGE OF A BOARDWALK, 35.0 FT (10.7 M) SOUTHEAST OF THE NORTHEAST CORNER OF A BOARDWALK, 3.8 FT (1.2 M) EAST-SOUTHEAST OF THE SIGN POST, 44.6 FT (13.6 M) NORTH OF THE EAST ONE OF TWO LEGS FOR A WOOD SIGN (WELCOME TO OUR BEACH), 2.7 FT (0.8 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1418

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

106,126.051

2,066,182.916

13.497

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 2.3 MI (3.7 KM) TO THE STATION ON THE RIGHT NEAR MARKER 38 AND IN FRONT OF THE NEW SEA PINES BEACH CLUB.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 29.5 FT (9.0 M) WEST-SOUTHWEST OF THE WEST EDGE OF A BOARDWALK, 39.5 FT (12.0 M) SOUTH-SOUTHWEST OF THE NORTHWEST CORNER OF A METAL GRATE IN THE BOARDWALK, 2.4 FT (0.7 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1421 F**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

107,138.166

2,067,986.617

9.007

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.9 MI (3.1 KM) TO MARKER 41A AND A BOARDWALK, AND THE STATION ON THE RIGHT ON THE SOUTHWEST SIDE OF THE BOARDWALK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 1.0 FOOT BELOW THE BOARDWALK, 12.7 FT WEST OF THE WEST EDGE OF THE BOARDWALK, 23.3 FT NORTH NORTHWEST OF A WITNESS POST, 2.0 FT NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1424

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

108,146.347

2,069,724.170

11.383

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.6 MI (2.6 KM) TO MARKER 45 AND THE STATION ON THE RIGHT IN A SHRUB LINE ON THE SECONDARY DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 13.8 FT (4.2 M) EAST OF THE EAST EDGE OF A BOARDWALK, 5.4 FT (1.6 M) WEST OF A WITNESS POST, 2.3 FT (0.7 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1427

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

109,045.54

2,071,425.41

9.66

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 (PALMETTO BAY ROAD), U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), GREENWOOD DRIVE AND POPE AVENUE, IN HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (1.6 KM) THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, BEAR RIGHT ON SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE DRIVE FOR HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE DRIVE AND BEAR LEFT THROUGH THE PARKING LOT, ALONG THE NORTHEAST SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, GO SOUTHEAST ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.2 MI (1.9 KM) TO BEACH ACCESS 49 THE STATION ON THE RIGHT NEAR A WITNESS POST.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 33.0 FT (10.1 M) WEST-SOUTHWEST OF THE WEST EDGE OF THE ACCESS PATH, 2.0 FT (0.6 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1430

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

110,038.644

2,073,330.057

10.591

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.8 MI (1.3 KM) TO MARKER (52 A) AND THE STATION ON THE RIGHT BETWEEN TWO WALKWAYS.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 32.2 FT (9.8 M) EAST-NORTHEAST OF THE EAST EDGE OF A WALKWAY, 32.6 FT (9.9 M) WEST OF THE WEST EDGE OF A WALKWAY, 0.7 FT (21 CM) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1433 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

110,934.020

2,075,173.284

10.627

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON BEACH FOR 0.4 MI (0.6 KM) TO MARKER 55 AND THE STATION ON THE RIGHT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 42.9 FT EAST OF THE EAST ONE OF TWO WOOD POSTS FOR THE SAND BEACH ACCESS, 69.6 FT NORTHEAST OF THE WEST ONE OF TWO WOOD LEGS FOR A BEACH REGULATION SIGN, 73.9 FT NORTH NORTHEAST OF A WITNESS POST, AND 99.9 FT SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1436 E**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

111,933.244

2,077,014.390

9.565

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH AND THE STATION ON THE RIGHT NEAR THE WOOD FENCE FOR A SWIMMING POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 25.6 FT (7.8 M) SOUTHEAST OF THE SOUTH END OF THE FENCE, 33.0 FT (10.1 M) NORTHEAST OF A WOOD SIGN (PROTECTED DUNES/PLEASE KEEP OFF), 32.3 FT (9.8 M) WEST-SOUTHWEST OF THE CENTER OF THE BEACH ACCESS ROAD, 134.4 FT (41.0 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1437 B**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

112,279.164

2,077,626.959

10.708

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A METAL FENCE FOR A SWIMMING POOL.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.4 FT (0.4 M) SOUTH-SOUTHEAST OF THE FENCE LINE, 49.5 FT (15.1 M) NORTH-NORTHEAST OF A WOOD POST PROJECTING 6.0 FT (1.8 M), 47.8 FT (14.6 M) WEST OF THE SOUTHWEST ONE OF TWO HAND RAIL POSTS FOR A BOARDWALK, 0.8 FT (24 CM) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1438 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

112,804.778

2,078,613.451

8.735

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON BEACH FOR 0.35 MI (0.6 KM) TO THE STATION ON THE LEFT BEHIND THE PRIMARY DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH, 1.8 FT NORTHEAST OF A PVC PIPE PROJECTING 1.0 FT.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1439 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

113,124.759

2,079,162.705

8.771

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.45 MI (0.7 KM) TO PUBLIC BEACH ACCESS 63.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 5.8 FT (1.8 M) WEST-SOUTHWEST OF THE CENTER OF THE ACCESS, 39.0 FT (11.9 M) NORTHWEST OF A PVC POST FOR A METAL SIGN (#63), 18.0 FT (5.5 M) SOUTH OF A WOOD POST PROJECTING 3.5 FT (1.1 M) WITH A SCGS REFERENCE WASHER, 18.6 FT (5.7 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1440 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

113,587.877

2,079,856.675

11.191

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.6 MI (1.0 KM) TO THE STATION ON THE LEFT NEAR A FLAG POLE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 11.0 FT (3.4 M) WEST-NORTHWEST OF THE FLAG POLE, 13.5 FT (4.1 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF A WOOD RETAINING WALL, 42.0 FT (12.8 M) SOUTH-SOUTHEAST OF THE SOUTH CORNER OF A THREE STORY STUCCO HOUSE, 13.3 FT (4.1 M) NORTH-NORTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1442 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

114,179.011

2,080,814.680

13.797

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.8 MI (1.3 KM) TO THE STATION ON THE LEFT NEAR A SAND WALKWAY.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE WALKWAY, 13.2 FT NORTH NORTHWEST OF A PVC POST FOR BEACH ACCESS SIGN 66, AND 12.3 FT EAST NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1444 E**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

115,351.869

2,082,271.600

8.419

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.15 MI (1.9 KM) TO THE STATION ON THE LEFT NEAR THE WOOD POST FOR A SIGN (PRIVATE PROPERTY/NO ACCESS).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 16.4 FT (5.0M) SOUTH OF THE SIGN, 21.9 FT (6.7 M) SOUTH-SOUTHWEST OF A WOOD POST PROJECTING 4.0 FT (1.2 M) WITH A SCGS REFERENCE WASHER, 30.8 FT (9.4 M) EAST-SOUTHEAST OF A 1.0 FT (0.3 M) PALMETTO TREE WITH A SCGS REFERENCE WASHER, 4.4 FT (1.3 M) NORTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1445

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

115,911.340

2,082,866.695

13.053

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.2 MI (5.1 KM) TO THE STATION ON THE RIGHT NEAR A WOOD DECK BEHIND THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 17.5 FT (5.3 M) NORTH OF THE NORTH CORNER OF THE DECK, 73.0 FT (22.3 M) SOUTHWEST OF THE SOUTHWEST EDGE OF A WALKWAY.

# South Carolina Department of Health and Environmental Control (SCDHEC) Ocean and Coastal Resource Management (OCRM)

## South Carolina Beachfront Survey Monument Description Sheet

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 - December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1446

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

116,369.155

2,083,386.962

12.927

### Description:

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.1 MI (5.0 KM) TO THE STATION ON THE RIGHT IN A SHRUB LINE ALONG THE NORTHEAST SIDE OF A THREE STORY STUCCO HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 20.5 FT (6.2 M) NORTHEAST OF THE EAST CORNER OF THE CONCRETE DECK OF THE HOUSE, 10.5 FT (3.2 M) EAST-NORTHEAST OF THE SOUTHEAST END OF A WOOD FENCE, 1.0 FT (0.3 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1448 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

116,850.207

2,083,909.041

10.984

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 3.0 MI (4.8 KM) TO THE STATION ON THE RIGHT BEHIND THE SECOND DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 1.9 FT (0.6 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 - December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1451 F**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

117,698.101

2,084,768.125

14.620

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 1.8 MI (2.9 KM) TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 43.1 FT WEST SOUTHWEST OF THE SOUTHERN POST AT THE SOUTH CORNER OF A SET OF STAIRS AND 41.5 FT WEST OF A SIGN PROJECTING 2.0 FT (74 A).

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1454 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

119,378.651

2,086,210.860

13.944

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.25 MI (3.6 KM) TO THE STATION ON THE LEFT BEHIND THE PRIMARY DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 35.0 FT (10.7 M) SOUTHEAST OF A WITNESS POST, 60.1 FT (18.3 M) SOUTH OF A WITNESS POST, AND 55.0 FT (16.8 M) WEST SOUTHWEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1456 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

121,106.317

2,087,687.684

7.674

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.7 MI (4.3 KM) TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 26.7 FT EAST OF A WOOD POST WITH AN SCGS REFERENCE WASHER ATTACHED, 15.8 FT SOUTHEAST OF THE SOUTHEAST EDGE OF A CONCRETE SEAWALL.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1457 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

122,218.640

2,088,417.412

11.517

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.95 MI (4.3 KM) TO THE STATION ON THE LEFT AT THE SOUTHEAST END OF A WOOD BEACH ACCESS BOARDWALK (83A).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 5.1 FT SOUTHEAST OF THE SOUTHEAST END OF THE NORTHEAST RAIL OF THE BOARDWALK, 4.5 FT SOUTH OF THE SOUTHWEST 1 OF 2 WOOD LEGS FOR A SIGN (BEACH REGULATIONS), 34.9 FT WEST OF A BEACH ACCESS SIGN (83A).

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1460 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

124,054.211

2,089,452.196

14.729

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.3 MI (2.1 KM) TO THE STATION ON THE RIGHT NEAR A BOARDWALK LEADING TO BLUE TWO STORY WOOD HOUSE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.5 FT (15 CM), 41.4 FT (12.6 M) EAST-SOUTHEAST OF THE SOUTH CORNER OF THE WOOD DECK OF A SWIMMING POOL, 4.0 FT (1.2 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1462 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

124,945.892

2,090,039.702

11.937

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 1.1 MI (1.8 KM) TO THE STATION ON THE RIGHT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 2.2 FT (0.7 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1463 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

126,327.257

2,090,851.418

13.392

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.8 MI (1.3 KM) TO THE STATION ON THE RIGHT ON TOP OF THE THIRD DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 70.4 FT (21.5 M) SOUTHEAST OF THE SOUTH CORNER OF A TWO STORY WOOD HOUSE, 95.5 FT (29.1 M) NORTHEAST OF THE NORTH EDGE OF A BOARDWALK LEADING TO A TWO STORY STUCCO HOUSE, 74.0 FT (22.6 M) SOUTHWEST OF THE SOUTH EDGE OF A BOARDWALK LEADING TO A TWO STORY WOOD HOUSE, 5.0 FT (1.5 M) WEST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1465 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

127,124.256

2,091,342.888

12.761

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 2.95 MI (4.7 KM) TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 30.7 FT EAST OF THE SOUTH CORNER OF A WOOD RETAINING WALL.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1466

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

127,860.797

2,091,764.334

11.811

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.4 MI (0.6 KM) TO THE STATION ON THE RIGHT NEAR A PAIR OF PALMETTO TREES.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 1.5 FT (0.5 M), 46.7 FT (14.2 M) SOUTH-SOUTHWEST OF THE SOUTHWEST ONE TWO WOOD PILINGS ON THE NORTHWEST SIDE OF A WALKWAY, 10.0 FT (3.0 M) NORTH-NORTHEAST OF THE NORTHWEST ONE OF TWO 2.0 FT (0.6 M) PALMETTO TREES, 1.7 FT (0.5 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1468 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation NAVD  
88**  
Survey Foot

128,767.125

2,092,421.447

11.863

**Description:**

TO REACH THE STATION FROM THE TRAFFIC CIRCLE JUNCTION OF U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY) U.S. HIGHWAY 278 (PALMETTO BAY ROAD), POPE AVENUE AND GREENWOOD DRIVE, 4.3 MI (6.9 KM) SOUTH OF HILTON HEAD, GO SOUTHEAST ON POPE AVENUE FOR 1.0 MI (4.8 KM) TO THE TRAFFIC CIRCLE JUNCTION OF FOREST BEACH DRIVE, EXIT RIGHT ONTO SOUTH FOREST BEACH DRIVE FOR 0.05 MI (0.1 KM) TO THE ENTRANCE OF THE HOLIDAY INN RESORT, TURN LEFT ON THE ENTRANCE ROAD AND BEAR LEFT THROUGH THE PARKING LOT ALONG THE NORTH SIDE OF THE BUILDING FOR 0.1 MI (0.2 KM) TO THE EAST CORNER OF THE PARKING LOT AND A BEACH ACCESS ROAD, CONTINUE ON THE ACCESS ROAD FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 4.4 MI (7.1 KM) TO THE STATION ON THE LEFT.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 56.5 FT NORTH OF BEACH ACCESS SIGN 94A, 30.4 FT EAST OF THE CORNER OF A CINDERBLOCK PILLAR WITH A SIGN (PRIVATE-SPHOA), AND 15.0 FT SOUTH OF A LONE 1.4 FT PALMETTO TREE WITH AN SCGS REFERENCE WASHER ATTACHED.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** **1469 B**

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

129,326.378

2,092,662.279

10.870

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.3 MI (6.9 KM) TO THE JUNCTION OF STATE ROAD 200 (SINGLETON BEACH ROAD), TURN LEFT ON ROAD 200 FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF COLLIER BEACH ROAD LEFT AND SINGLETON BEACH PLACE RIGHT, TURN LEFT ON COLLIER BEACH ROAD FOR 0.05 MI (0.1 KM) TO A GATE, CONTINUE THROUGH GATE FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.1 MI (0.2 KM) TO THE STATION ON THE RIGHT ON TOP OF THE FOURTH DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE RECESSED 0.5 FT (15 CM), 55.0 FT (16.8 M) NORTHEAST OF THE NORTHEAST EDGE OF A BOARDWALK, 32.0 FT (9.8 M) SOUTHWEST OF THE SOUTHWEST EDGE OF A BOARDWALK, 0.7 FT (21 CM) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1472

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

131,143.23

2,093,881.85

12.60

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 3.8 MI (6.1 KM) TO THE JUNCTION OF BURKES BEACH ROAD, TURN LEFT ON BURKES BEACH ROAD FOR 0.3 MI (0.5 KM) TO THE JUNCTION OF SEA FRONT LANE AND A SAND BEACH ACCESS ROAD AHEAD, CONTINUE ON THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM) AND 5.0 FT (1.5 M) ABOVE THE ROAD, 53.0 FT (16.2 M) NORTHEAST OF THE CENTER OF THE ROAD, 0.6 FT (18 CM) EAST-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1474 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

133,429.269

2,095,366.828

7.263

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 3.55 MI TO THE JUNCTION OF FOLLY FIELD ROAD LEFT AND MATTHEWS ROAD RIGHT, TURN LEFT ON FOLLY FIELD ROAD FOR 0.35 MI (0.6 KM) TO THE ENTRANCE DRIVE FOR HILTON HEAD BEACH AND TENNIS RESORT (OCEAN FRONT BOULEVARD), TURN RIGHT ON OCEAN FRONT BOULEVARD FOR 0.1 MI (0.2 KM) TO A GUARD GATE AND A TRAFFIC CIRCLE, CONTINUE ON OCEANFRONT BOULEVARD FOR 0.1 MI (0.2 KM) TO A PARKING LOT ENTRANCE FOR A CONDOMINIUM, TURN LEFT THROUGH THE PARKING LOT FOR 0.1 MI (0.2 KM) TO THE STATION AHEAD AT THE EDGE OF A RETENTION POND.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND 0.5 FT (15 CM) ABOVE THE PARKING LOT, 2.5 FT (0.8 M) NORTHWEST OF THE SOUTHEAST EDGE OF THE PARKING LOT, 13.7 FT (4.2 M) NORTH OF THE SOUTH CORNER A METAL DRAIN GRATE, 28.0 FT (8.5 M) SOUTHWEST OF A WOOD POST FOR A SIGN (NO FISHING), 8.5 FT (2.6 M) NORTH-NORTHEAST OF A 2.0 FT (0.6 M) PALMETTO TREE.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1475 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

133,989.894

**Easting  
NAD  
83(2011)**  
International  
Foot

2,096,376.895

**Elevation  
NAVD  
88**  
Survey Foot

9.620

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 4.05 MI (6.5 KM) TO THE JUNCTION OF BURKES BEACH ROAD. TURN LEFT ON BURKES BEACH ROAD FOR 0.3 MI (0.5 KM) TO THE JUNCTION OF AN UNPAVED BEACH ACCESS ROAD. CONTINUE STRAIGHT ON THE UNPAVED BEACH ACCESS ROAD FOR 0.15 MI (0.2 KM) TO THE BEACH. TURN LEFT ON THE BEACH FOR 0.75 MI (1.2 KM) TO THE STATION ON THE LEFT BEHIND THE PRIMARY DUNE LINE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 44.5 FT SOUTHEAST OF A LONE 2.5 FT PALMETTO TREE AND 4.2 FT SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1477 A

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

135,420.211

2,097,635.036

11.382

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 2.9 MI (4.7 KM) TO THE ENTRANCE OF PORT ROYAL PLANTATION (COGGINS POINT ROAD), TURN LEFT ON COGGINS POINT ROAD FOR 0.3 MI (0.5 KM) TO THE FORK JUNCTION OF CLUBHOUSE DRIVE, BEAR LEFT ON CLUBHOUSE DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF GRASSLAWN AVENUE, TURN RIGHT ON GRASSLAWN AVENUE FOR 0.3 MI (0.5 KM) TO THE ENTRANCE OF BARONY BEACH CLUB, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO THE ENTRANCE OF ISLANDER BEACH PARK, TURN LEFT ON THE ENTRANCE ROAD FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, TURN RIGHT ON THE ACCESS ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN RIGHT ON THE BEACH FOR 0.1 MI (0.2 KM) TO A BOARDWALK, PROCEED NORTHWEST ON THE BOARDWALK FOR 0.05 MI (0.1 KM) TO A SET OF STEPS AND THE STATION ON THE LEFT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.3 FT (9 CM), 1.7 FT (0.5 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1478

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

136,301.318

2,098,692.859

11.334

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), 0.7 MI (1.1 KM) EAST OF HILTON HEAD, GO EAST ON HIGHWAY 278 BUSINESS FOR 2.9 MI (4.7 KM) TO THE ENTRANCE OF PORT ROYAL PLANTATION (COGGINS POINT ROAD), TURN LEFT ON COGGINS POINT ROAD FOR 0.3 MI (0.5 KM) TO THE FORK JUNCTION OF CLUBHOUSE DRIVE, BEAR LEFT ON CLUBHOUSE DRIVE FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF GRASSLAWN AVENUE, TURN RIGHT ON GRASSLAWN AVENUE FOR 0.3 MI (0.5 KM) TO THE ENTRANCE OF BARONY BEACH CLUB, BEAR RIGHT FOR 0.1 MI (0.2 KM) TO THE ENTRANCE OF ISLANDER BEACH PARK, TURN LEFT ON THE ENTRANCE ROAD FOR 0.1 MI (0.2 KM) TO A BEACH ACCESS ROAD AT THE EAST CORNER OF THE PARKING LOT, TURN RIGHT ON THE ACCESS ROAD FOR 0.1 MI (0.2 KM) TO THE BEACH, TURN LEFT ON THE BEACH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE LEFT NEAR A METAL FENCE FOR THE BARONY BEACH CLUB.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 11.5 FT (3.5 M) SOUTHEAST OF THE FENCE LINE, 36.7 FT (11.2 M) NORTH OF THE NORTHEAST ONE OF TWO WOOD LEGS FOR A METAL SIGN (WELCOME TO OUR BEACH), 66.7 FT (20.3 M) WEST OF THE SOUTHEAST END OF A BEACH WALKWAY, 2.6 FT (0.8 M) SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1481 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

137,742.389

2,100,517.060

8.169

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN RIGHT ON SOUTH PORT ROYAL DRIVE FOR 0.8 MI (1.3 KM) TO THE JUNCTION OF FALCATT A ROAD, TURN LEFT ON FALCATT A ROAD FOR 0.05 MI (0.1 KM) TO THE END OF VEHICLE TRAVEL, PROCEED SOUTH FOR 0.05 MI (0.1 KM) TO A SAND BEACH ACCESS PATH, PROCEED SOUTHEAST ON THE PATH FOR 0.05 MI (0.1 KM) TO THE STATION ON THE RIGHT ON TOP OF A DUNE.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM) AND 5.0 FT (1.5 M) ABOVE THE ACCESS PATH, 28.0 FT (8.5 M) WEST-SOUTHWEST OF THE CENTER OF THE PATH, 32.0 FT (9.8 M) WEST-SOUTHWEST OF A WOOD SIGN POST (PRIVATE PROPERTY/NO TRESPASSING, 2.0 FT (0.6 M) SOUTH-SOUTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1484 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevation  
NAVD  
88**  
Survey Foot

139,499.339

2,101,668.318

5.045

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN RIGHT ON SOUTH PORT ROYAL DRIVE FOR 0.65 MI (0.3 KM) TO THE JUNCTION OF PLANTERS ROW, TURN LEFT ON PLANTERS ROW FOR 0.2 MI (0.3 KM) TO THE STATION ON THE LEFT NEAR A DRAINAGE INLET AT THE EAST EDGE OF A POND.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 5.4 FT (1.6 M) NORTHWEST OF THE WEST EDGE OF THE ROAD, 37.0 FT (11.3 M) NORTH OF THE CENTER OF A MANHOLE COVER, 41.5 FT (12.6 M) EAST OF THE WOOD POST FOR A METAL SIGN (BEWARE OF ALLIGATOR/PLEASE DO NOT FEED WILDLIFE), 4.2 FT (1.3 M) SOUTH OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1487

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

142,270.213

2,101,873.309

11.458

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN LEFT ON NORTH PORT ROYAL DRIVE FOR 0.05 MI (0.1 KM) TO THE JUNCTION OF OCEAN POINT, TURN RIGHT ON OCEAN POINT AND CONTINUE ONTO OCEAN POINT SOUTH FOR 0.05 MI (0.1 KM) TO A CUL-DE-SAC AND AN OPEN GRASSY AREA TO THE LEFT, PROCEED NORTHEAST ACROSS THE OPEN AREA FOR 0.05 MI (0.1 KM) TO BOARDWALK LEADING TO THE BEACH, PROCEED SOUTH ON THE BEACH FOR 200.0 FT (61.0 M) TO THE STATION ON THE RIGHT ON TOP OF THE DUNES.

STATION IS A PIPE MARK WITH CAP ENCASED IN PVC FLUSH WITH THE GROUND, 1.0 FT (0.3 M) EAST-NORTHEAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1490 E

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

143,964.319

2,101,197.572

10.685

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 1.1 MI (1.8 KM) TO THE JUNCTION OF PORT ROYAL DRIVE, TURN LEFT ON NORTH PORT ROYAL DRIVE FOR 0.3 MI (0.5 KM) TO A BEACH ACCESS ROAD (BEACHWALK PR-14/HHI-129) AND THE END OF VEHICLE TRAVEL, PROCEED EAST-NORTHEAST FOR 0.1 MI (0.2 KM) TO THE STATION ON THE LEFT NEAR A WOOD POST FOR A SIGN (PRIVATE PROPERTY/NO TRESPASSING).

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE PROJECTING 0.2 FT (6 CM), 10.2 FT (3.1 M) NORTH-NORTHEAST OF THE POST, 15.5 FT (4.7 M) NORTH-NORTHWEST OF THE CENTER OF THE ACCESS, 42.5 FT (13.0 M) SOUTH OF THE SOUTH EDGE OF A BOARDWALK LEADING TO A TWO-STORY WOOD HOUSE, 1.8 FT (0.5 M) EAST OF A WITNESS POST.

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1493 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

145,384.832

2,099,779.313

8.658

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST ON U.S. HIGHWAY 278 BUSINESS FOR 2.95 MI (4.7 KM) TO THE JUNCTION OF COGGINS POINT ROAD AND THE ENTRANCE TO PORT ROYAL PLANTATION, TURN LEFT ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO A GUARD GATE, CONTINUE ON COGGINS POINT ROAD FOR 0.4 MI (0.6 KM) TO THE JUNCTION OF FORT WALKER DRIVE, TURN LEFT ON FORT WALKER DRIVE FOR 1.3 MI (2.1 KM) TO THE STATION ON THE LEFT IN AN OPEN FIELD ACROSS THE STREET FROM THE PARKING AREA FOR FORT WALKER PARK.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND AND LEVEL WITH THE ROAD, 20.3 FT WEST OF THE CENTER OF THE DRIVE, 135.6 FT NORTH NORTHEAST OF A WOOD SECURITY UTILITY POLE, 124.0 FT SOUTH OF A 6.0 FT LONE LIVE OAK, 94.0 FT SOUTHWEST OF THE SOUTH ONE OF TWO HISTORICAL MARKERS ("ROBBERS' ROW"), AND 68.9 FT WEST SOUTHWEST OF THE SOUTHWEST CORNER OF AN ELECTRIC TRANSFORMER (694-39-009).

**South Carolina Department of Health and Environmental Control  
(SCDHEC) Ocean and Coastal Resource Management (OCRM)**

**South Carolina Beachfront Survey Monument Description Sheet**

**Project Name:** South Carolina Beach Monument Replacement Survey

**Project Date:** January 2020 – December 2020

**Survey Performed By:** South Carolina Geodetic Survey

**Monument ID Number:** 1496 F

**Beach Name:** HILTON HEAD      **County:** BEAUFORT      **State:** SOUTH CAROLINA

**Northing  
NAD  
83(2011)**  
International  
Foot

**Easting  
NAD  
83(2011)**  
International  
Foot

**Elevatio  
n NAVD  
88**  
Survey Foot

148,714.266

2,097,636.267

7.453

**Description:**

TO REACH THE STATION FROM THE JUNCTION OF U.S. HIGHWAY 278 (CROSS ISLAND PARKWAY) AND U.S. HIGHWAY 278 BUSINESS (WILLIAM HILTON PARKWAY), ON HILTON HEAD ISLAND, GO EAST SOUTHEAST ON U.S. HIGHWAY 278 BUSINESS FOR 1.7 MI (2.7 KM) TO THE JUNCTION OF STATE ROAD 44 (BEACH CITY ROAD) LEFT AND (GARDNER ROAD) RIGHT, TURN LEFT ON ROAD 44 FOR 0.5 MI (0.8 KM) TO A TRAFFIC CIRCLE, CONTINUE ON BEACH CITY ROAD FOR 1.3 MI (2.1 KM) TO THE JUNCTION OF STATE ROAD 334 (FISH HAUL ROAD) LEFT AND DILLON ROAD RIGHT, TURN LEFT ON ROAD 334 FOR 0.1 MI (0.2 KM) TO THE JUNCTION OF MITCHELLVILLE ROAD, TURN RIGHT ON MITCHELLVILLE ROAD FOR 0.4 MI (0.6 KM) TO THE ENTRANCE TO MITCHELLVILLE PARK, TURN RIGHT ON THE ENTRANCE DRIVE FOR 0.15 MI (0.2 KM) TO THE END OF THE PARKING LOT, PROCEED NORTHEAST ALONG THE BEACH ACCESS FOR 0.05 MI (0.1 KM) TO THE BEACH, TURN SOUTHEAST ALONG THE BEACH FOR 0.1 MI (0.2 KM) TO THE STATION AHEAD NEAR A BOARDWALK LEADING TO A CONDOMINIUM.

STATION IS A PIPE MARK WITH CAP ENCASED IN A PVC PIPE FLUSH WITH THE GROUND, 6.5 FT NORTH NORTHWEST OF THE NORTHWEST EDGE OF THE WOOD BOARDWALK, 57.9 FT EAST NORTHEAST OF THE NORTHEAST END OF A RETAINING WALL, 36.6 FT EAST OF A WOOD POST FOR A SIGN (PARK RULES).