



Chem-Nuclear Site

ANNUAL UPDATE

2019

Published Since 2007

S.C. Department of Health and Environmental Control (DHEC)

December 2019

The Chem-Nuclear Site in Barnwell County has a routine groundwater and surface water monitoring program. Four times each year, groundwater samples are collected from monitoring wells and from locations in Mary's Branch Creek. The information gathered is used to help understand changes in contaminant concentrations within the groundwater plume.

The most recent results for tritium are from samples collected during the second quarter of 2019 (April to June). The highest concentration of tritium continues to be found on site at monitoring well WM-0110 where it was 6,010,000 pCi/L (April). The concentration where the groundwater plume enters Mary's Branch Creek (WC- 0002) was 133,000 pCi/L (April).

Surface Water

The surface water "point of compliance" is the point where regulatory limits apply. For the Chem-Nuclear Site this is location WC-0008, measured at Mary's Branch Creek. In April, the level of tritium measured at WC-0008 was 38,800 pCi/L and has been in general decline since a peak of 124,000 pCi/L on January 15, 2014. This is less than the regulatory limit of 500,000 pCi/L and essentially the same as the level measured in April 2018 (36,300 pCi/L). Maps are available online at www.scdhec.gov/environment/pollution-types-advisories-monitoring/pollution-services-advisorie/chem-nuclear-site.

The most recent quarterly sampling results indicates the presence of five volatile organic compounds (VOC) present in the creek. Chloroform (3.07 µg/L), 1,1-dichloroethane (1.81 µg/L), trichloroethylene (1.46 µg/L), 1,1,2,2-tetrachloroethane (2.90 µg/L) and 1,4-dioxane (295 µg/L) were detected at the concentrations indicated. The concentrations of 1,4-dioxane at WC-0002 and WC-0008 are slightly higher than concentrations in 2018 and are similar to those measured in previous years. The regulatory limit for chloroform is 80 µg/L. The regulatory limit for trichloroethylene is 5 µg/L. Regulatory limits have not been established for 1,1-dichloroethane, 1,1,2,2-tetrachloroethene or 1,4-dioxane.

Trends in Ground Water and Surface Water Data

The Chem-Nuclear Site submits an annual trending report each year in September discussing changes in tritium concentrations in groundwater and surface water and changes to the size and shape of the groundwater plume. DHEC reviews the report for accuracy and completeness. In the 2019 annual trending report, 27 monitoring locations (both groundwater and surface water) were evaluated for changes in tritium concentrations. The tritium data indicate that six monitoring locations show no

evidence of a trend either up or down, four locations show an upward trend, and seventeen locations show a downward trend over the most recent five-year period (third quarter 2014 to second quarter 2019).

Data collected from monitoring well WM-0110, the most contaminated well discussed above, show that tritium concentrations have decreased over the last five years. Although concentrations in individual monitoring wells change, the overall size and shape (footprint) of the groundwater plume remains stable.

Tritium concentrations at WC-0008 (the surface water point of compliance on Mary's Branch Creek) remain stable from the same time last year; and data show the overall trend in tritium concentrations at WC-0008 has decreased over the five year period. The 2019 annual trending data is available at www.scdhec.gov/environment/pollution-types-advisories-monitoring/pollution-services-advisorie/chem-nuclear-site.

Waste Volumes

Since July 2008, the Chem-Nuclear Site only accepts waste from the three member states of the Atlantic Compact – Connecticut, New Jersey and South Carolina. The table below shows the total waste volume for each fiscal year (FY) disposed of from the Atlantic Compact member states since 2008:

FISCAL YEAR	VOLUME (FT ³)	FISCAL YEAR	VOLUME (FT ³)
2008-2009	12,865.57	2014-2015	11,127.06
2009-2010	34,458.36	2015-2016	8,298.00
2010-2011	11,333.01	2016-2017	6,674.06
2011-2012	10,277.64	2017-2018	16,363.41
2012-2013	8,737.25	2018-2019	9,855.58
2013-2014	8,319.89		

DEFINITIONS

Groundwater – The water found beneath the Earth's surface, usually in aquifers, which supply wells and springs.

Picocuries Per Liter (pCi/L) – A unit of measure of radioactivity.


Plume – An area where contamination is detected (or is measurable).

µg/L – A unit of measure for one millionth of a gram per liter or one part per billion (ppb).

Volatile Organic Compounds (or Chemicals) (VOCs) – Chemicals that evaporate readily when exposed to air and are widely used to clean things.

TRITIUM CONCENTRATION MEASURED IN ZONE 2 AND MARY'S BRANCH CREEK

Second Quarter 2019



- For information, the approximate EnergySolutions/Chem-Nuclear Systems property boundaries are shown.
- WO-0401 results are registered as less than detectable limits and are not reported on this map.
- Does not show deep zone 2 well tritium results for monitoring locations WO-0059, WO-0120, WO-0121, and WO-0122.
- Base map shows WO-0059 location but tritium information is not plotted.
- Unlabeled green square next of WO-0118 is WO-0123.

DHEC CONTACTS

- Infectious and Radioactive Waste Management Section, Bureau of Land and Waste Management
- Lynne D. Garner, (803) 898-0493
garnerld@dhec.sc.gov

• Midlands Environmental Quality Control Office – Aiken

- Travis Fuss, (803) 642-1637
fusstr@dhec.sc.gov
- Beth Cameron, (803) 642-1637
cameroba@dhec.sc.gov

