

## Geographic Spread



South Carolina reported **widespread activity** this week.



## Influenza-Associated Hospitalizations and Deaths

A total of **73** influenza-associated hospitalizations were reported by 43 hospitals. The cumulative hospitalization rate is **83.5** per 100,000. There were **20** laboratory-confirmed influenza-associated deaths reported; however, **16** deaths occurred in previous weeks. The cumulative mortality rate is **4.4** per 100,000. Compared to the previous week, the number of reported hospitalizations **decreased** by **9 (11.0%)** and number of reported deaths **decreased** by **6 (60.0%)**. In the current flu season, there have been **4,144** influenza-associated hospitalizations and **221** influenza-associated deaths reported.



## Virologic Surveillance

A total of **1,501** influenza cases (**1,461** positive rapid antigen detection tests; **40** lab-confirmed tests) were reported from 35 counties representing all four DHEC Public Health regions. Influenza B was most frequently reported by clinical labs. Compared to the previous week, this is a **decrease** of **1,109** cases (**42.5%**). In the current flu season, there have been **125,749** influenza cases (**122,565** positive rapid antigen detection tests; **3,184** lab-confirmed tests) reported.



## Influenza-Like Illness Surveillance

The percent of patient visits to sentinel providers for an influenza-like illness (ILI) was **3.86%**, which is **above** South Carolina's baseline (**3.13%**). Compared to the previous week, this is a **decrease** of **1.53%**.


The ILI activity level was **high**.

For a description of South Carolina's influenza surveillance components and definitions go to:

<http://www.scdhec.gov/Health/DiseasesandConditions/InfectiousDiseases/Flu/FluData/>

For national surveillance, please visit:

<https://www.cdc.gov/flu/weekly/>




# Virologic Surveillance

This week, **40** lab-confirmed cases and **1,461** positive rapid influenza detection tests were reported by clinical labs.


**Influenza B** was most frequently reported by clinical labs.

Influenza Cases\* Reported by Clinical and Public Health Labs, 2015-16 Season to Present




## Influenza Cases Reported by Public Health and Clinical Labs, This Week and Season Total

Influenza Type	Public Health Lab		Clinical Labs		Total	
	This Week	Season Total	This Week	Season Total	This Week	Season Total
<b>Overall</b>	<b>0</b>	<b>155</b>	<b>1501</b>	<b>125594</b>	<b>1501</b>	<b>125749</b>
<b>Influenza A</b>	<b>0</b>	<b>125 (80.6%)</b>	<b>694 (46.2%)</b>	<b>87778 (69.9%)</b>	<b>694 (46.2%)</b>	<b>87903 (69.9%)</b>
A (H3)	--	95 (76.0%)	3 (0.4%)	366 (0.4%)	3 (0.4%)	461 (0.5%)
A (H1N1)	--	30 (24.0%)	4 (0.6%)	148 (0.2%)	4 (0.6%)	178 (0.2%)
A (not subtyped)	--	--	687 (99.0%)	87264 (99.4%)	687 (99.0%)	87264 (99.3%)
<b>Influenza B</b>	<b>0</b>	<b>30 (19.4%)</b>	<b>801 (53.4%)</b>	<b>37324 (29.7%)</b>	<b>801 (53.4%)</b>	<b>37354 (29.7%)</b>
B (Victoria)	--	--	--	--	--	--
B (Yamagata)	--	27 (90.0%)	--	--	--	27 (0.1%)
B (lineage not performed)	--	3 (10.0%)	801 (100%)	37324 (100%)	801 (100%)	37327 (99.9%)
<b>Influenza (not typed)</b>	<b>--</b>	<b>--</b>	<b>6 (0.4%)</b>	<b>492 (0.4%)</b>	<b>6 (0.4%)</b>	<b>492 (0.4%)</b>



# Virologic Surveillance

Map of Influenza Cases (n)\*  
and Influenza Case Rate/100,000 By County  
For Week Ending 3/10/2018



Weekly Influenza Case Rate per 100K

- 0 to 25 persons
- 26 to 50 persons
- 51 to 75 persons
- Greater than 75 persons

\*Includes all lab-confirmed and positive rapid cases




# Influenza-Like Illness Surveillance

This week, the ILI activity level was **high** and **3.86%** of patient visits to SC ILINet providers was attributed to an influenza-like illness. This is **above** the state baseline, **3.13%**.


Reports were received from providers in 11 counties, representing all 4 DHEC Public Health regions.

\*\*ILI percentage is dependent upon the number of reporting providers and/or can vary by disease activity or the number of providers submitting reports.\*\*

Percentage of Influenza-Like Illness (ILI) Visits Reported by Sentinel Providers for Past and Current Seasons



County ILI Percent



No color fill indicates either no reporting or does not participate.

State ILI Activity Level 2017-18 Calendar by Week of the Year

OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
40	44	48	1	5	9	14	18	22	27	31	35
41	45	49	2	6	10	15	19	23	28	32	36
42	46	50	3	7	11	16	20	24	29	33	37
43	47	51	4	8	12	17	21	25	30	34	38
		52			13			26			39


ILI ACTIVITY LEVELS: MINIMAL LOW MODERATE HIGH




# Influenza-Associated Hospitalizations And Deaths

Age Group	Hospitalizations			Deaths		
	This Week	Rate per 100,000	Season Total	This Week	Rate per 100,000	Season Total
0 to 4	1	49.1	144	--	1.0	3
5 to 17	5	15.4	124	--	--	--
18 to 49	7	26.7	534	1	1.2	24
50 to 64	24	105.2	958	--	3.9	36
65 & older	36	377.3	2384	3	25.0	158
Total	73	83.5	4144	4	4.4	221

The percentage of deaths attributed to pneumonia and influenza was 11.1%. This is **above** the epidemic threshold for the week ending February 10, 2018.



**Reported Influenza-Associated Hospitalizations by Age Group, 2015-16 Season to Present**



**Influenza-Associated Deaths by Region**

