

Flu Watch

South Carolina Department of Health and Environmental Control

Division of Acute Disease Epidemiology Week Ending March 22, 2014 (MMWR Week 12)

All data are provisional and may change as more reports are received.

In this issue:	
Summary	2
I. Confirmatory testing	3
II. Rapid antigen tests	6
III. ILINet	8
IV. Hospitalizations and deaths	10
V. SC influenza surveillance components	12
VI. National surveillance	13
VII. Definitions for influenza surveillance	14

MMWR Week 12 at a Glance:

Influenza Activity Synopsis:

Influenza activity in South Carolina continued to decrease during the past MMWR week. South Carolina reported Local activity for week 12.

Laboratory surveillance:

- 356 laboratory-confirmed cases of influenza were reported from 26 counties. 34,360 cases have been reported this season, with laboratory-confirmed cases identified in 45 counties.
- 1 (33%%) of 3 positive confirmatory tests last week were reported by the BOL and 2 (67%) positive confirmatory tests were reported by other labs; 2 influenza A (H1N1) viruses and 1 influenza B virus.
- 30,695 (89.3%) of all laboratory-confirmed cases this season are influenza A, 2,852 (8.3%) are influenza B, 621 (1.8%) are influenza A/B, and 191 (0.55%) are of unknown type.

ILI Activity (South Carolina baseline is 2.05%):

• Influenza-like illness activity at sentinel providers was above South Carolina's baseline (2.57%). ILI percentages represent ILI activity reported by sentinel providers; however, a small number of providers reported data for this week, so ILI percentages may not be representative of actual flu activity.

Hospitalizations:

• 26 lab confirmed hospitalizations were reported. Since 9/29/13, 1777 lab confirmed hospitalizations have been reported.

Deaths:

• 1 lab confirmed death was reported. Since 9/29/13, 76 lab confirmed deaths have been reported.

Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths Compared to Previous Week and Season

	Current week	Previous week	Change from previous week	Cumulative (2013-14)	Cumulative (2012-13)	Cumulative change 2013-14 compared to 2012-13
Number of positive confirmatory tests (culture, RT-PCR, DFA, IFA)	3	2	▲ 50.0%	777	1058	V 26.6%
Percent of ILI visits reported by ILINet providers	2.57	2.96	▼ 0.39%			
Number of lab confirmed flu hospitalizations	26	22	1 8.2%	1777	1722	A 3.2%
Number of lab confirmed flu deaths	1	2	▼50.0%	76	46	A 65.2%

Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths, 2009-10 through 2013-14 Seasons

Corresponding MMWR week during each season	2013-14	2012-13	2011-12	2010-11	2009-10
Influenza activity level	LOCAL	REGIONAL	LOCAL	REGIONAL	REGIONAL
Positive confirmatory tests (current week)	3	19	23	9	13
Positive confirmatory tests (cumulative)	777	1058	80	604	879
Total number of patient visits for ILI	185	97	21	61	67
ILI percentage	2.57%	1.29%	0.36%	0.81%	0.79%
Hospitalizations (current week)	26	45	8	12	13
Deaths (current week)	1	1	0	0	1

I. Confirmatory testing

Positive confirmatory influenza test results* Current MMWR Week (3/16/14 – 3/22/14)					
	BOL and reference labs				
Number of positive confirmatory tests	3				
Influenza A unsubtyped					
Influenza A H1N1 2 (66.7%)					
Influenza A H3N2					
Influenza B 1 (33.3%)					
Unk/Other					
Includes culture, RT-PCR, 1	DFA, and IFA				


For the current MMWR reporting week, 3 positive confirmatory tests were reported. So far this season 777 positive confirmatory tests have been reported.

Positive confirmatory influenza test results* Cumulative (09/29/13 – 3/22/14)					
	BOL and reference labs				
Number of positive confirmatory tests	777				
Influenza A unsubtyped 93 (12.0%)					
Influenza A H1N1 665 (85.6%)					
Influenza A H3N2 4 (0.51%)					
Influenza B 12 (1.5%)					
Unk/Other 3 (0.39%)					
Includes culture, RT-PCR, DFA, and IFA					


Positive Confirmatory Tests by County* Current Week 3/16/14 – 3/22/14

County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville		Dillon		Marion	
Aiken		Dorchester		Marlboro	
Allendale		Edgefield		McCormick	
Anderson		Fairfield		Newberry	
Bamberg		Florence		Oconee	
Barnwell		Georgetown		Orangeburg	
Beaufort		Greenville	1	Pickens	
Berkeley	1	Greenwood		Richland	
Calhoun		Hampton		Saluda	
Charleston	1	Horry		Spartanburg	
Cherokee		Jasper		Sumter	
Chester		Kershaw		Union	
Chesterfield		Lancaster		Williamsburg	
Clarendon		Laurens		York	
Colleton		Lee		Unknown	
Darlington		Lexington			

^{*}Includes culture, PCR, DFA, IFA




Map of all Laboratory Confirmed Cases* by County Cumulative 09/29/13 – 3/22/14





II. Positive Rapid Antigen Tests


For the current MMWR reporting week, 353 positive rapid antigen tests were reported. Of these, 177 were influenza A, 2 were influenza A/B, 170 were influenza B, and 4 were unknown. This compares to 2445 this time last year.

Map of Positive Rapid Influenza Tests by County (3/16/14 - 3/22/14)










III. ILINet Influenza-Like Illness Surveillance

During the most recent MMWR week, 2.57 % of patient visits to SC ILINet providers were due to ILI. This is above the state baseline (2.05%). This ILI percentage compares to 1.29% this time last year. Reports were received from providers in 9 counties, representing all 4 of the 4 regions.



^{*}The SC baseline is the mean percentage of patient visits for ILI during non-influenza weeks (weeks when percent of positive lab tests was below 20%) for the previous three seasons plus two standard deviations.

Influenza-Like Illness Reported by Sentinel Providers March 16, 2014 – March 22, 2014

County	ILI %	County	ILI %
Abbeville		Greenwood	NR
Aiken	0%	Hampton	NR
Allendale		Horry	NR
Anderson	1.37%	Jasper	NR
Bamberg		Kershaw	NR
Barnwell		Lancaster	
Beaufort	NR	Laurens	NR
Berkeley	NR	Lee	
Calhoun		Lexington	NR
Charleston	7.54%	Marion	
Cherokee		Marlboro	
Chester		McCormick	0%
Chesterfield		Newberry	
Clarendon		Oconee	
Colleton		Orangeburg	
Darlington		Pickens	0%
Dillon	NR	Richland	0.25%
Dorchester	NR	Saluda	0%
Edgefield		Spartanburg	NR
Fairfield		Sumter	
Florence	0.47%	Union	
Georgetown	NR	Williamsburg	
Greenville	0.35%	York	

NR: No reports received

^{---:} No enrolled providers

IV. Influenza hospitalizations and deaths


For the current MMWR reporting week, 26 lab confirmed influenza hospitalizations were reported by 52 hospitals. One lab confirmed influenza death was reported. 1777 lab confirmed influenza hospitalizations and 76 lab confirmed influenza deaths have been reported since 9/29/13. *


Current MMWR Week (3/2/14 -3/8/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	0	1	7	7	11		26
Deaths					1		1

Cumulative (9/29/13 -3/8/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	140	76	473	562	524	2	1777
Deaths	1	1	22	20	32		76

^{*} Lab confirmation for hospitalizations and deaths includes culture, PCR, DFA, IFA, and rapid test.

Influenza Deaths by SC Public Health Region					
Region	Total Deaths				
Lowcountry	17				
Midlands	18				
Pee Dee	11				
Upstate	30				
Total	75				





V. South Carolina Influenza Surveillance Components

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

Mandatory Reporting

Positive confirmatory test reporting

Positive influenza culture, PCR, DFA, and IFA results from commercial laboratories should be reported to DHEC within 3 days electronically via CHESS or using a DHEC 1129 card.

Positive rapid antigen test reporting

Summary numbers of positive rapid influenza tests and influenza type identified should be sent to the regional health department by fax or email before noon on Monday for the preceding week.

Influenza deaths

All lab confirmed influenza deaths in adults should be reported to DHEC within 24 hours. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza.

Influenza hospitalizations

DHEC requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their <u>regional</u> health department by noon on Monday for the preceding week.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

Voluntary Networks

Influenza-Like Illness (ILINet) Sentinel Providers Network ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature ≥100°F) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.

South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)


SC-DARTS is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. Syndromic reports are distributed back to the hospital on a daily basis.

VI. National Surveillance MMWR Week 11 (3/9-3/15)

During week 11 (March 9-15, 2014), influenza activity continued to decrease in the United States.

- <u>Viral Surveillance</u>: Of 5,650 specimens tested and reported during week 11 by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories, 495 (8.8%) were positive for influenza.
- o **Pneumonia and Influenza Mortality:** The proportion of deaths attributed to pneumonia and influenza (P&I) was below the epidemic threshold.
- o <u>Influenza-Associated Pediatric Deaths:</u> Seven influenza-associated pediatric deaths were reported.
- o <u>Influenza-associated Hospitalizations:</u> A season-cumulative rate of 30.4 laboratory-confirmed influenza-associated hospitalizations per 100,000 population was reported.
- Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 1.7%, which is below the national baseline of 2.0%. Four of 10 regions reported ILI at or above region-specific baseline levels. One state experienced moderate ILI activity; two states and New York City experienced low ILI activity; 47 states experienced minimal ILI activity, and the District of Columbia had insufficient data.
- Geographic Spread of Influenza: The geographic spread of influenza in four states was reported as widespread; nine states reported regional influenza activity; the District of Columbia and 19 states reported local influenza activity; Puerto Rico, Guam, and 18 states reported sporadic influenza activity, and the U.S. Virgin Islands reported no influenza activity.

A description of surveillance methods is available at: http://www.cdc.gov/flu/weekly/overview.htm



VII. Definitions for Influenza Surveillance

Activity level: Indicator of the geographic spread of influenza activity which is reported to CDC each week.

- No activity: No increase in ILI activity and no laboratory-confirmed influenza cases.
- Sporadic: No increase in ILI activity and isolated laboratory-confirmed influenza cases
- *Local:* Increased ILI or 2 or more institutional outbreaks in one region and laboratory-confirmed influenza cases within the past 3 weeks in the region with increased ILI or outbreaks
- *Regional:* Increased ILI or institutional outbreaks in 2-3 regions and laboratory-confirmed influenza cases within the past 3 weeks in the regions with increased ILI or institutional outbreaks
- *Widespread:* Increased ILI and/or institutional outbreaks in at least 4 regions and laboratory confirmed influenza in the state within the past 3 weeks

Confirmatory testing: Influenza testing which is considered to be confirmatory, such as a viral culture or PCR

Influenza-like illness (ILI): Fever (temperature of 100°F [37.8°C] or greater) and cough and/or sore throat

MMWR week: Term for influenza surveillance week. Each week begins on Sunday and ends on Monday. The influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2013-14 influenza season began on September 29, 2013 and will end on September 27, 2014.

Laboratory-confirmation: Positive influenza resulting from one of the following methods:

- DFA
- IFA
- Rapid influenza antigen test
- RT-PCR
- Viral culture