



South Carolina Department of Health and Environmental Control Division of Acute Disease Epidemiology

Week Ending October 25, 2014 (MMWR Week 43) All data are provisional and may change as more reports are received.

In this issue:	
Summary	2
I. Confirmatory testing	3
II. Positive rapid antigen tests	6
III. ILINet	8
IV. Hospitalizations and deaths	10
V. SC influenza surveillance components	12
VI. National surveillance	13
VII. Definitions for influenza surveillance	14

MMWR Week 43 at a Glance:

Influenza Activity Synopsis:

While ILI activity and influenza hospitalizations in South Carolina increased slightly during the past MMWR week, lab confirmed cases decreased. South Carolina reported SPORADIC activity for week 42.

Laboratory surveillance:

- 111 laboratory-confirmed cases of influenza were reported from 16 counties. This includes positive rapid tests, cultures, RT-PCRs, DFAs, and IFAs. 434 laboratory-confirmed cases have been reported this season, with cases identified in 33 counties.
- 253 (58.3%) of all laboratory-confirmed cases this season are influenza A, 163 (37.6%) are influenza B, 13 (3.0%) are influenza A/B, and 5 (1.2%) are of unknown type.

ILI Activity (South Carolina baseline is 2.05%):

• Influenza-like illness activity at sentinel providers was below South Carolina's baseline (2.69%). ILI percentages represent ILI activity reported by sentinel providers; however, a small number of providers reported data for this week, so ILI percentages may not be representative of actual flu activity.

Hospitalizations:

• 16 lab confirmed hospitalizations were reported. Since 9/28/14, 47 lab confirmed hospitalizations have been reported.

Deaths:

• No lab confirmed deaths were reported. Since 9/28/14, 3 lab confirmed deaths have been reported.

Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths Compared to Previous Week and Season

	Current week	Previous week	Change from previous week	Cumulative (2014-15)	<i>Cumulative</i> (2013-14)	Cumulative change 2014-15 compared to 2013-14
Number of positive cultures, RT-PCRs, DFAs, and IFAs	0	3	▼	5	14	▼ 64.3%
Percent of ILI visits reported by ILINet providers	2.69%	1.92%	▲ 0.77%			
Number of lab confirmed flu hospitalizations	16	9	▲ 77.8%	47	16	193.8 %
Number of lab confirmed flu deaths	0	1	▼	3	0	


Positive confirmatory influenza test results* Current MMWR Week (10/19/14 – 10/25/14)						
	BOL and reference labs					
Number of positive confirmatory tests	0					
Influenza A unsubtyped						
Influenza A H1N1						
Influenza A H3N2						
Influenza B						
Other						
Includes culture, RT-PCR, DFA, and IFA						


For the current MMWR reporting week, No positive confirmatory tests were reported. So far this season 5 positive confirmatory tests have been reported.

Positive confirmatory influenza test results* Cumulative (09/28/14 – 10/25/14)							
	BOL and reference labs						
Number of positive confirmatory tests	5						
Influenza A unsubtyped	2(40%)						
Influenza A H1N1	1(20%)						
Influenza A H3N2							
Influenza B	2 (40%)						
Unk/Other							
Includes culture, RT-PCR, DFA, and IFA							

Positive Confirmatory Tests (Culture, RT-PCR, DFA, IFA) by County Current Week 10/19/14 – 10/25/14


County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville	0	Dillon	0	Marion	0
Aiken	0	Dorchester	0	Marlboro	0
Allendale	0	Edgefield	0	McCormick	0
Anderson	0	Fairfield	0	Newberry	0
Bamberg	0	Florence	0	Oconee	0
Barnwell	0	Georgetown	0	Orangeburg	0
Beaufort	0	Greenville	0	Pickens	0
Berkeley	0	Greenwood	0	Richland	0
Calhoun	0	Hampton	0	Saluda	0
Charleston	0	Horry	0	Spartanburg	0
Cherokee	0	Jasper	0	Sumter	0
Chester	0	Kershaw	0	Union	0
Chesterfield	0	Lancaster	0	Williamsburg	0
Clarendon	0	Laurens	0	York	0
Colleton	0	Lee	0	Unknown	0
Darlington	0	Lexington	0		0







II. Positive Rapid Antigen Tests

For the current MMWR reporting week, 111 positive rapid antigen tests were reported. Of these, 59 were influenza A, 6 were influenza A/B, and 46 were influenza B. This compares to 152 this time last year. 429 positive rapid tests have been reported since 9/28/14.








7

During the most recent MMWR week, 2.69%* of patient visits to SC ILINet providers were due to ILI. This is above the state baseline (2.05%). This ILI percentage compares to 0.61% this time last year. Reports were received from providers in 12 counties, representing all of the 4 regions.



*The SC baseline is the mean percentage of patient visits for ILI during non-influenza weeks (weeks when percent of positive lab tests was below 20%) for the previous three seasons plus two standard deviations. *ILI percentage is dependent upon the number of reporting providers and can be greatly influenced by a single provider with high numbers of ILI.

Influenza-Like Illness Reported by Sentinel Providers October 19, 2014 – October 25, 2014

County	ILI %	County	ILI %	
Abbeville		Greenwood	NR	
Aiken	0%	Hampton	NR	
Allendale		Horry	NR	
Anderson	2.80%	Jasper	NR	
Bamberg		Kershaw	NR	
Barnwell		Lancaster		
Beaufort	NR	Laurens	NR	
Berkeley	5.77%	Lee		
Calhoun		Lexington	NR	
Charleston	5.78%	Marion		
Cherokee		Marlboro		
Chester		McCormick	NR	
Chesterfield		Newberry		
Clarendon		Oconee		
Colleton		Orangeburg		
Darlington		Pickens	0%	
Dillon	NR	Richland	0.33%	
Dorchester	NR	Saluda	0%	
Edgefield		Spartanburg	0%	
Fairfield		Sumter	NR	
Florence	0.20%	Union		
Georgetown	1.74%	Williamsburg		
Greenville	0.46%	York	0.70%	


NR: No reports received ----: No enrolled providers


For the current MMWR reporting week, 16 lab confirmed influenza hospitalizations were reported by 51 hospitals. No lab confirmed influenza deaths were reported.* So far this season, 47 lab confirmed hospitalizations and 3 lab confirmed deaths have been reported.

Current MMWR Week (10/19/14 -10/25/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	3	1	5	5	2	0	16
Deaths	0	0	0	0	0	0	0

Current MMWR Week (9/28/14 -10/25/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	5	6	11	14	10	1	47
Deaths	0	0	0	1	2	0	3

* Lab confirmation for hospitalizations and deaths includes culture, PCR, DFA, IFA, and rapid test.





V. South Carolina Influenza Surveillance Components

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

Mandatory Reporting

Positive confirmatory test reporting

Positive influenza culture, PCR, DFA, and IFA results from commercial laboratories should be reported to DHEC within 3 days electronically via CHESS or using a DHEC 1129 card.

Positive rapid antigen test reporting

Summary numbers of positive rapid influenza tests and influenza type identified should be sent to the regional health department by fax or email before noon on Monday for the preceding week.

Influenza deaths

All lab confirmed influenza deaths in adults should be reported to DHEC within 24 hours. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza.

Influenza hospitalizations

DHEC requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their <u>regional</u> health department by noon on Monday for the preceding week.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

Voluntary Networks

Influenza-Like Illness (ILINet) Sentinel Providers Network ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature $\geq 100^{\circ}$ F) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.


South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)

SC-DARTS is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. Syndromic reports are distributed back to the hospital on a daily basis.

VI. National Surveillance MMWR Week 3 (10/12-10/18)

During week 42 (October 12-18, 2014), influenza activity was low in the United States.

- <u>Viral Surveillance</u>: Of 8,412 specimens tested and reported by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 42, 403 (4.8%) were positive for influenza.
- Novel Influenza A Virus: One human infection with a novel influenza A virus was reported.
- <u>Pneumonia and Influenza Mortality:</u> The proportion of deaths attributed to pneumonia and influenza (P&I) was below the epidemic threshold.
- Influenza-associated Pediatric Deaths: Two influenza-associated pediatric deaths were reported, including one influenza-associated pediatric death that occurred during the 2013-2014 season.
- Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 1.4%, which is below the national baseline of 2.0%. One region reported ILI above their region-specific baseline level. Puerto Rico experienced high ILI activity; one state experienced low ILI activity; New York City and 49 states experienced minimal ILI activity and the District of Columbia had insufficient data.
- <u>Geographic Spread of Influenza</u>: The geographic spread of influenza in Guam was reported as widespread; Puerto Rico and five states reported local activity; the U.S. Virgin Islands and 36 states reported sporadic activity; and the District of Columbia and nine states reported no influenza activity.
- A description of surveillance methods is available at: http://www.cdc.gov/flu/weekly/overview.htm



VII. Definitions for Influenza Surveillance

Activity level: Indicator of the geographic spread of influenza activity which is reported to CDC each week.

- *No activity:* No increase in ILI activity and no laboratory-confirmed influenza cases.
- Sporadic: No increase in ILI activity and isolated laboratory-confirmed influenza cases
- *Local:* Increased ILI or 2 or more institutional outbreaks in one region and laboratory-confirmed influenza cases within the past 3 weeks in the region with increased ILI or outbreaks
- *Regional:* Increased ILI or institutional outbreaks in 2-3 regions and laboratory-confirmed influenza cases within the past 3 weeks in the regions with increased ILI or institutional outbreaks
- *Widespread:* Increased ILI and/or institutional outbreaks in at least 4 regions and laboratory confirmed influenza in the state within the past 3 weeks

Confirmatory testing: Influenza testing which is considered to be confirmatory, such as a viral culture, RT-PCR, DFA, IFA

Influenza-like illness (ILI): Fever (temperature of 100°F [37.8°C] or greater) and cough and/or sore throat

MMWR week: Term for influenza surveillance week. Each week begins on Sunday and ends on Monday. The influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2013-14 influenza season began on September 29, 2013 and will end on September 27, 2014.

Laboratory-confirmation: Positive influenza test resulting from one of the following laboratory tests:

- DFA
- IFA
- Rapid influenza antigen test
- RT-PCR
- Viral culture