



# South Carolina Department of Health and Environmental Control Division of Acute Disease Epidemiology

Week Ending November 1, 2014 (MMWR Week 44) All data are provisional and may change as more reports are received.

In this issue:	
Summary	2
I. Confirmatory testing	3
II. Positive rapid antigen tests	6
III. ILINet	8
IV. Hospitalizations and deaths	10
V. SC influenza surveillance components	12
VI. National surveillance	13
VII. Definitions for influenza surveillance	14

# MMWR Week 44 at a Glance:

### Influenza Activity Synopsis:

While ILI activity and influenza hospitalizations in South Carolina increased slightly during the past MMWR week, lab confirmed cases remained stable. South Carolina reported SPORADIC activity for week 44.

### Laboratory surveillance:

- 220 laboratory-confirmed cases of influenza were reported from 24 counties. This includes positive rapid tests, cultures, RT-PCRs, DFAs, and IFAs. 654 laboratory-confirmed cases have been reported this season, with cases identified in 34 counties.
- 393 (60%) of all laboratory-confirmed cases this season are influenza A, 239 (36.5%) are influenza B, 16 (2.4%) are influenza A/B, and 6 (.92%) are of unknown type.

## ILI Activity (South Carolina baseline is 2.05%):

• Influenza-like illness activity at sentinel providers was above South Carolina's baseline (3.06%). ILI percentages represent ILI activity reported by sentinel providers; however, a small number of providers reported data for this week, so ILI percentages may not be representative of actual flu activity.

## Hospitalizations:

• 16 lab confirmed hospitalizations were reported. Since 9/28/14, 63 lab confirmed hospitalizations have been reported.

### Deaths:

• One lab confirmed death was reported. Since 9/28/14, 4 lab confirmed deaths have been reported.

## Summary of ILI Activity, Positive Confirmatory Tests, and Influenza Associated Hospitalizations and Deaths Compared to Previous Week and Season

	Current week	Previous week	Change from previous week	<i>Cumulative</i> (2014-15)	<i>Cumulative</i> (2013-14)	Cumulative change 2014-15 compared to 2013-14
Number of positive cultures, RT-PCRs, DFAs, and IFAs	1	0		6	18	♥ 66.7%
Percent of ILI visits reported by ILINet providers	3.06%	2.69%	▲ 0.37%			
Number of lab confirmed flu hospitalizations	16	16		63	22	<b>186.4%</b>
Number of lab confirmed flu deaths	1	0		4	0	


Positive confirmatory influenza test results* Current MMWR Week (10/26/14 – 11/1/14)						
	BOL and reference labs					
Number of positive confirmatory tests	1					
Influenza A unsubtyped	1					
Influenza A H1N1						
Influenza A H3N2						
Influenza B						
Other						
Includes culture, RT-PCR,	DFA, and IFA					

For the current MMWR reporting week, one positive confirmatory test was reported. So far this season 6 positive confirmatory tests have been reported.


Positive confirmatory influenza test results* Cumulative (09/28/14 – 11/1/14)							
	BOL and reference labs						
Number of positive confirmatory tests	6						
Influenza A unsubtyped	3(50%)						
Influenza A H1N1	1(16.7%)						
Influenza A H3N2							
Influenza B	2 (33.3%)						
Unk/Other							
Includes culture, RT-PCR, DFA, and IFA							

## Positive Confirmatory Tests (Culture, RT-PCR, DFA, IFA) by County Current Week 10/26/14 – 11/1/14

County	Positive Tests	County	Positive Tests	County	Positive Tests
Abbeville	0	Dillon	0	Marion	0
Aiken	<4	Dorchester	0	Marlboro	0
Allendale	0	Edgefield	0	McCormick	0
Anderson	0	Fairfield	0	Newberry	0
Bamberg	0	Florence	0	Oconee	0
Barnwell	0	Georgetown	0	Orangeburg	0
Beaufort	0	Greenville	0	Pickens	0
Berkeley	0	Greenwood	0	Richland	0
Calhoun	0	Hampton	0	Saluda	0
Charleston	0	Horry	0	Spartanburg	0
Cherokee	0	Jasper	0	Sumter	0
Chester	0	Kershaw	0	Union	0
Chesterfield	0	Lancaster	0	Williamsburg	0
Clarendon	0	Laurens	0	York	0
Colleton	0	Lee	0	Unknown	0
Darlington	0	Lexington	0		0




Map of all Laboratory Confirmed Cases\* by County Cumulative 09/28/14 - 11/1/14





# II. Positive Rapid Antigen Tests

**For the current MMWR reporting week,** 219 positive rapid antigen tests were reported. Of these, 139 were influenza A, 3 were influenza A/B, 76 were influenza B and 1 was unknown. This compares to 193 this time last year. 648 positive rapid tests have been reported since 9/28/14.




Map of Positive Rapid Influenza Tests by County (Current Week 10/26/14 - 11/1/14)





http://www.scdhec.gov/flu/flu-activity-surveillance.htm

**During the most recent MMWR week**, 3.07%\* of patient visits to SC ILINet providers were due to ILI. This is above the state baseline (2.05%). This ILI percentage compares to 0.49% this time last year. Reports were received from providers in 8 counties, representing all of the 4 regions.



\*The SC baseline is the mean percentage of patient visits for ILI during non-influenza weeks (weeks when percent of positive lab tests was below 20%) for the previous three seasons plus two standard deviations. \* ILI percentage is dependent upon the number of reporting providers and can be greatly influenced by a single provider with high numbers of ILI.

## Influenza-Like Illness Reported by Sentinel Providers October 26, 2014 – November 1, 2014

County	ILI %	County	ILI %	
Abbeville		Greenwood	NR	
Aiken	0%	Hampton	NR	
Allendale		Horry	NR	
Anderson	2.04%	Jasper	NR	
Bamberg		Kershaw	NR	
Barnwell		Lancaster		
Beaufort	NR	Laurens	NR	
Berkeley	5.38%	Lee		
Calhoun		Lexington	NR	
Charleston	5.39%	Marion		
Cherokee		Marlboro		
Chester		McCormick	NR	
Chesterfield		Newberry		
Clarendon		Oconee		
Colleton		Orangeburg		
Darlington		Pickens	0%	
Dillon	NR	Richland	0.76%	
Dorchester	NR	Saluda	1.18%	
Edgefield		Spartanburg	NR	
Fairfield		Sumter	NR	
Florence	0.77%	Union		
Georgetown	NR	Williamsburg		
Greenville	NR	York	1.31%	


NR: No reports received ----: No enrolled providers


For the current MMWR reporting week, 16 lab confirmed influenza hospitalizations were reported by 53 hospitals. One lab confirmed influenza death was reported.\* So far this season, 63 lab confirmed hospitalizations and 4 lab confirmed deaths have been reported.

Current MMWR Week (10/26/14 -11/1/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	0	2	2	1	11		16
Deaths	0	0	0	1	0	0	1

Current MMWR Week (9/28/14 -11/1/14)							
	0-4	5-17	18-49	50-64	65+	Unk	Total
Hospitalizations	5	8	13	15	21	1	63
Deaths	0	0	0	2	2	0	4

\* Lab confirmation for hospitalizations and deaths includes culture, PCR, DFA, IFA, and rapid test.





## V. South Carolina Influenza Surveillance Components

South Carolina influenza surveillance consists of mandatory and voluntary reporting systems for year-round influenza surveillance. These networks provide information on influenza virus strain and subtype and influenza disease burden.

#### Mandatory Reporting

#### Positive confirmatory test reporting

Positive influenza culture, PCR, DFA, and IFA results from commercial laboratories should be reported to DHEC within 3 days electronically via CHESS or using a DHEC 1129 card.

#### Positive rapid antigen test reporting

*Summary numbers* of positive rapid influenza tests and influenza type identified should be sent to the regional health department by fax or email before noon on Monday for the preceding week.

#### Influenza deaths

All lab confirmed influenza deaths in adults should be reported to DHEC within 24 hours. These include results from viral culture, PCR, rapid flu tests, DFA, IFA or autopsy results consistent with influenza.

#### Influenza hospitalizations

DHEC requires weekly submission of laboratory confirmed influenza hospitalizations. Hospitals should report these to their <u>regional</u> health department by noon on Monday for the preceding week.

For additional information about ILINet or to become an ILINet provider, contact the Acute Disease Epidemiology influenza surveillance coordinator at springcb@dhec.sc.gov.

#### Voluntary Networks

Influenza-Like Illness (ILINet) Sentinel Providers Network ILINet focuses on the number of patients presenting with influenza-like symptoms in the absence of another known cause. ILI is defined as fever (temperature  $\geq 100^{\circ}$ F) plus a cough and/or a sore throat in the absence of another known cause. Providers submit weekly reports to the CDC of the total number of patients seen in a week and the subset number of those patients with ILI symptoms by age group.


#### South Carolina Disease Alerting, Reporting & Tracking System (SC-DARTS)

SC-DARTS is a collaborative network of syndromic surveillance systems within South Carolina. Currently our network contains the following data sources: SC Hospital Emergency Department (ED) chief-complaint data, Poison Control Center call data, Over-the-Counter (OTC) pharmaceutical sales surveillance, and CDC's BioSense Biosurveillance system. The hospital ED syndromic surveillance system classifies ED chief complaint data into appropriate syndrome categories (ex: Respiratory, GI, Fever, etc.). These syndrome categories are then analyzed using the cumulative sum (CUSUM) methodology to detect any significant increases. Syndromic reports are distributed back to the hospital on a daily basis.

## VI. National Surveillance MMWR Week 43 (10/19-10/25)

During week 43 (October 19-25, 2014), influenza activity was low in the United States.

- <u>Viral Surveillance</u>: Of 7,449 specimens tested and reported by U.S. World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 43, 320 (4.3%) were positive for influenza.
- <u>Pneumonia and Influenza Mortality</u>: The proportion of deaths attributed to pneumonia and influenza (P&I) was below the epidemic threshold.
- o Influenza-associated Pediatric Deaths: No influenza-associated pediatric deaths were reported.
- Outpatient Illness Surveillance: The proportion of outpatient visits for influenza-like illness (ILI) was 1.4%, which is below the national baseline of 2.0%. All 10 regions reported ILI below region-specific baseline levels. One state experienced low ILI activity; Puerto Rico, New York City and 49 states experienced minimal ILI activity; and the District of Columbia had insufficient data.
- <u>Geographic Spread of Influenza</u>: The geographic spread of influenza in Guam was reported as widespread; one state reported regional activity; Puerto Rico and eight states reported local activity; the U.S. Virgin Islands and 32 states reported sporadic activity; and the District of Columbia and nine states reported no influenza activity.
- A description of surveillance methods is available at: http://www.cdc.gov/flu/weekly/overview.htm



# VII. Definitions for Influenza Surveillance

Activity level: Indicator of the geographic spread of influenza activity which is reported to CDC each week.

- *No activity:* No increase in ILI activity and no laboratory-confirmed influenza cases.
- Sporadic: No increase in ILI activity and isolated laboratory-confirmed influenza cases
- *Local:* Increased ILI or 2 or more institutional outbreaks in one region and laboratory-confirmed influenza cases within the past 3 weeks in the region with increased ILI or outbreaks
- *Regional:* Increased ILI or institutional outbreaks in 2-3 regions and laboratory-confirmed influenza cases within the past 3 weeks in the regions with increased ILI or institutional outbreaks
- *Widespread:* Increased ILI and/or institutional outbreaks in at least 4 regions and laboratory confirmed influenza in the state within the past 3 weeks

**Confirmatory testing:** Influenza testing which is considered to be confirmatory, such as a viral culture, RT-PCR, DFA, IFA

**Influenza-like illness (ILI):** Fever (temperature of 100°F [37.8°C] or greater) and cough and/or sore throat

**MMWR week:** Term for influenza surveillance week. Each week begins on Sunday and ends on Monday. The influenza season begins with MMWR week 40 and ends with MMWR week 39. The 2013-14 influenza season began on September 29, 2013 and will end on September 27, 2014.

Laboratory-confirmation: Positive influenza test resulting from one of the following laboratory tests:

- DFA
- IFA
- Rapid influenza antigen test
- RT-PCR
- Viral culture