



Before there was a vaccine, mumps was one of the most common causes of:

- **DEAFNESS** and
- MENINGITIS

(infection of the brain and spinal cord covering) in childhood.

Mumps can also lead to

#### ENCEPHALITIS

(swelling of the brain) in some children.

SYMPTOMS OF MUMPS


**FEVER** 

SWOLLEN GLANDS UNDER THE EARS OR JAW **HEADACHES** 

**MUSCLE ACHES** 

### **MUMPS IS CONTAGIOUS**

Here's how it's spread...



COUGHING

**& SNEEZING** 



TOUCHING OBJECTS OR SURFACES WITH UNWASHED HANDS

## MUMPS IN THE UNITED STATES

From year to year, mumps cases in the U.S. range from roughly a couple hundred to a couple thousand.

## **PROTECT YOUR CHILD**

The MMR vaccine protects against measles, mumps and rubella. Doctors recommend that your child get 2 doses of MMR for best protection. Your child will need one dose at each of the following ages...

> **DOSE #1** 12–15 months

**DOSE #2** 4–6 years

# IMMUNIZATION. POWER TO PROTECT.

*Learn more at www.cdc.gov/vaccines/parents* 



American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

