




SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2001



**VOLUME I
ANNUAL VITAL STATISTICS SERIES**

**Division of Biostatistics and Health GIS
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS



NOW AVAILABLE IN CD FORMAT

The 1999 and 2000 Vital and Morbidity Statistics books are available on CD. If you would like to receive the CD in lieu of the book or would like to receive both, please fill out the form below and return it to our office or contact us at

Phone:(803) 898-3649 Fax: (803) 898-3661

Division of Biostatistics
Office of Public Health Statistics and Information Services
SC Dept. of Health and Environmental Control
2600 Bull Street
Columbia, SC 29201

Name:.....

Company Name:.....

Address:

City & State:

Phone Number:.....

Please indicate which media you would like to receive:


CD Only

Book and CD

Mail to:

Division of Biostatistics
Office of Public Health Statistics and Information Services
2600 Bull Street
Columbia, SC 29201

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2001



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics and Health GIS
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

July 2003

INTRODUCTION

This report contains vital statistics data for South Carolina events that occurred in 2001. The purpose of this report is to provide basic reference data for a variety of users. Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments and reports of fetal deaths and abortions. Data are presented for South Carolina, its 46 counties and places of 2,500 or more population. Live births, fetal deaths and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate transcript exchange.

In South Carolina, all birth, fetal death, and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Office of Vital Records. In 1992, South Carolina established the Electronic Birth Certificate (EBC) system. This allows hospitals to file all birth certificate information by computer. By the end of 1997, 100% of the births in South Carolina were being filed via the EBC system. Marriage and divorce certificates are transmitted to this office from the County Probate Court and Clerk of Court respectively.

Population estimates for the intercensal years were prepared by the Office of Research and Statistics of the South Carolina Budget and Control Board under the Federal-State Cooperative Program of population estimating for local areas. The Disease Control and Epidemiology Division of the South Carolina Department of Health and Environmental Control furnished the morbidity data.

This report is available in CD format as well as in printed format. This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Public Health Statistics and Information Services link under the heading Health Information.

Requests for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics and Health GIS
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.net>

TABLE OF CONTENTS

Section A.	Summary of Vital Events.....	1
Section B.	Population	12
Section C.	Birth.....	16
	Fertility Patterns.....	23
	Gender Ratio.....	24
	Multiple Births.....	24
	Attendant at Birth.....	36
	Age of Mother.....	43
	Live Births to Unmarried Mothers.....	50
	Live Births by Birthweight.....	55
	Low Weight Live Births.....	62
Section D.	Teen Pregnancy.....	71
	Age 10-19.....	71
	Age 10-14.....	74
	Age 14-17.....	77
	Age 15-17.....	80
	Age 18-19.....	83
Section E.	Abortion.....	86
	By County of Residence.....	87
	By County of Occurrence.....	90
Section F.	Perinatal.....	91
	Infant Mortality.....	94
	Neonatal Mortality.....	97
	Postneonatal Mortality.....	100
	Fetal Mortality.....	103
	Perinatal Mortality.....	107
	Maternal Deaths.....	108
Section G.	Deaths.....	110
	Leading Causes of Death.....	112
	Age at Death.....	117
	Multiple Causes of Death.....	242
	Years of Potential Life Lost (YPLL).....	245
Section H.	Marriages and Divorces.....	249
Section I.	Morbidity.....	262
Section J.	Technical Notes.....	265
	Registration of Vital Events.....	265
	Revision of Certificates.....	266
	Allocation of Events by Residence or Occurrence.....	267
	Definitions of Terms.....	268
	Interpretation of Data.....	270
	Formulas.....	274
	Grams Weight Conversion Chart.....	275
	Symbols Used in Tables.....	275
Section K.	Appendix.....	276

TABLE OF CONTENTS (continued)

Figures

Figure A-1.	Life Expectancy for South Carolina Residence by Age and Gender.....	7
Figure B-1.	South Carolina Modified Census Population by County, 2001.....	12
Figure C-1.	Live Birth Rates by County: South Carolina, 2001 (Residence Data).....	16
Figure C-2.	Live Birth Rates by Race of Mother: South Carolina, 1977-2001 (Residence Data).....	17
Figure C-3.	Percent of Live Births to Women Age 30 and Over: South Carolina, 1992-2001 (Residence Data).....	43
Figure C-4.	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 2001 (Residence Data).....	50
Figure C-5.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2001 (Residence Data).....	55
Figure C-6.	Percent of Births Less than 2,500 Grams, by Age and Race of Mother: South Carolina, 2001 (Residence Data).....	62
Figure E-1.	Abortions and Abortion Rates by Race of Mother: South Carolina, 1992-2001 (Residence Data).....	86
Figure F-1.	Three-Year Infant Mortality Rates by County: South Carolina, 1999-2001 (Residence Data).....	91
Figure F-2.	Infant Mortality Rates by Race: South Carolina, 1977-2001 (Residence Data).....	92
Figure F-3.	Percent of Infant Deaths by Age at Death: South Carolina, 2001 (Residence Data).....	93
Figure G-1.	Death Rates by County: South Carolina, 2001 (Residence Data).....	110
Figure G-2.	Death Rates by Race: South Carolina, 1977-2001 (Residence Data).....	111
Figure G-3.	Percent Distribution of the Ten Leading Causes of Death by Gender: South Carolina, 2001 (Residence Data).....	112
Figure H-1.	Marriage and Divorce Rates: South Carolina, 1977-2001 (Residence Data).....	249
Figure H-2.	Marriage Rates by Race: South Carolina, 1977-2001 (Occurrence Data).....	251
Figure H-3.	Divorce Rates by Race: South Carolina, 1977-2001 (Occurrence Data).....	258

TABLE OF CONTENTS (continued)

TABLES

Vital Events

Table A-1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1982-2001 (Residence Data).....	3
Table A-2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1982-2001 (Residence Data).....	4
TableA- 3.	Live Births: South Carolina and Each County, 1991-2001 (Residence Data).....	5
Table A-4.	Deaths: South Carolina and Each County, 1991-2001 (Residence Data).....	6
Table A-5.	Life Expectancy for South Carolina Residence by Race, (Ages 0-54) 1989-1991.....	8
Table A-5A.	Life Expectancy for South Carolina Residence by Race, (Ages 55-110) 1989-1991.....	9
Table A-6.	Life Expectancy for South Carolina Residence by Race and Gender (Ages 0-55) 1989-1991.....	10
Table A-6A.	Life Expectancy for South Carolina Residence by Race and Gender (Ages 55-110) 1989-1991.....	11

Population

Table B-1.	Percent of Population by Age Group: South Carolina, 1990 and 2000.....	13
Table B-2.	Population, Live Births, Deaths and Natural Increase: South Carolina, 1980-2001 (Residence Data).....	14
Table B-3.	South Carolina Modified Census Population by Race: South Carolina and Each County, 2001	15

Births

Table C-1.	Live Births and Birth Rates by Race of Mother: South Carolina, 1977-2001 (Residence Data).....	17
Table C-2.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2001 (Residence Data).....	18
Table C-3.	Live Births and Births Rates by Race of Mother: South Carolina and Each County and Places of 2,500 or More Population, 2001 (Residence Data).....	19
Table C-4.	Live Births and Births Rates by Race of Mother: South Carolina and Each County and Places of 2,500 or More Population, 2001 (Occurrence Data).....	20

TABLE OF CONTENTS (continued)

Births

Table C-5.	Live Births by Race of Mother and Gender: South Carolina and Each County, 2001 (Residence Data).....	21
Table C-6.	Live Births by Race of Mother and Gender: South Carolina and Each County, 2001 (Occurrence Data).....	22
Table C-7.	Fertility Rates by Race: South Carolina, 1987-2001 (Residence Data).....	23
Table C-8.	Population of Females Age 15-44 by Race: South Carolina, 1987-2001 (Residence Data).....	23
Table C-9.	Gender Ratio of Males per 100 Females: South Carolina, 1987-2001 (Residence Data).....	24
Table C-10.	Live Births by County of Occurrence by County of Residence: South Carolina, 2001.....	25
Table C-11.	Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 2001 (Residence Data).....	27
Table C-11A.	Live Births by Number of Prenatal Care Visits by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	28
Table C-12.	Live Births by Month Prenatal Care Began: South Carolina and Each County, 2001 (Residence Data).....	30
Table C-12A.	Live Births by Month Prenatal Care Began by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	31
Table C-13.	Live Births by Education of Mother: South Carolina and Each County, 2001 (Residence Data).....	33
Table C-13A.	Live Births by Education and Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	34
Table C-14.	Live Births by Attendant by Place of Delivery: South Carolina and Each County, 2001 (Residence Data).....	36
Table C-15.	Percent of Births Occurring in Hospitals by Race of Mother: South Carolina, 1990-2001 (Residence Data).....	36
Table C-16.	Live Births by Attendant: South Carolina and Each County, 2001 (Residence Data).....	37
Table C-16A.	Live Births by Attendant by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	38
Table C-17.	Live Births by Attendant: South Carolina and Each County, 2001 (Occurrence Data).....	40
Table C-17A.	Live Births by Attendant by Race of Mother: South Carolina and Each County, 2001 (Occurrence Data).....	41
Table C-18.	Percent Distribution of Live Births by Age of Mother: South Carolina, 1997-2001 (Residence Data).....	43

TABLE OF CONTENTS (continued)

Births

Table C-19.	Live Births by Age of Mother: South Carolina and Each County, 2001 (Residence Data).....	44
Table C-19A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	45
Table C-20	Live Births to Mothers Less than 20 Years Old: South Carolina and Each County, 2001 (Residence Data).....	47
Table C-20A.	Live Births to Mothers Less than 20 Years Old by Race of Mother South Carolina and Each County, 2001 (Residence Data).....	48
Table C-21	Percent Distribution of Live Births to Unmarried Mothers by Age: South Carolina, 1997-2001 (Residence Data).....	50
Table C-22.	Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother: South Carolina, 1996-2001 (Residence Data).....	51
Table C-23.	Live Births to Unmarried Mothers by Age: South Carolina and Each County, 2001 (Residence Data).....	52
Table C-23A.	Live Births to Unmarried Mothers by Age and Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	53
Table C-24.	Live Births by Birthweight Groups by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	55
Table C-25.	Live Births by Birthweight ,Age and Race of Mother: South Carolina, 2001 (Residence Data).....	56
Table C-26.	Live Births by Birthweight and Race of Mother: South Carolina, 2001 (Residence Data).....	57
Table C-27.	Percent of Births Less than 2,500 Grams, by Age and Race of Mother: South Carolina, 2001 (Residence Data).....	62
Table C-28.	Low Weight Live Births and Percent of Low Weight Live Births by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	63
Table C-29.	Low Weight Live Births by Age of Mother: South Carolina and Each County, 2001 (Residence Data).....	64
Table C-29A.	Low Weight Live Births by Age and Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	65
Table C-30.	Very Low Weight Live Births and Percent of Very Low Weight Live Births by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	67
Table C-31.	Live Births and Number of Mothers who Smoked During Pregnancy by Race of Mother: South Carolina and Each County (Residence Data).....	68
Table C-32.	Live Births and Number of Mothers who Drank Alcohol During Pregnancy by Race of Mother: South Carolina and Each County (Residence Data).....	69

TABLE OF CONTENTS (continued)

Births

Table C-33.	Live Births and Number of Live Births with Congenital Anomalies by Race of Mother: South Carolina and Each County (Residence Data).....	70
-------------	---	----

Teen Pregnancy

Table D-1.	Estimated Teen Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2001 (Residence Data).....	71
Table D-1A.	Estimated Teen Pregnancy for Females Age 10-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2001 (Residence Data).....	72
Table D-2.	Estimated Teen Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2001 (Residence Data).....	74
Table D-2A.	Estimated Teen Pregnancy for Females Age 10-14, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2001 (Residence Data).....	75
Table D-3.	Estimated Teen Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2001 (Residence Data).....	77
Table D-3A.	Estimated Teen Pregnancy for Females Age 14-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2001 (Residence Data).....	78
Table D-4.	Estimated Teen Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2001 (Residence Data).....	80
Table D-4A.	Estimated Teen Pregnancy for Females Age 15-17, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2001 (Residence Data).....	81
Table D-5.	Estimated Teen Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates: South Carolina, 2001 (Residence Data).....	83
Table D-5A.	Estimated Teen Pregnancy for Females Age 18-19, Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions, with Rates by Race: South Carolina, 2001 (Residence Data).....	84

Abortions

Table E-1.	Abortions and Abortion Rates by Race: South Carolina, 1991-2001 (Residence Data).....	86
Table E-2.	Abortions by Age Group: South Carolina, 2001 (Residence Data).....	87
Table E-2A.	Abortions by Age Group and Race of Woman: South Carolina, 2001 (Residence Data).....	88
Table E-3.	Abortions by Age Group: South Carolina and Each County, 2001 (Occurrence Data).....	90

TABLE OF CONTENTS (continued)

Perinatal

Table F-1.	Infant Mortality and Infant Mortality Rates by race: South Carolina, 1977-2001 (Residence Data)	92
Table F-2.	Leading Causes of Infant Death by Age at Death: South Carolina, 2001 (Residence Data).....	93
Table F-3.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	94
Table F-3A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	95
Table F-4.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	97
Table F-4A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	98
Table F-5.	Postneonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	100
Table F-5A.	Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2001, 1999-2001, 1996-1998 (Residence Data).....	101
Table F-6.	Fetal Mortality and Fetal Mortality Rates by Race: South Carolina and Each County, 2001 (Residence Data).....	103
Table F-7.	Fetal Deaths by Age of Mother: South Carolina and Each County, 2001 (Residence Data).....	104
Table F-7A.	Fetal Deaths by Age and Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	105
Table F-8.	Perinatal Mortality and Perinatal Mortality Rates by Race of Mother: South Carolina and Each County, 2001 (Residence Data).....	107
Table F-9.	Maternal Death by Cause and Age of Mother: South Carolina and Each County, 2001 (Residence Data).....	108
Table F-9A.	Maternal Deaths by Cause, Race and Age of Mother: South Carolina and Each County, 2001 (Residence Data).....	109

Deaths

Table G-1.	Deaths and Death Rates by Race: South Carolina, 1977-2001 (Residence Data).....	111
Table G-2.	Mortality From Ten Leading Causes of Death by Race: South Carolina, 2001 (Residence Data).....	112

TABLE OF CONTENTS (continued)

Deaths

Table G-2A.	Mortality From Ten Leading Causes of Death by Race and Gender: South Carolina, 2001 (Residence Data).....	113
Table G-3.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2001 (Residence Data).....	114
Table G-3A.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race and Gender: South Carolina, 2001 (Residence Data).....	115
Table G-4.	Percent Distribution of Deaths by Race and Age: South Carolina, 1980, 1990 and 2000 (Residence Data).....	117
Table G-5.	Deaths from Major Cardiovascular Diseases: South Carolina, 2001 (Residence Data).....	117
Table G-6.	Distribution of Malignant Neoplasms by Site and Gender: South Carolina, 2001 (Residence Data).....	118
Table G-7.	Types of Accidental Deaths by Gender: South Carolina, 2001 (Residence Data).....	119
Table G-8.	Methods of Suicidal Deaths by Gender: South Carolina, 2001 (Residence Data).....	119
Table G-9.	Methods of Homicidal Deaths by Gender: South Carolina, 2001 (Residence Data).....	119
Table G-10.	Deaths by Cause, Age, Race and Gender: South Carolina, 2001 (Residence Data).....	120
Table G-11.	Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 2001, (Residence Data).....	134
Table G-12.	Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 2001, (Occurrence Data).....	135
Table G-13.	Deaths by Race and Gender: South Carolina and Each County, 2001 (Residence Data).....	136
Table G-14.	Deaths by Race and Gender: South Carolina and Each County, 2001 (Occurrence Data).....	137
Table G-15.	Deaths and Death Rates from Selected Causes, by Race and Gender: South Carolina, 2001 (Residence Data).....	138
Table G-15A	Deaths from Selected Causes, by Race and Gender: Each County of South Carolina, 2001 (Residence Data)	142
Table G-16.	Deaths by Burial Disposition: South Carolina and Each County, 2001 (Occurrence Data).....	234
Table G-16A.	Deaths by Burial Disposition by Race: South Carolina and Each County, 2001 (Occurrence Data).....	235
Table G-17.	Death by Certifier: South Carolina and Each County, 2001 (Occurrence Data).....	236

TABLE OF CONTENTS (continued)

Deaths

Table G-17A.	Death by Certifier by Race: South Carolina and Each County, 2001 (Occurrence Data).....	237
Table G-18.	Major Causes of Accidental Death: South Carolina and Each County, 2001 (Residence Data).....	238
Table G-19.	Major Causes of Accidental Death: South Carolina and Each County, 2001 (Occurrence Data).....	239
Table G-20.	Deaths From Suicide by Method: South Carolina and Each County, 2001 (Residence Data).....	240
Table G-21.	Deaths From Homicide by Method: South Carolina and Each County, 2001 (Residence Data).....	241
Table G-22.	Total Times Mentioned Verses Times Selected as Underlying Cause of Death: South Carolina, 2001 (Residence Data).....	243
Table G-23.	Years of Potential Life Lost Before Age 65 and Before Age 75 for Selected Causes of Death: South Carolina, 2001 (Residence Data).....	246
Table G-23A.	Years of Potential Life Lost Before Age 65 and Before Age 75 for Selected Causes of Death by Race: South Carolina, 2001 (Residence Data).....	247

Marriages, Divorces and Annulments

Table H-1.	Marriages by Race of Bride and Race of Groom: South Carolina, 2001 (Residence Data).....	250
Table H-2.	Marriages and Marriage Rates by Race: South Carolina, 1977-2001 (Residence Data).....	251
Table H-3.	Marriages by Age of Bride and Groom: South Carolina, 2001 (Occurrence Data).....	252
Table H-4.	Marriages by Race, Residential Status and Age of Bride: South Carolina, 2001 (Occurrence Data).....	253
Table H-5.	Marriages by Race, Residential Status and Age of Groom: South Carolina, 2001 (Occurrence Data).....	254
Table H-6.	Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 2001.....	255
Table H-7.	Marriages by Residential Status, and County of Marriage: South Carolina, 2001 (Occurrence Data).....	256
Table H-8.	Divorces by Age Groups and Race: South Carolina, 2001 (Residence Data).....	257

TABLE OF CONTENTS (continued)

Marriages, Divorces and Annulments

Table H-9.	Divorces and Divorce Rates by Race: South Carolina, 1977-2001 (Residence Data).....	258
Table H-10.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree: South Carolina, 2001 (Residence Data).....	259
Table H-11.	Divorces by Plaintiff, by Legal Grounds of Decree: South Carolina and Each County, 2001.....	260
Table H-12.	Divorces and Annulments by Number of Children Involved, and Race South Carolina and Each County, 2001.....	261

Morbidity

Table I-1.	Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 2001 (Occurrence Data).....	262
Table I-2.	Reported cases of Sexually Transmitted Diseases: South Carolina and Each County, 2001 (Occurrence Data).....	264

SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2001

15
Low Weight
Live Births

153
Live Births

109
Marriages

100
Deaths

40
Divorces

26
Heart
Disease
Deaths

8
Stroke
Deaths

Diabetes
Deaths

1
Suicide
Death

2
Female
Breast
Cancer
Deaths

23
Cancer
Deaths

22
Births to
Teens

5
Accidental
Deaths

1
Homicide
Death

DID YOU KNOW THAT IN 2001:

The Most Common First Names by Sex and Race for South Carolina

Male			Female		
Total	White	Black & Other	Total	White	Black & Other
WILLIAM	WILLIAM	JORDAN	MADISON	MADISON	DESTINY
JACOB	JACOB	JOSHUA	HANNAH	HANNAH	JASMINE
JAMES	JAMES	JALEN	EMILY	EMILY	JADA
JOSHUA	JOSHUA	MICHAEL	TAYLOR	ANNA	ALEXIS
MATTHEW	MATTHEW	ANTHONY	ANNA	SARAH	TAYLOR
JOHN	JOHN	CAMERON	SARAH	ELIZABETH	KAYLA
MICHAEL	MICHAEL	CHRISTOPHER	ELIZABETH	ABIGAIL	BRIANNA
AUSTIN	AUSTIN	JAMES	ALEXIS	LAUREN	AALIYAH
ANDREW	ANDREW	JUSTIN	ABIGAIL	TAYLOR	DIAMOND
CHRISTOPHER	CHRISTOPHER	BRANDON	BRIANNA	MARY	JORDAN
ZACHARY	ZACHARY	DARIUS	LAUREN	SAVANNAH	MAKAYLA
ETHAN	ETHAN	JEREMIAH	MARY	CAROLINE	ANGEL
JOSEPH	JOSEPH	MALIK	KAYLA	HALEY	TRINITY
THOMAS	THOMAS	XAVIER	SAVANNAH	EMMA	MORGAN
HUNTER	HUNTER	ISAIAH	CAROLINE	OLIVIA	INDIA

BIRTHS

The month with most births: August (5,091) Least Births: April (4,316)
 Youngest Mother: 12 years old Oldest Mother: 51 years old
 The Biggest baby: 14 lb 13 oz or 6,407 grams

DEATHS

The month with the most deaths: January (3,478) Least deaths: September (2,708)
 The oldest person that died: 116 years old

MARRIAGES

The youngest bride: 15 years old The youngest groom: 16 years old
 The oldest bride: 89 years old The oldest groom: 99 years old
 The month with the most marriages: June (4,629) Least marriages: January (1,907)

DIVORCES

The youngest bride to divorce: 15 years old The youngest groom to divorce: 18 years old
 The oldest bride to divorce: 89 years old The oldest groom to divorce: 95 years old
 The month with the most divorces: June (1,488) Least divorces: July (1,044)
 Greatest number of divorces for bride: 9 For groom: 9

Table A-1.
 Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
 South Carolina, 1982-2001
 (Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1982	TOTAL	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	WHITE	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	NONWHITE	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3
1983	TOTAL	3,316,306	50,731	15.3	26,130	7.9	53,691	16.2	13,601	4.1
	WHITE	2,276,477	30,448	13.4	17,717	7.8	41,490	18.2	11,060	4.9
	NONWHITE	1,039,829	20,283	19.5	8,413	8.1	12,201	11.7	2,541	2.4
1984	TOTAL	3,300,500	50,561	15.3	26,363	8.0	55,357	16.8	13,674	4.1
	WHITE	2,259,528	30,607	13.5	17,815	7.9	42,557	18.8	11,111	4.9
	NONWHITE	1,040,972	19,954	19.2	8,548	8.2	12,800	12.3	2,563	2.5
1985	TOTAL	3,366,521	51,846	15.4	27,077	8.0	52,805	15.7	13,456	4.0
	WHITE	2,302,246	31,543	13.7	18,390	8.0	40,315	17.5	11,045	4.8
	NONWHITE	1,064,275	20,303	19.1	8,687	8.2	12,490	11.7	2,411	2.3
1986	TOTAL	3,417,611	51,726	15.1	28,122	8.2	53,974	15.8	13,431	3.9
	WHITE	2,334,192	31,202	13.4	19,098	8.2	40,934	17.5	11,011	4.7
	NONWHITE	1,083,419	20,524	18.9	9,024	8.3	13,040	12.0	2,420	2.2
1987	TOTAL	3,423,400	52,774	15.4	28,470	8.3	53,396	15.6	13,835	4.0
	WHITE	2,341,400	31,982	13.7	19,437	8.3	39,916	17.0	11,229	4.8
	NONWHITE	1,082,000	20,792	19.2	9,033	8.3	13,480	12.5	2,606	2.4
1988	TOTAL	3,519,770	55,090*	15.7	29,397*	8.4	54,615*	15.5	14,672	4.2
	WHITE	2,398,070	33,100	13.8	19,951	8.3	40,839	17.0	11,824	4.9
	NONWHITE	1,121,700	21,986	19.6	9,443	8.4	13,775	12.3	2,848	2.5
1989	TOTAL	3,518,760	57,239*	16.3	29,576*	8.4	54,693*	15.5	15,115*	4.3
	WHITE	2,400,650	34,153	14.2	20,032	8.3	41,704	17.4	12,173	5.1
	NONWHITE	1,118,110	23,076	20.6	9,544	8.5	12,985	11.6	2,889	2.6
1990	TOTAL	3,486,703	58,461*	16.8	29,621*	8.5	55,754	15.8	16,182*	4.6
	WHITE	2,414,178	35,491	14.7	20,192	8.4	42,314	17.5	12,858	5.3
	BLACK/OTHER	1,072,525	22,963	21.4	9,427	8.8	13,440	12.5	3,257	3.0
1991	TOTAL	3,559,600	57,517*	16.2	29,851*	8.4	53,747	15.1	15,187	4.3
	WHITE	2,457,300	34,560	14.1	20,364	8.3	41,004	16.7	12,233	5.0
	BLACK/OTHER	1,102,300	22,949	20.8	9,482	8.6	12,743	11.6	2,954	2.7
1992	TOTAL	3,603,430	56,102*	15.6	30,565*	8.5	53,320*	14.8	15,365*	4.3
	WHITE	2,487,960	33,890	13.6	20,945	8.4	40,726	16.4	12,179	4.9
	BLACK/OTHER	1,115,480	22,206	19.9	9,617	8.6	12,592	11.3	3,103	2.8
1993	TOTAL	3,629,550	53,715*	14.8	31,943*	8.8	53,223*	14.7	15,141*	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907*	14.2	32,223*	8.8	51,564*	14.1	15,802*	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913*	13.9	33,500*	9.1	45,347	12.4	15,171*	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105*	13.8	34,035*	9.2	43,439	11.7	15,319*	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205*	13.9	33,660*	9.0	43,411*	11.5	15,780*	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833*	14.0	34,781*	9.1	42,380*	11.0	15,083*	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706*	14.1	35,972*	9.3	43,664*	11.2	15,115*	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964*	13.9	36,816*	9.2	41,592*	10.4	15,196*	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8
2001	TOTAL	4,063,010	55,748*	13.7	36,576*	9.0	40,128	9.9	14,657*	3.6
	WHITE	2,788,650	35,731	12.8	25,781	9.2	30,112	10.8	11,372	4.1
	BLACK/OTHER	1,274,370	20,008	15.7	10,782	8.5	10,016	7.9	3,250	2.6

¹ MODIFIED CENSUS POPULATION FOR 2000 (SEE TECHNICAL NOTES), ACTUAL CENSUS COUNTS FOR 1990; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table A-2.
 Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
 and Maternal Deaths with Rates by Race¹
 South Carolina, 1982-2001
 (Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1982	TOTAL	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	WHITE	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	-	0
	NONWHITE	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9
1983	TOTAL	11,908	234.7	4,395	86.6	645	12.7	760	15.0	497	9.8	4	0.8
	WHITE	2,105	69.1	1,864	61.2	272	8.9	343	11.3	215	7.1	1	0.3
	NONWHITE	9,803	483.3	2,531	124.8	373	18.4	417	20.6	282	13.9	3	1.5
1984	TOTAL	11,916	235.7	4,431	87.6	640	12.7	743	14.7	495	9.8	5	1.0
	WHITE	2,129	69.5	1,916	62.6	292	9.5	339	11.1	239	7.8	3	1.0
	NONWHITE	9,787	490.5	2,515	126.0	348	17.4	404	20.2	256	12.8	2	1.0
1985	TOTAL	12,513	241.3	4,461	86.0	588	11.3	735	14.2	516	10.0	3	0.6
	WHITE	2,464	78.1	1,856	58.8	259	8.2	301	9.5	205	6.5	-	0
	NONWHITE	10,049	495.0	2,605	128.3	329	16.2	434	21.4	311	15.3	3	1.5
1986	TOTAL	13,032	251.9	4,443	85.9	545	10.5	685	13.2	456	8.8	10	1.9
	WHITE	2,722	87.2	1,913	61.3	235	7.5	318	10.2	216	6.9	1	0.3
	NONWHITE	10,310	502.3	2,530	123.3	310	15.1	367	17.9	240	11.7	9	4.4
1987	TOTAL	13,889	263.2	4,533	85.9	562	10.6	673	12.8	455	8.6	8	1.5
	WHITE	3,050	95.4	1,950	61.0	247	7.7	309	9.7	207	6.5	5	1.6
	NONWHITE	10,839	521.3	2,583	124.2	315	15.2	364	17.5	248	11.9	3	1.4
1988	TOTAL	14,944*	271.3	4,937	89.6	631	11.5	673	12.2	446	8.1	4	0.7
	WHITE	3,305	99.8	2,096	63.3	289	8.7	316	9.5	207	6.3	2	0.6
	NONWHITE	11,638	529.3	2,841	129.2	342	15.6	357	16.2	239	10.9	2	0.9
1989	TOTAL	15,970	279.0	5,266	92.0	631	11.0	731	12.8	466	8.1	6	1.0
	WHITE	3,686	107.9	2,215	64.9	223	6.5	310	9.1	199	5.8	1	0.3
	NONWHITE	12,284	532.3	3,051	132.2	408	17.7	421	18.2	267	11.6	5	2.2
1990	TOTAL	16,774*	286.9	5,109	87.4	614	10.5	679	11.6	461	7.9	6	1.0
	WHITE	4,036	113.7	2,179	61.4	267	7.5	291	8.2	200	5.6	1	0.3
	BLACK/OTHER	12,737	554.7	2,930	127.6	347	15.1	388	16.9	261	11.4	5	2.2
1991	TOTAL	17,578	305.6	5,278	91.8	599	10.4	644	11.2	399	6.9	8	1.4
	WHITE	4,191	121.3	2,192	63.4	265	7.7	279	8.1	168	4.9	3	0.9
	BLACK/OTHER	13,387	583.3	3,086	134.5	334	14.6	365	15.9	231	10.1	5	2.2
1992	TOTAL	17,026*	303.5	5,071	90.4	599	10.7	588	10.5	388	6.9	9	1.6
	WHITE	4,167	123.0	2,143	63.2	252	7.4	243	7.2	162	4.8	7	2.1
	BLACK/OTHER	12,857	579.0	2,928	131.9	347	15.6	345	15.5	226	10.2	2	0.9
1993	TOTAL	16,299	303.4	5,020	93.5	585	10.9	544	10.1	368	6.9	4	0.7
	WHITE	4,126	126.7	2,184	67.1	245	7.5	218	6.7	143	4.4	-	0
	BLACK/OTHER	12,173	576.0	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	15,767*	303.8	4,760	91.7	561*	10.7	486	9.4	336	6.5	5	1.0
	WHITE	4,206	131.9	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	11,559	578.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	14,891*	292.5	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	4,181	131.4	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	10,709	561.6	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	13,905	272.1	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	3,909	121.0	2,262	70.0	198	6.1	179	5.5	111	3.4	3	0.9
	BLACK/OTHER	9,996	532.0	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	14,249	272.9	4,803	92.0	556*	10.5	494	9.5	352	5.6	4	0.8
	WHITE	4,030	122.1	2,235	67.7	226	6.8	207	6.3	149	4.5	2	0.6
	BLACK/OTHER	10,219	532.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	14,802*	275.0	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	4,360	128.0	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	10,441	528.5	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	14,833*	271.1	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	4,405	127.0	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	10,427	521.2	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	15,146*	270.6	5,412*	96.7	573*	10.1	488	8.7	340	6.1	9	1.6
	WHITE	4,355	123.9	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	10,787	518.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4
2001	TOTAL	14,775	265.0	5,349	96.0	559	9.9	496	8.9	337	6.0	7	3.4
	WHITE	4,468	125.1	2,606	72.9	231	6.4	206	5.8	135	3.8	2	1.0
	BLACK/OTHER	10,307	515.1	2,743	137.1	328	16.1	290	14.5	202	10.1	5	2.4

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

² RATE PER 1,000 LIVE BIRTHS

³ RATE PER 10,000 LIVE BIRTHS

⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table A-3.
Live Births
South Carolina and Each County, 1991-2001
(Residence Data)

County of Residence	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
South Carolina	57,517	56,102	53,715	51,907	50,913	51,105	52,205	53,833	54,706	55,964	55,748
Abbeville	297	324	294	292	344	337	326	364	339	336	371
Aiken	2,137	1,998	1,945	1,895	1,874	1,850	1,872	1,797	1,831	1,852	1,889
Allendale	209	190	201	172	177	172	160	177	169	174	181
Anderson	2,073	2,062	1,971	2,000	2,067	2,071	2,103	2,145	2,194	2,217	2,247
Bamberg	259	266	235	236	227	215	217	208	222	233	211
Barnwell	339	358	357	330	330	287	356	338	344	330	339
Beaufort	1,599	1,743	1,573	1,631	1,660	1,558	1,607	1,668	1,746	1,887	1,945
Berkeley	2,486	2,460	2,395	2,174	2,014	1,964	1,961	2,017	2,191	2,114	2,188
Calhoun	214	182	154	197	143	175	174	168	166	193	161
Charleston	5,666	5,441	5,087	4,553	4,133	4,012	4,187	4,403	4,487	4,586	4,575
Cherokee	747	681	634	634	664	674	743	686	722	784	692
Chester	549	508	496	459	442	445	476	476	453	514	434
Chesterfield	578	605	603	579	579	569	568	550	579	619	573
Clarendon	466	442	394	385	380	401	370	409	408	440	449
Colleton	569	586	570	565	507	529	536	519	550	589	608
Darlington	1,064	995	939	922	871	858	956	907	950	953	943
Dillon	513	559	496	517	502	465	467	489	456	519	476
Dorchester	1,570	1,490	1,439	1,274	1,213	1,140	1,144	1,152	1,119	1,228	1,231
Edgefield	306	297	278	242	259	252	279	265	316	288	278
Fairfield	383	383	343	334	316	318	316	335	307	342	319
Florence	1,880	1,857	1,769	1,724	1,737	1,760	1,728	1,867	1,886	1,866	1,906
Georgetown	796	748	725	737	682	652	770	736	819	770	806
Greenville	4,885	4,763	4,704	4,626	4,767	4,906	4,920	5,176	5,361	5,388	5,526
Greenwood	925	897	901	932	885	865	915	963	933	954	915
Hampton	360	352	326	280	317	282	287	311	294	302	316
Horry	2,250	2,207	1,926	1,888	1,989	2,046	2,064	2,324	2,346	2,569	2,588
Jasper	302	300	286	276	257	306	289	280	267	284	339
Kershaw	691	670	672	608	611	612	676	665	717	729	694
Lancaster	934	828	777	813	722	759	768	809	800	830	804
Laurens	829	811	830	777	794	780	840	864	870	823	802
Lee	314	305	251	257	257	209	246	258	262	264	284
Lexington	2,743	2,798	2,702	2,787	2,684	2,892	2,935	3,028	2,969	2,999	2,940
McCormick	104	96	103	103	88	93	93	83	78	96	80
Marion	2,599	537	503	538	485	465	497	478	501	527	497
Marlboro	502	512	490	431	386	422	424	433	434	434	400
Newberry	531	478	453	422	449	421	444	523	476	497	523
Oconee	748	796	738	695	743	775	752	796	796	768	786
Orangeburg	1,508	1,430	1,313	1,237	1,204	1,194	1,194	1,265	1,366	1,310	1,263
Pickens	1,258	1,212	1,225	1,199	1,248	1,223	1,301	1,379	1,345	1,329	1,356
Richland	4,614	4,521	4,491	4,254	3,977	4,132	4,156	4,286	4,361	4,460	4,247
Saluda	273	226	228	232	221	216	257	256	255	257	267
Spartanburg	3,499	3,352	3,280	3,162	3,251	3,331	3,223	3,288	3,262	3,344	3,443
Sumter	1,766	1,772	1,658	1,670	1,599	1,648	1,641	1,699	1,674	1,744	1,609
Union	393	398	390	396	336	392	380	369	396	376	368
Williamsburg	666	597	599	534	537	479	490	502	553	543	540
York	2,123	2,067	1,971	1,935	1,976	1,949	2,094	2,122	2,136	2,301	2,339
Unknown	-	2	-	3	9	4	3	-	-	2	-

Table A-4.
Deaths
South Carolina and Each County, 1991-2001
(Residence Data)

County of Residence	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
South Carolina	29,851	30,565	31,943	32,223	33,500	34,035	33,660	34,781	35,972	36,816	36,576
Abbeville	206	240	215	240	261	259	220	232	235	229	239
Aiken	1,068	1,111	1,217	1,230	1,146	1,242	1,183	1,233	1,287	1,305	1,426
Allendale	110	113	146	130	136	115	129	114	121	109	118
Anderson	1,307	1,406	1,480	1,497	1,597	1,602	1,521	1,623	1,719	1,693	1,744
Bamberg	162	184	164	160	153	178	189	183	186	209	154
Barnwell	191	222	190	210	228	229	222	238	258	222	249
Beaufort	654	661	699	729	789	742	857	819	907	914	969
Berkeley	661	705	756	722	757	836	816	859	835	877	957
Calhoun	114	135	123	119	131	125	133	151	156	157	155
Charleston	2,348	2,291	2,452	2,411	2,368	2,467	2,483	2,414	2,553	2,894	2,682
Cherokee	401	458	452	471	465	516	450	485	527	528	560
Chester	333	335	337	329	341	346	329	323	327	338	344
Chesterfield	387	398	452	415	445	420	422	458	456	422	377
Clarendon	306	313	333	297	363	340	309	337	310	329	332
Colleton	353	337	371	379	349	383	341	385	390	386	391
Darlington	654	680	706	637	636	668	732	708	749	738	716
Dillon	313	312	299	316	333	343	322	323	307	315	325
Dorchester	535	537	540	544	603	659	687	684	716	713	680
Edgefield	187	164	200	203	179	179	189	196	210	197	239
Fairfield	265	275	280	325	294	311	285	249	268	322	248
Florence	1,114	1,091	1,135	1,134	1,278	1,156	1,311	1,265	1,278	1,325	1,279
Georgetown	384	470	429	489	513	498	515	499	552	532	537
Greenville	2,648	2,521	2,787	2,873	2,946	3,119	2,900	3,102	3,229	3,346	3,365
Greenwood	545	591	619	605	652	654	674	699	658	700	658
Hampton	183	148	164	174	209	190	171	211	181	227	212
Horry	1,211	1,284	1,328	1,484	1,523	1,655	1,562	1,678	1,803	1,924	1,873
Jasper	155	135	149	162	149	167	156	157	190	142	147
Kershaw	391	406	392	383	467	440	433	458	496	518	517
Lancaster	509	528	523	525	517	554	561	563	638	619	572
Laurens	615	624	654	705	638	697	682	695	733	711	713
Lee	163	189	189	162	184	183	179	232	205	188	217
Lexington	1,127	1,160	1,249	1,260	1,439	1,417	1,435	1,581	1,611	1,692	1,720
McCormick	78	80	88	113	114	87	97	130	122	97	115
Marion	343	356	383	361	396	389	373	400	405	416	358
Marlboro	312	332	301	342	363	341	334	377	366	354	349
Newberry	344	383	394	368	367	369	321	365	383	355	411
Oconee	490	564	559	574	601	572	557	606	628	635	618
Orangeburg	855	905	891	891	966	866	929	943	960	932	924
Pickens	714	719	816	792	823	848	815	855	918	895	873
Richland	2,237	2,255	2,257	2,233	2,311	2,386	2,391	2,412	2,536	2,600	2,505
Saluda	173	195	216	188	226	201	179	196	208	201	188
Spartanburg	2,163	2,133	2,337	2,465	2,422	2,459	2,377	2,420	2,434	2,599	2,610
Sumter	783	786	810	777	888	881	828	885	909	945	906
Union	345	364	328	348	349	365	419	366	354	356	334
Williamsburg	339	363	369	392	341	386	386	407	386	360	383
York	1,075	1,106	1,163	1,109	1,239	1,187	1,251	1,261	1,270	1,236	1,285
Unknown	-	-	1	4	5	8	5	4	2	14	2

Life Expectancy

Table A-5. presents the average remaining lifetime (i.e., average number of years of life remaining at the beginning of the age interval) for South Carolinians by single year of age for 1989-1991. These tables are based on age specific death rates of South Carolina Residents for 1989-1991. The death rates were calculated using data from the 1990 Census of Population and deaths occurring in the United States to residents of South Carolina. Presented are tables for the total population by race and gender.

For more detailed information, please refer to the 1998 publication U.S. Decennial Life Tables for 1989-1991, Volume II, State Life Tables Number 41, South Carolina. Published by the U.S. Department of Health and Human Services, Center for Disease Control and Prevention, National Center for Health Statistics.

**Figure A-1.
Life Expectancy
for South Carolina Residence
by Age and Gender
1989-1991**




Table A-5.
Life Expectancy
for South Carolina Residence by Race
1989-1991

Age in Years	Average remaining lifetime			
Period of life between two exact ages stated	Average Number of Years of life remaining at beginning of year of age			
	Total	White	Black	Other
0-1	73.51	75.33	68.82	69.09
1-2	73.40	74.97	69.05	69.30
2-3	72.46	74.03	68.13	68.38
3-4	71.50	73.07	67.18	67.43
4-5	70.54	72.09	66.22	66.47
5-6	69.56	71.12	65.25	65.50
6-7	68.58	70.14	64.27	64.52
7-8	67.60	69.15	63.30	63.54
8-9	66.62	68.17	62.31	62.56
9-10	65.63	67.18	61.33	61.57
10-11	64.64	66.19	60.34	60.59
11-12	63.65	65.20	59.35	59.60
12-13	62.67	64.21	58.37	58.61
13-14	61.68	63.22	57.38	57.63
14-15	60.70	62.24	56.40	56.64
15-16	59.73	61.27	55.43	55.67
16-17	58.77	60.32	54.46	54.71
17-18	57.82	59.37	53.50	53.75
18-19	56.87	58.42	52.55	52.79
19-20	55.93	57.48	51.61	51.85
20-21	54.99	56.54	50.67	50.91
21-22	54.05	55.61	49.73	49.97
22-23	53.12	54.67	48.80	49.04
23-24	52.18	53.73	47.88	48.12
24-25	51.25	52.79	46.97	47.20
25-26	50.32	51.85	46.06	46.29
26-27	49.39	50.91	45.15	45.38
27-28	48.46	49.96	44.25	44.48
28-29	47.53	49.02	43.35	43.57
29-30	46.60	48.08	42.45	42.68
30-31	45.68	47.13	41.56	41.78
31-32	44.75	46.19	40.67	40.89
32-33	43.83	45.25	39.79	40.01
33-34	42.91	44.31	38.91	39.12
34-35	41.99	43.37	38.03	38.24
35-36	41.08	42.44	37.16	37.37
36-37	40.16	41.50	36.29	36.50
37-38	39.25	40.56	35.43	35.64
38-39	38.35	39.63	34.57	34.78
39-40	37.44	38.70	33.72	33.92
40-41	36.54	37.78	32.88	33.07
41-42	35.65	36.85	32.04	32.23
42-43	34.75	35.93	31.21	31.40
43-44	33.86	35.02	30.39	30.57
44-45	32.98	34.10	29.58	29.75
45-46	32.10	33.20	28.78	28.95
46-47	31.23	32.30	27.99	28.15
47-48	30.37	31.41	27.21	27.37
48-49	29.52	30.52	26.45	26.61
49-50	28.67	29.64	25.70	25.85
50-51	27.84	28.77	24.96	25.11
51-52	27.01	27.91	24.23	24.37
52-53	26.19	27.06	23.51	23.64
53-54	25.38	26.22	22.81	22.93
54-55	24.58	25.39	22.11	22.22

Table A-5A.
Life Expectancy
for South Carolina Residence by Race
1989-1991

Age in Years	Average remaining lifetime			
Period of life between two exact ages stated	Average Number of Years of life remaining at beginning of year of age			
	Total	White	Black	Other
55-56	23.80	24.57	21.43	21.53
56-57	23.03	23.76	20.76	20.85
57-58	22.26	22.97	20.10	20.19
58-59	21.51	22.19	19.45	19.54
59-60	20.78	21.42	18.82	18.90
60-61	20.05	20.66	18.20	18.27
61-62	19.34	19.91	17.59	17.66
62-63	18.64	19.18	17.00	17.06
63-64	17.95	18.46	16.41	16.47
64-65	17.27	17.75	15.84	15.90
65-66	16.61	17.05	15.28	15.33
66-67	15.95	16.36	14.74	14.78
67-68	15.31	15.68	14.19	14.24
68-69	14.67	15.01	13.66	13.70
69-70	14.04	14.35	13.15	13.19
70-71	13.44	13.71	12.66	12.69
71-72	12.85	13.09	12.18	12.22
72-73	12.29	12.49	11.73	11.76
73-74	11.74	11.91	11.30	11.33
74-75	11.21	11.35	10.88	10.90
75-76	10.70	10.79	10.47	10.49
76-77	10.19	10.25	10.06	10.08
77-78	9.69	9.72	9.66	9.67
78-79	9.20	9.21	9.26	9.27
79-80	8.72	8.71	8.87	8.88
80-81	8.26	8.22	8.48	8.49
81-82	7.82	7.76	8.12	8.13
82-83	7.40	7.32	7.77	7.78
83-84	6.99	6.90	7.44	7.44
84-85	6.60	6.49	7.12	7.11
85-86	6.22	6.10	6.78	6.77
86-87	5.85	5.73	6.43	6.42
87-88	5.49	5.38	6.07	6.05
88-89	5.14	5.05	5.71	5.69
89-90	4.82	4.74	5.36	5.34
90-91	4.51	4.44	5.04	5.01
91-92	4.22	4.16	4.74	4.71
92-93	3.96	3.91	4.48	4.45
93-94	3.72	3.67	4.25	4.22
94-95	3.50	3.45	4.04	4.00
95-96	3.29	3.25	3.82	3.78
96-97	3.10	3.06	3.62	3.58
97-98	2.93	2.89	3.43	3.39
98-99	2.77	2.73	3.25	3.21
99-100	2.61	2.58	3.08	3.04
100-101	2.46	2.43	2.91	2.87
101-102	2.32	2.29	2.75	2.71
102-103	2.19	2.15	2.59	2.56
103-104	2.05	2.03	2.45	2.42
104-105	1.93	1.90	2.31	2.28
105-106	1.81	1.78	2.17	2.14
106-107	1.70	1.67	2.04	2.01
107-108	1.59	1.56	1.92	1.89
108-109	1.49	1.46	1.80	1.78
109-110	1.39	1.36	1.69	1.66

Table A-6.
Life Expectancy
for South Carolina Residence by Race and Gender
1989-1991


Age in Years Period of life between two exact ages stated	Average remaining lifetime							
	Average Number of Years of life remaining at beginning of year of age							
	Total		White		Black		Other	
	Male	Female	Male	Female	Male	Female	Male	Female
0-1	69.59	77.34	71.62	78.97	64.07	73.35	64.37	73.57
1-2	69.51	77.18	71.30	78.55	64.31	73.55	64.59	73.76
2-3	68.58	76.24	70.36	77.61	63.39	72.63	63.67	72.83
3-4	67.62	75.28	69.40	76.64	62.44	71.68	62.72	71.88
4-5	66.66	74.30	68.43	75.66	61.48	70.71	61.76	70.91
5-6	65.69	73.33	67.46	74.68	60.51	69.73	60.79	69.93
6-7	64.71	72.35	66.48	73.70	59.54	68.76	59.82	68.96
7-8	63.73	71.36	65.50	72.72	58.56	67.78	58.84	67.97
8-9	62.75	70.38	64.51	71.73	57.58	66.79	57.86	66.99
9-10	61.76	69.39	63.52	70.74	56.60	65.81	56.88	66.00
10-11	60.77	68.40	62.54	69.75	55.61	64.82	55.89	65.01
11-12	59.78	67.41	61.54	68.76	54.63	63.83	54.90	64.03
12-13	58.79	66.42	60.55	67.77	53.64	62.84	53.92	63.04
13-14	57.81	65.43	59.57	66.78	52.66	61.85	52.93	62.05
14-15	56.84	64.44	58.60	65.79	51.68	60.87	51.96	61.06
15-16	55.88	63.46	57.64	64.81	50.72	59.88	50.99	60.08
16-17	54.93	62.49	56.69	63.84	49.76	58.90	50.04	59.10
17-18	53.99	61.52	55.76	62.87	48.82	57.92	49.10	58.12
18-19	53.06	60.55	54.83	61.91	47.89	56.95	48.17	57.14
19-20	52.14	59.58	53.91	60.95	46.96	55.98	47.24	56.17
20-21	51.22	58.62	52.99	59.98	46.04	55.01	46.32	55.20
21-22	50.31	57.65	52.07	59.02	45.14	54.04	45.41	54.24
22-23	49.39	56.69	51.15	58.06	44.23	53.09	44.51	53.28
23-24	48.48	55.73	50.23	57.09	43.34	52.13	43.61	52.32
24-25	47.57	54.77	49.31	56.13	42.46	51.18	42.72	51.37
25-26	46.66	53.81	48.39	55.16	41.58	50.24	41.84	50.43
26-27	45.76	52.85	47.46	54.20	40.70	49.29	40.96	49.48
27-28	44.85	51.90	46.54	53.23	39.83	48.36	40.09	48.54
28-29	43.95	50.94	45.62	52.26	38.97	47.42	39.23	47.60
29-30	43.04	49.98	44.69	51.29	38.11	46.48	38.36	46.67
30-31	42.14	49.03	43.77	50.32	37.26	45.55	37.51	45.74
31-32	41.24	48.07	42.85	49.36	36.41	44.62	36.65	44.81
32-33	40.34	47.12	41.92	48.39	35.56	43.70	35.81	43.88
33-34	39.45	46.17	41.00	47.43	34.72	42.77	34.96	42.95
34-35	38.55	45.22	40.08	46.47	33.89	41.85	34.13	42.03
35-36	37.66	44.28	39.16	45.51	33.06	40.93	33.29	41.11
36-37	36.78	43.33	38.25	44.55	32.24	40.02	32.47	40.19
37-38	35.90	42.39	37.33	43.59	31.42	39.10	31.65	39.28
38-39	35.02	41.45	36.42	42.63	30.61	38.19	30.84	38.37
39-40	34.14	40.51	35.51	41.68	29.81	37.29	30.03	37.46
40-41	33.27	39.58	34.60	40.73	29.01	36.39	29.23	36.56
41-42	32.40	38.65	33.70	39.78	28.22	35.50	28.44	35.66
42-43	31.53	37.72	32.80	38.84	27.44	34.61	27.65	34.77
43-44	30.67	36.80	31.90	37.90	26.67	33.73	26.88	33.89
44-45	29.81	35.88	31.01	36.96	25.91	32.86	26.11	33.01
45-46	28.96	34.97	30.12	36.03	25.16	32.00	25.35	32.15
46-47	28.12	34.06	29.24	35.10	24.42	31.15	24.61	31.29
47-48	27.29	33.16	28.37	34.17	23.70	30.31	23.88	30.45
48-49	26.47	32.27	27.51	33.26	22.99	29.48	23.17	29.62
49-50	25.66	31.38	26.66	32.35	22.29	28.67	22.46	28.80
50-51	24.85	30.51	25.81	31.44	21.60	27.87	21.76	28.00
51-52	24.04	29.65	24.97	30.55	20.92	27.08	21.07	27.20
52-53	23.25	28.79	24.14	29.67	20.24	26.31	20.38	26.43
53-54	22.47	27.95	23.32	28.80	19.58	25.55	19.71	25.66
54-55	21.70	27.12	22.51	27.94	18.93	24.80	19.05	24.90

Table A-6A.
Life Expectancy
for South Carolina Residence by Race and Gender
1989-1991

Age in Years Period of life between two exact ages stated	Average remaining lifetime							
	Average Number of Years of life remaining at beginning of year of age							
	Total		White		Black		Other	
	Male	Female	Male	Female	Male	Female	Male	Female
55-56	20.95	26.29	21.72	27.08	18.31	24.05	18.42	24.14
56-57	20.21	25.46	20.95	26.23	17.71	23.29	17.81	23.38
57-58	19.50	24.64	20.19	25.39	17.13	22.54	17.23	22.63
58-59	18.80	23.83	19.44	24.55	16.58	21.80	16.66	21.88
59-60	18.11	23.03	18.72	23.72	16.03	21.07	16.11	21.15
60-61	17.44	22.24	18.01	22.91	15.49	20.37	15.57	20.44
61-62	16.78	21.46	17.31	22.10	14.95	19.69	15.03	19.75
62-63	16.13	20.69	16.63	21.29	14.42	19.02	14.49	19.08
63-64	15.49	19.94	15.96	20.50	13.90	18.37	13.96	18.43
64-65	14.87	19.19	15.30	19.72	13.39	17.73	13.45	17.78
65-66	14.26	18.45	14.65	18.95	12.90	17.10	12.96	17.15
66-67	13.66	17.73	14.02	18.18	12.42	16.47	12.48	16.52
67-68	13.07	17.00	13.40	17.43	11.96	15.85	12.01	15.90
68-69	12.49	16.29	12.79	16.68	11.51	15.24	11.56	15.28
69-70	11.93	15.59	12.19	15.95	11.08	14.64	11.12	14.68
70-71	11.38	14.91	11.60	15.23	10.65	14.07	10.70	14.11
71-72	10.85	14.25	11.04	14.54	10.25	13.53	10.29	13.56
72-73	10.34	13.62	10.50	13.86	9.86	13.01	9.90	13.04
73-74	9.86	13.00	9.97	13.20	9.48	12.51	9.52	12.54
74-75	9.38	12.40	9.47	12.56	9.12	12.03	9.15	12.05
75-76	8.93	11.80	8.98	11.93	8.76	11.55	8.80	11.57
76-77	8.49	11.21	8.52	11.30	8.41	11.08	8.45	11.10
77-78	8.07	10.63	8.07	10.68	8.08	10.60	8.11	10.62
78-79	7.67	10.05	7.65	10.07	7.75	10.14	7.78	10.15
79-80	7.28	9.50	7.24	9.48	7.42	9.68	7.46	9.69
80-81	6.91	8.96	6.85	8.92	7.10	9.24	7.14	9.25
81-82	6.55	8.45	6.47	8.39	6.80	8.82	6.83	8.83
82-83	6.20	7.97	6.11	7.89	6.51	8.42	6.53	8.43
83-84	5.87	7.51	5.77	7.41	6.23	8.05	6.26	8.05
84-85	5.55	7.07	5.44	6.95	5.96	7.68	5.98	7.68
85-86	5.24	6.64	5.13	6.51	5.69	7.30	5.71	7.30
86-87	4.94	6.22	4.83	6.09	5.40	6.91	5.41	6.91
87-88	4.65	5.82	4.55	5.70	5.10	6.50	5.11	6.50
88-89	4.38	5.44	4.29	5.33	4.80	6.11	4.80	6.10
89-90	4.12	5.07	4.05	4.98	4.51	5.72	4.50	5.71
90-91	3.87	4.73	3.82	4.66	4.24	5.36	4.23	5.35
91-92	3.65	4.42	3.61	4.35	4.01	5.03	3.99	5.01
92-93	3.44	4.13	3.40	4.07	3.82	4.73	3.79	4.71
93-94	3.25	3.87	3.21	3.82	3.67	4.46	3.64	4.44
94-95	3.08	3.63	3.04	3.58	3.53	4.21	3.49	4.19
95-96	2.92	3.40	2.88	3.36	3.37	3.97	3.34	3.94
96-97	2.77	3.20	2.73	3.16	3.21	3.74	3.18	3.72
97-98	2.63	3.01	2.59	2.97	3.06	3.53	3.03	3.51
98-99	2.50	2.84	2.46	2.80	2.91	3.33	2.88	3.31
99-100	2.37	2.68	2.33	2.64	2.77	3.15	2.74	3.13
100-101	2.25	2.52	2.21	2.49	2.63	2.97	2.61	2.95
101-102	2.13	2.37	2.10	2.34	2.50	2.80	2.47	2.79
102-103	2.02	2.23	1.99	2.20	2.38	2.64	2.35	2.63
103-104	1.91	2.10	1.88	2.07	2.25	2.49	2.23	2.47
104-105	1.81	1.97	1.78	1.94	2.14	2.34	2.11	2.33
105-106	1.71	1.84	1.68	1.81	2.02	2.20	2.00	2.19
106-107	1.61	1.72	1.58	1.70	1.92	2.07	1.89	2.05
107-108	1.52	1.61	1.49	1.59	1.81	1.94	1.79	1.93
108-109	1.43	1.50	1.41	1.48	1.71	1.82	1.69	1.80
109-110	1.35	1.40	1.32	1.38	1.61	1.70	1.59	1.69

The State Fruit


“ The Peach ”







Officially adopted by the General Assembly in 1984

POPULATION

Figure B-1
South Carolina Census Population by County
2001



Population

	10,120 - 43,010
	43,011 - 112,110
	112,111 - 220,240
	220,241 - 386,690

Map Source: GIS Lab, Division of Biostatistics and Health GIS,
PHSIS, SC DHEC
Data Source: Division of Biostatistics and Health GIS, PHSIS
SC DHEC;
Office of Research and Statistics,
SC Budget and Control Board

SUMMARY OF POPULATION

The Census population of South Carolina for 2000 was 4,012,012 an increase of 126,272 from the 1999 estimated population of 3,885,740. The 2000 population showed an increase of 15.1 percent over the 1990 Census population of 3,486,703.

1990 and 2000 CENSUS OF POPULATION

Population Density: In 1990, the population density (number of person per square mile of land area) of South Carolina was approximately 115.8. Based on the 2000 census count, the population density had increased to 133.2, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 1990, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1990, there were 2,414,178 white and 1,072,525 black and other persons residing in South Carolina. The 2000 census count, modified by race*, recorded a 13.9 increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten years population change from 1990 to 2000, the 45-54 years age group showed the greatest percentage increase. Only four age groups, under 1,15-19, 20-24 and 25-34 showed a decrease in population from 1990 to 2000. The age distribution and the percent change in the number of residents from 1990 to 2000 are as follows:

**Table B-1.
Percent of Population by Age Group
South Carolina 1990 and 2000**

Age Groups	1990		2000		Percent Change 1990-2000
	Total	Percent	Total	Percent	
Total	3,486,703	100.0	4,012,012	100.0	+15.1
Under 1 Year	55,708	1.6	53,947	1.3	-3.2
1-4 Years	207,448	5.9	210,732	5.3	+1.6
5-9 Years	255,303	7.3	285,243	7.1	+11.7
10-14 Years	253,035	7.2	290,479	7.2	+14.8
15-19 Years	278,416	8.0	295,377	7.3	+6.1
20-24 Years	284,400	8.2	281,714	7.0	- 0.9
25-34 Years	591,191	16.6	560,831	14.0	- 5.1
35-44 Years	521,761	15.0	625,124	15.6	+19.8
45-54 Years	352,866	10.1	550,321	13.7	+56.0
55-64 Years	292,526	8.4	372,911	9.3	+27.5
65-74 Years	244,985	7.0	270,048	6.7	+10.2
75 and Over	149,064	4.3	215,285	5.4	+44.4

* Refer to Technical notes in appendix.

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina 1980-2001
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase
		Number	Rate*	Number	Rate*	(Births minus Death)
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488
1983	3,316,306	50,731	15.3	26,130	7.9	24,601
1984	3,300,500	50,561	15.3	26,363	8.0	24,198
1985	3,366,521	51,846	15.4	27,077	8.0	24,769
1986	3,417,611	51,726	15.1	28,122	8.2	23,604
1987	3,423,400	52,774	15.4	28,470	8.3	24,304
1988	3,519,770	55,090	15.7	29,397	8.4	25,693
1989	3,518,760	57,239	16.3	29,576	8.4	27,663
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172

* Rate per 1,000 population

Table B-3.
Estimated Population and Percents by Race
South Carolina and Each County, 2001


County of Residence	Total	Modified			
		White		Black and Other	
		Number	Percent	Number	Percent
South Carolina	4,063,010	2,788,650	68.6	1,274,370	31.4
Abbeville	26,310	18,160	69.0	8,150	31.0
Aiken	143,910	104,730	72.8	39,170	27.2
Allendale	11,050	3,060	27.7	7,990	72.3
Anderson	168,990	139,450	82.5	29,530	17.5
Bamberg	16,390	6,020	36.7	10,380	63.3
Barnwell	23,530	13,180	56.0	10,350	44.0
Beaufort	125,210	92,190	73.6	33,020	26.4
Berkeley	144,080	100,850	70.0	43,220	30.0
Calhoun	15,350	7,750	50.5	7,600	49.5
Charleston	312,010	197,360	63.3	114,650	36.7
Cherokee	53,160	41,710	78.5	11,460	21.6
Chester	34,060	20,560	60.4	13,500	39.6
Chesterfield	43,010	28,160	65.5	14,850	34.5
Clarendon	32,790	14,930	45.5	17,860	54.5
Colleton	38,550	21,690	56.3	16,850	43.7
Darlington	67,810	38,980	57.5	28,830	42.5
Dillon	30,930	15,840	51.2	15,090	48.8
Dorchester	98,750	71,530	72.4	27,210	27.6
Edgefield	24,470	14,050	57.4	10,420	42.6
Fairfield	23,700	9,470	40.0	14,230	60.0
Florence	126,610	75,030	59.3	51,580	40.7
Georgetown	57,190	34,550	60.4	22,640	39.6
Greenville	386,690	307,490	79.5	79,200	20.5
Greenwood	66,750	44,520	66.7	22,230	33.3
Hampton	21,410	9,270	43.3	12,150	56.7
Horry	202,430	167,660	82.8	34,770	17.2
Jasper	20,820	9,200	44.2	11,620	55.8
Kershaw	53,410	38,810	72.7	14,600	27.3
Lancaster	61,510	44,370	72.1	17,140	27.9
Laurens	70,140	51,070	72.8	19,070	27.2
Lee	20,090	7,120	35.4	12,970	64.6
Lexington	220,240	188,660	85.7	31,580	14.3
McCormick	10,120	4,570	45.2	5,550	54.8
Marion	35,190	14,870	42.3	20,330	57.8
Marlboro	28,650	12,890	45.0	15,770	55.0
Newberry	36,340	23,760	65.4	12,590	34.6
Oconee	67,410	61,230	90.8	6,180	9.2
Orangeburg	91,340	34,290	37.5	57,050	62.5
Pickens	112,110	102,790	91.7	9,330	8.3
Richland	323,300	166,540	51.5	156,760	48.5
Saluda	19,110	13,070	68.4	6,040	31.6
Spartanburg	257,260	197,760	76.9	59,510	23.1
Sumter	104,240	53,270	51.1	50,970	48.9
Union	29,550	20,180	68.3	9,370	31.7
Williamsburg	36,810	12,120	32.9	24,690	67.1
York	170,260	133,920	78.7	36,340	21.3

Note: Races and Counties may not sum to total due to rounding

¹ See Technical Notes

The State Bird


“ The Wren”



Officially adopted by the General Assembly in 1948

BIRTH

Figure C-1
Live Birth Rates* by County
South Carolina, 2001
(Residence Data)



Live Birth Rates

- 7.9 - 10.5
- 10.6 - 13.3
- 13.4 - 14.8
- 14.9 - 16.4

*Rates calculated per 1,000 population

Map Source: GIS Lab, Division of Biostatistics and Health GIS,
PHSIS, SC DHEC
Data Source: Division of Biostatistics and Health GIS, PHSIS
SC DHEC

Table C-1.
Live Births and Birth Rates¹ by Race of Mother
South Carolina, 1977-2001
(Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2
1985	51,846	15.4	31,543	13.7	20,303	19.1
1986	51,726	15.1	31,202	13.4	20,524	18.9
1987	52,774	15.4	31,982	13.7	20,792	19.2
1988	55,090*	15.7	33,100	13.8	21,986	19.6
1989	57,239*	16.3	34,153	14.2	23,076	20.6
1990	58,461*	16.8	35,491	14.7	22,963	21.4
1991	57,517*	16.2	34,560	14.1	22,949	20.8
1992	56,102*	15.6	33,890	13.6	22,206	19.9
1993	53,715*	14.8	32,571	13.0	21,134	18.9
1994	51,907*	14.2	31,899	12.6	19,996	17.7
1995	50,913*	13.9	31,830	12.5	19,068	16.9
1996	51,105*	13.8	32,309	12.6	18,788	16.6
1997	52,205*	13.9	33,011	12.8	19,192	16.4
1998	53,833*	14.0	34,065	12.9	19,757	16.6
1999	54,706*	14.1	34,683	12.9	20,004	16.6
2000	55,964*	13.9	35,146	12.8	20,803	16.5
2001	55,748*	13.7	35,731	12.7	20,008	15.7

*Includes unknown race

¹Rate per 1,000 population

Figure C-2.
Live Birth Rates by Race of Mother
South Carolina, 1977-2001
(Residence Data)




Table C-2.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2001
(Residence Data)

Age of Mother	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother ¹						
All Ages	55,748 *	100.0	35,731	100.0	20,008	100.0
<15	182	0.3	52	0.1	130	0.6
15-19	7,898	14.2	3,930	11.0	3,968	19.8
20-24	16,413 *	29.4	9,326	26.1	7,084	35.4
25-29	14,476 *	26.0	9,976	27.9	4,495	22.5
30-34	11,135	20.0	8,397	23.5	2,738	13.7
35-39	4,705	8.4	3,437	9.6	1,268	6.3
40-44	894 *	1.6	584	1.6	309	1.5
45+	32	0.1	21	0.1	11	0.1
Not Stated	13	0.0	8	0.0	5	0.0
Live Births by Age of Married Mother						
All Ages	40,954 *	100.0	31,253	100.0	9,697	100.0
<15	16	0.0	9	0.0	7	0.1
15-19	3,505	8.6	2,497	8.0	1,008	10.4
20-24	10,443 *	25.5	7,645	24.5	2,797	28.8
25-29	11,993 *	29.3	9,258	29.6	2,732	28.2
30-34	9,991	24.4	8,024	25.7	1,967	20.3
35-39	4,193	10.2	3,249	10.4	944	9.7
40-44	778	1.9	545	1.7	233	2.4
45+	28	0.1	21	0.1	7	0.1
Not Stated	7	0.0	5	0.0	2	0.0
Live Births by Age of Unmarried Mother						
All Ages	14,775	100.0	4,468	100.0	10,307	100.0
<15	166	1.1	43	1.0	123	1.2
15-19	4,393	29.7	1,433	32.1	2,960	28.7
20-24	5,966	40.4	1,680	37.6	4,286	41.6
25-29	2,479	16.8	717	16.0	1,762	17.1
30-34	1,142	7.7	371	8.3	771	7.5
35-39	509	3.4	186	4.2	323	3.1
40-44	114	0.8	38	0.9	76	0.7
45+	4	0.0	-	0	4	0.0
Not Stated	2	0.0	-	0	2	0.0

* Includes unknown race

¹ Includes unknown marital status

Table C-3.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	55,748*	13.7	35,731	12.8	20,008	15.7
Abbeville	371	14.1	245	13.5	126	15.5
Aiken	1,889*	13.1	1,282	12.2	605	15.4
Allendale	181	16.4	23	7.5	158	19.8
Anderson	2,247	13.3	1,770	12.7	477	16.2
Bamberg	211	12.9	67	11.1	144	13.9
Barnwell	339	14.4	147	11.2	192	18.6
Beaufort	1,945*	15.5	1,391	15.1	551	16.7
Berkeley	2,188	15.2	1,553	15.4	635	14.7
Calhoun	161	10.5	84	10.8	77	10.1
Charleston	4,575*	14.7	2,635	13.4	1,939	16.9
Cherokee	692	13.0	509	12.2	183	16.0
Chester	434	12.7	227	11.0	207	15.3
Chesterfield	573	13.3	347	12.3	226	15.2
Clarendon	449	13.7	168	11.3	281	15.7
Colleton	608	15.8	310	14.3	298	17.7
Darlington	943	13.9	450	11.5	493	17.1
Dillon	476	15.4	226	14.3	250	16.6
Dorchester	1,231	12.5	882	12.3	349	12.8
Edgefield	278	11.4	159	11.3	119	11.4
Fairfield	319	13.5	103	10.9	216	15.2
Florence	1,906	15.1	1,023	13.6	883	17.1
Georgetown	806	14.1	431	12.5	375	16.6
Greenville	5,526	14.3	4,258	13.8	1,268	16.0
Greenwood	915	13.7	571	12.8	344	15.5
Hampton	316	14.8	122	13.2	194	16.0
Horry	2,588	12.8	1,966	11.7	622	17.9
Jasper	339*	16.3	152	16.5	186	16.0
Kershaw	694	13.0	484	12.5	210	14.4
Lancaster	804	13.1	561	12.6	243	14.2
Laurens	802	11.4	574	11.2	228	12.0
Lee	284	14.1	64	9.0	220	17.0
Lexington	2,940	13.3	2,342	12.4	598	18.9
McCormick	80	7.9	31	6.8	49	8.8
Marion	497	14.1	187	12.6	310	15.3
Marlboro	400	14.0	159	12.3	241	15.3
Newberry	523	14.4	319	13.4	204	16.2
Oconee	786	11.7	698	11.4	88	14.2
Orangeburg	1,263	13.8	373	10.9	890	15.6
Pickens	1,356	12.1	1,259	12.2	97	10.4
Richland	4,247*	13.1	1,947	11.7	2,299	14.7
Saluda	267	14.0	173	13.2	94	15.6
Spartanburg	3,443	13.4	2,580	13.0	863	14.5
Sumter	1,609	15.4	773	14.5	836	16.4
Union	368*	12.5	240	11.9	127	13.6
Williamsburg	540	14.7	130	10.7	410	16.6
York	2,339	13.7	1,736	13.0	603	16.6

* Includes unknown race

¹ Rates per 1,000 estimated population

Table C-4.
 Live Births and Birth Rates¹ by Race of Mother
 South Carolina and Each County, 2001
 (Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	53,255	13.1	33,802	12.1	19,453	15.3
Abbeville	185	7.0	101	5.6	84	10.3
Aiken	977	6.8	508	4.9	469	12.0
Allendale	116	10.5	18	5.9	98	12.3
Anderson	1,910	11.3	1,434	10.3	476	16.1
Bamberg	118	7.2	50	8.3	68	6.6
Barnwell	1	0	-	0	1	0.1
Beaufort	2,247	17.9	1,478	16.0	769	23.3
Berkeley	8	0.1	3	0.0	5	0.1
Calhoun	-	0	-	0	-	0
Charleston	7,929	25.4	4,922	24.9	3,007	26.2
Cherokee	360	6.8	227	5.4	133	11.6
Chester	145	4.3	46	2.2	99	7.3
Chesterfield	202	4.7	97	3.4	105	7.1
Clarendon	632	19.3	204	13.7	428	24.0
Colleton	437	11.3	193	8.9	244	14.5
Darlington	684	10.1	255	6.5	429	14.9
Dillon	258	8.3	77	4.9	181	12.0
Dorchester	738	7.5	540	7.5	198	7.3
Edgefield	-	0	-	0	-	0
Fairfield	5	0.2	1	0.1	4	0.3
Florence	3,267	25.8	1,760	23.5	1,507	29.2
Georgetown	724	12.7	411	11.9	313	13.8
Greenville	7,538	19.5	6,063	19.7	1,475	18.6
Greenwood	1,565	23.4	980	22.0	585	26.3
Hampton	6	0.3	-	0	6	0.5
Horry	2,495	12.3	1,861	11.1	634	18.2
Jasper	1	0.0	1	0.1	-	0
Kershaw	406	7.6	257	6.6	149	10.2
Lancaster	672	10.9	409	9.2	263	15.3
Laurens	356	5.1	226	4.4	130	6.8
Lee	1	0.0	-	0	1	0.1
Lexington	2,527	11.5	1,928	10.2	599	19
McCormick	1	0.1	1	0.2	-	0
Marion	599	17.0	244	16.4	355	17.5
Marlboro	208	7.3	62	4.8	146	9.3
Newberry	318	8.7	170	7.2	148	11.8
Oconee	598	8.9	520	8.5	78	12.6
Orangeburg	1,363	14.9	386	11.3	977	17.1
Pickens	600	5.4	557	5.4	43	4.6
Richland	6,136	19.0	3,195	19.2	2,941	18.8
Saluda	3	0.2	2	0.2	1	0.2
Spartanburg	3,707	14.4	2,768	14.0	939	15.8
Sumter	1,418	13.6	654	12.3	764	15.0
Union	129	4.4	74	3.7	55	5.9
Williamsburg	5	0.1	-	0	5	0.2
York	1,660	9.7	1,119	8.4	541	14.9

¹ Rates per 1,000 estimated population

Table C-5.
 Live Births by Race of Mother and Gender
 South Carolina and Each County, 2001
 (Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	55,748 *	28,558	27,190	35,731	18,393	17,338	20,008	10,161	9,847
Abbeville	371	196	175	245	131	114	126	65	61
Aiken	1,889 *	979 *	910 *	1,282	687	595	605	292	313
Allendale	181	103	78	23	15	8	158	88	70
Anderson	2,247	1,162	1,085	1,770	899	871	477	263	214
Bamberg	211	114	97	67	36	31	144	78	66
Barnwell	339	174	165	147	70	77	192	104	88
Beaufort	1,945 *	974 *	971 *	1,391	686	705	551	285	266
Berkeley	2,188	1,097	1,091	1,553	799	754	635	298	337
Calhoun	161	78	83	84	44	40	77	34	43
Charleston	4,575 *	2,368 *	2,207 *	2,635	1,373	1,262	1,939	995	944
Cherokee	692	354	338	509	263	246	183	91	92
Chester	434	226	208	227	109	118	207	117	90
Chesterfield	573	262	311	347	155	192	226	107	119
Clarendon	449	218	231	168	75	93	281	143	138
Colleton	608	307	301	310	162	148	298	145	153
Darlington	943	490	453	450	240	210	493	250	243
Dillon	476	237	239	226	117	109	250	120	130
Dorchester	1,231	599	632	882	442	440	349	157	192
Edgefield	278	156	122	159	80	79	119	76	43
Fairfield	319	170	149	103	55	48	216	115	101
Florence	1,906	1,029	877	1,023	565	458	883	464	419
Georgetown	806	410	396	431	222	209	375	188	187
Greenville	5,526	2,751	2,775	4,258	2,108	2,150	1,268	643	625
Greenwood	915	480	435	571	303	268	344	177	167
Hampton	316	160	156	122	58	64	194	102	92
Horry	2,588	1,341	1,247	1,966	1,020	946	622	321	301
Jasper	339 *	167 *	172 *	152	76	76	186	91	95
Kershaw	694	352	342	484	250	234	210	102	108
Lancaster	804	415	389	561	289	272	243	126	117
Laurens	802	411	391	574	293	281	228	118	110
Lee	284	153	131	64	41	23	220	112	108
Lexington	2,940	1,543	1,397	2,342	1,221	1,121	598	322	276
McCormick	80	42	38	31	14	17	49	28	21
Marion	497	280	217	187	108	79	310	172	138
Marlboro	400	208	192	159	82	77	241	126	115
Newberry	523	271	252	319	175	144	204	96	108
Oconee	786	401	385	698	349	349	88	52	36
Orangeburg	1,263	622	641	373	185	188	890	437	453
Pickens	1,356	714	642	1,259	664	595	97	50	47
Richland	4,247 *	2,168 *	2,079 *	1,947	1,041	906	2,299	1,127	1,172
Saluda	267	130	137	173	83	90	94	47	47
Spartanburg	3,443	1,770	1,673	2,580	1,339	1,241	863	431	432
Sumter	1,609	827	782	773	392	381	836	435	401
Union	368 *	164 *	204 *	240	108	132	127	55	72
Williamsburg	540	288	252	130	74	56	410	214	196
York	2,339	1,197	1,142	1,736	895	841	603	302	301

* Includes unknown races

Table C-6.
 Live Births by Race of Mother and Gender
 South Carolina and Each County, 2001
 (Occurrence Data)

County of Occurrence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	53,255	27,278	25,977	33,802	17,398	16,404	19,453	9,880	9,573
Abbeville	185	91	94	101	43	58	84	48	36
Aiken	977	503	474	508	264	244	469	239	230
Allendale	116	64	52	18	9	9	98	55	43
Anderson	1,910	1,002	908	1,434	742	692	476	260	216
Bamberg	118	65	53	50	29	21	68	36	32
Barnwell	1	-	1	-	-	-	1	-	1
Beaufort	2,247	1,110	1,137	1,478	718	760	769	392	377
Berkeley	8	4	4	3	3	-	5	1	4
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	7,929	4,044	3,885	4,922	2,530	2,392	3,007	1,514	1,493
Cherokee	360	186	174	227	125	102	133	61	72
Chester	145	87	58	46	28	18	99	59	40
Chesterfield	202	101	101	97	46	51	105	55	50
Clarendon	632	340	292	204	111	93	428	229	199
Colleton	437	218	219	193	97	96	244	121	123
Darlington	684	340	344	255	122	133	429	218	211
Dillon	258	119	139	77	41	36	181	78	103
Dorchester	738	374	364	540	285	255	198	89	109
Edgefield	-	-	-	-	-	-	-	-	-
Fairfield	5	2	3	1	-	1	4	2	2
Florence	3,267	1,713	1,554	1,760	946	814	1,507	767	740
Georgetown	724	368	356	411	219	192	313	149	164
Greenville	7,538	3,790	3,748	6,063	3,028	3,035	1,475	762	713
Greenwood	1,565	825	740	980	524	456	585	301	284
Hampton	6	4	2	-	-	-	6	4	2
Horry	2,495	1,286	1,209	1,861	960	901	634	326	308
Jasper	1	1	-	1	1	-	-	-	-
Kershaw	406	218	188	257	146	111	149	72	77
Lancaster	672	337	335	409	198	211	263	139	124
Laurens	356	177	179	226	112	114	130	65	65
Lee	1	-	1	-	-	-	1	-	1
Lexington	2,527	1,311	1,216	1,928	1,009	919	599	302	297
McCormick	1	-	1	1	-	1	-	-	-
Marion	599	334	265	244	136	108	355	198	157
Marlboro	208	103	105	62	32	30	146	71	75
Newberry	318	164	154	170	91	79	148	73	75
Oconee	598	292	306	520	250	270	78	42	36
Orangeburg	1,363	680	683	386	197	189	977	483	494
Pickens	600	317	283	557	291	266	43	26	17
Richland	6,136	3,162	2,974	3,195	1,683	1,512	2,941	1,479	1,462
Saluda	3	2	1	2	2	-	1	-	1
Spartanburg	3,707	1,888	1,819	2,768	1,428	1,340	939	460	479
Sumter	1,418	729	689	654	328	326	764	401	363
Union	129	71	58	74	40	34	55	31	24
Williamsburg	5	2	3	-	-	-	5	2	3
York	1,660	854	806	1,119	584	535	541	270	271

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of the childbearing ages 15-44, a more specific rate is computed.

Table C-7.
Fertility Rates* by Race: South Carolina, 1987-2001
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1987	63.8	58.4	74.3
1988	64.9	59.3	75.6
1989	67.5	61.3	79.4
1990	69.5	63.0	82.5
1991	67.2	60.7	80.0
1992	64.7	58.7	76.7
1993	61.5	56.0	72.6
1994	58.9	54.3	68.1
1995	57.7	54.0	65.1
1996	57.5	54.3	63.8
1997	60.4	58.4	64.2
1998	60.9	59.0	64.4
1999	61.9	59.9	65.5
2000	63.0	60.7	67.1
2001	62.3	61.0	64.5

*Rate per 1,000 Population of Females Aged 15-44 Years

Table C-8.
Population of Females Age 15-44 by Race
South Carolina, 1987-2001
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1987	827,741	547,804	279,937
1988	848,959	558,092	290,867
1989	847,538	556,796	290,742
1990	840,958	562,521	278,437
1991	856,300	569,580	286,720
1992	866,790	577,100	289,690
1993	873,055	582,103	290,952
1994	881,319	587,647	293,672
1995	881,993	589,105	292,888
1996	888,920	594,535	294,385
1997	864,721	565,567	299,154
1998	879,477	575,366	304,021
1999	884,147	578,968	305,179
2000	884,317	577,081	307,236
2001	895,462	585,292	310,170

GENDER RATIO

Out of the total 55,748 live births occurring to South Carolina residents in 2001, male births numbered 28,558 and female births numbered 27,190 giving a ratio of 105.0 males per 100 females. Table C-9 shows the ratio of males to females for the past five years.

Table C-9.
Gender Ratio of Males per 100 Females
South Carolina, 1997-2001
(Residence Data)

YEAR	TOTAL	WHITE	BLACK & OTHER
1997	107.8	108.6	106.5
1998	104.6	104.8	104.3
1999	104.1	104.6	103.2
2000	104.5	104.7	104.2
2001	105.0	106.1	103.2

MULTIPLE BIRTHS

During 2001, a total of 1,706 live births were multiple births. Of that number, 1,625 were twins (not sets), 73 were triplets (not sets), and 4 were quadruplets (not sets). The 1,706 multiple births resulted in a ratio of 1 multiple birth per 32.7 live births.

Table C-10.
Live Births by County of Occurrence by County of Residence
South Carolina, 2001

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																							
	ABBEVILLE	AIKEN	ALLEDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETON	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE	GREENWOOD
Abbeville	135	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
Aiken	-	699	49	-	8	139	-	1	-	-	-	-	-	-	-	-	-	-	53	-	-	-	-	-
Allendale	-	-	60	-	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	59	-	-	1,601	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	2
Bamberg	-	3	4	-	58	24	2	1	-	2	-	-	-	-	5	-	-	1	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	-	-	5	-	-	-	1,767	-	-	-	-	-	-	-	27	-	-	-	-	-	-	-	-	-
Berkeley	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	-	2	1	3	4	3	78	1,972	-	4,411	-	-	-	2	190	-	-	810	-	-	5	212	6	3
Cherokee	-	-	-	-	-	-	-	-	-	-	339	-	1	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	128	-	-	-	-	-	-	-	8	-	-	-	-
Chesterfield	-	-	-	-	-	1	-	-	-	-	-	-	138	-	-	3	-	-	-	-	1	-	-	-
Clarendon	-	-	-	-	-	-	-	1	-	-	-	-	-	351	-	-	-	-	-	-	18	4	1	-
Colleton	-	-	5	-	1	-	1	-	-	2	-	-	-	-	351	-	-	9	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	1	-	-	108	-	-	375	-	-	-	-	6	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	207	-	-	-	1	-	-	-
Dorchester	-	-	-	-	-	-	1	192	1	125	-	-	-	-	23	-	-	381	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-	-	-	105	43	-	553	97	-	-	-	1,839	24	-	-
Georgetown	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	7	488	-	-
Greenville	14	-	-	573	-	-	-	-	1	1	7	-	1	-	-	-	-	-	-	1	-	-	5,395	17
Greenwood	152	1	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53	-	-	-	9	863
Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	4	71	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	4	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	69	45	-	-	-	-	-	-	4	-	-	-	-
Laurens	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Lee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	-	52	-	-	2	2	-	-	27	2	-	1	-	1	-	-	-	1	1	20	1	1	1	1
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	166	-	-	-	5	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	10	-	-	-	1
Oconee	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Orangeburg	-	3	34	-	114	92	1	2	95	3	-	-	-	2	11	-	-	22	-	-	-	-	-	-
Pickens	-	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-
Richland	-	24	8	1	18	17	2	1	38	8	-	14	2	22	-	9	1	3	2	265	6	-	5	2
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Spartanburg	-	-	-	2	-	-	-	-	-	-	308	4	-	-	-	-	-	-	-	1	1	-	65	-
Sumter	-	-	-	-	-	-	1	-	-	-	-	-	-	25	-	-	-	-	-	-	6	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York	-	-	-	-	-	-	-	-	-	-	5	160	-	-	-	-	-	-	-	-	1	-	-	-
Out-of-State	9	1,104	14	11	4	53	92	9	-	18	33	54	159	1	1	2	2	4	168	1	6	6	14	4

Table C-10.(cont.)
 Live Births by County of Occurrence by County of Residence
 South Carolina, 2001 (Residence Data)

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OCONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE
Abbeville	-	-	-	-	-	2	-	-	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Aiken	6	-	-	-	-	-	-	5	1	-	-	-	-	6	-	-	4	-	-	-	-	-	1
Allendale	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Anderson	-	-	-	-	-	4	-	-	-	-	-	-	58	-	48	-	1	1	-	-	-	1	123
Bamberg	2	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-	-	-	-	-	-	-
Barnwell	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Beaufort	152	-	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	8	53	7	-	1	-	1	1	-	2	1	-	-	87	2	8	-	2	6	1	24	6	23
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-	1	-	4	5
Chester	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	4	1
Chesterfield	-	-	-	1	1	-	-	-	-	-	56	-	-	-	-	-	-	-	-	-	-	-	1
Clarendon	2	1	-	-	-	-	3	-	-	-	-	-	-	7	1	-	-	-	71	-	171	-	1
Colleton	66	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darlington	-	-	-	10	-	-	166	-	-	-	12	-	-	-	-	-	-	-	4	-	-	-	2
Dillon	-	-	-	-	-	-	-	-	-	1	12	-	-	-	-	-	-	-	-	-	-	-	37
Dorchester	1	-	1	-	1	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	1	-	3
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Florence	-	58	-	5	1	-	58	1	-	92	72	-	-	1	-	3	-	-	39	-	255	-	21
Georgetown	-	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64	-	2
Greenville	-	-	-	2	-	208	-	2	1	-	-	8	148	-	707	-	1	421	-	2	-	-	28
Greenwood	-	-	-	-	-	226	-	3	50	-	-	47	-	-	1	-	135	4	-	-	-	-	6
Hampton	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	2,260	-	-	-	-	-	-	-	13	-	1	-	-	-	-	-	-	-	-	-	3	140
Jasper	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	339	12	-	21	-	-	-	-	-	-	-	-	6	-	-	20	-	-	-	-
Lancaster	-	-	-	16	521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14	3
Laurens	-	-	-	-	-	327	-	-	-	-	-	7	-	-	-	-	-	10	-	3	-	-	-
Lee	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lexington	2	-	-	26	-	2	-	1,729	-	-	-	81	-	34	1	441	81	-	7	-	-	2	8
McCormick	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	32	-	-	-	-	-	-	-	386	-	-	-	-	-	1	-	-	-	-	-	-	6
Marlboro	-	-	-	-	-	-	-	-	-	-	193	-	-	-	-	-	-	-	-	-	1	-	1
Newberry	-	-	-	-	-	1	-	2	-	-	-	290	-	-	-	2	6	-	-	4	-	-	1
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	555	-	30	-	-	-	-	-	-	-	3
Orangenburg	10	1	1	-	-	-	2	6	-	-	-	-	-	961	-	-	-	-	-	-	-	-	2
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	11	-	558	-	-	-	-	-	-	1	-
Richland	8	5	-	283	19	5	14	1,182	-	2	2	83	-	138	2	3,759	27	-	117	-	5	10	27
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Spartanburg	-	1	-	-	-	25	-	1	-	-	-	1	1	-	3	1	-	2,974	-	-	-	8	80
Sumter	-	1	-	7	-	-	17	1	-	1	-	-	-	2	-	9	-	-	1,337	-	8	-	3
Union	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	120	-	3	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-
York	-	-	-	1	74	-	-	-	-	-	-	1	-	-	-	2	-	-	1	2	-	1,393	20
Out-of-State	6	15	46	4	173	2	1	7	16	-	51	4	13	3	3	14	9	20	7	1	1	897	-

Table C-11.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	55,748 *	411	1,943	1,007	17,197	27,842	6,796	552
Abbeville	371	2	14	7	119	191	37	1
Aiken	1,889 *	26	85	57	813	731	166	11
Allendale	181	1	26	11	66	57	17	3
Anderson	2,247	19	58	17	832	1,040	263	18
Bamberg	211	2	11	8	65	100	23	2
Barnwell	339	2	17	11	135	133	39	2
Beaufort	1,945 *	12	92	59	921	753	87	21
Berkeley	2,188	16	46	31	532	1,372	171	20
Calhoun	161	1	8	3	49	73	24	3
Charleston	4,575 *	39	118	70	1,282	2,545	429	92
Cherokee	692	4	11	12	177	305	179	4
Chester	434	-	16	14	110	209	80	5
Chesterfield	573	7	33	7	140	303	79	4
Clarendon	449	6	17	16	102	246	55	7
Colleton	608	3	7	13	160	313	106	6
Darlington	943	10	40	23	280	422	162	6
Dillon	476	3	23	5	169	226	48	2
Dorchester	1,231	10	19	9	294	772	118	9
Edgefield	278	-	17	11	141	97	12	-
Fairfield	319	2	17	11	93	159	30	7
Florence	1,906	21	98	35	641	889	214	8
Georgetown	806	3	30	20	225	428	93	7
Greenville	5,526	25	118	77	1,811	2,987	445	63
Greenwood	915	8	42	20	271	400	148	26
Hampton	316	4	16	9	130	114	40	3
Horry	2,588	16	110	37	677	1,334	406	8
Jasper	339 *	4	21	13	139	139	17	6
Kershaw	694	7	11	16	233	328	92	7
Lancaster	804	2	20	7	105	470	196	4
Laurens	802	4	26	15	216	342	188	11
Lee	284	3	9	3	80	131	54	4
Lexington	2,940	22	75	47	628	1,645	511	12
McCormick	80	-	2	2	27	39	8	2
Marion	497	1	17	7	232	210	30	-
Marlboro	400	4	15	9	117	153	100	2
Newberry	523	3	21	15	147	248	77	12
Oconee	786	-	23	10	246	375	125	7
Orangeburg	1,263	13	59	16	381	627	147	20
Pickens	1,356	10	16	15	367	576	364	8
Richland	4,247 *	30	111	70	1,159	2,337	505	35
Saluda	267	3	13	5	91	115	23	17
Spartanburg	3,443	26	112	59	1,052	1,678	497	19
Sumter	1,609	2	72	25	701	676	111	22
Union	368 *	2	17	4	104	177	56	8
Williamsburg	540	9	40	21	166	215	83	6
York	2,339	24	174	55	771	1,162	141	12

* Includes unknown race

Table C-11A.
 Live Births by Number of Prenatal Care Visits by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	35,731	168	839	442	10,231	19,081	4,685	285
Abbeville	245	-	9	3	78	129	25	1
Aiken	1,282	12	30	23	550	534	127	6
Allendale	23	-	-	-	12	6	4	1
Anderson	1,770	10	30	11	651	839	213	16
Bamberg	67	-	2	3	22	33	7	-
Barnwell	147	-	1	1	42	77	24	2
Beaufort	1,391	5	59	40	640	572	65	10
Berkeley	1,553	8	28	19	347	1,019	123	9
Calhoun	84	-	3	2	21	47	10	1
Charleston	2,635	16	32	20	633	1,643	244	47
Cherokee	509	2	6	6	125	239	130	1
Chester	227	-	6	4	45	122	48	2
Chesterfield	347	2	12	4	72	203	52	2
Clarendon	168	1	3	2	36	105	21	-
Colleton	310	-	4	5	73	174	53	1
Darlington	450	-	9	5	120	222	93	1
Dillon	226	-	7	1	79	103	34	2
Dorchester	882	6	5	3	185	582	95	6
Edgefield	159	-	1	4	80	65	9	-
Fairfield	103	1	4	1	25	63	9	-
Florence	1,023	4	30	10	317	518	139	5
Georgetown	431	2	2	6	107	260	53	1
Greenville	4,258	13	70	50	1,369	2,363	347	46
Greenwood	571	4	24	8	157	263	101	14
Hampton	122	-	5	2	49	54	12	-
Horry	1,966	8	71	24	480	1,055	324	4
Jasper	152	1	8	5	62	64	8	4
Kershaw	484	3	7	8	150	240	72	4
Lancaster	561	1	14	4	71	333	135	3
Laurens	574	3	14	9	144	266	131	7
Lee	64	-	1	-	17	36	10	-
Lexington	2,342	9	43	27	461	1,362	430	10
McCormick	31	-	1	-	13	12	4	1
Marion	187	1	6	3	76	85	16	-
Marlboro	159	1	4	3	44	70	35	2
Newberry	319	-	7	5	86	164	53	4
Oconee	698	-	21	6	216	332	118	5
Orangeburg	373	2	7	1	96	230	32	5
Pickens	1,259	8	14	14	331	539	345	8
Richland	1,947	8	36	17	470	1,140	267	9
Saluda	173	2	12	4	58	66	17	14
Spartanburg	2,580	19	73	34	724	1,313	406	11
Sumter	773	-	14	7	264	408	74	6
Union	240	2	8	1	60	123	42	4
Williamsburg	130	-	6	2	29	71	21	1
York	1,736	14	90	35	544	937	107	9

Table C-11A. (cont.)
 Live Births by Number of Prenatal Care Visits by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No. Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	20,008	243	1,104	565	6,965	8,759	2,109	263
Abbeville	126	2	5	4	41	62	12	-
Aiken	605	14	55	34	263	197	37	5
Allendale	158	1	26	11	54	51	13	2
Anderson	477	9	28	6	181	201	50	2
Bamberg	144	2	9	5	43	67	16	2
Barnwell	192	2	16	10	93	56	15	-
Beaufort	551	7	33	19	280	180	22	10
Berkeley	635	8	18	12	185	353	48	11
Calhoun	77	1	5	1	28	26	14	2
Charleston	1,939	23	86	50	649	901	185	45
Cherokee	183	2	5	6	52	66	49	3
Chester	207	-	10	10	65	87	32	3
Chesterfield	226	5	21	3	68	100	27	2
Clarendon	281	5	14	14	66	141	34	7
Colleton	298	3	3	8	87	139	53	5
Darlington	493	10	31	18	160	200	69	5
Dillon	250	3	16	4	90	123	14	-
Dorchester	349	4	14	6	109	190	23	3
Edgefield	119	-	16	7	61	32	3	-
Fairfield	216	1	13	10	68	96	21	7
Florence	883	17	68	25	324	371	75	3
Georgetown	375	1	28	14	118	168	40	6
Greenville	1,268	12	48	27	442	624	98	17
Greenwood	344	4	18	12	114	137	47	12
Hampton	194	4	11	7	81	60	28	3
Horry	622	8	39	13	197	279	82	4
Jasper	186	3	13	8	77	75	9	1
Kershaw	210	4	4	8	83	88	20	3
Lancaster	243	1	6	3	34	137	61	1
Laurens	228	1	12	6	72	76	57	4
Lee	220	3	8	3	63	95	44	4
Lexington	598	13	32	20	167	283	81	2
McCormick	49	-	1	2	14	27	4	1
Marion	310	-	11	4	156	125	14	-
Marlboro	241	3	11	6	73	83	65	-
Newberry	204	3	14	10	61	84	24	8
Oconee	88	-	2	4	30	43	7	2
Orangeburg	890	11	52	15	285	397	115	15
Pickens	97	2	2	1	36	37	19	-
Richland	2,299	22	75	53	689	1,197	238	25
Saluda	94	1	1	1	33	49	6	3
Spartanburg	863	7	39	25	328	365	91	8
Sumter	836	2	58	18	437	268	37	16
Union	127	-	9	3	44	54	14	3
Williamsburg	410	9	34	19	137	144	62	5
York	603	10	84	20	227	225	34	3

Table C-12.
Live Births by Month Prenatal Care Began
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total	Month Prenatal Care Began											
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month	Unknown Month
South Carolina	55,748 *	410	6,373	24,242	13,124	4,770	2,665	1,612	1,132	593	247	51	529
Abbeville	371	2	67	195	56	12	15	9	4	3	4	-	4
Aiken	1,889 *	26	276	781	366	185	99	62	51	29	6	-	8
Allendale	181	1	16	53	41	21	21	10	11	4	1	-	2
Anderson	2,247	19	61	1,605	269	118	70	41	26	14	13	1	10
Bamberg	211	2	19	89	43	19	11	11	6	4	1	-	6
Barnwell	339	2	31	126	83	29	38	11	11	4	3	-	1
Beaufort	1,945 *	12	125	795	497	196	108	96	52	19	10	19	16
Berkeley	2,188	16	484	1,078	353	112	55	31	18	10	7	1	23
Calhoun	161	1	11	72	35	16	5	6	8	3	1	-	3
Charleston	4,575 *	39	900	2,081	866	279	139	80	62	34	10	1	84
Cherokee	692	4	131	249	156	66	43	20	7	4	4	-	8
Chester	434	-	80	171	88	44	18	12	9	7	1	-	4
Chesterfield	573	7	68	232	128	72	20	21	10	8	2	-	5
Clarendon	449	6	20	169	105	51	35	23	15	7	7	-	11
Colleton	608	3	334	171	48	26	8	6	6	-	1	-	5
Darlington	943	10	21	277	317	145	73	42	24	19	6	2	7
Dillon	476	3	54	177	115	42	27	26	16	8	5	-	3
Dorchester	1,231	10	307	583	187	70	21	11	18	5	1	-	18
Edgefield	278	-	46	104	64	18	20	14	6	3	2	-	1
Fairfield	319	2	17	129	91	25	22	8	12	5	1	1	6
Florence	1,906	21	29	484	742	263	136	89	81	32	19	3	7
Georgetown	806	3	83	369	176	66	56	26	13	9	1	-	4
Greenville	5,526	25	328	2,588	1,557	488	218	135	75	54	19	3	36
Greenwood	915	7	96	433	187	66	39	22	13	13	6	1	32
Hampton	316	4	58	114	69	25	21	7	9	6	1	1	1
Horry	2,588	16	138	1,124	664	236	141	98	87	47	23	4	10
Jasper	339 *	4	23	105	78	48	29	17	13	11	2	3	6
Kershaw	694	7	54	302	191	61	34	19	16	4	1	-	5
Lancaster	804	2	254	363	108	42	16	5	3	3	2	-	6
Laurens	802	4	115	341	166	62	53	25	11	12	2	2	9
Lee	284	3	7	105	80	38	25	12	7	2	1	-	4
Lexington	2,940	22	236	1,393	767	202	132	72	61	31	15	-	9
McCormick	80	-	12	34	19	3	3	2	2	2	-	-	3
Marion	497	1	96	185	122	38	22	10	11	2	1	-	9
Marlboro	400	4	24	146	97	46	30	22	14	10	6	-	1
Newberry	523	3	40	222	129	50	20	16	19	11	1	-	12
Oconee	786	-	94	287	219	85	39	17	20	6	6	1	12
Orangeburg	1,263	13	93	526	333	126	65	35	30	19	8	-	15
Pickens	1,356	10	78	668	374	107	56	26	17	8	4	-	8
Richland	4,247 *	30	412	1,909	1,059	351	189	119	86	37	14	2	39
Saluda	267	3	16	110	64	30	9	9	6	-	2	-	18
Spartanburg	3,443	26	437	1,524	810	272	181	103	46	22	4	1	17
Sumter	1,609	2	118	503	489	204	109	94	37	22	9	3	19
Union	368 *	2	66	164	65	22	18	10	9	2	1	-	9
Williamsburg	540	9	20	148	158	78	41	23	28	17	11	2	5
York	2,339	24	378	958	493	215	135	59	46	21	2	-	8

* Includes unknown race

Table C-12A.
Live Births by Month Prenatal Care Began by Race of Mother
South Carolina and Each County, 2001
(Residence Data)
White

County of Residence	Total	Month Prenatal Care Began											
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month	Unknown Month
South Carolina	35,731	167	4,468	17,230	8,233	2,408	1,269	729	518	281	116	39	273
Abbeville	245	-	45	133	36	8	8	7	2	1	2	-	3
Aiken	1,282	12	215	613	236	99	45	20	20	14	2	-	6
Allendale	23	-	2	9	9	2	-	-	1	-	-	-	-
Anderson	1,770	10	56	1,279	226	91	44	23	16	8	7	1	9
Bamberg	67	-	8	38	12	3	1	-	2	3	-	-	-
Barnwell	147	-	18	74	31	9	10	1	2	1	-	-	1
Beaufort	1,391	5	83	586	366	122	73	68	41	14	9	16	8
Berkeley	1,553	8	353	797	247	64	29	19	10	9	1	-	16
Calhoun	84	-	8	40	18	6	1	3	5	2	-	-	1
Charleston	2,635	16	535	1,357	474	102	44	21	23	13	3	1	46
Cherokee	509	2	104	191	120	38	27	12	4	4	2	-	5
Chester	227	-	59	94	43	17	7	1	3	2	-	-	1
Chesterfield	347	2	49	158	74	35	9	9	1	5	2	-	3
Clarendon	168	1	9	76	41	14	15	3	4	1	3	-	1
Colleton	310	-	169	94	28	10	4	2	3	-	-	-	-
Darlington	450	-	10	162	170	60	22	13	4	4	1	1	3
Dillon	226	-	32	88	51	22	10	10	5	3	3	-	2
Dorchester	882	6	221	438	138	38	13	4	11	2	1	-	10
Edgefield	159	-	32	73	32	9	7	5	1	-	-	-	-
Fairfield	103	1	5	52	27	6	6	1	1	2	1	1	-
Florence	1,023	4	17	310	455	102	54	34	21	14	6	1	5
Georgetown	431	2	50	222	99	25	21	4	5	2	-	-	1
Greenville	4,258	13	283	2,143	1,181	309	127	85	48	32	10	3	24
Greenwood	571	3	67	286	113	36	20	10	7	7	3	-	19
Hampton	122	-	22	56	26	3	9	-	2	3	-	1	-
Horry	1,966	8	119	899	508	160	93	60	59	34	17	3	6
Jasper	152	1	12	49	30	19	18	7	4	5	-	3	4
Kershaw	484	3	45	230	125	39	22	11	6	1	1	-	1
Lancaster	561	1	176	265	75	23	8	2	3	2	1	-	5
Laurens	574	3	92	264	117	36	27	17	3	5	2	1	7
Lee	64	-	4	22	20	11	5	2	-	-	-	-	-
Lexington	2,342	9	203	1,196	588	143	84	46	38	19	9	-	7
McCormick	31	-	6	15	6	-	-	1	2	-	-	-	1
Marion	187	1	41	74	49	11	4	1	4	-	1	-	1
Marlboro	159	1	11	77	38	14	6	5	1	4	1	-	1
Newberry	319	-	29	154	80	22	11	4	9	5	1	-	4
Oconee	698	-	83	267	193	77	28	16	15	3	6	1	9
Orangeburg	373	2	36	199	92	18	6	9	2	5	1	-	3
Pickens	1,259	8	74	628	352	91	48	22	16	8	4	-	8
Richland	1,947	8	250	1,014	403	110	56	44	29	13	4	2	14
Saluda	173	2	13	68	42	16	5	4	6	-	2	-	15
Spartanburg	2,580	19	362	1,217	589	160	114	65	29	13	3	1	8
Sumter	773	-	79	295	236	79	31	17	17	7	4	3	5
Union	240	2	49	115	40	8	11	7	2	1	-	-	5
Williamsburg	130	-	8	49	44	17	5	2	2	1	2	-	-
York	1,736	14	324	764	353	124	81	32	29	9	1	-	5

Table C-12A. (cont.)
 Live Births by Month Prenatal Care Began by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total	Month Prenatal Care Began											
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	10th Month	Unknown Month
South Carolina	20,008	243	1,904	7,009	4,891	2,361	1,396	883	614	312	131	12	252
Abbeville	126	2	22	62	20	4	7	2	2	2	2	-	1
Aiken	605	14	60	168	130	85	54	42	31	15	4	-	2
Allendale	158	1	14	44	32	19	21	10	10	4	1	-	2
Anderson	477	9	5	326	43	27	26	18	10	6	6	-	1
Bamberg	144	2	11	51	31	16	10	11	4	1	1	-	6
Barnwell	192	2	13	52	52	20	28	10	9	3	3	-	-
Beaufort	551	7	42	207	131	74	35	28	11	5	1	3	7
Berkeley	635	8	131	281	106	48	26	12	8	1	6	1	7
Calhoun	77	1	3	32	17	10	4	3	3	1	1	-	2
Charleston	1,939	23	365	723	392	177	95	59	39	21	7	-	38
Cherokee	183	2	27	58	36	28	16	8	3	-	2	-	3
Chester	207	-	21	77	45	27	11	11	6	5	1	-	3
Chesterfield	226	5	19	74	54	37	11	12	9	3	-	-	2
Clarendon	281	5	11	93	64	37	20	20	11	6	4	-	10
Colleton	298	3	165	77	20	16	4	4	3	-	1	-	5
Darlington	493	10	11	115	147	85	51	29	20	15	5	1	4
Dillon	250	3	22	89	64	20	17	16	11	5	2	-	1
Dorchester	349	4	86	145	49	32	8	7	7	3	-	-	8
Edgefield	119	-	14	31	32	9	13	9	5	3	2	-	1
Fairfield	216	1	12	77	64	19	16	7	11	3	-	-	6
Florence	883	17	12	174	287	161	82	55	60	18	13	2	2
Georgetown	375	1	33	147	77	41	35	22	8	7	1	-	3
Greenville	1,268	12	45	445	376	179	91	50	27	22	9	-	12
Greenwood	344	4	29	147	74	30	19	12	6	6	3	1	13
Hampton	194	4	36	58	43	22	12	7	7	3	1	-	1
Horry	622	8	19	225	156	76	48	38	28	13	6	1	4
Jasper	186	3	11	56	48	29	11	10	9	6	2	-	1
Kershaw	210	4	9	72	66	22	12	8	10	3	-	-	4
Lancaster	243	1	78	98	33	19	8	3	-	1	1	-	1
Laurens	228	1	23	77	49	26	26	8	8	7	-	1	2
Lee	220	3	3	83	60	27	20	10	7	2	1	-	4
Lexington	598	13	33	197	179	59	48	26	23	12	6	-	2
McCormick	49	-	6	19	13	3	3	1	-	2	-	-	2
Marion	310	-	55	111	73	27	18	9	7	2	-	-	8
Marlboro	241	3	13	69	59	32	24	17	13	6	5	-	-
Newberry	204	3	11	68	49	28	9	12	10	6	-	-	8
Oconee	88	-	11	20	26	8	11	1	5	3	-	-	3
Orangeburg	890	11	57	327	241	108	59	26	28	14	7	-	12
Pickens	97	2	4	40	22	16	8	4	1	-	-	-	-
Richland	2,299	22	162	895	656	241	133	75	57	24	10	-	24
Saluda	94	1	3	42	22	14	4	5	-	-	-	-	3
Spartanburg	863	7	75	307	221	112	67	38	17	9	1	-	9
Sumter	836	2	39	208	253	125	78	77	20	15	5	-	14
Union	127	-	17	49	25	14	7	3	7	1	1	-	3
Williamsburg	410	9	12	99	114	61	36	21	26	16	9	2	5
York	603	10	54	194	140	91	54	27	17	12	1	-	3

Table C-13.
Live Births by Education of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	55,748 *	43	1,817	9,843	19,306	10,522	7,870	3,859	2,232	256
Abbeville	371	-	7	59	183	25	33	13	50	1
Aiken	1,889 *	2	65	351	617	438	223	120	66	7
Allendale	181	-	3	54	79	28	10	4	2	1
Anderson	2,247	1	51	492	800	264	300	124	215	-
Bamberg	211	-	9	46	72	47	18	9	10	-
Barnwell	339	-	7	78	137	66	31	7	13	-
Beaufort	1,945 *	2	105	248	798	379	313	81	12	7
Berkeley	2,188	4	52	317	840	570	260	92	27	26
Calhoun	161	-	1	28	57	44	16	9	6	-
Charleston	4,575 *	8	147	698	1,287	913	925	450	73	74
Cherokee	692	-	21	198	292	114	42	17	7	1
Chester	434	1	9	96	203	63	38	10	14	-
Chesterfield	573	-	20	131	253	76	36	28	27	2
Clarendon	449	-	16	81	174	72	42	19	39	6
Colleton	608	-	14	157	244	102	54	18	15	4
Darlington	943	-	21	213	377	133	88	34	77	-
Dillon	476	-	22	130	204	62	21	15	15	7
Dorchester	1,231	1	22	198	431	297	180	64	31	7
Edgefield	278	-	13	57	102	57	27	15	7	-
Fairfield	319	-	8	71	138	61	20	15	5	1
Florence	1,906	2	34	297	691	326	247	121	183	5
Georgetown	806	-	28	125	333	173	91	40	15	1
Greenville	5,526	12	253	832	1,578	894	1,172	505	271	9
Greenwood	915	-	41	188	315	71	136	44	113	7
Hampton	316	-	7	67	139	56	31	9	6	1
Horry	2,588	-	84	516	914	574	341	122	35	2
Jasper	339 *	-	20	87	154	48	19	7	3	1
Kershaw	694	1	23	122	252	133	70	56	36	1
Lancaster	804	-	41	164	299	180	83	24	12	1
Laurens	802	1	54	201	339	53	69	21	61	3
Lee	284	-	4	69	133	39	13	7	18	1
Lexington	2,940	-	66	420	868	553	491	357	178	7
McCormick	80	-	-	10	43	12	5	4	5	1
Marion	497	-	14	107	224	101	28	11	10	2
Marlboro	400	1	6	120	189	41	17	8	16	2
Newberry	523	1	42	121	186	76	40	18	24	15
Oconee	786	-	36	171	303	97	93	37	48	1
Orangeburg	1,263	-	20	236	474	324	119	73	16	1
Pickens	1,356	2	40	298	456	193	197	96	73	1
Richland	4,247 *	-	67	441	1,075	1,079	848	644	67	26
Saluda	267	2	40	29	105	25	10	19	27	10
Spartanburg	3,443	-	154	671	1,133	710	468	209	95	3
Sumter	1,609	-	38	271	656	331	139	81	89	4
Union	368 *	-	9	78	140	72	35	14	17	3
Williamsburg	540	-	14	97	228	91	43	14	52	1
York	2,339	2	69	402	791	459	388	174	51	3

* Includes unknown race

Table C-13A.
Live Births by Education and Race of Mother
South Carolina and Each County, 2001
(Residence Data)
White

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	35,731	32	1,447	5,389	10,859	6,636	6,474	3,193	1,548	153
Abbeville	245	-	7	33	106	19	26	12	42	-
Aiken	1,282	2	55	219	377	296	188	103	36	6
Allendale	23	-	3	1	5	4	6	3	-	1
Anderson	1,770	-	39	346	600	232	271	112	170	-
Bamberg	67	-	3	12	27	7	6	8	4	-
Barnwell	147	-	5	37	46	25	23	6	5	-
Beaufort	1,391	2	95	164	483	286	279	69	9	4
Berkeley	1,553	4	48	232	557	389	214	69	24	16
Calhoun	84	-	1	12	28	22	8	8	5	-
Charleston	2,635	7	101	202	525	526	795	403	35	41
Cherokee	509	-	17	140	202	89	39	17	4	1
Chester	227	-	3	45	103	35	25	7	9	-
Chesterfield	347	-	12	62	147	49	31	24	21	1
Clarendon	168	-	12	24	38	29	23	15	22	5
Colleton	310	-	10	73	115	52	40	12	6	2
Darlington	450	-	9	79	153	68	72	24	45	-
Dillon	226	-	14	58	76	32	18	13	9	6
Dorchester	882	1	21	134	279	216	150	53	24	4
Edgefield	159	-	11	26	48	37	24	13	-	-
Fairfield	103	-	5	25	30	23	8	10	2	-
Florence	1,023	2	25	119	319	175	177	92	112	2
Georgetown	431	-	19	55	151	84	76	37	9	-
Greenville	4,258	6	200	570	1,091	688	1,050	444	202	7
Greenwood	571	-	32	92	170	46	111	37	77	6
Hampton	122	-	6	18	48	22	17	7	4	-
Horry	1,966	-	77	328	631	469	318	115	27	1
Jasper	152	-	18	46	50	24	10	4	-	-
Kershaw	484	1	18	78	171	93	53	44	25	1
Lancaster	561	-	38	101	190	130	69	21	11	1
Laurens	574	1	46	124	233	39	61	21	48	1
Lee	64	-	1	13	25	10	8	2	5	-
Lexington	2,342	-	60	311	649	419	434	317	147	5
McCormick	31	-	-	2	13	9	3	2	1	1
Marion	187	-	8	30	73	39	23	8	5	1
Marlboro	159	-	4	43	69	18	10	5	9	1
Newberry	319	1	35	45	106	45	36	17	22	12
Oconee	698	-	33	143	267	86	87	37	44	1
Orangeburg	373	-	12	57	118	99	40	40	7	-
Pickens	1,259	2	38	278	414	176	187	92	71	1
Richland	1,947	-	45	110	350	380	562	444	50	6
Saluda	173	2	30	18	53	15	10	16	19	10
Spartanburg	2,580	-	131	461	780	543	409	186	68	2
Sumter	773	-	27	91	280	165	97	61	48	4
Union	240	-	7	44	86	48	31	14	9	1
Williamsburg	130	-	5	23	47	22	13	5	15	-
York	1,736	1	61	265	530	356	336	144	41	2

Table C-13A. (cont.)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births	Education of Mother								
		None	<9th Grade	9-11th Grade	12th Grade	1-3 Years College	4 Years College	5+ Years College	Technical School	Unknown
South Carolina	20,008	11	370	4,454	8,447	3,885	1,396	663	684	98
Abbeville	126	-	-	26	77	6	7	1	8	1
Aiken	605	-	10	132	240	141	35	16	30	1
Allendale	158	-	-	53	74	24	4	1	2	-
Anderson	477	1	12	146	200	32	29	12	45	-
Bamberg	144	-	6	34	45	40	12	1	6	-
Barnwell	192	-	2	41	91	41	8	1	8	-
Beaufort	551	-	10	84	315	93	34	10	3	2
Berkeley	635	-	4	85	283	181	46	23	3	10
Calhoun	77	-	-	16	29	22	8	1	1	-
Charleston	1,939	1	46	496	762	387	130	47	38	32
Cherokee	183	-	4	58	90	25	3	-	3	-
Chester	207	1	6	51	100	28	13	3	5	-
Chesterfield	226	-	8	69	106	27	5	4	6	1
Clarendon	281	-	4	57	136	43	19	4	17	1
Colleton	298	-	4	84	129	50	14	6	9	2
Darlington	493	-	12	134	224	65	16	10	32	-
Dillon	250	-	8	72	128	30	3	2	6	1
Dorchester	349	-	1	64	152	81	30	11	7	3
Edgefield	119	-	2	31	54	20	3	2	7	-
Fairfield	216	-	3	46	108	38	12	5	3	1
Florence	883	-	9	178	372	151	70	29	71	3
Georgetown	375	-	9	70	182	89	15	3	6	1
Greenville	1,268	6	53	262	487	206	122	61	69	2
Greenwood	344	-	9	96	145	25	25	7	36	1
Hampton	194	-	1	49	91	34	14	2	2	1
Horry	622	-	7	188	283	105	23	7	8	1
Jasper	186	-	2	41	104	24	9	3	3	-
Kershaw	210	-	5	44	81	40	17	12	11	-
Lancaster	243	-	3	63	109	50	14	3	1	-
Laurens	228	-	8	77	106	14	8	-	13	2
Lee	220	-	3	56	108	29	5	5	13	1
Lexington	598	-	6	109	219	134	57	40	31	2
McCormick	49	-	-	8	30	3	2	2	4	-
Marion	310	-	6	77	151	62	5	3	5	1
Marlboro	241	1	2	77	120	23	7	3	7	1
Newberry	204	-	7	76	80	31	4	1	2	3
Oconee	88	-	3	28	36	11	6	-	4	-
Orangeburg	890	-	8	179	356	225	79	33	9	1
Pickens	97	-	2	20	42	17	10	4	2	-
Richland	2,299	-	22	331	725	699	286	200	17	19
Saluda	94	-	10	11	52	10	-	3	8	-
Spartanburg	863	-	23	210	353	167	59	23	27	1
Sumter	836	-	11	180	376	166	42	20	41	-
Union	127	-	2	34	54	24	4	-	8	1
Williamsburg	410	-	9	74	181	69	30	9	37	1
York	603	1	8	137	261	103	52	30	10	1

ATTENDANT AT BIRTH

Of the 55,748 resident births, physicians attended 95.1 percent. The term “physician” includes osteopaths, residents, interns and externs. Midwives attended 4.5 percent of the total births, 4.8 percent of the white births, and 4.0 percent of the black and other births. Other and unknown attendant accounted for less than one percent of the total births. The term “other” includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. Included in the “unknown” category are not specified or not classifiable attendants.

Table C-14.
Live Births by Attendant by Place of Delivery
South Carolina, 2001
(Residence Data)

Place of Birth	Total Births	Physician	Licensed Midwife	Certified Nurse Midwife	Self	Other Attendant	Unknown
Hospital	55,516	53,007	4	2,411	4	81	9
En Route/BOA*	35	3	-	-	11	21	-
Freestanding/ Birthing Center	15	-	14	1	-	-	-
Doctor's Office	4	3	-	1	-	-	-
Residence	167	1	74	2	42	48	-
Other	9	1	-	-	5	3	-
Unknown	2	-	-	-	-	-	2
Total	55,748	53,015	92	2,415	62	153	11

Table C-15.
Percent of Births Occurring in Hospitals by Race of Mother
South Carolina, 1992-2001
(Residence Data)

Year	Total	White	Black & Other	Year	Total	White	Black & Other
1992	99.4	99.5	99.1	1997	99.4	99.5	99.2
1993	99.3	99.5	99.5	1998	99.4	99.5	99.2
1994	99.3	99.5	99.1	1999	99.6	99.6	99.7
1995	99.2	99.4	99.0	2000	99.5	99.6	99.1
1996	99.5	99.6	99.4	2001	99.6	99.5	99.4

Table C-16.
Live Births by Attendant
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	55,748 *	53,010	6	2,407	3	8	89	152	62	11
Abbeville	371	369	-	1	-	-	-	1	-	-
Aiken	1,889 *	1,823	-	36	-	3	2	22	2	1
Allendale	181	175	-	1	-	-	-	4	-	1
Anderson	2,247	2,200	1	24	-	-	5	15	2	-
Bamberg	211	154	-	57	-	-	-	-	-	-
Barnwell	339	308	-	29	-	-	-	1	1	-
Beaufort	1,945 *	1,935	-	4	-	-	2	4	-	-
Berkeley	2,188	1,985	-	193	1	-	1	4	3	1
Calhoun	161	152	-	9	-	-	-	-	-	-
Charleston	4,575 *	4,396	-	155	-	-	8	9	6	1
Cherokee	692	679	-	10	-	-	1	2	-	-
Chester	434	416	-	18	-	-	-	-	-	-
Chesterfield	573	547	-	25	-	-	-	1	-	-
Clarendon	449	408	-	36	-	-	-	3	2	-
Colleton	608	596	-	10	-	-	1	1	-	-
Darlington	943	891	-	48	-	-	2	-	2	-
Dillon	476	475	-	-	-	-	-	1	-	-
Dorchester	1,231	1,084	-	141	-	-	-	5	1	-
Edgefield	278	271	-	2	-	-	-	4	1	-
Fairfield	319	315	-	3	-	-	-	-	1	-
Florence	1,906	1,898	-	3	-	-	1	2	2	-
Georgetown	806	797	-	7	-	1	-	1	-	-
Greenville	5,526	5,479	-	3	-	1	25	15	2	1
Greenwood	915	905	-	-	1	-	6	-	2	1
Hampton	316	308	1	4	-	-	-	3	-	-
Horry	2,588	2,406	1	175	-	1	2	2	1	-
Jasper	339 *	335	-	1	-	-	-	2	1	-
Kershaw	694	683	-	10	-	-	-	-	1	-
Lancaster	804	780	-	22	-	-	-	1	-	1
Laurens	802	791	-	1	-	-	2	8	-	-
Lee	284	251	-	32	-	-	-	1	-	-
Lexington	2,940	2,547	-	379	-	-	9	1	3	1
McCormick	80	78	-	-	-	-	1	1	-	-
Marion	497	494	-	1	-	-	-	1	1	-
Marlboro	400	383	-	17	-	-	-	-	-	-
Newberry	523	515	-	7	-	-	-	-	1	-
Oconee	786	775	-	6	-	-	1	4	-	-
Orangeburg	1,263	1,185	-	72	1	-	-	1	3	1
Pickens	1,356	1,341	-	2	-	-	5	8	-	-
Richland	4,247 *	4,106	1	118	-	-	4	6	11	1
Saluda	267	256	-	8	-	-	1	1	1	-
Spartanburg	3,443	3,378	1	42	-	-	8	8	6	-
Sumter	1,609	1,449	-	157	-	-	-	-	2	1
Union	368 *	366	-	2	-	-	-	-	-	-
Williamsburg	540	530	1	7	-	-	-	2	-	-
York	2,339	1,795	-	529	-	2	2	7	4	-

* includes unknown race

Table C-16A.
Live Births by Attendant by Race of Mother
South Carolina and Each County, 2001
(Residence Data)
White

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	35,731	33,922	2	1,611	1	4	84	76	22	9
Abbeville	245	243	-	1	-	-	-	1	-	-
Aiken	1,282	1,235	-	28	-	-	2	15	1	1
Allendale	23	20	-	1	-	-	-	1	-	1
Anderson	1,770	1,740	-	15	-	-	4	10	1	-
Bamberg	67	50	-	17	-	-	-	-	-	-
Barnwell	147	128	-	19	-	-	-	-	-	-
Beaufort	1,391	1,385	-	3	-	-	2	1	-	-
Berkeley	1,553	1,409	-	139	-	-	-	1	3	1
Calhoun	84	76	-	8	-	-	-	-	-	-
Charleston	2,635	2,525	-	95	-	-	8	3	3	1
Cherokee	509	497	-	9	-	-	1	2	-	-
Chester	227	216	-	11	-	-	-	-	-	-
Chesterfield	347	333	-	14	-	-	-	-	-	-
Clarendon	168	152	-	15	-	-	-	-	1	-
Colleton	310	299	-	9	-	-	1	1	-	-
Darlington	450	421	-	27	-	-	2	-	-	-
Dillon	226	226	-	-	-	-	-	-	-	-
Dorchester	882	788	-	91	-	-	-	3	-	-
Edgefield	159	157	-	1	-	-	-	1	-	-
Fairfield	103	100	-	3	-	-	-	-	-	-
Florence	1,023	1,019	-	2	-	-	1	-	1	-
Georgetown	431	427	-	4	-	-	-	-	-	-
Greenville	4,258	4,220	-	3	-	1	24	9	1	-
Greenwood	571	565	-	-	1	-	4	-	-	1
Hampton	122	121	-	1	-	-	-	-	-	-
Horry	1,966	1,846	-	115	-	1	2	1	1	-
Jasper	152	150	-	1	-	-	-	-	1	-
Kershaw	484	476	-	8	-	-	-	-	-	-
Lancaster	561	544	-	16	-	-	-	-	-	1
Laurens	574	566	-	1	-	-	2	5	-	-
Lee	64	60	-	4	-	-	-	-	-	-
Lexington	2,342	2,026	-	305	-	-	9	-	1	1
McCormick	31	29	-	-	-	-	1	1	-	-
Marion	187	187	-	-	-	-	-	-	-	-
Marlboro	159	149	-	10	-	-	-	-	-	-
Newberry	319	313	-	6	-	-	-	-	-	-
Oconee	698	687	-	6	-	-	1	4	-	-
Orangeburg	373	338	-	33	-	-	-	-	2	-
Pickens	1,259	1,244	-	2	-	-	5	8	-	-
Richland	1,947	1,855	1	84	-	-	4	1	1	1
Saluda	173	163	-	7	-	-	1	1	1	-
Spartanburg	2,580	2,529	1	37	-	-	8	3	2	-
Sumter	773	656	-	116	-	-	-	-	-	1
Union	240	239	-	1	-	-	-	-	-	-
Williamsburg	130	129	-	1	-	-	-	-	-	-
York	1,736	1,384	-	342	-	2	2	4	2	-

Table C-16A. (cont.)
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births	Attendant								
		Physician		Certified Nurse Midwife		Licensed/Other Midwife		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	20,008	19,079	4	796	2	4	5	76	40	2
Abbeville	126	126	-	-	-	-	-	-	-	-
Aiken	605	586	-	8	-	3	-	7	1	-
Allendale	158	155	-	-	-	-	-	3	-	-
Anderson	477	460	1	9	-	-	1	5	1	-
Bamberg	144	104	-	40	-	-	-	-	-	-
Barnwell	192	180	-	10	-	-	-	1	1	-
Beaufort	551	547	-	1	-	-	-	3	-	-
Berkeley	635	576	-	54	1	-	1	3	-	-
Calhoun	77	76	-	1	-	-	-	-	-	-
Charleston	1,939	1,870	-	60	-	-	-	6	3	-
Cherokee	183	182	-	1	-	-	-	-	-	-
Chester	207	200	-	7	-	-	-	-	-	-
Chesterfield	226	214	-	11	-	-	-	1	-	-
Clarendon	281	256	-	21	-	-	-	3	1	-
Colleton	298	297	-	1	-	-	-	-	-	-
Darlington	493	470	-	21	-	-	-	-	2	-
Dillon	250	249	-	-	-	-	-	1	-	-
Dorchester	349	296	-	50	-	-	-	2	1	-
Edgefield	119	114	-	1	-	-	-	3	1	-
Fairfield	216	215	-	-	-	-	-	-	1	-
Florence	883	879	-	1	-	-	-	2	1	-
Georgetown	375	370	-	3	-	1	-	1	-	-
Greenville	1,268	1,259	-	-	-	-	1	6	1	1
Greenwood	344	340	-	-	-	-	2	-	2	-
Hampton	194	187	1	3	-	-	-	3	-	-
Horry	622	560	1	60	-	-	-	1	-	-
Jasper	186	184	-	-	-	-	-	2	-	-
Kershaw	210	207	-	2	-	-	-	-	1	-
Lancaster	243	236	-	6	-	-	-	1	-	-
Laurens	228	225	-	-	-	-	-	3	-	-
Lee	220	191	-	28	-	-	-	1	-	-
Lexington	598	521	-	74	-	-	-	1	2	-
McCormick	49	49	-	-	-	-	-	-	-	-
Marion	310	307	-	1	-	-	-	1	1	-
Marlboro	241	234	-	7	-	-	-	-	-	-
Newberry	204	202	-	1	-	-	-	-	1	-
Oconee	88	88	-	-	-	-	-	-	-	-
Orangeburg	890	847	-	39	1	-	-	1	1	1
Pickens	97	97	-	-	-	-	-	-	-	-
Richland	2,299	2,250	-	34	-	-	-	5	10	-
Saluda	94	93	-	1	-	-	-	-	-	-
Spartanburg	863	849	-	5	-	-	-	5	4	-
Sumter	836	793	-	41	-	-	-	-	2	-
Union	127	126	-	1	-	-	-	-	-	-
Williamsburg	410	401	1	6	-	-	-	2	-	-
York	603	411	-	187	-	-	-	3	2	-

Table C-17.
Live Births by Attendant
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse		Licensed/Other		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	53,255	50,689	6	2,281	3	-	93	121	62	-
Abbeville	185	184	-	-	-	-	1	-	-	-
Aiken	977	944	-	26	-	-	2	2	3	-
Allendale	116	114	-	-	-	-	-	2	-	-
Anderson	1,910	1,863	1	28	-	-	2	14	2	-
Bamberg	118	25	-	92	-	-	-	1	-	-
Barnwell	1	1	-	-	-	-	-	-	-	-
Beaufort	2,247	2,241	-	-	-	-	1	5	-	-
Berkeley	8	2	-	-	1	-	1	2	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	7,929	7,558	-	343	-	-	8	13	7	-
Cherokee	360	358	-	-	-	-	1	1	-	-
Chester	145	144	-	-	-	-	-	1	-	-
Chesterfield	202	201	-	-	-	-	-	1	-	-
Clarendon	632	568	-	59	-	-	-	3	2	-
Colleton	437	435	-	-	-	-	1	1	-	-
Darlington	684	571	-	110	-	-	2	-	1	-
Dillon	258	257	-	-	-	-	-	1	-	-
Dorchester	738	569	-	164	-	-	-	4	1	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Florence	5	4	-	-	-	-	-	-	1	-
Fairfield	3,267	3,261	-	-	-	-	1	2	3	-
Georgetown	724	724	-	-	-	-	-	-	-	-
Greenville	7,538	7,497	1	-	-	-	23	15	2	-
Greenwood	1,565	1,546	-	-	1	-	16	-	2	-
Hampton	6	3	-	-	-	-	-	3	-	-
Horry	2,495	2,256	1	232	-	-	2	3	1	-
Jasper	1	-	-	-	-	-	-	-	1	-
Kershaw	406	405	-	-	-	-	-	-	1	-
Lancaster	672	671	-	-	-	-	-	1	-	-
Laurens	356	346	-	-	-	-	1	9	-	-
Lee	1	-	-	-	-	-	-	1	-	-
Lexington	2,527	1,975	-	536	-	-	9	2	5	-
McCormick	1	-	-	-	-	-	-	1	-	-
Marion	599	598	-	-	-	-	-	-	1	-
Marlboro	208	208	-	-	-	-	-	-	-	-
Newberry	318	317	-	-	-	-	-	-	1	-
Oconee	598	594	-	-	-	-	1	3	-	-
Orangeburg	1,363	1,290	-	69	1	-	-	1	2	-
Pickens	600	588	-	-	-	-	4	8	-	-
Richland	6,136	6,113	2	-	-	-	4	6	11	-
Saluda	3	-	-	-	-	-	1	-	2	-
Spartanburg	3,707	3,634	-	51	-	-	10	7	5	-
Sumter	1,418	1,269	-	147	-	-	-	-	2	-
Union	129	129	-	-	-	-	-	-	-	-
Williamsburg	5	2	1	-	-	-	-	2	-	-
York	1,660	1,224	-	424	-	-	2	6	4	-

Table C-17A.
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2001
 (Occurrence Data)
 White

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse		Licensed/Other		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	33,802	32,130	2	1,503	1	-	87	57	22	-
Abbeville	101	100	-	-	-	-	1	-	-	-
Aiken	508	484	-	20	-	-	2	1	1	-
Allendale	18	18	-	-	-	-	-	-	-	-
Anderson	1,434	1,404	-	19	-	-	1	9	1	-
Bamberg	50	9	-	41	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-
Beaufort	1,478	1,476	-	-	-	-	1	1	-	-
Berkeley	3	-	-	-	-	-	-	1	2	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	4,922	4,689	-	218	-	-	8	3	4	-
Cherokee	227	225	-	-	-	-	1	1	-	-
Chester	46	45	-	-	-	-	-	1	-	-
Chesterfield	97	97	-	-	-	-	-	-	-	-
Clarendon	204	173	-	30	-	-	-	-	1	-
Colleton	193	191	-	-	-	-	1	1	-	-
Darlington	255	205	-	48	-	-	2	-	-	-
Dillon	77	77	-	-	-	-	-	-	-	-
Dorchester	540	424	-	114	-	-	-	2	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Fairfield	1	1	-	-	-	-	-	-	-	-
Florence	-	-	-	-	-	-	-	-	-	-
Georgetown	1,760	1,758	-	-	-	-	1	-	1	-
Greenville	411	411	-	-	-	-	-	-	-	-
Greenwood	6,063	6,030	1	-	-	-	22	9	1	-
Hampton	980	966	-	-	1	-	13	-	-	-
Horry	1,861	1,696	-	160	-	-	2	2	1	-
Jasper	1	-	-	-	-	-	-	-	1	-
Kershaw	257	257	-	-	-	-	-	-	-	-
Lancaster	409	409	-	-	-	-	-	-	-	-
Laurens	226	220	-	-	-	-	1	5	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	1,928	1,488	-	429	-	-	9	1	1	-
McCormick	1	-	-	-	-	-	-	1	-	-
Marion	244	244	-	-	-	-	-	-	-	-
Marlboro	62	62	-	-	-	-	-	-	-	-
Newberry	170	170	-	-	-	-	-	-	-	-
Oconee	520	516	-	-	-	-	1	3	-	-
Orangeburg	386	349	-	35	-	-	-	-	2	-
Pickens	557	545	-	-	-	-	4	8	-	-
Richland	3,195	3,187	1	-	-	-	4	1	2	-
Saluda	2	-	-	-	-	-	1	-	1	-
Spartanburg	2,768	2,710	-	44	-	-	10	3	1	-
Sumter	654	551	-	103	-	-	-	-	-	-
Union	74	74	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	1,119	869	-	242	-	-	2	4	2	-

Table C-17A. (cont.)
 Live Births by Attendant by Race of Mother
 South Carolina and Each County, 2001
 (Occurrence Data)
 Black and Other

County of Occurrence	Total Births	Attendant								
		Physician		Certified Nurse		Licensed/Other		Other Attendant	Self	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out Hospital	In Hospital /En Route	Out of Hospital			
South Carolina	19,453	18,559	4	778	2	-	6	64	40	-
Abbeville	84	84	-	-	-	-	-	-	-	-
Aiken	469	460	-	6	-	-	-	1	2	-
Allendale	98	96	-	-	-	-	-	2	-	-
Anderson	476	459	1	9	-	-	1	5	1	-
Bamberg	68	16	-	51	-	-	-	1	-	-
Barnwell	1	1	-	-	-	-	-	-	-	-
Beaufort	769	765	-	-	-	-	-	4	-	-
Berkeley	5	2	-	-	1	-	1	1	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	3,007	2,869	-	125	-	-	-	10	3	-
Cherokee	133	133	-	-	-	-	-	-	-	-
Chester	99	99	-	-	-	-	-	-	-	-
Chesterfield	105	104	-	-	-	-	-	1	-	-
Clarendon	428	395	-	29	-	-	-	3	1	-
Colleton	244	244	-	-	-	-	-	-	-	-
Darlington	429	366	-	62	-	-	-	-	1	-
Dillon	181	180	-	-	-	-	-	1	-	-
Dorchester	198	145	-	50	-	-	-	2	1	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Florence	4	3	-	-	-	-	-	-	1	-
Fairfield	1,507	1,503	-	-	-	-	-	2	2	-
Georgetown	313	313	-	-	-	-	-	-	-	-
Greenville	1,475	1,467	-	-	-	-	1	6	1	-
Greenwood	585	580	-	-	-	-	3	-	2	-
Hampton	6	3	-	-	-	-	-	3	-	-
Horry	634	560	1	72	-	-	-	1	-	-
Jasper	-	-	-	-	-	-	-	-	-	-
Kershaw	149	148	-	-	-	-	-	-	1	-
Lancaster	263	262	-	-	-	-	-	1	-	-
Laurens	130	126	-	-	-	-	-	4	-	-
Lee	1	-	-	-	-	-	-	1	-	-
Lexington	599	487	-	107	-	-	-	1	4	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	355	354	-	-	-	-	-	-	1	-
Marlboro	146	146	-	-	-	-	-	-	-	-
Newberry	148	147	-	-	-	-	-	-	1	-
Oconee	78	78	-	-	-	-	-	-	-	-
Orangeburg	977	941	-	34	1	-	-	1	-	-
Pickens	43	43	-	-	-	-	-	-	-	-
Richland	2,941	2,926	1	-	-	-	-	5	9	-
Saluda	1	-	-	-	-	-	-	-	1	-
Spartanburg	939	924	-	7	-	-	-	4	4	-
Sumter	764	718	-	44	-	-	-	-	2	-
Union	55	55	-	-	-	-	-	-	-	-
Williamsburg	5	2	1	-	-	-	-	2	-	-
York	541	355	-	182	-	-	-	2	2	-

AGE OF MOTHER

In 2001, there were 182 live births to resident mothers under 15 years of age and 32 live births to resident mothers 45 years of age and over. As shown in Table C-18, women aged 15-44 years were responsible for 99.6 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and remained unchanged until 2001, when it rose to 27. The youngest resident mother to give birth in 2001 was 12 years old and the eldest was 51 years old.

Table C-18.
Percent Distribution of Live Births by Age of Mother:
South Carolina, 1997-2001
(Residence Data)

Age of Mother	1997	1998	1999	2000	2001
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.4	0.4	0.4	0.4	0.3
15-19 Years	16.0	15.6	15.5	14.9	14.2
20-24 Years	27.5	28.0	28.3	28.9	29.4
25-29 Years	26.8	27.2	27.2	26.9	26.0
30-34 Years	19.7	18.9	18.8	18.9	20.0
35-39 Years	7.9	8.5	8.4	8.4	8.4
40-44 Years	1.3	1.4	1.3	1.5	8.6
45 Years and Over	0.0	0.1	0.0	0.0	0.1

Figure C-3.
Percent of Live Births to Women Age 30 and Over
South Carolina, 1992-2001
(Residence Data)




Table C-19.
Live Births by Age of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	55,748 *	182	7,898	16,413	14,476	11,135	4,705	894	32	13
Abbeville	371	-	50	122	110	59	25	5	-	-
Aiken	1,889 *	7	281	605	478	337	156	24	-	1
Allendale	181	-	39	77	34	23	6	1	1	-
Anderson	2,247	6	318	682	607	455	153	25	1	-
Bamberg	211	3	47	62	54	23	18	4	-	-
Barnwell	339	2	58	124	81	51	21	1	1	-
Beaufort	1,945 *	6	241	629	484	381	161	41	2	-
Berkeley	2,188	7	310	664	601	417	159	30	-	-
Calhoun	161	-	16	62	41	28	9	5	-	-
Charleston	4,575 *	15	573	1,156	1,081	1,114	539	88	8	1
Cherokee	692	2	149	240	173	93	28	7	-	-
Chester	434	1	79	132	118	70	30	4	-	-
Chesterfield	573	1	97	225	123	89	30	8	-	-
Clarendon	449	2	78	167	97	65	31	8	1	-
Colleton	608	3	122	206	137	95	35	10	-	-
Darlington	943	6	152	320	257	148	49	11	-	-
Dillon	476	2	102	171	106	66	26	3	-	-
Dorchester	1,231	1	177	332	306	258	132	25	-	-
Edgefield	278	-	39	92	66	61	18	2	-	-
Fairfield	319	3	63	116	80	30	21	6	-	-
Florence	1,906	5	291	583	483	375	140	27	1	1
Georgetown	806	8	122	244	196	144	83	7	1	1
Greenville	5,526	13	565	1,338	1,589	1,351	560	105	5	-
Greenwood	915	3	151	289	228	159	67	18	-	-
Hampton	316	-	72	108	75	37	18	6	-	-
Horry	2,588	5	365	753	683	508	233	40	1	-
Jasper	339 *	-	76	117	65	57	17	7	-	-
Kershaw	694	2	110	201	188	127	60	6	-	-
Lancaster	804	1	132	258	220	130	57	6	-	-
Laurens	802	7	155	263	200	118	47	12	-	-
Lee	284	1	50	112	76	27	16	2	-	-
Lexington	2,940	5	308	706	862	722	287	49	1	-
McCormick	80	-	12	35	18	9	5	1	-	-
Marion	497	3	97	189	127	52	25	4	-	-
Marlboro	400	1	95	168	80	36	16	3	1	-
Newberry	523	8	91	182	122	85	27	8	-	-
Oconee	786	3	117	251	219	132	53	10	-	1
Orangeburg	1,263	5	219	403	320	208	80	26	2	-
Pickens	1,356	1	176	374	360	301	128	16	-	-
Richland	4,247 *	14	407	1,073	1,123	1,053	463	110	2	2
Saluda	267	2	30	87	67	51	27	3	-	-
Spartanburg	3,443	10	507	988	957	673	263	43	1	1
Sumter	1,609	9	288	555	352	269	113	19	1	3
Union	368 *	3	61	119	91	64	28	2	-	-
Williamsburg	540	2	90	202	118	73	43	10	1	1
York	2,339	4	320	631	623	511	202	46	1	1

* Includes unknown race

Table C-19A.
Live Births by Age and Race of Mother
South Carolina and Each County, 2001
(Residence Data)

White

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	35,731	52	3,930	9,326	9,976	8,397	3,437	584	21	8
Abbeville	245	-	26	75	82	45	16	1	-	-
Aiken	1,282	1	160	389	331	258	127	15	-	1
Allendale	23	-	3	6	8	3	3	-	-	-
Anderson	1,770	2	214	524	506	370	135	18	1	-
Bamberg	67	1	9	17	17	11	10	2	-	-
Barnwell	147	-	23	48	42	19	14	-	1	-
Beaufort	1,391	1	131	430	350	314	131	32	2	-
Berkeley	1,553	4	200	466	444	318	104	17	-	-
Calhoun	84	-	3	28	24	22	4	3	-	-
Charleston	2,635	3	189	455	694	831	390	65	7	1
Cherokee	509	1	96	178	126	78	24	6	-	-
Chester	227	-	24	74	71	34	21	3	-	-
Chesterfield	347	-	45	131	89	58	22	2	-	-
Clarendon	168	-	17	50	49	35	13	4	-	-
Colleton	310	-	50	102	64	68	21	5	-	-
Darlington	450	-	59	113	150	97	29	2	-	-
Dillon	226	-	33	86	52	42	13	-	-	-
Dorchester	882	1	104	217	242	203	100	15	-	-
Edgefield	159	-	17	47	41	43	10	1	-	-
Fairfield	103	-	15	38	26	10	13	1	-	-
Florence	1,023	1	118	267	287	250	78	21	-	1
Georgetown	431	2	45	113	117	90	60	4	-	-
Greenville	4,258	5	375	960	1,229	1,141	462	82	4	-
Greenwood	571	1	72	147	158	133	49	11	-	-
Hampton	122	-	21	36	36	17	10	2	-	-
Horry	1,966	2	234	520	547	428	200	34	1	-
Jasper	152	-	34	39	40	29	7	3	-	-
Kershaw	484	2	61	133	141	98	47	2	-	-
Lancaster	561	-	78	162	163	108	47	3	-	-
Laurens	574	3	95	177	151	101	39	8	-	-
Lee	64	-	8	22	21	11	2	-	-	-
Lexington	2,342	3	221	509	701	624	247	36	1	-
McCormick	31	-	1	11	10	4	4	1	-	-
Marion	187	-	24	67	62	19	13	2	-	-
Marlboro	159	-	29	61	38	22	8	1	-	-
Newberry	319	1	40	104	91	60	18	5	-	-
Oconee	698	3	95	218	197	123	53	8	-	1
Orangeburg	373	-	49	97	107	80	30	9	1	-
Pickens	1,259	1	163	341	337	279	122	16	-	-
Richland	1,947	-	77	332	555	650	267	63	1	2
Saluda	173	1	16	52	47	34	22	1	-	-
Spartanburg	2,580	7	323	688	750	563	213	35	-	1
Sumter	773	1	98	237	200	171	57	8	1	-
Union	240	1	33	76	66	50	13	1	-	-
Williamsburg	130	2	9	52	34	26	6	1	-	-
York	1,736	2	193	431	483	427	163	35	1	1

Table C-19A. (cont.)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births	Age of Mother								
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	20,008	130	3,968	7,084	4,495	2,738	1,268	309	11	5
Abbeville	126	-	24	47	28	14	9	4	-	-
Aiken	605	6	121	215	146	79	29	9	-	-
Allendale	158	-	36	71	26	20	3	1	1	-
Anderson	477	4	104	158	101	85	18	7	-	-
Bamberg	144	2	38	45	37	12	8	2	-	-
Barnwell	192	2	35	76	39	32	7	1	-	-
Beaufort	551	5	110	199	131	67	30	9	-	-
Berkeley	635	3	110	198	157	99	55	13	-	-
Calhoun	77	-	13	34	17	6	5	2	-	-
Charleston	1,939	12	384	701	387	283	149	22	1	-
Cherokee	183	1	53	62	47	15	4	1	-	-
Chester	207	1	55	58	47	36	9	1	-	-
Chesterfield	226	1	52	94	34	31	8	6	-	-
Clarendon	281	2	61	117	48	30	18	4	1	-
Colleton	298	3	72	104	73	27	14	5	-	-
Darlington	493	6	93	207	107	51	20	9	-	-
Dillon	250	2	69	85	54	24	13	3	-	-
Dorchester	349	-	73	115	64	55	32	10	-	-
Edgefield	119	-	22	45	25	18	8	1	-	-
Fairfield	216	3	48	78	54	20	8	5	-	-
Florence	883	4	173	316	196	125	62	6	1	-
Georgetown	375	6	77	131	79	54	23	3	1	1
Greenville	1,268	8	190	378	360	210	98	23	1	-
Greenwood	344	2	79	142	70	26	18	7	-	-
Hampton	194	-	51	72	39	20	8	4	-	-
Horry	622	3	131	233	136	80	33	6	-	-
Jasper	186	-	42	78	24	28	10	4	-	-
Kershaw	210	-	49	68	47	29	13	4	-	-
Lancaster	243	1	54	96	57	22	10	3	-	-
Laurens	228	4	60	86	49	17	8	4	-	-
Lee	220	1	42	90	55	16	14	2	-	-
Lexington	598	2	87	197	161	98	40	13	-	-
McCormick	49	-	11	24	8	5	1	-	-	-
Marion	310	3	73	122	65	33	12	2	-	-
Marlboro	241	1	66	107	42	14	8	2	1	-
Newberry	204	7	51	78	31	25	9	3	-	-
Oconee	88	-	22	33	22	9	-	2	-	-
Orangeburg	890	5	170	306	213	128	50	17	1	-
Pickens	97	-	13	33	23	22	6	-	-	-
Richland	2,299	14	330	740	568	403	196	47	1	-
Saluda	94	1	14	35	20	17	5	2	-	-
Spartanburg	863	3	184	300	207	110	50	8	1	-
Sumter	836	8	190	318	152	98	56	11	-	3
Union	127	2	28	42	25	14	15	1	-	-
Williamsburg	410	-	81	150	84	47	37	9	1	1
York	603	2	127	200	140	84	39	11	-	-

Table C-20.
Live Births to Mothers Less than 20 Years Old
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	8,080	182	374	834	1,417	2,313	2,960
Abbeville	50	-	2	7	9	17	15
Aiken	288	7	17	35	46	86	97
Allendale	39	-	-	6	8	12	13
Anderson	324	6	22	37	60	96	103
Bamberg	50	3	3	6	7	12	19
Barnwell	60	2	1	4	10	22	21
Beaufort	247	6	4	21	43	71	102
Berkeley	317	7	12	20	62	92	124
Calhoun	16	-	1	2	3	8	2
Charleston	588	15	36	61	107	151	218
Cherokee	151	2	8	16	29	51	45
Chester	80	1	2	7	13	25	32
Chesterfield	98	1	7	7	18	26	39
Clarendon	80	2	2	8	17	25	26
Colleton	125	3	6	17	20	35	44
Darlington	158	6	9	23	25	47	48
Dillon	104	2	4	11	17	34	36
Dorchester	178	1	6	13	25	49	84
Edgefield	39	-	-	5	1	11	22
Fairfield	66	3	3	8	11	22	19
Florence	296	5	16	34	63	82	96
Georgetown	130	8	4	13	20	40	45
Greenville	578	13	30	57	92	150	236
Greenwood	154	3	14	18	28	51	40
Hampton	72	-	3	8	14	14	33
Horry	370	5	17	43	55	111	139
Jasper	76	-	7	7	16	17	29
Kershaw	112	2	7	14	20	31	38
Lancaster	133	1	4	14	31	38	45
Laurens	162	7	9	14	34	56	42
Lee	51	1	-	7	7	13	23
Lexington	313	5	12	34	64	78	120
McCormick	12	-	2	-	1	6	3
Marion	100	3	7	11	11	26	42
Marlboro	96	1	6	11	19	26	33
Newberry	99	8	3	15	16	24	33
Oconee	120	3	4	15	23	28	47
Orangeburg	224	5	11	15	45	73	75
Pickens	177	1	10	10	30	57	69
Richland	421	14	13	39	56	110	189
Saluda	32	2	1	3	-	10	16
Spartanburg	517	10	21	49	107	147	183
Sumter	297	9	11	29	57	94	97
Union	64	3	-	12	7	14	28
Williamsburg	92	2	5	10	17	22	36
York	324	4	12	38	53	103	114

Table C-20A.
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 White

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	3,982	52	146	374	664	1,179	1,567
Abbeville	26	-	1	3	5	6	11
Aiken	161	1	7	21	20	49	63
Allendale	3	-	-	-	-	2	1
Anderson	216	2	15	25	38	64	72
Bamberg	10	1	-	1	2	2	4
Barnwell	23	-	-	1	4	8	10
Beaufort	132	1	3	12	18	42	56
Berkeley	204	4	5	11	32	62	90
Calhoun	3	-	-	-	1	2	-
Charleston	192	3	6	17	29	48	89
Cherokee	97	1	2	12	18	38	26
Chester	24	-	-	3	4	10	7
Chesterfield	45	-	-	4	4	15	22
Clarendon	17	-	1	4	1	7	4
Colleton	50	-	-	6	6	15	23
Darlington	59	-	2	9	12	17	19
Dillon	33	-	1	3	3	10	16
Dorchester	105	1	4	3	12	30	55
Edgefield	17	-	-	3	1	4	9
Fairfield	15	-	1	4	1	5	4
Florence	119	1	3	10	30	26	49
Georgetown	47	2	1	4	7	12	21
Greenville	380	5	15	31	57	100	172
Greenwood	73	1	4	7	15	23	23
Hampton	21	-	1	2	5	4	9
Horry	236	2	11	25	32	78	88
Jasper	34	-	2	4	4	7	17
Kershaw	63	2	6	6	11	15	23
Lancaster	78	-	1	9	16	25	27
Laurens	98	3	4	10	16	37	28
Lee	8	-	-	1	2	3	2
Lexington	224	3	8	20	47	56	90
McCormick	1	-	-	-	-	-	1
Marion	24	-	1	-	3	9	11
Marlboro	29	-	3	1	6	11	8
Newberry	41	1	1	3	8	13	15
Oconee	98	3	2	14	20	22	37
Orangeburg	49	-	-	4	6	21	18
Pickens	164	1	10	9	30	51	63
Richland	77	-	1	6	9	22	39
Saluda	17	1	1	2	-	6	7
Spartanburg	330	7	12	30	74	93	114
Sumter	99	1	3	6	18	36	35
Union	34	1	-	8	4	8	13
Williamsburg	11	2	-	1	1	2	5
York	195	2	8	19	32	63	71

Table C-20A. (cont.)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		<15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	4,098	130	228	460	753	1,134	1,393
Abbeville	24	-	1	4	4	11	4
Aiken	127	6	10	14	26	37	34
Allendale	36	-	-	6	8	10	12
Anderson	108	4	7	12	22	32	31
Bamberg	40	2	3	5	5	10	15
Barnwell	37	2	1	3	6	14	11
Beaufort	115	5	1	9	25	29	46
Berkeley	113	3	7	9	30	30	34
Calhoun	13	-	1	2	2	6	2
Charleston	396	12	30	44	78	103	129
Cherokee	54	1	6	4	11	13	19
Chester	56	1	2	4	9	15	25
Chesterfield	53	1	7	3	14	11	17
Clarendon	63	2	1	4	16	18	22
Colleton	75	3	6	11	14	20	21
Darlington	99	6	7	14	13	30	29
Dillon	71	2	3	8	14	24	20
Dorchester	73	-	2	10	13	19	29
Edgefield	22	-	-	2	-	7	13
Fairfield	51	3	2	4	10	17	15
Florence	177	4	13	24	33	56	47
Georgetown	83	6	3	9	13	28	24
Greenville	198	8	15	26	35	50	64
Greenwood	81	2	10	11	13	28	17
Hampton	51	-	2	6	9	10	24
Horry	134	3	6	18	23	33	51
Jasper	42	-	5	3	12	10	12
Kershaw	49	-	1	8	9	16	15
Lancaster	55	1	3	5	15	13	18
Laurens	64	4	5	4	18	19	14
Lee	43	1	-	6	5	10	21
Lexington	89	2	4	14	17	22	30
McCormick	11	-	2	-	1	6	2
Marion	76	3	6	11	8	17	31
Marlboro	67	1	3	10	13	15	25
Newberry	58	7	2	12	8	11	18
Oconee	22	-	2	1	3	6	10
Orangeburg	175	5	11	11	39	52	57
Pickens	13	-	-	1	-	6	6
Richland	344	14	12	33	47	88	150
Saluda	15	1	-	1	-	4	9
Spartanburg	187	3	9	19	33	54	69
Sumter	198	8	8	23	39	58	62
Union	30	2	-	4	3	6	15
Williamsburg	81	-	5	9	16	20	31
York	129	2	4	19	21	40	43

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2001, there were 14,775 live births to resident unmarried mothers in South Carolina, representing 26.5 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table C-21, females under age 20 accounted for 30.8 percent of all live births to unmarried mothers in 2001.

Table C-21.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 1997-2001
(Residence Data)

Age of Mother	1997	1998	1999	2000	2001
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	1.2	1.4	1.2	1.2	1.1
15-19 Years	34.7	34.0	33.0	30.7	29.7
20-24 Years	36.6	37.4	37.6	39.7	40.4
25-29 Years	16.3	16.4	16.9	17.1	16.8
30 Years and Older	11.1	10.8	11.3	11.3	12.0

Figure C-4.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2001
(Residence Data)




Table C-22.
Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	14,775	26.5	4,468	12.5	10,307	51.5
Abbeville	101	27.2	25	10.2	76	60.3
Aiken	620	32.8	262	20.4	358	59.2
Allendale	100	55.2	1	4.3	99	62.7
Anderson	357	15.9	157	8.9	200	41.9
Bamberg	77	36.5	8	11.9	69	47.9
Barnwell	125	36.9	22	15.0	103	53.6
Beaufort	394	20.3	158	11.4	236	42.8
Berkeley	467	21.3	194	12.5	273	43.0
Calhoun	49	30.4	4	4.8	45	58.4
Charleston	1,500	32.8	329	12.5	1,171	60.4
Cherokee	176	25.4	77	15.1	99	54.1
Chester	141	32.5	32	14.1	109	52.7
Chesterfield	220	38.4	71	20.5	149	65.9
Clarendon	206	45.9	26	15.5	180	64.1
Colleton	232	38.2	54	17.4	178	59.7
Darlington	405	42.9	88	19.6	317	64.3
Dillon	211	44.3	53	23.5	158	63.2
Dorchester	279	22.7	119	13.5	160	45.8
Edgefield	95	34.2	18	11.3	77	64.7
Fairfield	134	42.0	18	17.5	116	53.7
Florence	739	38.8	171	16.7	568	64.3
Georgetown	209	25.9	35	8.1	174	46.4
Greenville	843	15.3	375	8.8	468	36.9
Greenwood	281	30.7	76	13.3	205	59.6
Hampton	129	40.8	13	10.7	116	59.8
Horry	516	19.9	243	12.4	273	43.9
Jasper	131	38.6	24	15.8	107	57.5
Kershaw	152	21.9	57	11.8	95	45.2
Lancaster	218	27.1	86	15.3	132	54.3
Laurens	236	29.4	85	14.8	151	66.2
Lee	144	50.7	10	15.6	134	60.9
Lexington	517	17.6	275	11.7	242	40.5
McCormick	36	45.0	6	19.4	30	61.2
Marion	253	50.9	32	17.1	221	71.3
Marlboro	167	41.8	39	24.5	128	53.1
Newberry	164	31.4	48	15.0	116	56.9
Oconee	105	13.4	74	10.6	31	35.2
Orangeburg	387	30.6	33	8.8	354	39.8
Pickens	147	10.8	117	9.3	30	30.9
Richland	1,174	27.6	176	9.0	998	43.4
Saluda	94	35.2	42	24.3	52	55.3
Spartanburg	680	19.8	288	11.2	392	45.4
Sumter	557	34.6	108	14.0	449	53.7
Union	86	23.4	31	12.9	55	43.3
Williamsburg	269	49.8	10	7.7	259	63.2
York	652	27.9	298	17.2	354	58.7

Table C-23.
Live Births to Unmarried Mothers by Age
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	14,775	166	4,393	5,966	2,479	1,142	509	114	4	2
Abbeville	101	-	22	51	21	5	2	-	-	-
Aiken	620	6	171	258	115	48	17	5	-	-
Allendale	100	-	29	45	11	12	2	-	1	-
Anderson	357	6	112	137	58	28	11	5	-	-
Bamberg	77	3	32	29	9	4	-	-	-	-
Barnwell	125	2	33	52	22	12	4	-	-	-
Beaufort	394	6	113	152	84	24	11	4	-	-
Berkeley	467	7	148	178	70	46	14	4	-	-
Calhoun	49	-	11	23	8	4	3	-	-	-
Charleston	1,500	14	410	607	258	134	64	12	1	-
Cherokee	176	2	64	60	33	12	4	1	-	-
Chester	141	1	46	48	26	13	6	1	-	-
Chesterfield	220	1	64	100	32	15	6	2	-	-
Clarendon	206	2	56	101	26	13	6	2	-	-
Colleton	232	1	76	93	41	10	8	3	-	-
Darlington	405	6	108	186	69	24	11	1	-	-
Dillon	211	2	68	82	36	14	8	1	-	-
Dorchester	279	1	101	107	41	13	14	2	-	-
Edgefield	95	-	27	47	14	5	2	-	-	-
Fairfield	134	3	43	57	18	5	4	4	-	-
Florence	739	4	219	302	124	66	22	2	-	-
Georgetown	209	7	62	76	33	25	5	-	-	1
Greenville	843	13	226	337	160	69	33	5	-	-
Greenwood	281	2	85	130	39	9	10	6	-	-
Hampton	129	-	44	55	19	6	2	3	-	-
Horry	516	3	162	195	87	47	19	3	-	-
Jasper	131	-	44	57	13	11	5	1	-	-
Kershaw	152	2	49	63	24	12	1	1	-	-
Lancaster	218	1	71	86	37	18	3	2	-	-
Laurens	236	7	90	75	40	19	4	1	-	-
Lee	144	1	34	64	24	12	7	2	-	-
Lexington	517	4	155	206	94	36	19	3	-	-
McCormick	36	-	11	18	5	2	-	-	-	-
Marion	253	2	74	102	50	15	8	2	-	-
Marlboro	167	1	61	70	26	5	3	1	-	-
Newberry	164	8	50	71	19	13	3	-	-	-
Oconee	105	2	43	43	14	2	1	-	-	-
Orangeburg	387	5	106	158	67	33	12	5	1	-
Pickens	147	1	46	62	13	18	7	-	-	-
Richland	1,174	13	271	495	227	109	48	11	-	-
Saluda	94	2	16	41	19	9	7	-	-	-
Spartanburg	680	9	237	253	107	51	21	1	1	-
Sumter	557	8	181	217	70	44	28	8	-	1
Union	86	2	29	32	13	5	5	-	-	-
Williamsburg	269	2	76	116	39	19	16	1	-	-
York	652	4	217	229	124	46	23	9	-	-

Table C-23A.
 Live Births to Unmarried Mothers by Age and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	4,468	43	1,433	1,680	717	371	186	38	-	-
Abbeville	25	-	5	14	5	1	-	-	-	-
Aiken	262	1	79	110	44	19	7	2	-	-
Allendale	1	-	-	-	-	-	1	-	-	-
Anderson	157	2	50	61	26	10	6	2	-	-
Bamberg	8	1	2	4	-	1	-	-	-	-
Barnwell	22	-	6	9	6	-	1	-	-	-
Beaufort	158	1	40	62	36	11	7	1	-	-
Berkeley	194	4	70	70	23	23	4	-	-	-
Calhoun	4	-	2	1	-	1	-	-	-	-
Charleston	329	3	91	110	67	31	19	8	-	-
Cherokee	77	1	28	27	11	6	3	1	-	-
Chester	32	-	9	12	4	3	3	1	-	-
Chesterfield	71	-	21	33	11	3	3	-	-	-
Clarendon	26	-	7	12	2	4	1	-	-	-
Colleton	54	-	15	20	11	4	2	2	-	-
Darlington	88	-	29	37	14	6	2	-	-	-
Dillon	53	-	15	25	5	5	3	-	-	-
Dorchester	119	1	44	41	21	6	6	-	-	-
Edgefield	18	-	6	10	1	1	-	-	-	-
Fairfield	18	-	4	11	1	-	2	-	-	-
Florence	171	-	65	61	21	21	2	1	-	-
Georgetown	35	1	9	8	7	7	3	-	-	-
Greenville	375	5	103	149	64	30	22	2	-	-
Greenwood	76	-	26	32	6	2	6	4	-	-
Hampton	13	-	5	6	1	-	1	-	-	-
Horry	243	1	84	76	43	26	11	2	-	-
Jasper	24	-	10	7	4	3	-	-	-	-
Kershaw	57	2	17	26	8	4	-	-	-	-
Lancaster	86	-	30	35	8	10	3	-	-	-
Laurens	85	3	39	24	11	7	1	-	-	-
Lee	10	-	2	4	2	2	-	-	-	-
Lexington	275	2	91	104	48	18	11	1	-	-
McCormick	6	-	1	3	1	1	-	-	-	-
Marion	32	-	8	11	8	-	4	1	-	-
Marlboro	39	-	14	13	7	3	2	-	-	-
Newberry	48	1	14	23	6	4	-	-	-	-
Oconee	74	2	31	30	9	1	1	-	-	-
Orangeburg	33	-	12	11	5	4	1	-	-	-
Pickens	117	1	37	50	11	14	4	-	-	-
Richland	176	-	35	81	35	14	7	4	-	-
Saluda	42	1	6	17	10	4	4	-	-	-
Spartanburg	288	6	120	89	38	24	11	-	-	-
Sumter	108	-	34	39	16	11	7	1	-	-
Union	31	-	10	11	6	1	3	-	-	-
Williamsburg	10	2	1	5	-	1	1	-	-	-
York	298	2	106	96	54	24	11	5	-	-

Table C-23A.(cont.)
 Live Births to Unmarried Mothers by Age and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	10,307	123	2,960	4,286	1,762	771	323	76	4	2
Abbeville	76	-	17	37	16	4	2	-	-	-
Aiken	358	5	92	148	71	29	10	3	-	-
Allendale	99	-	29	45	11	12	1	-	1	-
Anderson	200	4	62	76	32	18	5	3	-	-
Bamberg	69	2	30	25	9	3	-	-	-	-
Barnwell	103	2	27	43	16	12	3	-	-	-
Beaufort	236	5	73	90	48	13	4	3	-	-
Berkeley	273	3	78	108	47	23	10	4	-	-
Calhoun	45	-	9	22	8	3	3	-	-	-
Charleston	1,171	11	319	497	191	103	45	4	1	-
Cherokee	99	1	36	33	22	6	1	-	-	-
Chester	109	1	37	36	22	10	3	-	-	-
Chesterfield	149	1	43	67	21	12	3	2	-	-
Clarendon	180	2	49	89	24	9	5	2	-	-
Colleton	178	1	61	73	30	6	6	1	-	-
Darlington	317	6	79	149	55	18	9	1	-	-
Dillon	158	2	53	57	31	9	5	1	-	-
Dorchester	160	-	57	66	20	7	8	2	-	-
Edgefield	77	-	21	37	13	4	2	-	-	-
Fairfield	116	3	39	46	17	5	2	4	-	-
Florence	568	4	154	241	103	45	20	1	-	-
Georgetown	174	6	53	68	26	18	2	-	-	1
Greenville	468	8	123	188	96	39	11	3	-	-
Greenwood	205	2	59	98	33	7	4	2	-	-
Hampton	116	-	39	49	18	6	1	3	-	-
Horry	273	2	78	119	44	21	8	1	-	-
Jasper	107	-	34	50	9	8	5	1	-	-
Kershaw	95	-	32	37	16	8	1	1	-	-
Lancaster	132	1	41	51	29	8	-	2	-	-
Laurens	151	4	51	51	29	12	3	1	-	-
Lee	134	1	32	60	22	10	7	2	-	-
Lexington	242	2	64	102	46	18	8	2	-	-
McCormick	30	-	10	15	4	1	-	-	-	-
Marion	221	2	66	91	42	15	4	1	-	-
Marlboro	128	1	47	57	19	2	1	1	-	-
Newberry	116	7	36	48	13	9	3	-	-	-
Oconee	31	-	12	13	5	1	-	-	-	-
Orangeburg	354	5	94	147	62	29	11	5	1	-
Pickens	30	-	9	12	2	4	3	-	-	-
Richland	998	13	236	414	192	95	41	7	-	-
Saluda	52	1	10	24	9	5	3	-	-	-
Spartanburg	392	3	117	164	69	27	10	1	1	-
Sumter	449	8	147	178	54	33	21	7	-	1
Union	55	2	19	21	7	4	2	-	-	-
Williamsburg	259	-	75	111	39	18	15	1	-	-
York	354	2	111	133	70	22	12	4	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races the highest segment of births weighed 3,000-3,499 grams, but the median birthweight for whites was greater than the median birthweight for black and other. Figure C-5 illustrates the birthweight distribution by race.

Table C-24.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2001
(Residence Data)

Weight Group	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
Total	55,748 *	100.0	35,731	100.0	20,008	100.0
Less Than 2,500 grams	5,349	9.6	2,606	7.3	2,743	13.7
Under 500 grams	118	0.2	33	0.1	85	0.4
500-999 grams	406	0.7	163	0.5	243	1.2
1,000-1,499 grams	532	1.0	242	0.7	290	1.4
1,500-1,999 grams	1,057	1.9	512	1.4	545	2.7
2,000-2,499 grams	3,236	5.8	1,656	4.6	1,580	7.9
2,500 or More grams	50,392 *	90.4	33,125	92.7	17,265	86.3
Unknown Weight	7	0.0	3	0.0	-	0

* Includes unknown race

Figure C-5.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2001
(Residence Data)




Table C-25.
Live Births by Birthweight, Age and Race of Mother
South Carolina, 2001
(Residence Data)

Age and Race	Birthweight												
	Total Births	< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000 + Grams	Not Stated
South Carolina	55,748 *	118	406	532	1,057	3,236	10,791 *	21,040 *	14,253 *	3,710	534	64	7 *
White	35,731	33	163	242	512	1,656	5,651	13,343	10,637	2,993	445	53	3
Black/Other	20,008	85	243	290	545	1,580	5,139	7,694	3,615	717	89	11	-
Under 15 Years	182	-	2	6	5	16	44	71	34	4	-	-	-
White	52	-	-	2	2	4	10	16	15	3	-	-	-
Black/Other	130	-	2	4	3	12	34	55	19	1	-	-	-
15-19 Years	7,898	18	80	80	174	550	1,921	3,102	1,627	306	39	1	-
White	3,930	4	35	24	55	219	777	1,537	1,033	215	30	1	-
Black/Other	3,968	14	45	56	119	331	1,144	1,565	594	91	9	-	-
20-24 Years	16,413 *	40	127	162	292	1,007	3,531	6,358 *	3,840	942	101	11	2 *
White	9,326	10	39	69	112	439	1,613	3,624	2,619	713	78	10	-
Black/Other	7,084	30	88	93	180	568	1,918	2,733	1,221	229	23	1	-
25-34 Years	25,611 *	51	153	210	443	1,328	4,325	9,593 *	7,168 *	1,972	323	41	4 *
White	18,373	16	69	104	252	784	2,654	6,818	5,716	1,647	276	35	2
Black/Other	7,233	35	84	106	191	544	1,671	2,773	1,451	325	47	6	-
35-44 Years	5,599 *	9	43	72	140	331	963 *	1,905	1,574	479	71	11	1
White	4,021	3	19	42	90	207	593	1,340	1,248	410	61	7	1
Black/Other	1,577	6	24	30	50	124	369	565	326	69	10	4	-
45 and Over	32	-	1	1	3	3	4	8	7	5	-	-	-
White	21	-	1	1	1	2	2	6	4	4	-	-	-
Black/Other	11	-	-	-	2	1	2	2	3	1	-	-	-
Not Stated	13	-	-	1	-	1	3	3	3	2	-	-	-
White	8	-	-	-	-	1	2	2	2	1	-	-	-
Black/Other	5	-	-	1	-	-	1	1	1	1	-	-	-

* Includes unknown race

Table C-26.
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	
South Carolina	55,748 *	118	406	532	1,057	3,236	10,791 *	21,040 *	14,253	3,710	534	64	7
White	35,731	33	163	242	512	1,656	5,651	13,343	10,637	2,993	445	53	3
Black/Other	20,008	85	243	290	545	1,580	5,139	7,694	3,615	717	89	11	-
Abbeville	371	-	5	5	8	23	64	144	97	22	3	-	-
White	245	-	3	4	5	15	33	93	74	17	1	-	-
Black/Other	126	-	2	1	3	8	31	51	23	5	2	-	-
Aiken	1,889 *	3	19	13	38	95	356	684	543	125	13	-	-
White	1,282	2	8	4	22	44	199	470	420	102	11	-	-
Black/Other	605	1	11	9	16	51	157	212	123	23	2	-	-
Allendale	181	2	1	2	11	7	44	71	38	5	-	-	-
White	23	-	-	-	1	-	3	9	10	-	-	-	-
Black/Other	158	2	1	2	10	7	41	62	28	5	-	-	-
Anderson	2,247	3	17	22	32	132	345	848	620	197	26	5	-
White	1,770	1	10	14	26	93	235	684	508	173	21	5	-
Black/Other	477	2	7	8	6	39	110	164	112	24	5	-	-
Bamberg	211	-	6	2	3	16	52	78	46	5	3	-	-
White	67	-	-	-	1	2	17	21	24	2	-	-	-
Black/Other	144	-	6	2	2	14	35	57	22	3	3	-	-
Barnwell	339	-	5	1	9	25	83	121	72	20	3	-	-
White	147	-	1	-	4	9	28	48	45	11	1	-	-
Black/Other	192	-	4	1	5	16	55	73	27	9	2	-	-
Beaufort	1,945 *	1	13	17	27	88	328	760 *	542 *	145	17	5	2 *
White	1,391	-	6	6	12	50	198	532	446	120	15	5	1
Black/Other	551	1	7	11	15	38	130	227	95	25	2	-	-
Berkeley	2,188	5	12	13	38	121	383	841	586	159	23	6	1
White	1,553	3	5	8	23	69	223	592	462	140	22	5	1
Black/Other	635	2	7	5	15	52	160	249	124	19	1	1	-
Calhoun	161	-	1	1	6	14	37	63	28	8	3	-	-
White	84	-	1	-	-	6	14	40	14	6	3	-	-
Black/Other	77	-	-	1	6	8	23	23	14	2	-	-	-

Table C-26. (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Unknown Weight
Charleston	4,575 *	12	48	46	96	279	874 *	1,713	1,165	291	43	8	-
White	2,635	2	16	18	44	130	373	993	811	211	32	5	-
Black/Other	1,939	10	32	28	52	149	500	720	354	80	11	3	-
Cherokee	692	1	6	7	16	48	148	264	153	46	2	1	-
White	509	-	6	4	10	27	104	191	125	39	2	1	-
Black/Other	183	1	-	3	6	21	44	73	28	7	-	-	-
Chester	434	1	2	7	10	18	73	193	101	28	1	-	-
White	227	-	-	4	5	9	32	94	64	18	1	-	-
Black/Other	207	1	2	3	5	9	41	99	37	10	-	-	-
Chesterfield	573	1	6	2	11	57	140	196	125	29	6	-	-
White	347	-	3	-	6	25	75	116	94	23	5	-	-
Black/Other	226	1	3	2	5	32	65	80	31	6	1	-	-
Clarendon	449	3	3	8	13	43	96	173	89	20	1	-	-
White	168	-	-	2	3	13	21	64	51	13	1	-	-
Black/Other	281	3	3	6	10	30	75	109	38	7	-	-	-
Colleton	608	1	6	7	6	38	125	222	151	46	5	1	-
White	310	-	1	4	1	16	53	103	95	33	3	1	-
Black/Other	298	1	5	3	5	22	72	119	56	13	2	-	-
Darlington	943	6	12	12	17	70	214	333	216	53	7	3	-
White	450	1	5	3	4	20	77	163	130	37	7	3	-
Black/Other	493	5	7	9	13	50	137	170	86	16	-	-	-
Dillon	476	1	2	4	9	30	106	200	98	24	2	-	-
White	226	-	-	1	4	10	38	85	65	21	2	-	-
Black/Other	250	1	2	3	5	20	68	115	33	3	-	-	-
Dorchester	1,231	3	4	13	24	77	211	470	330	91	6	2	-
White	882	-	3	4	12	40	136	337	266	76	6	2	-
Black/Other	349	3	1	9	12	37	75	133	64	15	-	-	-

Table C-26. (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County and Race	Total Births	Birthweight											
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	Unknown Weight
Edgefield	278	-	4	3	3	13	60	100	78	16	1	-	-
White	159	-	-	2	-	2	23	56	62	13	1	-	-
Black/Other	119	-	4	1	3	11	37	44	16	3	-	-	-
Fairfield	319	-	-	3	7	19	83	125	60	21	1	-	-
White	103	-	-	-	5	4	23	38	21	11	1	-	-
Black/Other	216	-	-	3	2	15	60	87	39	10	-	-	-
Florence	1,906	11	23	22	43	119	403	745	424	101	13	2	-
White	1,023	4	9	4	17	50	154	396	298	81	10	-	-
Black/Other	883	7	14	18	26	69	249	349	126	20	3	2	-
Georgetown	806	2	10	8	22	58	152	319	183	43	8	1	-
White	431	-	-	3	8	19	56	180	126	32	6	1	-
Black/Other	375	2	10	5	14	39	96	139	57	11	2	-	-
Greenville	5,526	7	21	43	94	295	958	2,038	1,576	426	64	4	-
White	4,258	4	10	25	55	198	660	1,562	1,305	378	57	4	-
Black/Other	1,268	3	11	18	39	97	298	476	271	48	7	-	-
Greenwood	915	1	7	7	17	49	173	338	248	62	12	-	1
White	571	-	2	2	7	21	97	202	179	52	8	-	1
Black/Other	344	1	5	5	10	28	76	136	69	10	4	-	-
Hampton	316	1	-	2	2	15	77	124	77	15	3	-	-
White	122	1	-	-	-	2	20	56	33	8	2	-	-
Black/Other	194	-	-	2	2	13	57	68	44	7	1	-	-
Horry	2,588	5	16	16	35	145	511	985	668	168	34	5	-
White	1,966	-	11	12	23	98	346	727	567	146	31	5	-
Black/Other	622	5	5	4	12	47	165	258	101	22	3	-	-
Jasper	339 *	-	4	3	7	23	67	134	79	18	3	-	1
White	152	-	3	2	1	10	22	64	41	7	2	-	-
Black/Other	186	-	1	1	6	13	45	70	38	11	1	-	-

Table C-26. (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	
Kershaw	694	4	5	12	9	47	140	250	175	46	5	1	-
White	484	4	3	8	5	29	97	165	127	42	3	1	-
Black/Other	210	-	2	4	4	18	43	85	48	4	2	-	-
Lancaster	804	1	6	10	20	48	163	298	194	56	8	-	-
White	561	-	5	4	10	29	105	201	155	47	5	-	-
Black/Other	243	1	1	6	10	19	58	97	39	9	3	-	-
Laurens	802	-	6	6	20	34	146	306	219	52	12	1	-
White	574	-	5	3	9	24	91	212	173	46	10	1	-
Black/Other	228	-	1	3	11	10	55	94	46	6	2	-	-
Lee	284	2	-	1	6	20	74	111	56	12	1	1	-
White	64	-	-	-	-	6	12	21	17	7	1	-	-
Black/Other	220	2	-	1	6	14	62	90	39	5	-	1	-
Lexington	2,940	2	16	30	50	134	493	1,098	847	222	47	1	-
White	2,342	2	11	20	34	91	353	860	727	202	41	1	-
Black/Other	598	-	5	10	16	43	140	238	120	20	6	-	-
McCormick	80	-	1	-	4	2	15	35	18	4	1	-	-
White	31	-	1	-	1	-	6	10	11	2	-	-	-
Black/Other	49	-	-	-	3	2	9	25	7	2	1	-	-
Marion	497	2	4	5	11	35	112	178	120	28	2	-	-
White	187	-	1	1	1	10	30	65	61	17	1	-	-
Black/Other	310	2	3	4	10	25	82	113	59	11	1	-	-
Marlboro	400	2	6	6	10	33	87	163	76	16	1	-	-
White	159	-	-	3	2	8	25	62	50	8	1	-	-
Black/Other	241	2	6	3	8	25	62	101	26	8	-	-	-
Newberry	523	1	6	1	17	37	115	214	105	24	3	-	-
White	319	-	1	-	12	20	57	116	88	22	3	-	-
Black/Other	204	1	5	1	5	17	58	98	17	2	-	-	-
Oconee	786	1	2	3	11	38	139	281	226	66	17	2	-
White	698	1	2	2	8	35	114	250	207	61	16	2	-
Black/Other	88	-	-	1	3	3	25	31	19	5	1	-	-

Table C-26. (cont.)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County and Race	Total Births	Birthweight											Unknown Weight
		< 500 Grams	500-999 Grams	1000-1499 Grams	1500-1999 Grams	2000-2499 Grams	2500-2999 Grams	3000-3499 Grams	3500-3999 Grams	4000-4499 Grams	4500-4999 Grams	5000+ Grams	
Orangeburg	1,263	7	10	10	36	96	340	484	224	46	8	2	-
White	373	-	-	1	7	19	74	151	88	26	7	-	-
Black/Other	890	7	10	9	29	77	266	333	136	20	1	2	-
Pickens	1,356	2	4	11	23	55	234	472	403	133	18	1	-
White	1,259	2	3	10	18	48	206	436	388	129	18	1	-
Black/Other	97	-	1	1	5	7	28	36	15	4	-	-	-
Richland	4,247 *	6	31	47	83	247	896	1,661	1,003	247	21	4	1
White	1,947	-	8	12	27	80	295	783	569	155	15	3	-
Black/Other	2,299	6	23	35	56	167	601	878	434	92	6	1	-
Saluda	267	-	1	7	1	14	56	93	82	12	1	-	-
White	173	-	-	-	-	6	33	65	60	8	1	-	-
Black/Other	94	-	1	7	1	8	23	28	22	4	-	-	-
Spartanburg	3,443	2	20	46	72	211	653	1,312	844	241	38	4	-
White	2,580	1	9	31	37	145	446	981	683	209	35	3	-
Black/Other	863	1	11	15	35	66	207	331	161	32	3	1	-
Sumter	1,609	1	17	11	23	80	350	606	408	103	10	-	-
White	773	1	3	4	8	30	121	278	258	62	8	-	-
Black/Other	836	-	14	7	15	50	229	328	150	41	2	-	-
Union	368 *	1	1	3	5	23	73	150	91	20	-	-	1 *
White	240	1	-	1	4	14	40	98	64	18	-	-	-
Black/Other	127	-	1	2	1	9	33	52	27	2	-	-	-
Williamsburg	540	6	5	11	11	54	136	191	98	24	4	-	-
White	130	-	-	1	1	9	24	46	37	11	1	-	-
Black/Other	410	6	5	10	10	45	112	145	61	13	3	-	-
York	2,339	8	12	23	41	111	406	855	671	174	34	4	-
White	1,736	3	8	15	29	71	262	627	538	151	28	4	-
Black/Other	603	5	4	8	12	40	144	228	133	23	6	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.6 percent of the 55,748 resident births in 2001. In relation to age of mother, low weight births were comparatively frequent among very young mothers; 11.4 percent of all live births to mothers 15-19 were low weight. Only 8.5 percent of all live births to mothers 25-34 were low weight.

Figure C-6.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2001
(Residence Data)




Table C-27.
Percent* of Live Births Less Than 2,500 Grams
by Age and Race of Mother: South Carolina, 2001
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	15.9	11.4	9.9	8.5	10.6	25.0
White	15.4	8.6	7.2	6.7	9.0	23.8
Black & Other	16.2	14.2	13.5	13.3	14.8	27.3

* Percentages are based on total live births within each age group

Table C-28.
 Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	5,349	9.6	2,606	7.3	2,743	13.7
Abbeville	41	11.1	27	11.0	14	11.1
Aiken	168	8.9	80	6.2	88	14.5
Allendale	23	12.7	1	4.3	22	13.9
Anderson	206	9.2	144	8.1	62	13.0
Bamberg	27	12.8	3	4.5	24	16.7
Barnwell	40	11.8	14	9.5	26	13.5
Beaufort	146	7.5	74	5.3	72	13.1
Berkeley	189	8.6	108	7.0	81	12.8
Calhoun	22	13.7	7	8.3	15	19.5
Charleston	481	10.5	210	8.0	271	14.0
Cherokee	78	11.3	47	9.2	31	16.9
Chester	38	8.8	18	7.9	20	9.7
Chesterfield	77	13.4	34	9.8	43	19.0
Clarendon	70	15.6	18	10.7	52	18.5
Colleton	58	9.5	22	7.1	36	12.1
Darlington	117	12.4	33	7.3	84	17.0
Dillon	46	9.7	15	6.6	31	12.4
Dorchester	121	9.8	59	6.7	62	17.8
Edgefield	23	8.3	4	2.5	19	16.0
Fairfield	29	9.1	9	8.7	20	9.3
Florence	218	11.4	84	8.2	134	15.2
Georgetown	100	12.4	30	7.0	70	18.7
Greenville	460	8.3	292	6.9	168	13.2
Greenwood	81	8.9	32	5.6	49	14.2
Hampton	20	6.3	3	2.5	17	8.8
Horry	217	8.4	144	7.3	73	11.7
Jasper	37	10.9	16	10.5	21	11.3
Kershaw	77	11.1	49	10.1	28	13.3
Lancaster	85	10.6	48	8.6	37	15.2
Laurens	66	8.2	41	7.1	25	11.0
Lee	29	10.2	6	9.4	23	10.5
Lexington	232	7.9	158	6.7	74	12.4
McCormick	7	8.8	2	6.5	5	10.2
Marion	57	11.5	13	7.0	44	14.2
Marlboro	57	14.3	13	8.2	44	18.3
Newberry	62	11.9	33	10.3	29	14.2
Oconee	55	7.0	48	6.9	7	8.0
Orangeburg	159	12.6	27	7.2	132	14.8
Pickens	95	7.0	81	6.4	14	14.4
Richland	414	9.7	127	6.5	287	12.5
Saluda	23	8.6	6	3.5	17	18.1
Spartanburg	351	10.2	223	8.6	128	14.8
Sumter	132	8.2	46	6.0	86	10.3
Union	33	9.0	20	8.3	13	10.2
Williamsburg	87	16.1	11	8.5	76	18.5
York	195	8.3	126	7.3	69	11.4

¹ Live birth weighing less than 2,500 grams

Table C-29.
 Low Weight¹ Live Births by Age of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	5,349	29	902	1,628	1,211	974	481	114	8	2
Abbeville	41	-	5	15	12	6	3	-	-	-
Aiken	168	1	38	58	31	30	9	1	-	-
Allendale	23	-	8	7	3	3	1	-	1	-
Anderson	206	1	40	57	42	43	16	7	-	-
Bamberg	27	-	10	9	2	2	2	2	-	-
Barnwell	40	-	9	15	5	8	2	-	1	-
Beaufort	146	2	22	37	33	33	14	5	-	-
Berkeley	189	1	16	53	60	39	16	4	-	-
Calhoun	22	-	1	11	5	2	3	-	-	-
Charleston	481	1	72	125	110	85	67	17	4	-
Cherokee	78	-	25	24	14	11	4	-	-	-
Chester	38	-	8	10	8	7	5	-	-	-
Chesterfield	77	1	16	30	14	9	3	4	-	-
Clarendon	70	-	11	24	19	9	4	3	-	-
Colleton	58	-	10	20	8	14	5	1	-	-
Darlington	117	2	13	52	28	16	6	-	-	-
Dillon	46	-	14	14	7	9	2	-	-	-
Dorchester	121	-	18	34	22	21	25	1	-	-
Edgefield	23	-	2	11	2	4	3	1	-	-
Fairfield	29	-	5	11	9	1	1	2	-	-
Florence	218	1	44	66	49	39	16	3	-	-
Georgetown	100	1	16	27	24	17	14	1	-	-
Greenville	460	3	54	120	114	103	53	13	-	-
Greenwood	81	-	12	31	20	13	3	2	-	-
Hampton	20	-	8	7	4	1	-	-	-	-
Horry	217	-	29	72	46	44	24	2	-	-
Jasper	37	-	15	9	3	8	2	-	-	-
Kershaw	77	1	11	21	18	20	5	1	-	-
Lancaster	85	-	21	27	14	14	7	2	-	-
Laurens	66	1	18	16	18	9	3	1	-	-
Lee	29	-	5	10	12	1	1	-	-	-
Lexington	232	1	25	62	69	49	23	3	-	-
McCormick	7	-	-	2	2	1	1	1	-	-
Marion	57	1	11	17	15	7	4	2	-	-
Marlboro	57	-	18	25	5	7	2	-	-	-
Newberry	62	2	12	23	13	7	4	1	-	-
Oconee	55	-	11	21	11	5	4	3	-	-
Orangeburg	159	1	33	52	40	21	8	4	-	-
Pickens	95	1	15	32	20	16	10	1	-	-
Richland	414	2	55	111	84	100	50	11	1	-
Saluda	23	1	5	6	3	7	1	-	-	-
Spartanburg	351	2	48	124	84	67	19	5	1	1
Sumter	132	-	36	39	24	16	15	1	-	1
Union	33	-	8	10	9	3	3	-	-	-
Williamsburg	87	1	16	35	18	11	4	2	-	-
York	195	1	33	46	58	36	14	7	-	-

¹Live birth weighing less than 2,500 grams

Table C-29A.
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 White

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,606	8	337	669	649	576	298	63	5	1
Abbeville	27	-	4	9	10	2	2	-	-	-
Aiken	80	-	14	26	19	14	6	1	-	-
Allendale	1	-	-	1	-	-	-	-	-	-
Anderson	144	1	25	37	30	36	10	5	-	-
Bamberg	3	-	-	2	-	-	-	1	-	-
Barnwell	14	-	3	4	2	3	1	-	1	-
Beaufort	74	-	7	15	16	22	11	3	-	-
Berkeley	108	-	6	29	38	25	8	2	-	-
Calhoun	7	-	-	3	1	2	1	-	-	-
Charleston	210	-	17	30	52	51	42	14	4	-
Cherokee	47	-	15	16	6	7	3	-	-	-
Chester	18	-	2	4	4	4	4	-	-	-
Chesterfield	34	-	5	12	9	4	2	2	-	-
Clarendon	18	-	-	3	7	6	1	1	-	-
Colleton	22	-	2	7	2	8	3	-	-	-
Darlington	33	-	6	10	10	4	3	-	-	-
Dillon	15	-	1	5	2	6	1	-	-	-
Dorchester	59	-	6	14	14	11	13	1	-	-
Edgefield	4	-	1	2	1	-	-	-	-	-
Fairfield	9	-	-	6	1	1	1	-	-	-
Florence	84	-	16	24	19	16	8	1	-	-
Georgetown	30	-	1	4	7	8	10	-	-	-
Greenville	292	2	29	69	72	71	40	9	-	-
Greenwood	32	-	4	8	10	8	2	-	-	-
Hampton	3	-	-	1	2	-	-	-	-	-
Horry	144	-	19	41	35	30	18	1	-	-
Jasper	16	-	6	4	1	4	1	-	-	-
Kershaw	49	1	5	14	10	16	3	-	-	-
Lancaster	48	-	11	14	8	10	5	-	-	-
Laurens	41	-	9	9	14	6	3	-	-	-
Lee	6	-	1	2	3	-	-	-	-	-
Lexington	158	-	16	35	48	39	17	3	-	-
McCormick	2	-	-	-	-	-	1	1	-	-
Marion	13	-	2	2	5	1	1	2	-	-
Marlboro	13	-	4	5	-	3	1	-	-	-
Newberry	33	-	4	7	12	6	3	1	-	-
Oconee	48	-	9	19	11	3	4	2	-	-
Orangeburg	27	-	3	9	5	7	3	-	-	-
Pickens	81	1	14	29	16	11	9	1	-	-
Richland	127	-	8	15	29	48	23	4	-	-
Saluda	6	-	2	1	2	1	-	-	-	-
Spartanburg	223	2	31	69	60	44	13	3	-	1
Sumter	46	-	11	10	10	9	6	-	-	-
Union	20	-	5	6	7	1	1	-	-	-
Williamsburg	11	1	-	8	1	-	1	-	-	-
York	126	-	13	29	38	28	13	5	-	-

¹Live birth weighing less than 2,500 grams

Table C-29A. (cont.)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County of Residence	Total	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	2,743	21	565	959	562	398	183	51	3	1
Abbeville	14	-	1	6	2	4	1	-	-	-
Aiken	88	1	24	32	12	16	3	-	-	-
Allendale	22	-	8	6	3	3	1	-	1	-
Anderson	62	-	15	20	12	7	6	2	-	-
Bamberg	24	-	10	7	2	2	2	1	-	-
Barnwell	26	-	6	11	3	5	1	-	-	-
Beaufort	72	2	15	22	17	11	3	2	-	-
Berkeley	81	1	10	24	22	14	8	2	-	-
Calhoun	15	-	1	8	4	-	2	-	-	-
Charleston	271	1	55	95	58	34	25	3	-	-
Cherokee	31	-	10	8	8	4	1	-	-	-
Chester	20	-	6	6	4	3	1	-	-	-
Chesterfield	43	1	11	18	5	5	1	2	-	-
Clarendon	52	-	11	21	12	3	3	2	-	-
Colleton	36	-	8	13	6	6	2	1	-	-
Darlington	84	2	7	42	18	12	3	-	-	-
Dillon	31	-	13	9	5	3	1	-	-	-
Dorchester	62	-	12	20	8	10	12	-	-	-
Edgefield	19	-	1	9	1	4	3	1	-	-
Fairfield	20	-	5	5	8	-	-	2	-	-
Florence	134	1	28	42	30	23	8	2	-	-
Georgetown	70	1	15	23	17	9	4	1	-	-
Greenville	168	1	25	51	42	32	13	4	-	-
Greenwood	49	-	8	23	10	5	1	2	-	-
Hampton	17	-	8	6	2	1	-	-	-	-
Horry	73	-	10	31	11	14	6	1	-	-
Jasper	21	-	9	5	2	4	1	-	-	-
Kershaw	28	-	6	7	8	4	2	1	-	-
Lancaster	37	-	10	13	6	4	2	2	-	-
Laurens	25	1	9	7	4	3	-	1	-	-
Lee	23	-	4	8	9	1	1	-	-	-
Lexington	74	1	9	27	21	10	6	-	-	-
McCormick	5	-	-	2	2	1	-	-	-	-
Marion	44	1	9	15	10	6	3	-	-	-
Marlboro	44	-	14	20	5	4	1	-	-	-
Newberry	29	2	8	16	1	1	1	-	-	-
Oconee	7	-	2	2	-	2	-	1	-	-
Orangeburg	132	1	30	43	35	14	5	4	-	-
Pickens	14	-	1	3	4	5	1	-	-	-
Richland	287	2	47	96	55	52	27	7	1	-
Saluda	17	1	3	5	1	6	1	-	-	-
Spartanburg	128	-	17	55	24	23	6	2	1	-
Sumter	86	-	25	29	14	7	9	1	-	1
Union	13	-	3	4	2	2	2	-	-	-
Williamsburg	76	-	16	27	17	11	3	2	-	-
York	69	1	20	17	20	8	1	2	-	-

¹Live birth weighing less than 2,500 grams

Table C-30.
 Very Low Weight ¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
 South Carolina and Each County, 2001
 (Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,056	1.9	438	1.2	618	3.1
Abbeville	10	2.7	7	2.9	3	2.4
Aiken	35	1.9	14	1.1	21	3.5
Allendale	5	2.8	-	0	5	3.2
Anderson	42	1.9	25	1.4	17	3.6
Bamberg	8	3.8	-	0	8	5.6
Barnwell	6	1.8	1	0.7	5	2.6
Beaufort	31	1.6	12	0.9	19	3.4
Berkeley	30	1.4	16	1.0	14	2.2
Calhoun	2	1.2	1	1.2	1	1.3
Charleston	106	2.3	36	1.4	70	3.6
Cherokee	14	2.0	10	2.0	4	2.2
Chester	10	2.3	4	1.8	6	2.9
Chesterfield	9	1.6	3	0.9	6	2.7
Clarendon	14	3.1	2	1.2	12	4.3
Colleton	14	2.3	5	1.6	9	3.0
Darlington	30	3.2	9	2.0	21	4.3
Dillon	7	1.5	1	0.4	6	2.4
Dorchester	20	1.6	7	0.8	13	3.7
Edgefield	7	2.5	2	1.3	5	4.2
Fairfield	3	0.9	-	0	3	1.4
Florence	56	2.9	17	1.7	39	4.4
Georgetown	20	2.5	3	0.7	17	4.5
Greenville	71	1.3	39	0.9	32	2.5
Greenwood	15	1.6	4	0.7	11	3.2
Hampton	3	0.9	1	0.8	2	1.0
Horry	37	1.4	23	1.2	14	2.3
Jasper	7	2.1	5	3.3	2	1.1
Kershaw	21	3.0	15	3.1	6	2.9
Lancaster	17	2.1	9	1.6	8	3.3
Laurens	12	1.5	8	1.4	4	1.8
Lee	3	1.1	-	0	3	1.4
Lexington	48	1.6	33	1.4	15	2.5
McCormick	1	1.2	1	3.2	-	0
Marion	11	2.2	2	1.1	9	2.9
Marlboro	14	3.5	3	1.9	11	4.6
Newberry	8	1.5	1	0.3	7	3.4
Oconee	6	0.8	5	0.7	1	1.1
Orangeburg	27	2.1	1	0.3	26	2.9
Pickens	17	1.3	15	1.2	2	2.1
Richland	84	2.0	20	1.0	64	2.8
Saluda	8	3.0	-	0	8	8.5
Spartanburg	68	2.0	41	1.6	27	3.1
Sumter	29	1.8	8	1.0	21	2.5
Union	5	1.4	2	0.8	3	2.4
Williamsburg	22	4.1	1	0.8	21	5.1
York	43	1.8	26	1.5	17	2.8

¹ Live birth weighing less than 1500 grams

Table C-31.
Live Births and Number of Mothers Who Smoked During Pregnancy by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Live Births	Smoked	Live Births	Smoked	Live Births	Smoked
South Carolina	55,748 *	7,030	35,731	5,690	20,008	1,340
Abbeville	371	51	245	40	126	11
Aiken	1,889 *	208	1,282	173	605	35
Allendale	181	10	23	3	158	7
Anderson	2,247	343	1,770	300	477	43
Bamberg	211	17	67	11	144	6
Barnwell	339	48	147	36	192	12
Beaufort	1,945 *	65	1,391	57	551	8
Berkeley	2,188	297	1,553	270	635	27
Calhoun	161	20	84	13	77	7
Charleston	4,575 *	373	2,635	261	1,939	112
Cherokee	692	165	509	150	183	15
Chester	434	91	227	71	207	20
Chesterfield	573	104	347	85	226	19
Clarendon	449	42	168	24	281	18
Colleton	608	104	310	87	298	17
Darlington	943	119	450	85	493	34
Dillon	476	81	226	52	250	29
Dorchester	1,231	157	882	141	349	16
Edgefield	278	20	159	11	119	9
Fairfield	319	38	103	30	216	8
Florence	1,906	224	1,023	174	883	50
Georgetown	806	54	431	46	375	8
Greenville	5,526	597	4,258	502	1,268	95
Greenwood	915	88	571	66	344	22
Hampton	316	25	122	15	194	10
Horry	2,588	499	1,966	432	622	67
Jasper	339 *	12	152	10	186	2
Kershaw	694	120	484	107	210	13
Lancaster	804	114	561	98	243	16
Laurens	802	145	574	123	228	22
Lee	284	31	64	16	220	15
Lexington	2,940	455	2,342	406	598	49
McCormick	80	7	31	6	49	1
Marion	497	77	187	46	310	31
Marlboro	400	60	159	35	241	25
Newberry	523	67	319	42	204	25
Oconee	786	158	698	150	88	8
Orangeburg	1,263	133	373	80	890	53
Pickens	1,356	257	1,259	248	97	9
Richland	4,247 *	275	1,947	144	2,299	131
Saluda	267	24	173	22	94	2
Spartanburg	3,443	565	2,580	474	863	91
Sumter	1,609	173	773	129	836	44
Union	368 *	78	240	64	127	14
Williamsburg	540	41	130	21	410	20
York	2,339	398	1,736	334	603	64

* Includes unknown race

Table C-32.
Live Births and Number of Mothers Who Drank Alcohol During Pregnancy by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Live Births	Alcohol	Live Births	Alcohol	Live Births	Alcohol
South Carolina	55,748 *	552	35,731	392	20,008	160
Abbeville	371	4	245	-	126	4
Aiken	1,889 *	108	1,282	93	605	15
Allendale	181	3	23	1	158	2
Anderson	2,247	11	1,770	4	477	7
Bamberg	211	2	67	2	144	-
Barnwell	339	11	147	7	192	4
Beaufort	1,945 *	8	1,391	7	551	1
Berkeley	2,188	18	1,553	16	635	2
Calhoun	161	4	84	1	77	3
Charleston	4,575 *	102	2,635	82	1,939	20
Cherokee	692	3	509	2	183	1
Chester	434	6	227	2	207	4
Chesterfield	573	-	347	-	226	-
Clarendon	449	-	168	-	281	-
Colleton	608	2	310	2	298	-
Darlington	943	3	450	-	493	3
Dillon	476	-	226	-	250	-
Dorchester	1,231	21	882	16	349	5
Edgefield	278	11	159	8	119	3
Fairfield	319	1	103	-	216	1
Florence	1,906	4	1,023	2	883	2
Georgetown	806	6	431	5	375	1
Greenville	5,526	34	4,258	22	1,268	12
Greenwood	915	-	571	-	344	-
Hampton	316	1	122	1	194	-
Horry	2,588	24	1,966	18	622	6
Jasper	339 *	3	152	1	186	2
Kershaw	694	3	484	2	210	1
Lancaster	804	3	561	2	243	1
Laurens	802	7	574	3	228	4
Lee	284	-	64	-	220	-
Lexington	2,940	15	2,342	10	598	5
McCormick	80	3	31	3	49	-
Marion	497	3	187	1	310	2
Marlboro	400	3	159	2	241	1
Newberry	523	9	319	6	204	3
Oconee	786	5	698	3	88	2
Orangeburg	1,263	9	373	4	890	5
Pickens	1,356	11	1,259	11	97	-
Richland	4,247 *	46	1,947	26	2,299	20
Saluda	267	1	173	1	94	-
Spartanburg	3,443	18	2,580	8	863	10
Sumter	1,609	9	773	5	836	4
Union	368 *	2	240	2	127	-
Williamsburg	540	1	130	-	410	1
York	2,339	14	1,736	11	603	3

* Includes unknown race


Table C-33.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	55,748 *	892	35,731	482	20,008	410
Abbeville	371	10	245	6	126	4
Aiken	1,889 *	31	1,282	18	605	13
Allendale	181	1	23	-	158	1
Anderson	2,247	26	1,770	22	477	4
Bamberg	211	2	67	1	144	1
Barnwell	339	7	147	2	192	5
Beaufort	1,945 *	20	1,391	12	551	8
Berkeley	2,188	36	1,553	22	635	14
Calhoun	161	1	84	-	77	1
Charleston	4,575 *	107	2,635	38	1,939	69
Cherokee	692	5	509	3	183	2
Chester	434	6	227	5	207	1
Chesterfield	573	18	347	7	226	11
Clarendon	449	5	168	1	281	4
Colleton	608	8	310	4	298	4
Darlington	943	10	450	5	493	5
Dillon	476	8	226	5	250	3
Dorchester	1,231	23	882	11	349	12
Edgefield	278	2	159	1	119	1
Fairfield	319	1	103	1	216	-
Florence	1,906	42	1,023	29	883	13
Georgetown	806	23	431	8	375	15
Greenville	5,526	86	4,258	68	1,268	18
Greenwood	915	7	571	3	344	4
Hampton	316	5	122	1	194	4
Horry	2,588	77	1,966	54	622	23
Jasper	339 *	6	152	4	186	2
Kershaw	694	8	484	6	210	2
Lancaster	804	13	561	7	243	6
Laurens	802	19	574	13	228	6
Lee	284	8	64	-	220	8
Lexington	2,940	25	2,342	18	598	7
McCormick	80	-	31	-	49	-
Marion	497	10	187	3	310	7
Marlboro	400	51	159	7	241	44
Newberry	523	7	319	3	204	4
Oconee	786	15	698	13	88	2
Orangeburg	1,263	29	373	5	890	24
Pickens	1,356	18	1,259	15	97	3
Richland	4,247 *	16	1,947	6	2,299	10
Saluda	267	3	173	1	94	2
Spartanburg	3,443	28	2,580	22	863	6
Sumter	1,609	18	773	8	836	10
Union	368 *	4	240	2	127	2
Williamsburg	540	8	130	1	410	7
York	2,339	39	1,736	21	603	18

* Includes unknown race

The State Bird

“ The white-tailed Deer”



Officially adopted by the General Assembly in 1948

TEEN PREGNANCY

Table D-1.
 Estimated Teen Pregnancy¹ for Females Age 10-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2001
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	290,460	10,128 *	34.9	8,080	27.8	4,559	56.4	115	14.0	1,933	6.7
Abbeville	1,890	57	30.2	50	26.5	22	44.0	1	19.6	6	3.2
Aiken	10,570	366	34.6	288	27.2	177	61.5	-	0	78	7.4
Allendale	800	46	57.5	39	48.8	29	74.4	-	0	7	8.8
Anderson	11,190	386	34.5	324	29.0	118	36.4	3	9.2	59	5.3
Bamberg	1,400	62	44.3	50	35.7	35	70.0	-	0	12	8.6
Barnwell	1,830	67	36.6	60	32.8	35	58.3	3	47.6	4	2.2
Beaufort	7,880	313	39.7	247	31.3	119	48.2	6	23.7	60	7.6
Berkeley	11,240	400	35.6	317	28.2	155	48.9	1	3.1	82	7.3
Calhoun	1,080	21	19.4	16	14.8	11	68.8	-	0	5	4.6
Charleston	22,220	796	35.8	588	26.5	424	72.1	6	10.1	202	9.1
Cherokee	3,720	172	46.2	151	40.6	66	43.7	2	13.1	19	5.1
Chester	2,550	96 *	37.6	80	31.4	47	58.8	-	0	16	6.3
Chesterfield	3,130	112	35.8	98	31.3	65	66.3	3	29.7	11	3.5
Clarendon	2,480	96	38.7	80	32.3	58	72.5	3	36.1	13	5.2
Colleton	2,970	143	48.1	125	42.1	77	61.6	-	0	18	6.1
Darlington	4,710	171	36.3	158	33.5	114	72.2	1	6.3	12	2.5
Dillon	2,450	119	48.6	104	42.4	70	67.3	-	0	15	6.1
Dorchester	7,850	250	31.8	178	22.7	102	57.3	2	11.1	70	8.9
Edgefield	1,700	55	32.4	39	22.9	27	69.2	-	0	16	9.4
Fairfield	1,750	82	46.9	66	37.7	46	69.7	-	0	16	9.1
Florence	9,590	318	33.2	296	30.9	223	75.3	8	26.3	14	1.5
Georgetown	4,090	144	35.2	130	31.8	69	53.1	1	7.6	13	3.2
Greenville	25,900	757 *	29.2	578	22.3	239	41.3	9	15.3	170	6.6
Greenwood	4,940	195	39.5	154	31.2	87	56.5	4	25.3	37	7.5
Hampton	1,680	83	49.4	72	42.9	44	61.1	1	13.7	10	6.0
Horry	11,960	481 *	40.2	370	30.9	165	44.6	3	8.0	108	9.0
Jasper	1,460	85	58.2	76	52.1	44	57.9	-	0	9	6.2
Kershaw	3,860	141 *	36.5	112	29.0	51	45.5	2	17.5	27	7.0
Lancaster	4,230	143 *	33.8	133	31.4	72	54.1	1	7.5	9	2.1
Laurens	4,980	195	39.2	162	32.5	97	59.9	-	0	33	6.6
Lee	1,480	54	36.5	51	34.5	35	68.6	-	0	3	2.0
Lexington	15,490	421	27.2	313	20.2	159	50.8	4	12.6	104	6.7
McCormick	590	16	27.1	12	20.3	11	91.7	-	0	4	6.8
Marion	2,840	105	37.0	100	35.2	76	76.0	2	19.6	3	1.1
Marlboro	2,100	99	47.1	96	45.7	62	64.6	1	10.3	2	1.0
Newberry	2,530	121	47.8	99	39.1	58	58.6	-	0	22	8.7
Oconee	4,120	148	35.9	120	29.1	45	37.5	-	0	28	6.8
Orangeburg	7,570	289	38.2	224	29.6	111	49.6	4	17.5	61	8.1
Pickens	8,550	234	27.4	177	20.7	47	26.6	5	27.5	52	6.1
Richland	24,250	674 *	27.8	421	17.4	284	67.5	14	32.2	239	9.9
Saluda	1,300	36	27.7	32	24.6	18	56.3	-	0	4	3.1
Spartanburg	17,710	646 *	36.5	517	29.2	246	47.6	11	20.8	118	6.7
Sumter	8,120	354	43.6	297	36.6	189	63.6	4	13.3	53	6.5
Union	1,940	79	40.7	64	33.0	31	48.4	3	44.8	12	6.2
Williamsburg	3,030	102	33.7	92	30.4	78	84.8	3	31.6	7	2.3
York	12,750	395 *	31.0	324	25.4	221	68.2	4	12.2	67	5.3
Unknown	-	3	0.0	-	0	-	0	-	0	3	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

* Includes unknown race

Table D1-A.
 Estimated Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)

White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	175,670	5,059	28.8	3,982	22.7	1,476	37.1	39	9.7	1,038	5.9
Abbeville	1,180	27	22.9	26	22.0	5	19.2	-	0	1	0.8
Aiken	6,970	196	28.1	161	23.1	80	49.7	-	0	35	5.0
Allendale	120	3	25.0	3	25.0	-	0	-	0	-	0
Anderson	8,720	257	29.5	216	24.8	52	24.1	1	4.6	40	4.6
Bamberg	350	11	31.4	10	28.6	3	30.0	-	0	1	2.9
Barnwell	870	27	31.0	23	26.4	6	26.1	2	80.0	2	2.3
Beaufort	4,660	165	35.4	132	28.3	41	31.1	-	0	33	7.1
Berkeley	7,150	251	35.1	204	28.5	74	36.3	-	0	47	6.6
Calhoun	410	6	14.6	3	7.3	2	66.7	-	0	3	7.3
Charleston	11,400	300	26.3	192	16.8	94	49.0	2	10.3	106	9.3
Cherokee	2,660	108	40.6	97	36.5	29	29.9	-	0	11	4.1
Chester	1,280	27	21.1	24	18.8	9	37.5	-	0	3	2.3
Chesterfield	1,830	54	29.5	45	24.6	21	46.7	2	42.6	7	3.8
Clarendon	810	22	27.2	17	21.0	7	41.2	-	0	5	6.2
Colleton	1,420	62	43.7	50	35.2	15	30.0	-	0	12	8.5
Darlington	2,340	67	28.6	59	25.2	29	49.2	-	0	8	3.4
Dillon	980	36	36.7	33	33.7	15	45.5	-	0	3	3.1
Dorchester	5,340	157	29.4	105	19.7	45	42.9	2	18.7	50	9.4
Edgefield	900	22	24.4	17	18.9	6	35.3	-	0	5	5.6
Fairfield	490	16	32.7	15	30.6	4	26.7	-	0	1	2.0
Florence	4,840	131	27.1	119	24.6	65	54.6	5	40.3	7	1.4
Georgetown	1,790	52	29.1	47	26.3	10	21.3	-	0	5	2.8
Greenville	19,440	496	25.5	380	19.5	108	28.4	3	7.8	113	5.8
Greenwood	2,950	84	28.5	73	24.7	26	35.6	-	0	11	3.7
Hampton	540	24	44.4	21	38.9	5	23.8	-	0	3	5.6
Horry	8,850	327	36.9	236	26.7	85	36.0	1	4.2	90	10.2
Jasper	500	36	72.0	34	68.0	10	29.4	-	0	2	4.0
Kershaw	2,570	82	31.9	63	24.5	19	30.2	1	15.6	18	7
Lancaster	2,750	84	30.5	78	28.4	30	38.5	-	0	6	2.2
Laurens	3,350	121	36.1	98	29.3	42	42.9	-	0	23	6.9
Lee	390	9	23.1	8	20.5	2	25	-	0	1	2.6
Lexington	12,790	303	23.7	224	17.5	93	41.5	4	17.5	75	5.9
McCormick	160	3	18.8	1	6.3	1	100	-	0	2	12.5
Marion	860	25	29.1	24	27.9	8	33.3	1	40	-	0
Marlboro	770	29	37.7	29	37.7	14	48.3	-	0	-	0
Newberry	1,400	54	38.6	41	29.3	15	36.6	-	0	13	9.3
Oconee	3,620	123	34.0	98	27.1	33	33.7	-	0	25	6.9
Orangeburg	2,000	59	29.5	49	24.5	12	24.5	-	0	10	5.0
Pickens	7,710	205	26.6	164	21.3	38	23.2	5	29.6	36	4.7
Richland	10,510	163	15.5	77	7.3	35	45.5	1	12.8	85	8.1
Saluda	760	19	25.0	17	22.4	7	41.2	-	0	2	2.6
Spartanburg	12,570	409	32.5	330	26.3	126	38.2	4	12.0	75	6.0
Sumter	3,430	109	31.8	99	28.9	34	34.3	-	0	10	2.9
Union	1,170	42	35.9	34	29.1	10	29.4	2	55.6	6	5.1
Williamsburg	710	12	16.9	11	15.5	3	27.3	1	83.3	-	0
York	9,390	243	25.9	195	20.8	108	55.4	2	10.2	46	4.9
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D1-A. (cont)
 Estimated Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	114,790	5,059	44.1	4,098	35.7	3,083	75.2	76	18.2	885	7.7
Abbeville	710	30	42.3	24	33.8	17	70.8	1	40.0	5	7.0
Aiken	3,600	170	47.2	127	35.3	97	76.4	-	0	43	11.9
Allendale	680	43	63.2	36	52.9	29	80.6	-	0	7	10.3
Anderson	2,470	129	52.2	108	43.7	66	61.1	2	18.2	19	7.7
Bamberg	1,050	51	48.6	40	38.1	32	80.0	-	0	11	10.5
Barnwell	970	40	41.2	37	38.1	29	78.4	1	26.3	2	2.1
Beaufort	3,210	148	46.1	115	35.8	78	67.8	6	49.6	27	8.4
Berkeley	4,090	149	36.4	113	27.6	81	71.7	1	8.8	35	8.6
Calhoun	670	15	22.4	13	19.4	9	69.2	-	0	2	3.0
Charleston	10,820	496	45.8	396	36.6	330	83.3	4	10.0	96	8.9
Cherokee	1,060	64	60.4	54	50.9	37	68.5	2	35.7	8	7.5
Chester	1,270	68	53.5	56	44.1	38	67.9	-	0	12	9.4
Chesterfield	1,310	58	44.3	53	40.5	44	83.0	1	18.5	4	3.1
Clarendon	1,670	74	44.3	63	37.7	51	81.0	3	45.5	8	4.8
Colleton	1,550	81	52.3	75	48.4	62	82.7	-	0	6	3.9
Darlington	2,380	104	43.7	99	41.6	85	85.9	1	10.0	4	1.7
Dillon	1,470	83	56.5	71	48.3	55	77.5	-	0	12	8.2
Dorchester	2,510	93	37.1	73	29.1	57	78.1	-	0	20	8.0
Edgefield	800	33	41.3	22	27.5	21	95.5	-	0	11	13.8
Fairfield	1,260	66	52.4	51	40.5	42	82.4	-	0	15	11.9
Florence	4,760	187	39.3	177	37.2	158	89.3	3	16.7	7	1.5
Georgetown	2,300	92	40.0	83	36.1	59	71.1	1	11.9	8	3.5
Greenville	6,460	260	40.2	198	30.7	131	66.2	6	29.4	56	8.7
Greenwood	1,980	111	56.1	81	40.9	61	75.3	4	47.1	26	13.1
Hampton	1,150	59	51.3	51	44.3	39	76.5	1	19.2	7	6.1
Horry	3,110	153	49.2	134	43.1	80	59.7	2	14.7	17	5.5
Jasper	960	49	51.0	42	43.8	34	81.0	-	0	7	7.3
Kershaw	1,290	58	45.0	49	38.0	32	65.3	1	20.0	8	6.2
Lancaster	1,480	58	39.2	55	37.2	42	76.4	1	17.9	2	1.4
Laurens	1,620	74	45.7	64	39.5	55	85.9	-	0	10	6.2
Lee	1,090	45	41.3	43	39.4	33	76.7	-	0	2	1.8
Lexington	2,700	118	43.7	89	33.0	66	74.2	-	0	29	10.7
McCormick	430	13	30.2	11	25.6	10	90.9	-	0	2	4.7
Marion	1,990	80	40.2	76	38.2	68	89.5	1	13	3	1.5
Marlboro	1,330	70	52.6	67	50.4	48	71.6	1	14.7	2	1.5
Newberry	1,120	67	59.8	58	51.8	43	74.1	-	0	9	8.0
Oconee	510	25	49.0	22	43.1	12	54.5	-	0	3	5.9
Orangeburg	5,570	230	41.3	175	31.4	99	56.6	4	22.3	51	9.2
Pickens	840	29	34.5	13	15.50	9	69.2	-	0	16	19.0
Richland	13,740	508	37.0	344	25.00	249	72.4	13	36.4	151	11.0
Saluda	540	17	31.5	15	27.80	11	73.3	-	0	2	3.7
Spartanburg	5,140	236	45.9	187	36.40	120	64.2	7	36.1	42	8.2
Sumter	4,690	245	52.2	198	42.20	155	78.3	4	19.8	43	9.2
Union	770	37	48.1	30	39.00	21	70.0	1	32.3	6	7.8
Williamsburg	2,320	90	38.8	81	34.9	75	92.6	2	24.1	7	3.0
York	3,360	151	44.9	129	38.4	113	87.6	2	15.3	20	6.0
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-2.
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2001
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	144,130	260	1.8	182	1.3	166	91.2	4	21.5	74	0.5
Abbeville	940	2	2.1	-	0	-	0	-	0	2	2.1
Aiken	5,310	10	1.9	7	1.3	6	85.7	-	0	3	0.6
Allendale	400	1	2.5	-	0	-	0	-	0	1	2.5
Anderson	5,760	7	1.2	6	1.0	6	100.0	-	0	1	0.2
Bamberg	610	4	6.6	3	4.9	3	100.0	-	0	1	1.6
Barnwell	960	2	2.1	2	2.1	2	100.0	-	0	-	0
Beaufort	4,000	10	2.5	6	1.5	6	100.0	2	250.0	2	0.5
Berkeley	5,850	10	1.7	7	1.2	7	100.0	-	0	3	0.5
Calhoun	570	-	0	-	0	-	0	-	0	-	0
Charleston	10,470	22	2.1	15	1.4	14	93.3	1	62.5	6	0.6
Cherokee	1,920	3	1.6	2	1.0	2	100.0	-	0	1	0.5
Chester	1,340	1	0.7	1	0.7	1	100.0	-	0	-	0
Chesterfield	1,680	1	0.6	1	0.6	1	100.0	-	0	-	0
Clarendon	1,290	3	2.3	2	1.6	2	100.0	-	0	1	0.8
Colleton	1,490	3	2.0	3	2.0	1	33.3	-	0	-	0
Darlington	2,400	6	2.5	6	2.5	6	100.0	-	0	-	0
Dillon	1,240	3	2.4	2	1.6	2	100.0	-	0	1	0.8
Dorchester	4,210	4	1.0	1	0.2	1	100.0	-	0	3	0.7
Edgefield	880	1	1.1	-	0	-	0	-	0	1	1.1
Fairfield	920	3	3.3	3	3.3	3	100.0	-	0	-	0
Florence	4,810	7	1.5	5	1.0	4	80.0	-	0	2	0.4
Georgetown	2,140	8	3.7	8	3.7	7	87.5	-	0	-	0
Greenville	12,970	16	1.2	13	1.0	13	100.0	-	0	3	0.2
Greenwood	2,370	5	2.1	3	1.3	2	66.7	-	0	2	0.8
Hampton	890	-	0	-	0	-	0	-	0	-	0
Horry	5,850	9	1.5	5	0.9	3	60.0	-	0	4	0.7
Jasper	770	2	2.6	-	0	-	0	-	0	2	2.6
Kershaw	2,010	6	3.0	2	1.0	2	100.0	-	0	4	2.0
Lancaster	2,200	2	0.9	1	0.5	1	100.0	-	0	1	0.5
Laurens	2,530	8	3.2	7	2.8	7	100.0	-	0	1	0.4
Lee	730	1	1.4	1	1.4	1	100.0	-	0	-	0
Lexington	8,120	6	0.7	5	0.6	4	80.0	-	0	1	0.1
McCormick	300	1	3.3	-	0	-	0	-	0	1	3.3
Marion	1,380	3	2.2	3	2.2	2	66.7	-	0	-	0
Marlboro	1,100	1	0.9	1	0.9	1	100.0	-	0	-	0
Newberry	1,190	9	7.6	8	6.7	8	100.0	-	0	1	0.8
Oconee	2,110	4	1.9	3	1.4	2	66.7	-	0	1	0.5
Orangeburg	3,430	9	2.6	5	1.5	5	100.0	-	0	4	1.2
Pickens	3,560	3	0.8	1	0.3	1	100.0	-	0	2	0.6
Richland	10,800	22	2.0	14	1.3	13	92.9	-	0	8	0.7
Saluda	640	2	3.1	2	3.1	2	100.0	-	0	-	0
Spartanburg	8,980	19	2.1	10	1.1	9	90.0	1	90.9	8	0.9
Sumter	4,140	12	2.9	9	2.2	8	88.9	-	0	3	0.7
Union	1,000	3	3.0	3	3.0	2	66.7	-	0	-	0
Williamsburg	1,550	2	1.3	2	1.3	2	100.0	-	0	-	0
York	6,330	4	0.6	4	0.6	4	100.0	-	0	-	0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

* Includes unknown race

Table D2-A.
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	86,460	80	0.9	52	0.6	43	82.7	1	18.9	27	0.3
Abbeville	570	-	0	-	0	-	0	-	0	-	0
Aiken	3,520	1	0.3	1	0.3	1	100.0	-	0	-	0
Allendale	60	-	0	-	0	-	0	-	0	-	0
Anderson	4,490	2	0.4	2	0.4	2	100.0	-	0	-	0
Bamberg	180	1	5.6	1	5.6	1	100.0	-	0	-	0
Barnwell	450	-	0	-	0	-	0	-	0	-	0
Beaufort	2,330	2	0.9	1	0.4	1	100.0	-	0	1	0.4
Berkeley	3,680	7	1.9	4	1.1	4	100.0	-	0	3	0.8
Calhoun	220	-	0	-	0	-	0	-	0	-	0
Charleston	4,970	3	0.6	3	0.6	3	100.0	-	0	-	0
Cherokee	1,360	1	0.7	1	0.7	1	100.0	-	0	-	0
Chester	670	-	0	-	0	-	0	-	0	-	0
Chesterfield	980	-	0	-	0	-	0	-	0	-	0
Clarendon	420	-	0	-	0	-	0	-	0	-	0
Colleton	690	-	0	-	0	-	0	-	0	-	0
Darlington	1,180	-	0	-	0	-	0	-	0	-	0
Dillon	500	-	0	-	0	-	0	-	0	-	0
Dorchester	2,900	3	1.0	1	0.3	1	100.0	-	0	2	0.7
Edgefield	470	-	0	-	0	-	0	-	0	-	0
Fairfield	250	-	0	-	0	-	0	-	0	-	0
Florence	2,430	2	0.8	1	0.4	-	0	-	0	1	0.4
Georgetown	920	2	2.2	2	2.2	1	50.0	-	0	-	0
Greenville	9,590	8	0.8	5	0.5	5	100.0	-	0	3	0.3
Greenwood	1,410	2	1.4	1	0.7	-	0	-	0	1	0.7
Hampton	280	-	0	-	0	-	0	-	0	-	0
Horry	4,270	6	1.4	2	0.5	1	50.0	-	0	4	0.9
Jasper	270	-	0	-	0	-	0	-	0	-	0
Kershaw	1,360	3	2.2	2	1.5	2	100.0	-	0	1	0.7
Lancaster	1,430	1	0.7	-	0	-	0	-	0	1	0.7
Laurens	1,660	4	2.4	3	1.8	3	100.0	-	0	1	0.6
Lee	190	-	0	-	0	-	0	-	0	-	0
Lexington	6,720	3	0.4	3	0.4	2	66.7	-	0	-	0
McCormick	70	-	0	-	0	-	0	-	0	-	0
Marion	430	-	0	-	0	-	0	-	0	-	0
Marlboro	420	-	0	-	0	-	0	-	0	-	0
Newberry	620	1	1.6	1	1.6	1	100.0	-	0	-	0
Oconee	1,830	4	2.2	3	1.6	2	66.7	-	0	1	0.5
Orangeburg	1,040	-	0	-	0	-	0	-	0	-	0
Pickens	3,220	3	0.9	1	0.3	1	100.0	-	0	2	0.6
Richland	4,350	1	0.2	-	0	-	0	-	0	1	0.2
Saluda	380	1	2.6	1	2.6	1	100.0	-	0	-	0
Spartanburg	6,320	13	2.1	7	1.1	6	85.7	1	125.0	5	0.8
Sumter	1,770	1	0.6	1	0.6	-	0	-	0	-	0
Union	610	1	1.6	1	1.6	-	0	-	0	-	0
Williamsburg	370	2	5.4	2	5.4	2	100.0	-	0	-	0
York	4,670	2	0.4	2	0.4	2	100.0	-	0	-	0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D2-A. (cont.)
 Estimated Teen Pregnancy¹ for Females Age 10-14
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,660	180	3.1	130	2.3	123	94.6	3	22.6	47	0.8
Abbeville	380	2	5.3	-	0	-	0	-	0	2	5.3
Aiken	1,790	9	5.0	6	3.4	5	83.3	-	0	3	1.7
Allendale	340	1	2.9	-	0	-	0	-	0	1	2.9
Anderson	1,270	5	3.9	4	3.1	4	100.0	-	0	1	0.8
Bamberg	430	3	7.0	2	4.7	2	100.0	-	0	1	2.3
Barnwell	510	2	3.9	2	3.9	2	100.0	-	0	-	0
Beaufort	1,670	8	4.8	5	3.0	5	100.0	2	285.7	1	0.6
Berkeley	2,170	3	1.4	3	1.4	3	100.0	-	0	-	0
Calhoun	340	-	0	-	0	-	0	-	0	-	0
Charleston	5,500	19	3.5	12	2.2	11	91.7	1	76.9	6	1.1
Cherokee	570	2	3.5	1	1.8	1	100.0	-	0	1	1.8
Chester	670	1	1.5	1	1.5	1	100.0	-	0	-	0
Chesterfield	700	1	1.4	1	1.4	1	100.0	-	0	-	0
Clarendon	870	3	3.4	2	2.3	2	100.0	-	0	1	1.1
Colleton	810	3	3.7	3	3.7	1	33.3	-	0	-	0
Darlington	1,220	6	4.9	6	4.9	6	100.0	-	0	-	0
Dillon	740	3	4.1	2	2.7	2	100.0	-	0	1	1.4
Dorchester	1,310	1	0.8	-	0	-	0.0	-	0	1	0.8
Edgefield	410	1	2.4	-	0	-	0	-	0	1	2.4
Fairfield	670	3	4.5	3	4.5	3	100.0	-	0	-	0
Florence	2,390	5	2.1	4	1.7	4	100.0	-	0	1	0.4
Georgetown	1,230	6	4.9	6	4.9	6	100.0	-	0	-	0
Greenville	3,370	8	2.4	8	2.4	8	100.0	-	0	-	0
Greenwood	960	3	3.1	2	2.1	2	100.0	-	0	1	1.0
Hampton	610	-	0	-	0	-	0	-	0	-	0
Horry	1,580	3	1.9	3	1.9	2	66.7	-	0	-	0
Jasper	500	2	4.0	-	0	-	0	-	0	2	4.0
Kershaw	650	3	4.6	-	0	-	0.0	-	0	3	4.6
Lancaster	760	1	1.3	1	1.3	1	100.0	-	0	-	0
Laurens	870	4	4.6	4	4.6	4	100.0	-	0	-	0
Lee	540	1	1.9	1	1.9	1	100.0	-	0	-	0
Lexington	1,400	3	2.1	2	1.4	2	100.0	-	0	1	0.7
McCormick	230	1	4.3	-	0	-	0	-	0	1	4.3
Marion	950	3	3.2	3	3.2	2	66.7	-	0	-	0
Marlboro	690	1	1.4	1	1.4	1	100.0	-	0	-	0
Newberry	570	8	14	7	12.3	7	100.0	-	0	1	1.8
Oconee	280	-	0	-	0	-	0	-	0	-	0
Orangeburg	2,390	9	3.8	5	2.1	5	100.0	-	0	4	1.7
Pickens	340	-	0	-	0	-	0.0	-	0	-	0
Richland	6,450	21	3.3	14	2.2	13	92.9	-	0	7	1.1
Saluda	260	1	3.8	1	3.8	1	100.0	-	0	-	0
Spartanburg	2,660	6	2.3	3	1.1	3	100.0	-	0	3	1.1
Sumter	2,370	11	4.6	8	3.4	8	100.0	-	0	3	1.3
Union	400	2	5.0	2	5.0	2	100.0	-	0	-	0
Williamsburg	1,180	-	0	-	0	-	0.0	-	0	-	0
York	1,660	2	1.2	2	1.2	2	100.0	-	0	-	0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-3.
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2001
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	116,630	3,579 *	30.7	2761	23.7	1819	65.9	46	16.4	772 *	6.6
Abbeville	760	21	27.6	18	23.7	11	61.1	1	52.6	2	2.6
Aiken	4,220	126	29.9	104	24.6	71	68.3	0	0	22	5.2
Allendale	320	17	53.1	14	43.8	11	78.6	0	0	3	9.4
Anderson	4,410	153	34.7	124	28.1	57	46.0	2	15.9	27	6.1
Bamberg	590	22	37.3	17	28.8	13	76.5	0	0	5	8.5
Barnwell	710	19	26.8	16	22.5	10	62.5	1	58.8	2	2.8
Beaufort	3,130	103	32.9	73	23.3	48	65.8	6	75.9	24	7.7
Berkeley	4,400	127	28.9	98	22.3	65	66.3	0	0	29	6.6
Calhoun	420	9	21.4	6	14.3	6	100.0	0	0	3	7.1
Charleston	9,140	291	31.8	213	23.3	173	81.2	3	13.9	75	8.2
Cherokee	1,460	66	45.2	55	37.7	29	52.7	0	0	11	7.5
Chester	990	32	32.3	23	23.2	13	56.5	0	0	9	9.1
Chesterfield	1,210	36	29.8	33	27.3	29	87.9	0	0	3	2.5
Clarendon	970	37	38.1	28	28.9	22	78.6	0	0	9	9.3
Colleton	1,190	54	45.4	46	38.7	31	67.4	0	0	8	6.7
Darlington	1,870	70	37.4	63	33.7	51	81.0	1	15.6	6	3.2
Dillon	970	39	40.2	34	35.1	25	73.5	0	0	5	5.2
Dorchester	3,030	83	27.4	45	14.9	30	66.7	0	0	38	12.5
Edgefield	670	11	16.4	6	9.0	4	66.7	0	0	5	7.5
Fairfield	680	33	48.5	24	35.3	19	79.2	0	0	9	13.2
Florence	3,830	125	32.6	117	30.5	98	83.8	3	25.0	5	1.3
Georgetown	1,590	50	31.4	43	27.0	25	58.1	0	0	7	4.4
Greenville	10,350	253	24.4	188	18.2	97	51.6	4	20.8	61	5.9
Greenwood	2,010	77	38.3	63	31.3	44	69.8	0	0	14	7.0
Hampton	650	30	46.2	25	38.5	19	76.0	0	0	5	7.7
Horry	4,840	157	32.4	119	24.6	59	49.6	1	8.3	37	7.6
Jasper	570	35	61.4	30	52.6	18	60.0	0	0	5	8.8
Kershaw	1,510	56 *	37.1	43	28.5	24	55.8	1	22.7	12 *	7.9
Lancaster	1,660	53	31.9	50	30.1	34	68.0	0	0	3	1.8
Laurens	1,970	81	41.1	63	32.0	47	74.6	0	0	18	9.1
Lee	600	17	28.3	15	25.0	12	80.0	0	0	2	3.3
Lexington	6,050	163	26.9	114	18.8	71	62.3	1	8.7	48	7.9
McCormick	230	4	17.4	3	13.0	3	100.0	0	0	1	4.3
Marion	1,150	34	29.6	31	27.0	28	90.3	1	31.3	2	1.7
Marlboro	820	39	47.6	37	45.1	25	67.6	0	0	2	2.4
Newberry	1,040	48	46.2	38	36.5	28	73.7	0	0	10	9.6
Oconee	1,630	56	34.4	44	27.0	20	45.5	0	0	12	7.4
Orangeburg	3,170	95	30.0	75	23.7	41	54.7	3	38.5	17	5.4
Pickens	3,700	67	18.1	51	13.8	17	33.3	2	37.7	14	3.8
Richland	10,230	214	20.9	119	11.6	91	76.5	6	48.0	89	8.7
Saluda	530	7	13.2	5	9.4	1	20.0	0	0	2	3.8
Spartanburg	7,040	240 *	34.1	184	26.1	101	54.9	6	31.6	50 *	7.1
Sumter	3,220	135	41.9	105	32.6	76	72.4	1	9.4	29	9.0
Union	760	29	38.2	21	27.6	9	42.9	1	45.5	7	9.2
Williamsburg	1,200	40	33.3	34	28.3	32	94.1	2	55.6	4	3.3
York	5,120	124	24.2	104	20.3	81	77.9	0	0	20	3.9
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17.

* Includes unknown race

Table D3-A.
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	70,820	1,625	22.9	1,221.0	17.2	563.0	46.1	11.0	8.9	393.0	5.5
Abbeville	480	9	18.8	9	18.8	2	22.2	-	0	-	0
Aiken	2,770	59	21.3	49	17.7	29	59.2	-	0	10	3.6
Allendale	50	-	0	-	0	-	0	-	0	-	0
Anderson	3,440	98	28.5	80	23.3	26	32.5	1	12.3	17	4.9
Bamberg	140	4	28.6	3	21.4	2	66.7	-	0	1	7.1
Barnwell	340	5	14.7	5	14.7	2	40.0	-	0	-	0
Beaufort	1,870	46	24.6	33	17.6	15	45.5	-	0	13	7.0
Berkeley	2,820	69	24.5	49	17.4	23	46.9	-	0	20	7.1
Calhoun	160	3	18.8	1	6.3	1	100.0	-	0	2	12.5
Charleston	4,850	83	17.1	53	10.9	34	64.2	1	18.5	29	6.0
Cherokee	1,050	39	37.1	33	31.4	13	39.4	-	0	6	5.7
Chester	500	10	20.0	7	14.0	2	28.6	-	0	3	6.0
Chesterfield	710	10	14.1	8	11.3	6	75.0	-	0	2	2.8
Clarendon	320	9	28.1	6	18.8	3	50.0	-	0	3	9.4
Colleton	580	16	27.6	12	20.7	3	25.0	-	0	4	6.9
Darlington	930	28	30.1	23	24.7	14	60.9	-	0	5	5.4
Dillon	390	8	20.5	7	17.9	4	57.1	-	0	1	2.6
Dorchester	2,050	44	21.5	20	9.8	9	45.0	-	0	24	11.7
Edgefield	350	6	17.1	4	11.4	2	50.0	-	0	2	5.7
Fairfield	190	7	36.8	6	31.6	1	16.7	-	0	1	5.3
Florence	1,930	49	25.4	44	22.8	29	65.9	2	43.5	3	1.6
Georgetown	710	16	22.5	14	19.7	4	28.6	-	0	2	2.8
Greenville	7,820	145	18.5	106	13.6	36	34.0	1	9.3	38	4.9
Greenwood	1,210	31	25.6	27	22.3	13	48.1	-	0	4	3.3
Hampton	210	10	47.6	8	38.1	4	50.0	-	0	2	9.5
Horry	3,600	100	27.8	69	19.2	28	40.6	-	0	31	8.6
Jasper	190	10	52.6	10	52.6	2	20.0	-	0	-	0
Kershaw	1,000	32	32.0	25	25.0	12	48.0	-	0	7	7.0
Lancaster	1,080	29	26.9	26	24.1	14	53.8	-	0	3	2.8
Laurens	1,350	46	34.1	33	24.4	20	60.6	-	0	13	9.6
Lee	160	3	18.8	3	18.8	1	33.3	-	0	-	0
Lexington	4,990	112	22.4	77	15.4	39	50.6	1	12.8	34	6.8
McCormick	70	-	0	-	0	-	0	-	0	-	0
Marion	340	5	14.7	4	11.8	4	100.0	1	200.0	-	0
Marlboro	300	10	33.3	10	33.3	6	60.0	-	0	-	0
Newberry	590	17	28.8	13	22.0	6	46.2	-	0	4	6.8
Oconee	1,440	49	34.0	38	26.4	16	42.1	-	0	11	7.6
Orangeburg	780	15	19.2	10	12.8	2	20.0	-	0	5	6.4
Pickens	3,340	62	18.6	50	15.0	16	32.0	2	38.5	10	3.0
Richland	4,570	49	10.7	16	3.5	8	50.0	1	58.8	32	7.0
Saluda	300	4	13.3	3	10.0	-	0	-	0	1	3.3
Spartanburg	5,020	153	30.5	122	24.3	54	44.3	1	8.1	30	6.0
Sumter	1,350	33	24.4	28	20.7	12	42.9	-	0	5	3.7
Union	460	15	32.6	13	28.3	3	23.1	-	0	2	4.3
Williamsburg	280	4	14.3	4	14.3	3	75.0	-	0	-	0
York	3,760	72	19.1	60.0	16.0	40	66.7	-	0	12	3.2

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17.

* Includes unknown race

Table D3-A. (cont)
 Estimated Teen Pregnancy¹ for Females Age 14-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 Black & Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	45,810	1,952	42.6	1,540.0	33.6	1,256.0	81.6	35.0	22.2	377.0	8.2
Abbeville	280	12	42.9	9	32.1	9	100.0	1	100.0	2	7.1
Aiken	1,450	67	46.2	55	37.9	42	76.4	-	0	12	8.3
Allendale	270	17	63.0	14	51.9	11	78.6	-	0	3	11.1
Anderson	970	55	56.7	44	45.4	31	70.5	1	22.2	10	10.3
Bamberg	450	18	40.0	14	31.1	11	78.6	-	0	4	8.9
Barnwell	370	14	37.8	11	29.7	8	72.7	1	83.3	2	5.4
Beaufort	1,260	57	45.2	40	31.7	33	82.5	6	130.4	11	8.7
Berkeley	1,590	58	36.5	49	30.8	42	85.7	-	0	9	5.7
Calhoun	270	6	22.2	5	18.5	5	100.0	-	0	1	3.7
Charleston	4,290	208	48.5	160	37.3	139	86.9	2	12.3	46	10.7
Cherokee	410	27	65.9	22	53.7	16	72.7	-	0	5	12.2
Chester	490	22	44.9	16	32.7	11	68.8	-	0	6	12.2
Chesterfield	500	26	52.0	25	50.0	23	92.0	-	0	1	2
Clarendon	650	28	43.1	22	33.8	19	86.4	-	0	6	9.2
Colleton	610	38	62.3	34	55.7	28	82.4	-	0	4	6.6
Darlington	940	42	44.7	40	42.6	37	92.5	1	24.4	1	1.1
Dillon	590	31	52.5	27	45.8	21	77.8	-	0	4	6.8
Dorchester	980	39	39.8	25	25.5	21	84.0	-	0	14	14.3
Edgefield	320	5	15.6	2	6.3	2	100.0	-	0	3	9.4
Fairfield	490	26	53.1	18	36.7	18	100.0	-	0	8	16.3
Florence	1,900	76	40.0	73	38.4	69	94.5	1	13.5	2	1.1
Georgetown	890	34	38.2	29	32.6	21	72.4	-	0	5	5.6
Greenville	2,530	108	42.7	82	32.4	61	74.4	3	35.3	23	9.1
Greenwood	810	46	56.8	36	44.4	31	86.1	-	0	10	12.3
Hampton	440	20	45.5	17	38.6	15	88.2	-	0	3	6.8
Horry	1,230	57	46.3	50	40.7	31	62.0	1	19.6	6	4.9
Jasper	380	25	65.8	20	52.6	16	80.0	-	0	5	13.2
Kershaw	510	23	45.1	18	35.3	12	66.7	1	52.6	4	7.8
Lancaster	580	24	41.4	24	41.4	20	83.3	-	0	-	0
Laurens	620	35	56.5	30	48.4	27	90.0	-	0	5	8.1
Lee	440	14	31.8	12	27.3	11	91.7	-	0	2	4.5
Lexington	1,060	51	48.1	37	34.9	32	86.5	-	0	14	13.2
McCormick	170	4	23.5	3	17.6	3	100.0	-	0	1	5.9
Marion	810	29	35.8	27	33.3	24	88.9	-	0	2	2.5
Marlboro	520	29	55.8	27	51.9	19	70.4	-	0	2	3.8
Newberry	450	31	68.9	25	55.6	22	88.0	-	0	6	13.3
Oconee	190	7	36.8	6	31.6	4	66.7	-	0	1	5.3
Orangeburg	2,390	80	33.5	65	27.2	39	60.0	3	44.1	12	5.0
Pickens	370	5	13.5	1	2.7	1	100.0	-	0	4	10.8
Richland	5,660	165	29.2	103	18.2	83	80.6	5	46.3	57	10.1
Saluda	220	3	13.6	2	9.1	1	50.0	-	0	1	4.5
Spartanburg	2,020	86	42.6	62	30.7	47	75.8	5	74.6	19	9.4
Sumter	1,870	102	54.5	77	41.2	64	83.1	1	12.8	24	12.8
Union	300	14	46.7	8	26.7	6	75.0	1	111.1	5	16.7
Williamsburg	920	36	39.1	30	32.6	29	96.7	2	62.5	4	4.3
York	1,350	52	38.5	44.0	32.6	41	93.2	-	0	8	5.9
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17.

Table D-4.
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2001
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	87,800	3,387 *	38.6	2,625	29.9	1,697	64.6	42	15.7	720 *	8.2
Abbeville	570	21	36.8	18	31.6	11	61.1	1	52.6	2	3.5
Aiken	3,160	117	37.0	98	31.0	66	67.3	-	0	19	6.0
Allendale	240	17	70.8	14	58.3	11	78.6	-	0	3	12.5
Anderson	3,260	148	45.4	119	36.5	52	43.7	2	16.5	27	8.3
Bamberg	470	20	42.6	16	34.0	12	75.0	-	0	4	8.5
Barnwell	520	18	34.6	15	28.8	9	60.0	1	62.5	2	3.8
Beaufort	2,330	95	40.8	68	29.2	43	63.2	4	55.6	23	9.9
Berkeley	3,230	120	37.2	94	29.1	61	64.9	-	0	26	8.0
Calhoun	310	9	29.0	6	19.4	6	100.0	-	0	3	9.7
Charleston	7,050	277	39.3	204	28.9	165	80.9	2	9.7	71	10.1
Cherokee	1,080	63	58.3	53	49.1	27	50.9	-	0	10	9.3
Chester	730	31	42.5	22	30.1	12	54.5	-	0	9	12.3
Chesterfield	870	35	40.2	32	36.8	28	87.5	-	0	3	3.4
Clarendon	710	35	49.3	27	38.0	21	77.8	-	0	8	11.3
Colleton	890	51	57.3	43	48.3	30	69.8	-	0	8	9.0
Darlington	1,390	64	46.0	57	41.0	45	78.9	1	17.2	6	4.3
Dillon	730	36	49.3	32	43.8	23	71.9	-	0	4	5.5
Dorchester	2,190	79	36.1	44	20.1	29	65.9	-	0	35	16.0
Edgefield	490	11	22.4	6	12.2	4	66.7	-	0	5	10.2
Fairfield	500	31	62.0	22	44.0	17	77.3	-	0	9	18.0
Florence	2,870	120	41.8	113	39.4	95	84.1	3	25.9	4	1.4
Georgetown	1,170	44	37.6	37	31.6	20	54.1	-	0	7	6.0
Greenville	7,760	241	31.1	179	23.1	88	49.2	4	21.9	58	7.5
Greenwood	1,540	72	46.8	60	39.0	42	70.0	-	0	12	7.8
Hampton	470	30	63.8	25	53.2	19	76.0	-	0	5	10.6
Horry	3,670	150	40.9	115	31.3	57	49.6	1	8.6	34	9.3
Jasper	420	34	81.0	30	71.4	18	60.0	-	0	4	9.5
Kershaw	1,110	50 *	45.0	41	36.9	22	53.7	1	23.8	8 *	7.2
Lancaster	1,220	52	42.6	49	40.2	33	67.3	-	0	3	2.5
Laurens	1,470	75	51.0	57	38.8	41	71.9	-	0	18	12.2
Lee	450	16	35.6	14	31.1	11	78.6	-	0	2	4.4
Lexington	4,420	159	36.0	110	24.9	68	61.8	1	9	48	10.9
McCormick	170	4	23.5	3	17.6	3	100.0	-	0	1	5.9
Marion	880	32	36.4	29	33.0	26	89.7	1	33.3	2	2.3
Marlboro	600	38	63.3	36	60.0	24	66.7	-	0	2	3.3
Newberry	800	43	53.8	34	42.5	24	70.6	-	0	9	11.3
Oconee	1,210	53	43.8	42	34.7	18	42.9	-	0	11	9.1
Orangeburg	2,480	90	36.3	71	28.6	37	52.1	3	40.5	16	6.5
Pickens	2,990	64	21.4	50	16.7	16	32.0	2	38.5	12	4.0
Richland	8,070	197	24.4	108	13.4	81	75.0	6	52.6	83	10.3
Saluda	400	6	15.0	4	10.0	-	0	-	0	2	5.0
Spartanburg	5,240	226 *	43.1	177	33.8	95	53.7	5	27.5	44 *	8.4
Sumter	2,390	124	51.9	97	40.6	69	71.1	1	10.2	26	10.9
Union	560	27	48.2	19	33.9	8	42.1	1	50.0	7	12.5
Williamsburg	890	38	42.7	32	36.0	30	93.8	2	58.8	4	4.5
York	3,850	123	31.9	103	26.8	80	77.7	-	0	20	5.2
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17.

* Includes unknown race

Table D4-A.
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	53,520	1,564	29.2	1,184	22.1	534	45.1	10	8.4	370	6.9
Abbeville	370	9	24.3	9	24.3	2	22.2	-	0	-	0
Aiken	2,070	58	28.0	48	23.2	28	58.3	-	0	10	4.8
Allendale	30	-	0	-	0	-	0	-	0	-	0
Anderson	2,540	96	37.8	78	30.7	24	30.8	1	12.7	17	6.7
Bamberg	110	4	36.4	3	27.3	2	66.7	-	0	1	9.1
Barnwell	250	5	20.0	5	20.0	2	40.0	-	0	-	0
Beaufort	1,400	45	32.1	33	23.6	15	45.5	-	0	12	8.6
Berkeley	2,080	65	31.3	48	23.1	22	45.8	-	0	17	8.2
Calhoun	110	3	27.3	1	9.1	1	100.0	-	0	2	18.2
Charleston	3,860	82	21.2	52	13.5	33	63.5	1	18.9	29	7.5
Cherokee	780	38	48.7	32	41.0	12	37.5	-	0	6	7.7
Chester	370	10	27.0	7	18.9	2	28.6	-	0	3	8.1
Chesterfield	510	10	19.6	8	15.7	6	75.0	-	0	2	3.9
Clarendon	240	9	37.5	6	25.0	3	50.0	-	0	3	12.5
Colleton	440	16	36.4	12	27.3	3	25.0	-	0	4	9.1
Darlington	690	28	40.6	23	33.3	14	60.9	-	0	5	7.2
Dillon	290	8	27.6	7	24.1	4	57.1	-	0	1	3.4
Dorchester	1,470	41	27.9	19	12.9	8	42.1	-	0	22	15.0
Edgefield	260	6	23.1	4	15.4	2	50.0	-	0	2	7.7
Fairfield	140	7	50.0	6	42.9	1	16.7	-	0	1	7.1
Florence	1,450	47	32.4	43	29.7	29	67.4	2	44.4	2	1.4
Georgetown	520	14	26.9	12	23.1	3	25.0	-	0	2	3.8
Greenville	5,910	139	23.5	103	17.4	33	32.0	1	9.6	35	5.9
Greenwood	930	29	31.2	26	28.0	13	50.0	-	0	3	3.2
Hampton	150	10	66.7	8	53.3	4	50.0	-	0	2	13.3
Horry	2,750	96	34.9	68	24.7	28	41.2	-	0	28	10.2
Jasper	140	10	71.4	10	71.4	2	20.0	-	0	-	0
Kershaw	730	29	39.7	23	31.5	10	43.5	-	0	6	8.2
Lancaster	790	29	36.7	26	32.9	14	53.8	-	0	3	3.8
Laurens	1,020	43	42.2	30	29.4	17	56.7	-	0	13	12.7
Lee	120	3	25.0	3	25.0	1	33.3	-	0	-	0
Lexington	3,640	110	30.2	75	20.6	38	50.7	1	13.2	34	9.3
McCormick	50	-	0	-	0	-	0	-	0	-	0
Marion	260	5	19.2	4	15.4	4	100.0	1	200.0	-	0
Marlboro	210	10	47.6	10	47.6	6	60.0	-	0	-	0
Newberry	470	16	34.0	12	25.5	5	41.7	-	0	4	8.5
Oconee	1,070	46	43.0	36	33.6	14	38.9	-	0	10	9.3
Orangeburg	580	15	25.9	10	17.2	2	20.0	-	0	5	8.6
Pickens	2,690	59	21.9	49	18.2	15	30.6	2	39.2	8	3.0
Richland	3,700	48	13.0	16	4.3	8	50.0	1	58.8	31	8.4
Saluda	230	4	17.4	3	13.0	-	0	-	0	1	4.3
Spartanburg	3,750	142	37.9	116	30.9	49	42.2	-	0	26	6.9
Sumter	1,000	32	32.0	27	27.0	12	44.4	-	0	5	5.0
Union	340	14	41.2	12	35.3	3	25.0	-	0	2	5.9
Williamsburg	210	2	9.5	2	9.5	1	50.0	-	0	-	0
York	2,830	71	25.1	59	20.8	39	66.1	-	0	12	4.2

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17.

* Includes unknown race

Table D4-A. (cont.)
 Estimated Teen Pregnancy¹ for Females Age 15-17
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	34,280	1,821	53.1	1,441	42.0	1,163	80.7	32	21.7	348	10.2
Abbeville	200	12	60.0	9	45.0	9	100.0	1	100.0	2	10.0
Aiken	1,090	59	54.1	50	45.9	38	76.0	-	0	9	8.3
Allendale	210	17	81.0	14	66.7	11	78.6	-	0	3	14.3
Anderson	720	52	72.2	41	56.9	28	68.3	1	23.8	10	13.9
Bamberg	370	16	43.2	13	35.1	10	76.9	-	0	3	8.1
Barnwell	270	13	48.1	10	37.0	7	70.0	1	90.9	2	7.4
Beaufort	930	50	53.8	35	37.6	28	80.0	4	102.6	11	11.8
Berkeley	1,150	55	47.8	46	40.0	39	84.8	-	0	9	7.8
Calhoun	200	6	30.0	5	25.0	5	100.0	-	0	1	5.0
Charleston	3,190	195	61.1	152	47.6	132	86.8	1	6.5	42	13.2
Cherokee	300	25	83.3	21	70.0	15	71.4	-	0	4	13.3
Chester	360	21	58.3	15	41.7	10	66.7	-	0	6	16.7
Chesterfield	360	25	69.4	24	66.7	22	91.7	-	0	1	2.8
Clarendon	480	26	54.2	21	43.8	18	85.7	-	0	5	10.4
Colleton	450	35	77.8	31	68.9	27	87.1	-	0	4	8.9
Darlington	700	36	51.4	34	48.6	31	91.2	1	28.6	1	1.4
Dillon	440	28	63.6	25	56.8	19	76.0	-	0	3	6.8
Dorchester	720	38	52.8	25	34.7	21	84.0	-	0	13	18.1
Edgefield	230	5	21.7	2	8.7	2	100.0	-	0	3	13.0
Fairfield	360	24	66.7	16	44.4	16	100.0	-	0	8	22.2
Florence	1,420	73	51.4	70	49.3	66	94.3	1	14.1	2	1.4
Georgetown	640	30	46.9	25	39.1	17	68.0	-	0	5	7.8
Greenville	1,850	102	55.1	76	41.1	55	72.4	3	38.0	23	12.4
Greenwood	610	43	70.5	34	55.7	29	85.3	-	0	9	14.8
Hampton	320	20	62.5	17	53.1	15	88.2	-	0	3	9.4
Horry	920	54	58.7	47	51.1	29	61.7	1	20.8	6	6.5
Jasper	280	24	85.7	20	71.4	16	80.0	-	0	4	14.3
Kershaw	380	20	52.6	18	47.4	12	66.7	1	52.6	1	2.6
Lancaster	430	23	53.5	23	53.5	19	82.6	-	0	-	0
Laurens	450	32	71.1	27	60.0	24	88.9	-	0	5	11.1
Lee	330	13	39.4	11	33.3	10	90.9	-	0	2	6.1
Lexington	780	49	62.8	35	44.9	30	85.7	-	0	14	17.9
McCormick	120	4	33.3	3	25.0	3	100.0	-	0	1	8.3
Marion	620	27	43.5	25	40.3	22	88.0	-	0	2	3.2
Marlboro	390	28	71.8	26	66.7	18	69.2	-	0	2	5.1
Newberry	330	27	81.8	22	66.7	19	86.4	-	0	5	15.2
Oconee	130	7	53.8	6	46.2	4	66.7	-	0	1	7.7
Orangeburg	1,910	75	39.3	61	31.9	35	57.4	3	46.9	11	5.8
Pickens	300	5	16.7	1	3.3	1	100.0	-	0	4	13.3
Richland	4,370	149	34.1	92	21.1	73	79.3	5	51.5	52	11.9
Saluda	170	2	11.8	1	5.9	-	0	-	0	1	5.9
Spartanburg	1,490	83	55.7	61	40.9	46	75.4	5	75.8	17	11.4
Sumter	1,390	92	66.2	70	50.4	57	81.4	1	14.1	21	15.1
Union	220	13	59.1	7	31.8	5	71.4	1	125.0	5	22.7
Williamsburg	680	36	52.9	30	44.1	29	96.7	2	62.5	4	5.9
York	1,020	52	51.0	44	43.1	41	93.2	-	0	8	7.8
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17.

Table D-5.
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2001
 (Residence Data)

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	58,530	6,481 *	110.7	5,273	90.1	2,696	51.1	69	12.9	1,139 *	19.5
Abbeville	380	34	89.5	32	84.2	11	34.4	-	0	2	5.3
Aiken	2,100	239	113.8	183	87.1	105	57.4	-	0	56	26.7
Allendale	160	28	175.0	25	156.3	18	72.0	-	0	3	18.8
Anderson	2,170	231	106.5	199	91.7	60	30.2	1	5	31	14.3
Bamberg	320	38	118.8	31	96.9	20	64.5	-	0	7	21.9
Barnwell	350	47	134.3	43	122.9	24	55.8	2	44.4	2	5.7
Beaufort	1,550	208	134.2	173	111.6	70	40.5	-	0	35	22.6
Berkeley	2,160	270	125.0	216	100.0	87	40.3	1	4.6	53	24.5
Calhoun	210	12	57.1	10	47.6	5	50.0	-	0	2	9.5
Charleston	4,700	497	105.7	369	78.5	245	66.4	3	8.1	125	26.6
Cherokee	720	106	147.2	96	133.3	37	38.5	2	20.4	8	11.1
Chester	480	64 *	133.3	57	118.8	34	59.6	-	0	7 *	14.6
Chesterfield	580	76	131.0	65	112.1	36	55.4	3	44.1	8	13.8
Clarendon	480	58	120.8	51	106.3	35	68.6	3	55.6	4	8.3
Colleton	590	89	150.8	79	133.9	46	58.2	-	0	10	16.9
Darlington	930	101	108.6	95	102.2	63	66.3	-	0	6	6.5
Dillon	480	80	166.7	70	145.8	45	64.3	-	0	10	20.8
Dorchester	1,460	167	114.4	133	91.1	72	54.1	2	14.8	32	21.9
Edgefield	330	43	130.3	33	100.0	23	69.7	-	0	10	30.3
Fairfield	330	48	145.5	41	124.2	26	63.4	-	0	7	21.2
Florence	1,910	191	100.0	178	93.2	124	69.7	5	27.3	8	4.2
Georgetown	780	92	117.9	85	109.0	42	49.4	1	11.6	6	7.7
Greenville	5,170	500 *	96.7	386	74.7	138	35.8	5	12.8	109 *	21.1
Greenwood	1,030	118	114.6	91	88.3	43	47.3	4	42.1	23	22.3
Hampton	320	53	165.6	47	146.9	25	53.2	1	20.8	5	15.6
Horry	2,440	322 *	132.0	250	102.5	105	42.0	2	7.9	70 *	28.7
Jasper	280	49	175.0	46	164.3	26	56.5	-	0	3	10.7
Kershaw	740	85	114.9	69	93.2	27	39.1	1	14.3	15	20.3
Lancaster	810	89 *	109.9	83	102.5	38	45.8	1	11.9	5 *	6.2
Laurens	980	112	114.3	98	100.0	49	50.0	-	0	14	14.3
Lee	300	37	123.3	36	120.0	23	63.9	-	0	1	3.3
Lexington	2,950	256	86.8	198	67.1	87	43.9	3	14.9	55	18.6
McCormick	120	11	91.7	9	75.0	8	88.9	-	0	2	16.7
Marion	580	70	120.7	68	117.2	48	70.6	1	14.5	1	1.7
Marlboro	400	60	150.0	59	147.5	37	62.7	1	16.7	-	0
Newberry	540	69	127.8	57	105.6	26	45.6	-	0	12	22.2
Oconee	810	91	112.3	75	92.6	25	33.3	-	0	16	19.8
Orangeburg	1,660	190	114.5	148	89.2	69	46.6	1	6.7	41	24.7
Pickens	1,990	167	83.9	126	63.3	30	23.8	3	23.3	38	19.1
Richland	5,380	455 *	84.6	299	55.6	190	63.5	8	26.1	148 *	27.5
Saluda	270	28	103.7	26	96.3	16	61.5	-	0	2	7.4
Spartanburg	3,490	401	114.9	330	94.6	142	43.0	5	14.9	66	18.9
Sumter	1,590	218	137.1	191	120.1	112	58.6	3	15.5	24	15.1
Union	370	49	132.4	42	113.5	21	50.0	2	45.5	5	13.5
Williamsburg	590	62	105.1	58	98.3	46	79.3	1	16.9	3	5.1
York	2,570	268 *	104.3	217	84.4	137	63.1	4	18.1	47 *	18.3
Unknown	-	2	2.0	-	0	-	0	-	0	2	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19.

* Includes unknown race

Table D-5A.
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 White

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	35,680	3,415	95.7	2,746	77.0	899	32.7	28	10.1	641	18.0
Abbeville	240	18	75.0	17	70.8	3	17.6	-	0	1	4.2
Aiken	1,380	137	99.3	112	81.2	51	45.5	-	0	25	18.1
Allendale	20	3	150.0	3	150.0	-	0	-	0	-	0
Anderson	1,690	159	94.1	136	80.5	26	19.1	-	0	23	13.6
Bamberg	70	6	85.7	6	85.7	-	0	-	0	-	0.0
Barnwell	170	22	129.4	18	105.9	4	22.2	2	100	2	11.8
Beaufort	940	118	125.5	98	104.3	25	25.5	-	0	20	21.3
Berkeley	1,390	179	128.8	152	109.4	48	31.6	-	0	27	19.4
Calhoun	80	3	37.5	2	25.0	1	50.0	-	0	1	12.5
Charleston	2,570	215	83.7	137	53.3	58	42.3	1	7.2	77	30.0
Cherokee	520	69	132.7	64	123.1	16	25.0	-	0	5	9.6
Chester	240	17	70.8	17	70.8	7	41.2	-	0	-	0
Chesterfield	340	44	129.4	37	108.8	15	40.5	2	51.3	5	14.7
Clarendon	160	13	81.3	11	68.8	4	36.4	-	0	2	12.5
Colleton	290	46	158.6	38	131.0	12	31.6	-	0	8	27.6
Darlington	460	39	84.8	36	78.3	15	41.7	-	0	3	6.5
Dillon	190	28	147.4	26	136.8	11	42.3	-	0	2	10.5
Dorchester	980	113	115.3	85	86.7	36	42.4	2	23	26	26.5
Edgefield	170	16	94.1	13	76.5	4	30.8	-	0	3	17.6
Fairfield	100	9	90.0	9	90.0	3	33.3	-	0	-	0
Florence	960	82	85.4	75	78.1	36	48.0	3	38.5	4	4.2
Georgetown	350	36	102.9	33	94.3	6	18.2	-	0	3	8.6
Greenville	3,940	349	88.6	272	69.0	70	25.7	2	7.3	75	19.0
Greenwood	620	53	85.5	46	74.2	13	28.3	-	0	7	11.3
Hampton	100	14	140.0	13	130.0	1	7.7	-	0	1	10.0
Horry	1,830	225	123.0	166	90.7	56	33.7	1	6	58	31.7
Jasper	90	26	288.9	24	266.7	8	33.3	-	0	2	22.2
Kershaw	490	50	102.0	38	77.6	7	18.4	1	25.6	11	22.4
Lancaster	530	54	101.9	52	98.1	16	30.8	-	0	2	3.8
Laurens	680	74	108.8	65	95.6	22	33.8	-	0	9	13.2
Lee	80	6	75.0	5	62.5	1	20.0	-	0	1	12.5
Lexington	2,430	190	78.2	146	60.1	53	36.3	3	20.1	41	16.9
McCormick	30	3	100.0	1	33.3	1	100.0	-	0	2	66.7
Marion	170	20	117.6	20	117.6	4	20.0	-	0	-	0
Marlboro	140	19	135.7	19	135.7	8	42.1	-	0	-	0
Newberry	310	37	119.4	28	90.3	9	32.1	-	0	9	29.0
Oconee	720	73	101.4	59	81.9	17	28.8	-	0	14	19.4
Orangeburg	380	44	115.8	39	102.6	10	25.6	-	0	5	13.2
Pickens	1,790	143	79.9	114	63.7	22	19.3	3	25.6	26	14.5
Richland	2,470	114	46.2	61	24.7	27	44.3	-	0	53	21.5
Saluda	150	14	93.3	13	86.7	6	46.2	-	0	1	6.7
Spartanburg	2,500	254	101.6	207	82.8	71	34.3	3	14.3	44	17.6
Sumter	670	76	113.4	71	106.0	22	31.0	-	0	5	7.5
Union	220	27	122.7	21	95.5	7	33.3	2	87	4	18.2
Williamsburg	140	8	57.1	7	50.0	-	0.0	1	125	-	0
York	1,890	170	89.9	134	70.9	67	50.0	2	14.7	34	18.0
Unknown	-	-	0	-	0	-	0	-	0	-	0.0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.

² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19.

Table D-5A. (cont.)
 Estimated Teen Pregnancy¹ for Females Age 18-19
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates by Race
 South Carolina and Each County, 2001
 (Residence Data)
 Black and Other

County	Population	Est. Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	22,850	3,058	133.8	2,527	110.6	1,797	71.1	41	16.0	490	21.4
Abbeville	130	16	123.1	15	115.4	8	53.3	-	0	1	7.7
Aiken	730	102	139.7	71	97.3	54	76.1	-	0	31	42.5
Allendale	140	25	178.6	22	157.1	18	81.8	-	0	3	21.4
Anderson	480	72	150	63	131.3	34	54.0	1	15.6	8	16.7
Bamberg	250	32	128	25	100.0	20	80.0	-	0	7	28.0
Barnwell	180	25	138.9	25	138.9	20	80.0	-	0	-	0
Beaufort	620	90	145.2	75	121.0	45	60.0	-	0	15	24.2
Berkeley	770	91	118.2	64	83.1	39	60.9	1	15.4	26	33.8
Calhoun	130	9	69.2	8	61.5	4	50.0	-	0	1	7.7
Charleston	2,130	282	132.4	232	108.9	187	80.6	2	8.5	48	22.5
Cherokee	200	37	185	32	160.0	21	65.6	2	58.8	3	15.0
Chester	240	46	191.7	40	166.7	27	67.5	-	0	6	25.0
Chesterfield	240	32	133.3	28	116.7	21	75.0	1	34.5	3	12.5
Clarendon	320	45	140.6	40	125.0	31	77.5	3	69.8	2	6.3
Colleton	300	43	143.3	41	136.7	34	82.9	-	0	2	6.7
Darlington	460	62	134.8	59	128.3	48	81.4	-	0	3	6.5
Dillon	290	52	179.3	44	151.7	34	77.3	-	0	8	27.6
Dorchester	480	54	112.5	48	100.0	36	75.0	-	0	6	12.5
Edgefield	160	27	168.8	20	125.0	19	95.0	-	0	7	43.8
Fairfield	240	39	162.5	32	133.3	23	71.9	-	0	7	29.2
Florence	950	109	114.7	103	108.4	88	85.4	2	19.0	4	4.2
Georgetown	430	56	130.2	52	120.9	36	69.2	1	18.9	3	7.0
Greenville	1,230	150	122	114	92.7	68	59.6	3	25.6	33	26.8
Greenwood	410	65	158.5	45	109.8	30	66.7	4	81.6	16	39.0
Hampton	210	39	185.7	34	161.9	24	70.6	1	28.6	4	19.0
Horry	610	96	157.4	84	137.7	49	58.3	1	11.8	11	18.0
Jasper	180	23	127.8	22	122.2	18	81.8	-	0	1	5.6
Kershaw	260	35	134.6	31	119.2	20	64.5	-	0	4	15.4
Lancaster	290	34	117.2	31	106.9	22	71.0	1	31.3	2	6.9
Laurens	300	38	126.7	33	110.0	27	81.8	-	0	5	16.7
Lee	220	31	140.9	31	140.9	22	71.0	-	0	-	0
Lexington	520	66	126.9	52	100.0	34	65.4	-	0	14	26.9
McCormick	80	8	100	8	100.0	7	87.5	-	0	-	0
Marion	410	50	122	48	117.1	44	91.7	1	20.4	1	2.4
Marlboro	260	41	157.7	40	153.8	29	72.5	1	24.4	-	0
Newberry	220	32	145.5	29	131.8	17	58.6	-	0	3	13.6
Oconee	90	18	200	16	177.8	8	50.0	-	0	2	22.2
Orangeburg	1,270	146	115	109	85.8	59	54.1	1	9.1	36	28.3
Pickens	200	24	120	12	60.0	8	66.7	-	0	12	60.0
Richland	2,910	338	116.2	238	81.8	163	68.5	8	32.5	92	31.6
Saluda	110	14	127.3	13	118.2	10	76.9	-	0	1	9.1
Spartanburg	990	147	148.5	123	124.2	71	57.7	2	16.0	22	22.2
Sumter	930	142	152.7	120	129.0	90	75.0	3	24.4	19	20.4
Union	150	22	146.7	21	140.0	14	66.7	-	0	1	6.7
Williamsburg	460	54	117.4	51	110.9	46	90.2	-	0	3	6.5
York	680	97	142.6	83	122.1	70	84.3	2	23.5	12	17.6
Unknown	0	2	0.0	-	0	-	0	-	0	-	0

¹ Estimated pregnancies equal total live births plus abortions plus fetal deaths.


² Estimated pregnancies, Live Births and Abortions: Rates calculated per 1,000 population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19.

The State Fish

“ The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTIONS

Table E-1.
 Abortions and Abortion Rates¹ by Race
 South Carolina, 1992-2001
 (Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1992	12,843	228.9	6,980	206.0	5,831	262.6
1993	13,038	242.7	7,191	220.8	5,791	274.0
1994	12,325	237.4	6,697	209.9	5,581	279.1
1995	11,075	217.5	5,824	183.0	5,221	273.8
1996	11,193	219.0	6,086	188.4	5,042	268.4
1997	11,052	211.7	5,893	178.5	5,070	264.2
1998	9,671	179.6	5,121	150.3	4,529	229.2
1999	10,429	190.6	5,519	159.1	4,860	242.9
2000	9,946	177.7	5,129	145.9	4,777	229.6
2001	10,124	181.6	5,028	140.7	5,045	252.1

¹ Rate per 1,000 live births

* Includes unknown race

Figure E-1.
 Abortion Rates by Race
 South Carolina, 1992-2001
 (Residence Data)




Table E-2.
 Abortions by Age Group and Race of Woman: South Carolina and Each County, 2001 (Residence Data)
 (Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	10,124 *	75	129	213	378	530	609	3,405	2,240	1,382	1,072	91
Abbeville	32	2	1	-	1	2	-	13	7	1	5	-
Aiken	369 *	3	6	7	6	29	27	122	66	55	46	2
Allendale	29	1	1	1	1	-	3	10	3	5	4	-
Anderson	361	1	7	7	13	19	12	116	90	46	49	1
Bamberg	41	1	-	2	2	5	2	12	12	2	3	-
Barnwell	50	-	-	2	-	2	-	22	14	4	6	-
Beaufort	394 *	2	9	3	11	16	19	136	98	54	44	2
Berkeley	406	3	4	4	18	28	25	132	91	44	54	3
Calhoun	19	-	1	1	1	2	-	5	3	-	5	1
Charleston	1,254 *	6	14	23	34	56	69	450	287	170	143	2
Cherokee	83	1	1	2	7	2	6	21	21	15	7	-
Chester	79 *	-	2	3	4	3	4	24	24	9	4	2
Chesterfield	45	-	-	1	2	5	3	17	9	3	4	1
Clarendon	50	1	2	4	2	-	4	11	10	9	7	-
Colleton	99	-	1	1	6	4	6	31	17	19	14	-
Darlington	56	-	1	3	2	4	2	20	17	4	3	-
Dillon	55	1	1	3	-	3	7	15	13	4	6	2
Dorchester	270 *	4	4	6	25	17	15	77	52	37	30	3
Edgefield	56	1	-	2	3	4	6	17	14	8	1	-
Fairfield	54	-	2	3	4	3	4	16	8	8	5	1
Florence	104	2	-	1	3	2	6	39	26	17	7	1
Georgetown	104 *	-	2	1	4	2	4	38	26	14	13	-
Greenville	990 *	3	12	19	27	47	62	297	227	170	124	2
Greenwood	222	2	1	4	7	12	11	94	45	23	20	3
Hampton	33	-	1	-	4	-	5	9	5	7	2	-
Horry	531 *	4	2	11	21	25	45	179	107	63	58	16
Jasper	54	2	-	-	4	2	1	23	10	8	4	-
Kershaw	92 *	4	-	2	6	8	7	22	22	7	12	2
Lancaster	67 *	1	1	1	1	2	3	24	13	11	9	1
Laurens	143	1	5	6	7	12	2	45	29	24	12	-
Lee	30	-	1	-	1	1	-	12	6	2	5	2
Lexington	459 *	1	7	18	23	35	20	137	99	63	51	5
McCormick	18	1	-	1	-	-	2	6	2	5	1	-
Marion	31 *	-	-	-	2	-	1	12	5	6	3	2
Marlboro	38	-	-	1	1	-	-	19	9	5	2	1
Newberry	84	1	3	3	3	6	6	26	20	10	6	-
Oconee	105	1	3	3	5	7	9	36	18	12	11	-
Orangeburg	309 *	4	3	3	10	18	23	106	70	38	31	3
Pickens	219	2	3	2	7	15	23	84	46	20	17	-
Richland	1,373 *	8	11	22	50	67	81	504	314	188	112	16
Saluda	30	-	1	-	1	-	2	13	6	4	3	-
Spartanburg	593 *	8	9	17	18	28	38	186	126	99	61	3
Sumter	278	3	3	8	15	12	12	95	55	43	30	2
Union	48	-	-	1	6	4	1	15	14	3	4	-
Williamsburg	45	-	2	2	-	1	2	13	12	7	6	-
York	306 *	-	2	9	9	20	27	97	69	34	28	11
Unknown	16 *	-	-	-	1	-	2	7	3	2	-	1

* Includes unknown race

Table E-2A.
 Abortions by Age Group and Race of Woman: South Carolina and Each County, 2001 (Residence Data)
 White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,045	47	70	99	179	217	273	1,713	1,222	685	489	51
Abbeville	22	2	1	-	1	1	-	11	4	1	1	-
Aiken	195	3	-	5	4	17	14	66	41	26	18	1
Allendale	27	1	1	1	1	-	3	8	3	5	4	-
Anderson	143	1	3	3	4	4	4	47	32	25	20	-
Bamberg	31	1	-	2	1	5	2	8	9	2	1	-
Barnwell	32	-	-	2	-	-	-	16	7	4	3	-
Beaufort	165	1	6	1	4	5	10	59	40	20	19	-
Berkeley	170	-	2	2	5	14	12	58	40	19	17	1
Calhoun	13	-	-	1	-	1	-	4	2	-	4	1
Charleston	588	6	11	11	20	23	25	193	154	76	67	2
Cherokee	44	1	1	1	2	2	1	12	12	7	5	-
Chester	52	-	2	2	2	3	3	13	18	5	3	1
Chesterfield	25	-	-	-	1	3	-	8	7	2	4	-
Clarendon	35	1	1	2	2	-	2	10	7	5	5	-
Colleton	56	-	-	-	4	2	-	21	12	11	6	-
Darlington	32	-	-	1	-	2	1	13	13	1	1	-
Dillon	43	1	1	2	-	2	6	9	12	3	5	2
Dorchester	99	1	2	1	10	3	3	37	21	9	10	2
Edgefield	40	1	-	2	1	2	5	13	10	6	-	-
Fairfield	43	-	2	2	4	3	4	12	5	6	4	1
Florence	62	1	-	1	1	1	3	27	13	13	1	1
Georgetown	58	-	2	1	2	-	3	20	16	6	8	-
Greenville	390	-	4	8	11	15	18	109	103	77	44	1
Greenwood	131	1	1	4	4	8	8	57	23	9	13	3
Hampton	26	-	-	-	3	-	4	8	3	7	1	-
Horry	106	-	2	2	2	4	7	33	25	11	14	6
Jasper	43	2	-	-	4	-	1	18	7	8	3	-
Kershaw	34	3	-	-	1	3	1	7	11	2	5	1
Lancaster	29	-	-	-	-	2	-	10	7	6	4	-
Laurens	64	-	-	2	3	4	1	20	17	11	6	-
Lee	26	-	1	-	1	-	-	11	5	1	5	2
Lexington	158	1	2	5	7	7	7	48	47	18	13	3
McCormick	12	1	-	1	-	-	-	5	2	3	-	-
Marion	24	-	-	-	2	-	1	10	4	4	2	1
Marlboro	28	-	-	1	1	-	-	12	8	3	2	1
Newberry	47	1	2	2	1	-	3	15	14	6	3	-
Oconee	26	-	-	-	1	1	1	11	9	1	2	-
Orangeburg	258	4	3	2	6	15	21	91	58	28	27	3
Pickens	50	-	2	-	2	7	5	17	14	2	1	-
Richland	963	7	7	10	35	35	57	342	235	141	84	10
Saluda	18	-	1	-	-	-	1	8	4	3	1	-
Spartanburg	241	3	5	6	6	8	14	76	63	43	15	2
Sumter	198	3	2	7	12	10	9	69	34	31	20	1
Union	28	-	-	1	4	1	-	10	7	2	3	-
Williamsburg	37	-	2	2	-	1	2	8	10	7	5	-
York	125	-	1	3	4	3	9	51	31	8	10	5
Unknown	8	-	-	-	-	-	2	2	3	1	-	-

Table E-2A. (cont.)
 Abortions by Age Group and Race of Woman: South Carolina and Each County, 2001 (Residence Data)
 Black & Other

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,028	28	59	114	197	310	331	1,685	1,002	686	580	36
Abbeville	10	-	-	-	-	1	-	2	3	-	4	-
Aiken	173	-	6	2	2	12	13	56	25	28	28	1
Allendale	2	-	-	-	-	-	-	2	-	-	-	-
Anderson	218	-	4	4	9	15	8	69	58	21	29	1
Bamberg	10	-	-	-	1	-	-	4	3	-	2	-
Barnwell	18	-	-	-	-	2	-	6	7	-	3	-
Beaufort	226	1	3	2	7	11	9	77	56	34	25	1
Berkeley	236	3	2	2	13	14	13	74	51	25	37	2
Calhoun	6	-	1	-	1	1	-	1	1	-	1	-
Charleston	665	-	3	12	14	33	44	256	133	94	76	-
Cherokee	39	-	-	1	5	-	5	9	9	8	2	-
Chester	26	-	-	1	2	-	-	11	6	4	1	1
Chesterfield	20	-	-	1	1	2	3	9	2	1	-	1
Clarendon	15	-	1	2	-	-	2	1	3	4	2	-
Colleton	43	-	1	1	2	2	6	10	5	8	8	-
Darlington	24	-	1	2	2	2	1	7	4	3	2	-
Dillon	12	-	-	1	-	1	1	6	1	1	1	-
Dorchester	170	3	2	5	15	14	12	40	30	28	20	1
Edgefield	16	-	-	-	2	2	1	4	4	2	1	-
Fairfield	11	-	-	1	-	-	-	4	3	2	1	-
Florence	42	1	-	-	2	1	3	12	13	4	6	-
Georgetown	45	-	-	-	2	2	1	18	10	7	5	-
Greenville	599	3	8	11	16	31	44	188	124	93	80	1
Greenwood	91	1	-	-	3	4	3	37	22	14	7	-
Hampton	7	-	1	-	1	-	1	1	2	-	1	-
Horry	415	4	-	9	19	20	38	145	80	48	43	9
Jasper	11	-	-	-	-	2	-	5	3	-	1	-
Kershaw	57	1	-	2	4	5	6	15	11	5	7	1
Lancaster	36	1	1	1	1	-	2	14	5	5	5	1
Laurens	79	1	5	4	4	8	1	25	12	13	6	-
Lee	4	-	-	-	-	1	-	1	1	1	-	-
Lexington	300	-	5	13	16	28	13	88	52	45	38	2
McCormick	6	-	-	-	-	-	2	1	-	2	1	-
Marion	6	-	-	-	-	-	-	2	1	1	1	1
Marlboro	10	-	-	-	-	-	-	7	1	2	-	-
Newberry	37	-	1	1	2	6	3	11	6	4	3	-
Oconee	79	1	3	3	4	6	8	25	9	11	9	-
Orangeburg	50	-	-	1	4	3	2	15	11	10	4	-
Pickens	169	2	1	2	5	8	18	67	32	18	16	-
Richland	395	1	4	12	15	31	22	160	72	45	28	5
Saluda	12	-	-	-	1	-	1	5	2	1	2	-
Spartanburg	349	5	4	11	11	20	24	109	63	56	45	1
Sumter	80	-	1	1	3	2	3	26	21	12	10	1
Union	20	-	-	-	2	3	1	5	7	1	1	-
Williamsburg	8	-	-	-	-	-	-	5	2	-	1	-
York	174	-	1	6	5	17	17	46	36	24	17	5
Unknown	7	-	-	-	1	-	-	4	-	1	-	1

Table E-3.
Abortions by Age and Age Group: South Carolina and Each County, 2001 (Occurrence Data)

Total

County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	7,014 *	50	83	148	334	363	407	2294	1539	980	816
Abbeville	3	-	-	-	-	1	-	-	1	1	-
Beaufort	65	-	-	1	3	2	1	21	20	7	10
Charleston	2,544	18	21	40	115	123	139	856	565	358	309
Georgetown	1	-	-	-	-	-	-	-	-	-	1
Greenville	2,771	22	39	58	123	136	167	877	614	408	327
Marion	1	-	-	-	-	-	-	1	-	-	-
Richland	1,622 *	10	23	49	93	100	100	538	337	204	168
Spartanburg	2	-	-	-	-	-	-	-	1	1	-
York	5	-	-	-	-	1	-	1	1	1	1

White

County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	3,774	23	43	83	195	219	237	1209	767	543	455
Abbeville	1	-	-	-	-	1	-	-	-	-	-
Beaufort	33	-	-	-	1	1	-	10	10	6	5
Charleston	1,402	9	6	23	71	71	88	467	297	199	171
Georgetown	1	-	-	-	-	-	-	-	-	-	1
Greenville	1,761	14	27	37	83	95	120	552	353	258	222
Richland	571	-	10	23	40	50	29	179	106	78	56
Spartanburg	2	-	-	-	-	-	-	-	1	1	-
York	3	-	-	-	-	1	-	1	-	1	-

Black and Other

County of Occurrence	Age in Years										
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +
South Carolina	3,237	27	40	65	139	144	170	1085	770	436	361
Abbeville	2	-	-	-	-	-	-	-	1	1	-
Beaufort	32	-	-	1	2	1	1	11	10	1	5
Charleston	1,142	9	15	17	44	52	51	389	268	159	138
Greenville	1,010	8	12	21	40	41	47	325	261	150	105
Marion	1	-	-	-	-	-	-	1	-	-	-
Richland	1,048	10	13	26	53	50	71	359	229	125	112
York	2	-	-	-	-	-	-	-	1	-	1


NOTE: Counties not listed had no occurrences

* Includes Unknown race

06

The State Shell

“The Oliva Sayana”



Officially adopted by the General Assembly in 1984

PERINATAL

Figure F-1
Three-Year Infant Mortality Rates* by County
South Carolina, 1999-2001
(Residence Data)





Table F-1.
Infant Mortality and Infant Mortality Rates¹ by Race
South Carolina, 1977-2001
(Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1977	876	17.6	387	13.1	489	24.2
1978	919	18.5	386	13.3	533	26.0
1979	857	17.0	367	12.3	490	23.6
1980	809	15.6	330	10.8	479	22.4
1981	836	16.2	379	12.4	457	21.6
1982	832	16.1	367	12.0	465	22.2
1983	760	15.0	343	11.3	417	20.6
1984	743	14.7	339	11.1	404	20.2
1985	735	14.2	301	9.5	434	21.4
1986	685	13.2	318	10.2	367	17.9
1987	673	12.8	309	9.7	364	17.5
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2
2001	496	8.9	206	5.8	290	14.5

¹ Rate per 1,000 Live Births

Figure F-2.
Infant Mortality Rates by Race
South Carolina, 1977-2001
(Residence Data)



**Table F-2.
Leading Causes of Infant Death by Age at Death
South Carolina, 2001
(Residence Data)**

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
Total Infant Deaths	496	217	52	68	159
Congenital Anomalies (Q00-Q99)	75	30	7	18	20
Disorders Relating to Short Gestion and Low Birthweight (P07)	74	64	5	5	-
Newborn Aff. By Maternal Comp. Of Preg. (P01)	44	42	2	-	-
Sudden Infant Death Syndrome (R95)	38	-	-	-	38
Respiratory Distress Syndrome (P22)	29	15	7	3	4
Accidents (V01-X59,Y85-Y86)	28	-	-	5	23
Atelectasis (P28.0-P28.1)	18	13	2	3	-
Disease of Cirulation System (I00-I99)	16	-	4	1	11
Intrauterine Hypoxia and Birth Asphyxia (P20-P21)	16	9	4	3	-
Bacterial Sepsis of Newborn (P36)	15	3	2	8	2
All Other Causes	143	41	19	22	61

**Figure F-3.
Percent of Infant Deaths by Age at Death
South Carolina, 2001
(Residence Data)**




Table F-3.
 Infant Mortality and Infant Mortality Rates¹
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	496	8.9	1,548	9.3	1,429	9.1
Abbeville	4	10.8	13	12.4	4	3.9
Aiken	23	12.2	54	9.7	37	6.7
Allendale	2	11.0	8	15.3	2	3.9
Anderson	14	6.2	59	8.9	62	9.8
Bamberg	3	14.2	9	13.5	5	7.8
Barnwell	5	14.7	19	18.8	6	6.1
Beaufort	10	5.1	32	5.7	29	6.0
Berkeley	20	9.1	55	8.5	43	7.2
Calhoun	2	12.4	5	9.6	4	7.7
Charleston	46	10.1	136	10.0	139	11.0
Cherokee	17	24.6	27	12.3	26	12.4
Chester	2	4.6	11	7.9	16	11.5
Chesterfield	5	8.7	18	10.2	17	10.1
Clarendon	4	8.9	17	13.1	14	11.9
Colleton	8	13.2	13	7.4	16	10.1
Darlington	15	15.9	40	14.1	30	11.0
Dillon	6	12.6	14	9.6	13	9.1
Dorchester	14	11.4	38	10.6	35	10.2
Edgefield	2	7.2	15	17.0	11	13.8
Fairfield	-	0	7	7.2	10	10.3
Florence	25	13.1	73	12.9	54	10.1
Georgetown	9	11.2	27	11.3	24	11.1
Greenville	32	5.8	97	6.0	97	6.5
Greenwood	6	6.6	30	10.7	39	14.2
Hampton	-	0	8	8.8	6	6.8
Horry	22	8.5	64	8.5	62	9.6
Jasper	6	17.7	9	10.1	6	6.9
Kershaw	8	11.5	15	7.0	18	9.2
Lancaster	6	7.5	27	11.1	18	7.7
Laurens	9	11.2	25	10.0	23	9.3
Lee	3	10.6	12	14.8	14	19.6
Lexington	19	6.5	70	7.9	60	6.8
McCormick	1	12.5	4	15.7	3	11.2
Marion	9	18.1	22	14.4	24	16.7
Marlboro	5	12.5	16	12.6	11	8.6
Newberry	8	15.3	18	12.0	10	7.2
Oconee	4	5.1	16	6.8	17	7.3
Orangeburg	15	11.9	52	13.2	45	12.3
Pickens	7	5.2	21	5.2	35	9.0
Richland	29	6.8	119	9.1	111	8.8
Saluda	3	11.2	7	9.0	11	15.1
Spartanburg	21	6.1	70	7.0	66	6.7
Sumter	14	8.7	48	9.5	71	14.2
Union	2	5.4	9	7.9	16	14.0
Williamsburg	11	20.4	29	17.7	20	13.6
York	20	8.6	69	10.2	49	7.9

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A.
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)
 White

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	206	5.8	634	6.0	590	5.9
Abbeville	1	4.1	4	5.8	1	1.5
Aiken	13	10.1	29	7.7	18	4.7
Allendale	-	0	2	25.0	-	0
Anderson	10	5.6	37	7.1	40	8.2
Bamberg	-	0	-	0	-	0
Barnwell	-	0	5	11.1	3	6.6
Beaufort	3	2.2	12	3.0	17	5.1
Berkeley	14	9.0	31	6.8	18	4.3
Calhoun	1	11.9	1	4.2	1	4.7
Charleston	13	4.9	40	5.1	45	6.3
Cherokee	9	17.7	17	10.4	13	8.4
Chester	1	4.4	2	2.8	6	8.1
Chesterfield	3	8.6	6	5.9	3	3.0
Clarendon	-	0	2	4.0	3	6.4
Colleton	1	3.2	1	1.1	6	7.1
Darlington	4	8.9	14	10.4	4	3.2
Dillon	-	0	1	1.5	4	7.0
Dorchester	6	6.8	19	7.5	13	5.2
Edgefield	-	0	2	4.2	3	7.0
Fairfield	-	0	1	3.2	2	6.1
Florence	9	8.8	21	7.1	13	4.6
Georgetown	2	4.6	5	3.9	11	10.5
Greenville	17	4.0	64	5.1	52	4.5
Greenwood	2	3.5	11	6.3	20	11.8
Hampton	-	0	2	5.6	2	6.1
Horry	6	3.1	24	4.3	30	6.2
Jasper	5	32.9	8	19.1	1	2.6
Kershaw	7	14.5	11	7.3	8	6.0
Lancaster	2	3.6	13	7.9	8	4.9
Laurens	5	8.7	12	6.8	13	7.7
Lee	-	0	1	5.4	6	36.4
Lexington	14	6.0	53	7.4	38	5.3
McCormick	-	0	-	0	-	0
Marion	3	16.0	3	5.3	4	8.1
Marlboro	-	0	4	7.7	2	3.8
Newberry	2	6.3	7	7.8	6	7.5
Oconee	4	5.7	14	6.7	14	6.9
Orangeburg	1	2.7	4	3.3	11	8.8
Pickens	7	5.6	20	5.4	33	9.3
Richland	6	3.1	28	4.9	15	2.7
Saluda	-	0	-	0	7	14.8
Spartanburg	18	7.0	46	6.1	45	6.2
Sumter	5	6.5	14	5.8	15	6.2
Union	2	8.3	4	5.7	8	11.4
Williamsburg	-	0	2	4.8	-	0
York	10	5.8	37	7.4	28	6.0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A. (cont.)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)
 Black and Other

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	290	14.5	914	15	839	14.5
Abbeville	3	23.8	9	24.9	3	8.6
Aiken	10	16.5	25	13.9	19	11.0
Allendale	2	12.7	6	13.5	2	4.8
Anderson	4	8.4	22	15.1	22	15.4
Bamberg	3	20.8	9	20.0	5	12.0
Barnwell	5	26.0	14	24.8	3	5.7
Beaufort	7	12.7	20	12.3	12	7.8
Berkeley	6	9.4	24	12.4	25	14.1
Calhoun	1	13.0	4	14.3	3	9.8
Charleston	33	17.0	96	16.4	94	17.3
Cherokee	8	43.7	10	17.9	13	23.7
Chester	1	4.8	9	13.1	10	15.2
Chesterfield	2	8.8	12	16.0	14	20.3
Clarendon	4	14.2	15	18.7	11	15.5
Colleton	7	23.5	12	14.3	10	13.4
Darlington	11	22.3	26	17.3	26	17.7
Dillon	6	24.0	13	16.4	9	10.6
Dorchester	8	22.9	19	17.9	22	23.3
Edgefield	2	16.8	13	32	8	21.6
Fairfield	-	0	6	9.1	8	12.5
Florence	16	18.1	52	19.2	41	16.4
Georgetown	7	18.7	22	19.7	13	11.7
Greenville	15	11.8	33	8.8	45	12.9
Greenwood	4	11.6	19	18.1	19	18.1
Hampton	-	0	6	10.8	4	7.2
Horry	16	25.7	40	21.3	32	19.8
Jasper	1	5.4	1	2.1	5	10.1
Kershaw	1	4.8	4	6.4	10	15.9
Lancaster	4	16.5	14	17.8	10	14.1
Laurens	4	17.5	13	17.9	10	12.5
Lee	3	13.6	11	17.6	8	14.6
Lexington	5	8.4	17	9.7	22	13.3
McCormick	1	20.4	4	24.1	3	16.4
Marion	6	19.4	19	19.8	20	21.1
Marlboro	5	20.7	12	16.1	9	11.9
Newberry	6	29.4	11	18.5	4	6.8
Oconee	-	0	2	7.3	3	10.1
Orangeburg	14	15.7	48	17.7	34	14.1
Pickens	-	0	1	3.1	2	5.7
Richland	23	10.0	91	12.4	96	13.7
Saluda	3	31.9	7	25.9	4	15.6
Spartanburg	3	3.5	24	9.4	21	8.0
Sumter	9	10.8	34	13.0	56	21.7
Union	-	0	5	11.5	8	18.3
Williamsburg	11	26.8	27	22.2	20	18.4
York	10	16.6	32	18.1	21	14.0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4.
 Neonatal Mortality and Neonatal Mortality Rates¹
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	337	6.0	1,071	6.4	996	6.3
Abbeville	3	8.1	10	9.6	4	3.9
Aiken	16	8.5	33	5.9	17	3.1
Allendale	-	0	4	7.6	1	2.0
Anderson	9	4.0	41	6.2	43	6.8
Bamberg	2	9.5	5	7.5	3	4.7
Barnwell	4	11.8	10	9.9	3	3.1
Beaufort	6	3.1	18	3.2	23	4.8
Berkeley	13	5.9	40	6.2	33	5.6
Calhoun	2	12.4	5	9.6	3	5.8
Charleston	38	8.3	102	7.5	105	8.3
Cherokee	5	7.2	12	5.5	16	7.6
Chester	1	2.3	6	4.3	10	7.2
Chesterfield	3	5.2	16	9.0	10	5.9
Clarendon	3	6.7	13	10.0	12	10.2
Colleton	6	9.9	10	5.7	11	6.9
Darlington	12	12.7	31	10.9	21	7.7
Dillon	2	4.2	8	5.5	9	6.3
Dorchester	9	7.3	24	6.7	26	7.6
Edgefield	2	7.2	13	14.7	9	11.3
Fairfield	-	0	6	6.2	7	7.2
Florence	18	9.4	51	9.0	36	6.7
Georgetown	7	8.7	20	8.4	15	7.0
Greenville	23	4.2	68	4.2	61	4.1
Greenwood	4	4.4	27	9.6	30	10.9
Hampton	-	0	4	4.4	3	3.4
Horry	15	5.8	44	5.9	40	6.2
Jasper	6	17.7	7	7.9	3	3.4
Kershaw	7	10.1	12	5.6	14	7.2
Lancaster	4	5.0	19	7.8	15	6.4
Laurens	4	5.0	16	6.4	15	6.0
Lee	3	10.6	11	13.6	11	15.4
Lexington	11	3.7	46	5.2	44	5.0
McCormick	-	0	3	11.8	1	3.7
Marion	5	10.1	16	10.5	17	11.8
Marlboro	5	12.5	11	8.7	8	6.3
Newberry	6	11.5	11	7.4	8	5.8
Oconee	3	3.8	12	5.1	13	5.6
Orangeburg	11	8.7	41	10.4	33	9.0
Pickens	4	2.9	8	2.0	24	6.1
Richland	16	3.8	74	5.7	80	6.4
Saluda	2	7.5	3	3.9	10	13.7
Spartanburg	13	3.8	41	4.1	39	4.0
Sumter	12	7.5	32	6.4	56	11.2
Union	1	2.7	8	7.0	11	9.6
Williamsburg	7	13.0	23	14.1	11	7.5
York	14	6.0	55	8.1	32	5.2

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	135	3.8	424	4.0	392	3.9
Abbeville	1	4.1	3	4.4	1	1.5
Aiken	10	7.8	20	5.3	8	2.1
Allendale	-	0	2	25.0	-	0
Anderson	7	4.0	26	5.0	29	5.9
Bamberg	-	0	-	0	-	0
Barnwell	-	0	1	2.2	2	4.4
Beaufort	1	0.7	7	1.8	11	3.3
Berkeley	8	5.2	21	4.6	13	3.1
Calhoun	1	11.9	1	4.2	-	0
Charleston	10	3.8	28	3.6	28	3.9
Cherokee	2	3.9	7	4.3	9	5.8
Chester	-	0	1	1.4	4	5.4
Chesterfield	2	5.8	5	4.9	1	1.0
Clarendon	-	0	2	4.0	1	2.1
Colleton	1	3.2	1	1.1	3	3.6
Darlington	4	8.9	12	8.9	3	2.4
Dillon	-	0	-	0	2	3.5
Dorchester	3	3.4	11	4.4	11	4.4
Edgefield	-	0	-	0	2	4.7
Fairfield	-	0	1	3.2	2	6.1
Florence	6	5.9	14	4.8	8	2.8
Georgetown	-	0	3	2.3	4	3.8
Greenville	13	3.1	43	3.4	29	2.5
Greenwood	2	3.5	10	5.7	13	7.7
Hampton	-	0	-	0	1	3.1
Horry	2	1.0	15	2.7	21	4.4
Jasper	5	32.9	6	14.3	1	2.6
Kershaw	6	12.4	8	5.3	7	5.3
Lancaster	2	3.6	13	7.9	7	4.3
Laurens	3	5.2	7	4.0	8	4.7
Lee	-	0	1	5.4	6	36.4
Lexington	8	3.4	35	4.9	27	3.8
McCormick	-	0	-	0	-	0
Marion	1	5.3	1	1.8	3	6.1
Marlboro	-	0	1	1.9	2	3.8
Newberry	1	3.1	5	5.5	4	5.0
Oconee	3	4.3	11	5.3	11	5.4
Orangeburg	1	2.7	3	2.4	8	6.4
Pickens	4	3.2	8	2.2	23	6.5
Richland	5	2.6	21	3.7	11	2.0
Saluda	-	0	-	0	7	14.8
Spartanburg	11	4.3	29	3.9	27	3.7
Sumter	4	5.2	8	3.3	13	5.4
Union	1	4.2	3	4.3	4	5.7
Williamsburg	-	0	2	4.8	-	0
York	7	4.0	28	5.6	17	3.6

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.(cont.)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)
 Black and Other

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	202	10.1	647	10.6	604	10.5
Abbeville	2	15.9	7	19.4	3	8.6
Aiken	6	9.9	13	7.2	9	5.2
Allendale	-	0	2	4.5	1	2.4
Anderson	2	4.2	15	10.3	14	9.8
Bamberg	2	13.9	5	11.1	3	7.2
Barnwell	4	20.8	9	16.0	1	1.9
Beaufort	5	9.1	11	6.8	12	7.8
Berkeley	5	7.9	19	9.8	20	11.3
Calhoun	1	13.0	4	14.3	3	9.8
Charleston	28	14.4	74	12.6	77	14.1
Cherokee	3	16.4	5	8.9	7	12.8
Chester	1	4.8	5	7.3	6	9.1
Chesterfield	1	4.4	11	14.7	9	13.0
Clarendon	3	10.7	11	13.7	11	15.5
Colleton	5	16.8	9	10.7	8	10.8
Darlington	8	16.2	19	12.7	18	12.3
Dillon	2	8.0	8	10.1	7	8.3
Dorchester	6	17.2	13	12.3	15	15.9
Edgefield	2	16.8	13	32.0	7	18.9
Fairfield	-	0	5	7.6	5	7.8
Florence	12	13.6	37	13.6	28	11.2
Georgetown	7	18.7	17	15.2	11	9.9
Greenville	10	7.9	25	6.7	32	9.1
Greenwood	2	5.8	17	16.2	17	16.2
Hampton	-	0	4	7.2	2	3.6
Horry	13	20.9	29	15.5	19	11.7
Jasper	1	5.4	1	2.1	2	4.0
Kershaw	1	4.8	4	6.4	7	11.2
Lancaster	2	8.2	6	7.6	8	11.3
Laurens	1	4.4	9	12.4	7	8.8
Lee	3	13.6	10	16.0	5	9.1
Lexington	3	5.0	11	6.3	17	10.3
McCormick	-	0	3	18.1	1	5.5
Marion	4	12.9	15	15.6	14	14.8
Marlboro	5	20.7	10	13.4	6	7.9
Newberry	5	24.5	6	10.1	4	6.8
Oconee	-	0	1	3.7	2	6.7
Orangeburg	10	11.2	38	14.0	25	10.4
Pickens	-	0	-	0	1	2.8
Richland	11	4.8	53	7.2	69	9.8
Saluda	2	21.3	3	11.1	3	11.7
Spartanburg	2	2.3	12	4.7	12	4.6
Sumter	8	9.6	24	9.2	43	16.7
Union	-	0	5	11.5	7	16.0
Williamsburg	7	17.1	21	17.2	11	10.1
York	7	11.6	27	15.3	15	10.0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5.
 Postneonatal Mortality and Postneonatal Mortality Rates¹
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	159	2.9	477	2.9	433	2.8
Abbeville	1	2.7	3	2.9	-	0
Aiken	7	3.7	21	3.8	20	3.6
Allendale	2	11.0	4	7.6	1	2.0
Anderson	5	2.2	18	2.7	19	3.0
Bamberg	1	4.7	4	6.0	2	3.1
Barnwell	1	2.9	9	8.9	3	3.1
Beaufort	4	2.1	14	2.5	6	1.2
Berkeley	7	3.2	15	2.3	10	1.7
Calhoun	-	0	-	0	1	1.9
Charleston	8	1.7	34	2.5	34	2.7
Cherokee	12	17.3	15	6.8	10	4.8
Chester	1	2.3	5	3.6	6	4.3
Chesterfield	2	3.5	2	1.1	7	4.1
Clarendon	1	2.2	4	3.1	2	1.7
Colleton	2	3.3	3	1.7	5	3.2
Darlington	3	3.2	9	3.2	9	3.3
Dillon	4	8.4	6	4.1	4	2.8
Dorchester	5	4.1	14	3.9	9	2.6
Edgefield	-	0	2	2.3	2	2.5
Fairfield	-	0	1	1.0	3	3.1
Florence	7	3.7	22	3.9	18	3.4
Georgetown	2	2.5	7	2.9	9	4.2
Greenville	9	1.6	29	1.8	36	2.4
Greenwood	2	2.2	3	1.1	9	3.3
Hampton	-	0	4	4.4	3	3.4
Horry	7	2.7	20	2.7	22	3.4
Jasper	-	0	2	2.2	3	3.4
Kershaw	1	1.4	3	1.4	4	2.0
Lancaster	2	2.5	8	3.3	3	1.3
Laurens	5	6.2	9	3.6	8	3.2
Lee	-	0	1	1.2	3	4.2
Lexington	8	2.7	24	2.7	16	1.8
McCormick	1	12.5	1	3.9	2	7.4
Marion	4	8.0	6	3.9	7	4.9
Marlboro	-	0	5	3.9	3	2.3
Newberry	2	3.8	7	4.7	2	1.4
Oconee	1	1.3	4	1.7	4	1.7
Orangeburg	4	3.2	11	2.8	12	3.3
Pickens	3	2.2	13	3.2	11	2.8
Richland	13	3.1	45	3.4	31	2.5
Saluda	1	3.7	4	5.1	1	1.4
Spartanburg	8	2.3	29	2.9	27	2.7
Sumter	2	1.2	16	3.2	15	3.0
Union	1	2.7	1	0.9	5	4.4
Williamsburg	4	7.4	6	3.7	9	6.1
York	6	2.6	14	2.1	17	2.8

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A.
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	71	2.0	210	2.0	198	2.0
Abbeville	-	0	1	1.5	-	0
Aiken	3	2.3	9	2.4	10	2.6
Allendale	-	0	-	0	-	0
Anderson	3	1.7	11	2.1	11	2.2
Bamberg	-	0	-	0	-	0
Barnwell	-	0	4	8.9	1	2.2
Beaufort	2	1.4	5	1.3	6	1.8
Berkeley	6	3.9	10	2.2	5	1.2
Calhoun	-	0	-	0	1	4.7
Charleston	3	1.1	12	1.5	17	2.4
Cherokee	7	13.8	10	6.1	4	2.6
Chester	1	4.4	1	1.4	2	2.7
Chesterfield	1	2.9	1	1.0	2	2.0
Clarendon	-	0	-	0	2	4.3
Colleton	-	0	-	0	3	3.6
Darlington	-	0	2	1.5	1	0.8
Dillon	-	0	1	1.5	2	3.5
Dorchester	3	3.4	8	3.2	2	0.8
Edgefield	-	0	2	4.2	1	2.3
Fairfield	-	0	-	0	-	0
Florence	3	2.9	7	2.4	5	1.8
Georgetown	2	4.6	2	1.6	7	6.7
Greenville	4	0.9	21	1.7	23	2.0
Greenwood	-	0	1	0.6	7	4.1
Hampton	-	0	2	5.6	1	3.1
Horry	4	2.0	9	1.6	9	1.9
Jasper	-	0	2	4.8	-	0
Kershaw	1	2.1	3	2.0	1	0.8
Lancaster	-	0	-	0	1	0.6
Laurens	2	3.5	5	2.8	5	3.0
Lee	-	0	-	0	-	0
Lexington	6	2.6	18	2.5	11	1.5
McCormick	-	0	-	0	-	0
Marion	2	10.7	2	3.6	1	2.0
Marlboro	-	0	3	5.8	-	0
Newberry	1	3.1	2	2.2	2	2.5
Oconee	1	1.4	3	1.4	3	1.5
Orangeburg	-	0	1	0.8	3	2.4
Pickens	3	2.4	12	3.2	10	2.8
Richland	1	0.5	7	1.2	4	0.7
Saluda	-	0	-	0	-	0
Spartanburg	7	2.7	17	2.3	18	2.5
Sumter	1	1.3	6	2.5	2	0.8
Union	1	4.2	1	1.4	4	5.7
Williamsburg	-	0	-	0	-	0
York	3	1.7	9	1.8	11	2.4

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A. (cont.)
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2001, 1999-2001, 1996-1998
 (Residence Data)
 Black and Other

County of Residence	2001		1999-2001		1996-1998	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	88	4.4	267	4.4	235	4.1
Abbeville	1	7.9	2	5.5	-	0
Aiken	4	6.6	12	6.7	10	5.8
Allendale	2	12.7	4	9.0	1	2.4
Anderson	2	4.2	7	4.8	8	5.6
Bamberg	1	6.9	4	8.9	2	4.8
Barnwell	1	5.2	5	8.9	2	3.8
Beaufort	2	3.6	9	5.5	-	0
Berkeley	1	1.6	5	2.6	5	2.8
Calhoun	-	0	-	0	-	0
Charleston	5	2.6	22	3.8	17	3.1
Cherokee	5	27.3	5	8.9	6	10.9
Chester	-	0	4	5.8	4	6.1
Chesterfield	1	4.4	1	1.3	5	7.2
Clarendon	1	3.6	4	5.0	-	0
Colleton	2	6.7	3	3.6	2	2.7
Darlington	3	6.1	7	4.7	8	5.5
Dillon	4	16.0	5	6.3	2	2.4
Dorchester	2	5.7	6	5.7	7	7.4
Edgefield	-	0	-	0	1	2.7
Fairfield	-	0	1	1.5	3	4.7
Florence	4	4.5	15	5.5	13	5.2
Georgetown	-	0	5	4.5	2	1.8
Greenville	5	3.9	8	2.1	13	3.7
Greenwood	2	5.8	2	1.9	2	1.9
Hampton	-	0	2	3.6	2	3.6
Horry	3	4.8	11	5.9	13	8.0
Jasper	-	0	-	0	3	6.0
Kershaw	-	0	-	0	3	4.8
Lancaster	2	8.2	8	10.2	2	2.8
Laurens	3	13.2	4	5.5	3	3.8
Lee	-	0	1	1.6	3	5.5
Lexington	2	3.3	6	3.4	5	3.0
McCormick	1	20.4	1	6.0	2	10.9
Marion	2	6.5	4	4.2	6	6.3
Marlboro	-	0	2	2.7	3	4.0
Newberry	1	4.9	5	8.4	-	0
Oconee	-	0	1	3.7	1	3.4
Orangeburg	4	4.5	10	3.7	9	3.7
Pickens	-	0	1	3.1	1	2.8
Richland	12	5.2	38	5.2	27	3.8
Saluda	1	10.6	4	14.8	1	3.9
Spartanburg	1	1.2	12	4.7	9	3.4
Sumter	1	1.2	10	3.8	13	5.0
Union	-	0	-	0	1	2.3
Williamsburg	4	9.8	6	4.9	9	8.3
York	3	5.0	5	2.8	6	4.0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-6.
Fetal Mortality and Fetal Mortality Rates¹ by Race
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	559	9.9	231	6.4	328	16.1
Abbeville	4	10.7	2	8.1	2	15.6
Aiken	15	7.9	8	6.2	7	11.4
Allendale	2	10.9	-	0	2	12.5
Anderson	18	7.9	5	2.8	13	26.5
Bamberg	2	9.4	1	14.7	1	6.9
Barnwell	8	23.1	4	26.5	4	20.4
Beaufort	25	12.7	8	5.7	17	29.9
Berkeley	16	7.3	8	5.1	8	12.4
Calhoun	1	6.2	-	0	1	12.8
Charleston	36	7.8	15	5.7	21	10.7
Cherokee	3	4.3	1	2.0	2	10.8
Chester	1	2.3	-	0	1	4.8
Chesterfield	6	10.4	3	8.6	3	13.1
Clarendon	11	23.9	1	5.9	10	34.4
Colleton	1	1.6	-	0	1	3.3
Darlington	9	9.5	3	6.6	6	12.0
Dillon	5	10.4	1	4.4	4	15.7
Dorchester	9	7.3	6	6.8	3	8.5
Edgefield	4	14.2	1	6.3	3	24.6
Fairfield	1	3.1	-	0	1	4.6
Florence	21	10.9	10	9.7	11	12.3
Georgetown	5	6.2	1	2.3	4	10.6
Greenville	70	12.5	40	9.3	30	23.1
Greenwood	13	14.0	3	5.2	10	28.2
Hampton	10	30.7	1	8.1	9	44.3
Horry	19	7.3	12	6.1	7	11.1
Jasper	6	17.4	2	13.0	4	21.1
Kershaw	7	10.0	5	10.2	2	9.4
Lancaster	5	6.2	2	3.6	3	12.2
Laurens	2	2.5	1	1.7	1	4.4
Lee	1	3.5	-	0	1	4.5
Lexington	36	12.1	25	10.6	11	18.1
McCormick	1	12.3	-	0	1	20.0
Marion	10	19.7	2	10.6	8	25.2
Marlboro	2	5.0	-	0	2	8.2
Newberry	3	5.7	3	9.3	-	0
Oconee	8	10.1	6	8.5	2	22.2
Orangburg	14	11.0	-	0	14	15.5
Pickens	8	5.9	7	5.5	1	10.2
Richland	60	13.9	11	5.6	49	20.9
Saluda	1	3.7	1	5.7	-	0
Spartanburg	35	10.1	18	6.9	17	19.3
Sumter	12	7.4	2	2.6	10	11.8
Union	8	21.3	4	16.4	4	30.5
Williamsburg	9	16.4	1	7.6	8	19.1
York	16	6.8	7	4.0	9	14.7

¹ Rate calculated per 1,000 deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-7.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	559	4	111	146	131	93	48	16	1	9
Abbeville	4	-	1	-	1	1	-	1	-	-
Aiken	15	-	-	7	3	5	-	-	-	-
Allendale	2	-	-	-	-	1	1	-	-	-
Anderson	18	-	3	5	2	2	5	-	1	-
Bamberg	2	-	-	1	1	-	-	-	-	-
Barnwell	8	-	3	1	1	3	-	-	-	-
Beaufort	25	2	4	3	7	4	3	-	-	2
Berkeley	16	-	1	4	6	2	2	-	-	1
Calhoun	1	-	-	1	-	-	-	-	-	-
Charleston	36	1	5	9	9	7	4	-	-	1
Cherokee	3	-	2	-	-	-	1	-	-	-
Chester	1	-	-	1	-	-	-	-	-	-
Chesterfield	6	-	3	2	1	-	-	-	-	-
Clarendon	11	-	3	4	3	1	-	-	-	-
Colleton	1	-	-	-	-	-	1	-	-	-
Darlington	9	-	1	4	3	1	-	-	-	-
Dillon	5	-	-	1	3	-	-	1	-	-
Dorchester	9	-	2	1	1	5	-	-	-	-
Edgefield	4	-	-	3	-	-	-	1	-	-
Fairfield	1	-	-	-	-	1	-	-	-	-
Florence	21	-	8	6	4	2	1	-	-	-
Georgetown	5	-	1	-	3	1	-	-	-	-
Greenville	70	-	9	20	16	14	8	3	-	-
Greenwood	13	-	4	6	-	2	1	-	-	-
Hampton	10	-	1	3	5	1	-	-	-	-
Horry	19	-	3	7	3	3	2	-	-	1
Jasper	6	-	-	-	4	1	-	1	-	-
Kershaw	7	-	2	-	4	1	-	-	-	-
Lancaster	5	-	1	2	2	-	-	-	-	-
Laurens	2	-	-	-	-	1	1	-	-	-
Lee	1	-	-	-	1	-	-	-	-	-
Lexington	36	-	4	6	9	8	3	3	-	3
McCormick	1	-	-	-	-	1	-	-	-	-
Marion	10	-	2	5	1	1	1	-	-	-
Marlboro	2	-	1	-	-	-	-	1	-	-
Newberry	3	-	-	1	1	-	-	1	-	-
Oconee	8	-	-	3	4	1	-	-	-	-
Orangeburg	14	-	4	4	5	1	-	-	-	-
Pickens	8	-	5	2	-	-	1	-	-	-
Richland	60	-	14	17	13	9	6	1	-	-
Saluda	1	-	-	-	-	-	1	-	-	-
Spartanburg	35	1	10	5	9	6	2	2	-	-
Sumter	12	-	4	4	2	1	1	-	-	-
Union	8	-	3	1	2	2	-	-	-	-
Williamsburg	9	-	3	2	1	1	1	-	-	1
York	16	-	4	5	1	3	2	1	-	-

Table F-7A.
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2001
(Residence Data)
White

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	231	1	38	54	47	48	25	10	-	8
Abbeville	2	-	-	-	-	1	-	1	-	-
Aiken	8	-	-	2	3	3	-	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	5	-	1	1	-	1	2	-	-	-
Bamberg	1	-	-	-	1	-	-	-	-	-
Barnwell	4	-	2	1	-	1	-	-	-	-
Beaufort	8	-	-	1	2	2	1	-	-	2
Berkeley	8	-	-	3	2	2	-	-	-	1
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	15	-	2	4	5	1	2	-	-	1
Cherokee	1	-	-	-	-	-	1	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-
Chesterfield	3	-	2	-	1	-	-	-	-	-
Clarendon	1	-	-	1	-	-	-	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	-
Darlington	3	-	-	2	-	1	-	-	-	-
Dillon	1	-	-	-	-	-	-	1	-	-
Dorchester	6	-	2	1	-	3	-	-	-	-
Edgefield	1	-	-	1	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-
Florence	10	-	5	2	1	1	1	-	-	-
Georgetown	1	-	-	-	-	1	-	-	-	-
Greenville	40	-	3	12	6	10	7	2	-	-
Greenwood	3	-	-	2	-	1	-	-	-	-
Hampton	1	-	-	-	1	-	-	-	-	-
Horry	12	-	1	4	2	3	1	-	-	1
Jasper	2	-	-	-	1	1	-	-	-	-
Kershaw	5	-	1	-	3	1	-	-	-	-
Lancaster	2	-	-	-	2	-	-	-	-	-
Laurens	1	-	-	-	-	-	1	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	25	-	4	3	5	6	1	3	-	3
MCCormick	-	-	-	-	-	-	-	-	-	-
Marion	2	-	1	-	-	-	1	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-
Newberry	3	-	-	1	1	-	-	1	-	-
Oconee	6	-	-	2	4	-	-	-	-	-
Orangeburg	-	-	-	-	-	-	-	-	-	-
Pickens	7	-	5	1	-	-	1	-	-	-
Richland	11	-	1	3	-	3	3	1	-	-
Saluda	1	-	-	-	-	-	1	-	-	-
Spartanburg	18	1	3	4	6	3	1	-	-	-
Sumter	2	-	-	1	-	-	1	-	-	-
Union	4	-	2	-	-	2	-	-	-	-
Williamsburg	1	-	1	-	-	-	-	-	-	-
York	7	-	2	2	1	1	-	1	-	-

Table F-7A. (cont.)
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2001
(Residence Data)
Black and Other

County of Residence	Total Fetal Deaths	Age of Mother								
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	328	3	73	92	84	45	23	6	1	1
Abbeville	2	-	1	-	1	-	-	-	-	-
Aiken	7	-	-	5	-	2	-	-	-	-
Allendale	2	-	-	-	-	1	1	-	-	-
Anderson	13	-	2	4	2	1	3	-	1	-
Bamberg	1	-	-	1	-	-	-	-	-	-
Barnwell	4	-	1	-	1	2	-	-	-	-
Beaufort	17	2	4	2	5	2	2	-	-	-
Berkeley	8	-	1	1	4	-	2	-	-	-
Calhoun	1	-	-	1	-	-	-	-	-	-
Charleston	21	1	3	5	4	6	2	-	-	-
Cherokee	2	-	2	-	-	-	-	-	-	-
Chester	1	-	-	1	-	-	-	-	-	-
Chesterfield	3	-	1	2	-	-	-	-	-	-
Clarendon	10	-	3	3	3	1	-	-	-	-
Colleton	1	-	-	-	-	-	1	-	-	-
Darlington	6	-	1	2	3	-	-	-	-	-
Dillon	4	-	-	1	3	-	-	-	-	-
Dorchester	3	-	-	-	1	2	-	-	-	-
Edgefield	3	-	-	2	-	-	-	1	-	-
Fairfield	1	-	-	-	-	1	-	-	-	-
Florence	11	-	3	4	3	1	-	-	-	-
Georgetown	4	-	1	-	3	-	-	-	-	-
Greenville	30	-	6	8	10	4	1	1	-	-
Greenwood	10	-	4	4	-	1	1	-	-	-
Hampton	9	-	1	3	4	1	-	-	-	-
Horry	7	-	2	3	1	-	1	-	-	-
Jasper	4	-	-	-	3	-	-	1	-	-
Kershaw	2	-	1	-	1	-	-	-	-	-
Lancaster	3	-	1	2	-	-	-	-	-	-
Laurens	1	-	-	-	-	1	-	-	-	-
Lee	1	-	-	-	1	-	-	-	-	-
Lexington	11	-	-	3	4	2	2	-	-	-
MCCormick	1	-	-	-	-	1	-	-	-	-
Marion	8	-	1	5	1	1	-	-	-	-
Marlboro	2	-	1	-	-	-	-	1	-	-
Newberry	-	-	-	-	-	-	-	-	-	-
Oconee	2	-	-	1	-	1	-	-	-	-
Orangeburg	14	-	4	4	5	1	-	-	-	-
Pickens	1	-	-	1	-	-	-	-	-	-
Richland	49	-	13	14	13	6	3	-	-	-
Saluda	17	-	7	1	3	3	1	2	-	-
Spartanburg	-	-	-	-	-	-	-	-	-	-
Sumter	10	-	4	3	2	1	-	-	-	-
Union	4	-	1	1	2	-	-	-	-	-
Williamsburg	8	-	2	2	1	1	1	-	-	1
York	9	-	2	3	-	2	2	-	-	-

Table F-8.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	896	15.9	366	10.2	530	26.1
Abbeville	7	18.7	3	12.1	4	31.3
Aiken	31	16.3	18	14.0	13	21.2
Allendale	2	10.9	-	0	2	12.5
Anderson	27	11.9	12	6.8	15	30.6
Bamberg	4	18.8	1	14.7	3	20.7
Barnwell	12	34.6	4	26.5	8	40.8
Beaufort	31	15.7	9	6.4	22	38.7
Berkeley	29	13.2	16	10.2	13	20.2
Calhoun	3	18.5	1	11.9	2	25.6
Charleston	74	16.0	25	9.4	49	25.0
Cherokee	8	11.5	3	5.9	5	27.0
Chester	2	4.6	-	0	2	9.6
Chesterfield	9	15.5	5	14.3	4	17.5
Clarendon	14	30.4	1	5.9	13	44.7
Colleton	7	11.5	1	3.2	6	20.1
Darlington	21	22.1	7	15.5	14	28.1
Dillon	7	14.6	1	4.4	6	23.6
Dorchester	18	14.5	9	10.1	9	25.6
Edgefield	6	21.3	1	6.3	5	41.0
Fairfield	1	3.1	-	0	1	4.6
Florence	39	20.2	16	15.5	23	25.7
Georgetown	12	14.8	1	2.3	11	29.0
Greenville	93	16.6	53	12.3	40	30.8
Greenwood	17	18.3	5	8.7	12	33.9
Hampton	10	30.7	1	8.1	9	44.3
Horry	34	13.0	14	7.1	20	31.8
Jasper	12	34.8	7	45.5	5	26.3
Kershaw	14	20.0	11	22.5	3	14.2
Lancaster	9	11.1	4	7.1	5	20.3
Laurens	6	7.5	4	7.0	2	8.7
Lee	4	14.0	-	0	4	18.1
Lexington	47	15.8	33	13.9	14	23.0
McCormick	1	12.3	-	0	1	20.0
Marion	15	29.6	3	15.9	12	37.7
Marlboro	7	17.4	-	0	7	28.8
Newberry	9	17.1	4	12.4	5	24.5
Oconee	11	13.9	9	12.8	2	22.2
Orangburg	25	19.6	1	2.7	24	26.5
Pickens	12	8.8	11	8.7	1	10.2
Richland	76	17.6	16	8.2	60	25.6
Saluda	3	11.2	1	5.7	2	21.3
Spartanburg	48	13.8	29	11.2	19	21.6
Sumter	24	14.8	6	7.7	18	21.3
Union	9	23.9	5	20.5	4	30.5
Williamsburg	16	29.1	1	7.6	15	35.9
York	30	12.7	14	8.0	16	26.1

¹ Rate per 1,000 deliveries

Table F-9.
 Causes of Maternal Death¹ by Age of Mother
 South Carolina, 2001
 (Residence Data)

Cause of Maternal Death	Age								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	7	-	-	-	4	2	1	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	-	-	-	-	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other Pregnancy with Abortive Outcome (O01-O02,O06-O07)	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92)	6	-	-	-	4	2	-	-	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	-	-	1	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67, O72)	-	-	-	-	-	-	-	-	-
3. Complications Predominately Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	1	-	-	-	1	-	-	-	-
Other Complications Predominately Related to Puerperium (O85-O87,O89-O92)	3	-	-	-	3	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	1	-	-	-	-	1	-	-	-
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy, Child Birth and the Puerperium (O96-O97)	-	-	-	-	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	1	-	-	-	-	-	1	-	-

¹Classified and Coded According to ICD-10

Table F-9A.
 Causes of Maternal Death¹ by Age and Race of Mother
 South Carolina, 2001
 (Residence Data)

Cause of Maternal Death	White									Black and Other								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Complications of Pregnancy, Childbirth, and the Puerperium (O00-O99)	2	-	-	-	-	2	-	-	-	5	-	-	-	4	-	1	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (O10-O92).	2	-	-	-	-	2	-	-	-	4	-	-	-	4	-	-	-	-
1. Eclampsia and Pre-Eclampsia(O11, O13-O16)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20,O44-O46,O67,O72)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Complications Predominantly Related to Puerperium (O85-O92)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87,O89-O92)	-	-	-	-	-	-	-	-	-	3	-	-	-	3	-	-	-	-
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
III. Obstetric Death of Unspecified Cause (O95)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV. Other Deaths Related to Pregnancy,Childbirth and the Puerperium (O96-O97)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V. Indirect Obstetric Deaths (O98-O99)	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-

¹Classified & Coded According to ICD-10

The State Flower


“ The Yellow Jasmine”



Officially adopted by the General Assembly in 1924

DEATH

Figure G-1
Death Rates* by County
South Carolina, 2001
(Residence Data)



Death Rates

- 6.6 - 7.8
- 7.9 - 9.4
- 9.5 - 10.8
- 10.9 - 12.2

*Rates calculated per 1,000 population

Map Source: GIS Lab, Division of Biostatistics and Health GIS, PHSIS, SC DHEC
Data Source: Division of Biostatistics and Health GIS, PHSIS SC DHEC

Table G-1.
Total Deaths and Death Rates¹ by Race
South Carolina, 1977-2001
(Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	25,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2
1986	28,122	8.2	19,098	8.2	9,024	8.3
1987	28,470	8.3	19,437	8.3	9,033	8.3
1988	29,397*	8.4	19,951	8.3	9,443	8.4
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621*	8.5	20,192	8.4	9,427	8.8
1991	29,851*	8.4	20,364	8.3	9,482	8.6
1992	30,565*	8.5	20,945	8.4	9,617	8.6
1993	31,943*	8.8	21,939	8.7	10,002	8.9
1994	32,223*	8.8	22,295	8.8	9,927	8.8
1995	33,500*	9.1	23,342	9.2	10,152	9.0
1996	34,035*	9.2	23,585	9.2	10,448	9.2
1997	33,659*	9.0	23,362	9.0	10,276	8.8
1998	34,781*	9.1	24,428	9.2	10,333	8.7
1999	35,972*	9.3	25,432	9.5	10,523	8.8
2000	36,816*	9.2	26,013	9.5	10,785	8.5
2001	36,576*	9.0	25,781	9.2	10,782	8.5

¹ Rates per 1,000 population

* Includes unknown race

Figure G-2.
Death Rates by Race
South Carolina, 1977-2001
(Residence Data)




Table G-2.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2001
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	36,576 *	100.0	25,781	100.0	10,782	100.0
Ten Leading Causes, All Ages	28,207	77.1	20,176	78.3	8,026	74.4
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	9,496 *	26.0	6,852	26.6	2,640	24.5
Malignant Neoplasms (C00-C97)	8,262	22.6	5,995	23.3	2,267	21.0
Cerebrovascular Disease (I60-I69)	2,829	7.7	1,881	7.3	948	8.8
Accidents (V01-X59, Y85-Y86)	1,995	5.5	1,389	5.4	606	5.6
Chronic Lower Respiratory Disease (J40-J47)	1,728	4.7	1,500	5.8	228	2.1
Diabetes Mellitus (E10-E14)	1,089 *	3.0	608	2.4	480	4.5
Alzheimer's Disease (G30)	882	2.4	707	2.7	175	1.6
Pneumonia and Influenza (J10-J18)	752	2.1	536	2.1	216	2.0
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	632	1.7	365	1.4	267	2.5
Septicemia (A40-A41)	542	1.5	343	1.3	199	1.8
All Other Causes	8,369 *	22.9	5,605	21.7	2,756	25.6

* Includes unknown race

Figure G-3.
Percent Distribution of the Ten Leading Causes of Death by Gender
South Carolina, 2001
(Residence Data)




Table G-2A.
Mortality from Ten Leading Causes of Death
by Race and Gender
South Carolina, 2001
(Residence Data)

MALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	18,579	100.0	12,969	100.0	5,602	100.0
Ten Leading Causes, All Ages	14,557	78.4	10,413	80.3	4,139	73.9
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	4,853 *	26.1	3,520	27.1	1,329	23.7
Malignant Neoplasms (C00-C97)	4,587	24.7	3,304	25.5	1,283	22.9
Accidents (V01-X59, Y85-Y86)	1,370	7.4	926	7.1	444	7.9
Cerebrovascular Disease (I60-I69)	1,099	5.9	683	5.3	416	7.4
Chronic Lower Respiratory Disease (J40-J47)	891	4.8	762	5.9	129	2.3
Diabetes Mellitus (E10-E14)	497 *	2.7	312	2.4	184	3.3
Suicide (X60-X84, X87.0)	362	1.9	311	2.4	51	0.9
Pneumonia and Influenza (J10-J18)	326	1.8	215	1.7	111	2.0
Chronic Liver Disease and Cirrhosis (K70, K73-K74)	282	1.5	203	1.6	79	1.4
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	290	1.6	177	1.4	113	2.0
All Other Causes	4,022 *	21.6	2,556	19.7	1,463	26.1

FEMALES						
Cause of Death (ICD-10 Code)	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	17,997 *	100.0	12,812	100.0	5,180	100.0
Ten Leading Causes, All Ages	13,777	76.6	9,902	77.3	3,875	74.8
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	4,643	25.8	3,332	26.0	1,311	25.3
Malignant Neoplasms (C00-C97)	3,675	20.4	2,691	21.0	984	19.0
Cerebrovascular Disease (I60-I69)	1,730	9.6	1,198	9.4	532	10.3
Chronic Lower Respiratory Disease (J40-J47)	837	4.7	738	5.8	99	1.9
Alzheimer's Disease (G30)	627	3.5	500	3.9	127	2.5
Accidents (V01-X59, Y85-Y86)	625	3.5	463	3.6	162	3.1
Diabetes Mellitus (E10-E14)	592	3.3	296	2.3	296	5.7
Pneumonia and Influenza (J10-J18)	426	2.4	321	2.5	105	2.0
Nephritis, Nephrotic Syndrome, Nephrosis (N00-N07, N17-N19, N25-N27)	342	1.9	188	1.5	154	3.0
Septicemia (A40-A41)	280	1.6	175	1.4	105	2.0
All Other Causes	4,220 *	23.4	2,910	22.7	1,305	25.2

* Includes unknown race

Table G-3.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2001
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	496	100.0	206	100.0	290	100.0
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	75	15.1	49	23.8	26	9.0
Disorders Relating to Short Gest, Etc. (P07)	74	14.9	20	9.7	54	18.6
Newborn Affected by Maternal Complications of Pregnancy (P01)	44	8.9	19	9.2	25	8.6
Sudden Infant Death Syndrome (R95)	38	7.7	18	8.7	20	6.9
Respiratory Distress of Newborn (P22)	29	5.8	11	5.3	18	6.2
All Other Causes	236	47.6	89	43.2	147	50.7
1 - 4 Years						
All Causes	79	100.0	47	100.0	32	100.0
Accidents (V01-X59, Y85-Y86)	29	36.7	20	42.6	9	28.1
Malignant Neoplasms (C00-C97)	8	10.1	7	14.9	1	3.1
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	8	10.1	4	8.5	4	12.5
Homicide (X85-Y09, Y87.1)	6	7.6	3	6.4	3	9.4
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	5	6.3	1	2.1	4	12.5
All Other Causes	23	29.1	12	25.5	11	34.4
5 - 14 Years						
All Causes	135	100.0	86	100.0	49	100.0
Accidents (V01-X59, Y85-Y86)	66	48.9	41	47.7	25	51.0
Malignant Neoplasms (C00-C97)	9	6.7	7	8.1	2	4.1
Homicide (X85-Y09, Y87.1)	9	6.7	5	5.8	4	8.2
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	7	5.2	6	7.0	1	2.0
Benign Neoplasms (D10-D36)	6	4.4	5	5.8	1	2.0
All Other Causes	38	28.1	22	25.6	16	32.7
15-24 Years						
All Causes	589	100.0	357	100.0	232	100.0
Accidents (V01-X59, Y85-Y86)	327	55.5	230	64.4	97	41.8
Homicide (X85-Y09, Y87.1)	82	13.9	23	6.4	59	25.4
Suicide (X60-X84, Y87.0)	53	9.0	43	12.0	10	4.3
Malignant Neoplasms (C00-C97)	23	3.9	17	4.8	6	2.6
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	17	2.9	5	1.4	12	5.2
All Other Causes	87	14.8	39	10.9	48	20.7
25 - 44 Years						
All Causes	2,563 *	100.0	1,444	100.0	1,117	100.0
Accidents (V01-X59, Y85-Y86)	606	23.6	414	28.7	192	17.2
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	372	14.5	218	15.1	154	13.8
Malignant Neoplasms (C00-C97)	344	13.4	185	12.8	159	14.2
Suicide (X60-X84, Y87.0)	200	7.8	173	12.0	27	2.4
HIV (B20-B24)	198	7.7	48	3.3	150	13.4
All Other Causes	843 *	32.9	406	28.1	435	38.9
45 - 64 Years						
All Causes	7,641 *	100.0	4,740	100.0	2,897	100.0
Malignant Neoplasms (C00-C97)	2,361	30.9	1,600	33.8	761	26.3
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,880 *	24.6	1,151	24.3	727	25.1
Accidents (V01-X59, Y85-Y86)	435	5.7	280	5.9	155	5.4
Cerebrovascular Disease (I60-I69)	377	4.9	171	3.6	206	7.1
Chronic Lower Respiratory Disease (J40-J47)	278	3.6	223	4.7	55	1.9
All Other Causes	2,310 *	30.2	1,315	27.7	993	34.3
65 - 74 Years						
All Causes	7,081 *	100.0	5,040	100.0	2,037	100.0
Malignant Neoplasms (C00-C97)	2,291	32.4	1,727	34.3	564	27.7
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,830 *	25.8	1,265	25.1	563	27.6
Chronic Lower Respiratory Disease (J40-J47)	473	6.7	408	8.1	65	3.2
Cerebrovascular Disease (I60-I69)	446	6.3	259	5.1	187	9.2
Diabetes Mellitus (E10-E14)	283	4.0	153	3.0	130	6.4
All Other Causes	1,758 *	24.8	1,228	24.4	528	25.9
75 Years & Over						
All Causes	17,987 *	100.0	13,858	100.0	4,126	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	5,373	29.9	4,203	30.3	1,170	28.4
Malignant Neoplasms (C00-C97)	3,225	17.9	2,452	17.7	773	18.7
Cerebrovascular Disease (I60-I69)	1,927	10.7	1,421	10.3	506	12.3
Chronic Lower Respiratory Disease (J40-J47)	944	5.2	853	6.2	91	2.2
Alzheimer's Disease (G30)	803	4.5	643	4.6	160	3.9
All Other Causes	5,715 *	31.8	4,286	30.9	1,426	34.6

* Includes unknown race

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2001
(Residence Data)
Males

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	281	100.0	119	100.0	162	100.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	47	16.7	30	25.2	17	10.5
Disorders Relating to Short Gest, Etc. (P07)	44	15.7	15	12.6	29	17.9
Newborn Aff by Maternal Comp of Preg (P01)	24	8.5	10	8.4	14	8.6
Sudden Infant Death Syndrome (R95)	23	8.2	10	8.4	13	8.0
Respiratory Distress of Newborn (P22)	18	6.4	8	6.7	10	6.2
All Other Causes	125	44.5	46	38.7	79	48.8
1 - 4 Years						
All Causes	50	100.0	31	100.0	19	100.0
Accidents (V01-X59, Y85-Y86)	19	38.0	15	48.4	4	21.1
Malignant Neoplasms (C00-C97)	5	10.0	5	16.1	-	0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	4	8.0	2	6.5	2	10.5
Homicide (X85-Y09, Y87.1)	4	8.0	1	3.2	3	15.8
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	3	6.0	1	3.2	2	10.5
All Other Causes	15	30.0	7	22.6	8	42.1
5 - 14 Years						
All Causes	77	100.0	48	100.0	29	100.0
Accidents (V01-X59, Y85-Y86)	38	49.4	23	47.9	15	51.7
Malignant Neoplasms (C00-C97)	7	9.1	5	10.4	2	6.9
Benign Neoplasms (D10-D36)	4	5.2	3	6.3	1	3.4
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q09)	3	3.9	3	6.3	-	0
Homicide (X85-Y09, Y87.1)	3	3.9	2	4.2	1	3.4
All Other Causes	22	28.6	12	25.0	10	34.5
15-24 Years						
All Causes	438	100.0	263	100.0	175	100.0
Accidents (V01-X59, Y85-Y86)	259	59.1	180	68.4	79	45.1
Homicide (X85-Y09, Y87.1)	66	15.1	15	5.7	51	29.1
Suicide (X60-X84, Y87.0)	46	10.5	37	14.1	9	5.1
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	13	3.0	4	1.5	9	5.1
Malignant Neoplasms (C00-C97)	11	2.5	9	3.4	2	1.1
All Other Causes	43	9.8	18	6.8	25	14.3
25 - 44 Years						
All Causes	1,657 *	100.0	975	100.0	681	100.0
Accidents (V01-X59, Y85-Y86)	466	28.1	309	31.7	157	23.1
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	256	15.4	163	16.7	93	13.7
Suicide (X60-X84, Y87.0)	159	9.6	134	13.7	25	3.7
Malignant Neoplasms (C00-C97)	145	8.8	75	7.7	70	10.3
HIV (B20-B24)	134	8.1	41	4.2	93	13.7
All Other Causes	497 *	30.0	253	25.9	243	35.7
45 - 64 Years						
All Causes	4,761 *	100.0	2,974	100.0	1,785	100.0
Malignant Neoplasms (C00-C97)	1,359	28.5	905	30.4	454	25.4
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,335 *	28.0	859	28.9	474	26.6
Accidents (V01-X59, Y85-Y86)	309	6.5	189	6.4	120	6.7
Cerebrovascular Disease (I60-I69)	212	4.5	95	3.2	117	6.6
Diabetes Mellitus (E10-E14)	163	3.4	94	3.2	69	3.9
All Other Causes	1,383	29.0	832	28.0	551	30.9
65 - 74 Years						
All Causes	4,053 *	100.0	2,928	100.0	1,122	100.0
Malignant Neoplasms (C00-C97)	1,390	34.3	1,041	35.6	349	31.1
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	1,109 *	27.4	795	27.2	312	27.8
Chronic Lower Respiratory Disease (J40-J47)	262	6.5	223	7.6	39	3.5
Cerebrovascular Disease (I60-I69)	222	5.5	129	4.4	93	8.3
Diabetes Mellitus (E10-E14)	140	3.5	88	3.0	52	4.6
All Other Causes	930 *	22.9	652	22.3	277	24.7
75 Years & Over						
All Causes	7,260 *	100.0	5,630	100.0	1,628	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	2,130	29.3	1,694	30.1	436	26.8
Malignant Neoplasms (C00-C97)	1,669	23.0	1,264	22.5	405	24.9
Cerebrovascular Disease (I60-I69)	629	8.7	444	7.9	185	11.4
Chronic Lower Respiratory Disease (J40-J47)	471	6.5	421	7.5	50	3.1
Alzheimer's Disease (G30)	214	2.9	176	3.1	38	2.3
Pneumonia and Influenza J10-J18)	214	2.9	163	2.9	51	3.1
All Other Causes	1,933 *	26.6	1,468	26.1	463	28.4

* Includes unknown race

Table G-3A. (cont.)
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2001
(Residence Data)

Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	215	100.0	87	100.0	128	100.0
Disorders Relating to Short Gest, Etc. (P07)	30	14.0	5	5.7	25	19.5
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	28	13.0	19	21.8	9	7.0
Newborn Affected by Maternal Complications of Pregnancy (P01)	20	9.3	9	10.3	11	8.6
Accidents (V01-X59, Y85-Y86)	18	8.4	12	13.8	6	4.7
Sudden Infant Death Syndrome (R95)	15	7.0	8	9.2	7	5.5
All Other Causes	104	48.4	34	39.1	70	54.7
1 - 4 Years						
All Causes	29	100.0	16	100.0	13	100.0
Accidents (V01-X59, Y85-Y86)	10	34.5	5	31.3	5	38.5
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	4	13.8	2	12.5	2	15.4
Malignant Neoplasms (C00-C97)	3	10.3	2	12.5	1	7.7
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	2	6.9	-	0	2	15.4
Homicide (X85-Y09, Y87.1)	2	6.9	2	12.5	-	0
All Other Causes	8	27.6	5	31.3	3	23.1
5 - 14 Years						
All Causes	58	100.0	38	100.0	20	100.0
Accidents (V01-X59, Y85-Y86)	28	48.3	18	47.4	10	50.0
Homicide (X85-Y09, Y87.1)	6	10.3	3	7.9	3	15.0
Congenital Malform., Deform., Chromosomal Abn. (Q00-Q09)	4	6.9	3	7.9	1	5.0
Chronic Lower Respiratory Disease (J40-J47)	3	5.2	2	5.3	1	5.0
All Other Causes	17	29.3	12	31.6	5	25.0
15-24 Years						
All Causes	151	100.0	94	100.0	57	100.0
Accidents (V01-X59, Y85-Y86)	68	45.0	50	53.2	18	31.6
Homicide (X85-Y09, Y87.1)	16	10.6	8	8.5	8	14.0
Malignant Neoplasms (C00-C97)	12	7.9	8	8.5	4	7.0
Suicide (X60-X84, Y87.0)	7	4.6	6	6.4	1	1.8
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	4	2.6	1	1.1	3	5.3
All Other Causes	44	29.1	21	22.3	23	40.4
25 - 44 Years						
All Causes	906 *	100.0	469	100.0	436	100.0
Malignant Neoplasms (C00-C97)	199	22.0	110	23.5	89	20.4
Accidents (V01-X59, Y85-Y86)	140	15.5	105	22.4	35	8.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	116	12.8	55	11.7	61	14.0
HIV (B20-B24)	64	7.1	7	1.5	57	13.1
Suicide (X60-X84, Y87.0)	41	4.5	39	8.3	2	0.5
All Other Causes	346 *	38.2	153	32.6	192	44.0
45 - 64 Years						
All Causes	2,880 *	100.0	1,766	100.0	1,112	100.0
Malignant Neoplasms (C00-C97)	1,002	34.8	695	39.4	307	27.6
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	545	18.9	292	16.5	253	22.8
Cerebrovascular Disease (I60-I69)	165	5.7	76	4.3	89	8.0
Chronic Lower Respiratory Disease (J40-J47)	134	4.7	110	6.2	24	2.2
Accidents (V01-X59, Y85-Y86)	126	4.4	91	5.2	35	3.1
All Other Causes	908 *	31.5	502	28.4	404	36.3
65 - 74 Years						
All Causes	3,028 *	100.0	2,112	100.0	915	100.0
Malignant Neoplasms (C00-C97)	901	29.8	686	32.5	215	23.5
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	721	23.8	470	22.3	251	27.4
Cerebrovascular Disease (I60-I69)	224	7.4	130	6.2	94	10.3
Chronic Lower Respiratory Disease (J40-J47)	211	7.0	185	8.8	26	2.8
Diabetes Mellitus (E10-E14)	143	4.7	65	3.1	78	8.5
All Other Causes	828 *	27.3	576	27.3	251	27.4
75 Years & Over						
All Causes	10,727 *	100.0	8,228	100.0	2,498	100.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	3,243	30.2	2,509	30.5	734	29.4
Malignant Neoplasms (C00-C97)	1,556	14.5	1,188	14.4	368	14.7
Cerebrovascular Disease (I60-I69)	1,298	12.1	977	11.9	321	12.9
Alzheimer's Disease (G30)	589	5.5	467	5.7	122	4.9
Chronic Lower Respiratory Disease (J40-J47)	473	4.4	432	5.3	41	1.6
All Other Causes	3,568 *	33.3	2,655	32.3	912	36.5

* Includes unknown race

Table G-4.
Percent Distribution of Deaths by Race and Age
South Carolina, 1980,1990 and 2000
(Residence Data)

Age at Death	Total			White			Black & Other		
	1980	1990	2000	1980	1990	2000	1980	1990	2000
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	3.2	2.3	0.5	2.0	1.4	0.7	5.7	4.1	2.7
01-04	0.6	0.4	0.1	0.5	0.3	0.1	0.9	0.5	0.4
05-09	0.0	0.2	0.1	0.3	0.2	0.1	0.4	0.3	0.3
10-14	0.3	0.3	0.1	0.3	0.2	0.1	0.4	0.4	0.2
15-19	1.2	0.9	0.5	1.3	0.9	0.7	1.1	0.9	0.8
20-24	1.8	1.1	0.5	1.5	1.0	0.7	2.3	1.4	1.5
25-34	3.3	3.3	1.1	2.8	2.5	1.6	4.4	5.2	3.2
35-44	4.2	5.0	2.5	3.2	3.7	3.6	6.2	7.6	6.7
45-54	8.8	7.1	4.8	7.9	6.3	6.9	10.6	8.8	12.2
55-64	18.4	13.8	8.1	17.6	13.3	11.5	20.0	14.8	13.4
65-74	25.7	25.2	14.4	26.0	25.5	20.4	25.3	24.5	18.8
75 and Over	32.1	40.4	37.8	36.7	44.6	53.6	22.7	31.4	39.6

Table G-5.
Deaths from Major Cardiovascular Diseases
South Carolina, 2001
(Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00-I78)	13,159	36.0
Diseases of the Heart (I00-I09, I11, I13, I20-I51)	9,496	26.0
Essential Hypertension & Hypertensive Renal Disease (I11-I13)	367	1.0
Cerebrovascular Disease (I60-I69)	2,829	7.7
Atherosclerosis (I70)	88	0.2
Other Diseases of Circulatory System (I71-I78)	410	1.1

Table G-6.
 Distribution of Malignant Neoplasms by Site and Gender
 South Carolina, 2001
 (Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	8,262	100.0	4,587	100.0	3,675	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	141	1.7	110	2.4	31	0.8
Digestive Organs (C15-C26)	1,899	23.0	1,066	23.2	833	22.7
Respiratory and Intrathoracic Organs (C30-C39)	2,615	31.7	1,686	36.8	929	25.3
Breast (C50)	595	7.2	8	0.2	587	16.0
Female Genital Organs (C51-C58)	352	4.3	-	0	352	9.6
Vulva and Vagina (C51-C52)	(22)	(0.3)	(-)	(0)	(22)	(0.6)
Cervix Uteri (C53)	(69)	(0.8)	(-)	(0)	(69)	(1.9)
Corpus Uteri and Uterus, part unspecified (C54-C55)	(94)	(1.1)	(-)	(0)	(94)	(2.6)
Ovary (C56)	(161)	(1.9)	(-)	(0)	(161)	(4.4)
Other Female Genital Organs (C57, C58)	(6)	(0.1)	(-)	(0)	(6)	(0.2)
Male Genital Organs (C60-C63)	513	6.2	513	11.2	-	0
Prostate (C61)	(499)	(6.0)	(499)	(10.9)	(-)	(0)
Testis (C62)	(8)	(0.1)	(8)	(0.2)	(-)	(0)
Penis and Other Male Genital Organs (C60, C63)	(6)	(0.1)	(6)	(0.1)	(-)	(0)
Urinary Tract (C64-C68)	337	4.1	229	5.0	108	2.9
Leukemia (C91-C95)	262	3.2	172	3.7	129	3.5
Lymphatic & Hematopoietic Tissues (C96)	1	0.0	-	0	1	0.0

Table G-7.
Types of Accidental Deaths by Gender
South Carolina, 2001
(Residence Data)

	Total (V01-X59, Y85-Y86)	Transportation (V01-V99, Y85)	Poisoning (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Drowning (W65-W74)	Firearms (W32-W34)	Residual
Total	1,995	1,069	247	186	76	64	17	336
Male	1,370	797	156	104	50	55	13	195
Female	625	272	91	82	26	9	4	141

Table G-8.
Methods of Suicidal Deaths by Gender
South Carolina, 2001
(Residence Data)

	All Suicides (X60-X84, Y87)	Poisoning (X60-X68)	Hanging Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	All Other
Total	473	64	68	8	310	3	10	10
Male	362	38	60	3	245	2	6	8
Female	111	26	8	5	65	1	4	2

Table G-9.
Methods of Homicidal Deaths by Gender
South Carolina, 2001
(Residence Data)

	All Homicides (X85-Y09, Y87.1)	Fight, Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersion (Y21)	Firearms (X93-X95)	Cutting & Piercing (X99)	All Other
Total	351	5	-	18	2	229	21	76
Male	259	4	-	6	1	185	12	51
Female	92	1	-	12	1	44	9	25

Table G-10.
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
ALL CAUSES	TOTAL	36,576 *	496	79	53	82	247	342	816	1,747	3,084	4,557	7,081	17,987	5
	WM	12,969	119	31	18	30	114	149	326	649	1,107	1,867	2,928	5,630	1
	WF	12,812	87	16	16	22	49	45	138	331	622	1,144	2,112	8,228	2
	BOM	5,602	162	19	9	20	59	116	232	449	844	941	1,122	1,628	1
	BOF	5,180	128	13	10	10	25	32	120	316	509	603	915	2,498	1
SALMONELLA INFECTIONS (A01-A02)	TOTAL	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	1	-	-	-	-	-	-	-	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03, A06)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CERTAIN OTHER INFECTIONS (A04, A07-A09)	TOTAL	22	-	-	-	-	-	-	-	-	2	3	5	12	-
	WM	6	-	-	-	-	-	-	-	-	-	1	2	3	-
	WF	14	-	-	-	-	-	-	-	-	1	2	3	8	-
	BOM	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
TUBERCULOSIS (A16-A19)	TOTAL	9	-	-	-	-	-	-	-	2	1	3	-	3	-
	WM	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOM	4	-	-	-	-	-	-	-	1	1	-	-	2	-
	BOF	2	-	-	-	-	-	-	-	1	-	-	-	1	-
1. RESPIRATORY TUBERCULOSIS (A16)	TOTAL	7	-	-	-	-	-	-	-	1	1	2	-	3	-
	WM	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	4	-	-	-	-	-	-	-	1	1	-	-	2	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2. OTHER TUBERCULOSIS (A17-A19)	TOTAL	2	-	-	-	-	-	-	-	1	-	1	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	-	-	1	-	-	-	-	-
WHOOPING COUGH (A37)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	TOTAL	4	2	-	-	-	1	-	-	1	-	-	-	-	-
	WM	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	2	-	-	-	-	1	-	-	1	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
SEPTICEMIA (A40-A41)	TOTAL	542	8	-	-	1	2	2	13	22	42	66	107	279	-
	WM	168	2	-	-	1	-	1	6	4	13	20	36	85	-
	WF	175	1	-	-	-	-	-	3	6	10	14	31	110	-
	BOM	94	2	-	-	-	-	-	2	6	11	17	19	37	-
	BOF	105	3	-	-	-	2	1	2	6	8	15	21	47	-
SYPHILIS (A50-A53)	TOTAL	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	WM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MEASLES (B05)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	TOTAL	86	-	-	-	-	-	-	-	17	31	13	9	15	1
	WM	39	-	-	-	-	-	-	-	8	17	7	3	4	-
	WF	23	-	-	-	-	-	-	-	4	7	2	2	8	-
	BOM	16	-	-	-	-	-	-	-	4	6	2	2	1	1
	BOF	8	-	-	-	-	-	-	-	1	1	2	2	2	-
HIV INFECTION (B20-B24)	TOTAL	309	-	-	1	-	-	4	61	137	72	24	7	3	-
	WM	55	-	-	1	-	-	-	5	36	9	3	1	-	-
	WF	12	-	-	-	-	-	1	2	5	2	2	-	-	-
	BOM	164	-	-	-	-	-	3	31	62	45	16	5	2	-
	BOF	78	-	-	-	-	-	-	23	34	16	3	1	1	-
MALARIA (B50-B54)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED INFECTIONS & PARASITIC DISEASE **	TOTAL	98	4	-	-	1	1	1	2	3	15	12	21	38	-
	WM	40	-	-	-	-	-	-	-	2	5	5	11	17	-
	WF	27	-	-	-	1	1	-	1	-	2	6	7	9	-
	BOM	16	1	-	-	-	-	1	1	1	6	1	-	5	-
	BOF	15	3	-	-	-	-	-	-	-	2	-	3	7	-
MALIGNANT NEOPLASMS (C00-C97)	TOTAL	8,262	1	8	2	7	11	12	64	280	815	1,546	2,291	3,225	-
	WM	3,304	-	5	1	4	5	4	17	58	260	645	1,041	1,264	-
	WF	2,691	-	2	1	1	3	5	22	88	221	474	686	1,188	-
	BOM	1,283	1	-	-	2	-	2	11	59	189	265	349	405	-
	BOF	984	-	1	-	-	3	1	14	75	145	162	215	368	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
1.OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	TOTAL	141	-	-	-	-	-	-	3	5	21	37	39	36	-
	WM	60	-	-	-	-	-	-	2	-	7	16	18	17	-
	WF	24	-	-	-	-	-	-	1	1	1	5	5	11	-
	BOM	50	-	-	-	-	-	-	-	3	13	15	15	4	-
	BOF	7	-	-	-	-	-	-	-	1	-	1	1	4	-
2.OF ESOPHAGUS (C15)	TOTAL	209	-	-	-	-	-	1	1	7	31	52	71	46	-
	WM	90	-	-	-	-	-	1	1	2	13	20	38	15	-
	WF	29	-	-	-	-	-	-	-	-	1	5	9	14	-
	BOM	78	-	-	-	-	-	-	-	4	17	24	22	11	-
	BOF	12	-	-	-	-	-	-	-	1	-	3	2	6	-
3.OF STOMACH (C16)	TOTAL	186	-	-	-	-	-	-	-	7	15	31	44	89	-
	WM	51	-	-	-	-	-	-	-	-	4	12	11	24	-
	WF	46	-	-	-	-	-	-	-	1	3	3	8	31	-
	BOM	53	-	-	-	-	-	-	-	3	8	9	17	16	-
	BOF	36	-	-	-	-	-	-	-	3	-	7	8	18	-
4.OF COLON, RECTUM & ANUS (C18-C21)	TOTAL	818	-	-	-	-	-	2	10	35	82	121	211	357	-
	WM	308	-	-	-	-	-	-	5	8	22	60	93	120	-
	WF	268	-	-	-	-	-	-	1	5	22	33	65	142	-
	BOM	118	-	-	-	-	-	2	3	12	17	15	28	41	-
	BOF	124	-	-	-	-	-	-	1	10	21	13	25	54	-
5. OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	TOTAL	178	-	1	-	-	-	-	3	4	23	38	39	70	-
	WM	100	-	1	-	-	-	-	1	1	12	21	25	39	-
	WF	41	-	-	-	-	-	-	2	2	3	7	4	23	-
	BOM	22	-	-	-	-	-	-	-	-	7	5	6	4	-
	BOF	15	-	-	-	-	-	-	-	1	1	5	4	4	-
6.OF PANCREAS (C25)	TOTAL	446	-	-	-	-	-	-	-	6	46	77	107	210	-
	WM	175	-	-	-	-	-	-	-	2	19	38	48	68	-
	WF	152	-	-	-	-	-	-	-	1	10	19	33	89	-
	BOM	51	-	-	-	-	-	-	-	1	10	11	13	16	-
	BOF	68	-	-	-	-	-	-	-	2	7	9	13	37	-
7.OF LARYNX (C32)	TOTAL	59	-	-	-	-	-	-	-	2	4	21	18	14	-
	WM	27	-	-	-	-	-	-	-	1	2	10	9	5	-
	WF	10	-	-	-	-	-	-	-	1	-	3	5	1	-
	BOM	18	-	-	-	-	-	-	-	-	2	7	4	5	-
	BOF	4	-	-	-	-	-	-	-	-	-	1	-	3	-
8.OF TRACHEA, BRONCHUS & LUNG (C33-C34)	TOTAL	2,543	-	-	-	-	-	-	4	59	240	587	860	793	-
	WM	1,239	-	-	-	-	-	-	2	19	82	284	454	398	-
	WF	754	-	-	-	-	-	-	1	16	60	169	239	269	-
	BOM	395	-	-	-	-	-	-	-	17	71	106	119	82	-
	BOF	155	-	-	-	-	-	-	1	7	27	28	48	44	-
9.OF SKIN (C43)	TOTAL	97	-	-	-	-	-	1	1	6	9	20	28	32	-
	WM	60	-	-	-	-	-	1	1	3	5	12	19	19	-
	WF	30	-	-	-	-	-	-	-	3	3	7	7	10	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	7	-	-	-	-	-	-	-	-	1	1	2	3	-
10.OF BREAST (C50)	TOTAL	595	-	-	-	-	-	-	9	55	92	115	128	196	-
	WM	2	-	-	-	-	-	-	-	-	1	-	1	-	-
	WF	385	-	-	-	-	-	-	5	23	47	72	85	153	-
	BOM	6	-	-	-	-	-	-	-	-	1	2	2	1	-
	BOF	202	-	-	-	-	-	-	4	32	43	41	40	42	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
11.OF CERVIX UTERI (C53)	TOTAL	69	-	-	-	-	-	-	1	13	18	16	8	13	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	44	-	-	-	-	-	-	-	8	10	12	4	10	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	25	-	-	-	-	-	-	1	5	8	4	4	3	-
12.OF CORPUS UTERI & UTERUS PART UNSPECIFIED (C54-C55)	TOTAL	94	-	-	-	-	-	-	1	1	10	12	26	44	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	48	-	-	-	-	-	-	-	1	5	8	13	21	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	46	-	-	-	-	-	-	1	-	5	4	13	23	-
13.OF OVARY (C56)	TOTAL	161	-	-	-	-	-	-	-	6	12	29	45	69	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	131	-	-	-	-	-	-	-	5	8	25	38	55	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	30	-	-	-	-	-	-	-	1	4	4	7	14	-
14.OF PROSTATE (C61)	TOTAL	499	-	-	-	-	-	-	-	1	7	32	131	328	-
	WM	279	-	-	-	-	-	-	-	1	5	16	74	183	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	220	-	-	-	-	-	-	-	-	2	16	57	145	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15.OF KIDNEY & RENAL PELVIS (C64-C65)	TOTAL	164	-	-	-	-	-	-	1	6	16	41	40	60	-
	WM	79	-	-	-	-	-	-	-	2	10	22	24	21	-
	WF	46	-	-	-	-	-	-	-	2	3	9	8	24	-
	BOM	22	-	-	-	-	-	-	-	-	2	7	6	7	-
	BOF	17	-	-	-	-	-	-	1	2	1	3	2	8	-
16.OF BLADDER (C67)	TOTAL	159	-	-	-	-	-	-	-	1	7	21	36	94	-
	WM	107	-	-	-	-	-	-	-	-	7	16	27	57	-
	WF	26	-	-	-	-	-	-	-	1	-	-	6	19	-
	BOM	12	-	-	-	-	-	-	-	-	-	2	2	8	-
	BOF	14	-	-	-	-	-	-	-	-	3	1	10	-	
17.OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYSTEM (C70-C72)	TOTAL	159	-	1	-	1	1	-	5	13	25	34	48	31	-
	WM	70	-	-	-	-	-	-	3	4	12	19	20	12	-
	WF	59	-	1	-	1	-	-	1	5	7	10	19	15	-
	BOM	14	-	-	-	-	-	-	1	2	3	2	3	3	-
	BOF	16	-	-	-	-	1	-	2	3	3	6	1	-	
18.OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUES (C81-C96)	TOTAL	812	-	3	2	6	3	6	15	19	63	119	195	381	-
	WM	326	-	1	1	4	2	1	2	6	28	48	88	145	-
	WF	301	-	1	1	-	-	4	7	5	12	38	71	162	-
	BOM	86	-	-	-	2	-	-	3	4	14	20	15	28	-
	BOF	99	-	1	-	-	1	1	3	4	9	13	21	46	-
A.HODGKIN'S DISEASE (C81)	TOTAL	18	-	-	-	1	-	1	4	1	2	2	3	4	-
	WM	7	-	-	-	1	-	-	1	1	1	-	2	1	-
	WF	6	-	-	-	-	-	-	2	-	-	2	1	1	-
	BOM	4	-	-	-	-	-	-	1	-	1	-	-	2	-
	BOF	1	-	-	-	-	-	1	-	-	-	-	-	-	
B.NON-HODGKIN'S LYMPHOMA (C82-C85)	TOTAL	302	-	-	1	-	-	1	3	10	30	50	70	137	-
	WM	112	-	-	1	-	-	-	1	3	12	19	28	48	-
	WF	138	-	-	-	-	-	1	1	5	6	22	33	70	-
	BOM	24	-	-	-	-	-	-	-	2	6	7	2	7	-
	BOF	28	-	-	-	-	-	-	1	-	6	2	7	12	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
C.LEUKEMIA (C91-C95)	TOTAL	301	-	3	1	5	3	4	8	6	16	39	67	149	-
	WM	144	-	1	-	3	2	1	-	2	10	20	36	69	-
	WF	99	-	1	1	-	-	3	4	-	2	10	22	56	-
	BOM	28	-	-	-	2	-	-	2	1	4	3	5	11	-
	BOF	30	-	1	-	-	1	-	2	3	-	6	4	13	-
D.MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE (C88,C90)	TOTAL	190	-	-	-	-	-	-	-	2	15	28	55	90	-
	WM	63	-	-	-	-	-	-	-	-	5	9	22	27	-
	WF	57	-	-	-	-	-	-	-	-	4	4	15	34	-
	BOM	30	-	-	-	-	-	-	-	1	3	10	8	8	-
	BOF	40	-	-	-	-	-	-	-	1	3	5	10	21	-
E.REMAINDER (C96)	TOTAL	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19.REMAINDER **	TOTAL	873	1	3	-	-	7	2	10	34	94	143	217	362	-
	WM	331	-	3	-	-	3	1	-	9	31	51	92	141	-
	WF	297	-	-	-	-	3	1	4	8	26	49	67	139	-
	BOM	138	1	-	-	-	-	-	4	13	22	24	40	34	-
	BOF	107	-	-	-	-	1	-	2	4	15	19	18	48	-
IN SITU, BENIGN & UNCERTAIN OR UNKNOWN NEOPLASMS (D00-D48)	TOTAL	172	2	2	3	3	1	-	4	5	5	16	37	94	-
	WM	74	-	1	1	2	-	-	1	1	2	8	21	37	-
	WF	54	-	-	1	1	-	-	2	1	-	2	10	37	-
	BOM	17	-	1	1	-	-	-	1	2	2	1	2	7	-
	BOF	27	2	-	-	-	1	-	-	1	1	5	4	13	-
ANEMIA (D50-D64)	TOTAL	94	-	-	2	1	3	1	2	7	6	7	13	52	-
	WM	20	-	-	-	1	-	-	-	-	-	3	3	13	-
	WF	36	-	-	1	-	-	-	1	-	-	-	5	29	-
	BOM	10	-	-	1	-	2	-	-	-	3	1	2	1	-
	BOF	28	-	-	-	-	1	-	2	7	3	3	3	9	-
DIABETES MELLITUS (E10-E14)	TOTAL	1,089 *	-	-	-	-	2	2	12	36	89	183	283	482	-
	WM	312	-	-	-	-	-	1	3	7	34	60	88	119	-
	WF	296	-	-	-	-	-	-	2	7	10	31	65	181	-
	BOM	184	-	-	-	-	-	-	4	11	24	45	52	48	-
	BOF	296	-	-	-	-	2	1	3	11	21	47	78	133	-
NUTRITIONAL DEFICIENCIES (E40-E64)	TOTAL	83	-	-	-	-	-	-	2	1	4	4	10	62	-
	WM	12	-	-	-	-	-	-	-	1	-	1	1	9	-
	WF	46	-	-	-	-	-	-	1	-	1	3	3	38	-
	BOM	14	-	-	-	-	-	-	-	-	2	-	4	8	-
	BOF	11	-	-	-	-	-	-	1	-	1	-	2	7	-
1.MALNUTRITION (E40-E46)	TOTAL	74	-	-	-	-	-	-	2	-	4	4	8	56	-
	WM	10	-	-	-	-	-	-	-	-	-	1	1	8	-
	WF	41	-	-	-	-	-	-	1	-	1	3	3	33	-
	BOM	13	-	-	-	-	-	-	-	-	2	-	3	8	-
	BOF	10	-	-	-	-	-	-	1	-	1	-	1	7	-
2.OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	TOTAL	9	-	-	-	-	-	-	-	1	-	-	2	6	-
	WM	2	-	-	-	-	-	-	-	1	-	-	-	1	-
	WF	5	-	-	-	-	-	-	-	-	-	-	-	5	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	BOF	1	-	-	-	-	-	-	-	-	-	-	1	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
MENINGITIS (G00-G03)	TOTAL	13	-	-	-	-	-	2	1	1	2	4	1	2	-
	WM	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	-	-	-	2	-	-	-
	BOM	8	-	-	-	-	-	1	-	-	2	2	1	2	-
	BOF	2	-	-	-	-	-	1	-	1	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	TOTAL	215	-	-	-	-	-	-	-	-	1	6	37	171	-
	WM	105	-	-	-	-	-	-	-	-	1	3	22	79	-
	WF	89	-	-	-	-	-	-	-	-	-	2	11	76	-
	BOM	12	-	-	-	-	-	-	-	-	-	-	3	9	-
	BOF	9	-	-	-	-	-	-	-	-	-	1	1	7	-
ALZHEIMER'S DISEASE (G30)	TOTAL	882	-	-	-	-	-	-	-	-	1	15	63	803	-
	WM	207	-	-	-	-	-	-	-	-	-	9	22	176	-
	WF	500	-	-	-	-	-	-	-	-	-	6	27	467	-
	BOM	48	-	-	-	-	-	-	-	-	1	-	9	38	-
	BOF	127	-	-	-	-	-	-	-	-	-	-	5	122	-
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	TOTAL	13,159 *	16	7	4	3	5	18	81	387	896	1,524	2,433	7,783	2
	WM	4,431	3	2	1	1	2	4	34	145	363	640	977	2,259	-
	WF	4,813	3	1	2	-	-	1	11	60	115	277	643	3,699	1
	BOM	1,880	5	2	-	-	3	8	24	99	264	372	437	666	-
	BOF	2,031	5	2	1	2	-	5	12	83	153	234	374	1,159	1
1.DISEASES OF THE HEART (I00-I09,I11, I13,I20-I51)	TOTAL	9,496 *	14	5	2	1	4	13	67	305	684	1,196	1,830	5,373	2
	WM	3,520	3	1	-	1	2	2	29	134	311	548	795	1,694	-
	WF	3,332	3	-	1	-	-	1	9	46	82	210	470	2,509	1
	BOM	1,329	3	2	-	-	2	7	18	75	187	287	312	436	-
	BOF	1,311	5	2	1	-	-	3	11	50	103	150	251	734	1
A.ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE(I00-I09)	TOTAL	51	1	-	-	-	-	-	2	7	3	8	14	16	-
	WM	13	1	-	-	-	-	-	1	-	-	3	3	5	-
	WF	20	-	-	-	-	-	-	-	2	1	2	8	7	-
	BOM	3	-	-	-	-	-	-	-	1	-	1	1	-	-
	BOF	15	-	-	-	-	-	-	1	4	2	2	2	4	-
B.HYPERTENSIVE HEART DISEASE (I11)	TOTAL	323 *	-	-	-	-	-	-	2	14	42	43	36	186	-
	WM	62	-	-	-	-	-	-	1	3	16	12	8	22	-
	WF	107	-	-	-	-	-	-	-	1	1	3	7	95	-
	BOM	73	-	-	-	-	-	-	-	7	12	20	10	24	-
	BOF	80	-	-	-	-	-	-	1	3	13	7	11	45	-
C.HYPERTENSIVE HEART & RENAL DISEASE (I13)	TOTAL	44	-	-	-	-	-	-	1	2	1	4	8	28	-
	WM	7	-	-	-	-	-	-	-	-	1	1	3	2	-
	WF	12	-	-	-	-	-	-	-	-	-	1	-	11	-
	BOM	13	-	-	-	-	-	-	1	2	-	1	3	6	-
	BOF	12	-	-	-	-	-	-	-	-	-	1	2	9	-
D.ISCHEMIC HEART DISEASE (I20-I25)	TOTAL	6,210 *	1	1	-	-	1	-	24	159	435	802	1,302	3,483	2
	WM	2,530	1	-	-	-	1	-	15	89	227	407	610	1,180	-
	WF	2,073	-	-	-	-	-	-	3	21	51	128	297	1,572	1
	BOM	814	-	-	-	-	-	-	5	34	109	170	226	270	-
	BOF	792	-	1	-	-	-	-	1	15	48	97	168	461	1
1.ACUTE MYOCARDIAL INFARCTION (I21-I22)	TOTAL	2,946	1	-	-	-	1	-	20	94	239	424	664	1,502	1
	WM	1,199	1	-	-	-	1	-	12	49	122	212	287	515	-
	WF	921	-	-	-	-	-	-	2	12	32	72	140	663	-
	BOM	406	-	-	-	-	-	-	5	23	53	88	124	113	-
	BOF	420	-	-	-	-	-	-	1	10	32	52	113	211	1

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
2. OTHER ACUTE HEART DISEASE (I24)	TOTAL	161	-	-	-	-	-	-	-	3	9	42	40	67	-
	WM	52	-	-	-	-	-	-	-	1	4	12	19	16	-
	WF	38	-	-	-	-	-	-	-	2	2	5	8	21	-
	BOM	39	-	-	-	-	-	-	-	-	3	16	11	9	-
	BOF	32	-	-	-	-	-	-	-	-	-	9	2	21	-
3. OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	TOTAL	3,103 *	-	1	-	-	-	-	4	62	187	336	598	1,914	1
	WM	1,279	-	-	-	-	-	-	3	39	101	183	304	649	-
	WF	1,114	-	-	-	-	-	-	1	7	17	51	149	888	1
	BOM	369	-	-	-	-	-	-	-	11	53	66	91	148	-
	BOF	340	-	1	-	-	-	-	-	5	16	36	53	229	-
A. ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	TOTAL	469 *	-	-	-	-	-	-	-	13	27	48	71	310	-
	WM	161	-	-	-	-	-	-	-	10	16	22	34	79	-
	WF	182	-	-	-	-	-	-	-	1	2	6	15	158	-
	BOM	58	-	-	-	-	-	-	-	2	8	9	14	25	-
	BOF	67	-	-	-	-	-	-	-	-	1	11	7	48	-
B. ALL OTHER FORMS CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	TOTAL	2,634	-	1	-	-	-	-	4	49	160	288	527	1,604	1
	WM	1,118	-	-	-	-	-	-	3	29	85	161	270	570	-
	WF	932	-	-	-	-	-	-	1	6	15	45	134	730	1
	BOM	311	-	-	-	-	-	-	-	9	45	57	77	123	-
	BOF	273	-	1	-	-	-	-	-	5	15	25	46	181	-
E. OTHER HEART DISEASE (I26-I51)	TOTAL	2,868 *	12	4	2	1	3	13	38	123	203	339	470	1,660	-
	WM	908	1	1	-	1	1	2	12	42	67	125	171	485	-
	WF	1,120	3	-	1	-	-	1	6	22	29	76	158	824	-
	BOM	426	3	2	-	-	2	7	12	31	66	95	72	136	-
	BOF	412	5	1	1	-	-	3	8	28	40	43	68	215	-
1. ACUTE & SUBACUTE ENDOCARDITIS (I33)	TOTAL	21	-	-	-	-	-	-	-	4	5	3	4	5	-
	WM	9	-	-	-	-	-	-	-	2	2	1	2	2	-
	WF	6	-	-	-	-	-	-	-	1	2	-	2	1	-
	BOM	5	-	-	-	-	-	-	-	1	1	-	-	2	-
	BOF	1	-	-	-	-	-	-	-	-	-	1	-	-	-
2. DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	TOTAL	14	2	-	1	-	1	1	1	2	-	2	1	3	-
	WM	2	-	-	-	-	1	-	-	-	-	-	1	-	-
	WF	5	1	-	1	-	-	-	1	-	-	-	-	2	-
	BOM	2	1	-	-	-	-	-	-	-	-	1	-	-	-
	BOF	5	-	-	-	-	-	1	-	2	-	1	-	1	-
3. HEART FAILURE (I50)	TOTAL	892	1	-	-	-	-	1	3	13	43	63	115	653	-
	WM	246	-	-	-	-	-	-	1	4	13	21	31	176	-
	WF	410	-	-	-	-	-	-	-	1	7	17	42	343	-
	BOM	104	1	-	-	-	-	-	1	4	15	16	17	48	-
	BOF	132	-	-	-	-	-	-	-	4	8	9	25	86	-
4. ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38, I42-I49,I51)	TOTAL	1,941 *	9	4	1	1	2	11	34	104	155	271	350	999	-
	WM	651	1	1	-	1	-	2	11	36	52	103	137	307	-
	WF	699	2	-	-	-	-	1	5	20	20	59	114	478	-
	BOM	315	1	2	-	-	2	6	10	26	50	77	55	86	-
	BOF	274	5	1	1	-	-	2	8	22	32	32	43	128	-
2. ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	TOTAL	336	-	-	-	-	-	1	2	11	34	45	57	186	-
	WM	47	-	-	-	-	-	-	-	1	8	11	12	15	-
	WF	96	-	-	-	-	-	-	-	-	2	5	9	80	-
	BOM	80	-	-	-	-	-	1	2	4	16	16	20	21	-
	BOF	113	-	-	-	-	-	-	-	6	8	13	16	70	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
3.CEREBROVASCULAR DISEASE (I60-I69)	TOTAL	2,829	2	2	2	1	1	3	11	57	146	231	446	1,927	-
	WM	683	-	1	1	-	-	1	4	8	27	68	129	444	-
	WF	1,198	-	1	1	-	-	-	2	11	27	49	130	977	-
	BOM	416	2	-	-	-	1	-	4	14	56	61	93	185	-
	BOF	532	-	-	-	1	-	2	1	24	36	53	94	321	-
4.ATHEROSCLEROSIS (I70)	TOTAL	88	-	-	-	-	-	-	-	-	4	2	5	77	-
	WM	24	-	-	-	-	-	-	-	-	2	1	2	19	-
	WF	55	-	-	-	-	-	-	-	-	1	1	2	51	-
	BOM	2	-	-	-	-	-	-	-	-	1	-	-	1	-
	BOF	7	-	-	-	-	-	-	-	-	-	-	1	6	-
5.OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	TOTAL	410	-	-	-	1	-	1	1	14	28	50	95	220	-
	WM	157	-	-	-	-	-	1	1	2	15	12	39	87	-
	WF	132	-	-	-	-	-	-	-	3	3	12	32	82	-
	BOM	53	-	-	-	-	-	-	-	6	4	8	12	23	-
	BOF	68	-	-	-	1	-	-	-	3	6	18	12	28	-
A. AORTIC ANEURYSM & DISSECTION (I71)	TOTAL	247	-	-	-	-	-	1	1	7	16	32	57	133	-
	WM	109	-	-	-	-	-	1	1	2	9	12	28	56	-
	WF	78	-	-	-	-	-	-	-	1	-	9	19	49	-
	BOM	26	-	-	-	-	-	-	-	2	3	5	4	12	-
	BOF	34	-	-	-	-	-	-	-	2	4	6	6	16	-
B. OTHER DISEASES OF CAPILLARIES, ARTERIES, ARTERIOL (I72-I78)	TOTAL	163	-	-	-	1	-	-	-	7	12	18	38	87	-
	WM	48	-	-	-	-	-	-	-	-	6	-	11	31	-
	WF	54	-	-	-	-	-	-	-	2	3	3	13	33	-
	BOM	27	-	-	-	-	-	-	-	4	1	3	8	11	-
	BOF	34	-	-	-	1	-	-	-	1	2	12	6	12	-
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	TOTAL	72	-	-	-	-	-	-	1	3	5	9	18	36	-
	WM	25	-	-	-	-	-	-	1	1	3	4	6	10	-
	WF	25	-	-	-	-	-	-	-	-	2	2	7	14	-
	BOM	10	-	-	-	-	-	-	-	2	-	3	2	3	-
	BOF	12	-	-	-	-	-	-	-	-	-	-	3	9	-
INFLUENZA & PNEUMONIA (J10-J18)	TOTAL	752	5	1	-	1	-	2	6	16	46	42	91	542	-
	WM	215	2	1	-	-	-	-	1	3	11	10	24	163	-
	WF	321	1	-	-	-	-	1	2	1	8	11	33	264	-
	BOM	111	1	-	-	1	-	-	-	9	17	14	18	51	-
	BOF	105	1	-	-	-	-	1	3	3	10	7	16	64	-
1. INFLUENZA (J10-J11)	TOTAL	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. PNEUMONIA (J12-J18)	TOTAL	751	5	1	-	1	-	2	6	16	46	42	91	541	-
	WM	215	2	1	-	-	-	-	1	3	11	10	24	163	-
	WF	320	1	-	-	-	-	1	2	1	8	11	33	263	-
	BOM	111	1	-	-	1	-	-	-	9	17	14	18	51	-
	BOF	105	1	-	-	-	-	1	3	3	10	7	16	64	-
OTHER ACUTE LOWER RESPIRATORY INFECTION (J20-J22)	TOTAL	5	2	-	-	-	-	-	1	-	-	-	-	2	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	2	-	-	-	-	-	-	1	-	-	-	-	1	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
1. ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	TOTAL	5	2	-	-	-	-	-	1	-	-	-	-	2	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	TOTAL	1,728	2	1	3	2	1	3	6	15	66	212	473	944	-
	WM	762	-	1	-	-	-	-	3	3	21	92	223	421	-
	WF	738	-	-	1	1	-	-	1	6	27	83	185	432	-
	BOM	129	1	-	1	1	-	1	1	4	7	24	39	50	-
1. BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	TOTAL	15	1	1	-	-	-	-	2	-	-	-	2	9	-
	WM	3	-	1	-	-	-	-	-	-	-	-	1	1	-
	WF	10	-	-	-	-	-	-	2	-	-	-	1	7	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2. EMPHYSEMA (J43)	TOTAL	216	1	-	-	-	-	-	-	1	7	32	68	107	-
	WM	102	-	-	-	-	-	-	-	1	2	16	32	51	-
	WF	84	-	-	-	-	-	-	-	-	4	12	22	46	-
	BOM	22	1	-	-	-	-	-	-	-	1	3	10	7	-
3. ASTHMA (J45-J46)	TOTAL	77	-	-	3	2	1	2	3	5	13	12	10	26	-
	WM	10	-	-	-	-	-	-	1	-	-	1	2	6	-
	WF	33	-	-	1	1	-	-	-	2	6	2	4	17	-
	BOM	14	-	-	1	1	-	1	1	2	1	4	2	1	-
4. OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	TOTAL	1,420	-	-	-	-	-	1	1	9	46	168	393	802	-
	WM	647	-	-	-	-	-	-	-	2	19	75	188	363	-
	WF	611	-	-	-	-	-	-	1	4	17	69	158	362	-
	BOM	92	-	-	-	-	-	-	-	2	5	17	27	41	-
PNEUMOCOINOSES & CHEMICAL EFFECTS (J60-J66,J68)	TOTAL	17	-	-	-	-	-	-	-	-	-	-	7	10	-
	WM	13	-	-	-	-	-	-	-	-	-	-	4	9	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	4	-	-	-	-	-	-	-	-	-	-	3	1	-
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	TOTAL	318	-	-	-	1	2	2	1	6	10	10	33	253	-
	WM	121	-	-	-	-	2	1	-	4	3	6	12	93	-
	WF	115	-	-	-	-	-	-	-	-	3	-	14	98	-
	BOM	43	-	-	-	1	-	1	-	2	3	2	5	29	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	TOTAL	484	8	4	-	2	2	1	6	10	29	49	111	262	-
	WM	176	-	1	-	2	-	-	1	2	7	18	57	88	-
	WF	198	1	1	-	-	1	1	-	2	8	16	36	132	-
	BOM	49	3	2	-	-	1	-	2	2	6	11	10	12	-
	TOTAL	61	4	-	-	-	-	-	3	4	8	4	8	30	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
PEPTIC ULCER (K25-K28)	TOTAL	54	-	-	-	-	-	-	1	4	4	5	11	29	-
	WM	22	-	-	-	-	-	-	1	1	2	3	4	11	-
	WF	18	-	-	-	-	-	-	-	2	-	-	2	14	-
	BOM	8	-	-	-	-	-	-	-	1	-	1	3	3	-
	BOF	6	-	-	-	-	-	-	-	-	2	1	2	1	-
DISEASE OF APPENDIX (K35-K38)	TOTAL	7	-	-	-	-	-	-	-	-	-	3	-	4	-
	WM	3	-	-	-	-	-	-	-	-	-	2	-	1	-
	WF	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	BOF	2	-	-	-	-	-	-	-	-	-	1	-	1	-
HERNIA (K40-K46)	TOTAL	21	-	-	-	-	-	-	-	-	4	5	5	7	-
	WM	9	-	-	-	-	-	-	-	-	-	2	5	2	-
	WF	9	-	-	-	-	-	-	-	-	3	2	-	4	-
	BOM	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOF	2	-	-	-	-	-	-	-	-	-	1	-	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	TOTAL	460	-	-	-	-	-	-	3	65	115	102	94	81	-
	WM	203	-	-	-	-	-	-	-	29	55	47	40	32	-
	WF	133	-	-	-	-	-	-	-	14	21	23	35	40	-
	BOM	79	-	-	-	-	-	-	2	12	30	22	9	4	-
	BOF	45	-	-	-	-	-	-	1	10	9	10	10	5	-
1. ALCOHOLIC LIVER DISEASE (K70)	TOTAL	207	-	-	-	-	-	-	1	43	75	47	29	12	-
	WM	101	-	-	-	-	-	-	-	21	37	21	16	6	-
	WF	40	-	-	-	-	-	-	-	9	12	9	7	3	-
	BOM	47	-	-	-	-	-	-	1	7	21	12	5	1	-
	BOF	19	-	-	-	-	-	-	-	6	5	5	1	2	-
2. OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	TOTAL	253	-	-	-	-	-	-	2	22	40	55	65	69	-
	WM	102	-	-	-	-	-	-	-	8	18	26	24	26	-
	WF	93	-	-	-	-	-	-	-	5	9	14	28	37	-
	BOM	32	-	-	-	-	-	-	1	5	9	10	4	3	-
	BOF	26	-	-	-	-	-	-	1	4	4	5	9	3	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	TOTAL	34	-	-	-	-	-	-	1	2	1	3	8	19	-
	WM	8	-	-	-	-	-	-	-	1	-	1	3	3	-
	WF	11	-	-	-	-	-	-	1	-	1	1	1	7	-
	BOM	6	-	-	-	-	-	-	-	-	-	1	2	3	-
	BOF	9	-	-	-	-	-	-	-	1	-	-	2	6	-
NEPHRITIS & OTHER DISORDERS (N00-N07, N17-N19, N25-N27)	TOTAL	632	4	1	-	-	-	2	6	10	54	66	148	341	-
	WM	177	1	-	-	-	-	-	-	2	9	11	48	106	-
	WF	188	-	-	-	-	-	-	1	2	10	17	45	113	-
	BOM	113	2	1	-	-	-	-	2	3	18	23	20	44	-
	BOF	154	1	-	-	-	-	2	3	3	17	15	35	78	-
1. ACUTE & RAPIDLY PROGESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N01,N04)	TOTAL	3	-	-	-	-	-	-	1	-	-	-	1	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	BOM	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. CHRONIC GLOMERULO-NEPHRITIS, ETC (N02-N03, N05-N07,N26)	TOTAL	6	-	-	-	-	-	-	-	-	1	2	1	2	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	4	-	-	-	-	-	-	-	-	-	1	1	2	-
	BOM	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	BOF	1	-	-	-	-	-	-	-	-	1	-	-	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
3. RENAL FAILURE (N17-N19)	TOTAL	623	4	1	-	-	-	2	5	10	53	64	146	338	-
	WM	177	1	-	-	-	-	-	-	2	9	11	48	106	-
	WF	182	-	-	-	-	-	-	1	2	10	16	43	110	-
	BOM	111	2	1	-	-	-	-	1	3	18	22	20	44	-
	BOF	153	1	-	-	-	-	-	2	3	16	15	35	78	-
4. OTHER DISORDERS OF KIDNEY (N25,N27)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	TOTAL	17	1	-	-	-	-	-	-	-	-	2	3	11	-
	WM	3	-	-	-	-	-	-	-	-	-	1	-	2	-
	WF	6	-	-	-	-	-	-	-	-	-	-	1	5	-
	BOM	2	1	-	-	-	-	-	-	-	-	-	1	-	-
	BOF	6	-	-	-	-	-	-	-	-	-	1	1	4	-
HYPERPLASIA OF PROSTATE (N40)	TOTAL	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	WM	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	TOTAL	5	-	-	-	-	-	-	1	1	1	-	1	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	4	-	-	-	-	-	-	1	1	1	-	-	1	-
PREGNANCY, CHILDBIRTH & PUERPERIUM (O00-O99)	TOTAL	7	-	-	-	-	-	-	6	1	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	5	-	-	-	-	-	-	4	1	-	-	-	-	-
1.PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2.OTHER COMPLICATIONS (O10-O99)	TOTAL	7	-	-	-	-	-	-	6	1	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	5	-	-	-	-	-	-	4	1	-	-	-	-	-
CERTAIN CONDITIONS IN PERINATAL PERIOD (P00-P96)	TOTAL	268	267	-	-	1	-	-	-	-	-	-	-	-	-
	WM	58	58	-	-	-	-	-	-	-	-	-	-	-	-
	WF	35	34	-	-	1	-	-	-	-	-	-	-	-	-
	BOM	98	98	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	77	77	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ABNORMALITIES (Q00-Q09)	TOTAL	142	75	8	5	2	2	3	12	5	8	9	7	6	-
	WM	49	30	2	3	-	-	1	6	-	-	3	3	1	-
	WF	46	19	2	1	2	1	-	2	2	4	6	3	4	-
	BOM	25	17	2	2	-	1	-	1	3	1	-	-	-	-
	BOF	22	9	2	1	-	-	2	3	-	3	-	1	1	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
SYMPTOMS ETC. NOT CLASSIFIED (R00-R99)	TOTAL	454 *	51	1	1	-	2	5	16	31	33	42	51	221	-
	WM	118	13	-	-	-	-	2	7	11	12	14	12	47	-
	WF	151	11	-	-	-	2	2	2	4	5	12	16	97	-
	BOM	88	17	1	-	-	-	1	4	14	12	11	10	18	-
	BOF	90	10	-	1	-	-	-	3	1	3	4	11	57	-
ALL OTHER DISEASES (RESIDUAL)**	TOTAL	3,137 *	11	11	3	6	15	15	55	146	299	311	497	1,767	1
	WM	857	3	2	1	1	3	5	13	53	88	124	169	395	-
	WF	1,389	-	3	1	1	5	5	17	26	74	80	189	987	1
	BOM	411	4	3	1	3	5	3	11	32	81	53	73	142	-
	BOF	479	4	3	-	1	2	2	14	34	56	54	66	243	-
ACCIDENTS (V01-X59, Y85-Y86)	TOTAL	1,995	28	29	26	40	156	171	272	334	274	161	146	357	1
	WM	926	4	15	9	14	84	96	145	164	118	71	62	143	1
	WF	463	12	5	7	11	30	20	38	67	50	41	38	144	-
	BOM	444	6	4	4	11	33	46	78	79	82	38	32	31	-
	BOF	162	6	5	6	4	9	9	11	24	24	11	14	39	-
1. TRANSPORT ACCIDENTS (V01-V99, Y85)	TOTAL	1,069	3	15	17	27	129	137	189	205	140	88	59	59	1
	WM	513	-	5	8	10	69	74	92	101	59	42	27	25	1
	WF	195	1	4	5	7	30	15	27	28	22	19	17	20	-
	BOM	284	1	3	2	6	23	41	62	62	47	21	11	5	-
	BOF	77	1	3	2	4	7	7	8	14	12	6	4	9	-
A. MOTOR VEHICLE ACCIDENTS**	TOTAL	939	3	11	15	24	123	121	173	170	120	75	49	54	1
	WM	452	-	3	7	8	65	68	83	83	48	40	22	24	1
	WF	175	1	3	5	6	29	14	25	24	21	14	15	18	-
	BOM	248	1	2	2	6	22	34	59	51	41	17	8	5	-
	BOF	64	1	3	1	4	7	5	6	12	10	4	4	7	-
B. OTHER LAND & TRANSPORT ACCIDENTS**	TOTAL	118	-	4	1	3	5	15	16	31	17	13	9	4	-
	WM	56	-	2	1	2	3	5	9	16	10	2	5	1	-
	WF	17	-	1	-	1	1	1	2	3	-	5	1	2	-
	BOM	34	-	1	-	-	1	7	3	10	5	4	3	-	-
	BOF	11	-	-	-	-	-	2	2	2	2	2	-	1	-
C. WATER, AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99, Y85)	TOTAL	12	-	-	1	-	1	1	-	4	3	-	1	1	-
	WM	5	-	-	-	-	1	1	-	2	1	-	-	-	-
	WF	3	-	-	-	-	-	-	-	1	1	-	1	-	-
	BOM	2	-	-	-	-	-	-	-	1	1	-	-	-	-
	BOF	2	-	-	1	-	-	-	-	-	-	-	-	1	-
2. NONTRANSPORT ACCIDENTS (W00-X59, Y86)	TOTAL	926	25	14	9	13	27	34	83	129	134	73	87	298	-
	WM	413	4	10	1	4	15	22	53	63	59	29	35	118	-
	WF	268	11	1	2	4	-	5	11	39	28	22	21	124	-
	BOM	160	5	1	2	5	10	5	16	17	35	17	21	26	-
	BOF	85	5	2	4	-	2	2	3	10	12	5	10	30	-
A. FALLS (W00-W19)	TOTAL	186	1	-	-	1	2	4	6	5	17	12	31	107	-
	WM	89	-	-	-	-	2	4	3	2	11	8	17	42	-
	WF	71	1	-	-	1	-	-	1	2	1	3	7	55	-
	BOM	15	-	-	-	-	-	-	2	1	3	-	3	6	-
	BOF	11	-	-	-	-	-	-	-	-	2	1	4	4	-
B. ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	TOTAL	17	-	1	-	3	2	1	3	2	2	2	-	1	-
	WM	8	-	1	-	2	1	-	-	1	1	1	-	1	-
	WF	3	-	-	-	-	-	-	-	1	1	1	-	-	-
	BOM	5	-	-	-	1	1	-	3	-	-	-	-	-	-
	BOF	1	-	-	-	-	-	1	-	-	-	-	-	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
C. ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	TOTAL	64	-	8	5	5	8	7	7	8	7	8	1	-	-
	WM	30	-	7	1	1	1	3	5	4	3	4	1	-	-
	WF	7	-	1	1	2	-	-	-	-	2	1	-	-	-
	BOM	25	-	-	2	2	6	4	2	4	2	3	-	-	-
	BOF	2	-	-	1	1	1	-	-	-	-	-	-	-	-
D. ACCIDENTAL EXPLOSION OF SMOKE FIRE & FLAME (X00-X09)	TOTAL	76	1	2	3	2	-	6	9	7	12	7	11	16	-
	WM	26	-	-	-	1	-	5	5	4	4	2	2	3	-
	WF	13	1	-	-	-	-	-	-	1	1	1	5	4	-
	BOM	24	-	1	-	1	-	1	3	2	6	3	2	5	-
	BOF	13	-	1	3	-	-	-	1	-	1	1	2	4	-
E. ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	TOTAL	247	1	-	-	-	8	11	43	85	65	18	13	3	-
	WM	127	-	-	-	-	8	8	28	42	30	5	5	1	-
	WF	76	1	-	-	-	-	3	9	30	19	10	3	1	-
	BOM	29	-	-	-	-	-	-	5	6	10	3	5	-	-
	BOF	15	-	-	-	-	-	-	1	7	6	-	-	1	-
F. OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS **	TOTAL	324	22	3	1	1	6	5	13	19	30	26	31	167	-
	WM	125	4	2	-	-	3	2	10	8	9	9	10	68	-
	WF	96	8	-	1	-	-	2	1	4	4	6	6	64	-
	BOM	60	5	-	-	1	2	-	1	4	14	8	11	14	-
	BOF	43	5	1	-	-	1	1	1	3	3	3	4	21	-
INTENTIONAL SELFHARM (SUICIDE) (X60-X84,Y87.0)	TOTAL	473	-	-	-	3	18	35	92	108	96	62	29	30	-
	WM	311	-	-	-	2	13	24	58	76	57	38	20	23	-
	WF	99	-	-	-	1	2	4	18	21	29	15	4	5	-
	BOM	51	-	-	-	-	2	7	15	10	5	7	3	2	-
	BOF	12	-	-	-	-	1	-	1	1	5	2	2	-	-
1. BY DISCHARGE OF FIREARM (X72-X74)	TOTAL	310	-	-	-	2	13	22	59	66	54	48	22	24	-
	WM	215	-	-	-	1	10	12	39	47	34	35	17	20	-
	WF	56	-	-	-	1	1	3	12	14	14	7	2	2	-
	BOM	30	-	-	-	-	1	7	8	4	3	4	1	2	-
	BOF	9	-	-	-	-	1	-	-	1	3	2	2	-	-
2. OTHER UNSPECIFIED MEANS (X60-X71, X75-X84,Y87.0)	TOTAL	163	-	-	-	1	5	13	33	42	42	14	7	6	-
	WM	96	-	-	-	1	3	12	19	29	23	3	3	3	-
	WF	43	-	-	-	-	1	1	6	7	15	8	2	3	-
	BOM	21	-	-	-	-	1	-	7	6	2	3	2	-	-
	BOF	3	-	-	-	-	-	-	1	-	2	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	TOTAL	351	7	6	2	7	22	60	83	78	42	20	17	7	-
	WM	101	2	1	1	1	5	10	22	34	12	7	4	2	-
	WF	52	2	2	1	2	4	4	8	10	7	4	5	3	-
	BOM	158	2	3	-	1	10	41	42	25	19	8	5	2	-
	BOF	40	1	-	-	3	3	5	11	9	4	1	3	-	-
1. BY DISCHARGE OF FIREARM (X93-X95)	TOTAL	229	-	-	2	3	15	47	62	51	27	14	5	3	-
	WM	68	-	-	1	1	3	6	17	25	9	4	1	1	-
	WF	26	-	-	1	-	2	2	3	6	6	2	3	1	-
	BOM	117	-	-	-	1	10	36	35	15	11	7	1	1	-
	BOF	18	-	-	-	1	-	3	7	5	1	1	-	-	-
2. BY OTHER UNSPECIFIED MEANS (X85-X92, X96-Y09,Y87.1)	TOTAL	122	7	6	-	4	7	13	21	27	15	6	12	4	-
	WM	33	2	1	-	-	2	4	5	9	3	3	3	1	-
	WF	26	2	2	-	2	2	2	5	4	1	2	2	2	-
	BOM	41	2	3	-	-	-	5	7	10	8	1	4	1	-
	BOF	22	1	-	-	2	3	2	4	4	3	-	3	-	-

Table G-10. (cont.)
Deaths by Cause¹, Age, Race and Gender, South Carolina, 2001
(Residence Data)

CAUSE OF DEATH	GENDER / RACE	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75+ YEARS	UNKNOWN
LEGAL INTERVENTION (Y35, Y89.0)	TOTAL	5	-	-	-	-	1	1	2	1	-	-	-	-	-
	WM	2	-	-	-	-	-	-	2	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	3	-	-	-	-	1	1	-	1	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	TOTAL	24	1	-	1	1	-	-	-	7	9	2	1	2	-
	WM	12	-	-	-	1	-	-	-	2	5	2	-	2	-
	WF	4	-	-	-	-	-	-	-	3	1	-	-	-	-
	BOM	6	1	-	1	-	-	-	-	1	2	-	1	-	-
	BOF	2	-	-	-	-	-	-	-	1	1	-	-	-	-
1. DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	TOTAL	4	-	-	-	1	-	-	-	1	2	-	-	-	-
	WM	2	-	-	-	1	-	-	-	-	1	-	-	-	-
	WF	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	BOM	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	TOTAL	20	1	-	1	-	-	-	-	6	7	2	1	2	-
	WM	10	-	-	-	-	-	-	-	2	4	2	-	2	-
	WF	3	-	-	-	-	-	-	-	2	1	-	-	-	-
	BOM	5	1	-	1	-	-	-	-	1	1	-	1	-	-
	BOF	2	-	-	-	-	-	-	-	1	1	-	-	-	-
OPERATION OF WAR (Y36, Y89.1)	TOTAL	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WM	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	BOF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	TOTAL	70	-	-	-	-	-	-	3	5	6	15	13	28	-
	WM	16	-	-	-	-	-	-	1	1	-	3	4	7	-
	WF	25	-	-	-	-	-	-	-	-	-	7	4	14	-
	BOM	9	-	-	-	-	-	-	-	3	3	1	1	1	-
	BOF	20	-	-	-	-	-	-	2	1	3	4	4	6	-

¹Classified and Coded According to ICD-10

* Includes unknown race

** See Appendix for ICD-10 Code

Table G-11.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	36,576*	9.0	25,781	9.2	10,782	8.5
Abbeville	239	9.1	181	10.0	58	7.1
Aiken	1,426	9.9	1,056	10.1	370	9.4
Allendale	118	10.7	39	12.7	79	9.9
Anderson	1,744	10.3	1,479	10.6	265	9.0
Bamberg	154	9.4	67	11.1	87	8.4
Barnwell	249*	10.6	126	9.6	122	11.8
Beaufort	969*	7.7	714	7.7	254	7.7
Berkeley	957	6.6	671	6.7	286	6.6
Calhoun	155	10.1	82	10.6	73	9.6
Charleston	2,682	8.6	1,660	8.4	1,022	8.9
Cherokee	560	10.5	443	10.6	117	10.2
Chester	344	10.1	238	11.6	106	7.9
Chesterfield	377*	8.8	253	9.0	123	8.3
Clarendon	332	10.1	153	10.2	179	10.0
Colleton	391*	10.1	220	10.1	170	10.1
Darlington	716	10.6	453	11.6	263	9.1
Dillon	325	10.5	172	10.9	153	10.1
Dorchester	680	6.9	474	6.6	206	7.6
Edgefield	239	9.8	124	8.8	115	11.0
Fairfield	248	10.5	115	12.1	133	9.3
Florence	1,279	10.1	780	10.4	499	9.7
Georgetown	537*	9.4	331	9.6	204	9.0
Greenville	3,365	8.7	2,725	8.9	640	8.1
Greenwood	658	9.9	469	10.5	189	8.5
Hampton	212	9.9	109	11.8	103	8.5
Horry	1,873	9.3	1,580	9.4	293	8.4
Jasper	147	7.1	60	6.5	87	7.5
Kershaw	517*	9.7	355	9.1	161	11.0
Lancaster	572	9.3	431	9.7	141	8.2
Laurens	713	10.2	543	10.6	170	8.9
Lee	217	10.8	85	11.9	132	10.2
Lexington	1,720	7.8	1,528	8.1	192	6.1
McCormick	115	11.4	65	14.2	50	9.0
Marion	358	10.2	150	10.1	208	10.2
Marlboro	349*	12.2	173	13.4	175	11.1
Newberry	411	11.3	277	11.7	134	10.6
Oconee	618	9.2	569	9.3	49	7.9
Orangeburg	924*	10.1	418	12.2	504	8.8
Pickens	873	7.8	808	7.9	65	7.0
Richland	2,505*	7.7	1,438	8.6	1,065	6.8
Saluda	188	9.8	131	10.0	57	9.4
Spartanburg	2,610	10.1	2,128	10.8	482	8.1
Sumter	906*	8.7	489	9.2	416	8.2
Union	334	11.3	249	12.3	85	9.1
Williamsburg	383	10.4	151	12.5	232	9.4
York	1,285	7.5	1,017	7.6	268	7.4
Unknown	2	---	2	---	-	---

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-12.
Deaths and Death Rates ¹ by Race
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	35,817	8.8	25,289	9.1	10,528	8.3
Abbeville	159	6.0	122	6.7	37	4.5
Aiken	1,089	7.6	788	7.5	301	7.7
Allendale	82	7.4	30	9.8	52	6.5
Anderson	1,693	10.0	1,425	10.2	268	9.1
Bamberg	113	6.9	49	8.1	64	6.2
Barnwell	158	6.7	76	5.8	82	7.9
Beaufort	999	8.0	716	7.8	283	8.6
Berkeley	472	3.3	340	3.4	132	3.1
Calhoun	85	5.5	54	7.0	31	4.1
Charleston	3,792	12.2	2,386	12.1	1,406	12.3
Cherokee	403	7.6	331	7.9	72	6.3
Chester	223	6.5	150	7.3	73	5.4
Chesterfield	234	5.4	156	5.5	78	5.3
Clarendon	243	7.4	101	6.8	142	7.9
Colleton	351	9.1	198	9.1	153	9.1
Darlington	550	8.1	356	9.1	194	6.7
Dillon	263	8.5	142	9.0	121	8.0
Dorchester	475	4.8	350	4.9	125	4.6
Edgefield	149	6.1	78	5.6	71	6.8
Fairfield	148	6.2	73	7.7	75	5.3
Florence	1,960	15.5	1,106	14.7	854	16.6
Georgetown	522	9.1	331	9.6	191	8.4
Greenville	3,823	9.9	3,135	10.2	688	8.7
Greenwood	746	11.2	535	12.0	211	9.5
Hampton	130	6.1	60	6.5	70	5.8
Horry	1,923	9.5	1,635	9.8	288	8.3
Jasper	63	3.0	35	3.8	28	2.4
Kershaw	394	7.4	271	7.0	123	8.4
Lancaster	472	7.7	357	8.0	115	6.7
Laurens	563	8.0	432	8.5	131	6.9
Lee	85	4.2	40	5.6	45	3.5
Lexington	1,565	7.1	1,355	7.2	210	6.7
McCormick	69	6.8	41	9.0	28	5.0
Marion	304	8.6	145	9.8	159	7.8
Marlboro	238	8.3	114	8.8	124	7.9
Newberry	309	8.5	210	8.8	99	7.9
Oconee	517	7.7	473	7.7	44	7.1
Orangeburg	853	9.3	373	10.9	480	8.4
Pickens	684	6.1	631	6.1	53	5.7
Richland	3,561	11.0	2,118	12.7	1,443	9.2
Saluda	111	5.8	82	6.3	29	4.8
Spartanburg	2,698	10.5	2,182	11.0	516	8.7
Sumter	864	8.3	467	8.8	397	7.8
Union	289	9.8	226	11.2	63	6.7
Williamsburg	204	5.5	85	7.0	119	4.8
York	1,189	7.0	929	6.9	260	7.2

¹ Rates per 1,000 estimated population

Table G-13.
Deaths by Race and Gender
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	36,576 *	18,579	17,997	25,781	12,969	12,812	10,782	5,602	5,180
Abbeville	239	109	130	181	80	101	58	29	29
Aiken	1,426	725	701	1,056	525	531	370	200	170
Allendale	118	57	61	39	19	20	79	38	41
Anderson	1,744	908	836	1,479	773	706	265	135	130
Bamberg	154	86	68	67	29	38	87	57	30
Barnwell	249 *	130	119	126	63	63	122	67	55
Beaufort	969 *	527	442	714	388	326	254	138	116
Berkeley	957	510	447	671	353	318	286	157	129
Calhoun	155	80	75	82	41	41	73	39	34
Charleston	2,682	1,335	1,347	1,660	834	826	1,022	501	521
Cherokee	560	294	266	443	234	209	117	60	57
Chester	344	167	177	238	110	128	106	57	49
Chesterfield	377 *	194	183	253	133	120	123	60	63
Ciarendon	332	167	165	153	75	78	179	92	87
Colleton	391 *	201	190	220	113	107	170	88	82
Darlington	716	354	362	453	219	234	263	135	128
Dillon	325	166	159	172	87	85	153	79	74
Dorchester	680	331	349	474	225	249	206	106	100
Edgefield	239	138	101	124	63	61	115	75	40
Fairfield	248	135	113	115	60	55	133	75	58
Florence	1,279	661	618	780	402	378	499	259	240
Georgetown	537 *	299	238	331	186	145	204	111	93
Greenville	3,365	1,621	1,744	2,725	1,296	1,429	640	325	315
Greenwood	658	327	331	469	219	250	189	108	81
Hampton	212	112	100	109	55	54	103	57	46
Horry	1,873	991	882	1,580	830	750	293	161	132
Jasper	147	85	62	60	33	27	87	52	35
Kershaw	517 *	289	228	355	202	153	161	87	74
Lancaster	572	296	276	431	226	205	141	70	71
Laurens	713	348	365	543	257	286	170	91	79
Lee	217	122	95	85	46	39	132	76	56
Lexington	1,720	873	847	1,528	763	765	192	110	82
McCormick	115	56	59	65	34	31	50	22	28
Marion	358	188	170	150	80	70	208	108	100
Marlboro	349 *	205	144	173	112	61	175	93	82
Newberry	411	187	224	277	118	159	134	69	65
Oconee	618	316	302	569	300	269	49	16	33
Orangeburg	924 *	455	469	418	196	222	504	257	247
Pickens	873	429	444	808	401	407	65	28	37
Richland	2,505 *	1,233	1,272	1,438	699	739	1,065	533	532
Saluda	188	103	85	131	69	62	57	34	23
Spartanburg	2,610	1,290	1,320	2,128	1,047	1,081	482	243	239
Sumter	906 *	478	428	489	264	225	416	213	203
Union	334	169	165	249	129	120	85	40	45
Williamsburg	383	199	184	151	86	65	232	113	119
York	1,285	631	654	1,017	493	524	268	138	130
Unknown	2	2	-	2	2	-	-	-	-

* Includes unknown race

Table G-14.
Deaths by Race and Gender
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	35,817	18,150	17,667	25,289	12,705	12,584	10,528	5,445	5,083
Abbeville	159	74	85	122	55	67	37	19	18
Aiken	1,089	531	558	788	369	419	301	162	139
Allendale	82	36	46	30	11	19	52	25	27
Anderson	1,693	872	821	1,425	731	694	268	141	127
Bamberg	113	63	50	49	22	27	64	41	23
Barnwell	158	80	78	76	34	42	82	46	36
Beaufort	999	530	469	716	380	336	283	150	133
Berkeley	472	255	217	340	179	161	132	76	56
Calhoun	85	42	43	54	26	28	31	16	15
Charleston	3,792	1,949	1,843	2,386	1,238	1,148	1,406	711	695
Cherokee	403	204	199	331	168	163	72	36	36
Chester	223	114	109	150	71	79	73	43	30
Chesterfield	234	127	107	156	88	68	78	39	39
Clarendon	243	128	115	101	54	47	142	74	68
Colleton	351	179	172	198	99	99	153	80	73
Darlington	550	271	279	356	169	187	194	102	92
Dillon	263	135	128	142	70	72	121	65	56
Dorchester	475	228	247	350	166	184	125	62	63
Edgefield	149	77	72	78	32	46	71	45	26
Fairfield	148	73	75	73	32	41	75	41	34
Florence	1,960	985	975	1,106	571	535	854	414	440
Georgetown	522	278	244	331	178	153	191	100	91
Greenville	3,823	1,863	1,960	3,135	1,518	1,617	688	345	343
Greenwood	746	373	373	535	256	279	211	117	94
Hampton	130	66	64	60	26	34	70	40	30
Horry	1,923	1,034	889	1,635	874	761	288	160	128
Jasper	63	36	27	35	21	14	28	15	13
Kershaw	394	214	180	271	147	124	123	67	56
Lancaster	472	240	232	357	181	176	115	59	56
Laurens	563	254	309	432	191	241	131	63	68
Lee	85	56	29	40	26	14	45	30	15
Lexington	1,565	770	795	1,355	666	689	210	104	106
McCormick	69	26	43	41	17	24	28	9	19
Marion	304	166	138	145	82	63	159	84	75
Marlboro	238	144	94	114	75	39	124	69	55
Newberry	309	143	166	210	90	120	99	53	46
Oconee	517	262	255	473	245	228	44	17	27
Orangeburg	853	404	449	373	161	212	480	243	237
Pickens	684	316	368	631	293	338	53	23	30
Richland	3,561	1,906	1,655	2,118	1,132	986	1,443	774	669
Saluda	111	59	52	82	43	39	29	16	13
Spartanburg	2,698	1,328	1,370	2,182	1,073	1,109	516	255	261
Sumter	864	443	421	467	244	223	397	199	198
Union	289	142	147	226	113	113	63	29	34
Williamsburg	204	105	99	85	45	40	119	60	59
York	1,189	569	620	929	443	486	260	126	134

Table G-15
Deaths and Death Rates¹ from Selected Causes by Race and Gender
South Carolina, 2001
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	36,576*	12,969	12,812	5,602	5,180
SALMONELLA INFECTIONS (A01-A02)	1	-	-	-	1
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	22	6	14	1	1
TUBERCULOSIS (A16-A19)	9	2	1	4	2
RESPIRATORY TUBERCULOSIS (A16)	7	2	-	4	1
OTHER TUBERCULOSIS (A17-A19)	2	-	1	-	1
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	4	1	1	2	-
SEPTICEMIA (A40-A41)	542	168	175	94	105
SYPHILIS (A50-A53)	1	1	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	86	39	23	16	8
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	309	55	12	164	78
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	98	40	27	16	15
MALIGNANT NEOPLASMS (C00-C97)	8,262	3,304	2,691	1,283	984
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	141	60	24	50	7
OF ESOPHAGUS (C15)	209	90	29	78	12
OF STOMACH (C16)	186	51	46	53	36
OF COLON, RECTUM & ANUS (C18-C21)	818	308	268	118	124
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	178	100	41	22	15
OF PANCREAS (C25)	446	175	152	51	68
OF LARYNX (C32)	59	27	10	18	4
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,543	1,239	754	395	155
OF SKIN (C43)	97	60	30	-	7
OF BREAST (C50)	595	2	385	6	202
OF CERVIX UTERI (C53)	69	-	44	-	25
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	94	-	48	-	46
OF OVARY (C56)	161	-	131	-	30
OF PROSTATE (C61)	499	279	-	220	-
OF KIDNEY & RENAL PELVIS (C64-C65)	164	79	46	22	17
OF BLADDER (C67)	159	107	26	12	14
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	159	70	59	14	16
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	812	326	301	86	99
HODGKIN'S DISEASE (C81)	18	7	6	4	1
NON-HODGKIN'S LYMPHOMA (C82-C85)	302	112	138	24	28
LEUKEMIA (C91-C95)	301	144	99	28	30
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	190	63	57	30	40
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	1	-	1	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	873	331	297	138	107
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	172	74	54	17	27
ANEMIAS (D50-D64)	94	20	36	10	28
DIABETES MELLITUS (E10-E14)	1,089*	312	296	184	296
NUTRITIONAL DEFICIENCIES (E40-E64)	83	12	46	14	11
MALNUTRITION (E40-E46)	74	10	41	13	10
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	9	2	5	1	1
MENINGITIS (G00,G03)	13	1	2	8	2
PARKINSON'S DISEASE (G20-G21)	215	105	89	12	9
ALZHEIMER'S DISEASE (G30)	882	207	500	48	127
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	13,159*	4,431	4,813	1,880	2,031
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	9,496*	3,520	3,332	1,329	1,311
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	51	13	20	3	15
HYPERTENSIVE HEART DISEASE (I11)	323*	62	107	73	80
HYPERTENSIVE HEART & RENAL DISEASE (I13)	44	7	12	13	12
ISCHEMIC HEART DISEASES (I20-I25)	6,210*	2,530	2,073	814	792
ACUTE MYOCARDIAL INFARCTION (I21-I22)	2,946	1,199	921	406	420
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	161	52	38	39	32
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	3,103*	1,279	1,114	369	340
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	469*	161	182	58	67
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,634	1,118	932	311	273
OTHER HEART DISEASES (I26-I51)	2,868*	908	1,120	426	412
ACUTE & SUBACUTE ENDOCARDITIS (I33)	21	9	6	5	1
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	14	2	5	2	5
HEART FAILURE (I50)	892	246	410	104	132
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	1,941*	651	699	315	274

Table G-15. (cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Gender
South Carolina, 2001
(Residence Data)

Cause of Death	Deaths				
	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	336	47	96	80	113
CEREBROVASCULAR DISEASES (I60-I69)	2,829	683	1,198	416	532
ATHEROSCLEROSIS (I70)	88	24	55	2	7
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	410	157	132	53	68
AORTIC ANEURYSM & DISSECTION (I71)	247	109	78	26	34
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	163	48	54	27	34
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	72	25	25	10	12
INFLUENZA & PNEUMONIA (J10-J18)	752	215	321	111	105
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	751	215	320	111	105
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	5	1	2	-	2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	5	1	2	-	2
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	1,728	762	738	129	99
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	15	3	10	1	1
EMPHYSEMA (J43)	216	102	84	22	8
ASTHMA (J45-J46)	77	10	33	14	20
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	1,420	647	611	92	70
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	17	13	-	4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	318	121	115	43	39
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	484	176	198	49	61
PEPTIC ULCER (K25-K28)	54	22	18	8	6
DISEASES OF APPENDIX (K35-K38)	7	3	1	1	2
HERNIA (K40-K46)	21	9	9	1	2
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	460	203	133	79	45
ALCOHOLIC LIVER DISEASE (K70)	207	101	40	47	19
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	253	102	93	32	26
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	34	8	11	6	9
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	632	177	188	113	154
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	3	-	2	1	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	6	-	4	1	1
RENAL FAILURE (N17-N19)	623	177	182	111	153
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	17	3	6	2	6
HYPERPLASIA OF PROSTATE (N40)	2	2	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	5	-	1	-	4
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	7	-	2	-	5
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	7	-	2	-	5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	268	58	35	98	77
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	142	49	46	25	22
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	454*	118	151	88	90
ALL OTHER DISEASE (RESIDUAL)**	3,137*	857	1,389	411	479
ACCIDENTS (V01-X59, Y85-Y86)	1,995	926	463	444	162
TRANSPORT ACCIDENTS (V01-V99, Y85)	1,069	513	195	284	77
MOTOR VEHICLE ACCIDENTS**	939	452	175	248	64
OTHER LAND TRANSPORT ACCIDENTS**	118	56	17	34	11
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	12	5	3	2	2
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	926	413	268	160	85
ACCIDENTAL FALLS (W00-W19)	186	89	71	15	11
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	17	8	3	5	1
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	64	30	7	25	2
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	76	26	13	24	13
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	247	127	76	29	15
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	324	125	96	60	43
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	473	311	99	51	12
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	310	215	56	30	9
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	163	96	43	21	3
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	351	101	52	158	40
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	229	68	26	117	18
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	122	33	26	41	22
LEGAL INTERVENTION (Y35, Y89.0)	5	2	-	3	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	24	12	4	6	2
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	4	2	1	1	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	20	10	3	5	2
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	1	1	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	70	16	25	9	20

Table G-15. (cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Gender
South Carolina, 2001
(Residence Data)

Cause of Death	Rate		
	Total	White	Black & Other
ALL CAUSES	9.0	9.2	8.5
SALMONELLA INFECTIONS (A01-A02)	0	0	0.1
SHIGELLOSIS & AMEBIASIS (A03,A06)	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	0.5	0.7	0.2
TUBERCULOSIS (A16-A19)	0.2	0.1	0.5
RESPIRATORY TUBERCULOSIS (A16)	0.2	0.1	0.4
OTHER TUBERCULOSIS (A17-A19)	0.0	0.0	0.1
WHOOPING COUGH (A37)	0	0	0
SCARLET FEVER & ERYSIPELAS (A38, A46)	0	0	0
MENINGOCOCCAL INFECTION (A39)	0.1	0.1	0.2
SEPTICEMIA (A40-A41)	13.3	12.3	15.6
SYPHILIS (A50-A53)	0.0	0.0	0
ACUTE POLIOMYELITIS (A80)	0	0	0
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	2.1	2.2	1.9
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7.6	2.4	19.0
MALARIA (B50-B54)	0	0	0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2.4	2.4	2.4
MALIGNANT NEOPLASMS (C00-C97)	203.3	215.0	177.9
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3.5	3.0	4.5
OF ESOPHAGUS (C15)	5.1	4.3	7.1
OF STOMACH (C16)	4.6	3.5	7.0
OF COLON, RECTUM & ANUS (C18-C21)	20.1	20.7	19.0
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4.4	5.1	2.9
OF PANCREAS (C25)	11.0	11.7	9.3
OF LARYNX (C32)	1.5	1.3	1.7
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	62.6	71.5	43.2
OF SKIN (C43)	2.4	3.2	0.5
OF BREAST (C50)	14.6	13.9	16.3
OF CERVIX UTERI (C53)	1.7	1.6	2.0
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2.3	1.7	3.6
OF OVARY (C56)	4.0	4.7	2.4
OF PROSTATE (C61)	12.3	10.0	17.3
OF KIDNEY & RENAL PELVIS (C64-C65)	4.0	4.5	3.1
OF BLADDER (C67)	3.9	4.8	2.0
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3.9	4.6	2.4
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	20.0	22.5	14.5
HODGKIN'S DISEASE (C81)	0.4	0.5	0.4
NON-HODGKIN'S LYMPHOMA (C82-C85)	7.4	9.0	4.1
LEUKEMIA (C91-C95)	7.4	8.7	4.6
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4.7	4.3	5.5
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	0.0	0.0	0
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	21.5	22.5	19.2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.2	4.6	3.5
ANEMIAS (D50-D64)	2.3	2.0	3.0
DIABETES MELLITUS (E10-E14)	26.8	21.8	37.7
NUTRITIONAL DEFICIENCIES (E40-E64)	2.0	2.1	2.0
MALNUTRITION (E40-E46)	1.8	1.8	1.8
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.2	0.3	0.2
MENINGITIS (G00,G03)	0.3	0.1	0.8
PARKINSON'S DISEASE (G20-G21)	5.3	7.0	1.6
ALZHEIMER'S DISEASE (G30)	21.7	25.4	13.7
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	323.9	331.5	306.9
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	233.7	245.7	207.2
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1.3	1.2	1.4
HYPERTENSIVE HEART DISEASE (I11)	7.9	6.1	12.0
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1.1	0.7	2.0
ISCHEMIC HEART DISEASES (I20-I25)	152.8	165.1	126.0
ACUTE MYOCARDIAL INFARCTION (I21-I22)	72.5	76.0	64.8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	4.0	3.2	5.6
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	76.4	85.8	55.6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	11.5	12.3	9.8
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	64.8	73.5	45.8
OTHER HEART DISEASES (I26-I51)	70.6	72.7	65.8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.5	0.5	0.5
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.3	0.3	0.5
HEART FAILURE (I50)	22.0	23.5	18.5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	47.8	48.4	46.2

Table G-15.(cont.)
Deaths and Death Rates¹ from Selected Causes by Race and Gender
South Carolina, 2001
(Residence Data)

Cause of Death	Rate		
	Total	White	Black & Other
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	8.3	5.1	15.1
CEREBROVASCULAR DISEASES (I60-I69)	69.6	67.5	74.4
ATHEROSCLEROSIS (I70)	2.2	2.8	0.7
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	10.1	10.4	9.5
AORTIC ANEURYSM & DISSECTION (I71)	6.1	6.7	4.7
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4.0	3.7	4.8
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1.8	1.8	1.7
INFLUENZA & PNEUMONIA (J10-J18)	18.5	19.2	16.9
INFLUENZA (J10-J11)	0.0	0.0	0
PNEUMONIA (J12-J18)	18.5	19.2	16.9
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.1	0.1	0.2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.1	0.1	0.2
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0	0	0
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	42.5	53.8	17.9
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.4	0.5	0.2
EMPHYSEMA (J43)	5.3	6.7	2.4
ASTHMA (J45-J46)	1.9	1.5	2.7
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	34.9	45.1	12.7
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	0.4	0.5	0.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7.8	8.5	6.4
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	11.9	13.4	8.6
PEPTIC ULCER (K25-K28)	1.3	1.4	1.1
DISEASES OF APPENDIX (K35-K38)	0.2	0.1	0.2
HERNIA (K40-K46)	0.5	0.6	0.2
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	11.3	12	9.7
ALCOHOLIC LIVER DISEASE (K70)	5.1	5.1	5.2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6.2	7.0	4.6
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	0.8	0.7	1.2
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	15.6	13.1	21.0
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.1	0.1	0.1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	0.1	0.1	0.2
RENAL FAILURE (N17-N19)	15.3	12.9	20.7
OTHER DISORDERS OF KIDNEY (N25,N27)	0	0	0
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	0.4	0.3	0.6
HYPERPLASIA OF PROSTATE (N40)	0	0.1	0
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	0.1	0	0.3
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	0.2	0.1	0.4
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0	0	0
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	0.2	0.1	0.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6.6	3.3	13.7
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3.5	3.4	3.7
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	11.2	9.6	14.0
ALL OTHER DISEASE (RESIDUAL)**	77.2	80.5	69.8
ACCIDENTS (V01-X59,Y85-Y86)	49.1	49.8	47.6
TRANSPORT ACCIDENTS (V01-V99,Y85)	26.3	25.4	28.3
MOTOR VEHICLE ACCIDENTS**	23.1	22.5	24.5
OTHER LAND TRANSPORT ACCIDENTS**	2.9	2.6	3.5
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	0.3	0.3	0.3
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	22.8	24.4	19.2
ACCIDENTAL FALLS (W00-W19)	4.6	5.7	2.0
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	0.4	0.4	0.5
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1.6	1.3	2.1
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1.9	1.4	2.9
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	6.1	7.3	3.5
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	8.0	7.9	8.1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	11.6	14.7	4.9
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7.6	9.7	3.1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4.0	5.0	1.9
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	8.6	5.5	15.5
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	5.6	3.4	10.6
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	3.0	2.1	4.9
LEGAL INTERVENTION (Y35,Y89.0)	0.1	0.1	0.2
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	0.6	0.6	0.6
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	0.1	0.1	0.1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	0.5	0.5	0.5
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0.0	0.0	0
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1.7	1.5	2.3

¹ Rate per 1,000 estimated population for all causes; Rate per 100,000 estimated population for individual category

* Includes unknown race

** See Appendix for ICD-10 code

Table G-15A.
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Abbeville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	239	80	101	29	29
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	-	1	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	56	17	28	6	5
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	8	3	4	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	2	-	-
OF PANCREAS (C25)	3	2	1	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	19	7	8	3	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	7	-	5	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	3	1	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	2	-	1	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	1	-	-
LEUKEMIA (C91-C95)	1	-	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	2	4	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	10	3	2	4	1
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	2	-	-
MALNUTRITION (E40-E46)	2	-	2	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	2	-	-
ALZHEIMER'S DISEASE (G30)	10	1	8	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	88	38	27	12	11
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	65	30	21	9	5
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	31	16	11	3	1
ACUTE MYOCARDIAL INFARCTION (I21-I22)	14	9	3	1	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	17	7	8	2	-
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	-	3	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	14	7	5	2	-
OTHER HEART DISEASES (I26-I51)	32	14	9	6	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	8	3	3	2	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	24	11	6	4	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	1	-	-	-	1
CEREBROVASCULAR DISEASES (I60-I69)	21	7	6	3	5
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	4	5	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	4	5	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	4	2	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	6	4	1	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	2	3	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	1	3	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	1	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	1	-	-	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	1	-	-	3
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	1	-	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	-	1	1	-
ALL OTHER DISEASE (RESIDUAL)**	14	1	7	1	5
ACCIDENTS (V01-X59,Y85-Y86)	9	3	5	1	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	4	2	1	1	-
MOTOR VEHICLE ACCIDENTS**	3	2	1	-	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	5	1	4	-	-
ACCIDENTAL FALLS (W00-W19)	3	1	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	1	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	2	2	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	1	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	1	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Aiken

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,426	525	531	200	170
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	22	8	8	1	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	3	1	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	5	2	1	2	-
MALIGNANT NEOPLASMS (C00-C97)	330	144	111	46	29
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	7	5	-	1	1
OF ESOPHAGUS (C15)	15	8	2	3	2
OF STOMACH (C16)	6	1	2	2	1
OF COLON, RECTUM & ANUS (C18-C21)	28	14	7	3	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	4	2	-	-
OF PANCREAS (C25)	11	4	7	-	-
OF LARYNX (C32)	6	5	-	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	91	42	30	16	3
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	26	-	21	-	5
OF CERVIX UTERI (C53)	3	-	1	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	4	-	2	-	2
OF OVARY (C56)	9	-	9	-	-
OF PROSTATE (C61)	19	11	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	1	4	1	-
OF BLADDER (C67)	3	3	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	6	4	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	34	19	12	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	10	3	6	1	-
LEUKEMIA (C91-C95)	15	10	4	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	9	6	2	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	48	21	11	10	6
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	10	7	2	-	1
ANEMIAS (D50-D64)	3	1	-	2	-
DIABETES MELLITUS (E10-E14)	50	13	20	7	10
NUTRITIONAL DEFICIENCIES (E40-E64)	5	1	3	1	-
MALNUTRITION (E40-E46)	5	1	3	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	10	4	4	2	-
ALZHEIMER'S DISEASE (G30)	45	11	27	2	5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	489	160	191	70	68
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	348	122	131	48	47
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	1	1	-	1
HYPERTENSIVE HEART DISEASE (I11)	6	-	2	1	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	204	74	70	29	31
ACUTE MYOCARDIAL INFARCTION (I21-I22)	73	24	20	15	14
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	131	50	50	14	17
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	12	3	5	1	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	119	47	45	13	14
OTHER HEART DISEASES (I26-I51)	134	47	57	18	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	4	2	1	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	49	12	26	6	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	81	33	30	11	7

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Aiken

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	25	3	8	7	7
CEREBROVASCULAR DISEASES (I60-I69)	90	18	45	14	13
ATHEROSCLEROSIS (I70)	3	2	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	23	15	6	1	1
AORTIC ANEURYSM & DISSECTION (I71)	12	8	3	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	11	7	3	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	31	8	17	3	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	31	8	17	3	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	60	32	24	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	4	3	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	56	29	23	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	8	3	3	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	22	7	8	3	4
PEPTIC ULCER (K25-K28)	1	1	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	15	7	6	1	1
ALCOHOLIC LIVER DISEASE (K70)	4	2	1	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	11	5	5	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	22	9	7	4	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	22	9	7	4	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	3	1	4	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	3	2	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	27	8	7	7	5
ALL OTHER DISEASE (RESIDUAL)**	131	41	59	12	19
ACCIDENTS (V01-X59, Y85-Y86)	67	22	19	19	7
TRANSPORT ACCIDENTS (V01-V99, Y85)	44	14	10	15	5
MOTOR VEHICLE ACCIDENTS**	35	11	9	11	4
OTHER LAND TRANSPORT ACCIDENTS**	8	3	1	4	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	1	-	-	-	1
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	23	8	9	4	2
ACCIDENTAL FALLS (W00-W19)	5	2	2	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	-	-	2	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	-	3	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	13	6	4	2	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	25	17	4	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	18	16	2	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	7	1	2	4	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	12	5	1	4	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	6	4	-	1	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	6	1	1	3	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	3	3	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	3	3	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	1	1	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	4	-	2	-	2

Table G-15A. (cont.)
 Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
 (Residence Data)
 Allendale

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	118	19	20	38	41
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	1	-	-	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	21	3	6	8	4
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	1	-	-	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	1	-	1	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	3	1	-	2	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	1	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	1	-	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	1	2	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	1	2	-	1
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	-	-	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	-	-	2
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	7	1	2	3	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	1	-	1	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	50	8	10	12	20
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	37	7	8	7	15
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	-	3	-	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	20	6	3	2	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	10	2	2	2	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	10	4	1	-	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	-	1	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	8	4	-	-	4
OTHER HEART DISEASES (I26-I51)	11	1	2	5	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	5	-	-	3	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	1	2	2	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Allendale

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	1	-	-	1	-
CEREBROVASCULAR DISEASES (I60-I69)	11	1	1	4	5
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	5	1	1	1	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	1	1	1	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	5	3	-	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	5	3	-	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	-	-	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	1	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	-	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	4	1	-	2	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	1	-
RENAL FAILURE (N17-N19)	3	1	-	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	3	-	-	2	1
ALL OTHER DISEASE (RESIDUAL)**	10	-	-	6	4
ACCIDENTS (V01-X59,Y85-Y86)	3	1	-	-	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	1	1	-	-	-
MOTOR VEHICLE ACCIDENTS**	1	1	-	-	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	2	-	-	-	2
ACCIDENTAL FALLS (W00-W19)	1	-	-	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	-	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Anderson

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,744	773	706	135	130
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	26	14	6	3	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	5	3	1	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	1	-	4	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	6	1	2	2	1
MALIGNANT NEOPLASMS (C00-C97)	401	198	140	36	27
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	4	2	2	-	-
OF ESOPHAGUS (C15)	8	5	1	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	52	28	17	4	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	8	3	2	3	-
OF PANCREAS (C25)	27	11	12	2	2
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	107	68	26	7	6
OF SKIN (C43)	3	1	2	-	-
OF BREAST (C50)	25	-	21	-	4
OF CERVIX UTERI (C53)	2	-	1	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	3	-	-
OF OVARY (C56)	7	-	6	-	1
OF PROSTATE (C61)	27	18	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	8	6	2	-	-
OF BLADDER (C67)	13	11	2	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	17	10	7	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	50	20	19	3	8
HODGKIN'S DISEASE (C81)	2	1	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	19	6	12	1	-
LEUKEMIA (C91-C95)	15	8	3	1	3
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	14	5	3	1	5
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	39	15	16	6	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	2	4	-	-
ANEMIAS (D50-D64)	2	-	1	-	1
DIABETES MELLITUS (E10-E14)	36	17	13	3	3
NUTRITIONAL DEFICIENCIES (E40-E64)	8	2	6	-	-
MALNUTRITION (E40-E46)	6	1	5	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	2	1	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	12	9	2	1	-
ALZHEIMER'S DISEASE (G30)	57	16	35	-	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	610	248	270	45	47
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	471	206	193	37	35
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	5	-	3	1	1
HYPERTENSIVE HEART DISEASE (I11)	10	4	5	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	4	1	2	1	-
ISCHEMIC HEART DISEASES (I20-I25)	322	150	122	27	23
ACUTE MYOCARDIAL INFARCTION (I21-I22)	153	74	53	13	13
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	-	1	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	167	76	68	14	9
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	20	13	4	3	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	147	63	64	11	9
OTHER HEART DISEASES (I26-I51)	130	51	61	7	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	2	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	43	15	20	2	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	85	34	41	5	5

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Anderson

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	14	2	8	3	1
CEREBROVASCULAR DISEASES (I60-I69)	103	35	55	4	9
ATHEROSCLEROSIS (I70)	9	3	6	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	13	2	8	1	2
AORTIC ANEURYSM & DISSECTION (I71)	10	1	8	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	-	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	4	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	44	18	20	5	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	44	18	20	5	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	111	53	53	2	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	8	2	4	-	2
ASTHMA (J45-J46)	3	-	3	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	100	51	46	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	3	3	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	17	10	6	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	32	19	11	-	2
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	3	-	2	1	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	20	12	4	2	2
ALCOHOLIC LIVER DISEASE (K70)	10	5	2	2	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	10	7	2	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	20	6	6	2	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	-	-	1
RENAL FAILURE (N17-N19)	19	6	6	2	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	9	5	2	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	1	3	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	30	8	16	2	4
ALL OTHER DISEASE (RESIDUAL)**	154	61	76	9	8
ACCIDENTS (V01-X59,Y85-Y86)	76	39	19	9	9
TRANSPORT ACCIDENTS (V01-V99,Y85)	46	25	9	7	5
MOTOR VEHICLE ACCIDENTS**	42	24	9	6	3
OTHER LAND TRANSPORT ACCIDENTS**	4	1	-	1	2
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	30	14	10	2	4
ACCIDENTAL FALLS (W00-W19)	5	3	1	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	2	1	1	-	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	10	5	3	-	2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	11	3	5	1	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	20	15	4	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	14	9	4	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	6	6	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	18	6	3	7	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	10	2	2	6	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	8	4	1	1	2
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	2	1	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Bamberg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	154	29	38	57	30
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	2	1	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	-	1	1
MALIGNANT NEOPLASMS (C00-C97)	40	10	5	18	7
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	8	2	2	2	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	2	2	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	9	3	-	6	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	2	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	1	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	2	-	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	3	2	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	-	-	2	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	-	-	-	-	-
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	5	1	1	-	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	57	7	20	17	13
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	38	4	16	12	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	-	-	2	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	24	2	10	7	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	11	-	5	5	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	13	2	5	2	4
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	1	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	10	1	4	1	4
OTHER HEART DISEASES (I26-I51)	12	2	6	3	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	5	1	2	2	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	7	1	4	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Bamberg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	7	-	2	1	4
CEREBROVASCULAR DISEASES (I60-I69)	11	3	2	3	3
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	-	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	1	1	-	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	1	1	-	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	8	2	3	2	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	7	2	2	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	4	1	2	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	2	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3	1	-	2	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	1	-	2	-
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	3	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	1	-	-	-	1
ALL OTHER DISEASE (RESIDUAL)**	10	2	3	4	1
ACCIDENTS (V01-X59,Y85-Y86)	7	1	-	6	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	5	-	-	5	-
MOTOR VEHICLE ACCIDENTS**	4	-	-	4	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	2	1	-	1	-
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	1	-	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	-	1	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Barnwell

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	249*	63	63	67	55
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	2	2	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	52	20	8	16	8
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	5	3	-	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	7	5	1	-	1
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	12	6	2	3	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	3	-	2	-	1
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	-	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	4	2	1	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	1	2	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	-	1	-	2
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	-	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	4	1	-	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	-	1
ANEMIAS (D50-D64)	2	-	1	-	1
DIABETES MELLITUS (E10-E14)	11	2	1	2	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	7	-	2	4	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	85	19	24	24	18
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	59	14	17	16	12
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	40	11	12	10	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	16	5	6	4	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	24	6	6	6	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	1	-	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	5	6	6	5
OTHER HEART DISEASES (I26-I51)	18	3	5	6	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	7	2	2	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	11	1	3	5	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Barnwell

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	2	-	-	2	-
CEREBROVASCULAR DISEASES (I60-I69)	24	5	7	6	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	-	-	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	-	-	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	7	2	3	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	7	2	3	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	2	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	7	2	4	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	3	1	1	1	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	1	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	7	1	1	1	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	1	1	1	4
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	4*	-	1	1	1
ALL OTHER DISEASE (RESIDUAL)**	24	4	10	4	6
ACCIDENTS (V01-X59, Y85-Y86)	15	5	2	5	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	12	5	1	4	2
MOTOR VEHICLE ACCIDENTS**	12	5	1	4	2
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	3	-	1	1	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	4	2	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	-	1	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	2	1	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	3	-	2	1	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Beaufort

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	969*	388	326	138	116
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	24	6	10	3	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	7	2	-	2	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	-	1	1
MALIGNANT NEOPLASMS (C00-C97)	251	107	83	40	21
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	8	3	1	4	-
OF STOMACH (C16)	5	1	1	3	-
OF COLON, RECTUM & ANUS (C18-C21)	18	5	6	4	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	2	1	1	1
OF PANCREAS (C25)	12	4	5	1	2
OF LARYNX (C32)	4	4	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	81	40	27	12	2
OF SKIN (C43)	5	5	-	-	-
OF BREAST (C50)	20	-	14	1	5
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	7	-	6	-	1
OF PROSTATE (C61)	25	17	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	1	1	-
OF BLADDER (C67)	5	2	2	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	24	10	8	3	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	12	4	4	2	2
LEUKEMIA (C91-C95)	6	3	3	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	3	1	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	25	12	8	2	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	9	4	4	1	-
ANEMIAS (D50-D64)	3	1	2	-	-
DIABETES MELLITUS (E10-E14)	18	6	2	2	8
NUTRITIONAL DEFICIENCIES (E40-E64)	3	-	2	-	1
MALNUTRITION (E40-E46)	3	-	2	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	8	5	1	1	1
ALZHEIMER'S DISEASE (G30)	30	9	15	2	4
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	326*	132	115	40	38
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	206*	90	71	25	19
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	2	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	108	54	35	13	6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	40	19	14	4	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	68	35	21	9	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	1	3	2	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	62	34	18	7	3
OTHER HEART DISEASES (I26-I51)	93*	34	34	12	12
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	26	7	12	4	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	66*	26	22	8	9

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Beaufort

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	7	3	1	3	-
CEREBROVASCULAR DISEASES (I60-I69)	94	31	34	11	18
ATHEROSCLEROSIS (I70)	5	2	3	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	14	6	6	1	1
AORTIC ANEURYSM & DISSECTION (I71)	12	6	5	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	1	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	-	-	2	-
INFLUENZA & PNEUMONIA (J10-J18)	17	5	6	4	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	17	5	6	4	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	39	18	19	-	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	6	4	2	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	33	14	17	-	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	2	1	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	15	5	8	-	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	15	5	7	1	2
ALCOHOLIC LIVER DISEASE (K70)	7	3	2	1	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	8	2	5	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	-	-	2	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	26	8	7	3	8
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	26	8	7	3	8
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	1	-	4	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	1	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	17	5	6	2	4
ALL OTHER DISEASE (RESIDUAL)**	76	28	28	12	8
ACCIDENTS (V01-X59, Y85-Y86)	43	24	8	8	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	23	14	4	5	-
MOTOR VEHICLE ACCIDENTS**	21	13	4	4	-
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	20	10	4	3	3
ACCIDENTAL FALLS (W00-W19)	6	4	1	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	2	1	-	1
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	2	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	8	2	2	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	10	7	1	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	8	6	1	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	2	1	-	1	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	9	3	-	5	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	5	1	-	3	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	4	2	-	2	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Berkeley

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	957	353	318	157	129
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	-	1
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	-	1
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	16	4	6	2	4
SYPHILIS (A50-A53)	1	1	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	5	2	2	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	3	1	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	1	1	-
MALIGNANT NEOPLASMS (C00-C97)	230	97	83	27	23
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	5	4	1	-	-
OF ESOPHAGUS (C15)	2	-	2	-	-
OF STOMACH (C16)	3	2	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	22	13	6	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	5	1	-	-
OF PANCREAS (C25)	9	5	1	2	1
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	73	31	34	7	1
OF SKIN (C43)	3	1	1	-	1
OF BREAST (C50)	23	-	13	1	9
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	6	-	3	-	3
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	15	5	-	10	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	1	2	1	-
OF BLADDER (C67)	3	3	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	2	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	20	11	4	1	4
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	2	2	-	2
LEUKEMIA (C91-C95)	10	8	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	3	1	-	-	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	28	14	10	3	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	7	5	2	-	-
ANEMIAS (D50-D64)	5	1	2	1	1
DIABETES MELLITUS (E10-E14)	47	13	14	7	13
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	1	-	-
PARKINSON'S DISEASE (G20-G21)	5	3	1	1	-
ALZHEIMER'S DISEASE (G30)	22	3	12	-	7
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	292	97	99	53	43
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	211	79	67	35	30
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	12	4	3	2	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	133	57	41	21	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	69	33	14	14	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	4	1	1	1	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	60	23	26	6	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	9	5	3	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	51	18	23	6	4
OTHER HEART DISEASES (I26-I51)	65	18	22	12	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	1	-
HEART FAILURE (I50)	32	9	10	7	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	32	9	12	4	7

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Berkeley

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	6	1	3	2	-
CEREBROVASCULAR DISEASES (I60-I69)	65	16	25	13	11
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	10	1	4	3	2
AORTIC ANEURYSM & DISSECTION (I71)	7	1	3	3	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	1	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	15	6	5	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	15	6	5	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	1	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	42	16	19	5	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	3	3	2	1
ASTHMA (J45-J46)	2	1	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	31	12	15	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7	4	2	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	9	2	5	1	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	13	4	7	1	1
ALCOHOLIC LIVER DISEASE (K70)	4	2	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	9	2	6	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	13	5	3	3	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	12	5	2	3	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	2	3	4	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	3	2	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	8	-	5	1	2
ALL OTHER DISEASE (RESIDUAL)**	78	29	17	20	12
ACCIDENTS (V01-X59, Y85-Y86)	73	33	18	17	5
TRANSPORT ACCIDENTS (V01-V99, Y85)	47	25	10	11	1
MOTOR VEHICLE ACCIDENTS**	46	24	10	11	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	26	8	8	6	4
ACCIDENTAL FALLS (W00-W19)	1	-	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	-	-	1
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	8	4	1	3	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5	2	2	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	10	2	3	3	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	18	11	4	3	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	10	6	3	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	8	5	1	2	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	15	7	2	4	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	11	6	1	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	4	1	1	-	2
LEGAL INTERVENTION (Y35, Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Calhoun

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	155	41	41	39	34
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	-	1	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	1	-	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	3	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	34	11	5	12	6
MALIGNANT NEOPLASMS (C00-C97)					
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)					
OF ESOPHAGUS (C15)	3	-	-	3	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	1	2	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	2	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	6	3	-	3	-
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	2	-	1	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	4	1	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	-	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	1	2	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	-	-	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	1	-	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	3	2	-	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	-	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	11	-	4	2	5
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	2	-	-
MALNUTRITION (E40-E46)	2	-	2	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	-	2	-	-
ALZHEIMER'S DISEASE (G30)	7	1	4	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	51	15	12	12	12
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	37	12	11	8	6
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	1	2	2	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	18	7	4	3	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	14	6	3	2	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	4	1	1	1	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	4	1	1	1	1
OTHER HEART DISEASES (I26-I51)	13	4	5	3	1
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	7	3	1	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	1	4	1	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Calhoun

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	5	1	1	1	2
CEREBROVASCULAR DISEASES (I60-I69)	8	1	-	3	4
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	-	-	-	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	-	-	-	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	-	-	-	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	-	-	-	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	1	1	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3	1	1	-	1
PEPTIC ULCER (K25-K28)	4	1	2	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	2	-	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	5	-	-	1	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	1	-	-	1	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	-	-	-	4
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	1	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	1	2	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	9	4	3	1	1
ACCIDENTS (V01-X59,Y85-Y86)	5	1	1	3	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	5	1	1	3	-
MOTOR VEHICLE ACCIDENTS**	5	1	1	3	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	-	-	-	-	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Charleston

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,682	834	826	501	521
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	6	2	4	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	38	13	11	12	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	13	6	3	3	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	22	5	-	11	6
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	9	4	1	3	1
MALIGNANT NEOPLASMS (C00-C97)	606	224	187	98	97
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	-	3	1	-
OF ESOPHAGUS (C15)	21	7	3	9	2
OF STOMACH (C16)	22	3	3	9	7
OF COLON, RECTUM & ANUS (C18-C21)	69	20	26	12	11
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	11	7	1	2	1
OF PANCREAS (C25)	30	10	9	5	6
OF LARYNX (C32)	5	3	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	175	73	58	24	20
OF SKIN (C43)	7	3	3	-	1
OF BREAST (C50)	38	1	20	-	17
OF CERVIX UTERI (C53)	7	-	4	-	3
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	8	-	2	-	6
OF OVARY (C56)	11	-	7	-	4
OF PROSTATE (C61)	37	25	-	12	-
OF KIDNEY & RENAL PELVIS (C64-C65)	18	9	5	3	1
OF BLADDER (C67)	13	8	4	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	18	8	3	4	3
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	46	25	11	6	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	19	13	5	-	1
LEUKEMIA (C91-C95)	20	10	4	4	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	7	2	2	2	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	66	22	25	9	10
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	8	2	2	2	2
ANEMIAS (D50-D64)	9	1	3	1	4
DIABETES MELLITUS (E10-E14)	76	18	9	22	27
NUTRITIONAL DEFICIENCIES (E40-E64)	6	2	1	2	1
MALNUTRITION (E40-E46)	6	2	1	2	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	21	11	8	-	2
ALZHEIMER'S DISEASE (G30)	69	14	36	1	18
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	970	272	294	180	224
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	672	212	200	119	141
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	8	4	1	-	3
HYPERTENSIVE HEART DISEASE (I11)	25	1	7	13	4
HYPERTENSIVE HEART & RENAL DISEASE (I13)	3	-	-	1	2
ISCHEMIC HEART DISEASES (I20-I25)	451	160	129	71	91
ACUTE MYOCARDIAL INFARCTION (I21-I22)	166	49	50	34	33
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	42	13	8	10	11
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	243	98	71	27	47
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	56	17	23	4	12
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	187	81	48	23	35
OTHER HEART DISEASES (I26-I51)	185	47	63	34	41
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	41	8	16	8	9
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	144	39	47	26	32

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Charleston

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	29	3	6	7	13
CEREBROVASCULAR DISEASES (I60-I69)	245	47	85	48	65
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	24	10	3	6	5
AORTIC ANEURYSM & DISSECTION (I71)	8	3	1	2	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	16	7	2	4	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	5	2	2	-	1
INFLUENZA & PNEUMONIA (J10-J18)	57	14	23	11	9
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	57	14	23	11	9
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	116	49	50	7	10
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	22	9	10	2	1
ASTHMA (J45-J46)	3	-	1	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	91	40	39	5	7
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	7	5	-	2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	14	5	5	4	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	40	11	15	7	7
PEPTIC ULCER (K25-K28)	3	1	1	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	40	10	11	8	11
ALCOHOLIC LIVER DISEASE (K70)	23	6	4	7	6
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	17	4	7	1	5
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	5	-	3	-	2
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	49	10	14	13	12
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	49	10	14	13	12
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	28	5	-	13	10
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	16	4	6	3	3
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	10	2	3	3	2
ALL OTHER DISEASE (RESIDUAL)**	246	59	99	39	49
ACCIDENTS (V01-X59, Y85-Y86)	123	52	27	28	16
TRANSPORT ACCIDENTS (V01-V99, Y85)	48	16	6	19	7
MOTOR VEHICLE ACCIDENTS**	45	16	5	17	7
OTHER LAND TRANSPORT ACCIDENTS**	3	-	1	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	75	36	21	9	9
ACCIDENTAL FALLS (W00-W19)	17	7	9	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	1	1	2	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	4	3	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	24	18	3	3	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	23	5	8	2	8
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	29	20	5	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	14	10	2	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	15	10	3	2	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	28	5	2	21	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	22	3	2	17	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	6	2	-	4	-
LEGAL INTERVENTION (Y35, Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	4	3	-	-	1
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	4	3	-	-	1
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	7	3	1	1	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Cherokee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	560	234	209	60	57
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	1	-	-
SEPTICEMIA (A40-A41)	10	5	2	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	2	1	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	1	-	1
MALIGNANT NEOPLASMS (C00-C97)	125	59	41	14	11
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	3	-	-	-
OF ESOPHAGUS (C15)	3	-	1	2	-
OF STOMACH (C16)	2	1	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	12	6	2	2	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	3	-	-	-
OF PANCREAS (C25)	6	4	1	1	-
OF LARYNX (C32)	2	-	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	46	26	14	3	3
OF SKIN (C43)	1	-	-	-	1
OF BREAST (C50)	6	-	4	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	3	1	1	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	1	2	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	17	7	10	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	3	3	-	-
LEUKEMIA (C91-C95)	10	4	6	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	2	3	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	3	1	-	1
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	23	4	12	2	5
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	1	-	-
ALZHEIMER'S DISEASE (G30)	9	2	5	2	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	222	99	79	18	26
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	177	85	58	16	18
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	1	2	-	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	112	55	35	11	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	49	29	11	6	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	63	26	24	5	8
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	8	3	2	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	55	23	22	4	6
OTHER HEART DISEASES (I26-I51)	58	29	20	5	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	22	9	10	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	36	20	10	3	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Cherokee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	5	2	2	-	1
CEREBROVASCULAR DISEASES (I60-I69)	33	9	16	2	6
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	7	3	3	-	1
AORTIC ANEURYSM & DISSECTION (I71)	6	3	2	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	1	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	1	4	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	1	4	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	24	10	9	3	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	3	-	2	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	20	9	7	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	8	1	4	3	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	7	1	5	-	1
PEPTIC ULCER (K25-K28)	3	2	-	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	1	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	-	2	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	17	2	13	-	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	17	2	13	-	2
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	1	-	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	9	6	1	1	1
ALL OTHER DISEASE (RESIDUAL)**	39	11	22	3	3
ACCIDENTS (V01-X59,Y85-Y86)	21	12	3	6	-
TRANSPORT ACCIDENTS (V01-V99,Y85)	8	6	-	2	-
MOTOR VEHICLE ACCIDENTS**	7	6	-	1	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	13	6	3	4	-
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	8	3	1	4	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	3	2	1	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	9	8	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	5	5	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4	3	1	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	2	1	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Chester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	344	110	128	57	49
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	2	1	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	-	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	1	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	91	28	36	18	9
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	4	2	2	-	-
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	17	2	12	3	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	2	-	-	-
OF PANCREAS (C25)	2	1	1	-	-
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	33	12	10	9	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	1	-	2
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	4	-	3	-	1
OF PROSTATE (C61)	4	2	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	2	-	1	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	-	3	1	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	1	-	-
LEUKEMIA (C91-C95)	4	-	2	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	4	-	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	1	-	-
ANEMIAS (D50-D64)	2	1	1	-	-
DIABETES MELLITUS (E10-E14)	13	6	2	1	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	2	-	-	1
ALZHEIMER'S DISEASE (G30)	1	-	1	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	137	37	52	25	23
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	111	33	37	20	21
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	-	-	-	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	86	27	30	15	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	59	19	20	11	9
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	27	8	10	4	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	1	3	2	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	21	7	7	2	5
OTHER HEART DISEASES (I26-I51)	24	6	7	5	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	7	1	4	2	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	17	5	3	3	6

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Chester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	2	-	-	2	-
CEREBROVASCULAR DISEASES (I60-I69)	20	3	12	3	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	4	1	3	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	-	3	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	1	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	-	-	1
INFLUENZA & PNEUMONIA (J10-J18)	6	2	4	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	2	4	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	22	8	9	2	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	-	-	1
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	18	6	8	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	-	2	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	2	-	1	-	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	5	2	3	-	-
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	1	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	2	-	1	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	-	1	1	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	1	-	-	-	1
ALL OTHER DISEASE (RESIDUAL)**	20	7	9	2	2
ACCIDENTS (V01-X59, Y85-Y86)	14	7	1	4	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	9	5	1	1	2
MOTOR VEHICLE ACCIDENTS**	6	3	1	-	2
OTHER LAND TRANSPORT ACCIDENTS**	3	2	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	5	2	-	3	-
ACCIDENTAL FALLS (W00-W19)	2	2	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	4	3	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	3	2	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	4	1	2	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Chesterfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	377*	133	120	60	63
SALMONELLA INFECTIONS (A01-A02)	1	-	-	-	1
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	1	-	1
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	2	2	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	82	26	27	14	15
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	3	1	1	-	1
OF COLON, RECTUM & ANUS (C18-C21)	4	-	-	2	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	1	-	-	1
OF PANCREAS (C25)	5	1	4	-	-
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	27	14	4	7	2
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	6	-	6	-	-
OF CERVIX UTERI (C53)	3	-	3	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	2	1	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	-	1	-	2
OF BLADDER (C67)	2	1	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	2	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	8	1	3	1	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	1	2	-	2
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	1	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	8	2	3	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	2	-	1	-
ANEMIAS (D50-D64)	2	1	-	1	-
DIABETES MELLITUS (E10-E14)	9*	4	2	-	2
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	4	-	4	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	146	54	46	21	25
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	124	45	40	19	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	1	-	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	104	40	33	15	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	29	11	11	4	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	43	16	11	8	8
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	32	13	11	3	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	1	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	31	12	11	3	5
OTHER HEART DISEASES (I26-I51)	18	4	7	4	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	-	1
HEART FAILURE (I50)	4	-	3	1	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	12	4	3	3	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Chesterfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	4	1	-	-	3
CEREBROVASCULAR DISEASES (I60-I69)	12	4	4	2	2
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	4	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	2	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	2	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	9	2	3	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	9	2	3	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	13	8	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	1	1	1	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	9	7	2	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	6	4	1	-	1
PEPTIC ULCER (K25-K28)	1	-	-	1	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	5	1	2	2	-
ALCOHOLIC LIVER DISEASE (K70)	3	1	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	2	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	9	3	4	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	8	3	3	1	1
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	1	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	3	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	4	2	1	-	1
ALL OTHER DISEASE (RESIDUAL)**	29	10	9	4	6
ACCIDENTS (V01-X59, Y85-Y86)	20	7	4	9	-
TRANSPORT ACCIDENTS (V01-V99, Y85)	10	4	1	5	-
MOTOR VEHICLE ACCIDENTS**	10	4	1	5	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	10	3	3	4	-
ACCIDENTAL FALLS (W00-W19)	2	-	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	1	-	2	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	1	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	8	6	2	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7	5	2	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	4	-	-	2	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	2	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	3	-	3	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Clarendon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	332	75	78	92	87
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	-	1	2	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	1	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	83	29	20	22	12
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	2	-
OF ESOPHAGUS (C15)	5	1	1	3	-
OF STOMACH (C16)	4	-	-	2	2
OF COLON, RECTUM & ANUS (C18-C21)	7	5	-	2	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	9	1	3	3	2
OF LARYNX (C32)	3	1	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	19	10	5	4	-
OF SKIN (C43)	2	1	-	-	1
OF BREAST (C50)	4	-	2	-	2
OF CERVIX UTERI (C53)	1	-	1	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	6	5	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	9	2	4	-	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	2	3	-	2
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	1	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	9	3	3	3	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	-	1
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	9	-	1	1	7
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	3	-	3	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	130	27	36	33	34
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	69	17	19	17	16
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	2	-	-	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	43	13	13	7	10
ACUTE MYOCARDIAL INFARCTION (I21-I22)	23	10	6	2	5
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	20	3	7	5	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	19	3	6	5	5
OTHER HEART DISEASES (I26-I51)	23	4	6	9	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	2	3	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	13	2	3	6	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Clarendon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	8	1	1	3	3
CEREBROVASCULAR DISEASES (I60-I69)	45	7	14	13	11
ATHEROSCLEROSIS (I70)	2	1	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	1	1	-	4
AORTIC ANEURYSM & DISSECTION (I71)	5	1	1	-	3
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	5	-	-	1	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	5	-	-	1	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	8	2	1	4	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	7	2	1	3	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	2	-	-	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	-	-	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	1	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	22	3	2	7	10
ALL OTHER DISEASE (RESIDUAL)**	20	3	8	3	6
ACCIDENTS (V01-X59,Y85-Y86)	19	2	3	12	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	8	-	-	7	1
MOTOR VEHICLE ACCIDENTS**	6	-	-	5	1
OTHER LAND TRANSPORT ACCIDENTS**	2	-	-	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	11	2	3	5	1
ACCIDENTAL FALLS (W00-W19)	3	1	1	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AMD SUBMERSION (W65-W74)	2	-	1	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	1	-	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	1	1	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	4	1	1	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	7	5	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	7	5	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Colleton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	391*	113	107	88	82
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	2	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	-	-	4	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	90	38	20	18	14
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	2	-	1	-
OF ESOPHAGUS (C15)	6	2	1	2	1
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	9	1	5	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	-	1
OF PANCREAS (C25)	4	1	2	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	24	12	4	6	2
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	2	-	1	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	-	-	3
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	11	8	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	9	3	1	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	4	2	-	-
LEUKEMIA (C91-C95)	3	2	-	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	7	3	1	1	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	6	1	3	1	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	15	5	2	2	6
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	7	1	4	1	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	137	35	45	27	30
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	95	27	33	19	16
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	1	1	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	52	18	16	10	8
ACUTE MYOCARDIAL INFARCTION (I21-I22)	22	12	2	5	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	30	6	14	5	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	29	6	13	5	5
OTHER HEART DISEASES (I26-I51)	39	8	16	8	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	1	7	2	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	26	7	9	6	4

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Colleton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	5	1	-	2	2
CEREBROVASCULAR DISEASES (I60-I69)	33	7	11	6	9
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	4	-	1	-	3
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	-	-	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	-	2	1	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	-	2	1	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	15	9	3	1	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	1	-	-
ASTHMA (J45-J46)	2	1	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	10	6	2	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	1	-	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	7	3	1	3	-
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	3	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	1	1	2	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	9	1	1	2	5
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	1	-	1	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	4*	-	1	1	1
ALL OTHER DISEASE (RESIDUAL)**	31	2	15	6	8
ACCIDENTS (V01-X59,Y85-Y86)	36	12	8	13	3
TRANSPORT ACCIDENTS (V01-V99,Y85)	27	9	5	10	3
MOTOR VEHICLE ACCIDENTS**	23	9	5	6	3
OTHER LAND TRANSPORT ACCIDENTS**	3	-	-	3	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	9	3	3	3	-
ACCIDENTAL FALLS (W00-W19)	3	-	2	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	3	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	2	1	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	7	-	2	2	3
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	6	-	1	2	3
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	3	1	-	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Darlington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	716	219	234	135	128
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	1	-	1	-
TUBERCULOSIS (A16-A19)	2	-	-	2	-
RESPIRATORY TUBERCULOSIS (A16)	2	-	-	2	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	13	3	4	4	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	9	1	-	8	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	146	54	44	24	24
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	2	1	-	1	-
OF ESOPHAGUS (C15)	1	-	-	1	-
OF STOMACH (C16)	4	-	3	-	1
OF COLON, RECTUM & ANUS (C18-C21)	9	1	6	1	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	-	2	2	-
OF PANCREAS (C25)	6	3	1	1	1
OF LARYNX (C32)	4	2	1	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	57	25	18	9	5
OF SKIN (C43)	3	2	1	-	-
OF BREAST (C50)	16	-	8	-	8
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	7	3	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	1	-	-	-
OF BLADDER (C67)	5	5	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	-	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	5	-	3	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	1	-	2	-
LEUKEMIA (C91-C95)	5	2	-	1	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	2	-	-	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	11	6	2	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	1	-	1
ANEMIAS (D50-D64)	3	1	-	1	1
DIABETES MELLITUS (E10-E14)	20	5	7	3	5
NUTRITIONAL DEFICIENCIES (E40-E64)	4	-	2	1	1
MALNUTRITION (E40-E46)	3	-	2	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	-	-	1
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	2	-	-
ALZHEIMER'S DISEASE (G30)	7	2	5	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	282	86	97	45	54
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	189	68	63	30	28
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	1	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	1	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	113	47	32	19	15
ACUTE MYOCARDIAL INFARCTION (I21-I22)	66	27	17	11	11
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	7	4	1	1	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	40	16	14	7	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	8	2	4	2	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	32	14	10	5	3
OTHER HEART DISEASES (I26-I51)	72	20	29	10	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	27	6	13	3	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	45	14	16	7	8

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Darlington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	9	-	4	1	4
CEREBROVASCULAR DISEASES (I60-I69)	72	14	26	12	20
ATHEROSCLEROSIS (I70)	1	-	-	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	11	4	4	1	2
AORTIC ANEURYSM & DISSECTION (I71)	6	4	1	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	-	3	-	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	1	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	17	2	7	5	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	17	2	7	5	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	42	17	18	3	4
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	9	3	5	-	1
ASTHMA (J45-J46)	2	-	-	1	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	31	14	13	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7	1	3	3	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	14	8	4	-	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	10	2	3	4	1
ALCOHOLIC LIVER DISEASE (K70)	2	-	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	8	2	2	3	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	15	1	3	5	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	15	1	3	5	6
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	9	3	1	2	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	-	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	6	3	2	1	-
ALL OTHER DISEASE (RESIDUAL)**	50	9	16	12	13
ACCIDENTS (V01-X59,Y85-Y86)	36	11	12	7	6
TRANSPORT ACCIDENTS (V01-V99,Y85)	22	9	7	3	3
MOTOR VEHICLE ACCIDENTS**	19	9	7	2	1
OTHER LAND TRANSPORT ACCIDENTS**	2	-	-	-	2
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	-	-	1	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	14	2	5	4	3
ACCIDENTAL FALLS (W00-W19)	5	1	3	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	-	2	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	-	2	1	3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	4	2	1	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	2	1	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	3	1	1	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	4	3	1	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Dillon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	325	87	85	79	74
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	1	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	72	19	21	17	15
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	8	4	1	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	1	-	1	-	-
OF LARYNX (C32)	1	-	-	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	32	7	14	7	4
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	9	-	1	2	6
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	3	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	2	3	1	1
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	-	2	-	1
LEUKEMIA (C91-C95)	3	2	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	2	-	1	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	13	3	4	1	5
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	7	2	4	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	120	31	35	28	26
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	96	29	26	24	17
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	2	1	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	-	-	2
ISCHEMIC HEART DISEASES (I20-I25)	47	15	12	13	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	20	7	5	4	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	27	8	7	9	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	-	-	4	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	21	8	7	5	1
OTHER HEART DISEASES (I26-I51)	43	12	13	11	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	3	6	2	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	30	9	7	9	5

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Dillon

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	5	-	-	-	5
CEREBROVASCULAR DISEASES (I60-I69)	14	2	7	3	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	-	2	1	2
AORTIC ANEURYSM & DISSECTION (I71)	3	-	1	-	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	1	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	8	2	-	3	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	2	-	3	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	16	5	7	3	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	2	-	1	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	14	5	6	2	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	1	-	-	1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	5	-	3	1	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	2	-	1	1	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	5	1	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	5	1	2	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	1	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	7	1	1	2	3
ALL OTHER DISEASE (RESIDUAL)**	27	5	5	6	11
ACCIDENTS (V01-X59, Y85-Y86)	19	11	1	5	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	15	10	1	3	1
MOTOR VEHICLE ACCIDENTS**	14	10	1	3	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	-	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	4	1	-	2	1
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	-	-	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	2	1	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Dorchester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	680	225	249	106	100
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	9	3	2	-	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	2	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	147	57	44	24	22
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	5	1	1	3	-
OF STOMACH (C16)	9	3	2	2	2
OF COLON, RECTUM & ANUS (C18-C21)	18	5	2	6	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	1	-	-	-
OF PANCREAS (C25)	11	4	4	1	2
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	31	16	11	2	2
OF SKIN (C43)	2	1	1	-	-
OF BREAST (C50)	8	-	3	-	5
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	1	-	2
OF OVARY (C56)	5	-	4	-	1
OF PROSTATE (C61)	8	5	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	4	3	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	19	8	9	1	1
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	2	4	1	-
LEUKEMIA (C91-C95)	7	3	4	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	3	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	20	9	5	4	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	1	-	-
ANEMIAS (D50-D64)	1	1	-	-	-
DIABETES MELLITUS (E10-E14)	20	4	9	2	5
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	10	3	6	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	269	70	109	49	41
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	175	52	67	27	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	8	3	1	2	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	114	40	42	16	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	60	26	21	10	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	53	13	21	6	13
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	18	6	6	2	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	35	7	15	4	9
OTHER HEART DISEASES (I26-I51)	52	9	24	9	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	20	3	13	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	32	6	11	8	7

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Dorchester

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	4	-	2	-	2
CEREBROVASCULAR DISEASES (I60-I69)	80	15	36	20	9
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	9	2	4	2	1
AORTIC ANEURYSM & DISSECTION (I71)	6	1	3	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	9	1	4	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	9	1	4	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	37	12	20	4	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	8	2	3	3	-
ASTHMA (J45-J46)	3	-	3	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	26	10	14	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	5	1	3	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	7	1	3	1	2
PEPTIC ULCER (K25-K28)	1	-	-	-	1
DISEASES OF APPENDIX (K35-K38)	1	-	-	-	1
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	2	2	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	9	4	4	-	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	9	4	4	-	1
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	1	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	1	-	4	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	5	2	-	1	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	13	2	5	1	5
ALL OTHER DISEASE (RESIDUAL)**	56	18	27	6	5
ACCIDENTS (V01-X59, Y85-Y86)	41	26	6	7	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	23	17	2	3	1
MOTOR VEHICLE ACCIDENTS**	22	16	2	3	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	18	9	4	4	1
ACCIDENTAL FALLS (W00-W19)	4	2	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	13	7	2	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	11	10	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7	6	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	4	4	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	7	4	1	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	1	1	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	4	3	-	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	2	-	1	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Edgefield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	239	63	61	75	40
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	1	2	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	1	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	54	20	11	17	6
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	1	1	-	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	2	1	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	2	1	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	21	7	3	9	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	-	-	-	-	-
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	4	2	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	3	2	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	1	-	-	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	9	3	3	2	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	1	-	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	6	2	1	1	2
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	11	-	6	2	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	83	20	19	27	17
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	70	19	12	24	15
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	1	2	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	46	13	8	14	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	23	8	3	7	5
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	23	5	5	7	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	7	3	1	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	16	2	4	6	4
OTHER HEART DISEASES (I26-I51)	20	6	3	7	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	6	2	1	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	14	4	2	6	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Edgefield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	1	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	7	-	5	1	1
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	-	2	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	2	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	1	-	-
INFLUENZA & PNEUMONIA (J10-J18)	3	-	2	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	3	-	2	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	12	6	3	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	11	5	3	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	1	-	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	3	-	1	-	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	2	-	-	2	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	-	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	1	1	-	-	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	1	1	-	-	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	1	1	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	20	3	5	7	5
ACCIDENTS (V01-X59, Y85-Y86)	17	4	5	6	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	12	3	4	4	1
MOTOR VEHICLE ACCIDENTS**	10	3	4	2	1
OTHER LAND TRANSPORT ACCIDENTS**	2	-	-	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	5	1	1	2	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	-	2	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	2	1	-	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	3	-	-	3	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	2	-	-	2	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	1	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Fairfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	248	60	55	75	58
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	4	1	-	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	53	17	9	16	11
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	1	1	-	-	-
OF ESOPHAGUS (C15)	3	-	-	2	1
OF STOMACH (C16)	3	2	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	6	-	3	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	1	1	-	1
OF PANCREAS (C25)	1	-	-	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	13	8	1	2	2
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	1	-	3
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	1	-	1	-	-
OF PROSTATE (C61)	6	1	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	2	1	2	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	1	-	-	1	-
LEUKEMIA (C91-C95)	5	2	1	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	1	-	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	10	-	4	3	3
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	8	3	1	2	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	106	24	26	31	25
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	85	20	21	25	19
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	-	1	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	66	17	16	20	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	37	10	8	13	6
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	29	7	8	7	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	5	2	-	3	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	24	5	8	4	7
OTHER HEART DISEASES (I26-I51)	14	3	5	3	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	3	-	2	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	11	3	3	3	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Fairfield

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	2	-	-	1	1
CEREBROVASCULAR DISEASES (I60-I69)	12	2	2	4	4
ATHEROSCLEROSIS (I70)	3	1	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	4	1	1	1	1
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	2	1	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	2	1	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	2	2	1	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	6	2	1	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	3	-	-	1	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	3	2	-	1	-
ALCOHOLIC LIVER DISEASE (K70)	3	2	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	1	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	7	1	1	4	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	1	1	4	1
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	2	-	-	2	-
ALL OTHER DISEASE (RESIDUAL)**	17	2	8	2	5
ACCIDENTS (V01-X59, Y85-Y86)	14	4	3	5	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	10	3	1	5	1
MOTOR VEHICLE ACCIDENTS**	9	3	1	4	1
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	4	1	2	-	1
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	2	1	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	-	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	2	-	-	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Florence

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,279	402	378	259	240
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	25	7	6	6	6
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	20	2	1	10	7
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	-	-	2
MALIGNANT NEOPLASMS (C00-C97)	261	94	68	56	43
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	-	-	4	-
OF ESOPHAGUS (C15)	5	3	-	2	-
OF STOMACH (C16)	6	1	2	3	-
OF COLON, RECTUM & ANUS (C18-C21)	25	7	7	6	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	4	1	1	-
OF PANCREAS (C25)	14	3	1	3	7
OF LARYNX (C32)	2	2	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	93	45	20	22	6
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	14	-	8	-	6
OF CERVIX UTERI (C53)	3	-	2	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	4	-	1	-	3
OF OVARY (C56)	7	-	5	-	2
OF PROSTATE (C61)	18	9	-	9	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	11	5	3	1	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	-	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	22	5	8	3	6
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	9	3	4	1	1
LEUKEMIA (C91-C95)	5	2	1	-	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	8	-	3	2	3
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	22	9	6	2	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	2	2	-	2
ANEMIAS (D50-D64)	3	1	-	1	1
DIABETES MELLITUS (E10-E14)	39	7	7	10	15
NUTRITIONAL DEFICIENCIES (E40-E64)	4	-	3	1	-
MALNUTRITION (E40-E46)	3	-	2	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	6	1	5	-	-
ALZHEIMER'S DISEASE (G30)	29	6	17	2	4
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	479	141	151	87	100
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	357	111	119	66	61
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	10	2	3	2	3
HYPERTENSIVE HEART & RENAL DISEASE (I13)	3	1	1	1	-
ISCHEMIC HEART DISEASES (I20-I25)	241	84	75	42	40
ACUTE MYOCARDIAL INFARCTION (I21-I22)	127	41	37	28	21
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	-	-	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	113	43	38	14	18
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	29	7	14	3	5
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	84	36	24	11	13
OTHER HEART DISEASES (I26-I51)	102	24	40	21	17
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	-	1	-	1
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	31	5	18	3	5
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	69	19	21	18	11

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Florence

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	12	2	-	4	6
CEREBROVASCULAR DISEASES (I60-I69)	96	25	28	13	30
ATHEROSCLEROSIS (I70)	1	1	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	13	2	4	4	3
AORTIC ANEURYSM & DISSECTION (I71)	3	1	2	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	10	1	2	4	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	4	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	26	7	9	8	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	26	7	9	8	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	60	29	24	4	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	-	1	-
EMPHYSEMA (J43)	4	2	1	1	-
ASTHMA (J45-J46)	3	-	2	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	52	27	21	2	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	17	6	5	3	3
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	22	2	12	5	3
PEPTIC ULCER (K25-K28)	2	2	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	13	3	3	5	2
ALCOHOLIC LIVER DISEASE (K70)	4	-	-	4	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	9	3	3	1	2
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	24	4	7	5	8
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	24	4	7	5	8
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	18	4	3	7	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	7	-	4	1	2
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	19	7	4	4	4
ALL OTHER DISEASE (RESIDUAL)**	96	24	36	17	19
ACCIDENTS (V01-X59, Y85-Y86)	70	34	7	21	8
TRANSPORT ACCIDENTS (V01-V99, Y85)	35	17	3	10	5
MOTOR VEHICLE ACCIDENTS**	34	16	3	10	5
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	35	17	4	11	3
ACCIDENTAL FALLS (W00-W19)	4	2	1	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	10	5	-	3	2
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	5	2	-	2	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	12	5	3	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	10	9	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7	6	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	3	3	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	9	4	1	3	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	7	3	1	2	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	2	1	-	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	2	-	-	2	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	2	-	-	2	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Georgetown

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	537*	186	145	111	93
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	1	-
RESPIRATORY TUBERCULOSIS (A16)	1	-	-	1	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	12	3	2	2	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	6	1	-	5	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	-	1
MALIGNANT NEOPLASMS (C00-C97)	124	50	33	23	18
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	2	-	1	1
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	9	6	-	3	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	3	1	-	-
OF PANCREAS (C25)	7	-	3	1	3
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	45	17	16	10	2
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	14	-	10	2	2
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	8	6	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	2	-	-	-
OF BLADDER (C67)	3	2	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	11	6	1	1	3
HODGKIN'S DISEASE (C81)	1	-	-	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	3	-	-	1
LEUKEMIA (C91-C95)	5	3	1	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	10	4	1	2	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	2	1	-	1
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	14	2	4	5	3
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	1	-
MALNUTRITION (E40-E46)	1	-	-	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	5	-	-	-
ALZHEIMER'S DISEASE (G30)	9	2	4	2	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	217*	75	67	32	41
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	136*	57	40	16	21
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	4*	1	-	-	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	1	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	94*	45	24	13	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	50	22	15	8	5
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	44*	23	9	5	6
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	5*	2	-	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	39	21	9	5	4
OTHER HEART DISEASES (I26-I51)	35	10	15	2	8
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	7	-	3	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	10	12	1	5

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Georgetown

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	13	1	-	3	9
CEREBROVASCULAR DISEASES (I60-I69)	58	14	22	11	11
ATHEROSCLEROSIS (I70)	3	1	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	7	2	3	2	-
AORTIC ANEURYSM & DISSECTION (I71)	4	2	1	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	-	2	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	2	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	9	1	2	6	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	9	1	2	6	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	28	8	13	5	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	27	8	12	5	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	3	1	2	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	4	1	3	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	11	6	3	1	1
ALCOHOLIC LIVER DISEASE (K70)	4	3	-	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	7	3	3	-	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	2	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	2	1	4	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	2	1	4	3
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	-	-	3	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	1	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	33	11	7	7	8
ACCIDENTS (V01-X59, Y85-Y86)	26	9	2	11	4
TRANSPORT ACCIDENTS (V01-V99, Y85)	14	5	-	7	2
MOTOR VEHICLE ACCIDENTS**	11	3	-	6	2
OTHER LAND TRANSPORT ACCIDENTS**	3	2	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	12	4	2	4	2
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	1	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	7	2	1	2	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	4	1	1	1	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	-	-	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	2	-	1	1	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	1	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Greenville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	3,365	1,296	1,429	325	315
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	4	1	3	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	54	13	24	11	6
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	7	4	2	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	27	8	1	13	5
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	9	5	4	-	-
MALIGNANT NEOPLASMS (C00-C97)	735	300	298	74	63
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	9	4	3	2	-
OF ESOPHAGUS (C15)	11	7	3	1	-
OF STOMACH (C16)	20	8	9	1	2
OF COLON, RECTUM & ANUS (C18-C21)	83	33	37	6	7
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	16	6	7	1	2
OF PANCREAS (C25)	40	17	18	2	3
OF LARYNX (C32)	6	3	-	3	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	212	102	63	35	12
OF SKIN (C43)	13	5	8	-	-
OF BREAST (C50)	47	-	32	-	15
OF CERVIX UTERI (C53)	9	-	7	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	13	-	11	-	2
OF OVARY (C56)	12	-	10	-	2
OF PROSTATE (C61)	36	25	-	11	-
OF KIDNEY & RENAL PELVIS (C64-C65)	14	4	7	-	3
OF BLADDER (C67)	12	10	1	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	11	3	7	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	74	26	36	6	6
HODGKIN'S DISEASE (C81)	2	1	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	26	8	15	1	2
LEUKEMIA (C91-C95)	30	13	11	3	3
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	16	4	9	2	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	97	47	39	4	7
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	20	7	10	1	2
ANEMIAS (D50-D64)	9	1	5	1	2
DIABETES MELLITUS (E10-E14)	95	37	32	11	15
NUTRITIONAL DEFICIENCIES (E40-E64)	5	2	2	1	-
MALNUTRITION (E40-E46)	4	2	1	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	26	10	16	-	-
ALZHEIMER'S DISEASE (G30)	98	16	67	4	11
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	1,068	421	446	91	110
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	779	335	305	74	65
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	35	12	11	8	4
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	1	1	-
ISCHEMIC HEART DISEASES (I20-I25)	545	257	199	46	43
ACUTE MYOCARDIAL INFARCTION (I21-I22)	249	118	97	14	20
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	295	139	101	32	23
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	41	17	15	6	3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	254	122	86	26	20
OTHER HEART DISEASES (I26-I51)	197	66	94	19	18
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	2	-	1	-	1
HEART FAILURE (I50)	48	15	24	3	6
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	147	51	69	16	11

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Greenville

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	19	2	9	4	4
CEREBROVASCULAR DISEASES (I60-I69)	227	70	108	13	36
ATHEROSCLEROSIS (I70)	9	2	6	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	34	12	18	-	4
AORTIC ANEURYSM & DISSECTION (I71)	19	8	8	-	3
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	15	4	10	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	12	1	7	1	3
INFLUENZA & PNEUMONIA (J10-J18)	90	27	44	6	13
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	90	27	44	6	13
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	1	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	1	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	171	67	86	9	9
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	4	1	2	-	1
EMPHYSEMA (J43)	15	6	9	-	-
ASTHMA (J45-J46)	9	1	3	2	3
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	143	59	72	7	5
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	30	11	12	3	4
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	47	18	25	1	3
PEPTIC ULCER (K25-K28)	9	5	4	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	3	1	2	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	48	26	15	4	3
ALCOHOLIC LIVER DISEASE (K70)	23	16	5	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	25	10	10	2	3
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	1	2	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	56	24	16	4	12
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	1	-	1	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	55	24	15	4	12
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	5	-	3	1	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	16	6	2	4	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	17	7	6	3	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	31	8	16	5	2
ALL OTHER DISEASE (RESIDUAL)**	355	104	194	30	27
ACCIDENTS (V01-X59, Y85-Y86)	213	113	61	26	13
TRANSPORT ACCIDENTS (V01-V99, Y85)	97	55	21	16	5
MOTOR VEHICLE ACCIDENTS**	85	47	19	15	4
OTHER LAND TRANSPORT ACCIDENTS**	8	5	1	1	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	4	3	1	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	116	58	40	10	8
ACCIDENTAL FALLS (W00-W19)	31	14	16	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	4	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	5	5	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	44	22	13	4	5
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	32	13	11	5	3
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	55	36	12	6	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	35	26	5	3	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	20	10	7	3	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	37	12	7	14	4
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	21	7	2	9	3
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	16	5	5	5	1
LEGAL INTERVENTION (Y35, Y89.0)	1	1	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	1	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	6	1	5	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Greenwood

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	658	219	250	108	81
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	-	1	-
SEPTICEMIA (A40-A41)	8	-	2	2	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	2	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	2	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	140	55	52	19	14
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	-	-	2	1
OF ESOPHAGUS (C15)	3	2	-	1	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	12	4	6	-	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	1	1	1	-
OF PANCREAS (C25)	11	4	4	-	3
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	43	21	12	7	3
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	11	1	8	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2	-	1	-	1
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	9	7	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	1	-	1
OF BLADDER (C67)	4	3	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	24	6	13	4	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	8	1	6	1	-
LEUKEMIA (C91-C95)	11	3	6	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	2	1	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	8	2	4	2	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	2	-	1	-
ANEMIAS (D50-D64)	1	-	-	-	1
DIABETES MELLITUS (E10-E14)	18	4	5	6	3
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	-	-	1
MALNUTRITION (E40-E46)	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	6	2	3	1	-
ALZHEIMER'S DISEASE (G30)	18	3	10	1	4
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	250	81	100	41	28
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	167	53	71	25	18
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	4	-	2	-	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	120	44	51	14	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	64	18	30	7	9
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	56	26	21	7	2
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	7	2	5	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	49	24	16	7	2
OTHER HEART DISEASES (I26-I51)	42	9	18	11	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	1	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	14	3	8	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	26	5	10	9	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Greenwood

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	6	2	1	2	1
CEREBROVASCULAR DISEASES (I60-I69)	67	20	28	12	7
ATHEROSCLEROSIS (I70)	2	2	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	4	-	2	2
AORTIC ANEURYSM & DISSECTION (I71)	5	3	-	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	-	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	-	2	2	-
INFLUENZA & PNEUMONIA (J10-J18)	20	5	6	5	4
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	20	5	6	5	4
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	31	14	14	3	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	5	2	3	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	25	11	11	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	10	4	4	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	8	1	7	-	-
PEPTIC ULCER (K25-K28)	1	-	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	11	7	-	3	1
ALCOHOLIC LIVER DISEASE (K70)	8	6	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	1	-	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	4	1	1	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	1	-	1	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	1	-	1	1
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	1	1	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	7	2	3	2	-
ALL OTHER DISEASE (RESIDUAL)**	64	13	31	8	12
ACCIDENTS (V01-X59, Y85-Y86)	29	14	5	7	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	19	8	3	6	2
MOTOR VEHICLE ACCIDENTS**	17	7	3	6	1
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	-	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	10	6	2	1	1
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	4	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	3	3	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	6	1	1	2	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	1	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	5	-	1	2	2
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	1	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Hampton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	212	55	54	57	46
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	1	1	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	46	13	12	13	8
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	1	-	2	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	1	-	-	1	-
OF COLON, RECTUM & ANUS (C18-C21)	1	-	-	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	1	-	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	12	2	5	4	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	4	-	1	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	3	2	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	1	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	1	2	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	7	5	1	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	3	1	-	-
LEUKEMIA (C91-C95)	3	2	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	1	2	1	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	-	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	8	2	-	3	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	2	-	1	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	86	19	23	20	24
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	66	17	15	15	19
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	4	-	-	3	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	43	9	12	9	13
ACUTE MYOCARDIAL INFARCTION (I21-I22)	20	4	3	5	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	23	5	9	4	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	-	2	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	19	5	7	3	4
OTHER HEART DISEASES (I26-I51)	19	8	3	3	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	9	4	1	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	10	4	2	2	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Hampton

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	-	-	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	17	2	7	5	3
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	-	1	-	2
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	6	-	2	2	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	6	-	2	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	4	-	3	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	4	-	3	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	3	1	2	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	1	1	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	7	1	2	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	7	1	2	2	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	1	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	1	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	2	-	-	2	-
ALL OTHER DISEASE (RESIDUAL)**	15	6	2	5	2
ACCIDENTS (V01-X59, Y85-Y86)	18	7	3	7	1
TRANSPORT ACCIDENTS (V01-V99, Y85)	14	5	3	5	1
MOTOR VEHICLE ACCIDENTS**	14	5	3	5	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	4	2	-	2	-
ACCIDENTAL FALLS (W00-W19)	1	-	-	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	3	1	1	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	1	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Horry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,873	830	750	161	132
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	-	-	-	1
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	1	-	-	-	1
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	1	-	-	-
SEPTICEMIA (A40-A41)	22	10	6	4	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	4	2	2	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	3	-	4	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	-	-	2
MALIGNANT NEOPLASMS (C00-C97)	450	224	177	26	23
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	7	6	-	1	-
OF ESOPHAGUS (C15)	8	6	1	1	-
OF STOMACH (C16)	4	3	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	32	13	15	2	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	12	9	1	2	-
OF PANCREAS (C25)	20	11	5	2	2
OF LARYNX (C32)	5	3	2	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	154	82	61	8	3
OF SKIN (C43)	7	5	2	-	-
OF BREAST (C50)	39	-	30	-	9
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	5	-	3	-	2
OF OVARY (C56)	15	-	15	-	-
OF PROSTATE (C61)	21	17	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	14	10	2	2	-
OF BLADDER (C67)	13	11	1	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	10	6	4	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	43	25	16	2	-
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	18	10	6	2	-
LEUKEMIA (C91-C95)	11	7	4	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	13	7	6	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	39	17	16	2	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	12	4	5	1	2
ANEMIAS (D50-D64)	3	1	2	-	-
DIABETES MELLITUS (E10-E14)	51	16	18	8	9
NUTRITIONAL DEFICIENCIES (E40-E64)	4	1	2	-	1
MALNUTRITION (E40-E46)	4	1	2	-	1
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	8	5	3	-	-
ALZHEIMER'S DISEASE (G30)	43	17	24	1	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	642	286	263	46	47
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	465	227	172	33	33
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	-	2	-	-
HYPERTENSIVE HEART DISEASE (I11)	12	1	4	3	4
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	323	167	109	24	23
ACUTE MYOCARDIAL INFARCTION (I21-I22)	160	77	51	16	16
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	163	90	58	8	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	24	18	4	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	139	72	54	7	6
OTHER HEART DISEASES (I26-I51)	127	59	56	6	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	28	10	16	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	98	48	40	5	5

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Horry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	11	2	8	1	-
CEREBROVASCULAR DISEASES (I60-I69)	128	33	74	8	13
ATHEROSCLEROSIS (I70)	6	2	3	1	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	32	22	6	3	1
AORTIC ANEURYSM & DISSECTION (I71)	23	18	3	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	9	4	3	2	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	2	1	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	30	16	12	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	30	16	12	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	2	-	-	-	2
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	2	-	-	-	2
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	111	51	54	4	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	10	5	5	-	-
ASTHMA (J45-J46)	1	-	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	100	46	49	3	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	11	7	3	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	24	13	10	1	-
PEPTIC ULCER (K25-K28)	5	2	2	1	-
DISEASES OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	36	21	10	2	3
ALCOHOLIC LIVER DISEASE (K70)	16	10	4	-	2
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	20	11	6	2	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	3	1	1	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	27	7	11	3	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	27	7	11	3	6
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	12	1	-	4	7
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	2	2	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	19	2	11	4	2
ALL OTHER DISEASE (RESIDUAL)**	161	49	82	19	11
ACCIDENTS (V01-X59, Y85-Y86)	110	57	31	17	5
TRANSPORT ACCIDENTS (V01-V99, Y85)	54	26	15	10	3
MOTOR VEHICLE ACCIDENTS**	42	20	11	8	3
OTHER LAND TRANSPORT ACCIDENTS**	11	5	4	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	56	31	16	7	2
ACCIDENTAL FALLS (W00-W19)	12	10	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	2	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	7	1	2	3	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	20	12	7	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	15	6	5	4	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	35	22	9	4	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	22	15	4	3	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	13	7	5	1	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	21	7	5	7	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	14	4	2	6	2
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	7	3	3	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	3	1	2	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	3	1	2	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	2	-	1	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Jasper

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	147	33	27	52	35
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	2	2	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	38	7	10	11	10
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	2	-	-	1	1
OF COLON, RECTUM & ANUS (C18-C21)	7	2	2	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	2	1	-	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	9	3	1	4	1
OF SKIN (C43)	1	-	-	-	1
OF BREAST (C50)	2	-	2	-	-
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	1	-	-	-	1
OF PROSTATE (C61)	2	1	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	3	-	2	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	-	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	1	-	1	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	-	1	3	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	8	-	-	4	4
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	-	-	-	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	50	10	9	19	12
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	33	6	5	14	8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	12	3	1	6	2
ACUTE MYOCARDIAL INFARCTION (I21-I22)	3	1	-	2	-
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	9	2	1	4	2
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	-	-	1	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	7	2	1	3	1
OTHER HEART DISEASES (I26-I51)	20	3	4	7	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	10	1	3	2	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	10	2	1	5	2

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Jasper

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	-	1	1	1
CEREBROVASCULAR DISEASES (I60-I69)	11	2	2	4	3
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	2	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	2	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	3	-	-	2	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	3	-	-	2	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	6	2	3	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	6	2	3	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	1	-	1	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	-	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	4	1	-	3	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	4	1	-	3	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	4	-	1	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	2	-	-	-	2
ALL OTHER DISEASE (RESIDUAL)**	10	2	1	6	1
ACCIDENTS (V01-X59, Y85-Y86)	9	4	1	4	-
TRANSPORT ACCIDENTS (V01-V99, Y85)	5	3	-	2	-
MOTOR VEHICLE ACCIDENTS**	5	3	-	2	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	4	1	1	2	-
ACCIDENTAL FALLS (W00-W19)	2	-	1	1	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	-	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	2	-	-	1	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Kershaw

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	517*	202	153	87	74
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	2	1	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	1	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	2	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	120	55	26	25	14
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	2	-	2	-
OF ESOPHAGUS (C15)	7	5	-	2	-
OF STOMACH (C16)	1	-	-	-	1
OF COLON, RECTUM & ANUS (C18-C21)	18	8	4	3	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	1	-
OF PANCREAS (C25)	7	4	3	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	34	17	8	7	2
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	4	-	2	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	6	3	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	-	2	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	5	7	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	2	1	-	1
LEUKEMIA (C91-C95)	6	1	3	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	3	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	14	7	1	2	4
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	1	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	12	5	3	-	4
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	1	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	2	1	-	-
ALZHEIMER'S DISEASE (G30)	5	1	2	1	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	191	69	54	40	28
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	159	62	47	28	22
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	3	-	3	-	-
HYPERTENSIVE HEART DISEASE (I11)	7	2	2	2	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	107	49	30	17	11
ACUTE MYOCARDIAL INFARCTION (I21-I22)	57	30	11	10	6
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	50	19	19	7	5
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	1	-	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	48	18	19	7	4
OTHER HEART DISEASES (I26-I51)	41	11	12	9	9
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	10	2	4	3	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	31	9	8	6	8

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Kershaw

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	-	1	-	2
CEREBROVASCULAR DISEASES (I60-I69)	24	6	6	10	2
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	1	-	2	2
AORTIC ANEURYSM & DISSECTION (I71)	5	1	-	2	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	11	2	8	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	11	2	8	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	20	8	11	-	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	19	8	10	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	9	7	2	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	10	4	5	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	1	-	-	-
HERNIA (K40-K46)	2	1	-	-	1
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	7	5	1	1	-
ALCOHOLIC LIVER DISEASE (K70)	3	3	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	2	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	1	3	1	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	1	3	1	5
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	6	3	2	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	1	-	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	3*	-	1	-	1
ALL OTHER DISEASE (RESIDUAL)**	53	13	23	11	6
ACCIDENTS (V01-X59, Y85-Y86)	23	10	6	2	5
TRANSPORT ACCIDENTS (V01-V99, Y85)	14	9	3	-	2
MOTOR VEHICLE ACCIDENTS**	14	9	3	-	2
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	9	1	3	2	3
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	3	-	1	1	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	1	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	1	1	-	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	9	6	1	1	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	5	3	-	1	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	4	3	1	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	3	1	-	1	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	1	-	-	-	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	2	-	-	1	1
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1	-	-	1	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	-	1
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lancaster

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	572	226	205	70	71
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	11	2	5	-	4
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	1	-	-
MALIGNANT NEOPLASMS (C00-C97)	119	54	37	18	10
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	1	1	-	-
OF ESOPHAGUS (C15)	6	3	1	-	2
OF STOMACH (C16)	2	-	1	1	-
OF COLON, RECTUM & ANUS (C18-C21)	10	4	3	1	2
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	2	1	-	-
OF PANCREAS (C25)	6	2	1	2	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	38	24	10	4	-
OF SKIN (C43)	1	-	1	-	-
OF BREAST (C50)	9	-	6	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	4	-	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	4	1	-	1
OF BLADDER (C67)	2	1	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	15	9	4	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	6	3	2	1	-
LEUKEMIA (C91-C95)	9	6	2	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	10	3	4	3	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	3	-	-	-
ANEMIAS (D50-D64)	3	1	1	-	1
DIABETES MELLITUS (E10-E14)	5	2	1	-	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	8	4	3	1	-
ALZHEIMER'S DISEASE (G30)	5	4	1	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	252	91	94	29	38
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	196	78	74	23	21
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	3	1	1	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	110	54	28	14	14
ACUTE MYOCARDIAL INFARCTION (I21-I22)	70	41	16	6	7
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	39	12	12	8	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	2	-	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	35	10	12	8	5
OTHER HEART DISEASES (I26-I51)	81	22	45	8	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	24	7	15	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	57	15	30	7	5

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lancaster

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	4	-	1	1	2
CEREBROVASCULAR DISEASES (I60-I69)	42	9	16	5	12
ATHEROSCLEROSIS (I70)	2	-	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	4	1	-	3
AORTIC ANEURYSM & DISSECTION (I71)	5	3	-	-	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	1	1	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	11	2	4	3	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	11	2	4	3	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	29	13	12	1	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	6	4	1	-	1
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	21	9	9	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	1	2	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	2	1	1	1
PEPTIC ULCER (K25-K28)	1	-	-	-	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	4	3	1	-	-
ALCOHOLIC LIVER DISEASE (K70)	3	2	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	9	3	4	1	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	9	3	4	1	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	-	2	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	8	3	3	1	1
ALL OTHER DISEASE (RESIDUAL)**	36	12	19	3	2
ACCIDENTS (V01-X59,Y85-Y86)	38	21	8	7	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	27	15	6	5	1
MOTOR VEHICLE ACCIDENTS**	25	14	6	4	1
OTHER LAND TRANSPORT ACCIDENTS**	1	-	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	1	1	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	11	6	2	2	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	1	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	2	-	2	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	5	3	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	12	5	5	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	7	3	2	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	5	2	3	-	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	1	-	-	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Laurens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	713	257	286	91	79
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	2	1	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	2	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	4	2	1	-	1
MALIGNANT NEOPLASMS (C00-C97)	141	66	37	19	19
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	1	-	1	-
OF STOMACH (C16)	6	2	1	2	1
OF COLON, RECTUM & ANUS (C18-C21)	14	4	5	4	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5	5	-	-	-
OF PANCREAS (C25)	7	3	3	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	41	25	7	4	5
OF SKIN (C43)	2	1	1	-	-
OF BREAST (C50)	10	-	5	-	5
OF CERVIX UTERI (C53)	3	-	3	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	3	-	1	-	2
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	14	9	-	5	-
OF KIDNEY & RENAL PELVIS (C64-C65)	4	3	-	1	-
OF BLADDER (C67)	2	2	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	12	5	5	1	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	5	3	2	-	-
LEUKEMIA (C91-C95)	7	2	3	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	12	6	2	1	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	5	2	2	-	1
ANEMIAS (D50-D64)	2	-	1	-	1
DIABETES MELLITUS (E10-E14)	19	7	3	3	6
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	2	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	1	-	-	1
ALZHEIMER'S DISEASE (G30)	27	5	17	-	5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	307	104	141	39	23
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	229	88	104	24	13
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	1	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	144	58	60	17	9
ACUTE MYOCARDIAL INFARCTION (I21-I22)	77	31	30	8	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	67	27	30	9	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	13	5	6	2	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	54	22	24	7	1
OTHER HEART DISEASES (I26-I51)	80	28	43	6	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	2	-	1	1	-
HEART FAILURE (I50)	26	8	14	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	52	20	28	4	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Laurens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	13	-	4	6	3
CEREBROVASCULAR DISEASES (I60-I69)	57	12	30	8	7
ATHEROSCLEROSIS (I70)	2	-	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	4	1	1	-
AORTIC ANEURYSM & DISSECTION (I71)	2	1	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	3	-	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	8	4	3	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	8	4	3	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	31	15	12	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	7	4	2	1	-
ASTHMA (J45-J46)	3	-	1	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44,J47)	21	11	9	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	6	3	2	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	5	2	3	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	9	4	3	2	-
ALCOHOLIC LIVER DISEASE (K70)	4	2	1	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	2	2	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	16	7	6	2	1
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	16	7	6	2	1
OTHER DISORDERS OF KIDNEY (N25,N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	1	-	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3	-	2	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED(R00-R99)	2	1	-	-	1
ALL OTHER DISEASE (RESIDUAL)**	54	10	27	4	13
ACCIDENTS (V01-X59,Y85-Y86)	44	12	19	11	2
TRANSPORT ACCIDENTS (V01-V99,Y85)	22	8	6	7	1
MOTOR VEHICLE ACCIDENTS**	19	7	6	6	-
OTHER LAND TRANSPORT ACCIDENTS**	3	1	-	1	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	22	4	13	4	1
ACCIDENTAL FALLS (W00-W19)	4	-	2	1	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	-	1	2	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	8	4	4	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	-	5	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	9	8	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	8	8	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	1	-	-	1	-
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	5	1	-	4	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	4	-	-	4	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	1	1	-	-	-
LEGAL INTERVENTION (Y35,Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36,Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	1	-	1	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	217	46	39	76	56
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	2	-	-	1
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	47	12	8	18	9
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	1	-	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	7	3	-	-	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	1	-	-
OF PANCREAS (C25)	1	1	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	18	6	4	7	1
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	2	-	-	-	2
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	1	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	1	-
OF BLADDER (C67)	-	-	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	1	-	1	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	-	-	-	-	-
LEUKEMIA (C91-C95)	1	-	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	6	1	1	4	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	2	-	1	-	1
DIABETES MELLITUS (E10-E14)	6	3	-	3	-
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	4	2	-	-	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	83	19	18	27	19
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	58	16	14	18	10
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	2	1	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	36	10	10	11	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	15	4	2	5	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	21	6	8	6	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	4	1	2	1	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	17	5	6	5	1
OTHER HEART DISEASES (I26-I51)	19	5	3	6	5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	2	1	-	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	17	4	3	6	4

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	2	-	1	-	1
CEREBROVASCULAR DISEASES (I60-I69)	21	2	3	8	8
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	1	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	2	1	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1	-	-	1	-
INFLUENZA & PNEUMONIA (J10-J18)	9	-	2	2	5
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	9	-	2	2	5
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	8	2	2	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	-	-	1	-
ASTHMA (J45-J46)	2	-	-	-	2
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	5	2	2	1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	-	-	1	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	3	-	-	1	2
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	1	-	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	1	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	5	-	2	1	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	5	-	2	1	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	-	3	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	2	-	-	1	1
ALL OTHER DISEASE (RESIDUAL)**	16	1	5	3	7
ACCIDENTS (V01-X59, Y85-Y86)	10	3	-	7	-
TRANSPORT ACCIDENTS (V01-V99, Y85)	9	2	-	7	-
MOTOR VEHICLE ACCIDENTS**	9	2	-	7	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	1	1	-	-	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	2	1	-	-	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	-	-	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	3	-	-	3	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	3	-	-	3	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lexington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,720	763	765	110	82
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	17	4	10	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	-	1	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	8	2	3	3	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	7	3	4	-	-
MALIGNANT NEOPLASMS (C00-C97)	387	188	157	27	15
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	8	4	3	1	-
OF ESOPHAGUS (C15)	12	7	2	3	-
OF STOMACH (C16)	7	4	2	-	1
OF COLON, RECTUM & ANUS (C18-C21)	36	15	16	2	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	9	7	1	-	1
OF PANCREAS (C25)	22	12	9	-	1
OF LARYNX (C32)	1	-	1	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	126	75	42	8	1
OF SKIN (C43)	3	3	-	-	-
OF BREAST (C50)	24	-	23	-	1
OF CERVIX UTERI (C53)	3	-	3	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	8	-	4	-	4
OF OVARY (C56)	6	-	5	-	1
OF PROSTATE (C61)	20	12	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	6	5	-	1	-
OF BLADDER (C67)	8	7	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	8	4	4	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	32	13	17	1	1
HODGKIN'S DISEASE (C81)	1	-	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	13	5	7	1	-
LEUKEMIA (C91-C95)	12	6	5	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	2	4	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	48	20	24	3	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	6	3	2	1	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	48	21	17	4	6
NUTRITIONAL DEFICIENCIES (E40-E64)	5	2	2	1	-
MALNUTRITION (E40-E46)	3	1	2	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	2	1	-	1	-
MENINGITIS (G00,G03)	1	-	1	-	-
PARKINSON'S DISEASE (G20-G21)	12	6	6	-	-
ALZHEIMER'S DISEASE (G30)	58	12	42	2	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	593	258	279	29	27
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	442	208	191	23	20
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	1	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	11	4	4	1	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	303	156	122	18	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	172	88	68	12	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	130	67	54	6	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	8	4	4	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	122	63	50	6	3
OTHER HEART DISEASES (I26-I51)	126	47	64	4	11
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	1	1	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	2	1	1	-	-
HEART FAILURE (I50)	38	10	25	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	84	35	37	3	9

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Lexington

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	13	4	9	-	-
CEREBROVASCULAR DISEASES (I60-I69)	113	36	65	5	7
ATHEROSCLEROSIS (I70)	2	-	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	23	10	12	1	-
AORTIC ANEURYSM & DISSECTION (I71)	16	7	9	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	7	3	3	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	5	3	2	-	-
INFLUENZA & PNEUMONIA (J10-J18)	45	17	24	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	45	17	24	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	83	34	44	5	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	8	2	5	1	-
ASTHMA (J45-J46)	5	-	4	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	68	32	33	3	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	17	11	6	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	24	7	15	2	-
PEPTIC ULCER (K25-K28)	2	-	2	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	2	1	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	26	16	6	2	2
ALCOHOLIC LIVER DISEASE (K70)	11	8	2	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	15	8	4	1	2
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	24	12	9	1	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	24	12	9	1	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	1	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	9	3	4	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	6	4	1	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	17	4	8	2	3
ALL OTHER DISEASE (RESIDUAL)**	149	46	86	6	11
ACCIDENTS (V01-X59, Y85-Y86)	102	69	18	11	4
TRANSPORT ACCIDENTS (V01-V99, Y85)	47	31	8	8	-
MOTOR VEHICLE ACCIDENTS**	29	17	5	7	-
OTHER LAND TRANSPORT ACCIDENTS**	18	14	3	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	55	38	10	3	4
ACCIDENTAL FALLS (W00-W19)	6	5	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	3	3	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	6	2	1	-	3
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	10	7	3	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	30	21	5	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	33	23	7	2	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	22	16	4	1	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	11	7	3	1	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	26	12	6	6	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	17	8	5	3	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	9	4	1	3	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	3	-	1	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
McCormick

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	115	34	31	22	28
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	1	1	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	1	1	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	-	-	-	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	-	-	-	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	32	12	8	7	5
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	2	1	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	3	1	1	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	-	1	-
OF PANCREAS (C25)	-	-	-	-	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	7	5	1	1	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	3	-	3	-	-
OF CERVIX UTERI (C53)	1	-	-	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	5	2	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	-	1
OF BLADDER (C67)	1	-	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	2	-	-	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	-	-	1
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	-	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2	-	1	1	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	4	2	-	-	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	7	-	2	-	5
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	40	9	15	7	9
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	28	7	11	6	4
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	1	-	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	24	6	9	5	4
ACUTE MYOCARDIAL INFARCTION (I21-I22)	19	4	7	5	3
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	5	2	2	-	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	5	2	2	-	1
OTHER HEART DISEASES (I26-I51)	3	1	1	1	-
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	-	-	-	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	3	1	1	1	-

Table G-15A. (cont.)
 Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
 (Residence Data)
 McCormick

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	1	-	-	-	1
CEREBROVASCULAR DISEASES (I60-I69)	7	2	3	-	2
ATHEROSCLEROSIS (I70)	3	-	1	-	2
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	-	-	1	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	1	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	1	-	-	-	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	1	-	-	-	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	2	4	1	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	2	1	-	1	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	5	1	4	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	2	1	-	-	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	-	-	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	-	-	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	2	1	-	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	2	1	-	1	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	-	-	-	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	2	-	-	1	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	-	-	-	-	-
ALL OTHER DISEASE (RESIDUAL)**	7	1	1	3	2
ACCIDENTS (V01-X59, Y85-Y86)	7	4	1	1	1
TRANSPORT ACCIDENTS (V01-V99, Y85)	4	3	-	1	-
MOTOR VEHICLE ACCIDENTS**	4	3	-	1	-
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	3	1	1	-	1
ACCIDENTAL FALLS (W00-W19)	1	-	-	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	1	-	-	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Marion

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	358	80	70	108	100
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	2	-	1	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	1	-	2	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	1	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	78	18	17	23	20
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	4	1	-	3	-
OF STOMACH (C16)	3	-	-	2	1
OF COLON, RECTUM & ANUS (C18-C21)	12	3	2	2	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	1	-
OF PANCREAS (C25)	3	1	1	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	17	4	5	5	3
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	6	-	3	-	3
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	2	-	1	-	1
OF PROSTATE (C61)	6	2	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	1	-	-	2
OF BLADDER (C67)	1	-	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	-	3	1	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	2	-	-
LEUKEMIA (C91-C95)	2	-	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	9	3	1	4	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	-	1	-
ANEMIAS (D50-D64)	1	-	1	-	-
DIABETES MELLITUS (E10-E14)	14	1	3	5	5
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	7	4	3	-	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	147	34	30	34	49
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	114	30	23	24	37
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	2	2	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	66	16	18	16	16
ACUTE MYOCARDIAL INFARCTION (I21-I22)	29	7	8	6	8
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	37	9	10	10	8
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	3	1	-	-	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	34	8	10	10	6
OTHER HEART DISEASES (I26-I51)	43	12	3	8	20
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	22	4	2	3	13
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	21	8	1	5	7

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Marion

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	-	-	1	2
CEREBROVASCULAR DISEASES (I60-I69)	24	1	7	8	8
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	3	-	1	2
AORTIC ANEURYSM & DISSECTION (I71)	3	1	-	1	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3	2	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	7	-	-	7	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	7	-	-	7	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	-	1	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	-	1	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	17	8	5	1	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	1	-	-
ASTHMA (J45-J46)	2	-	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	13	7	3	1	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	7	1	3	1	2
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	3	3	-	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	-	1	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	3	-	-	3	-
ALCOHOLIC LIVER DISEASE (K70)	-	-	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	-	-	3	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	6	-	1	2	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	-	1	2	3
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	4	-	-	3	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	2	-	1	1	-
ALL OTHER DISEASE (RESIDUAL)**	21	4	3	6	8
ACCIDENTS (V01-X59, Y85-Y86)	18	2	1	13	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	13	1	1	10	1
MOTOR VEHICLE ACCIDENTS**	13	1	1	10	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	5	1	-	3	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	1	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	-	1	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	-	-	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	1	1	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	1	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	5	-	-	3	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	3	-	-	1	2
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Marlboro

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	349*	112	61	93	82
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	2	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	7	1	2	2	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	3	-	-	2	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	67	24	10	21	12
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	1	-	-	1	-
OF ESOPHAGUS (C15)	2	-	-	2	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	6	2	-	-	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	-	-	2
OF PANCREAS (C25)	3	1	1	1	-
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	29	17	4	8	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	2	-	1	-	1
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	1	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	3	1	-	2	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	-	-	-	2
OF BLADDER (C67)	4	1	-	2	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	5	1	2	2	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	-	2	1	-
LEUKEMIA (C91-C95)	1	-	-	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	1	1	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	6	1	1	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	-	-	-	-	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	7	2	1	1	3
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	-	-	-	-	-
ALZHEIMER'S DISEASE (G30)	2	1	-	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	148	48	24	40	36
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	124	40	20	35	29
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	1	-	-	1	-
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	-	1
ISCHEMIC HEART DISEASES (I20-I25)	57	16	10	16	15
ACUTE MYOCARDIAL INFARCTION (I21-I22)	33	9	5	8	11
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	4	-	2	1	1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	20	7	3	7	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	-	-	-	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	20	7	3	7	3
OTHER HEART DISEASES (I26-I51)	65	24	10	18	13
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	7	4	-	1	2
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	58	20	10	17	11

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Marlboro

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	-	-	-	-	-
CEREBROVASCULAR DISEASES (I60-I69)	21	8	4	4	5
ATHEROSCLEROSIS (I70)	1	-	-	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	2	-	-	1	1
AORTIC ANEURYSM & DISSECTION (I71)	1	-	-	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	4	2	2	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	4	2	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	8	3	3	2	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	1	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	6	2	2	2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	5	1	2	1	1
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	1	-	-	1	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	5	4	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	2	1	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	3	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	6	2	-	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	2	-	2	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5	-	-	1	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	17*	2	3	4	7
ALL OTHER DISEASE (RESIDUAL)**	27	7	7	7	6
ACCIDENTS (V01-X59, Y85-Y86)	20	9	5	4	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	12	5	3	3	1
MOTOR VEHICLE ACCIDENTS**	11	5	2	3	1
OTHER LAND TRANSPORT ACCIDENTS**	1	-	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	8	4	2	1	1
ACCIDENTAL FALLS (W00-W19)	2	2	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	2	1	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	1	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	3	1	1	-	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	5	2	-	1	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	2	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	3	-	-	1	2
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Newberry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	411	118	159	69	65
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	3	-	1	-	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	2	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	-	-	1	-
MALIGNANT NEOPLASMS (C00-C97)	83	22	25	23	13
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	3	-	-	2	1
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	3	-	2	1	-
OF COLON, RECTUM & ANUS (C18-C21)	11	4	1	3	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	-	1	-	1
OF PANCREAS (C25)	4	2	1	1	-
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	25	6	7	9	3
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	7	-	4	-	3
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	8	5	-	3	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	2	1	-	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	2	1	-	1	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	6	2	1	2	1
HODGKIN'S DISEASE (C81)	2	1	-	-	1
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	-	-	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	-	-	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	5	1	4	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4	2	1	-	1
ANEMIAS (D50-D64)	2	1	1	-	-
DIABETES MELLITUS (E10-E14)	14	3	4	2	5
NUTRITIONAL DEFICIENCIES (E40-E64)	2	1	1	-	-
MALNUTRITION (E40-E46)	2	1	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	2	2	-	-	-
ALZHEIMER'S DISEASE (G30)	8	1	5	1	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	143	48	58	18	19
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	98	41	39	11	7
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	-	-	1	-
HYPERTENSIVE HEART DISEASE (I11)	6	1	2	2	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	53	28	19	3	3
ACUTE MYOCARDIAL INFARCTION (I21-I22)	24	16	6	1	1
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	29	12	13	2	2
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	7	2	5	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	10	8	2	2
OTHER HEART DISEASES (I26-I51)	38	12	18	5	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	13	3	10	-	-
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	25	9	8	5	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Newberry

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	-	1	1	1
CEREBROVASCULAR DISEASES (I60-I69)	34	6	15	5	8
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	1	3	1	3
AORTIC ANEURYSM & DISSECTION (I71)	7	1	3	1	2
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	14	5	8	1	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	14	5	8	1	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	21	9	10	1	1
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	2	1	-	1	-
ASTHMA (J45-J46)	1	1	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	18	7	10	-	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	1	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	2	-	1	1	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	5	2	1	2	-
ALCOHOLIC LIVER DISEASE (K70)	2	-	-	2	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	3	2	1	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	12	2	2	1	7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	12	2	2	1	7
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	2	-	1	1	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	3	-	1	1	1
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	13	1	7	1	4
ALL OTHER DISEASE (RESIDUAL)**	43	10	21	7	5
ACCIDENTS (V01-X59, Y85-Y86)	21	7	8	3	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	11	5	3	1	2
MOTOR VEHICLE ACCIDENTS**	8	3	3	1	1
OTHER LAND TRANSPORT ACCIDENTS**	3	2	-	-	1
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	10	2	5	2	1
ACCIDENTAL FALLS (W00-W19)	4	1	2	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	1	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	1	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	3	-	2	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	3	1	-	-	2
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	1	-	-	-	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	2	1	-	-	1
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	3	-	1	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	1	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	2	-	1	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	1	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Oconee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	618	300	269	16	33
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	11	5	5	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	1	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	1	1	-	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	2	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	138	73	57	4	4
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	3	3	-	-
OF ESOPHAGUS (C15)	2	2	-	-	-
OF STOMACH (C16)	1	-	1	-	-
OF COLON, RECTUM & ANUS (C18-C21)	21	8	10	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	1	-	1	-	-
OF PANCREAS (C25)	11	4	5	1	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	49	31	17	-	1
OF SKIN (C43)	2	2	-	-	-
OF BREAST (C50)	5	-	5	-	-
OF CERVIX UTERI (C53)	4	-	3	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	4	-	4	-	-
OF PROSTATE (C61)	4	3	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	2	2	-	-	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	13	11	2	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	3	1	-	-
LEUKEMIA (C91-C95)	4	4	-	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	4	1	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	11	6	5	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	2	-	-	-	2
DIABETES MELLITUS (E10-E14)	13	7	3	-	3
NUTRITIONAL DEFICIENCIES (E40-E64)	1	-	1	-	-
MALNUTRITION (E40-E46)	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	5	2	3	-	-
ALZHEIMER'S DISEASE (G30)	19	7	9	1	2
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	219	103	105	1	10
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	153	74	69	1	9
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	4	-	4	-	-
HYPERTENSIVE HEART DISEASE (I11)	6	-	5	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	1	-	-
ISCHEMIC HEART DISEASES (I20-I25)	96	53	41	-	2
ACUTE MYOCARDIAL INFARCTION (I21-I22)	32	17	13	-	2
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	64	36	28	-	-
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	3	3	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	58	33	25	-	-
OTHER HEART DISEASES (I26-I51)	46	21	18	1	6
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	18	6	8	1	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	28	15	10	-	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Oconee

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	6	3	3	-	-
CEREBROVASCULAR DISEASES (I60-I69)	54	23	30	-	1
ATHEROSCLEROSIS (I70)	1	-	1	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	5	3	2	-	-
AORTIC ANEURYSM & DISSECTION (I71)	3	3	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	2	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	17	6	7	1	3
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	17	6	7	1	3
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	43	24	17	-	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	2	-	2	-	-
EMPHYSEMA (J43)	6	4	2	-	-
ASTHMA (J45-J46)	2	2	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	33	18	13	-	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	11	6	4	1	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	4	2	2	-	-
PEPTIC ULCER (K25-K28)	2	-	2	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	11	8	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	7	4	2	1	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	4	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	4	5	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	10	4	5	1	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	1	1	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	1	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	9	3	6	-	-
ALL OTHER DISEASE (RESIDUAL)**	50	17	28	1	4
ACCIDENTS (V01-X59, Y85-Y86)	31	17	8	3	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	20	11	5	1	3
MOTOR VEHICLE ACCIDENTS**	18	10	5	-	3
OTHER LAND TRANSPORT ACCIDENTS**	2	1	-	1	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	11	6	3	2	-
ACCIDENTAL FALLS (W00-W19)	4	2	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	1	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	3	1	1	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	12	8	3	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	10	7	3	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	2	1	-	1	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	1	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	1	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Orangeburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	924*	196	222	257	247
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	26	3	6	8	9
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	-	1	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	24	1	-	14	9
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	-	-	-	2
MALIGNANT NEOPLASMS (C00-C97)	219	54	50	65	50
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	6	-	2	4	-
OF ESOPHAGUS (C15)	9	-	-	6	3
OF STOMACH (C16)	9	1	3	4	1
OF COLON, RECTUM & ANUS (C18-C21)	23	10	2	4	7
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	-	-	-	-	-
OF PANCREAS (C25)	17	2	6	3	6
OF LARYNX (C32)	2	-	1	-	1
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	51	18	10	15	8
OF SKIN (C43)	4	2	1	-	1
OF BREAST (C50)	11	-	6	-	5
OF CERVIX UTERI (C53)	2	-	-	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	5	-	3	-	2
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	22	5	-	17	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	2	1	1	1
OF BLADDER (C67)	5	2	1	-	2
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	5	2	1	-	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	17	5	5	3	4
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	4	1	2	1	-
LEUKEMIA (C91-C95)	5	3	1	1	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	8	1	2	1	4
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	24	5	6	8	5
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	1	-	-	1
ANEMIAS (D50-D64)	2	1	-	-	1
DIABETES MELLITUS (E10-E14)	29	8	6	7	8
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	-	-	2
MALNUTRITION (E40-E46)	2	-	-	-	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	3	1	1	1	-
ALZHEIMER'S DISEASE (G30)	17	6	7	1	3
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	332*	55	103	78	95
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	229*	39	63	57	69
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	11	1	3	3	4
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	-	-	1	-
ISCHEMIC HEART DISEASES (I20-I25)	135	25	34	35	41
ACUTE MYOCARDIAL INFARCTION (I21-I22)	87	16	15	22	34
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	48	9	19	13	7
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	5	-	2	1	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	43	9	17	12	5
OTHER HEART DISEASES (I26-I51)	82*	13	26	18	24
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	27	5	10	5	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	55*	8	16	13	17

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Orangeburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	9	1	2	3	3
CEREBROVASCULAR DISEASES (I60-I69)	74	11	31	16	16
ATHEROSCLEROSIS (I70)	6	2	3	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	14	2	4	2	6
AORTIC ANEURYSM & DISSECTION (I71)	9	2	4	-	3
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	5	-	-	2	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	4	1	1	2	-
INFLUENZA & PNEUMONIA (J10-J18)	12	2	6	2	2
INFLUENZA (J10-J11)	1	-	1	-	-
PNEUMONIA (J12-J18)	11	2	5	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	32	12	8	9	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	1	-	-	-
EMPHYSEMA (J43)	3	1	1	1	-
ASTHMA (J45-J46)	6	1	-	2	3
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	22	9	7	6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	12	3	3	1	5
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	15	4	3	5	3
PEPTIC ULCER (K25-K28)	2	-	-	-	2
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	7	2	2	1	2
ALCOHOLIC LIVER DISEASE (K70)	3	2	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	4	-	2	1	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	15	4	2	3	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	15	4	2	3	6
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	1	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	10	1	-	4	5
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	-	1	2	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	14*	3	2	5	3
ALL OTHER DISEASE (RESIDUAL)**	68	15	11	18	24
ACCIDENTS (V01-X59, Y85-Y86)	49	14	7	20	8
TRANSPORT ACCIDENTS (V01-V99, Y85)	28	10	3	14	1
MOTOR VEHICLE ACCIDENTS**	24	8	3	12	1
OTHER LAND TRANSPORT ACCIDENTS**	4	2	-	2	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	21	4	4	6	7
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	1	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	2	1	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	5	-	-	1	4
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	2	-	1	-	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	11	2	3	4	2
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	3	2	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	1	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	1	1	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	14	2	1	9	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	12	1	1	8	2
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	2	1	-	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	3	1	-	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Pickens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	873	401	407	28	37
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	10	4	5	1	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	1	-	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	4	2	1	1	-
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	3	1	2	-	-
MALIGNANT NEOPLASMS (C00-C97)	189	95	79	6	9
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	3	2	-	1	-
OF ESOPHAGUS (C15)	6	3	2	1	-
OF STOMACH (C16)	2	2	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	16	7	6	-	3
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	4	2	2	-	-
OF PANCREAS (C25)	14	9	5	-	-
OF LARYNX (C32)	1	1	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	69	32	31	3	3
OF SKIN (C43)	4	3	1	-	-
OF BREAST (C50)	12	-	12	-	-
OF CERVIX UTERI (C53)	2	-	2	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	2	-	2	-	-
OF PROSTATE (C61)	13	12	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	3	2	1	-	-
OF BLADDER (C67)	4	3	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	-	1	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	16	9	6	-	1
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	3	3	-	1
LEUKEMIA (C91-C95)	5	2	3	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	4	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	16	8	7	-	1
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	-	1	-	-
ANEMIAS (D50-D64)	3	1	2	-	-
DIABETES MELLITUS (E10-E14)	31	14	13	2	2
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	2	-	-
MALNUTRITION (E40-E46)	2	-	2	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	9	4	5	-	-
ALZHEIMER'S DISEASE (G30)	22	5	16	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	352	155	171	11	15
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	242	121	102	7	12
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	1	1	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	10	4	5	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	2	-	1	1	-
ISCHEMIC HEART DISEASES (I20-I25)	164	83	68	6	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	75	37	33	1	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	1	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	88	45	35	5	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	14	6	4	2	2
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	74	39	31	3	1
OTHER HEART DISEASES (I26-I51)	65	33	28	-	4
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	25	14	10	-	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	40	19	18	-	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Pickens

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	4	-	3	1	-
CEREBROVASCULAR DISEASES (I60-I69)	88	29	54	2	3
ATHEROSCLEROSIS (I70)	12	2	10	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	6	3	2	1	-
AORTIC ANEURYSM & DISSECTION (I71)	5	3	2	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	1	-	-	1	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	3	-	2	-	1
INFLUENZA & PNEUMONIA (J10-J18)	18	8	8	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	18	8	8	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	44	23	17	2	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	1	-	1	-	-
EMPHYSEMA (J43)	11	8	2	1	-
ASTHMA (J45-J46)	3	1	1	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	29	14	13	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	6	2	4	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	20	9	11	-	-
PEPTIC ULCER (K25-K28)	2	1	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	9	3	6	-	-
ALCOHOLIC LIVER DISEASE (K70)	4	1	3	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5	2	3	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	1	1	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	10	4	5	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	9	4	4	1	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	1	1	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	3	1	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	3	2	1	-	-
ALL OTHER DISEASE (RESIDUAL)**	64	26	34	-	4
ACCIDENTS (V01-X59, Y85-Y86)	40	23	13	3	1
TRANSPORT ACCIDENTS (V01-V99, Y85)	21	12	7	1	1
MOTOR VEHICLE ACCIDENTS**	19	11	6	1	1
OTHER LAND TRANSPORT ACCIDENTS**	1	1	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	1	-	1	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	19	11	6	2	-
ACCIDENTAL FALLS (W00-W19)	2	1	1	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	1	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	9	6	2	1	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	7	3	3	1	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	11	10	1	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	9	8	1	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	2	2	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	6	2	3	1	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	1	1	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	4	1	2	1	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	1	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Richland

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2505*	699	739	533	532
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	-	2	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	36	7	13	10	6
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	8	3	1	4	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	43	8	-	22	13
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	7	2	3	1	1
MALIGNANT NEOPLASMS (C00-C97)	582	192	157	117	116
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	9	2	-	6	1
OF ESOPHAGUS (C15)	9	6	1	1	1
OF STOMACH (C16)	16	5	2	5	4
OF COLON, RECTUM & ANUS (C18-C21)	49	10	18	9	12
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	13	7	1	2	3
OF PANCREAS (C25)	40	11	13	10	6
OF LARYNX (C32)	2	-	-	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	175	77	41	34	23
OF SKIN (C43)	7	4	3	-	-
OF BREAST (C50)	54	-	29	-	25
OF CERVIX UTERI (C53)	3	-	1	-	2
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	6	-	-	-	6
OF OVARY (C56)	6	-	4	-	2
OF PROSTATE (C61)	31	15	-	16	-
OF KIDNEY & RENAL PELVIS (C64-C65)	13	7	3	3	-
OF BLADDER (C67)	6	2	3	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	11	5	3	1	2
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	62	19	18	10	15
HODGKIN'S DISEASE (C81)	3	1	1	1	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	23	4	9	4	6
LEUKEMIA (C91-C95)	18	11	3	1	3
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	18	3	5	4	6
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	70	22	17	18	13
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	8	2	1	1	4
ANEMIAS (D50-D64)	9	2	2	-	5
DIABETES MELLITUS (E10-E14)	79	14	17	22	26
NUTRITIONAL DEFICIENCIES (E40-E64)	2	-	1	1	-
MALNUTRITION (E40-E46)	2	-	1	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	4	-	-	3	1
PARKINSON'S DISEASE (G20-G21)	20	8	4	4	4
ALZHEIMER'S DISEASE (G30)	74	12	39	7	16
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	821	233	244	161	183
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	582	183	169	115	115
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	-	-	1
HYPERTENSIVE HEART DISEASE (I11)	21	2	4	8	7
HYPERTENSIVE HEART & RENAL DISEASE (I13)	1	1	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	396	133	116	73	74
ACUTE MYOCARDIAL INFARCTION (I21-I22)	178	55	54	27	42
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	46	11	9	18	8
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	172	67	53	28	24
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	39	12	13	9	5
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	133	55	40	19	19
OTHER HEART DISEASES (I26-I51)	162	46	49	34	33
ACUTE & SUBACUTE ENDOCARDITIS (I33)	2	-	1	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	3	1	-	-	2
HEART FAILURE (I50)	44	13	20	4	7
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	113	32	28	29	24

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Richland

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	23	2	4	6	11
CEREBROVASCULAR DISEASES (I60-I69)	187	40	61	36	50
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	29	8	10	4	7
AORTIC ANEURYSM & DISSECTION (I71)	17	7	3	3	4
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	12	1	7	1	3
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	6	-	2	1	3
INFLUENZA & PNEUMONIA (J10-J18)	50	9	21	8	12
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	50	9	21	8	12
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	100	35	43	12	10
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	12	4	6	2	-
ASTHMA (J45-J46)	4	-	2	2	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	84	31	35	8	10
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	2	2	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	30	7	13	5	5
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	39	16	9	6	8
PEPTIC ULCER (K25-K28)	3	2	-	1	-
DISEASES OF APPENDIX (K35-K38)	2	1	-	-	1
HERNIA (K40-K46)	1	1	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	34	11	7	9	7
ALCOHOLIC LIVER DISEASE (K70)	15	5	3	4	3
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	19	6	4	5	4
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1	-	-	-	1
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	56	13	19	12	12
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	1	-	1	-	-
RENAL FAILURE (N17-N19)	55	13	18	12	12
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	1	-	-	-	1
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	1	-	-	-	1
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	12	3	-	5	4
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	11	2	3	3	3
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	39*	11	13	8	6
ALL OTHER DISEASE (RESIDUAL)**	238*	40	93	44	60
ACCIDENTS (V01-X59, Y85-Y86)	123	44	23	43	13
TRANSPORT ACCIDENTS (V01-V99, Y85)	51	15	8	23	5
MOTOR VEHICLE ACCIDENTS**	37	8	7	19	3
OTHER LAND TRANSPORT ACCIDENTS**	13	7	-	4	2
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	1	-	1	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	72	29	15	20	8
ACCIDENTAL FALLS (W00-W19)	20	10	3	5	2
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	6	-	1	4	1
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	6	1	2	3	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	16	8	4	3	1
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	24	10	5	5	4
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	27	13	6	4	4
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	11	5	2	2	2
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	16	8	4	2	2
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	29	5	2	18	4
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	19	3	1	14	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	10	2	1	4	3
LEGAL INTERVENTION (Y35, Y89.0)	1	-	-	1	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	2	1	1	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	2	1	1	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	-	-	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Saluda

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	188	69	62	34	23
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	2	2	-	-	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	2	-	-	1	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	-	-	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	39	14	13	8	4
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	-	-	-	-	-
OF STOMACH (C16)	-	-	-	-	-
OF COLON, RECTUM & ANUS (C18-C21)	3	1	1	-	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	3	1	1	1	-
OF PANCREAS (C25)	3	1	1	-	1
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	8	5	1	2	-
OF SKIN (C43)	-	-	-	-	-
OF BREAST (C50)	5	-	3	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	3	-	3	-	-
OF PROSTATE (C61)	5	1	-	4	-
OF KIDNEY & RENAL PELVIS (C64-C65)	-	-	-	-	-
OF BLADDER (C67)	1	-	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	1	1	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	4	1	3	-	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	-	2	-	-
LEUKEMIA (C91-C95)	2	1	1	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	-	-	-	-	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	3	3	-	-	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	1	1	-	-	-
ANEMIAS (D50-D64)	1	-	-	1	-
DIABETES MELLITUS (E10-E14)	3	-	1	-	2
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	3	2	-	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	86	24	34	16	12
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	63	21	23	11	8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	5	1	2	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	47	16	17	9	5
ACUTE MYOCARDIAL INFARCTION (I21-I22)	30	8	13	5	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	17	8	4	4	1
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	1	-	1	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	16	8	3	4	1
OTHER HEART DISEASES (I26-I51)	11	4	4	1	2
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	5	2	1	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	6	2	3	-	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Saluda

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	2	-	1	-	1
CEREBROVASCULAR DISEASES (I60-I69)	16	3	6	5	2
ATHEROSCLEROSIS (I70)	4	-	3	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	-	1	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	4	4	-	-	-
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	4	4	-	-	-
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	11	8	3	-	-
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	1	1	-	-	-
ASTHMA (J45-J46)	-	-	-	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	10	7	3	-	-
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	1	-	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	1	-	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	2	2	-	-	-
ALCOHOLIC LIVER DISEASE (K70)	1	1	-	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	1	1	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	3	1	1	1	-
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	3	1	1	1	-
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	2	-	-	2	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	1	-	-	1	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	1	-	-	-	1
ALL OTHER DISEASE (RESIDUAL)**	11	3	5	1	2
ACCIDENTS (V01-X59, Y85-Y86)	11	4	4	3	-
TRANSPORT ACCIDENTS (V01-V99, Y85)	5	1	2	2	-
MOTOR VEHICLE ACCIDENTS**	4	1	1	2	-
OTHER LAND TRANSPORT ACCIDENTS**	1	-	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	6	3	2	1	-
ACCIDENTAL FALLS (W00-W19)	4	2	2	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	1	-	-	1	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	1	1	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	2	2	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	2	2	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	-	-	-	-	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	-	-	-	-	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	-	-	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Spartanburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	2,610	1,047	1,081	243	239
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1	1	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	32	13	13	1	5
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	11	4	2	3	2
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	13	4	-	6	3
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	6	3	3	-	-
MALIGNANT NEOPLASMS (C00-C97)	574	250	220	54	50
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	16	8	4	3	1
OF ESOPHAGUS (C15)	11	6	1	4	-
OF STOMACH (C16)	11	7	1	3	-
OF COLON, RECTUM & ANUS (C18-C21)	50	24	18	3	5
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	14	11	3	-	-
OF PANCREAS (C25)	30	15	11	1	3
OF LARYNX (C32)	3	-	1	2	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	186	99	56	20	11
OF SKIN (C43)	1	-	-	-	1
OF BREAST (C50)	46	-	29	-	17
OF CERVIX UTERI (C53)	3	-	3	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	6	-	5	-	1
OF OVARY (C56)	15	-	14	-	1
OF PROSTATE (C61)	18	12	-	6	-
OF KIDNEY & RENAL PELVIS (C64-C65)	5	2	2	-	1
OF BLADDER (C67)	9	8	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	14	5	7	1	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	62	26	26	5	5
HODGKIN'S DISEASE (C81)	1	1	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	20	9	10	-	1
LEUKEMIA (C91-C95)	28	13	12	1	2
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	13	3	4	4	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	74	27	38	6	3
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	14	7	6	1	-
ANEMIAS (D50-D64)	4	2	1	-	1
DIABETES MELLITUS (E10-E14)	75	25	23	8	19
NUTRITIONAL DEFICIENCIES (E40-E64)	5	-	4	1	-
MALNUTRITION (E40-E46)	4	-	3	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	1	-	1	-	-
MENINGITIS (G00,G03)	2	-	-	1	1
PARKINSON'S DISEASE (G20-G21)	13	5	8	-	-
ALZHEIMER'S DISEASE (G30)	59	21	29	3	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	929	343	414	76	96
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	661	266	288	47	60
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	5	2	2	-	1
HYPERTENSIVE HEART DISEASE (I11)	21	5	8	2	6
HYPERTENSIVE HEART & RENAL DISEASE (I13)	6	1	1	2	2
ISCHEMIC HEART DISEASES (I20-I25)	427	195	173	25	34
ACUTE MYOCARDIAL INFARCTION (I21-I22)	173	84	66	9	14
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	3	1	2	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	251	110	105	16	20
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	18	4	13	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	233	106	92	16	19
OTHER HEART DISEASES (I26-I51)	202	63	104	18	17
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	1	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	2	-	2	-	-
HEART FAILURE (I50)	61	19	34	4	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	138	43	68	14	13

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Spartanburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	16	6	5	3	2
CEREBROVASCULAR DISEASES (I60-I69)	223	57	112	22	32
ATHEROSCLEROSIS (I70)	4	2	2	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	25	12	7	4	2
AORTIC ANEURYSM & DISSECTION (I71)	13	8	2	2	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	12	4	5	2	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	6	4	1	-	1
INFLUENZA & PNEUMONIA (J10-J18)	47	11	31	4	1
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	47	11	31	4	1
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	127	76	45	4	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	16	6	9	1	-
ASTHMA (J45-J46)	2	1	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	109	69	35	3	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	1	-	-	1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	22	10	9	2	1
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	40	19	9	7	5
PEPTIC ULCER (K25-K28)	6	2	1	2	1
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	2	2	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	32	13	12	6	1
ALCOHOLIC LIVER DISEASE (K70)	14	7	3	4	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	18	6	9	2	1
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	2	2	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	34	9	15	6	4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	34	9	15	6	4
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	1	-	-	-	1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	1	-	-	-	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	3	2	-	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	14	8	5	-	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	35	15	12	6	2
ALL OTHER DISEASE (RESIDUAL)**	243	68	136	16	23
ACCIDENTS (V01-X59, Y85-Y86)	181	95	58	22	6
TRANSPORT ACCIDENTS (V01-V99, Y85)	78	45	18	13	2
MOTOR VEHICLE ACCIDENTS**	70	41	14	13	2
OTHER LAND TRANSPORT ACCIDENTS**	8	4	4	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	103	50	40	9	4
ACCIDENTAL FALLS (W00-W19)	17	10	6	-	1
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	4	3	1	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	6	3	-	3	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	1	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	47	25	18	2	2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	27	8	15	3	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	42	24	16	1	1
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	29	19	8	1	1
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	13	5	8	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	24	8	3	12	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	21	8	2	11	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	3	-	1	1	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	6	-	3	-	3

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Sumter

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	906*	264	225	213	203
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	9	2	1	3	3
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	3	1	-	1	1
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	18	1	-	9	8
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	2	2	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	232	73	50	70	39
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	1	1	2	-
OF ESOPHAGUS (C15)	9	4	-	5	-
OF STOMACH (C16)	8	2	-	4	2
OF COLON, RECTUM & ANUS (C18-C21)	19	8	2	3	6
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	6	3	2	1	-
OF PANCREAS (C25)	14	4	3	3	4
OF LARYNX (C32)	-	-	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	66	28	16	19	3
OF SKIN (C43)	3	2	1	-	-
OF BREAST (C50)	17	-	8	-	9
OF CERVIX UTERI (C53)	2	-	1	-	1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	5	-	2	-	3
OF PROSTATE (C61)	20	7	-	13	-
OF KIDNEY & RENAL PELVIS (C64-C65)	8	4	1	2	1
OF BLADDER (C67)	4	3	-	1	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	3	-	3	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	15	3	5	4	3
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	7	1	3	2	1
LEUKEMIA (C91-C95)	3	1	2	-	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	5	1	-	2	2
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	29	4	5	13	7
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	-	2	-
ANEMIAS (D50-D64)	2	-	1	-	1
DIABETES MELLITUS (E10-E14)	32	8	6	6	12
NUTRITIONAL DEFICIENCIES (E40-E64)	6	-	3	1	2
MALNUTRITION (E40-E46)	6	-	3	1	2
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	-	1	-	-
ALZHEIMER'S DISEASE (G30)	17	6	5	-	6
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	343	96	91	66	90
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	217	68	58	45	46
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	20	-	4	5	11
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	148	52	41	30	25
ACUTE MYOCARDIAL INFARCTION (I21-I22)	65	22	15	14	14
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	2	2	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	81	28	26	16	11
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	2	1	-	-	1
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	79	27	26	16	10
OTHER HEART DISEASES (I26-I51)	49	16	13	10	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	17	8	6	2	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	32	8	7	8	9

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Sumter

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	12	3	2	2	5
CEREBROVASCULAR DISEASES (I60-I69)	105	20	30	19	36
ATHEROSCLEROSIS (I70)	1	-	-	-	1
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	8	5	1	-	2
AORTIC ANEURYSM & DISSECTION (I71)	4	2	1	-	1
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	4	3	-	-	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	10	4	1	3	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	10	4	1	3	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	50	20	18	9	3
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	11	7	1	2	1
ASTHMA (J45-J46)	4	-	1	3	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	35	13	16	4	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	1	1	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	9	2	2	2	3
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	7	1	3	2	1
PEPTIC ULCER (K25-K28)	2	1	1	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	1	-	1	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	14	4	5	4	1
ALCOHOLIC LIVER DISEASE (K70)	8	2	2	3	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	6	2	3	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	13	-	5	2	6
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	13	-	5	2	6
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	8	-	2	4	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	7	3	1	2	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	7*	1	1	4	-
ALL OTHER DISEASE (RESIDUAL)**	57	15	18	8	16
ACCIDENTS (V01-X59, Y85-Y86)	29	12	5	9	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	19	8	3	6	2
MOTOR VEHICLE ACCIDENTS**	18	8	2	6	2
OTHER LAND TRANSPORT ACCIDENTS**	1	-	1	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	10	4	2	3	1
ACCIDENTAL FALLS (W00-W19)	1	1	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	1	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	2	-	-	2	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	-	-	-	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	6	3	1	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	12	9	2	1	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	8	5	2	1	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	4	4	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	8	1	2	3	2
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	1	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	6	1	2	2	1
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1	-	-	1	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	1	-	-	1	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	2	-	-	1	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Union

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	334	129	120	40	45
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	5	1	2	2	-
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	1	-	-	-	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	72	32	22	11	7
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	-	-	-	-	-
OF ESOPHAGUS (C15)	2	2	-	-	-
OF STOMACH (C16)	2	-	-	-	2
OF COLON, RECTUM & ANUS (C18-C21)	6	3	2	1	-
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	1	1	-	-
OF PANCREAS (C25)	4	1	2	1	-
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	24	17	6	1	-
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	7	-	5	-	2
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	-	-	-	-	-
OF OVARY (C56)	-	-	-	-	-
OF PROSTATE (C61)	1	-	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	1	-	-
OF BLADDER (C67)	2	1	1	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4	3	-	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	8	2	2	4	-
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	3	1	1	1	-
LEUKEMIA (C91-C95)	3	-	1	2	-
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	2	1	-	1	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	7	1	2	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	-	2	-	1
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	7	3	2	1	1
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	1	-	-	1	-
PARKINSON'S DISEASE (G20-G21)	3	2	1	-	-
ALZHEIMER'S DISEASE (G30)	5	1	3	-	1
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	132	42	54	17	19
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	101	38	39	13	11
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	8	-	7	-	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	68	26	25	10	7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	23	8	9	2	4
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	44	18	15	8	3
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	6	2	4	-	-
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	38	16	11	8	3
OTHER HEART DISEASES (I26-I51)	25	12	7	3	3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	-	-	-	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	1	-	-	-	1
HEART FAILURE (I50)	9	2	5	1	1
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	15	10	2	2	1

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Union

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	3	-	1	1	1
CEREBROVASCULAR DISEASES (I60-I69)	27	3	14	3	7
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	1	1	-	-	-
AORTIC ANEURYSM & DISSECTION (I71)	1	1	-	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	-	-	-	-	-
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	7	2	3	-	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	7	2	3	-	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	16	9	5	-	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	3	2	1	-	-
ASTHMA (J45-J46)	1	-	1	-	-
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	12	7	3	-	2
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	1	-	1	-	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	2	1	1	-	-
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	3	-	2	1	-
ALCOHOLIC LIVER DISEASE (K70)	1	-	1	-	-
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	-	1	1	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	11	5	2	2	2
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	11	5	2	2	2
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	1	1	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	1	-	1	-	-
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	10	7	2	-	1
ALL OTHER DISEASE (RESIDUAL)**	30	9	14	2	5
ACCIDENTS (V01-X59, Y85-Y86)	15	9	3	1	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	10	7	-	1	2
MOTOR VEHICLE ACCIDENTS**	10	7	-	1	2
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	5	2	3	-	-
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	-	-	-	-	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	-	-	-	-	-
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	1	3	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	-	-	-	-	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	5	3	-	2	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	5	3	-	2	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	1	-	-	-	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	1	-	-	-	1
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	1	1	-	-	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Williamsburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	383	86	65	113	119
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	-	-	-	-	-
TUBERCULOSIS (A16-A19)	-	-	-	-	-
RESPIRATORY TUBERCULOSIS (A16)	-	-	-	-	-
OTHER TUBERCULOSIS (A17-A19)	-	-	-	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	-	-	-	-	-
SEPTICEMIA (A40-A41)	6	-	1	3	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	-	-	-	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5	-	-	4	1
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	1	1	-	-	-
MALIGNANT NEOPLASMS (C00-C97)	96	28	21	27	20
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	2	-	-	2	-
OF ESOPHAGUS (C15)	4	1	-	3	-
OF STOMACH (C16)	5	-	1	-	4
OF COLON, RECTUM & ANUS (C18-C21)	6	2	1	2	1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	2	2	-	-	-
OF PANCREAS (C25)	3	-	-	1	2
OF LARYNX (C32)	1	-	-	1	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	26	16	4	5	1
OF SKIN (C43)	1	1	-	-	-
OF BREAST (C50)	9	-	3	-	6
OF CERVIX UTERI (C53)	-	-	-	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	1	-	-	-	1
OF OVARY (C56)	7	-	4	-	3
OF PROSTATE (C61)	9	1	-	8	-
OF KIDNEY & RENAL PELVIS (C64-C65)	1	-	-	1	-
OF BLADDER (C67)	1	1	-	-	-
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	-	-	-	-	-
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	10	2	4	2	2
HODGKIN'S DISEASE (C81)	-	-	-	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	2	1	1	-	-
LEUKEMIA (C91-C95)	4	1	1	1	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4	-	2	1	1
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	8	2	4	2	-
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	2	-	-	2	-
ANEMIAS (D50-D64)	-	-	-	-	-
DIABETES MELLITUS (E10-E14)	16	2	1	3	10
NUTRITIONAL DEFICIENCIES (E40-E64)	-	-	-	-	-
MALNUTRITION (E40-E46)	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	1	1	-	-	-
ALZHEIMER'S DISEASE (G30)	3	2	-	1	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	148	28	29	38	53
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	109	25	20	25	39
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	-	-	-	-	-
HYPERTENSIVE HEART DISEASE (I11)	3	-	1	1	1
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	70	18	12	9	31
ACUTE MYOCARDIAL INFARCTION (I21-I22)	36	5	6	6	19
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	-	-	-	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	34	13	6	3	12
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	12	3	1	2	6
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	22	10	5	1	6
OTHER HEART DISEASES (I26-I51)	36	7	7	15	7
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	-	1	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	14	4	3	4	3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	21	3	4	10	4

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
Williamsburg

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	6	-	-	2	4
CEREBROVASCULAR DISEASES (I60-I69)	30	3	8	10	9
ATHEROSCLEROSIS (I70)	-	-	-	-	-
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	3	-	1	1	1
AORTIC ANEURYSM & DISSECTION (I71)	1	-	1	-	-
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	2	-	-	1	1
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	-	-	-	-	-
INFLUENZA & PNEUMONIA (J10-J18)	9	2	1	4	2
INFLUENZA (J10-J11)	-	-	-	-	-
PNEUMONIA (J12-J18)	9	2	1	4	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	-	-	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	-	-	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	7	2	2	1	2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	-	-	-	-	-
EMPHYSEMA (J43)	-	-	-	-	-
ASTHMA (J45-J46)	1	-	-	-	1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	6	2	2	1	1
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)	-	-	-	-	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	4	-	2	2	-
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	6	1	-	1	4
PEPTIC ULCER (K25-K28)	-	-	-	-	-
DISEASES OF APPENDIX (K35-K38)	-	-	-	-	-
HERNIA (K40-K46)	-	-	-	-	-
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	1	-	-	-	1
ALCOHOLIC LIVER DISEASE (K70)	1	-	-	-	1
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	-	-	-	-	-
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	-	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	6	-	-	1	5
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)	-	-	-	-	-
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	-	-	-	-	-
RENAL FAILURE (N17-N19)	6	-	-	1	5
OTHER DISORDERS OF KIDNEY (N25, N27)	-	-	-	-	-
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)	-	-	-	-	-
HYPERPLASIA OF PROSTATE (N40)	-	-	-	-	-
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)	-	-	-	-	-
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	-	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	-	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	7	-	-	4	3
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	-	-	-	-	-
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	7	-	2	2	3
ALL OTHER DISEASE (RESIDUAL)**	25	5	3	7	10
ACCIDENTS (V01-X59, Y85-Y86)	28	12	3	10	3
TRANSPORT ACCIDENTS (V01-V99, Y85)	21	10	2	7	2
MOTOR VEHICLE ACCIDENTS**	20	10	2	7	1
OTHER LAND TRANSPORT ACCIDENTS**	-	-	-	-	-
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)	1	-	-	-	1
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	7	2	1	3	1
ACCIDENTAL FALLS (W00-W19)	-	-	-	-	-
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	1	-	-	1	-
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	-	-	-	-	-
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	1	-	-	-	1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	1	-	1	-	-
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	4	2	-	2	-
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	-	-	-	-	-
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	-	-	-	-	-
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	-	-	-	-	-
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	2	-	-	2	-
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	2	-	-	2	-
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	-	-	-	-	-
LEGAL INTERVENTION (Y35, Y89.0)	-	-	-	-	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	-	-	-	-	-
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	-	-	-	-	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	-	-	-	-	-
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)	-	-	-	-	-
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	3	2	-	1	-

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
York

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	1,285	493	524	138	130
SALMONELLA INFECTIONS (A01-A02)	-	-	-	-	-
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	2	1	1	-	-
TUBERCULOSIS (A16-A19)	3	1	1	1	-
RESPIRATORY TUBERCULOSIS (A16)	2	1	-	1	-
OTHER TUBERCULOSIS (A17-A19)	1	-	1	-	-
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	-	-	-
MENINGOCOCCAL INFECTION (A39)	1	-	-	1	-
SEPTICEMIA (A40-A41)	19	9	6	2	2
SYPHILIS (A50-A53)	-	-	-	-	-
ACUTE POLIOMYELITIS (A80)	-	-	-	-	-
ARTHROPOD-BORNE VIRAL ENCEPHALITIS (A83-A84,A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	2	1	1	-	-
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	9	1	1	5	2
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASES & THEIR SEQUELAE**	4	1	1	1	1
MALIGNANT NEOPLASMS (C00-C97)	289	121	118	27	23
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	4	1	-	2	1
OF ESOPHAGUS (C15)	5	1	3	1	-
OF STOMACH (C16)	7	2	4	1	-
OF COLON, RECTUM & ANUS (C18-C21)	26	11	7	4	4
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	7	5	1	-	1
OF PANCREAS (C25)	11	5	2	1	3
OF LARYNX (C32)	3	3	-	-	-
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	107	54	37	12	4
OF SKIN (C43)	6	3	3	-	-
OF BREAST (C50)	23	-	20	-	3
OF CERVIX UTERI (C53)	3	-	3	-	-
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	5	-	4	-	1
OF OVARY (C56)	4	-	4	-	-
OF PROSTATE (C61)	8	7	-	1	-
OF KIDNEY & RENAL PELVIS (C64-C65)	7	3	2	1	1
OF BLADDER (C67)	5	2	2	-	1
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	7	5	1	-	1
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	29	10	16	2	1
HODGKIN'S DISEASE (C81)	2	1	1	-	-
NON-HODGKIN'S LYMPHOMA (C82-C85)	10	3	7	-	-
LEUKEMIA (C91-C95)	11	5	5	-	1
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	6	1	3	2	-
OTHER & UNSPEC MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER & UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	22	9	9	2	2
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	3	1	-	2	-
ANEMIAS (D50-D64)	6	-	4	1	1
DIABETES MELLITUS (E10-E14)	38	11	15	2	10
NUTRITIONAL DEFICIENCIES (E40-E64)	3	1	1	1	-
MALNUTRITION (E40-E46)	3	1	1	1	-
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	-	-	-	-	-
MENINGITIS (G00,G03)	-	-	-	-	-
PARKINSON'S DISEASE (G20-G21)	7	3	4	-	-
ALZHEIMER'S DISEASE (G30)	21	2	17	2	-
MAJOR CARDIOVASCULAR DISEASES (I00-I78)	450	159	190	48	53
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	352	137	140	36	39
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASES (I00-I09)	2	1	1	-	-
HYPERTENSIVE HEART DISEASE (I11)	8	2	3	1	2
HYPERTENSIVE HEART & RENAL DISEASE (I13)	-	-	-	-	-
ISCHEMIC HEART DISEASES (I20-I25)	246	104	95	20	27
ACUTE MYOCARDIAL INFARCTION (I21-I22)	123	55	37	12	19
OTHER ACUTE ISCHEMIC HEART DISEASES (I24)	1	-	1	-	-
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	122	49	57	8	8
ATHEROSCLEROTIC CARDIOVASCULAR DISEASE (I25.0)	39	9	23	3	4
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	83	40	34	5	4
OTHER HEART DISEASES (I26-I51)	96	30	41	15	10
ACUTE & SUBACUTE ENDOCARDITIS (I33)	1	-	1	-	-
DISEASES OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	-	-	-	-	-
HEART FAILURE (I50)	36	9	16	7	4
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	59	21	24	8	6

Table G-15A. (cont.)
Deaths from Selected Causes by Race and Gender: Each County of South Carolina, 2001
(Residence Data)
York

Cause of Death	Total	White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10, I12)	5		1	1	3
CEREBROVASCULAR DISEASES (I60-I69)	78	19	41	9	9
ATHEROSCLEROSIS (I70)	3		3		
OTHER DISEASES OF CIRCULATORY SYSTEM (I71-I78)	12	3	5	2	2
AORTIC ANEURYSM & DISSECTION (I71)	6	2	3	1	
OTHER DISEASES OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	6	1	2	1	2
OTHER DISORDERS OF CIRCULATORY SYSTEM (I80-I99)	1				1
INFLUENZA & PNEUMONIA (J10-J18)	20	6	10	2	2
INFLUENZA (J10-J11)					
PNEUMONIA (J12-J18)	20	6	10	2	2
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)					
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)					
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)					
CHRONIC LOWER RESPIRATORY DISEASES (J40-J47)	72	30	30	6	6
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)					
EMPHYSEMA (J43)	11	8	2	1	
ASTHMA (J45-J46)	2		1		1
OTHER CHRONIC LOWER RESPIRATORY DISEASES (J44, J47)	59	22	27	5	5
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66, J68)					
PNEUMONITIS DUE TO SOLIDS & LIQUIDS (J69)	12	4	5	1	2
OTHER DISEASES OF RESPIRATORY SYSTEM (J00-J06, J30-J39, J67, J70-J98)	7	6	1		
PEPTIC ULCER (K25-K28)	2	2			
DISEASES OF APPENDIX (K35-K38)					
HERNIA (K40-K46)					
CHRONIC LIVER DISEASE & CIRRHOSIS (K70, K73-K74)	10	6	2	2	
ALCOHOLIC LIVER DISEASE (K70)	8	4	2	2	
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	2	2			
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)					
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS (N00-N07, N17-N19, N25-N27)	18	9	3	3	3
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01, N04)					
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **					
RENAL FAILURE (N17-N19)	18	9	3	3	3
OTHER DISORDERS OF KIDNEY (N25, N27)					
INFECTIONS OF KIDNEY (N10-N12, N13.6, N15.1)					
HYPERPLASIA OF PROSTATE (N40)					
INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS (N70-N76)					
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)					
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)					
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH & PUERPERIUM (O10-O99)					
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	14	4	3	5	2
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	4	1	1	1	1
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS NOT CLASSIFIED (R00-R99)	14	5	3	2	4
ALL OTHER DISEASE (RESIDUAL)**	150	47	76	13	14
ACCIDENTS (V01-X59, Y85-Y86)	71	43	18	8	2
TRANSPORT ACCIDENTS (V01-V99, Y85)	40	27	8	5	
MOTOR VEHICLE ACCIDENTS**	39	26	8	5	
OTHER LAND TRANSPORT ACCIDENTS**	1	1			
WATER, AIR & SPACE, OTHER & UNSPEC TRANSPORT ACCIDENTS (V90-V99, Y85)					
NONTRANSPORT ACCIDENTS (W00-X59, Y86)	31	16	10	3	2
ACCIDENTAL FALLS (W00-W19)	5	2	3		
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)					
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	4	2		2	
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	4	3			1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	4	2	2		
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	13	6	5	1	1
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84, Y87.0)	22	14	7	1	
INTENTIONAL SELF-HARM BY DISCHARGE OF FIREARMS (X72-X74)	14	9	5		
INTENTIONAL SELF-HARM OTHER & UNSPECIFIED MEANS (X60-X71, X75-X84, Y87.0)	8	5	2	1	
ASSAULT (HOMICIDE) (X85-Y09, Y87.1)	7	2	3	1	1
ASSAULT BY DISCHARGE OF FIREARMS (X93-X95)	5	2	2	1	
ASSAULT BY OTHER & UNSPECIFIED MEANS (X85-X92, X96-Y09, Y87.1)	2		1		1
LEGAL INTERVENTION (Y35, Y89.0)	1	1			
EVENTS OF UNDETERMINED INTENT (Y10-Y34, Y87.2, Y89.9)	1		1		
DISCHARGE OF FIREARMS, UNDETERMINED INTENT (Y22-Y24)	1		1		
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**					
OPERATIONS OF WAR & THEIR SEQUELAE (Y36, Y89.1)					
COMPLICATIONS OF MEDICAL & SURGICAL CARE (Y40-Y84, Y88)	2	1	1		

** SEE APPENDIX FOR ICD-10 CODE

* Includes unknown race

Table G-16.
Deaths by Burial Disposition
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	Total	Burial	Cremation	Removal	Other
South Carolina	35,817	29,507	5,543	547	218
Abbeville	159	142	16	-	1
Aiken	1,089	874	186	12	17
Allendale	82	79	3	-	-
Anderson	1,693	1,439	198	46	10
Bamberg	113	105	7	1	-
Barnwell	158	149	7	2	-
Beaufort	999	588	373	31	7
Berkeley	472	371	85	14	2
Calhoun	85	74	9	1	1
Charleston	3,792	2,943	777	51	21
Cherokee	403	364	33	5	1
Chester	223	199	20	2	1
Chesterfield	234	218	14	1	1
Clarendon	243	207	27	6	3
Colleton	351	307	36	6	2
Darlington	550	500	45	1	4
Dillon	263	252	11	-	-
Dorchester	475	341	117	12	5
Edgefield	149	140	8	-	1
Fairfield	148	131	15	2	-
Florence	1,960	1,742	162	49	7
Georgetown	522	400	111	8	3
Greenville	3,823	3,163	607	34	19
Greenwood	746	678	63	2	3
Hampton	130	124	5	1	-
Horry	1,923	1,132	671	97	22
Jasper	63	56	4	3	-
Kershaw	394	313	67	13	1
Lancaster	472	431	37	3	1
Laurens	563	514	41	6	2
Lee	85	77	7	1	-
Lexington	1,565	1,233	281	27	24
McCormick	69	60	8	-	1
Marion	304	286	16	-	2
Marlboro	238	222	14	2	-
Newberry	309	275	29	2	3
Oconee	517	409	101	5	2
Orangeburg	853	758	71	20	4
Pickens	684	574	97	11	2
Richland	3,561	2,933	544	52	32
Saluda	111	101	10	-	-
Spartanburg	2,698	2,401	288	5	4
Sumter	864	757	98	3	6
Union	289	279	10	-	-
Williamsburg	204	198	4	1	1
York	1,189	968	210	9	2

Table G-16A.
Deaths by Burial Disposition by Race
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	White					Black and Other				
	Total	Burial	Cremation	Removal	Other	Total	Burial	Cremation	Removal	Other
South Carolina	25,289	19,577	5,039	483	189	10,528	9,930	504	64	29
Abbeville	122	107	15	-	-	37	35	1	-	1
Aiken	788	596	167	9	16	301	278	19	3	1
Allendale	30	29	1	-	-	52	50	2	-	-
Anderson	1,425	1,186	185	45	9	268	253	13	1	1
Bamberg	49	45	4	-	-	64	60	3	1	-
Barnwell	76	68	6	2	-	82	81	1	-	-
Beaufort	716	320	363	26	7	283	268	10	5	-
Berkeley	340	242	83	13	2	132	129	2	1	-
Calhoun	54	44	8	1	1	31	30	1	-	-
Charleston	2,386	1,627	696	45	18	1,406	1,316	81	6	3
Cherokee	331	296	30	5	-	72	68	3	-	1
Chester	150	128	19	2	1	73	71	1	-	-
Chesterfield	156	143	11	1	1	78	75	3	-	-
Clarendon	101	73	23	5	-	142	134	4	1	3
Colleton	198	159	33	4	2	153	148	3	2	-
Darlington	356	310	42	1	3	194	190	3	-	1
Dillon	142	133	9	-	-	121	119	2	-	-
Dorchester	350	225	110	10	5	125	116	7	2	-
Edgefield	78	74	3	-	1	71	66	5	-	-
Fairfield	73	61	10	2	-	75	70	5	-	-
Florence	1,106	933	126	41	6	854	809	36	8	1
Georgetown	331	214	107	8	2	191	186	4	-	1
Greenville	3,135	2,516	569	31	19	688	647	38	3	-
Greenwood	535	474	56	2	3	211	204	7	-	-
Hampton	60	56	3	1	-	70	68	2	-	-
Horry	1,635	869	651	94	20	288	263	20	3	2
Jasper	35	31	3	1	-	28	25	1	2	-
Kershaw	271	202	57	12	-	123	111	10	1	1
Lancaster	357	319	34	3	1	115	112	3	-	-
Laurens	432	388	36	6	2	131	126	5	-	-
Lee	40	34	6	-	-	45	43	1	1	-
Lexington	1,355	1,048	261	23	23	210	185	20	4	1
McCormick	41	33	7	-	1	28	27	1	-	-
Marion	145	131	14	-	-	159	155	2	-	2
Marlboro	114	105	9	-	-	124	117	5	2	-
Newberry	210	186	21	2	1	99	89	8	-	2
Oconee	473	367	99	5	2	44	42	2	-	-
Orangeburg	373	295	59	16	3	480	463	12	4	1
Pickens	631	525	93	11	2	53	49	4	-	-
Richland	2,118	1,608	445	40	25	1,443	1,325	99	12	7
Saluda	82	73	9	-	-	29	28	1	-	-
Spartanburg	2,182	1,916	258	4	4	516	485	30	1	-
Sumter	467	373	85	3	6	397	384	13	-	-
Union	226	217	9	-	-	63	62	1	-	-
Williamsburg	85	81	2	1	1	119	117	2	-	-
York	929	717	202	8	2	260	251	8	1	-

Table G-17.
Death by Certifier¹
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	Total	Coroner	Physician	Medical Examiner
South Carolina	35,817	6,801	28,537	471
Abbeville	159	90	68	1
Aiken	1,089	181	908	-
Allendale	82	49	33	-
Anderson	1,693	211	1,470	12
Bamberg	113	64	49	-
Barnwell	158	59	99	-
Beaufort	999	106	891	1
Berkeley	472	292	180	-
Calhoun	85	59	26	-
Charleston	3,792	396	3,394	-
Cherokee	403	73	330	-
Chester	223	132	91	-
Chesterfield	234	93	141	-
Clarendon	243	114	129	-
Colleton	351	156	194	-
Darlington	550	229	321	-
Dillon	263	113	150	-
Dorchester	475	224	251	-
Edgefield	149	44	105	-
Fairfield	148	32	116	-
Florence	1,960	246	1,714	-
Georgetown	522	84	437	1
Greenville	3,823	37	3,337	449
Greenwood	746	78	668	-
Hampton	130	23	107	-
Horry	1,923	404	1,519	-
Jasper	63	48	15	-
Kershaw	394	110	284	-
Lancaster	472	183	288	1
Laurens	563	141	421	-
Lee	85	53	32	-
Lexington	1,565	366	1,199	-
McCormick	69	39	30	-
Marion	304	67	237	-
Marlboro	238	134	104	-
Newberry	309	151	158	-
Oconee	517	81	436	-
Orangeburg	853	322	528	1
Pickens	684	108	573	3
Richland	3,561	478	3,082	1
Saluda	111	28	83	-
Spartanburg	2,698	359	2,339	-
Sumter	864	160	703	1
Union	289	53	236	-
Williamsburg	204	116	87	-
York	1,189	215	974	-

¹ Person certifying the original death certificate

Table G-17A.
Death by Certifier¹ by Race
South Carolina and Each County, 2001
(Occurrence Data)

County of Occurrence	White				Black and Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	25,289	4,321	20,626	339	10,528	2,480	7,911	132
Abbeville	122	69	53	-	37	21	15	1
Aiken	788	117	671	-	301	64	237	-
Allendale	30	14	16	-	52	35	17	-
Anderson	1,425	165	1,251	9	268	46	219	3
Bamberg	49	24	25	-	64	40	24	-
Barnwell	76	28	48	-	82	31	51	-
Beaufort	716	75	640	-	283	31	251	1
Berkeley	340	209	131	-	132	83	49	-
Calhoun	54	36	18	-	31	23	8	-
Charleston	2,386	228	2,158	-	1,406	168	1,236	-
Cherokee	331	59	272	-	72	14	58	-
Chester	150	83	67	-	73	49	24	-
Chesterfield	156	60	96	-	78	33	45	-
Clarendon	101	55	46	-	142	59	83	-
Colleton	198	91	107	-	153	65	87	-
Darlington	356	151	205	-	194	78	116	-
Dillon	142	54	88	-	121	59	62	-
Dorchester	350	163	187	-	125	61	64	-
Edgefield	78	24	54	-	71	20	51	-
Fairfield	73	14	59	-	75	18	57	-
Florence	1,106	141	965	-	854	105	749	-
Georgetown	331	54	276	1	191	30	161	-
Greenville	3,135	29	2,780	326	688	8	557	123
Greenwood	535	48	487	-	211	30	181	-
Hampton	60	14	46	-	70	9	61	-
Horry	1,635	331	1,304	-	288	73	215	-
Jasper	35	29	6	-	28	19	9	-
Kershaw	271	67	204	-	123	43	80	-
Lancaster	357	142	214	1	115	41	74	-
Laurens	432	90	341	-	131	51	80	-
Lee	40	21	19	-	45	32	13	-
Lexington	1,355	294	1,061	-	210	72	138	-
McCormick	41	23	18	-	28	16	12	-
Marion	145	24	121	-	159	43	116	-
Marlboro	114	67	47	-	124	67	57	-
Newberry	210	98	112	-	99	53	46	-
Oconee	473	68	405	-	44	13	31	-
Orangeburg	373	113	260	-	480	209	268	1
Pickens	631	99	530	2	53	9	43	1
Richland	2,118	229	1,889	-	1,443	249	1,193	1
Saluda	82	22	60	-	29	6	23	-
Spartanburg	2,182	275	1,907	-	516	84	432	-
Sumter	467	74	393	-	397	86	310	1
Union	226	40	186	-	63	13	50	-
Williamsburg	85	54	30	-	119	62	57	-
York	929	156	773	-	260	59	201	-

¹ Person certifying the original death certificate

Table G-18.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total (V01-X59, Y85-Y86)	Transportation (V01-V99, Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	1,995	1,069	247	186	76	17	64	336
Abbeville	9	4	1	3	-	-	-	1
Aiken	67	44	3	5	-	-	2	13
Allendale	3	1	-	1	-	-	-	1
Anderson	76	46	10	5	-	2	1	12
Bamberg	7	5	-	1	1	-	-	-
Barnwell	15	12	1	-	-	-	-	2
Beaufort	43	23	2	6	-	-	4	8
Berkeley	73	47	5	1	-	1	8	11
Calhoun	5	5	-	-	-	-	-	-
Charleston	123	48	24	17	4	2	4	24
Cherokee	21	8	8	2	-	-	-	3
Chester	14	9	1	2	1	-	-	1
Chesterfield	20	10	2	2	3	1	1	1
Clarendon	19	8	-	3	1	-	2	5
Colleton	36	27	-	3	1	-	1	4
Darlington	36	22	2	5	-	-	1	6
Dillon	19	15	1	1	-	-	-	2
Dorchester	41	23	-	4	-	-	1	13
Edgefield	17	12	-	-	2	-	-	3
Fairfield	14	10	1	2	-	-	-	1
Florence	70	35	5	4	10	-	1	15
Georgetown	26	14	1	1	2	1	-	7
Greenville	213	97	44	31	5	-	4	32
Greenwood	29	19	1	2	1	-	-	6
Hampton	18	14	1	1	1	-	1	-
Horry	110	54	20	12	7	-	2	15
Jasper	9	5	1	2	-	1	-	-
Kershaw	23	14	2	-	3	-	-	4
Lancaster	38	27	4	-	-	-	2	5
Laurens	44	22	8	4	1	-	3	6
Lee	10	9	-	-	-	-	1	-
Lexington	102	47	10	6	6	-	3	30
McCormick	7	4	-	1	1	-	-	1
Marion	18	13	2	-	1	-	1	1
Marlboro	20	12	-	2	1	2	-	3
Newberry	21	11	1	4	2	-	-	3
Oconee	31	20	3	4	2	-	1	1
Orangeburg	49	28	2	-	5	1	2	11
Pickens	40	21	9	2	-	-	1	7
Richland	123	51	16	20	6	-	6	24
Saluda	11	5	-	4	-	-	1	1
Spartanburg	181	78	47	17	1	4	6	28
Sumter	29	19	-	1	2	1	-	6
Union	15	10	4	-	-	-	-	1
Williamsburg	28	21	1	-	1	1	-	4
York	71	40	4	5	4	-	4	14
Unknown	1	-	-	-	1	-	-	-

¹ Classified and Coded According to ICD-10

Table G-19.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2001
(Occurrence Data)

County of Residence	Total (V01-X59, Y85-Y86)	Transportation (V01-V99, Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,035	1,118	253	184	68	18	70	324
Abbeville	8	4	1	2	-	-	-	1
Aiken	59	42	4	3	-	-	1	9
Allendale	6	3	-	1	-	-	-	2
Anderson	70	46	8	5	-	2	1	8
Bamberg	6	5	-	-	1	-	-	-
Barnwell	8	6	1	-	-	-	-	1
Beaufort	43	20	2	6	1	-	5	9
Berkeley	43	28	4	-	-	-	7	4
Calhoun	9	9	-	-	-	-	-	-
Charleston	192	84	28	24	8	1	8	39
Cherokee	18	8	5	1	1	-	-	3
Chester	10	7	1	1	1	-	-	-
Chesterfield	15	10	-	1	3	-	1	-
Clarendon	26	16	-	3	1	-	1	5
Colleton	40	32	-	2	1	-	1	4
Darlington	32	22	3	3	-	-	1	3
Dillon	14	13	-	-	-	-	-	1
Dorchester	26	18	-	1	-	-	-	7
Edgefield	10	8	1	-	-	-	-	1
Fairfield	6	4	1	-	-	-	1	-
Florence	113	64	6	7	10	3	1	22
Georgetown	30	17	1	2	2	1	-	7
Greenville	260	125	50	38	5	-	4	38
Greenwood	32	17	1	5	1	-	1	7
Hampton	7	5	-	1	1	-	-	-
Horry	115	56	20	12	7	-	7	13
Jasper	16	12	1	1	-	2	-	-
Kershaw	20	10	2	-	2	-	1	5
Lancaster	24	16	3	1	-	-	1	3
Laurens	33	16	6	1	1	-	2	7
Lee	6	4	-	-	-	-	2	-
Lexington	84	40	12	4	4	-	3	21
McCormick	2	2	-	-	-	-	-	-
Marion	19	14	2	-	1	-	1	1
Marlboro	18	12	1	-	1	1	-	3
Newberry	13	7	1	1	-	-	1	3
Oconee	27	17	4	3	1	-	1	1
Orangeburg	41	22	3	-	4	2	1	9
Pickens	29	13	8	2	-	-	1	5
Richland	206	106	15	32	6	1	7	39
Saluda	8	6	-	1	-	-	-	1
Spartanburg	183	83	46	18	1	4	5	26
Sumter	27	22	-	-	1	1	-	3
Union	15	7	6	1	-	-	-	1
Williamsburg	17	13	1	-	1	-	-	2
York	49	27	5	1	2	-	4	10

¹Classified and Coded According to ICD-10

Table G-20.
Deaths Due to Suicide by Method¹
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total (X60-X84, Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	473	310	68	64	31
Abbeville	4	3	-	1	-
Aiken	25	18	3	2	2
Allendale	1	1	-	-	-
Anderson	20	14	4	1	1
Bamberg	1	1	-	-	-
Barnwell	4	3	1	-	-
Beaufort	10	8	1	-	1
Berkeley	18	10	7	-	1
Calhoun	2	1	-	1	-
Charleston	29	14	6	2	7
Cherokee	9	5	1	2	1
Chester	4	3	1	-	-
Chesterfield	8	7	-	1	-
Clarendon	4	4	-	-	-
Colleton	2	1	-	-	1
Darlington	4	2	1	1	-
Dillon	1	1	-	-	-
Dorchester	11	7	4	-	-
Edgefield	1	-	1	-	-
Fairfield	2	2	-	-	-
Florence	10	7	2	-	1
Georgetown	4	2	1	1	-
Greenville	55	35	7	10	3
Greenwood	3	2	-	1	-
Hampton	-	-	-	-	-
Horry	35	22	5	5	3
Jasper	-	-	-	-	-
Kershaw	9	5	1	3	-
Lancaster	12	7	3	2	-
Laurens	9	8	-	1	-
Lee	2	2	-	-	-
Lexington	33	22	5	4	2
McCormick	1	1	-	-	-
Marion	1	1	-	-	-
Marlboro	-	-	-	-	-
Newberry	3	1	1	-	1
Oconee	12	10	-	2	-
Orangeburg	3	2	1	-	-
Pickens	11	9	1	1	-
Richland	27	11	7	6	3
Saluda	2	2	-	-	-
Spartanburg	42	29	1	10	2
Sumter	12	8	1	3	-
Union	5	5	-	-	-
Williamsburg	-	-	-	-	-
York	22	14	2	4	2

¹Classified and Coded According to ICD-10

Table G-21.
Deaths Due to Homicide by Method¹
South Carolina and Each County, 2001
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X92-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	351	229	21	101
Abbeville	1	1	-	-
Aiken	12	6	1	5
Allendale	1	-	1	-
Anderson	18	10	1	7
Bamberg	2	1	1	-
Barnwell	2	1	-	1
Beaufort	9	5	1	3
Berkeley	15	11	-	4
Calhoun	1	-	-	1
Charleston	28	22	2	4
Cherokee	2	1	-	1
Chester	4	3	-	1
Chesterfield	4	3	-	1
Clarendon	7	7	-	-
Colleton	7	6	1	-
Darlington	3	2	-	1
Dillon	2	2	-	-
Dorchester	7	3	1	3
Edgefield	3	1	-	2
Fairfield	2	1	-	1
Florence	9	7	-	2
Georgetown	1	1	-	-
Greenville	37	21	-	16
Greenwood	6	1	2	3
Hampton	3	2	-	1
Horry	21	14	2	5
Jasper	2	1	1	-
Kershaw	3	2	-	1
Lancaster	1	1	-	-
Laurens	5	4	1	-
Lee	3	3	-	-
Lexington	26	17	1	8
McCormick	-	-	-	-
Marion	5	2	1	2
Marlboro	5	2	-	3
Newberry	3	1	-	2
Oconee	14	12	-	2
Orangeburg	6	2	1	3
Pickens	29	19	1	9
Richland	24	21	2	1
Saluda	8	2	-	6
Spartanburg	1	1	-	-
Sumter	2	2	-	-
Union	7	5	-	2
Williamsburg	8	4	1	3
York	5	2	1	2
Unknown	1	-	-	1

¹Classified and Coded According to ICD-10

MULTIPLE CAUSES OF DEATH

Table G-22 presents information concerning the number of times certain causes of death are mentioned on death certificates compared to the number of times they are selected as the underlying cause of death. The third column of the table shows the ratio of the number of times mentioned to the number of times selected as the underlying cause. A ratio of 1.0 means that cause of death is usually selected as the underlying cause of death each time that it is mentioned on the death certificate. A large ratio indicates that a cause is usually not selected as the underlying cause of death when it is mentioned on the death certificate. An example of this is Anemia with a ratio of 7.5. In 2001, it was mentioned on 704 death certificates but only selected as the underlying cause on 94 of those certificates. This would indicate that Anemia is a contributing factor to approximately 7.5 times as many deaths as it is the actual underlying cause of death.

Examples of causes of death with ratios of 1.0 (or close to 1.0) include HIV, Malignant Neoplasms (Cancer) of the Stomach and Lung, Motor Vehicle Accidents, Accidental Drownings, Suicides, and Homicides.

Due to coding rule changes, beginning with the Tenth Revision of the ICD (1999 deaths), it is possible for a cause of death to be selected as the underlying cause of death even though it is not mentioned on the death certificate. This is due to the fact that some conditions mentioned on the certificate can be used to modify other conditions. For example, "History of Alcohol Abuse" can be listed on the certificate and then used to modify "Liver Disease" to make it "Alcoholic Liver Disease". Conditions such as these are reflected in ratios of less than 1.0. These are rare occurrences as shown in Table G-22. Only Hypertensive Heart Disease, Hypertensive Heart & Renal Disease, Alcoholic Liver Disease fall into that category in 2001.

Caution should be used in interpreting cause of death information based only on the underlying cause of death.

Table G-22.
Total Times Mentioned Versus Times Selected as Underlying Cause of Death¹
South Carolina, 2001
(Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
SALMONELLA INFECTION (A01-A02)	1	1	1.0
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	---
CERTAIN OTHER INTESTINAL INFECTION (A04,A07-A09)	36	22	1.6
TUBERCULOSIS (A16-A19)	22	9	2.4
RESPIRATORY TUBERCULOSIS (A16)	18	7	2.6
OTHER TUBERCULOSIS (A17-A19)	4	2	2.0
WHOOPING COUGH (A37)	-	-	---
SCARLET FEVER & ERYSIPELAS (A38, A46)	-	-	---
MENINGOCOCCAL INFECTION (A39)	4	4	1.0
SEPTICEMIA (A40-A41)	2,329	542	4.3
SYPHILIS (A50-A53)	4	1	4.0
ACUTE POLIOMYELITIS (A80)	-	-	---
ARTHROPHOD-BORNE VIRAL ENCEPHALITIS (A83-A8, A852)	-	-	---
MEASLES (B05)	-	-	---
VIRAL HEPATITIS (B15-B19)	166	86	1.9
HIV (B20-B24)	332	309	1.1
MALARIA (B50-B54)	-	-	---
OTHER, UNSPECIFIED INFECTION & PARASITIC DISEASE & THEIR SEQUELAE**	310	98	3.2
MALIGNANT NEOPLASMS (C00-C97)	10,386	8,262	1.3
OF LIP,ORAL CAVITY & PHARYNX (C00-C14)	177	141	1.3
OF ESOPHAGUS (C15)	227	209	1.1
OF STOMACH (C16)	205	186	1.1
OF COLON,RECTUM & ANUS (C18-C21)	932	818	1.1
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	191	178	1.1
OF PANCREAS (C25)	457	446	1.0
OF LARYNX (C32)	76	59	1.3
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,688	2,543	1.1
OF SKIN (C43)	109	97	1.1
OF BREAST (C50)	699	595	1.2
OF CERVIX UTERI (C53)	77	69	1.1
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	104	94	1.1
OF OVARY (C56)	177	161	1.1
OF PROSTATE (C61)	653	499	1.3
OF KIDNEY & RENAL PELVIS (C64-C65)	193	164	1.2
OF BLADDER (C67)	216	159	1.4
OF MENINGES, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYSTEM (C70-C72)	166	159	1.0
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	980	812	1.2
HODGKINS DISEASE (C81)	32	18	1.8
NON-HODGKINS DISEASE (C82-C85)	366	302	1.2
LEUKEMIA (C91-C95)	359	301	1.2
MUTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	222	190	1.2
OTHER UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	1	1	1.0
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL)**	2,059	873	2.4
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	282	172	1.6
ANEMIA (D50-D64)	704	94	7.5
DIABETES MELLITUS (E10-E14)	3,269	1,089	3.0
NUTRITIONAL DEFICIENCIES (E40-E64)	530	83	6.4
MALNUTRITION (E40-E46)	463	74	6.3
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	67	9	7.4
MENINGITIS (G00, G03)	31	13	2.4
PARKINSONS DISEASE (G20-G21)	391	215	1.8
ALZHEIMERS DISEASE (G30)	1,366	882	1.5
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	30,963	13,159	2.4
DISEASES OF THE HEART(I00-I09,I11,I13,I20-I51)	23,054	9,496	2.4
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	93	51	1.8
HYPERTENSIVE HEART DISEASE (I11)	255	323	0.8
HYPERTENSIVE HEART & RENAL DISEASE (I13)	23	44	0.5
ISCHEMIC HEART DISEASE (I20-I25)	9,777	6,210	1.6
ACUTE MYOCARDIAL INFARCTION (I21-I22)	3,574	2,946	1.2
OTHER ACUTE HEART DISEASE (I24)	307	161	1.9
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	5,896	3,103	1.9
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	808	469	1.7
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I251-I25)	5,088	2,634	1.9
OTHER HEART DISEASE (I26-I51)	12,906	2,868	4.5
ACUTE & SUBACUTE ENDOCARDITIS (I33)	44	21	2.1
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	79	14	5.6
HEART FAILURE (I50)	3,861	892	4.3
ALL OTHER FORMS OF HEART DISEASE (I26-I28, I34-I38, I42-I49, I51)	8,922	1,941	4.6

Table G-22. (cont.)
 Total Times Mentioned Versus Times Selected as Underlying Cause of Death¹
 South Carolina, 2001
 (Residence Data)

Cause of Death	Number of Times Mentioned on Death Certificate	Number of Times Selected as Underlying Cause of Death	Ratio of Mentioned to Selected Underlying Cause of Death
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	2,032	336	6.0
CEREBROVASCULAR DISEASE (I60-I69)	4,686	2,829	1.7
ATHEROSCLEROSIS (I70)	231	88	2.6
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	960	410	2.3
AORTIC ANEURYSM & DISSECTION (I71)	317	247	1.3
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	643	163	3.9
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I99)	577	72	8.0
INFLUENZA & PNEUMONIA (J10-J18)	2,974	752	4.0
INFLUENZA (J10-J11)	1	1	1.0
PNEUMONIA (J12-J18)	2,973	751	4.0
OTHER ACUTE LOWER RESPIRATORY INFECTION (J20-J22)	14	5	2.8
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	14	5	2.8
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	---
CHRONIC LOWER RESPIRATORY INFECTION (J40-J47)	3,438	1,728	2.0
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	36	15	2.4
EMPHYSEMA (J43)	351	216	1.6
ASTHMA (J45-J46)	167	77	2.2
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	2,884	1,420	2.0
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	26	17	1.5
PNEUMONITIS DUE TO SOLID & LIQUIDS (J69)	1,004	318	3.2
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	3,495	484	7.2
PEPTIC ULCER (K25-K28)	137	54	2.5
DISEASE OF APPENDIX (K35-K38)	12	7	1.7
HERNIA (K40-K46)	39	21	1.9
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	671	460	1.5
ALCOHOLIC LIVER DISEASE (K70)	154	207	0.7
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	517	253	2.0
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	87	34	2.6
NEPHRITIS,NEPHROTIC SYNDROME & NEPHROSIS (N00-N07,N17-N19,N25-N27)	3,396	632	5.4
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N01-N04)	9	3	3.0
CHRONIC GLOMERULONEPHRITIS,NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED**	38	6	6.3
RENAL FAILURE (N17-N19)	3,346	623	5.4
OTHER DISORDERS OF KIDNEY (N25,N27)	3	-	---
INFECTION OF KIDNEYS (N10-N12,N13.6,N15.1)	32	17	1.9
HYPERPLASIA OF PROSTATE (N40)	21	2	10.5
INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	10	5	2.0
PREGNANCY, CHILDBIRTH & THE PUERPERIUM (O00-O99)	16	7	2.3
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	-	-	---
OTHER COMPLICATIONS OF PREGNANCY,CHILDBIRTH & PUERPERIUM (O10-O99)	16	7	2.3
CERTAIN CONDITION ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	524	268	2.0
CONGENITAL MALFORM ,DEFORM & CHROMOSOMAL ABNORMALIITY (Q00-Q09)	251	142	1.8
SYMPTOMS, SIGNS & ABNORMAL CLINICAL & LAB FINDINGS,NEC(R00-R99)	5,152	454	11.3
ALL OTHER DISEASE (RESIDUAL)**	9,923	3,137	3.2
ACCIDENT (V01-X59,Y85-Y86)	2,693	1,995	1.3
TRANSPORT ACCIDENT (V01-V99,Y85)	1,078	1,069	1.0
MOTOR VEHICLE ACCIDENT**	948	939	1.0
OTHER LAND TRANSPORT ACCIDENT**	118	118	1.0
WATER, AIR & SPACE,UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	12	12	1.0
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,615	926	1.7
FALLS (W00-W19)	215	186	1.2
ACCIDENTAL DISCHARGE OF FIREARMS (W32-W34)	18	17	1.1
ACCIDENTAL DROWNING AND SUBMERSION (W65-W74)	65	64	1.0
ACCIDENTAL EXPOSURE TO SMOKE, FIRE & FLAMES (X00-X09)	80	76	1.1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	285	247	1.2
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE**	927	324	2.9
INTENTIONAL SELFHARM (SUICIDE) (X60-X84,Y870)	478	473	1.0
BY DISCHARGE OF FIREARM (X72-X74)	311	310	1.0
OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y870)	167	163	1.0
ASSAULT (HOMICIDE) (X85-Y09,Y871)	358	351	1.0
BY DISCHARGE OF FIREARM (X93-X95)	230	229	1.0
BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y871)	128	122	1.0
LEGAL INTERVENTION (Y35,Y890)	5	5	1.0
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y872,Y899)	25	24	1.0
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	4	4	1.0
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT**	21	20	1.1
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y891)	1	1	1.0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	709	70	10.1

¹Classified and Coded According to ICD-10

** SEE APPENDIX FOR ICD-10 CODES

YEARS OF POTENTIAL LIFE LOST (YPLL)

Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages.

The number and rate of years of potential life lost before age 65 and before age 75 is presented for South Carolina residents during 2001 for all causes of death and for selected causes of death in Table G-23. This information is also presented for whites and for black and others in Table G-23A.

In 2001, South Carolinians lost 197,412 years of potential life before age 65 and 335,646 years before age 75 as shown in Table G-23. Corresponding YPLL rates are 5,528 years of potential life lost before age 65 per 100,000 population less than 65 years. YPLL rates for black and others are higher than those of whites for the 65 year end point (7,424 versus 4,607) and for the 75 year end point (11,299 versus 7,526).

Prior to age 65, accidental death was the leading cause of years of potential life lost (45,616 years) for all races and accounted for approximately 23 percent of the total number of years of life lost. Malignant neoplasms (31,116 years), diseases of the heart (28,425) and perinatal period conditions (117,407 years) ranked second, third and fourth, respectively. The findings observed prior to age 75 have malignant neoplasms (70,579 years) being the leading cause of years of potential life lost followed by diseases of the heart (60,555 years), accidental deaths (61,339 years), and perinatal period conditions (20,087 years).

Table G-23
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹ by Race
 South Carolina, 2001
 (Residence Data)

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	197,412	5,528	335,646	8,729
HIV INFECTION (B20-B24)	7,099	199	10,130	263
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	4,907	137	8,350	217
MALIGNANT NEOPLASMS (C00-C97)	31,116	871	70,579	1,836
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	1,074	30	1,681	44
DIABETES (E10-E14)	3,877	109	8,585	223
MENINGITIS (G00,G03)	199	6	309	8
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	28,425	796	60,555	1,575
HYPERTENSION (I10,I12)	1,127	32	2,401	62
CEREBROVASCULAR DISEASE (I60-I69)	5,689	159	12,307	320
ARTERIOSCLEROSIS (I70)	67	2	143	4
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	1,398	39	3,042	79
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	168	5	198	5
PNEUMONIA (J12-J18)	1,992	56	3,601	94
INFLUENZA(J10-J11)	-	0	-	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	3,245	91	8,633	225
STOMACH AND DUODENUM ULCER (K25-K28)	229	6	425	11
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	799	22	1,567	41
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	4,086	114	7,411	193
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	2,019	57	3,498	91
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	2,009	56	4,202	109
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	83	2	132	3
CONGENITAL ANOMALIES (Q00-Q99)	6,714	188	8,036	209
PERINATAL PERIOD CONDITIONS (P00-P96)	17,407	487	20,087	522
SYMPTOMS/ILL-DEFINED (R00-R99)	5,818	163	7,876	205
ACCIDENTS (V01-X59,Y85-Y86)	45,616	1,277	61,339	1,595
SUICIDE (X60-X84,Y87.0)	10,348	290	14,650	381
HOMICIDE (X85-Y09,Y87.1)	8,315	233	10,972	285
ALL OTHER (REMAINDER OF V,X,Y)	3,586	100	4,937	128

¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

Table G-23A.
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹ by Race
 South Carolina, 2001
 (Residence Data)
 White

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	110,803	4,607	197,074	7,526
HIV INFECTION (B20-B24)	1,595	66	2,257	86
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	2,571	107	4,602	176
MALIGNANT NEOPLASMS (C00-C97)	19,163	797	46,281	1,767
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	599	25	984	38
DIABETES (E10-E14)	1,691	70	4,036	154
MENINGITIS (G00,G03)	41	2	71	3
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	16,308	678	36,502	1,394
HYPERTENSION (I10,I12)	274	11	680	26
CEREBROVASCULAR DISEASE (I60-I69)	2,364	98	5,540	212
ARTERIOSCLEROSIS (I70)	48	2	110	4
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	758	32	1,767	67
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	130	5	150	6
PNEUMONIA (J12-J18)	890	37	1,655	63
INFLUENZA(J10-J11)	-	0	-	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	2,114	88	6,467	247
STOMACH AND DUODENUM ULCER (K25-K28)	163	7	276	11
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	340	14	802	31
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	2,621	109	4,903	187
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	812	34	1,740	66
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	630	26	1,626	62
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	10	0	22	1
CONGENITAL ANOMALIES (Q00-Q99)	4,296	179	5,158	197
PERINATAL PERIOD CONDITIONS (P00-P96)	6,032	251	6,962	266
SYMPTOMS/ILL-DEFINED (R00-R99)	2,944	122	4,064	155
ACCIDENTS (V01-X59,Y85-Y86)	30,745	1,278	41,282	1,576
SUICIDE (X60-X84,Y87.0)	8,845	368	12,560	480
HOMICIDE (X85-Y09,Y87.1)	3,108	129	4,184	160
ALL OTHER (REMAINDER OF V,X,Y)	1,711	71	2,393	91

¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

Table G-23A (cont.)
 Years of Potential Life Lost Before Age 65 and Before Age 75 For Selected Causes of Death¹ by Race
 South Carolina, 2001
 (Residence Data)
 Black & Other

Cause of Death	< 65 Years		< 75 Years	
	Years	Rate ²	Years	Rate ³
ALL CAUSES	86,609	7,424	138,572	11299
HIV INFECTION (B20-B24)	5,504	472	7,873	642
OTHER INFECTIOUS/PARASITIC (REMAINDER OF A&B)	2,336	200	3,748	306
MALIGNANT NEOPLASMS (C00-C97)	11,953	1,025	24,298	1,981
BENIGN/UNSPECIFIED NEOPLASMS (D00-D48)	475	41	697	57
DIABETES (E10-E14)	2,186	187	4,549	371
MENINGITIS (G00,G03)	158	14	238	19
DISEASES OF HEART (I00-I09,I11,I13,I20-I51)	12,117	1,039	24,053	1,961
HYPERTENSION (I10,I12)	853	73	1,721	140
CEREBROVASCULAR DISEASE (I60-I69)	3,325	285	6,767	552
ARTERIOSCLEROSIS (I70)	19	2	33	3
OTHER CIRCULATORY DISEASES(REMAINDER OF I)	640	55	1,275	104
BRONCHITIS AND BRONCHIOLITIS (J20-J21)	38	3	48	4
PNEUMONIA (J12-J18)	1,102	94	1,946	159
INFLUENZA(J10-J11)	1,131	97	2,166	177
CHRONIC OBSTRUCTIVE PULMONARY DISEASE (J40-J47)	66	6	149	12
STOMACH AND DUODENUM ULCER (K25-K28)	459	39	765	62
HERNIA & INTESTINAL OBSTRUCTION(K40-K46,K55-K56)	1,465	126	2,508	205
CIRRHOSIS AND LIVER DISEASE (K70,K73-K74)	1,207	103	1,758	143
OTH.RESPIRATORY DIS.(J80-J84,J93-J98)	1,379	118	2,576	210
NEPHRITIS, ETC. (N00-N07,N17-N19,N25-N27)	73	6	110	9
INFECTIONS OF KIDNEY (N10-N12,N13.6,N15.1)	2,418	207	2,878	235
CONGENITAL ANOMALIES (Q00-Q99)	11,375	975	13,125	1,070
PERINATAL PERIOD CONDITIONS (P00-P96)	2,874	246	3,812	311
SYMPTOMS/ILL-DEFINED (R00-R99)	14,871	1,275	20,057	1,635
ACCIDENTS (V01-X59,Y85-Y86)	1,503	129	2,090	170
SUICIDE (X60-X84,Y87.0)	5,207	446	6,788	554
HOMICIDE (X85-Y09,Y87.1)	1,875	161	2,544	207
ALL OTHER (REMAINDER OF V,X,Y)	2,609	226.0	3,440	283.0


¹ Classified and Coded According to ICD-10

² Rate per 100,000 Persons < 65 Years Old

³ Rate per 100,000 Persons < 75 Years Old

The State Tree

“The Sabal Palmetto”




Officially adopted by the General Assembly in 1939

MARRIAGE / DIVORCE

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1977-2001, marriages in South Carolina have shown considerable fluctuation. As seen in Figure H-1. in 1979 the marriage rate reached a high of 18.2 and in 2001 an all time low of 9.9. Conversely the divorce rate, as shown in Figure H-1, increased from 3.7 in 1976 to its pinnacle in 1979 of 4.7. In 2001, the divorce rate was 3.6 and the marriage rate 9.9.

Figure H-1
Marriage and Divorce Rates
South Carolina, 1977-2001



MARRIAGES

For the calendar year 2001, there were 1,966 interracial marriages in South Carolina, with 1,033 of these being between whites and blacks. Of these 1,033, 67.0 percent involved black males and white females. Table H-1 shows a cross-classification of marriages by race of bride and race of groom for South Carolina, 2001. Figure H-2 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table H-1.
Marriages by Race of Bride and Groom
South Carolina, 2001
(Residence Data)

Race of Bride	Race of Groom							Total
	White	Black	Indian	Chinese	Japanese	Other*	Unknown	
Total	29,884	9,501	236	9	1	496	1	40,128
White	29,132	692	108	1	1	177	1	30,112
Black	341	8,718	21	-	-	117	-	9,197
Indian	113	38	104	-	-	2	-	257
Chinese	4	2	-	8	-	1	-	15
Japanese	5	2	-	-	-	-	-	7
Other	289	49	3	-	-	199	-	540

* includes Hawaiian, Filipino, other Asian and Pacific Islander and other Non-White

As displayed in Table H-3, there were 4,541 persons under the age of twenty who married in South Carolina in 2001. Therefore, teenagers represent 11.3 percent of all persons who married in this state in 2001. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table H-7, for 27,756 marriages (69.2%), both the bride and groom were residents of South Carolina. There were 1,204 marriages (3.0%) between resident brides and non-resident grooms, and 771 (1.9%) between non-resident brides and resident grooms. There were 10,397 (25.9%) marriages performed in South Carolina where both bride and groom were non-residents.

Table H-2.
 Marriages and Marriage Rates¹ by Race
 South Carolina, 1977-2001
 (Occurrence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1977	51,306	17.8	38,924	19.8	12,382	13.6
1978	52,960	18.1	40,224	20.0	12,736	14.1
1979	53,505	18.2	40,790	20.2	12,715	14.0
1980	53,915	17.3	40,955	19.1	12,960	13.3
1981	54,145	17.0	41,746	19.0	12,669	12.7
1982	53,496	16.4	40,655	18.2	12,841	12.6
1983	53,691	16.2	41,490	18.2	12,201	11.7
1984	55,357	16.8	42,557	18.8	12,800	12.3
1985	52,805	15.7	40,315	17.5	12,490	11.7
1986	53,974	15.8	40,934	17.5	13,040	12.0
1987	53,396	15.6	39,916	17.0	13,480	12.5
1988	54,615	15.5	40,839	17.0	13,775	12.3
1989	54,693*	15.5	41,704	17.4	12,985	11.6
1990	55,754*	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320*	14.8	40,726	16.4	12,592	11.3
1993	53,223*	14.7	40,655	16.2	11,558	11.2
1994	51,564*	14.1	38,750	15.3	12,808	11.3
1995	45,347*	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411*	11.5	32,290	12.5	11,121	9.5
1998	42,380*	11.0	31,372	11.9	11,007	9.2
1999	43,664*	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8
2001	40,128	9.9	30,112	10.8	10,016	7.9

¹ Rate per 1,000 Population

* Includes unknown race

Figure H-2
 Marriage Rates by Race
 South Carolina, 1977-2001
 (Occurrence Data)




Table H-3.
Marriages by Age of Bride and Groom
South Carolina, 2001

Age of Groom	Total	Age of Bride														
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unknown
Total	40,128	-	3,313	9,723	7,927	5,856	4,408	3,297	2,377	1,513	730	446	269	164	105	-
< 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1,228	-	851	317	41	10	4	3	2	-	-	-	-	-	-	-
20-24	7,936	-	1,851	4,702	1,013	259	78	18	12	3	-	-	-	-	-	-
25-29	8,829	-	444	3,224	3,452	1,162	382	114	36	11	3	1	-	-	-	-
30-34	6,455	-	113	1,008	2,144	1,981	772	307	98	23	6	3	-	-	-	-
35-39	4,705	-	33	314	811	1,341	1,292	588	226	85	13	1	1	-	-	-
40-44	3,546	-	13	89	304	634	998	903	425	142	27	10	-	1	-	-
45-49	2,540	-	4	42	91	280	507	687	623	224	57	23	2	-	-	-
50-54	2,030	-	3	18	47	128	230	435	532	449	140	32	11	3	2	-
55-59	1,173	-	-	7	16	42	91	159	260	309	195	69	20	4	1	-
60-64	708	-	1	1	6	12	35	55	92	166	161	122	39	11	7	-
65-69	439	-	-	1	-	3	14	18	50	70	75	104	74	24	6	-
70-74	266	-	-	-	1	1	3	5	12	22	31	47	71	52	21	-
75+	272	-	-	-	-	3	2	5	9	9	22	34	51	69	68	-
Unknown	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table H-4.
 Marriages by Race, Residential Status and Age of Bride
 South Carolina, 2001
 (Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	28,960	100.0	21,550	100.0	7,410	100.0
Under 15	-	-	-	-	-	-
15-19	2,541	8.8	2,166	10.1	375	5.1
20-24	7,574	26.2	5,904	27.4	1,670	22.5
25-29	5,717	19.7	4,083	18.9	1,634	22.1
30-34	4,057	14.0	2,814	13.1	1,243	16.8
35-39	3,056	10.6	2,139	9.9	917	12.4
40-44	2,290	7.9	1,653	7.7	637	8.6
45-49	1,615	5.6	1,145	5.3	470	6.3
50-54	984	3.4	738	3.4	246	3.3
55-59	459	1.6	346	1.6	113	1.5
60-64	282	1.0	227	1.1	55	0.7
65-69	188	0.6	154	0.7	34	0.5
70-74	121	0.4	109	0.5	12	0.2
75 +	76	0.3	72	0.3	4	0.1
Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	11,168	100.0	8,562	100.0	2,606	100.0
Under 15	-	-	-	-	-	-
15-19	772	6.9	633	7.4	139	5.3
20-24	2,149	19.2	1,668	19.5	481	18.5
25-29	2,210	19.8	1,662	19.4	548	21.0
30-34	1,799	16.1	1,376	16.1	423	16.2
35-39	1,352	12.1	1,024	12.0	328	12.6
40-44	1,007	9.0	748	8.7	259	9.9
45-49	762	6.8	577	6.7	185	7.1
50-54	529	4.7	400	4.7	129	5.0
55-59	271	2.4	214	2.5	57	2.2
60-64	164	1.5	131	1.5	33	1.3
65-69	81	0.7	66	0.8	15	0.6
70-74	43	0.4	37	0.4	6	0.2
75 +	29	0.3	26	0.3	3	0.1

Table H-5.
Marriages by Race, Residential Status and Age of Groom
South Carolina, 2001
(Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	28,527 *	100.0	21,022	100.0	7,504	100.0
15-19	974	3.4	827	3.9	147	2.0
20-24	6,027 *	21.1	4,651	22.1	1,375	18.3
25-29	6,436	22.6	4,725	22.5	1,711	22.8
30-34	4,553	16.0	3,256	15.5	1,297	17.3
35-39	3,251	11.4	2,264	10.8	987	13.2
40-44	2,439	8.5	1,722	8.2	717	9.6
45-49	1,654	5.8	1,169	5.6	485	6.5
50-54	1,339	4.7	965	4.6	374	5.0
55-59	741	2.6	570	2.7	171	2.3
60-64	447	1.6	352	1.7	95	1.3
65-69	282	1.0	205	1.0	77	1.0
70-74	188	0.7	153	0.7	35	0.5
75 +	196	0.7	163	0.8	33	0.4
Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	11,601	100.0	8,862	100.0	2,739	100.0
15-19	254	2.2	202	2.3	52	1.9
20-24	1,909	16.5	1,451	16.4	458	16.7
25-29	2,393	20.6	1,844	20.8	549	20.0
30-34	1,902	16.4	1,423	16.1	479	17.5
35-39	1,454	12.5	1,077	12.2	377	13.8
40-44	1,107	9.5	842	9.5	265	9.7
45-49	886	7.6	683	7.7	203	7.4
50-54	691	6.0	536	6.0	155	5.7
55-59	432	3.7	341	3.8	91	3.3
60-64	261	2.2	202	2.3	59	2.2
65-69	157	1.4	128	1.4	29	1.1
70-74	78	0.7	65	0.7	13	0.5
75 +	76	0.7	67	0.8	9	0.3

*Includes unknown race

Table H-6.
Marriages by County in Which License Was Issued by Residential Status
South Carolina and Each County, 2001

County License Issued	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	40,128	28,960	72.2	11,168	27.8	28,527	71.1	11,601	28.9
Abbeville	193	144	74.6	49	25.4	140	72.5	53	27.5
Aiken	2,567	1,060	41.3	1,507	58.7	1,031	40.2	1,536	59.8
Allendale	97	49	50.5	48	49.5	49	50.5	48	49.5
Anderson	1,124	978	87.0	146	13.0	968	86.1	156	13.9
Bamberg	111	103	92.8	8	7.2	103	92.8	8	7.2
Barnwell	150	138	92.0	12	8.0	138	92.0	12	8.0
Beaufort	1,447	898	62.1	549	37.9	914	63.2	533	36.8
Berkeley	798	739	92.6	59	7.4	738	92.5	60	7.5
Calhoun	97	90	92.8	7	7.2	88	90.7	9	9.3
Charleston	4,088	3,161	77.3	927	22.7	3,138	76.8	950	23.2
Cherokee	854	478	56.0	376	44.0	464	54.3	390	45.7
Chester	239	223	93.3	16	6.7	220	92.1	19	7.9
Chesterfield	437	283	64.8	154	35.2	273	62.5	164	37.5
Clarendon	181	169	93.4	12	6.6	164	90.6	17	9.4
Colleton	328	285	86.9	43	13.1	284	86.6	44	13.4
Darlington	438	414	94.5	24	5.5	406	92.7	32	7.3
Dillon	1,620	247	15.2	1,373	84.8	247	15.2	1,373	84.8
Dorchester	374	347	92.8	27	7.2	348	93.0	26	7.0
Edgefield	256	153	59.8	103	40.2	154	60.2	102	39.8
Fairfield	165	157	95.2	8	4.8	155	93.9	10	6.1
Florence	1,114	1,040	93.4	74	6.6	1,030	92.5	84	7.5
Georgetown	549	422	76.9	127	23.1	411	74.9	138	25.1
Greenville	3,518	3,274	93.1	244	6.9	3,199	90.9	319	9.1
Greenwood	497	467	94.0	30	6.0	462	93.0	35	7.0
Hampton	147	123	83.7	24	16.3	125	85.0	22	15.0
Horry	3,249	1,560	48.0	1,689	52.0	1,512	46.5	1,737	53.5
Jasper	1,006	164	16.3	842	83.7	169	16.8	837	83.2
Kershaw	406	388	95.6	18	4.4	380	93.6	26	6.4
Lancaster	542	422	77.9	120	22.1	412	76.0	130	24.0
Laurens	350	340	97.1	10	2.9	336	96.0	14	4.0
Lee	116	109	94.0	7	6.0	108	93.1	8	6.9
Lexington	1,552	1,478	95.2	74	4.8	1,458	93.9	94	6.1
McCormick	139	51	36.7	88	63.3	50	36.0	89	64.0
Marion	257	243	94.6	14	5.4	243	94.6	14	5.4
Marlboro	458	176	38.4	282	61.6	164	35.8	294	64.2
Newberry	222	210	94.6	12	5.4	208	93.7	14	6.3
Oconee	1,238	521	42.1	717	57.9	522	42.2	716	57.8
Orangeburg	568	530	93.3	38	6.7	527	92.8	41	7.2
Pickens	755	709	93.9	46	6.1	695	92.1	60	7.9
Richland	2,568	2,351	91.5	217	8.5	2,305	89.8	263	10.2
Saluda	96	91	94.8	5	5.2	90	93.8	6	6.3
Spartanburg	2,033	1,880	92.5	153	7.5	1,843	90.7	190	9.3
Sumter	849	791	93.2	58	6.8	787	92.7	62	7.3
Union	196	194	99.0	2	1.0	193	98.5	3	1.5
Williamsburg	233	222	95.3	11	4.7	219	94.0	14	6.0
York	1,906	1,088	57.1	818	42.9	1,057	55.5	849	44.5

Table H-7.
 Marriages by Residential Status and County of Marriage
 South Carolina, 2001
 (Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Groom Only Resident	Bride Only Resident	Bride & Groom Non-Resident
South Carolina	40,128	27,756	771	1,204	10,397
Abbeville	192	142	3	6	41
Aiken	2,350	914	85	109	1,242
Allendale	101	62	-	-	39
Anderson	1,117	968	16	29	104
Bamberg	138	126	3	1	8
Barnwell	150	134	-	4	12
Beaufort	1,605	893	62	48	602
Berkeley	944	845	17	30	52
Calhoun	96	87	1	2	6
Charleston	4,318	2,936	114	107	1,161
Cherokee	825	446	15	24	340
Chester	216	190	3	10	13
Chesterfield	397	252	8	18	119
Clarendon	228	206	1	8	13
Colleton	348	291	5	7	45
Darlington	444	410	5	10	19
Dillon	1,535	234	14	17	1,270
Dorchester	593	533	6	12	42
Edgefield	350	155	11	13	171
Fairfield	185	170	1	6	8
Florence	994	908	11	26	49
Georgetown	645	468	16	22	139
Greenville	3,069	2,746	37	114	172
Greenwood	463	414	12	14	23
Hampton	147	112	5	1	29
Horry	3,981	1,762	46	85	2,088
Jasper	936	160	14	8	754
Kershaw	374	344	4	11	15
Lancaster	490	397	11	19	63
Laurens	377	352	2	13	10
Lee	119	109	2	5	3
Lexington	1,646	1,516	21	41	68
McCormick	143	48	4	7	84
Marion	258	241	3	5	9
Marlboro	277	158	9	21	89
Newberry	224	205	4	5	10
Oconee	1,187	481	16	18	672
Orangeburg	603	545	10	12	36
Pickens	1,000	892	17	31	60
Richland	2,216	1,904	40	88	184
Saluda	114	103	1	2	8
Spartanburg	1,991	1,795	41	72	83
Sumter	838	746	24	32	36
Union	185	177	1	5	2
Williamsburg	255	236	3	9	7
York	1,464	943	47	77	397

DIVORCES AND ANNULMENTS

Table H-8 shows that out of the total 29,314 persons in 2001 who were granted divorces, 32.1 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. Figure H-3 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 83.7 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table H-11 shows divorces by legal grounds of decree. As shown in Table H-12, there were 11,712 children involved in divorces and annulments in 2001.

Table H-8.
Divorces by Age Groups and Race
South Carolina, 2001

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	14,657 *	11,372	3,250	14,657 *	11,434	3,180
15-19	19	19	-	73	70	3
20-24	608 *	530	77	1,108 *	983	123
25-29	1,838 *	1,474	360	2,273 *	1,849	421
30-34	2,594 *	1,992	594	2,695 *	2,094	593
35-39	2,719 *	2,074	638	2,704 *	2,043	653
40-44	2,366 *	1,789	575	2,253 *	1,726	518
45-49	1,829 *	1,408	415	1,598 *	1,203	390
50-54	1,227 *	945	279	920 *	688	231
55-59	666 *	527	138	452 *	351	99
60-64	322 *	251	70	222 *	177	44
65-69	194 *	151	42	90	70	20
70-74	77	65	12	42 *	35	6
75+	69	57	12	31	25	6
Unknown	129 *	90	38	196 *	120	73

* Includes unknown races

Table H-9.
Divorces and Divorce Rates¹ by Race
South Carolina, 1977-2001

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1977	10,717	3.7	8,969	4.6	1,748	1.9
1978	11,901	4.1	9,903	4.9	1,998	2.2
1979	13,747	4.7	11,283	5.6	2,464	2.7
1980	13,595	4.4	11,155	5.2	2,440	2.5
1981	13,974	4.4	11,503	5.2	2,471	2.5
1982	13,600	4.2	11,233	5.0	2,367	2.3
1983	13,061	4.1	11,060	4.9	2,541	2.4
1984	13,674	4.1	11,111	4.9	2,563	2.5
1985	13,456	4.0	11,045	4.8	2,411	2.3
1986	13,431	3.9	11,011	4.7	2,420	2.2
1987	13,835	4.0	11,229	4.8	2,606	2.4
1988	14,672	4.2	11,824	4.9	2,848	2.5
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802*	4.3	12,404	4.9	3,394	3.0
1995	15,171*	4.1	11,824	4.7	3,346	3.0
1996	15,319*	4.1	11,829	4.6	3,434	3.0
1997	15,780*	4.2	12,226	4.7	3,483	3.0
1998	15,083*	3.9	11,653	4.4	3,358	2.8
1999	15,115*	3.9	11,647	4.3	3,380	2.8
2000	15,196*	3.8	11,608	4.2	3,519	2.8
2001	14,657*	3.6	11,372	4.1	3,250	2.6

¹ Rate per 1,000 population

* Includes unknown race

Figure H-3.
Divorce Rates by Race
South Carolina, 1977-2001




Table H-10.
Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
South Carolina, 2001

Duration of Marriage	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unk.
Total	5,647	8,994	12	254	338	60	1,583	12,250	63	90	7
Under 1 Year	10	21	-	-	2	-	9	9	1	10	-
1 - 4 Years	1,317	1,982	2	108	104	26	366	2,616	19	59	-
1 Year	94	206	-	36	27	10	50	142	5	30	-
2 Years	363	477	1	37	24	8	101	650	4	15	-
3 Years	427	636	-	17	25	6	105	899	5	7	-
4 Years	433	663	1	18	28	2	110	925	5	7	-
5 - 9 Years	1,605	2,652	3	59	97	16	423	3,637	19	9	2
5 Years	368	632	-	18	26	5	86	863	3	2	-
6 Years	351	583	2	17	13	3	89	803	5	3	1
7 Years	314	503	-	12	21	5	79	694	5	2	-
8 Years	283	497	1	7	16	3	83	666	4	2	-
9 Years	289	437	-	5	21	-	86	611	2	-	1
10 - 14 Years	1,076	1,759	2	43	64	11	304	2,400	11	1	1
15 - 19 Years	626	1,094	-	20	31	-	196	1,464	10	2	-
20 - 24 Years	443	656	1	12	28	3	126	923	1	5	1
25 - 29 Years	252	393	-	7	6	1	74	554	1	2	-
30 & Over	294	409	4	5	6	3	82	600	1	1	2
Unknown	24	28	-	-	-	-	3	47	-	1	1

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-11.
Divorces by Plaintiff and Legal Grounds of Decree*
South Carolina and Each County, 2001

County of Decree	Plaintiff		Legal Ground for Decree								
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown
South Carolina	5,647	8,994	12	254	338	60	1,583	12,250	63	90	7
Abbeville	22	51	-	3	2	-	6	62	-	-	-
Aiken	228	347	1	9	18	-	62	481	3	2	1
Allendale	10	8	-	1	1	-	2	15	-	-	-
Anderson	246	444	-	25	26	5	107	512	6	8	1
Bamberg	29	27	-	-	2	-	6	47	1	-	-
Barnwell	49	45	-	1	2	-	14	75	1	1	-
Beaufort	186	264	3	4	8	-	29	402	2	2	-
Berkeley	255	343	-	7	13	1	69	497	2	9	-
Calhoun	18	26	-	1	1	-	10	31	-	1	-
Charleston	468	669	2	7	20	5	72	1,025	2	4	-
Cherokee	89	169	-	3	13	-	35	199	4	5	-
Chester	44	85	-	2	2	2	15	108	-	-	-
Chesterfield	58	103	1	6	2	-	17	131	3	2	-
Clarendon	34	46	-	1	1	-	9	70	-	1	-
Colleton	63	96	-	6	4	2	16	132	1	-	-
Darlington	110	209	-	2	7	2	35	271	-	1	1
Dillon	53	91	-	7	4	-	16	116	-	1	-
Dorchester	142	214	-	6	3	1	37	308	-	1	-
Edgefield	24	47	1	1	2	1	4	59	2	1	-
Fairfield	30	52	-	4	-	1	5	70	-	2	-
Florence	180	305	-	5	10	1	62	405	2	2	-
Georgetown	73	137	-	5	1	-	18	184	2	-	-
Greenville	424	742	1	18	16	8	109	1,005	2	7	-
Greenwood	113	157	-	4	13	1	26	224	1	-	1
Hampton	26	35	-	3	-	-	7	49	2	-	-
Horry	238	374	-	6	15	1	70	516	-	4	1
Jasper	7	22	-	-	-	1	4	24	-	-	-
Kershaw	92	146	-	3	2	-	32	200	2	-	-
Lancaster	90	126	-	6	8	2	30	168	1	1	-
Laurens	121	173	-	6	5	2	34	240	4	3	-
Lee	21	32	-	1	-	-	4	47	1	-	-
Lexington	362	599	1	14	36	5	124	774	3	4	-
McCormick	5	6	-	-	-	-	2	9	-	-	-
Marion	46	74	-	1	2	1	12	102	-	2	-
Marlboro	25	43	-	3	2	-	6	57	-	-	-
Newberry	48	75	-	2	1	-	13	106	1	-	-
Oconee	99	154	-	2	9	2	43	193	1	3	-
Orangeburg	98	174	-	10	5	3	25	223	4	2	-
Pickens	181	315	-	13	14	7	87	372	-	4	-
Richland	448	708	1	17	18	2	92	1,011	5	10	-
Saluda	17	27	1	1	3	-	8	31	-	-	-
Spartanburg	369	617	-	20	32	3	116	812	3	1	1
Sumter	188	278	-	12	9	-	44	396	1	3	1
Union	41	55	-	1	1	-	10	82	-	2	-
Williamsburg	31	61	-	-	-	-	6	85	-	1	-
York	146	223	-	5	5	1	33	324	1	-	-

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-12.
Divorces and Annulments by Number of Children Involved and Race
South Carolina and Each County, 2001

County of Decree	Total	Divorces and Annulments				Children Involved under age 18		
		Race of Husband		Race of Wife		Total	White	Black & Other
		White	Black & Other	White	Black & Other			
South Carolina	14,657 *	11,372	3,250	11,434	3,180	11,712 *	8,847	2,844
Abbeville	73	52	21	53	20	82	67	15
Aiken	577 *	466	109	469	105	538	408	130
Allendale	19	7	12	8	11	9	2	7
Anderson	690 *	615	74	619	70	570	488	82
Bamberg	56	29	27	29	27	41	11	30
Barnwell	94	72	22	72	22	60	48	12
Beaufort	450 *	350	99	352	97	374 *	289	84
Berkeley	598 *	490	106	492	104	493	385	108
Calhoun	44	32	12	32	12	27	15	12
Charleston	1,137 *	806	327	809	324	802 *	543	257
Cherokee	259	227	32	227	31	204	174	30
Chester	129	103	26	103	26	115	82	33
Chesterfield	162	120	42	123	39	122	94	28
Clarendon	82	47	35	48	34	75	36	39
Colleton	161	109	52	113	48	153	107	46
Darlington	319	230	89	228	91	242	176	66
Dillon	144	99	45	101	43	107	73	34
Dorchester	356	300	56	297	59	302	255	47
Edgefield	71	53	18	53	18	67	47	20
Fairfield	82	46	36	46	36	76	31	45
Florence	487	340	147	341	145	390	266	124
Georgetown	210 *	143	66	144	65	173	104	69
Greenville	1,166 *	995	170	1,006	159	861 *	727	133
Greenwood	270 *	199	70	202	67	201	150	51
Hampton	61	36	25	35	25	49	31	18
Horry	613 *	538	70	545	64	427 *	370	55
Jasper	29	20	9	20	9	23	14	9
Kershaw	239	214	25	212	27	205	172	33
Lancaster	216	181	35	182	34	196	172	24
Laurens	294	249	45	250	44	248	210	38
Lee	53	26	27	26	27	37	18	19
Lexington	961 *	889	69	894	64	819 *	746	71
McCormick	11	5	6	5	6	6	3	3
Marion	120	81	39	82	38	97	62	35
Marlboro	68	43	25	45	23	66	46	20
Newberry	123 *	87	35	87	35	88	65	23
Oconee	253	237	16	241	12	177	161	16
Orangeburg	272	128	144	129	143	217	99	118
Pickens	497	475	22	476	20	438	412	26
Richland	1,156 *	647	508	640	512	887	435	452
Saluda	44	35	9	34	10	43	32	11
Spartanburg	988 *	836	141	845	130	777 *	638	126
Sumter	466 *	294	171	294	172	409	266	143
Union	96	73	23	73	23	64	50	14
Williamsburg	92	39	53	39	53	63	27	36
York	369	309	60	313	56	292	240	52

* Includes unknown race

The State Wild Game Bird

“ The Wild Turkey”



Officially adopted by the General Assembly in 1976

MORBIDITY

I-1.
 Reported Cases of Selected Communicable Disease
 South Carolina and Each County, 2001
 (Occurrence Data)

County	Campylobacteriosis	Chickenpox	E Coli 015	Hepatitis A	Hepatitis B	Hepatitis C	Influenza Isolates	Legionellosis	Lyme Disease
2001 Total	196	66	24	85	72	13	160	15	6
2000 Total	153	78	21	87	23	3	397	6	21
Abbeville	-	-	-	-	-	-	-	-	-
Aiken	4	-	-	2	1	-	1	-	-
Allendale	-	-	-	-	-	-	-	-	-
Anderson	12	1	7	1	2	5	1	-	2
Bamberg	-	-	-	-	-	-	-	-	-
Barnwell	1	-	-	1	-	-	4	-	-
Beaufort	4	3	1	1	4	1	4	-	-
Berkeley	12	-	-	5	3	-	2	-	-
Calhoun	-	-	-	-	-	-	-	-	-
Charleston	25	3	2	11	5	1	12	-	-
Cherokee	-	-	-	4	-	-	1	-	-
Chester	-	-	-	1	-	-	1	-	-
Chesterfield	6	-	-	1	-	-	-	-	-
Clarendon	-	-	-	-	-	-	13	-	-
Colleton	1	-	-	-	1	-	-	-	-
Darlington	3	-	-	-	1	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-
Dorchester	8	-	-	1	1	-	-	-	-
Edgefield	-	-	-	-	1	-	-	-	-
Fairfield	1	-	-	1	1	-	7	-	-
Florence	4	2	-	7	1	-	4	2	-
Georgetown	6	1	1	2	2	1	5	-	-
Greenville	13	2	7	7	5	2	10	3	1
Greenwood	8	-	1	1	1	1	2	-	-
Hampton	1	-	-	-	1	-	-	1	-
Horry	14	-	-	3	6	-	-	-	-
Jasper	-	-	1	1	1	-	-	-	-
Kershaw	5	2	-	1	4	-	-	2	-
Lancaster	2	-	1	4	-	1	-	-	2
Laurens	1	1	-	1	1	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-
Lexington	11	4	-	-	1	-	8	-	-
Marion	-	-	-	-	-	-	-	-	-
Marlboro	1	1	-	-	-	-	-	-	-
McCormick	1	-	-	1	-	-	1	-	-
Newberry	-	-	-	-	-	-	7	-	-
Oconee	4	-	1	5	-	-	2	-	1
Orangeburg	2	-	-	-	5	-	-	-	-
Pickens	3	-	1	2	-	-	8	1	-
Richland	21	33	-	13	10	1	17	-	-
Saluda	1	-	-	-	-	-	-	-	-
Spartanburg	9	13	1	4	3	-	47	5	-
Sumter	6	-	-	1	2	-	-	-	-
Union	-	-	-	-	1	-	-	-	-
Williamsburg	-	-	-	-	2	-	1	-	-
York	6	-	-	3	6	-	2	1	-

Source: SCDHEC, Division of Acute Epidemiology

I-1 (cont.)
 Reported Cases of Selected Communicable Disease
 South Carolina and Each County, 2001
 (Occurrence Data)

County	Malaria	Meningococcal Disease	Mumps	Pertussis	Rabies in Animals	Rocky Mountain Spotted Fever	Salmonellosis	Shigellosis	Tuberculosis	Vancomycin Resistant Enterococcus
2001 Total	9	33	7	34	144	31	913	251	263	328
2000 Total	2	26	11	55	162	47	744	139	287	262
Abbeville	-	1	-	-	2	-	1	-	-	2
Aiken	-	2	-	1	6	-	38	1	9	3
Allendale	-	-	-	-	-	-	-	-	4	1
Anderson	-	4	1	1	19	2	52	1	5	34
Bamberg	1	-	-	-	-	-	2	-	-	2
Barnwell	-	-	-	-	3	-	2	4	-	-
Beaufort	-	-	1	-	4	4	38	3	12	8
Berkeley	-	1	-	2	5	-	36	14	7	4
Calhoun	-	-	-	1	2	-	2	-	-	-
Charleston	1	3	-	7	8	1	111	169	20	46
Cherokee	-	1	-	-	1	-	7	-	6	3
Chester	-	-	-	-	3	-	3	-	1	3
Chesterfield	-	1	-	-	7	-	7	-	-	2
Clarendon	-	-	-	-	1	-	4	-	2	3
Colleton	-	-	-	-	3	1	8	6	2	5
Darlington	-	-	-	-	-	-	3	-	14	7
Dillon	-	-	-	-	1	-	5	4	3	3
Dorchester	-	1	1	-	3	1	22	5	5	3
Edgefield	-	-	-	-	1	-	2	-	1	-
Fairfield	-	-	-	-	-	-	-	-	-	1
Florence	-	-	-	-	1	4	24	-	10	14
Georgetown	1	-	-	-	-	1	17	-	7	19
Greenville	2	1	-	3	15	-	50	5	12	22
Greenwood	-	3	-	6	2	2	19	-	5	20
Hampton	-	-	-	-	1	-	-	1	2	5
Horry	-	1	1	2	4	1	78	6	27	17
Jasper	-	-	-	-	-	-	3	1	-	-
Kershaw	-	-	-	-	2	1	6	-	4	14
Lancaster	-	-	-	-	2	1	14	1	3	3
Laurens	-	-	-	1	1	-	5	-	3	5
Lee	-	-	-	-	-	-	3	-	2	1
Lexington	1	2	-	-	6	-	22	5	9	11
Marion	-	1	-	-	2	-	8	2	8	2
Marlboro	-	-	-	-	-	-	7	-	3	3
McCormick	-	-	-	-	1	-	6	-	-	1
Newberry	-	-	-	-	2	-	2	1	2	2
Oconee	-	1	-	-	-	-	9	-	2	6
Orangeburg	-	1	-	-	1	-	13	-	12	3
Pickens	1	-	-	6	1	1	8	-	1	2
Richland	1	4	2	1	1	-	180	7	16	30
Saluda	-	1	-	-	3	-	3	-	-	1
Spartanburg	1	-	1	2	13	8	25	2	10	4
Sumter	-	1	-	-	1	-	25	9	5	5
Union	-	-	-	-	1	1	8	-	5	1
Williamsburg	-	-	-	-	1	1	2	-	8	3
York	-	3	-	1	14	1	33	4	16	4

Source: SCDHEC, Division of Acute Epidemiology

Table I-2
 Reported Cases of Selected Sexually Transmitted Diseases¹
 South Carolina and Each County, 2001
 (Occurrence Data)

County	AIDS	HIV infection	HTLV - I, II infection	Chlamydia	Gonorrhea	Syphilis, Congenital	Syphilis, Infectious
2001 Total	741	935	9	14,422	9,952	17	223
2000 Total	787	969	5	9,950	8,383	22	229
Abbeville	*	*	-	117	48	-	1
Aiken	11	16	-	352	261	-	10
Allendale	*	*	-	145	98	-	-
Anderson	12	12	-	613	290	-	14
Bamberg	*	8	1	118	89	-	-
Barnwell	10	10	-	68	43	-	1
Beaufort	12	22	-	263	158	-	1
Berkeley	11	16	-	203	158	-	1
Calhoun	*	*	-	54	18	-	-
Charleston	67	95	1	1,457	1,085	1	7
Cherokee	*	*	-	101	108	-	-
Chester	6	7	-	142	43	-	11
Chesterfield	8	10	-	148	96	-	1
Clarendon	8	14	-	150	87	1	5
Colleton	8	10	-	138	103	-	1
Darlington	14	17	-	275	257	1	1
Dillon	*	*	-	165	137	1	-
Dorchester	12	0	-	144	107	-	-
Edgefield	*	*	1	56	52	-	1
Fairfield	*	*	-	124	97	-	-
Florence	32	53	-	635	502	1	3
Georgetown	12	13	-	242	140	-	-
Greenville	41	55	-	552	301	2	10
Greenwood	8	8	-	315	264	1	1
Hampton	6	8	-	110	65	-	5
Horry	31	50	2	641	541	1	27
Jasper	6	6	-	94	35	-	-
Kershaw	10	11	-	148	76	-	3
Lancaster	12	13	-	236	133	-	-
Laurens	*	12	-	162	88	-	1
Lee	6	*	-	122	86	1	3
Lexington	17	35	1	267	156	1	4
Marion	*	7	-	164	139	-	2
Marlboro	11	10	-	164	144	-	1
McCormick	*	*	-	38	24	-	-
Newberry	*	*	-	147	45	1	1
Oconee	*	*	-	127	25	-	-
Orangeburg	29	34	-	644	478	2	7
Pickens	9	*	-	92	37	-	-
Richland	148	219	-	1,781	1,179	1	34
Saluda	*	*	-	53	37	-	-
Spartanburg	23	28	2	703	506	-	6
Sumter	35	42	1	699	326	1	39
Union	*	*	-	68	55	1	-
Williamsburg	19	21	-	326	290	-	1
York	21	26	-	380	169	-	20

¹ Excludes Military

* Designates 3 or fewer cases

Cases Diagnosed January 1 - December 31, 2001

Source: SCDHEC, Division of STD/HIV

TECHNICAL NOTES

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event reports are initially submitted to the County Registrar located in the county where the event occurred. The reports are then submitted to the Division of Vital Records (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

Records received after the closing date of the statistical file are not included in this report. Frequency counts in this report are based on 2001 events processed in the state office before May 31, 2002. As this publication goes to press, 6 births, 31 deaths, 0 abortion, 0 marriage and 0 divorce records for 2001 were processed after the closing date and were not added to the statistical file for 2001.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth, death, fetal death and induced termination of pregnancy in January 1989, based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System, which is widely used in many obstetric offices.

The revisions on the Fetal Death Report, like the Certificate of Live Birth, largely pertain to the medical conditions of the mother, labor/delivery and condition of the fetus. The data on these variables are not reported in this publication, since the quality of these variables has not been assessed to assure the accuracy of the data.

The Certificate of Death has remained essentially the same for many years. However, the 1989 revision of the form was an attempt to improve the accuracy of the data reported in the medical certification section of the certificate by including instructions for completing the medical certification on the front of the certificate and, in more detail, on the back. Additionally, the revised certificate allows a physician to pronounce and certify only to the time and place of death in cases where the attending physician is unavailable and the death is clearly not a medical-legal case. The funeral director can then contact the attending physician to obtain the medical certification at a later time. This revision allows funeral directors the ability to file death certificates in a more timely manner, as well as improve the quality and completeness.

The 1989 revisions to the vital records forms were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events, which occurred in South Carolina.

OCCURRENCE DATA are allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved. Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 2001

	BIRTHS			DEATHS		
	TOTAL	WHITE	BLACK & OTHER	TOTAL	WHITE	BLACK & OTHER
Occurring in S.C.	53,255	33,802	19,453	35,817	25,289	10,528
Residents of S.C.	52,686	33,386	19,300	34,900	24,551	10,349
Non-Residents	569	16	153	917	738	179
Occurring to S.C. Residents	55,748	35,731	20,008	36,576	25,781	10,782
In South Carolina	52,686	33,386	19,300	34,900	24,551	10,349
Out-of- State	3,062*	345	708	1,676	1,230	433

* Includes unknown races

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a liveborn infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth, which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "married " category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD O00-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is not assigned to codes O00-O99.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age or a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death. (International Classification of Disease).

YEARS OF POTENTIAL LIFE LOST (YPLL): YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point, usually age 65 or age 75. YPLL rates are per 100,000 population who are younger than the age of the end point.

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on the reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". Blacks make up 95.8 percent of the black and other population of South Carolina.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the married category. In 2000 there were 6,259 paternity acknowledgments representing 11.2 percent of the total resident live births and 19.0 percent of all live births to married women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes so far.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: Only a person authorized by law, usually a physician or a coroner, can make the medical certification of death. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, antecedent causes giving rise to the immediate cause and the medical certifier also may enter other significant conditions contributing to the death. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology used by NCHS to rank the causes of infant death has also been adopted for this report. This change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.

YEARS OF POTENTIAL LIFE LOST RATES: Years of Potential Life Lost (YPLL) is a commonly used method of measuring the rate of premature death. YPLL rates identify untimely deaths in a way the traditional mortality rate can not. YPLL is defined as the number of years of potential life lost by each death occurring before a predetermined end point. Ages 65 and 75 are often selected as end points, since age 65 approximates the usual retirement age and 75 years, the average life expectancy. The YPLL rate weights each death according to the number of years of life lost prior to the selected end point. Deaths occurring at younger ages are weighted more heavily than those occurring at older ages. To calculate the number of years of potential life lost, the age at last birthday of each death is subtracted from the selected end point. For this publication, these values are summed for all deaths and by selected cause of death for all races and by race group. Only deaths occurring at ages younger than the end point are included. YPLL rates are per 100,000 population who are younger than the age of the end point.

POPULATION DATA: The estimated total number of people residing in the state and in each county for 2001 was provided by the Office of Research and Statistics, South Carolina State Budget and Control Board from data released by the Census Bureau. These population estimates, however were not available by race, gender or age category, which are required for some of the rates in this publication. In order to provide 2001 population estimates for these categories, the staff of ORS, SCSB7CB and the staff of the Division of Biostatistics and Health GIS, Public Health Statistics and Information Services, SCDHEC jointly developed a two-step methodology consisting of firstly, determining, for each county, the proportional distribution of the 2000 population by race, gender and age category and secondly, applying the distribution of each county, which was determined in step one, to the corresponding 2001 population

estimate, which was available from ORS, SCB&CB, The county data were summed by category to provide population estimates by race, gender and age category for the state.

POPULATION DATA BY RACE: At the time of this publication, population files released by the U.S. Census Bureau contain data for a “multiple race” category and for single race categories (including an “other/non-Census designated race” category). This presents problems for vital rates from two standpoints: first, these population files contain counts of persons with more than one race and therefore are not compatible with vital statistics numerators which contain information for persons by single race category, second , the population files contain the “other/non-Census designated race” category which is not used to calculate vital statistics rates.

In order to provide rates by single race category of ‘white’ and ‘black and other’ for South Carolina vital events, a methodology was developed that would regroup the populations of the race categories, ‘multiple race’ and ‘other/non-Census designated race’, into standard single race categories. This methodology was developed jointly by the staff of the Office of Research and Statistics, South Carolina State Budget and Control Board and the staff of the Division of Biostatistics, Public Health Statistics and Information Services, SCDHEC. At the time of this publication, neither modified or bridged files had been issued by the US Bureau of the Census.

Of the 4,012,012 South Carolinians counted in the 2000 Census, approximately one percent (39,950) were included in the ‘multiple’ race category and another one percent (39,926), in the ‘other/non-Census designated race’ category. The populations of these two race categories were allocated to the standard single race categories by age, gender and county. This allocation was based on the proportional distribution of the population of the standard single race categories within each of these age, gender, county groups.

POPULATION DATA FOR SELECTED AGE GROUPS: For inter-census years, ORS provides estimated population data for South Carolina by age for five-year age groups. It is assumed that the population within each of these age categories is distributed uniformly through out the age interval. Based on this assumption, the population for females 14-17, 15-17 and 18-19 years is derived, consecutively, as follows – (20% of the female population 10-14 years plus 60% of the female population 15-19 years), (60% of the female population 15-19), and (40% of the female population 15-19). Pregnancy data for these teenagers are published annually in the South Carolina Vital and Morbidity Statistics reports and also in the South Carolina Teen Pregnancy Data Book(s).

Implementation of the International Classification of Diseases (ICD)10th Revision

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the “Old pneumonia, influenza, and maternal conditions” and “Error and accidents in medical care” coding rules have been eliminated)
- modified the tabulations lists (e.g., the US’ ICD-10 113-cause list replaces the US’ ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:
ICD-10 Web page at: www.cdc.gov/nchs/icd9.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= $\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	= $\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	= $\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	= $\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
General Fertility Rate	= $\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Birth Rate of Unmarried Mothers	= $\frac{\text{Annual number of unmarried mothers}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	= $\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	= $\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	= $\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	= $\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	= $\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	= $\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	= $\frac{\text{Annual number of fetal deaths} + \text{Annual number of neonatal deaths}}{\text{Annual number of live births} + \text{Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	= $\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Grams Weight Conversion Chart

500 grams or less	=	1lb. 1 oz. or less
501 - 1,000 grams	=	1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams	=	2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams	=	3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams	=	4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams	=	5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams	=	6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams	=	7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams	=	8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams	=	9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more	=	11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APPENDIX

APPENDIX

List of 113 Selected Causes of Death

Estimated Comparability Ratios for 113 Selected Causes of Death

Sample of Electronic Birth Certificate (EBC)

Sample of Birth Certificate

Sample of Death Certificate

Sample of Fetal Death Certificate

Sample of Marriage License

Sample of Divorce or Annulment Report

Sample of Abortion Report

Publications from Biostatistics

Contributors

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01-A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07- A09
#	Tuberculosis..... A16-A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17- A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40- A41
10#	Syphilis..... A50- A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83- A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15- B19
15#	Human immunodeficiency virus (HIV) disease..... B20- B24
16#	Malaria..... B50- B54
17	Other and unspecified infectious and parasitic diseases and their sequelae A00, A05, A20- A36, A42- A44, A48- A49, A54- A79, A81- A82, A85. 0- A85. 1, A85. 8, A86- B04, B06- B09, B25- B49, B55- B99
#	Malignant neoplasms..... C00- C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00- C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18- C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33- C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54- C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64- C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70- C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81- C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82- C85
37	Leukemia..... C91- C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23- C24, C26- C31, C37- C41, C44- C49, C51- C52, C57- C60, C62- C63, C66, C68- C69, C73- C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00- D48
42#	Anemias..... D50- D64
43#	Diabetes mellitus..... E10- E14
#	Nutritional deficiencies..... E40- E64
44	Malnutrition..... E40- E46
45	Other nutritional deficiencies..... E50- E64
46#	Meningitis..... G00, G03
47#	Parkinson's disease..... G20- G21
48#	Alzheimer's disease..... G30
#	Major cardiovascular diseases..... I00- I78
	Diseases of heart..... I00- I09, I11, I13, I20- I51
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00- I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20- I25
52	Acute myocardial infarction..... I21- I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1- I25. 9
	Other heart diseases..... I26- I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30- I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26- I28, I34- I38, I42- I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60- I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71- I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72- I78
65	Other disorders of circulatory system..... I80- I99
#	Influenza and pneumonia..... J10- J18
66	Influenza..... J10- J11
67	Pneumonia..... J12- J18
	Other acute lower respiratory infections..... J20- J22
68#	Acute bronchitis and bronchiolitis..... J20- J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40- J47
70	Bronchitis, chronic and unspecified..... J40- J42
71	Emphysema..... J43
72	Asthma..... J45- J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60- J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00- J06, J30- J39, J67, J70- J98
77#	Peptic ulcer..... K25- K28
78#	Diseases of appendix..... K35- K38
79#	Hernia..... K40- K46
#	Chronic liver disease and cirrhosis..... K70, K73- K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73- K74
82#	Cholelithiasis and other disorders of gallbladder..... K80- K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00- N07, N17- N19, N25- N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00- N01, N04
84	Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified..... N02- N03, N05- N07, N26
85	Renal failure..... N17- N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10- N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70- N76
#	Pregnancy, childbirth and the puerperium..... 000- 099
90	Pregnancy with abortive outcome..... 000- 007
91	Other complications of pregnancy, childbirth and the puerperium..... 010- 099
92#	Certain conditions originating in the perinatal period..... P00- P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00- Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified..... R00- R99
95	All other diseases (Residual)..... D65- E07, E15- E34, E65- F99, G04- G12, G23- G25, G31- H93, K00- K22, K29- K31, K50- K66, K71- K72, K75- K76, K83- M99, N13. 0- N13. 5, N13. 7- N13. 9, N14, N15. 0, N15. 8- N15. 9, N20- N23, N28- N39, N41- N64, N80- N98
#	Accidents..... V01- X59, Y85- Y86
	Transport accidents..... V01- V99, Y85
96	Motor vehicle accidents..... V02- V04, V09. 0, V09. 2, V12- V14, V19. 0- V19. 2, V19. 4- V19. 6, V20- V79, V80. 3- V80. 5, V81. 0- V81. 1, V82. 0- V82. 1, V83- V86, V87. 0- V87. 8, V88. 0- V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05- V06, V09. 1, V09. 3- V09. 9, V10- V11, V15- V18, V19. 3, V19. 8- V19. 9, V80. 0- V80. 2, V80. 6- V80. 9, V81. 2- V81. 9, V82. 2- V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae V90- V99, Y85
	Nontransport accidents..... W00- X59, Y86
99	Falls..... W00- W19
100	Accidental discharge of firearms..... W32- W34
101	Accidental drowning and submersion..... W65- W74
102	Accidental exposure to smoke, fire and flames..... X00- X09
103	Accidental poisoning and exposure to noxious substances..... X40- X49
104	Other and unspecified nontransport accidents and their sequelae W20- W31, W35- W64, W75- W99, X10- X39, X50- X59, Y86
#	Intentional self-harm (suicide)..... X60- X84, Y87. 0
105	Intentional self-harm (suicide) by discharge of firearms..... X72- X74
106	Intentional self-harm (suicide) by other and unspecified means and their sequelae X60- X71, X75- X84, Y87. 0
#	Assault (homicide)..... X85- Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93- X95
108	Assault (homicide) by other and unspecified means and their sequelae..... X85- X92, X96- Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10- Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22- Y24
111	Other and unspecified events of undetermined intent and their sequelae Y10- Y21, Y25- Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40- Y84, Y88

Estimated comparability ratios for 113 selected causes of death

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
001	Salmonella infections	30	37	0.8108	0.0644	7.9	0.6846	0.9370
002	Shigellosis and amebiasis	*	*	*	*	*	*	*
003	Certain other intestinal infections	*	*	*	*	*	*	*
004	Tuberculosis	653	764	0.8547	0.0172	2	0.8209	0.8885
005	Respiratory tuberculosis	518	572	0.9056	0.0201	2.2	0.8662	0.9450
006	Other tuberculosis	135	192	0.7031	0.0407	5.8	0.6233	0.7830
007	Whooping cough	*	*	*	*	*	*	*
008	Scarlet fever and erysipelas	*	*	*	*	*	*	*
009	Meningococcal infection	221	222	0.9955	0.0149	1.5	0.9663	1.0247
010	Septicemia	21,258	17,791	1.1949	0.0042	0.3	1.1867	1.2030
011	Syphilis	21	33	0.6364	0.1184	18.6	0.4043	0.8685
012	Acute poliomyelitis	*	*	*	*	*	*	*
013	Arthropod-borne viral encephalitis	*	*	*	*	*	*	*
014	Measles	*	*	*	*	*	*	*
015	Viral hepatitis	1,123	1,346	0.8343	0.0120	1.4	0.8109	0.8578
016	Human immunodeficiency virus (HIV) disease	25,089	23,586	1.0637	0.0018	0.2	1.0601	1.0673
017	Malaria	*	*	*	*	*	*	*
018	Other and unspecified infectious and parasitic diseases and their sequelae	2,865	2,607	1.0990	0.0154	1.4	1.0688	1.1291
019	Malignant neoplasms	464,688	461,544	1.0068	0.0002	0.0	1.0064	1.0072
020	Malignant neoplasms of lip, oral cavity and pharynx	5,927	6,172	0.9603	0.0040	0.4	0.9525	0.9681
021	Malignant neoplasm of esophagus	9,596	9,630	0.9965	0.0020	0.2	0.9926	1.0003
022	Malignant neoplasm of stomach	11,480	11,408	1.0063	0.0019	0.2	1.0025	1.0101
023	Malignant neoplasms of colon, rectum and anus	48,583	48,619	0.9993	0.0009	0.1	0.9975	1.0010
024	Malignant neoplasms of liver and intrahepatic bile ducts	9,732	10,102	0.9634	0.0023	0.2	0.9588	0.9679
025	Malignant neoplasm of pancreas	24,313	24,361	0.9980	0.0009	0.1	0.9963	0.9997
026	Malignant neoplasm of larynx	3,209	3,194	1.0047	0.0053	0.5	0.9943	1.0150
027	Malignant neoplasms of trachea, bronchus and lung	131,750	133,936	0.9837	0.0005	0.1	0.9827	0.9846
028	Malignant melanoma of skin	5,941	6,139	0.9677	0.0032	0.3	0.9614	0.9741
029	Malignant neoplasm of breast	38,102	37,891	1.0056	0.0010	0.1	1.0036	1.0075
030	Malignant neoplasm of cervix uteri	3,753	3,802	0.9871	0.0034	0.3	0.9805	0.9938
031	Malignant neoplasms of corpus uteri and uterus, part unspecified	5,318	5,183	1.0260	0.0040	0.4	1.0182	1.0339
032	Malignant neoplasm of ovary	11,292	11,344	0.9954	0.0016	0.2	0.9923	0.9985
033	Malignant neoplasm of prostate	30,672	30,267	1.0134	0.0015	0.1	1.0105	1.0162
034	Malignant neoplasms of kidney and renal pelvis	9,521	9,521	1.0000	0.0022	0.2	0.9957	1.0043
035	Malignant neoplasm of bladder	9,563	9,594	0.9968	0.0026	0.3	0.9916	1.0019
036	Malignant neoplasms of meninges, brain and other parts of central nervous system	10,039	10,359	0.9691	0.0025	0.3	0.9642	0.9740
037	Malignant neoplasms of lymphoid, hematopoietic and related tissue	44,715	44,530	1.0042	0.0012	0.1	1.0019	1.0064
038	Hodgkin's disease	1,021	1,036	0.9855	0.0089	0.9	0.9680	1.0030
039	Non-Hodgkin's lymphoma	17,924	18,326	0.9781	0.0018	0.2	0.9745	0.9817
040	Leukemia	16,600	16,405	1.0119	0.0019	0.2	1.0083	1.0155
041	Multiple myeloma and immunoproliferative neoplasms	9,099	8,763	1.0383	0.0030	0.3	1.0324	1.0443
042	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	*	*	*	*	*	*	*
043	All other and unspecified malignant neoplasms	51,182	45,492	1.1251	0.0021	0.2	1.1210	1.1292
044	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	9,263	5,532	1.6744	0.0164	1.0	1.6422	1.7067
045	Anemias	3,059	3,200	0.9559	0.0077	0.8	0.9409	0.9710
046	Diabetes mellitus	48,636	48,242	1.0082	0.0011	0.1	1.0060	1.0103
047	Nutritional deficiencies	3,215	2,763	1.1636	0.0165	1.4	1.1312	1.1960
048	Malnutrition	2,607	2,665	0.9782	0.0151	1.5	0.9487	1.0078
049	Other nutritional deficiencies	608	98	6.2041	0.5961	9.6	5.0358	7.3724
050	Meningitis	592	584	1.0137	0.0136	1.3	0.9871	1.0403
051	Parkinson's disease	10,404	10,392	1.0012	0.0028	0.3	0.9956	1.0067
052	Alzheimer's disease	29,707	19,121	1.5536	0.0071	0.5	1.5398	1.5675
053	Major cardiovascular diseases	796,919	798,435	0.9981	0.0002	0.0	0.9977	0.9985
054	Diseases of heart	615,564	624,405	0.9858	0.0002	0.0	0.9854	0.9863
055	Acute rheumatic fever and chronic rheumatic heart diseases	2,446	2,980	0.8208	0.0089	1.1	0.8034	0.8382
056	Hypertensive heart disease	17,322	21,577	0.8028	0.0028	0.3	0.7973	0.8083
057	Hypertensive heart and renal disease	2,170	2,027	1.0705	0.0160	1.5	1.0392	1.1019
058	Ischemic heart diseases	466,459	466,935	0.9990	0.0002	0.0	0.9985	0.9994
059	Acute myocardial infarction	178,125	180,169	0.9887	0.0003	0.0	0.9880	0.9893
060	Other acute ischemic heart diseases	2,667	2,638	1.0110	0.0117	1.2	0.9880	1.0340
061	Other forms of chronic ischemic heart disease	285,667	284,128	1.0054	0.0004	0.0	1.0046	1.0062

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
062	Atherosclerotic cardiovascular disease, so described.	64,354	61,362	1.0488	0.0016	0.2	1.0456	1.0519
063	All other forms of chronic ischemic heart disease	221,313	222,766	0.9935	0.0004	0.0	0.9927	0.9942
064	Other heart diseases	127,167	130,886	0.9716	0.0010	0.1	0.9696	0.9736
065	Acute and subacute endocarditis.	552	554	0.9964	0.0137	1.4	0.9695	1.0233
066	Diseases of pericardium and acute myocarditis	489	475	1.0295	0.0160	1.6	0.9981	1.0608
067	Heart failure.	44,297	42,554	1.0410	0.0013	0.1	1.0384	1.0435
068	All other forms of heart disease	81,829	87,303	0.9373	0.0014	0.2	0.9345	0.9401
069	Essential (primary) hypertension and hypertensive renal disease.	11,958	10,684	1.1192	0.0050	0.4	1.1094	1.1291
070	Cerebrovascular diseases.	137,264	129,640	1.0588	0.0008	0.1	1.0572	1.0604
071	Atherosclerosis	13,894	14,417	0.9637	0.0025	0.3	0.9588	0.9686
072	Other diseases of circulatory system	18,239	19,289	0.9456	0.0021	0.2	0.9414	0.9498
073	Aortic aneurysm and dissection	12,216	12,201	1.0012	0.0010	0.1	0.9992	1.0032
074	Other diseases of arteries, arterioles and capillaries.	6,023	7,088	0.8497	0.0053	0.6	0.8394	0.8601
075	Other disorders of circulatory system	2,984	2,899	1.0293	0.0172	1.7	0.9956	1.0631
076	Influenza and pneumonia	50,526	72,371	0.6982	0.0018	0.3	0.6947	0.7016
077	Influenza	572	567	1.0088	0.0073	0.7	0.9945	1.0231
078	Pneumonia	49,954	71,804	0.6957	0.0018	0.3	0.6922	0.6992
079	Other acute lower respiratory infections	346	355	0.9746	0.0392	4.0	0.8978	1.0515
080	Acute bronchitis and bronchiolitis	265	355	0.7465	0.0264	3.5	0.6947	0.7983
081	Unspecified acute lower respiratory infection.
082	Chronic lower respiratory diseases	94,326	90,022	1.0478	0.0009	0.1	1.0460	1.0496
083	Bronchitis, chronic and unspecified	913	2,320	0.3935	0.0107	2.7	0.3726	0.4145
084	Emphysema	14,369	14,774	0.9726	0.0031	0.3	0.9666	0.9786
085	Asthma	4,217	4,718	0.8938	0.0061	0.7	0.8819	0.9057
086	Other chronic lower respiratory diseases	74,827	68,210	1.0970	0.0014	0.1	1.0943	1.0998
087	Pneumoconioses and chemical effects	860	845	1.0178	0.0099	1.0	0.9983	1.0372
088	Pneumonitis due to solids and liquids	10,183	9,104	1.1185	0.0048	0.4	1.1092	1.1279
089	Other diseases of respiratory system	16,656	14,269	1.1673	0.0052	0.4	1.1572	1.1774
090	Peptic ulcer	3,574	3,686	0.9696	0.0045	0.5	0.9608	0.9784
091	Diseases of appendix	209	202	1.0347	0.0242	2.3	0.9873	1.0820
092	Hernia	658	633	1.0395	0.0154	1.5	1.0094	1.0696
093	Chronic liver disease and cirrhosis.	21,688	20,920	1.0367	0.0027	0.3	1.0314	1.0420
094	Alcoholic liver disease.	10,147	9,965	1.0183	0.0050	0.5	1.0085	1.0281
095	Other chronic liver disease and cirrhosis	11,541	10,955	1.0535	0.0041	0.4	1.0454	1.0615
096	Cholelithiasis and other disorders of gallbladder	1,725	1,803	0.9567	0.0060	0.6	0.9450	0.9685
097	Nephritis, nephrotic syndrome and nephrosis.	24,939	20,242	1.2320	0.0044	0.4	1.2234	1.2407
098	Acute and rapidly progressive nephritic and nephrotic syndrome.	161	249	0.6466	0.0342	5.3	0.5796	0.7136
099	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified	468	1,213	0.3858	0.0144	3.7	0.3575	0.4141
100	Renal failure	24,290	18,758	1.2949	0.0050	0.4	1.2852	1.3047
101	Other disorders of kidney	20	22	0.9091	0.0867	9.5	0.7392	1.0790
102	Infections of kidney.	731	726	1.0069	0.0144	1.4	0.9786	1.0352
103	Hyperplasia of prostate.	326	327	0.9969	0.0159	1.6	0.9658	1.0280
104	Inflammatory diseases of female pelvic organs.	63	64	0.9844	0.0410	4.2	0.9040	1.0648
105	Pregnancy, childbirth and the puerperium.
106	Pregnancy with abortive outcome
107	Other complications of pregnancy, childbirth and the puerperium.
108	Certain conditions originating in the perinatal period	10,184	9,555	1.0658	0.0033	0.3	1.0593	1.0724
109	Congenital malformations, deformations and chromosomal abnormalities	5,950	7,025	0.8470	0.0055	0.6	0.8362	0.8577
110	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	16,940	17,732	0.9553	0.0034	0.4	0.9487	0.9620
111	All other diseases (Residual)	109,853	122,107	0.8996	0.0015	0.2	0.8968	0.9025
112	Accidents (unintentional injuries)	31,084	30,163	1.0305	0.0014	0.1	1.0278	1.0333
113	Transport accidents	17,547	17,586	0.9978	0.0006	0.1	0.9966	0.9990
114	Motor vehicle accidents	14,539	17,051	0.8527	0.0027	0.3	0.8473	0.8581
115	Other land transport accidents
116	Water, air and space, and other and unspecified transport accidents and their sequelae.	351	347	1.0115	0.0209	2.1	0.9706	1.0525
117	Nontransport accidents	13,537	12,577	1.0763	0.0035	0.3	1.0696	1.0831
118	Falls	5,173	6,152	0.8409	0.0049	0.6	0.8313	0.8505
119	Accidental discharge of firearms	493	466	1.0579	0.0127	1.2	1.0331	1.0828
120	Accidental drowning and submersion.	283	284	0.9965	0.0127	1.3	0.9716	1.0213
121	Accidental exposure to smoke, fire and flames.	493	506	0.9743	0.0089	0.9	0.9568	0.9918
122	Accidental poisoning and exposure to noxious substances
123	Other and unspecified nontransport accidents and their sequelae.	6,698	4,721	1.4188	0.0123	0.9	1.3947	1.4428

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
124	Intentional self-harm (suicide)	18,352	18,422	0.9962	0.0005	0.0	0.9952	0.9972
125	Intentional self-harm (suicide) by discharge of firearms	14,157	14,183	0.9982	0.0007	0.1	0.9968	0.9996
126	Intentional self-harm (suicide) by other and unspecified means and their sequelae	4,195	4,239	0.9896	0.0023	0.2	0.9850	0.9942
127	Assault (homicide)	12,287	12,308	0.9983	0.0006	0.1	0.9972	0.9994
128	Assault (homicide) by discharge of firearms	8,718	8,745	0.9969	0.0008	0.1	0.9953	0.9985
	Assault (homicide) by other and unspecified means and their sequelae	3,569	3,563	1.0017	0.0024	0.2	0.9969	1.0064
129	Legal intervention
130	Legal intervention
131	Events of undetermined intent
132	Discharge of firearms, undetermined intent
133	Other and unspecified events of undetermined intent and their sequelae
134	Operations of war and their sequelae
135	Complications of medical and surgical care

* Figure does not meet standards of reliability or precision; see Technical notes.

0.0 Quantity more than zero but less than 0.05.

¹Based on the Ninth and Tenth Revision categories shown in table B.

²ICD-10 is *International Classification of Diseases*, Tenth Revision, and ICD-9 is *International Classification of Diseases*, Ninth Revision.

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL 139-
CERTIFICATE OF LIVE BIRTH

BIRTH NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

CHILD

1. CHILD'S NAME First Middle Last 2. DATE OF BIRTH (Month, Day, Year) 3. TIME OF BIRTH M

4. SEX 5. CITY, TOWN, OR LOCATION OF BIRTH 6. COUNTY OF BIRTH

7. PLACE OF BIRTH 8. FACILITY NAME (If not institution, give street and number)

9. I certify that this child was born alive at the place and time and on the date stated. 10. SIGNATURE (Month, Day, Year) 11. CERTIFIER'S NAME AND TITLE (different than certifier's name/Print)

12. CERTIFIER'S NAME AND TITLE 13. CERTIFIER'S MAILING ADDRESS (Street and Number - Rural Route Number, City or State, Zip Code)

14. REGISTRAR'S SIGNATURE 15. DATE FILED BY REGISTRAR (Month, Day, Year)

MOTHER

16a. MOTHER'S NAME First Middle Last 16b. MAIDEN SURNAME 17. DATE OF BIRTH (Month, Day, Year)

18. BIRTHPLACE (State or Country) 19. RESIDENCE - STREET AND NUMBER, CITY, STATE, AND COUNTY 19c. CITY, TOWN, OR LOCATION

19d. STREET AND NUMBER 19e. ZIP CODE 19f. INSIDE OR OUTSIDE CITY 19g. OTHER'S MAILING ADDRESS (different than residence)

21. FATHER'S NAME First Middle Last 22. DATE OF BIRTH (Month, Day, Year) 23. BIRTHPLACE (State or Country or Foreign Country)

24. I certify that the personal information provided on this certificate is the best to my knowledge and belief.
Signature of Parent

CONFIDENTIAL INFORMATION FOR MEDICAL AND HEALTH USE ONLY

25. OF HISPANIC ORIGIN? 26. RACE (Specify below) 27. EDUCATION (Specify only highest grade completed) 28. SOCIAL SECURITY NUMBER (Specify below)

25a. Mother 25b. Father 26a. Mother 26b. Father 27a. Mother 27b. Father 28a. Mother 28b. Father

29. PREGNANCY HISTORY (Complete each section)

LIVE BIRTHS (Do not include this child)		OTHER TERMINATIONS (Spontaneous and induced at any time after conception)	30. MOTHER MARRIED? (At birth, conception, or any time between) (Yes or No)	31. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)
29a. Now Living Number _____	29b. Now Dead Number _____			
29c. DATE OF LAST LIVE BIRTH (Month/Year)		29e. DATE OF LAST OTHER TERMINATION (Month/Year)	34. BIRTH WEIGHT (Specify unit)	35. CLINICAL ESTIMATE OF GESTATION (Weeks)
37. APGAR SCORE		38a. MOTHER TRANSFERRED PRIOR TO DELIVERY? If Yes, enter name of facility transferred from:	36a. PLURALITY - Single, Twin, Triplet, etc. (Specify)	36b. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify)
37a. 1 Minute	37b. 5 Minutes	38b. INFANT TRANSFERRED? If Yes, enter name of facility transferred to:	39. WHAT PROPHYLACTIC USED IN EYES? (Specify)	

TIME USED M.

Do Not
Fold This
Certificate

DHEC 0609E
10/17/91

Parental
Request
for
Issuance
of SS #

State Office
Use Only

DHEC 0609E
10/17/91

EBC

SAMPLE

40a. MEDICAL RISK FACTORS FOR THIS PREGNANCY

40b. OTHER RISK FACTORS FOR THIS PREGNANCY

Tobacco use during pregnancy
Average number cigarettes per day

Alcohol use during pregnancy
Average number drinks per week

Weight gained during pregnancy

41. OBSTETRIC PROCEDURES

42. COMPLICATIONS OF LABOR AND/OR DELIVERY

43. METHOD OF DELIVERY

44. ABNORMAL CONDITIONS OF THE NEWBORN

45. CONGENITAL ANOMALIES OF CHILD

46. Has a relative of the baby had a hearing loss that existed since childhood? (Permanent, Hereditary loss)


PRINT IN IMANENT ACK INK FOR RUCTIONS SEE NDBOOK

STATE OF SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL CERTIFICATE OF LIVE BIRTH

BIRTH NUMBER

1. CHILD'S NAME (First, Middle, Last), 2. DATE OF BIRTH (Month, Day, Year), 3. TIME OF BIRTH, 4. SEX, 5. CITY, TOWN, OR LOCATION OF BIRTH, 6. COUNTY OF BIRTH, 7. PLACE OF BIRTH, 8. FACILITY NAME, 9. I certify that this child was born alive at the place and time and on the date stated., 10. DATE SIGNED, 11. ATTENDANT'S NAME AND TITLE, 12. CERTIFIER'S NAME AND TITLE, 13. ATTENDANT'S MAILING ADDRESS, 14. REGISTRAR'S SIGNATURE, 15. DATE FILED BY REGISTRAR

16a. MOTHER'S NAME (First, Middle, Last), 16b. MAIDEN SURNAME, 17. DATE OF BIRTH (Month, Day, Year), 18. BIRTHPLACE (State or Foreign Country), 19a. RESIDENCE, 19b. STREET AND NUMBER, 19c. ZIP CODE, 20. INSURANCE, 21. FATHER'S NAME (First, Middle, Last), 22. DATE OF BIRTH (Month, Day, Year), 23. BIRTHPLACE (State or Foreign Country), 24. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief.



25. OF HISPANIC ORIGIN? (25a. Mother, 25b. Father), 26. RACE, 27. EDUCATION, 28. SOCIAL SECURITY NUMBER, 29. PREGNANCY HISTORY (LIVE BIRTHS, OTHER TERMINATIONS), 30. MOTHER MARRIED?, 31. DATE LAST NORMAL MENSES BEGAN, 32. MONTH OF PREGNANCY PRENATAL CARE BEGAN, 33. PRENATAL VISITS, 34. BIRTH WEIGHT, 35. CLINICAL ESTIMATE OF GESTATION, 36a. PLURALITY, 36b. IF NOT SINGLE BIRTH, 37. APGAR SCORE, 38a. MOTHER TRANSFERRED PRIOR TO DELIVERY?, 38b. INFANT TRANSFERRED?, 39. WHAT PROPHYLACTIC USED IN EYES?, 40. TIME USED

40a. MEDICAL RISK FACTORS FOR THIS PREGNANCY, 40b. OTHER RISK FACTORS FOR THIS PREGNANCY, 41. OBSTETRIC PROCEDURES, 42. COMPLICATIONS OF LABOR AND/OR DELIVERY, 43. METHOD OF DELIVERY, 44. ABNORMAL CONDITIONS OF THE NEWBORN, 45. CONGENITAL ANOMALIES OF CHILD, 46. Has a relative of the baby had a hearing loss that existed since childhood?

RENTAL REQUEST FOR SUANCE OF SS#? s No STATE OFFICE SE ONLY

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
OTHER SIDE
OF HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

9a.

9b.

9d.

Pronouncing
Physician
Only →

See
Definition
On Other
Side

12a.

12b.

13a.

13b.

13c.

30e.

DHEC 670
Rev. 1990

See Instructions On Other Side

PARENTS

DISPOSITION

See Definition On Other Side

See Instructions On Other Side

CERTIFIER

REGISTRAR

1. DECEDECENT'S NAME First Middle Last		2. SEX		3. DATE OF DEATH (Month, Day, Year)	
4. SOCIAL SECURITY NUMBER		5a. AGE - Last Birthday (Years)		6. DATE OF BIRTH (Mo., Day, Year)	
5b. Months Days		5c. Hours Minutes		7. BIRTHPLACE (City, and State or Foreign Country)	
8. WAS DECEDECENT EVER IN U.S. ARMED FORCES? (Yes or No)		9a. PLACE OF DEATH (Check only one; see instructions on other side)			
HOSPITAL: <input type="checkbox"/> Inpatient <input type="checkbox"/> ER/Outpatient <input type="checkbox"/> DOA		OTHER: <input type="checkbox"/> Nursing Home <input type="checkbox"/> Residence <input type="checkbox"/> Other (Specify)			
9a. FACILITY NAME (If not institution, give street and number)		CITY, TOWN, OR LOCATION OF DEATH		COUNTY OF DEATH	
9b. MARITAL STATUS - Married, Never Married, Widowed, Divorced (Specify)		11. SURVIVING SPOUSE (If wife, give maiden name)		12a. DECEDECENT'S USUAL OCCUPATION (Give kind of work done during most of working life. Do not use retired.)	
10. RESIDENCE - STATE COUNTY		13c. CITY, TOWN, OR LOCATION		12b. KIND OF BUSINESS/INDUSTRY	
13a. RESIDENCE - STATE		13b. COUNTY		13d. STREET AND NUMBER	
13e. INSIDE CITY LIMITS? (Yes or No)		13c. CITY, TOWN, OR LOCATION		13d. STREET AND NUMBER	
13. ZIP CODE		14. Was Decedent of Hispanic Origin? (Specify Yes or No - If yes, specify Cuban, Mexican, Puerto Rican, etc.) <input type="checkbox"/> Yes <input type="checkbox"/> No (Specify)		15. RACE - American Indian, Black, White, etc. (Specify)	
16. DECEDECENT'S EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1-4 or 5+)		17. FATHER'S NAME First Middle Last		18. MOTHER'S NAME First Middle Maiden Surname	
19. INFORMANT NAME (Type/Relationship) Street Number or Route Number City or Town, State, (County)					
20. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Other (Specify) PLACE OF DISPOSITION (Cemetery, Home, etc.) LOCATION - (City or Town, State)					
21. FUNERAL DIRECTOR ACTS AS SUCH (Signature) EMBALMER LICENSE NO. ADDRESS AND PHONE NUMBER OF FACILITY					
21a. EMBALMER (Signature)		21b. EMBALMER LICENSE NO.		22. PHONE NUMBER (of facility)	
21c. EMBALMER (Signature)		21d. EMBALMER LICENSE NO.		22a. PHONE NUMBER (of facility)	
23a. Signature and Title		23b. LICENSE NUMBER		23c. DATE SIGNED (Month, Day, Year)	
24. TIME OF DEATH (Month, Day, Year)		25. DATE PRONOUNCED DEAD (Month, Day, Year)		26. WAS CASE REFERRED TO MEDICAL EXAMINER/CORONER? (Yes or No)	
27. PART I. Enter the diseases, injuries, or complications that caused the death. Do not enter the mode of dying, such as cardiac or respiratory arrest, shock, or heart failure. List only one cause on each line.					
IMMEDIATE CAUSE (Final disease or condition resulting in death)		a. DUE TO (OR AS A CONSEQUENCE OF):		Approximate Interval Between Onset and Death	
b. DUE TO (OR AS A CONSEQUENCE OF):		c. DUE TO (OR AS A CONSEQUENCE OF):		d. DUE TO (OR AS A CONSEQUENCE OF):	
PART II. Other significant conditions contributing to death but not resulting in the underlying cause given in Part I.					
28a. AUTOPSY (Yes or No)		28b. IF YES, WERE AUTOPSY FINDINGS CONSIDERED IN DETERMINING CAUSE OF DEATH? (Yes or No)			
29. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Accident <input type="checkbox"/> Suicide <input type="checkbox"/> Homicide <input type="checkbox"/> Pending Investigation <input type="checkbox"/> Could not be Determined		30a. DATE OF INJURY (Month, Day, Year)		30b. TIME OF INJURY M	
30c. INJURY AT WORK? (Yes or No)		30d. DESCRIBE HOW INJURY OCCURRED			
30e. PLACE OF INJURY - (Home, Farm, Street, Factory, Office, etc.) (Specify)		30f. LOCATION (Street and Number or Rural Route Number, City or Town, State)			
31. CERTIFIER (Check only one) <input type="checkbox"/> CERTIFYING PHYSICIAN (Physician certifying cause of death) <input type="checkbox"/> MEDICAL EXAMINER <input type="checkbox"/> CORONER <input type="checkbox"/> PRONOUNCING AND CERTIFYING PHYSICIAN (Physician both pronouncing death and certifying to cause of death)		32. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER		33. DATE SIGNED (Month, Day, Year)	
33a. SIGNATURE AND TITLE OF CERTIFIER To the best of my knowledge, death occurred at the time, date and place, and due to the cause(s) and manner as stated.		33b. LICENSE NUMBER		33c. DATE SIGNED (Month, Day, Year)	
34. NAME AND ADDRESS OF PERSON WHO SIGNED IN 33a. (Type/Print)					
35. REGISTRAR'S SIGNATURE				36. DATE FILED (Month, Day, Year)	

SAMPLE

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (If not institution, give street and number)				
2. CITY, TOWN, OR LOCATION OF DELIVERY		3. COUNTY OF DELIVERY		4. DATE OF DELIVERY (Month, Day, Year)
6a. MOTHER'S NAME First Middle Last			6b. MAIDEN SURNAME	7. DATE OF BIRTH (Month, Day, Year)
8a. RESIDENCE-STATE		8b. COUNTY	8c. CITY, TOWN, OR LOCATION	8d. STREET AND NUMBER
9. FATHER'S NAME First Middle Last		10. DATE OF BIRTH (Month, Day, Year)		
11. OF HISPANIC ORIGIN?		12. RACE — American Indian, Black, White, etc. (Specify below)		13. EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1-4 or 5+)
14. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year) Occupation Business/Industry		15. PREGNANCY HISTORY (Complete each section)		
11a. MOTHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		11b. FATHER YES <input type="checkbox"/> NO <input type="checkbox"/> If yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.		12a. MOTHER 12b. FATHER
12a. MOTHER 12b. FATHER		13a. MOTHER 13b. FATHER		14a. MOTHER 14b. BUSINESS/INDUSTRY 14c. FATHER 14d. BUSINESS/INDUSTRY
15a. Now <input type="checkbox"/> No <input type="checkbox"/>		15b. Now Dead <input type="checkbox"/> No <input type="checkbox"/>		15d. DATE OF LAST TERMINATION (Month, Day, Year)
16. MOTHER MARRIED? (At delivery, conception, or any time between) (Yes or no)		17. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		18. MO... VISITS - Total Number Physician, Clinic, Health Department, Third, etc.
19. PRE... VISITS - Total Number Physician, Clinic, Health Department, Third, etc.		20. CLINICAL ESTIMATE OF GESTATION (Weeks)		21. CLINICAL ESTIMATE OF GESTATION (Weeks)
22. IF... (Specify)		23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		

SAMPLE

23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		27. CONGENITAL ANOMALIES OF FETUS (Check all that apply)	
Anemia (Hct. < 30/Hgb. < 10) 01 <input type="checkbox"/> Cardiac disease 02 <input type="checkbox"/> Acute or chronic lung disease 03 <input type="checkbox"/> Diabetes 04 <input type="checkbox"/> Genital herpes 05 <input type="checkbox"/> Hydramnios/Oligohydramnios 06 <input type="checkbox"/> Hemoglobinopathy 07 <input type="checkbox"/> Hypertension, chronic 08 <input type="checkbox"/> Hypertension, pregnancy-associated 09 <input type="checkbox"/> Eclampsia 10 <input type="checkbox"/> Incompetent cervix 11 <input type="checkbox"/> Previous infant 4000+ grams 12 <input type="checkbox"/> Previous preterm or small-for-gestational-age infant 13 <input type="checkbox"/> Renal disease 14 <input type="checkbox"/> Rh sensitization 15 <input type="checkbox"/> Uterine bleeding 16 <input type="checkbox"/> None 00 <input type="checkbox"/> Other (Specify) 17 <input type="checkbox"/>		Febrile (>100 °F, or 38 °C.) 01 <input type="checkbox"/> Meconium, moderate/heavy 02 <input type="checkbox"/> Premature rupture of membrane (> 12 hours) 03 <input type="checkbox"/> Abruptio placenta 04 <input type="checkbox"/> Placenta previa 05 <input type="checkbox"/> Other excessive bleeding 06 <input type="checkbox"/> Seizures during labor 07 <input type="checkbox"/> Precipitous labor (< 3 hours) 08 <input type="checkbox"/> Prolonged labor (> 20 hours) 09 <input type="checkbox"/> Dysfunctional labor 10 <input type="checkbox"/> Breech/Malpresentation 11 <input type="checkbox"/> Cephalopelvic disproportion 12 <input type="checkbox"/> Cord prolapse 13 <input type="checkbox"/> Anesthetic complications 14 <input type="checkbox"/> Fetal distress 15 <input type="checkbox"/> None 00 <input type="checkbox"/> Other (Specify) 16 <input type="checkbox"/>		Anencephalus 01 <input type="checkbox"/> Spina bifida/Meningocele 02 <input type="checkbox"/> Hydrocephalus 03 <input type="checkbox"/> Microcephalus 04 <input type="checkbox"/> Other central nervous system anomalies (Specify) 05 <input type="checkbox"/> Heart malformations (Specify) 06 <input type="checkbox"/> Other circulatory anomalies (Specify) 07 <input type="checkbox"/> Respiratory anomalies (Specify) 08 <input type="checkbox"/> Rectal atresia/stenosis 09 <input type="checkbox"/> Tracheo esophageal fistula/Esoophageal atresia 10 <input type="checkbox"/> Omphalocele/Gastroschisis 11 <input type="checkbox"/> Other gastrointestinal anomalies (Specify) 12 <input type="checkbox"/> Malformed genitalia 13 <input type="checkbox"/> Renal agenesis 14 <input type="checkbox"/> Other urogenital anomalies (Specify) 15 <input type="checkbox"/> Cleft lip/palate 16 <input type="checkbox"/> Polydactyl/Syndactyl/Adactyl 17 <input type="checkbox"/> Club foot 18 <input type="checkbox"/> Diaphragmatic hernia 19 <input type="checkbox"/> Other musculoskeletal/integumental anomalies (Specify) 20 <input type="checkbox"/> Down's syndrome 21 <input type="checkbox"/> Other chromosomal anomalies (Specify) 22 <input type="checkbox"/> None 00 <input type="checkbox"/> Other (Specify) 23 <input type="checkbox"/>	
23b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		26. METHOD OF DELIVERY (Check all that apply)			
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day _____ Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week _____ Weight gained during pregnancy _____ lbs.		Vaginal 01 <input type="checkbox"/> Vaginal birth after previous C-section 02 <input type="checkbox"/> Primary C-section 03 <input type="checkbox"/> Repeat C-section 04 <input type="checkbox"/> Forceps 05 <input type="checkbox"/> Vacuum 06 <input type="checkbox"/> Hysterotomy/Hysterectomy 07 <input type="checkbox"/>			
24. OBSTETRIC PROCEDURES (Check all that apply)					
Amniocentesis 01 <input type="checkbox"/> Electronic fetal monitoring 02 <input type="checkbox"/> Induction of labor 03 <input type="checkbox"/> Stimulation of labor 04 <input type="checkbox"/> Tocolysis 05 <input type="checkbox"/> Ultrasound 06 <input type="checkbox"/> None 00 <input type="checkbox"/> Other (Specify) 07 <input type="checkbox"/>					

28. Enter only one cause per line for a, b, and c.	
PART I. Fetal or maternal condition directly causing fetal death. Fetal and/or maternal conditions, if any, giving rise to the immediate cause(s), stating the underlying cause last.	IMMEDIATE CAUSE a. _____ DUE TO (OR AS A CONSEQUENCE OF): b. _____ DUE TO (OR AS A CONSEQUENCE OF): c. _____
	Specify Fetal or Maternal
	Specify Fetal or Maternal
PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.	
29. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY UNKNOWN (Specify)	
30. AUTOPSY (Specify Yes or No)	

31. ATTENDANT'S NAME AND TITLE (Type/Print)		32. NAME AND TITLE OF PERSON COMPLETING REPORT (Type/Print)	
Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other (Specify) _____		Name _____ Title _____	
33. DATE REPORT COMPLETED		34. DATE RECEIVED BY HEALTH DEPARTMENT	

LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

LICENSE NUMBER _____		COUNTY _____	
GROOM—NAME (FIRST) (MIDDLE) (LAST)		BIRTHDATE (MONTH, DAY, YEAR)	
(1)		(2a)	
BIRTHPLACE (State or foreign country)	RACE	RESIDENCE (Street and Number)	
(3)	(4)	(5a)	
CITY, TOWN OR LOCATION	COUNTY	STATE	NO. OF THIS MARRIAGE (1st, 2nd, etc.)
(5b)	(5c)	(5d)	(6)
BRIDE—NAME (FIRST) (MIDDLE) (LAST)		BIRTHDATE (MONTH, DAY, YEAR)	
(7)		(8a)	
BIRTHPLACE (State or foreign country)	RACE	RESIDENCE (Street and Number)	
(9)	(10)	(11a)	
CITY, TOWN OR LOCATION	COUNTY	STATE	NO. OF THIS MARRIAGE (1st, 2nd, etc.)
(11b)	(11c)	(11d)	(12)
MAIDEN NAME OF BRIDE (Different From Above)			
(13)			

SAMPLE

Application for _____ was filed with the _____ at _____ M., the _____ day of _____, 19____. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. 19____.

Signature of Issuing Officer _____		Title of Issuing Officer _____	
GROOM—Signature		BRIDE—Signature	
(14)		(15)	
I certify that the above named persons were married on		Place of Marriage	
(16) (MONTH) (DAY) (YEAR)		(17) (CITY) (COUNTY) SOUTH CAROLINA	
OFFICIANT—Signature		OFFICIANT—Title	
(18a)		(18b)	
OFFICIANT—Mailing Address			
(18c)			

**SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
DIVISION OF VITAL RECORDS
Columbia, South Carolina**

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No. _____

ADDRESS	HUSBAND-NAME (first) (middle) (last)			DATE OF BIRTH	STATE OF BIRTH	
	RESIDENCE (state) (county) (city)			NUMBER OF THIS MARRIAGE	RACE OR COLOR (specify)	
	WIFE-MAIDEN NAME (first) (middle) (last)			DATE OF BIRTH	STATE OF BIRTH	
	RESIDENCE (state) (county) (city)			NUMBER OF THIS MARRIAGE	RACE OR COLOR (specify)	
ATTORNEY FOR PLAINTIFF	PLACE OF THIS MARRIAGE (state) (county)		DATE OF MARRIAGE (month) (day) (year)	NUMBER OF CHILDREN UNDER 18		
	PLAINTIFF (specify)	DECREEE GRANTED TO (specify)	WAS DIVORCE CONTESTED (specify yes or no)	LEGAL GROUNDS		
	DATE DECREE SIGNED (month) (day) (year)		TYPE OF DECREE absolute divorce or annulment (specify)			
	MAIDEN NAME RESUMED BY DECREE		SUPPLEMENTAL ORDER (if any) (month-day-year)			
	22a <input type="checkbox"/> Yes <input type="checkbox"/> No		22b			
	COUNTY		DOCKET NUMBER			
I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court _____ month _____ day _____ year						

SAMPLE

HUSBAND - SOCIAL SECURITY #	WIFE - SOCIAL SECURITY #
26	27



REPORT OF INDUCED TERMINATION OF PREGNANCY

STATE FILE NUMBER

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

1. FACILITY NAME (if not clinic or hospital, give address)		2. CITY, TOWN OR LOCATION OF PREGNANCY TERMINATION		3. COUNTY OF PREGNANCY TERMINATION	
4. PATIENT IDENTIFICATION NUMBER (Do Not Enter Patient's Name)		5. AGE LAST BIRTHDAY	6. MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO		7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN OR LOCATION		8d. INSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO	8e. ZIP CODE
9. OF HISPANIC ORIGIN? (Spanish, Puerto Rican, Cuban, Mexican, Dominican, etc.) <input type="checkbox"/> Yes <input type="checkbox"/> No		10. RACE (Specify race) _____ <input type="checkbox"/> White <input type="checkbox"/> Black <input type="checkbox"/> Other (Specify) _____		11. EDUCATION (Specify grade completed) Elementary/Secondary (0-12) _____ College (1-4 or 5+) _____	
12. DATE LAST MENSTRUATION (Month, Day, Year)		15. PREVIOUS PREGNANCIES (Complete each section)			
13. DATE OF CONCEPTION (Month, Day, Year)		LIVE BIRTHS		OTHER TERMINATIONS	
14. CLINICAL ESTIMATE OF GESTATION (Weeks)		15a. Now Living Number _____ <input type="checkbox"/> None	15b. Now Dead Number _____ <input type="checkbox"/> None	15c. Spontaneous Number _____ <input type="checkbox"/> None	15d. Induced (Do not include this termination) Number _____ <input type="checkbox"/> None
16. TERMINATION PROCEDURES					
16a. PROCEDURE THAT TERMINATED PREGNANCY (Check only one)		TYPE OF TERMINATION PROCEDURES		16b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY (Check all that apply)	
1		Suction Curettage		1	
2		Sharp Curettage		2	
3		Dilation and Evacuation (D & E)		3	
4		Intra-Uterine Saline Instillation		4	
5		Intra-Uterine Prostaglandin Instillation		5	
6		Hysterotomy/Hysterectomy		6	
7		Medical (Nonsurgical), Specify Medication(s) _____		7	
8		Other (Specify) _____		8	
		None		0	
17-18. CONSENT REQUIREMENTS (Pursuant to Chapter 41, Title 44, of the Code of Laws of South Carolina, 1976, as amended)					
17a. WAS INFORMED WRITTEN CONSENT OBTAINED FROM THE PATIENT? <input type="checkbox"/> Yes <input type="checkbox"/> No		17c. IF PATIENT HAS BEEN COURT ADJUDGED MENTALLY INCOMPETENT, INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> SPOUSE 2 <input type="checkbox"/> PARENT 3 <input type="checkbox"/> LEGAL GUARDIAN 4 <input type="checkbox"/> NONE OF THE ABOVE			
17b. IF NO, INFORMED WRITTEN CONSENT WAS NOT OBTAINED DUE TO: (check one) 1 <input type="checkbox"/> MEDICAL EMERGENCY 2 <input type="checkbox"/> INCEST 3 <input type="checkbox"/> NOT CAPABLE/MENTALLY INCOMPETENT 4 <input type="checkbox"/> NONE OF THE ABOVE					
18a. IF PATIENT IS UNDER 17 YEARS OF AGE, ADDITIONAL INFORMED WRITTEN CONSENT OBTAINED FROM: (check one) 1 <input type="checkbox"/> PARENT 2 <input type="checkbox"/> LEGAL GUARDIAN 3 <input type="checkbox"/> GRANDPARENT 4 <input type="checkbox"/> PERSON IN LOCO PARENTIS 5 <input type="checkbox"/> NONE OF THE ABOVE		18b. IF PATIENT IS UNDER 17 YEARS OF AGE AND ADDITIONAL INFORMED WRITTEN CONSENT WAS NOT OBTAINED, CHECK REASON BELOW: (check one) 1 <input type="checkbox"/> EMANCIPATED MINOR 2 <input type="checkbox"/> COURT ORDER 3 <input type="checkbox"/> MEDICAL EMERGENCY 4 <input type="checkbox"/> INCEST 5 <input type="checkbox"/> NONE OF THE ABOVE			
19. NAME OF PERSON COMPLETING FORM (Type/Print)			TITLE		
20. DATE REPORT COMPLETED (Month, Day, Year)			FOR STATE OFFICE USE ONLY 21. DATE REPORT RECEIVED		

SAMPLE

1

2

3

8a.

8b.

8c.

ITEM 17 MUST → BE COMPLETED FOR EACH PATIENT, REGARDLESS OF AGE.

ITEM 18 MUST → BE COMPLETED FOR EACH PATIENT UNDER 17 YEARS OF AGE.

Publications from Biostatistics

South Carolina Vital and Morbidity Statistics
Volume I, Annual Vital Statistics Series

South Carolina Detailed Mortality Statistics
Volume II, Annual Vital Statistics Series

Pregnancy Risk Assessment Monitoring System (PRAMS) Data Book
Annual Statistical Series, 1993-1994, 1995-1996, 1997, 1998, 1999

Pregnancy Risk Assessment Monitoring System Special Deliveries
Quarterly Reports

South Carolina Public Health Statistics and Information Report (PHSIR)
Quarterly Reports

South Carolina Perinatal Regionalization Surveillance
Volume I & II, Annual Vital Statistics Series

Statistical Report Series

- South Carolina Teen Pregnancy Data Book, 1980-2001 (Annual)
- South Carolina State and County Profile, 1975-1994 (Annual)
- South Carolina Age-Adjusted Mortality Rates, 1980-1995
- South Carolina Age-Adjusted Cancer Mortality Rates, 1980-1995
- Homicide in South Carolina, 1975-1989
- Suicides Among South Carolina Residents, 1970-1983
- Drowning Deaths Among South Carolina Residents for All Ages, 1985-1989
- Motor Vehicle Deaths Among South Carolina Residents for All Ages, 1980-1988
- Residential Fire Deaths Among South Carolina Residents for All Ages, 1985-1989
- Risk Indicators of Infant Mortality in South Carolina, 1986
- Mortality Patterns Among South Carolina Loggers, 1983-1985
- Ten Leading Underlying Causes of Death and The Top Five Associated Contributing Causes for Each Industry Group, 1984
- Sentinel Health Events by Cause of Death and Industry/Occupation, 1986
- Trends for Selected Maternal and Child Health Indicators by Health District South Carolina, (Residence Data)

Publications from Biostatistics (cont.)

- Leading Causes of Death by Industry Groups, South Carolina, 1986
- A Comparison of Causes of Death by Industry and Occupation for Calendar Year 1987-1988
- Mortality Among the Elderly, South Carolina, 1970-1979
- Years of Potential Life Lost Before Age 75, South Carolina (Residence Data) Vol. I & II, 1980-1989
- Exploring the Use of Multiple Causes of Death Data in South Carolina, 1981-1989
- South Carolina Perinatal Mortality by Hospitals and Other Services for 1992 and Combined Years 1990-1992
- Birthweight-Specific Neonatal and Fetal Mortality by Hospital, South Carolina, 1992 and 1990-1992
- Changes in Race Classification and the Effect on South Carolina's Infant Mortality Rates, 1990
- New Items on the South Carolina Birth Certificate, 1989 and 1990
- An Evaluation of the Responses to the "Specify" Options in the Congenital Anomaly Section of the South Carolina Birth Certificate, 1999

If you have any questions about these publications please contact our office.

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics and Health GIS
2600 Bull Street
Columbia, SC 29201
Phone 803-898-3649 Fax 803-898-3661

<http://www.scdhec.net>

**Division of Biostatistics
SC DHEC**

Guang Zhao, Director

Statistical Branch

Mike Tian, Manager
Joanna Yoon, Statistician

Data & Quality Management Branch

Shae R. Sutton, Manager
Mary H. Glover, Assistant Manager
Cynthia A. Messmore, Administrative Assistant

We gratefully acknowledge the dedicated assistance of the Bureau of Disease Control and the SC Budget and Control Board Office of Research and Statistics on this publication.



PROMOTE PROTECT PROSPER

Division of Biostatistics

Office of Public Health Statistics and Information Services

South Carolina Department of Health and Environmental Control

2600 Bull Street

Columbia, South Carolina 29201